


Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT20) Mode 5320 MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10640.8000	48.27	-1.01	47.26	54.00	-6.74	AVG	
2	10641.5850	61.26	-1.00	60.26	74.00	-13.74	Peak	
3	15954.5800	58.17	1.93	60.10	74.00	-13.90	Peak	
4 *	15955.7600	47.15	1.93	49.08	54.00	-4.92	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5270 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5273.4000	64.04	39.22	103.26	999.00	-895.74	AVG	No Limit
2 *	5275.6000	72.33	39.23	111.56	68.30	43.26	Peak	No Limit
3	5350.0000	22.21	39.32	61.53	74.00	-12.47	Peak	
4	5350.0000	13.95	39.32	53.27	54.00	-0.73	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5270 MHz

Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10538.4450	62.60	-1.37	61.23	68.30	-7.07	Peak	
2 *	15803.5000	45.43	2.36	47.79	54.00	-6.21	AVG	
3	15804.1800	56.40	2.36	58.76	74.00	-15.24	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5270 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5267.4000	61.98	39.22	101.20	999.00	-897.80	AVG	No Limit
2 *	5268.0000	71.26	39.22	110.48	68.30	42.18	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5270 MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10541.2600	59.09	-1.36	57.73	68.30	-10.57	Peak	
2	15804.2400	61.25	2.36	63.61	74.00	-10.39	Peak	
3 *	15806.0600	48.42	2.35	50.77	54.00	-3.23	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5310 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5312.8000	69.95	39.27	109.22	68.30	40.92	Peak	No Limit
2	5313.4000	60.63	39.27	99.90	999.00	-899.10	AVG	No Limit
3	5350.0000	19.86	39.32	59.18	74.00	-14.82	Peak	
4	5350.0000	11.75	39.32	51.07	54.00	-2.93	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5310 MHz

Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10617.9300	61.61	-1.09	60.52	74.00	-13.48	Peak	
2	10618.7400	47.87	-1.08	46.79	54.00	-7.21	AVG	
3 *	15923.9200	44.96	2.02	46.98	54.00	-7.02	AVG	
4	15939.1400	55.05	1.97	57.02	74.00	-16.98	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5310 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5307.6000	58.33	39.27	97.60	999.00	-901.40	AVG	No Limit
2 *	5315.8000	66.37	39.28	105.65	68.30	37.35	Peak	No Limit
3	5350.0000	16.87	39.32	56.19	74.00	-17.81	Peak	
4	5350.0000	10.00	39.32	49.32	54.00	-4.68	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5310 MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10621.2000	47.08	-1.08	46.00	54.00	-8.00	AVG	
2	10621.4200	59.28	-1.08	58.20	74.00	-15.80	Peak	
3	15922.9400	56.15	2.02	58.17	74.00	-15.83	Peak	
4 *	15923.6800	45.51	2.02	47.53	54.00	-6.47	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT80) Mode 5290 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5294.0000	68.03	39.25	107.28	68.30	38.98	Peak	No Limit
2	5294.0000	57.47	39.25	96.72	999.00	-902.28	AVG	No Limit
3	5350.0000	20.46	39.32	59.78	74.00	-14.22	Peak	
4	5350.0000	13.27	39.32	52.59	54.00	-1.41	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT80) Mode 5290 MHz

Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10578.1950	56.73	-1.23	55.50	68.30	-12.80	Peak	
2 *	15874.8400	44.64	2.16	46.80	54.00	-7.20	AVG	
3	15876.3600	54.49	2.15	56.64	74.00	-17.36	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT80) Mode 5290 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5292.8000	54.37	39.25	93.62	999.00	-905.38	AVG	No Limit
2 *	5294.0000	63.33	39.25	102.58	68.30	34.28	Peak	No Limit
3	5350.0000	20.45	39.32	59.77	74.00	-14.23	Peak	
4	5350.0000	11.01	39.32	50.33	54.00	-3.67	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT80) Mode 5290 MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10579.9700	56.85	-1.22	55.63	68.30	-12.67	Peak	
2	15876.8800	54.70	2.15	56.85	74.00	-17.15	Peak	
3 *	15879.5800	45.13	2.14	47.27	54.00	-6.73	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5500 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	18.25	39.46	57.71	74.00	-16.29	Peak	
2	5460.0000	11.09	39.46	50.55	54.00	-3.45	AVG	
3	5470.0000	20.20	39.47	59.67	68.30	-8.63	Peak	
4 *	5496.0000	71.38	39.50	110.88	68.30	42.58	Peak	No Limit
5	5502.2000	62.45	39.52	101.97	999.00	-897.03	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5500 MHz

Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11000.6650	48.36	0.28	48.64	54.00	-5.36	AVG	
2	11001.6700	59.55	0.28	59.83	74.00	-14.17	Peak	
3	16490.8400	55.34	2.99	58.33	68.30	-9.97	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5500 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	16.42	39.46	55.88	74.00	-18.12	Peak	
2	5460.0000	10.05	39.46	49.51	54.00	-4.49	AVG	
3	5470.0000	17.51	39.47	56.98	68.30	-11.32	Peak	
4 *	5498.2000	69.56	39.51	109.07	68.30	40.77	Peak	No Limit
5	5501.2000	60.16	39.51	99.67	999.00	-899.33	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5500 MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10998.1550	58.26	0.27	58.53	74.00	-15.47	Peak	
2 *	10998.6650	45.95	0.28	46.23	54.00	-7.77	AVG	
3	16499.2600	55.43	3.01	58.44	68.30	-9.86	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5580 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5576.6000	74.84	39.69	114.53	68.30	46.23	Peak	No Limit
2	5582.0000	65.10	39.71	104.81	999.00	-894.19	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5580 MHz

Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11161.0100	49.85	0.07	49.92	54.00	-4.08	AVG	
2	11161.7400	60.50	0.07	60.57	74.00	-13.43	Peak	
3	16742.5000	54.22	4.10	58.32	68.30	-9.98	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5580 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5578.8000	70.95	39.70	110.65	68.30	42.35	Peak	No Limit
2	5580.8000	62.29	39.70	101.99	999.00	-897.01	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5580 MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11159.2650	48.32	0.07	48.39	54.00	-5.61	AVG	
2	11159.3550	61.01	0.07	61.08	74.00	-12.92	Peak	
3	16748.8200	53.54	4.13	57.67	68.30	-10.63	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5700 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5698.0000	73.91	39.98	113.89	68.30	45.59	Peak	No Limit
2	5702.0000	64.88	39.99	104.87	999.00	-894.13	AVG	No Limit
3	5725.0000	20.93	40.05	60.98	68.30	-7.32	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5700 MHz

Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11399.5250	64.22	-0.25	63.97	74.00	-10.03	Peak	
2 *	11401.4100	50.14	-0.25	49.89	54.00	-4.11	AVG	
3	17097.0399	52.85	5.41	58.26	68.30	-10.04	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5700 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5701.0000	61.82	39.99	101.81	999.00	-897.19	AVG	No Limit
2 *	5701.4000	70.11	39.99	110.10	68.30	41.80	Peak	No Limit
3	5725.0000	19.34	40.05	59.39	68.30	-8.91	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5700 MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11399.4150	64.93	-0.25	64.68	74.00	-9.32	Peak	
2 *	11399.5450	51.43	-0.25	51.18	54.00	-2.82	AVG	
3	17106.0200	53.30	5.42	58.72	68.30	-9.58	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5510 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	17.99	39.46	57.45	74.00	-16.55	Peak	
2	5460.0000	10.45	39.46	49.91	54.00	-4.09	AVG	
3	5470.0000	18.69	39.47	58.16	68.30	-10.14	Peak	
4	5512.2000	58.97	39.54	98.51	68.30	30.21	Peak	No Limit
5 *	5513.0000	69.21	39.54	108.75	68.30	40.45	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5510 MHz

Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11020.0650	59.22	0.25	59.47	74.00	-14.53	Peak	
2 *	11021.1950	45.61	0.25	45.86	54.00	-8.14	AVG	
3	16528.9800	55.03	3.14	58.17	68.30	-10.13	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5510 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	19.11	39.46	58.57	74.00	-15.43	Peak	
2	5460.0000	10.95	39.46	50.41	54.00	-3.59	AVG	
3	5470.0000	17.95	39.47	57.42	68.30	-10.88	Peak	
4	5506.6000	58.65	39.53	98.18	999.00	-900.82	AVG	No Limit
5 *	5508.6000	68.32	39.53	107.85	68.30	39.55	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5510 MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11021.0250	57.50	0.25	57.75	74.00	-16.25	Peak	
2 *	11021.3949	45.36	0.25	45.61	54.00	-8.39	AVG	
3	16527.6199	55.85	3.13	58.98	68.30	-9.32	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5550 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5552.6000	60.16	39.64	99.80	999.00	-899.20	AVG	No Limit
2 *	5553.2000	71.32	39.64	110.96	68.30	42.66	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5550 MHz

Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11098.4300	58.06	0.15	58.21	74.00	-15.79	Peak	
2 *	11098.7900	45.44	0.15	45.59	54.00	-8.41	AVG	
3	16646.5399	55.44	3.67	59.11	68.30	-9.19	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5550 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5546.6000	58.71	39.62	98.33	999.00	-900.67	AVG	No Limit
2 *	5553.4000	68.15	39.64	107.79	68.30	39.49	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5550 MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11101.2050	44.97	0.15	45.12	54.00	-8.88	AVG	
2	11101.5850	56.67	0.15	56.82	74.00	-17.18	Peak	
3	16650.3600	54.46	3.69	58.15	68.30	-10.15	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5670 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5672.6000	60.05	39.92	99.97	999.00	-899.03	AVG	No Limit
2 *	5674.2000	70.71	39.92	110.63	68.30	42.33	Peak	No Limit
3	5725.0000	19.98	40.05	60.03	68.30	-8.27	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5670 MHz

Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11340.5400	61.69	-0.17	61.52	74.00	-12.48	Peak	
2 *	11341.0700	48.22	-0.17	48.05	54.00	-5.95	AVG	
3	17014.5399	52.38	5.28	57.66	68.30	-10.64	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5670 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5673.4000	60.59	39.92	100.51	999.00	-898.49	AVG	No Limit
2 *	5673.6000	69.80	39.92	109.72	68.30	41.42	Peak	No Limit
3	5725.0000	19.68	40.05	59.73	68.30	-8.57	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5670 MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11341.0900	61.91	-0.17	61.74	74.00	-12.26	Peak	
2 *	11341.3600	48.50	-0.17	48.33	54.00	-5.67	AVG	
3	17006.3600	52.45	5.27	57.72	68.30	-10.58	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5453.6000	22.52	39.45	61.97	74.00	-12.03	Peak	
2	5453.6000	14.00	39.45	53.45	54.00	-0.55	AVG	
3	5460.0000	19.09	39.46	58.55	74.00	-15.45	Peak	
4	5460.0000	12.79	39.46	52.25	54.00	-1.75	AVG	
5	5470.0000	23.56	39.47	63.03	68.30	-5.27	Peak	
6	5533.6000	56.10	39.59	95.69	999.00	-903.31	AVG	No Limit
7 *	5538.0000	66.56	39.60	106.16	68.30	37.86	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz

Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11058.2100	43.66	0.20	43.86	54.00	-10.14	AVG	
2	11058.2550	55.31	0.20	55.51	74.00	-18.49	Peak	
3 *	16594.1000	54.91	3.43	58.34	68.30	-9.96	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	18.95	39.46	58.41	74.00	-15.59	Peak	
2	5460.0000	10.45	39.46	49.91	54.00	-4.09	AVG	
3	5470.0000	20.43	39.47	59.90	68.30	-8.40	Peak	
4 *	5526.8000	64.23	39.57	103.80	68.30	35.50	Peak	No Limit
5	5527.6000	54.22	39.58	93.80	999.00	-905.20	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11059.7350	54.53	0.20	54.73	74.00	-19.27	Peak	
2 *	11060.2150	43.65	0.20	43.85	54.00	-10.15	AVG	
3	16581.5600	54.31	3.38	57.69	68.30	-10.61	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5598.8000	57.50	39.75	97.25	999.00	-901.75	AVG	No Limit
2 *	5599.6000	67.78	39.75	107.53	68.30	39.23	Peak	No Limit
3	5725.0000	16.88	40.05	56.93	68.30	-11.37	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz

Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11219.9400	45.28	-0.01	45.27	54.00	-8.73	AVG	
2	11220.2000	57.02	-0.01	57.01	74.00	-16.99	Peak	
3	16835.1000	53.69	4.52	58.21	68.30	-10.09	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5607.6000	55.69	39.77	95.46	999.00	-903.54	AVG	No Limit
2 *	5627.2000	64.90	39.81	104.71	68.30	36.41	Peak	No Limit
3	5725.0000	17.74	40.05	57.79	68.30	-10.51	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11218.3700	58.48	-0.01	58.47	74.00	-15.53	Peak	
2 *	11221.2600	46.05	-0.01	46.04	54.00	-7.96	AVG	
3	16828.4800	54.53	4.49	59.02	68.30	-9.28	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	30.55	40.02	70.57	109.40	-38.83	Peak	
2	5725.0000	39.79	40.05	79.84	122.20	-42.36	Peak	
3 *	5743.6000	81.25	40.09	121.34	122.20	-0.86	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11489.3700	63.48	-0.37	63.11	74.00	-10.89	Peak	
2 *	11491.6150	51.84	-0.37	51.47	54.00	-2.53	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	29.64	40.02	69.66	109.40	-39.74	Peak	
2	5725.0000	37.04	40.05	77.09	122.20	-45.11	Peak	
3 *	5743.8000	77.73	40.09	117.82	122.20	-4.38	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11489.2950	53.99	-0.37	53.62	54.00	-0.38	AVG	
2	11489.5150	68.26	-0.37	67.89	74.00	-6.11	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5783.4000	80.63	40.18	120.81	122.20	-1.39	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11569.5550	64.24	-0.34	63.90	74.00	-10.10	Peak	
2 *	11571.3800	52.49	-0.34	52.15	54.00	-1.85	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5784.0000	76.84	40.19	117.03	122.20	-5.17	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11569.6300	53.54	-0.34	53.20	54.00	-0.80	AVG	
2	11569.5450	67.53	-0.34	67.19	74.00	-6.81	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5823.6000	79.43	40.28	119.71	122.20	-2.49	Peak	
2	5850.0000	32.18	40.34	72.52	122.20	-49.68	Peak	
3	5860.0000	25.71	40.37	66.08	109.40	-43.32	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11649.5650	65.52	-0.30	65.22	74.00	-8.78	Peak	
2 *	11651.3099	51.89	-0.30	51.59	54.00	-2.41	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5823.8000	73.33	40.28	113.61	122.20	-8.59	Peak	
2	5850.0000	35.45	40.34	75.79	122.20	-46.41	Peak	
3	5860.0000	22.04	40.37	62.41	109.40	-46.99	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11649.5900	66.76	-0.30	66.46	74.00	-7.54	Peak	
2 *	11649.6800	53.45	-0.30	53.15	54.00	-0.85	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	38.49	40.02	78.51	109.40	-30.89	Peak	
2	5725.0000	40.60	40.05	80.65	122.20	-41.55	Peak	
3 *	5751.2000	77.58	40.11	117.69	122.20	-4.51	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11510.0300	63.65	-0.37	63.28	74.00	-10.72	Peak	
2 *	11511.3350	52.00	-0.37	51.63	54.00	-2.37	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	39.42	40.02	79.44	109.40	-29.96	Peak	
2	5725.0000	41.22	40.05	81.27	122.20	-40.93	Peak	
3 *	5753.4000	73.80	40.11	113.91	122.20	-8.29	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11508.3650	68.08	-0.38	67.70	74.00	-6.30	Peak	
2 *	11508.7050	53.55	-0.38	53.17	54.00	-0.83	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5790.2000	77.62	40.20	117.82	122.20	-4.38	Peak	
2	5850.0000	35.30	40.34	75.64	122.20	-46.56	Peak	
3	5860.0000	28.81	40.37	69.18	109.40	-40.22	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11590.0950	65.75	-0.33	65.42	74.00	-8.58	Peak	
2 *	11591.0500	52.81	-0.33	52.48	54.00	-1.52	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5793.2000	72.78	40.21	112.99	122.20	-9.21	Peak	
2	5850.0000	26.97	40.34	67.31	122.20	-54.89	Peak	
3	5860.0000	24.32	40.37	64.69	109.40	-44.71	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11588.4950	53.64	-0.33	53.31	54.00	-0.69	AVG	
2	11588.5000	68.22	-0.33	67.89	74.00	-6.11	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5629.8000	28.13	39.82	67.95	68.20	-0.25	Peak	
2	5715.0000	33.84	40.02	73.86	109.40	-35.54	Peak	
3	5725.0000	35.26	40.05	75.31	122.20	-46.89	Peak	
4	5769.0000	72.24	40.15	112.39	122.20	-9.81	Peak	
5	5850.0000	34.55	40.34	74.89	122.20	-47.31	Peak	
6	5860.0000	23.33	40.37	63.70	109.40	-45.70	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11551.0050	50.80	-0.35	50.45	54.00	-3.55	AVG	
2	11551.7000	63.54	-0.35	63.19	74.00	-10.81	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	28.20	40.02	68.22	109.40	-41.18	Peak	
2	5725.0000	27.86	40.05	67.91	122.20	-54.29	Peak	
3 *	5773.4000	66.67	40.16	106.83	122.20	-15.37	Peak	
4	5850.0000	23.32	40.34	63.66	122.20	-58.54	Peak	
5	5860.0000	29.44	40.37	69.81	109.40	-39.59	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11549.6200	64.89	-0.35	64.54	74.00	-9.46	Peak	
2 *	11551.1400	52.37	-0.35	52.02	54.00	-1.98	AVG	




REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH




Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	22.59	16.80
40	5200	20.19	16.80
48	5240	20.19	16.70




Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	20.20	16.80
60	5300	20.09	16.70
64	5320	20.09	16.70




Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	20.11	16.70
116	5580	20.15	16.70
140	5700	20.25	16.70



Date: 20.FEB.2020 19:40:12




Date: 20.FEB.2020 19:41:16




Date: 20.FEB.2020 19:42:18

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	15.20	500	Complies
157	5785	15.20	500	Complies
165	5825	15.19	500	Complies



Date: 20.FEB.2020 19:43:45



Date: 20.FEB.2020 19:44:57



Date: 20.FEB.2020 19:47:44


Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)
149	5745	16.90
157	5785	16.80
165	5825	16.90



Date: 20.FEB.2020 19:45:54




Date: 20.FEB.2020 19:46:08



Date: 20.FEB.2020 19:46:20

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	20.45	17.80
40	5200	20.45	17.70
48	5240	20.45	17.80



Test Mode	UNII-1_TX AC (VHT80)
-----------	----------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	112.79	76.00




CH42



Date: 20.FEB.2020 20:16:28



Test Mode **UNII-2A_TX AC (VHT20) Mode**

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	20.45	17.80
60	5300	20.45	17.80
64	5320	20.45	17.70




Test Mode **UNII-2A_TX AC (VHT40) Mode**

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	41.70	36.60
62	5310	41.70	36.60



Test Mode	UNII-2A_TX AC (VHT80)
-----------	-----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	81.60	76.00




Date: 20.FEB.2020 20:17:48

Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	20.45	17.80
116	5580	20.46	17.80
140	5700	20.45	17.80



Date: 20.FEB.2020 19:56:02




Date: 20.FEB.2020 19:57:03




Date: 20.FEB.2020 19:58:07

Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	41.61	36.80
110	5550	41.59	36.60
134	5670	41.80	36.60



Date: 20.FEB.2020 20:08:48




Date: 20.FEB.2020 20:09:59




Date: 20.FEB.2020 20:11:03

Test Mode	UNII-2C_TX AC (VHT80)
-----------	-----------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	81.60	76.00
122	5610	81.80	76.00






Date: 20.FEB.2020 20:19:06



Date: 20.FEB.2020 20:20:22

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	16.35	500	Complies
157	5785	16.45	500	Complies
165	5825	15.90	500	Complies






Date: 20.FEB.2020 19:59:18

Date: 20.FEB.2020 20:00:31

Date: 20.FEB.2020 20:02:54

Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)
149	5745	17.80
157	5785	17.80
165	5825	17.8





Date: 20.FEB.2020 20:00:54

Date: 20.FEB.2020 20:01:08

Date: 20.FEB.2020 20:01:22

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	35.30	500	Complies
159	5795	35.30	500	Complies



Date: 20.FEB.2020 20:12:11

Date: 20.FEB.2020 20:14:06

Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)
151	5755	37.00
159	5795	37.00




Date: 20.FEB.2020 20:12:47


Date: 20.FEB.2020 20:13:03

Test Mode	UNII-3_TX AC (VHT80)
-----------	----------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	76.20	500	Complies



Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)
155	5775	76.00



APPENDIX F - CONDUCTED OUTPUT POWER

Non-Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.35	0.17	20.52	30.00	1.00	Complies
40	5200	18.51	0.17	18.68	30.00	1.00	Complies
48	5240	18.41	0.17	18.58	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.56	0.17	19.73	30.00	1.00	Complies
40	5200	17.71	0.17	17.88	30.00	1.00	Complies
48	5240	17.56	0.17	17.73	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.54	0.17	19.71	30.00	1.00	Complies
40	5200	17.69	0.17	17.86	30.00	1.00	Complies
48	5240	17.87	0.17	18.04	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.04	0.17	20.21	30.00	1.00	Complies
40	5200	18.23	0.17	18.40	30.00	1.00	Complies
48	5240	18.66	0.17	18.83	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26.07	30.00	1.00	Complies
40	5200	24.24	30.00	1.00	Complies
48	5240	24.33	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.45	0.60	20.05	30.00	1.00	Complies
40	5200	19.31	0.60	19.91	30.00	1.00	Complies
48	5240	19.55	0.60	20.15	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.11	0.60	19.71	30.00	1.00	Complies
40	5200	19.07	0.60	19.67	30.00	1.00	Complies
48	5240	18.32	0.60	18.92	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.72	0.60	19.32	30.00	1.00	Complies
40	5200	18.88	0.60	19.48	30.00	1.00	Complies
48	5240	18.52	0.60	19.12	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.43	0.60	20.03	30.00	1.00	Complies
40	5200	19.55	0.60	20.15	30.00	1.00	Complies
48	5240	18.78	0.60	19.38	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	25.81	30.00	1.00	Complies
40	5200	25.83	30.00	1.00	Complies
48	5240	25.44	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.96	1.03	17.99	30.00	1.00	Complies
46	5230	17.21	1.03	18.24	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.15	1.03	17.18	30.00	1.00	Complies
46	5230	16.36	1.03	17.39	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.35	1.03	17.38	30.00	1.00	Complies
46	5230	16.58	1.03	17.61	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.66	1.03	17.69	30.00	1.00	Complies
46	5230	17.49	1.03	18.52	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.59	30.00	1.00	Complies
46	5230	23.99	30.00	1.00	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.88	0.17	15.05	24.00	0.25	Complies
60	5300	14.56	0.17	14.73	24.00	0.25	Complies
64	5320	14.68	0.17	14.85	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.21	0.17	15.38	24.00	0.25	Complies
60	5300	14.92	0.17	15.09	24.00	0.25	Complies
64	5320	15.02	0.17	15.19	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.53	0.17	14.70	24.00	0.25	Complies
60	5300	14.22	0.17	14.39	24.00	0.25	Complies
64	5320	14.07	0.17	14.24	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.31	0.17	14.48	24.00	0.25	Complies
60	5300	14.41	0.17	14.58	24.00	0.25	Complies
64	5320	14.12	0.17	14.29	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.93	24.00	0.25	Complies
60	5300	20.72	24.00	0.25	Complies
64	5320	20.68	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.03	0.60	14.63	24.00	0.25	Complies
60	5300	13.82	0.60	14.42	24.00	0.25	Complies
64	5320	13.84	0.60	14.44	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.35	0.60	14.95	24.00	0.25	Complies
60	5300	14.03	0.60	14.63	24.00	0.25	Complies
64	5320	13.95	0.60	14.55	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.92	0.60	14.52	24.00	0.25	Complies
60	5300	13.07	0.60	13.67	24.00	0.25	Complies
64	5320	13.16	0.60	13.76	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.68	0.60	14.28	24.00	0.25	Complies
60	5300	13.29	0.60	13.89	24.00	0.25	Complies
64	5320	13.24	0.60	13.84	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.62	24.00	0.25	Complies
60	5300	20.19	24.00	0.25	Complies
64	5320	20.18	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.19	1.03	14.22	24.00	0.25	Complies
62	5310	13.26	1.03	14.29	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.49	1.03	14.52	24.00	0.25	Complies
62	5310	13.34	1.03	14.37	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.02	1.03	14.05	24.00	0.25	Complies
62	5310	13.39	1.03	14.42	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.09	1.03	14.12	24.00	0.25	Complies
62	5310	13.21	1.03	14.24	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.25	24.00	0.25	Complies
62	5310	20.35	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.96	0.17	15.13	24.00	0.25	Complies
116	5580	12.98	0.17	13.15	24.00	0.25	Complies
140	5700	13.26	0.17	13.43	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.88	0.17	15.05	24.00	0.25	Complies
116	5580	12.01	0.17	12.18	24.00	0.25	Complies
140	5700	12.10	0.17	12.27	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.12	0.17	14.29	24.00	0.25	Complies
116	5580	13.73	0.17	13.90	24.00	0.25	Complies
140	5700	12.75	0.17	12.92	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.78	0.17	13.95	24.00	0.25	Complies
116	5580	13.56	0.17	13.73	24.00	0.25	Complies
140	5700	12.78	0.17	12.95	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.65	24.00	0.25	Complies
116	5580	19.31	24.00	0.25	Complies
140	5700	18.93	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.44	0.60	14.04	24.00	0.25	Complies
116	5580	11.93	0.60	12.53	24.00	0.25	Complies
140	5700	9.05	0.60	9.65	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.65	0.60	14.25	24.00	0.25	Complies
116	5580	10.28	0.60	10.88	24.00	0.25	Complies
140	5700	8.65	0.60	9.25	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.79	0.60	13.39	24.00	0.25	Complies
116	5580	11.16	0.60	11.76	24.00	0.25	Complies
140	5700	8.56	0.60	9.16	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.14	0.60	13.74	24.00	0.25	Complies
116	5580	11.89	0.60	12.49	24.00	0.25	Complies
140	5700	9.48	0.60	10.08	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.89	24.00	0.25	Complies
116	5580	17.99	24.00	0.25	Complies
140	5700	15.57	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.57	1.03	14.60	24.00	0.25	Complies
110	5550	13.69	1.03	14.72	24.00	0.25	Complies
134	5670	12.36	1.03	13.39	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.83	1.03	14.86	24.00	0.25	Complies
110	5550	13.81	1.03	14.84	24.00	0.25	Complies
134	5670	14.89	1.03	15.92	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.32	1.03	14.35	24.00	0.25	Complies
110	5550	12.75	1.03	13.78	24.00	0.25	Complies
134	5670	13.39	1.03	14.42	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.25	1.03	14.28	24.00	0.25	Complies
110	5550	12.57	1.03	13.60	24.00	0.25	Complies
134	5670	13.55	1.03	14.58	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.55	24.00	0.25	Complies
110	5550	20.29	24.00	0.25	Complies
134	5670	20.69	24.00	0.25	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.29	0.17	13.46	30.00	1.00	Complies
157	5785	14.72	0.17	14.89	30.00	1.00	Complies
165	5825	15.33	0.17	15.50	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.23	0.17	14.40	30.00	1.00	Complies
157	5785	15.99	0.17	16.16	30.00	1.00	Complies
165	5825	16.65	0.17	16.82	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.21	0.17	14.38	30.00	1.00	Complies
157	5785	15.56	0.17	15.73	30.00	1.00	Complies
165	5825	17.01	0.17	17.18	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.23	0.17	15.40	30.00	1.00	Complies
157	5785	16.61	0.17	16.78	30.00	1.00	Complies
165	5825	17.54	0.17	17.71	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.48	30.00	1.00	Complies
157	5785	21.96	30.00	1.00	Complies
165	5825	22.89	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.45	0.60	19.05	30.00	1.00	Complies
157	5785	18.76	0.60	19.36	30.00	1.00	Complies
165	5825	19.01	0.60	19.61	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.62	0.60	22.22	30.00	1.00	Complies
157	5785	21.47	0.60	22.07	30.00	1.00	Complies
165	5825	20.67	0.60	21.27	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.53	0.60	20.13	30.00	1.00	Complies
157	5785	19.15	0.60	19.75	30.00	1.00	Complies
165	5825	19.65	0.60	20.25	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.11	0.60	20.71	30.00	1.00	Complies
157	5785	19.49	0.60	20.09	30.00	1.00	Complies
165	5825	19.32	0.60	19.92	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.70	30.00	1.00	Complies
157	5785	26.47	30.00	1.00	Complies
165	5825	26.33	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.24	1.03	19.27	30.00	1.00	Complies
159	5795	18.29	1.03	19.32	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.16	1.03	22.19	30.00	1.00	Complies
159	5795	20.64	1.03	21.67	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.69	1.03	19.72	30.00	1.00	Complies
159	5795	19.01	1.03	20.04	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.17	1.03	20.20	30.00	1.00	Complies
159	5795	19.42	1.03	20.45	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.52	30.00	1.00	Complies
159	5795	26.48	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.84	0.59	20.43	30.00	1.00	Complies
40	5200	20.22	0.59	20.81	30.00	1.00	Complies
48	5240	20.12	0.59	20.71	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.53	0.59	21.12	30.00	1.00	Complies
40	5200	20.56	0.59	21.15	30.00	1.00	Complies
48	5240	20.36	0.59	20.95	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.62	0.59	20.21	30.00	1.00	Complies
40	5200	19.74	0.59	20.33	30.00	1.00	Complies
48	5240	19.51	0.59	20.10	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.79	0.59	20.38	30.00	1.00	Complies
40	5200	20.06	0.59	20.65	30.00	1.00	Complies
48	5240	19.64	0.59	20.23	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26.57	30.00	1.00	Complies
40	5200	26.77	30.00	1.00	Complies
48	5240	26.54	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.02	1.01	18.03	30.00	1.00	Complies
46	5230	17.24	1.01	18.25	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.27	1.01	17.28	30.00	1.00	Complies
46	5230	16.41	1.01	17.42	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.31	1.01	17.32	30.00	1.00	Complies
46	5230	16.82	1.01	17.83	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.79	1.01	17.80	30.00	1.00	Complies
46	5230	17.44	1.01	18.45	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.64	30.00	1.00	Complies
46	5230	24.03	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.33	1.58	15.91	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.41	1.58	14.99	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.66	1.58	15.24	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.12	1.58	15.70	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.50	30.00	1.00	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.39	0.59	14.98	24.00	0.25	Complies
60	5300	14.25	0.59	14.84	24.00	0.25	Complies
64	5320	13.39	0.59	13.98	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.25	0.59	14.84	24.00	0.25	Complies
60	5300	14.09	0.59	14.68	24.00	0.25	Complies
64	5320	14.61	0.59	15.20	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.03	0.59	14.62	24.00	0.25	Complies
60	5300	13.11	0.59	13.70	24.00	0.25	Complies
64	5320	13.29	0.59	13.88	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.05	0.59	14.64	24.00	0.25	Complies
60	5300	13.69	0.59	14.28	24.00	0.25	Complies
64	5320	13.39	0.59	13.98	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.80	24.00	0.25	Complies
60	5300	20.42	24.00	0.25	Complies
64	5320	20.32	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.39	1.01	14.40	24.00	0.25	Complies
62	5310	13.51	1.01	14.52	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.69	1.01	14.70	24.00	0.25	Complies
62	5310	13.49	1.01	14.50	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.22	1.01	14.23	24.00	0.25	Complies
62	5310	13.31	1.01	14.32	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.02	1.01	14.03	24.00	0.25	Complies
62	5310	13.11	1.01	14.12	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.37	24.00	0.25	Complies
62	5310	20.39	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.11	1.58	14.69	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.25	1.58	14.83	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.56	1.58	14.14	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.41	1.58	13.99	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.45	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.39	0.59	14.98	24.00	0.25	Complies
116	5580	12.61	0.59	13.20	24.00	0.25	Complies
140	5700	8.99	0.59	9.58	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.92	0.59	15.51	24.00	0.25	Complies
116	5580	10.89	0.59	11.48	24.00	0.25	Complies
140	5700	8.77	0.59	9.36	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.66	0.59	14.25	24.00	0.25	Complies
116	5580	11.67	0.59	12.26	24.00	0.25	Complies
140	5700	8.88	0.59	9.47	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.54	0.59	14.13	24.00	0.25	Complies
116	5580	12.33	0.59	12.92	24.00	0.25	Complies
140	5700	9.52	0.59	10.11	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.78	24.00	0.25	Complies
116	5580	18.54	24.00	0.25	Complies
140	5700	15.66	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.86	1.01	14.87	24.00	0.25	Complies
110	5550	13.92	1.01	14.93	24.00	0.25	Complies
134	5670	12.62	1.01	13.63	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.99	1.01	15.00	24.00	0.25	Complies
110	5550	13.94	1.01	14.95	24.00	0.25	Complies
134	5670	14.97	1.01	15.98	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.41	1.01	14.42	24.00	0.25	Complies
110	5550	12.84	1.01	13.85	24.00	0.25	Complies
134	5670	13.26	1.01	14.27	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.29	1.01	14.30	24.00	0.25	Complies
110	5550	12.66	1.01	13.67	24.00	0.25	Complies
134	5670	13.54	1.01	14.55	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.68	24.00	0.25	Complies
110	5550	20.41	24.00	0.25	Complies
134	5670	20.72	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.65	1.58	15.23	24.00	0.25	Complies
122	5610	13.03	1.58	14.61	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.05	1.58	14.63	24.00	0.25	Complies
122	5610	13.98	1.58	15.56	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.51	1.58	14.09	24.00	0.25	Complies
122	5610	13.05	1.58	14.63	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.33	1.58	13.91	24.00	0.25	Complies
122	5610	12.58	1.58	14.16	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.52	24.00	0.25	Complies
122	5610	20.79	24.00	0.25	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.15	0.59	18.74	30.00	1.00	Complies
157	5785	18.95	0.59	19.54	30.00	1.00	Complies
165	5825	19.03	0.59	19.62	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.84	0.59	22.43	30.00	1.00	Complies
157	5785	21.39	0.59	21.98	30.00	1.00	Complies
165	5825	20.89	0.59	21.48	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.61	0.59	20.20	30.00	1.00	Complies
157	5785	19.26	0.59	19.85	30.00	1.00	Complies
165	5825	19.74	0.59	20.33	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.34	0.59	20.93	30.00	1.00	Complies
157	5785	19.77	0.59	20.36	30.00	1.00	Complies
165	5825	19.39	0.59	19.98	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.80	30.00	1.00	Complies
157	5785	26.56	30.00	1.00	Complies
165	5825	26.44	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.57	1.01	19.58	30.00	1.00	Complies
159	5795	18.33	1.01	19.34	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.31	1.01	22.32	30.00	1.00	Complies
159	5795	20.84	1.01	21.85	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.85	1.01	19.86	30.00	1.00	Complies
159	5795	19.07	1.01	20.08	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.22	1.01	20.23	30.00	1.00	Complies
159	5795	19.35	1.01	20.36	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.66	30.00	1.00	Complies
159	5795	26.53	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.38	1.58	19.96	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.33	1.58	21.91	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.77	1.58	20.35	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.05	1.58	20.63	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.80	30.00	1.00	Complies

Beamforming

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.91	0.60	19.51	30.00	1.00	Complies
40	5200	19.11	0.60	19.71	30.00	1.00	Complies
48	5240	18.39	0.60	18.99	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.33	0.60	19.93	30.00	1.00	Complies
40	5200	19.22	0.60	19.82	30.00	1.00	Complies
48	5240	19.02	0.60	19.62	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.82	0.60	19.42	30.00	1.00	Complies
40	5200	18.95	0.60	19.55	30.00	1.00	Complies
48	5240	18.15	0.60	18.75	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.95	0.60	19.55	30.00	1.00	Complies
40	5200	19.14	0.60	19.74	30.00	1.00	Complies
48	5240	18.18	0.60	18.78	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	25.63	26.98	0.50	Complies
40	5200	25.73	26.98	0.50	Complies
48	5240	25.07	26.98	0.50	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.74	1.03	17.77	30.00	1.00	Complies
46	5230	16.91	1.03	17.94	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.06	1.03	17.09	30.00	1.00	Complies
46	5230	16.13	1.03	17.16	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.13	1.03	17.16	30.00	1.00	Complies
46	5230	16.28	1.03	17.31	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.42	1.03	17.45	30.00	1.00	Complies
46	5230	17.37	1.03	18.40	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.40	26.98	0.50	Complies
46	5230	23.75	26.98	0.50	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.96	0.60	14.56	24.00	0.25	Complies
60	5300	13.74	0.60	14.34	24.00	0.25	Complies
64	5320	13.71	0.60	14.31	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.27	0.60	14.87	24.00	0.25	Complies
60	5300	13.86	0.60	14.46	24.00	0.25	Complies
64	5320	13.86	0.60	14.46	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.85	0.60	14.45	24.00	0.25	Complies
60	5300	13.01	0.60	13.61	24.00	0.25	Complies
64	5320	13.05	0.60	13.65	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.53	0.60	14.13	24.00	0.25	Complies
60	5300	13.15	0.60	13.75	24.00	0.25	Complies
64	5320	13.16	0.60	13.76	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.53	20.98	0.13	Complies
60	5300	20.08	20.98	0.13	Complies
64	5320	20.08	20.98	0.13	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	12.92	1.03	13.95	24.00	0.25	Complies
62	5310	13.09	1.03	14.12	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.35	1.03	14.38	24.00	0.25	Complies
62	5310	13.12	1.03	14.15	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	12.86	1.03	13.89	24.00	0.25	Complies
62	5310	13.25	1.03	14.28	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	12.79	1.03	13.82	24.00	0.25	Complies
62	5310	13.11	1.03	14.14	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.04	20.98	0.13	Complies
62	5310	20.20	20.98	0.13	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.02	0.60	13.62	24.00	0.25	Complies
116	5580	11.56	0.60	12.16	24.00	0.25	Complies
140	5700	8.93	0.60	9.53	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.66	0.60	14.26	24.00	0.25	Complies
116	5580	9.95	0.60	10.55	24.00	0.25	Complies
140	5700	8.38	0.60	8.98	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.73	0.60	13.33	24.00	0.25	Complies
116	5580	10.82	0.60	11.42	24.00	0.25	Complies
140	5700	8.49	0.60	9.09	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.27	0.60	12.87	24.00	0.25	Complies
116	5580	11.57	0.60	12.17	24.00	0.25	Complies
140	5700	8.48	0.60	9.08	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.57	20.98	0.13	Complies
116	5580	17.65	20.98	0.13	Complies
140	5700	15.20	20.98	0.13	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.42	1.03	14.45	24.00	0.25	Complies
110	5550	13.59	1.03	14.62	24.00	0.25	Complies
134	5670	12.09	1.03	13.12	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.65	1.03	14.68	24.00	0.25	Complies
110	5550	13.71	1.03	14.74	24.00	0.25	Complies
134	5670	14.63	1.03	15.66	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.22	1.03	14.25	24.00	0.25	Complies
110	5550	12.66	1.03	13.69	24.00	0.25	Complies
134	5670	13.22	1.03	14.25	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.19	1.03	14.22	24.00	0.25	Complies
110	5550	12.31	1.03	13.34	24.00	0.25	Complies
134	5670	13.41	1.03	14.44	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.43	20.98	0.13	Complies
110	5550	20.16	20.98	0.13	Complies
134	5670	20.48	20.98	0.13	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.32	0.60	18.92	30.00	1.00	Complies
157	5785	18.55	0.60	19.15	30.00	1.00	Complies
165	5825	19.01	0.60	19.61	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.98	0.60	21.58	30.00	1.00	Complies
157	5785	21.12	0.60	21.72	30.00	1.00	Complies
165	5825	20.67	0.60	21.27	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.46	0.60	20.06	30.00	1.00	Complies
157	5785	19.35	0.60	19.95	30.00	1.00	Complies
165	5825	19.47	0.60	20.07	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.06	0.60	20.66	30.00	1.00	Complies
157	5785	19.43	0.60	20.03	30.00	1.00	Complies
165	5825	19.52	0.60	20.12	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.43	26.98	0.50	Complies
157	5785	26.34	26.98	0.50	Complies
165	5825	26.33	26.98	0.50	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.09	1.03	19.12	30.00	1.00	Complies
159	5795	18.04	1.03	19.07	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.08	1.03	22.11	30.00	1.00	Complies
159	5795	20.56	1.03	21.59	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.52	1.03	19.55	30.00	1.00	Complies
159	5795	18.92	1.03	19.95	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.02	1.03	20.05	30.00	1.00	Complies
159	5795	19.17	1.03	20.20	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.39	26.98	0.50	Complies
159	5795	26.32	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.69	0.59	20.28	30.00	1.00	Complies
40	5200	20.06	0.59	20.65	30.00	1.00	Complies
48	5240	20.04	0.59	20.63	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.40	0.59	20.99	30.00	1.00	Complies
40	5200	20.46	0.59	21.05	30.00	1.00	Complies
48	5240	20.26	0.59	20.85	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.54	0.59	20.13	30.00	1.00	Complies
40	5200	19.47	0.59	20.06	30.00	1.00	Complies
48	5240	19.28	0.59	19.87	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.65	0.59	20.24	30.00	1.00	Complies
40	5200	19.85	0.59	20.44	30.00	1.00	Complies
48	5240	19.42	0.59	20.01	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26.45	26.98	0.50	Complies
40	5200	26.59	26.98	0.50	Complies
48	5240	26.38	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.75	1.01	17.76	30.00	1.00	Complies
46	5230	17.06	1.01	18.07	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.03	1.01	17.04	30.00	1.00	Complies
46	5230	16.24	1.01	17.25	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.21	1.01	17.22	30.00	1.00	Complies
46	5230	16.71	1.01	17.72	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.59	1.01	17.60	30.00	1.00	Complies
46	5230	17.18	1.01	18.19	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.44	26.98	0.50	Complies
46	5230	23.84	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.05	1.58	15.63	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.20	1.58	14.78	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.50	1.58	15.08	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.04	1.58	15.62	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.32	26.98	0.50	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.35	0.59	14.94	24.00	0.25	Complies
60	5300	14.06	0.59	14.65	24.00	0.25	Complies
64	5320	13.15	0.59	13.74	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.20	0.59	14.79	24.00	0.25	Complies
60	5300	14.04	0.59	14.63	24.00	0.25	Complies
64	5320	14.35	0.59	14.94	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.80	0.59	14.39	24.00	0.25	Complies
60	5300	13.07	0.59	13.66	24.00	0.25	Complies
64	5320	13.10	0.59	13.69	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.97	0.59	14.56	24.00	0.25	Complies
60	5300	13.50	0.59	14.09	24.00	0.25	Complies
64	5320	13.23	0.59	13.82	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.70	20.98	0.13	Complies
60	5300	20.30	20.98	0.13	Complies
64	5320	20.10	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.10	1.01	14.11	24.00	0.25	Complies
62	5310	13.23	1.01	14.24	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.64	1.01	14.65	24.00	0.25	Complies
62	5310	13.36	1.01	14.37	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.06	1.01	14.07	24.00	0.25	Complies
62	5310	13.21	1.01	14.22	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.01	1.01	14.02	24.00	0.25	Complies
62	5310	12.93	1.01	13.94	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.24	20.98	0.13	Complies
62	5310	20.22	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.94	1.58	14.52	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.00	1.58	14.58	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.35	1.58	13.93	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.39	1.58	13.97	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.28	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.14	0.59	14.73	24.00	0.25	Complies
116	5580	12.41	0.59	13.00	24.00	0.25	Complies
140	5700	8.74	0.59	9.33	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.72	0.59	15.31	24.00	0.25	Complies
116	5580	10.78	0.59	11.37	24.00	0.25	Complies
140	5700	8.61	0.59	9.20	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.64	0.59	14.23	24.00	0.25	Complies
116	5580	11.45	0.59	12.04	24.00	0.25	Complies
140	5700	8.83	0.59	9.42	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.31	0.59	13.90	24.00	0.25	Complies
116	5580	12.18	0.59	12.77	24.00	0.25	Complies
140	5700	9.38	0.59	9.97	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.60	20.98	0.13	Complies
116	5580	18.37	20.98	0.13	Complies
140	5700	15.52	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.74	1.01	14.75	24.00	0.25	Complies
110	5550	13.75	1.01	14.76	24.00	0.25	Complies
134	5670	12.48	1.01	13.49	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.84	1.01	14.85	24.00	0.25	Complies
110	5550	13.79	1.01	14.80	24.00	0.25	Complies
134	5670	14.90	1.01	15.91	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.30	1.01	14.31	24.00	0.25	Complies
110	5550	12.60	1.01	13.61	24.00	0.25	Complies
134	5670	13.20	1.01	14.21	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.10	1.01	14.11	24.00	0.25	Complies
110	5550	12.60	1.01	13.61	24.00	0.25	Complies
134	5670	13.52	1.01	14.53	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.54	20.98	0.13	Complies
110	5550	20.26	20.98	0.13	Complies
134	5670	20.65	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.46	1.58	15.04	24.00	0.25	Complies
122	5610	12.74	1.58	14.32	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.05	1.58	14.63	24.00	0.25	Complies
122	5610	13.85	1.58	15.43	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.38	1.58	13.96	24.00	0.25	Complies
122	5610	12.92	1.58	14.50	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.18	1.58	13.76	24.00	0.25	Complies
122	5610	12.31	1.58	13.89	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.40	20.98	0.13	Complies
122	5610	20.60	20.98	0.13	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.11	0.59	18.70	30.00	1.00	Complies
157	5785	18.68	0.59	19.27	30.00	1.00	Complies
165	5825	18.88	0.59	19.47	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.73	0.59	22.32	30.00	1.00	Complies
157	5785	21.21	0.59	21.80	30.00	1.00	Complies
165	5825	20.82	0.59	21.41	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.59	0.59	20.18	30.00	1.00	Complies
157	5785	19.05	0.59	19.64	30.00	1.00	Complies
165	5825	19.64	0.59	20.23	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.09	0.59	20.68	30.00	1.00	Complies
157	5785	19.68	0.59	20.27	30.00	1.00	Complies
165	5825	19.31	0.59	19.90	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.69	26.98	0.50	Complies
157	5785	26.38	26.98	0.50	Complies
165	5825	26.34	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.39	1.01	19.40	30.00	1.00	Complies
159	5795	18.26	1.01	19.27	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.10	1.01	22.11	30.00	1.00	Complies
159	5795	20.67	1.01	21.68	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.82	1.01	19.83	30.00	1.00	Complies
159	5795	18.92	1.01	19.93	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.17	1.01	20.18	30.00	1.00	Complies
159	5795	19.07	1.01	20.08	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.53	26.98	0.50	Complies
159	5795	26.36	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.16	1.58	19.74	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.03	1.58	21.61	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.54	1.58	20.12	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.76	1.58	20.34	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.54	26.98	0.50	Complies

APPENDIX G - POWER SPECTRAL DENSITY


Non-Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.24	0.17	7.41	17.00	Complies
40	5200	7.72	0.17	7.89	17.00	Complies
48	5240	7.58	0.17	7.75	17.00	Complies



Date: 20.FEB.2020 15:24:10



Date: 20.FEB.2020 15:24:29



Date: 20.FEB.2020 15:26:11

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.56	0.17	7.73	17.00	Complies
40	5200	7.56	0.17	7.73	17.00	Complies
48	5240	7.75	0.17	7.92	17.00	Complies



Date: 20.FEB.2020 14:45:25




Date: 20.FEB.2020 14:46:20



Date: 20.FEB.2020 14:47:00


Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.55	0.17	7.72	17.00	Complies
40	5200	7.57	0.17	7.74	17.00	Complies
48	5240	7.80	0.17	7.97	17.00	Complies



Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.64	0.17	7.81	17.00	Complies
40	5200	7.60	0.17	7.77	17.00	Complies
48	5240	7.80	0.17	7.97	17.00	Complies




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.69	13.98	Complies
40	5200	13.80	13.98	Complies
48	5240	13.92	13.98	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.33	0.17	1.50	11.00	Complies
60	5300	1.54	0.17	1.71	11.00	Complies
64	5320	1.48	0.17	1.65	11.00	Complies



Date: 20.FEB.2020 15:26:30



Date: 20.FEB.2020 15:26:47




Date: 20.FEB.2020 15:27:52

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.73	0.17	1.90	11.00	Complies
60	5300	1.52	0.17	1.69	11.00	Complies
64	5320	1.53	0.17	1.70	11.00	Complies



Date: 20.FEB.2020 14:48:16





Date: 20.FEB.2020 14:48:41



Date: 20.FEB.2020 14:49:03




Test Mode UNII-2A_TX A Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.78	0.17	1.95	11.00	Complies
60	5300	1.69	0.17	1.86	11.00	Complies
64	5320	1.23	0.17	1.40	11.00	Complies



Test Mode UNII-2A_TX A Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.97	0.17	1.14	11.00	Complies
60	5300	1.07	0.17	1.24	11.00	Complies
64	5320	1.07	0.17	1.24	11.00	Complies




Test Mode UNII-2A_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.65	7.98	Complies
60	5300	7.65	7.98	Complies
64	5320	7.52	7.98	Complies

Test Mode UNII-2C_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.57	0.17	1.74	11.00	Complies
116	5580	1.80	0.17	1.97	11.00	Complies
140	5700	1.74	0.17	1.91	11.00	Complies



Date: 20.FEB.2020 15:31:10




Date: 20.FEB.2020 15:33:51




Date: 20.FEB.2020 15:37:13

Test Mode UNII-2C_TX A Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.44	0.17	0.61	11.00	Complies
116	5580	0.64	0.17	0.81	11.00	Complies
140	5700	0.76	0.17	0.93	11.00	Complies



Date: 20.FEB.2020 15:31:54




Date: 20.FEB.2020 15:34:47




Date: 20.FEB.2020 15:37:49

Test Mode UNII-2C_TX A Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.51	0.17	1.68	11.00	Complies
116	5580	1.72	0.17	1.89	11.00	Complies
140	5700	1.46	0.17	1.63	11.00	Complies



Date: 20.FEB.2020 16:23:43




Date: 20.FEB.2020 16:57:40



Date: 20.FEB.2020 17:00:46

Test Mode UNII-2C_TX A Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.68	0.17	1.85	11.00	Complies
116	5580	1.69	0.17	1.86	11.00	Complies
140	5700	1.71	0.17	1.88	11.00	Complies



Date: 20.FEB.2020 18:31:03



Date: 20.FEB.2020 18:35:25




Date: 20.FEB.2020 18:40:51

Test Mode UNII-2C_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.51	7.98	Complies
116	5580	7.67	7.98	Complies
140	5700	7.62	7.98	Complies

Test Mode UNII-3_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.03	0.17	9.20	30.00	Complies
157	5785	7.87	0.17	8.04	30.00	Complies
165	5825	7.77	0.17	7.94	30.00	Complies



Date: 20.FEB.2020 15:39:10

Date: 20.FEB.2020 15:39:10

Date: 20.FEB.2020 15:39:14

Test Mode UNII-3_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.66	0.17	8.83	30.00	Complies
157	5785	7.28	0.17	7.45	30.00	Complies
165	5825	7.44	0.17	7.61	30.00	Complies




Date: 20.FEB.2020 14:54:53

Date: 20.FEB.2020 14:55:20

Date: 20.FEB.2020 14:56:06


Test Mode UNII-3_TX A Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.19	0.17	9.36	30.00	Complies
157	5785	8.01	0.17	8.18	30.00	Complies
165	5825	8.41	0.17	8.58	30.00	Complies



Test Mode UNII-3_TX A Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.69	0.17	9.86	30.00	Complies
157	5785	8.28	0.17	8.45	30.00	Complies
165	5825	7.96	0.17	8.13	30.00	Complies



Test Mode UNII-3_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.35	26.98	Complies
157	5785	14.06	26.98	Complies
165	5825	14.10	26.98	Complies

Test Mode UNII-1_TX AC (VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.80	0.59	8.39	17.00	Complies
40	5200	7.27	0.59	7.86	17.00	Complies
48	5240	7.12	0.59	7.71	17.00	Complies



Date: 20.FEB.2020 15:47:57



Date: 20.FEB.2020 15:49:52




Date: 20.FEB.2020 15:51:17

Test Mode UNII-1_TX AC (VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.70	0.59	7.29	17.00	Complies
40	5200	7.21	0.59	7.80	17.00	Complies
48	5240	6.66	0.59	7.25	17.00	Complies



Date: 20.FEB.2020 15:48:34





Date: 20.FEB.2020 15:50:28



Date: 20.FEB.2020 15:51:54

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.24	0.59	7.83	17.00	Complies
40	5200	7.05	0.59	7.64	17.00	Complies
48	5240	6.65	0.59	7.24	17.00	Complies



Date: 20.FEB.2020 17:40:11

Date: 20.FEB.2020 17:42:32

Date: 20.FEB.2020 17:44:25

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.88	0.59	7.47	17.00	Complies
40	5200	7.31	0.59	7.90	17.00	Complies
48	5240	7.09	0.59	7.68	17.00	Complies



Date: 20.FEB.2020 18:43:09

Date: 20.FEB.2020 18:47:07


Date: 20.FEB.2020 18:48:10

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.79	13.98	Complies
40	5200	13.83	13.98	Complies
48	5240	13.50	13.98	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.74	1.01	7.75	17.00	Complies
46	5230	6.64	1.01	7.65	17.00	Complies




Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.87	1.01	7.88	17.00	Complies
46	5230	6.69	1.01	7.70	17.00	Complies



Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.73	1.01	7.74	17.00	Complies
46	5230	6.32	1.01	7.33	17.00	Complies



Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.65	1.01	7.66	17.00	Complies
46	5230	6.89	1.01	7.90	17.00	Complies




Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.78	13.98	Complies
46	5230	13.67	13.98	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.51	1.58	5.09	17.00	Complies

CH42




Date: 20.FEB.2020 16:16:28

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.02	1.58	5.60	17.00	Complies

CH42



Date: 20.FEB.2020 15:16:42

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.69	1.58	5.27	17.00	Complies



Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.45	1.58	6.03	17.00	Complies






Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	11.54	13.98	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.71	0.59	1.30	11.00	Complies
60	5300	1.22	0.59	1.81	11.00	Complies
64	5320	1.37	0.59	1.96	11.00	Complies





Date: 20.FEB.2020 15:52:26

Date: 20.FEB.2020 15:53:10

Date: 20.FEB.2020 15:53:45

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.03	0.59	1.62	11.00	Complies
60	5300	1.17	0.59	1.76	11.00	Complies
64	5320	1.21	0.59	1.80	11.00	Complies






Date: 20.FEB.2020 15:00:20

Date: 20.FEB.2020 15:00:59

Date: 20.FEB.2020 15:01:25

Test Mode UNII-2A_TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.67	0.59	1.26	11.00	Complies
60	5300	0.87	0.59	1.46	11.00	Complies
64	5320	0.74	0.59	1.33	11.00	Complies






Date: 20.FEB.2020 17:46:22

Date: 20.FEB.2020 17:48:59

Date: 20.FEB.2020 17:50:13

Test Mode UNII-2A_TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.32	0.59	0.91	11.00	Complies
60	5300	0.83	0.59	1.42	11.00	Complies
64	5320	0.74	0.59	1.33	11.00	Complies



Date: 20.FEB.2020 18:48:53

Date: 20.FEB.2020 18:49:54



Date: 20.FEB.2020 18:50:51

Test Mode UNII-2A_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.30	7.98	Complies
60	5300	7.64	7.98	Complies
64	5320	7.64	7.98	Complies



Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.84	1.01	1.85	11.00	Complies
62	5310	0.66	1.01	1.67	11.00	Complies





Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.94	1.01	1.95	11.00	Complies
62	5310	0.66	1.01	1.67	11.00	Complies



Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.79	1.01	1.80	11.00	Complies
62	5310	0.41	1.01	1.42	11.00	Complies





Date: 20.FEB.2020 18:02:23

Date: 20.FEB.2020 18:04:05

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.91	1.01	1.92	11.00	Complies
62	5310	0.54	1.01	1.55	11.00	Complies



Date: 20.FEB.2020 19:10:23

Date: 20.FEB.2020 19:10:51


Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.90	7.98	Complies
62	5310	7.60	7.98	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-3.19	1.58	-1.61	11.00	Complies

CH58




Date: 20.FEB.2020 16:17:03

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-3.24	1.58	-1.66	11.00	Complies


CH58



Date: 20.FEB.2020 15:21:09

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.96	1.58	-1.38	11.00	Complies



Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.88	1.58	-1.30	11.00	Complies






Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	4.54	7.98	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.03	0.59	1.62	11.00	Complies
116	5580	1.26	0.59	1.85	11.00	Complies
140	5700	1.06	0.59	1.65	11.00	Complies






Date: 20.FEB.2020 15:55:27

Date: 20.FEB.2020 15:56:19

Date: 20.FEB.2020 15:58:44

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.11	0.59	0.48	11.00	Complies
116	5580	0.04	0.59	0.63	11.00	Complies
140	5700	0.55	0.59	1.14	11.00	Complies






Date: 20.FEB.2020 15:56:06

Date: 20.FEB.2020 15:57:30

Date: 20.FEB.2020 15:59:25



Test Mode UNII-2C_TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.55	0.59	1.14	11.00	Complies
116	5580	0.10	0.59	0.69	11.00	Complies
140	5700	1.15	0.59	1.74	11.00	Complies



Test Mode UNII-2C_TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.91	0.59	1.50	11.00	Complies
116	5580	0.93	0.59	1.52	11.00	Complies
140	5700	0.72	0.59	1.31	11.00	Complies






Test Mode UNII-2C_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.23	7.98	Complies
116	5580	7.23	7.98	Complies
140	5700	7.49	7.98	Complies




Test Mode UNII-2C_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.89	1.01	1.90	11.00	Complies
110	5550	0.69	1.01	1.70	11.00	Complies
134	5670	0.55	1.01	1.56	11.00	Complies



Test Mode UNII-2C_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.19	1.01	0.82	11.00	Complies
110	5550	-0.39	1.01	0.62	11.00	Complies
134	5670	0.67	1.01	1.68	11.00	Complies






Test Mode UNII-2C_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.80	1.01	1.81	11.00	Complies
110	5550	0.32	1.01	1.33	11.00	Complies
134	5670	0.94	1.01	1.95	11.00	Complies



Test Mode UNII-2C_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.95	1.01	1.96	11.00	Complies
110	5550	0.96	1.01	1.97	11.00	Complies
134	5670	0.83	1.01	1.84	11.00	Complies




Test Mode UNII-2C_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.67	7.98	Complies
110	5550	7.45	7.98	Complies
134	5670	7.78	7.98	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-2.25	1.58	-0.67	11.00	Complies
122	5610	-1.55	1.58	0.03	11.00	Complies

CH106



Date: 20.FEB.2020 16:17:36

CH122




Date: 20.FEB.2020 16:18:22

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-3.29	1.58	-1.71	11.00	Complies
122	5610	-1.24	1.58	0.34	11.00	Complies

CH106



Date: 20.FEB.2020 15:21:38



CH122



Date: 20.FEB.2020 15:22:08

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-2.43	1.58	-0.85	11.00	Complies
122	5610	-0.56	1.58	1.02	11.00	Complies





Date: 20.FEB.2020 18:17:36

Date: 20.FEB.2020 18:18:03

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-2.17	1.58	-0.59	11.00	Complies
122	5610	-0.31	1.58	1.27	11.00	Complies



Date: 20.FEB.2020 19:21:53

Date: 20.FEB.2020 19:22:19

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.09	7.98	Complies
122	5610	6.72	7.98	Complies

Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.11	0.59	9.70	30.00	Complies
157	5785	7.42	0.59	8.01	30.00	Complies
165	5825	7.09	0.59	7.68	30.00	Complies




Date: 20.FEB.2020 16:02:10

Date: 20.FEB.2020 16:03:48

Date: 20.FEB.2020 16:04:44

Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.66	0.59	9.25	30.00	Complies
157	5785	7.30	0.59	7.89	30.00	Complies
165	5825	7.43	0.59	8.02	30.00	Complies



Date: 20.FEB.2020 15:04:15

Date: 20.FEB.2020 15:04:44

Date: 20.FEB.2020 15:05:06


Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.99	0.59	9.58	30.00	Complies
157	5785	7.84	0.59	8.43	30.00	Complies
165	5825	8.40	0.59	8.99	30.00	Complies



Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.72	0.59	10.31	30.00	Complies
157	5785	8.69	0.59	9.28	30.00	Complies
165	5825	8.49	0.59	9.08	30.00	Complies




Test Mode UNII-3_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.75	26.98	Complies
157	5785	14.46	26.98	Complies
165	5825	14.51	26.98	Complies

Test Mode UNII-3_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.38	1.01	6.39	30.00	Complies
159	5795	4.51	1.01	5.52	30.00	Complies




Date: 20.FEB.2020 16:15:08

Date: 20.FEB.2020 16:15:44

Test Mode UNII-3_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.05	1.01	6.06	30.00	Complies
159	5795	4.25	1.01	5.26	30.00	Complies





Date: 20.FEB.2020 15:15:15

Date: 20.FEB.2020 15:15:42

Test Mode UNII-3_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.52	1.01	6.53	30.00	Complies
159	5795	4.97	1.01	5.98	30.00	Complies



Date: 20.FEB.2020 10:15:40

Date: 20.FEB.2020 10:16:03

Test Mode UNII-3_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.35	1.01	7.36	30.00	Complies
159	5795	5.85	1.01	6.86	30.00	Complies



Date: 20.FEB.2020 19:19:37


Date: 20.FEB.2020 19:20:05

Test Mode UNII-3_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	12.63	26.98	Complies
159	5795	11.97	26.98	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.15	1.58	2.73	30.00	Complies



Date: 20.FEB.2020 16:19:27

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.28	1.58	2.86	30.00	Complies



Date: 20.FEB.2020 15:22:30

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.64	1.58	3.22	30.00	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.28	1.58	3.86	30.00	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	9.21	26.98	Complies

End of Test Report