



Home of the BrakeBuddy
4371 Platte Avenue
Sedalia, Colorado 80135-8074

Phone (800) 470-2287
Fax (303) 814-0977


E-Mail: stop@brakebuddy.com
Website: Brakebuddy.com

Brakebuddy® Alert System

The Alert System is a wireless monitor that illuminates on your motorhome's dashboard when the BrakeBuddy is activated. This system consists of two parts, the Receiver and Transmitter.



The Receiver plugs into a 12v outlet on the dash of the motorhome. When the BrakeBuddy is activated in the towed vehicle, the Receiver will illuminate.



The Transmitter plugs into the top of the BrakeBuddy and sends a signal to the Receiver when the BrakeBuddy is activated.

Before towing, perform a simple test to assure your Alert System is operating properly. Have someone push the red test button on the BrakeBuddy and hold it for ten seconds while you are in your motorhome looking at the Receiver. The Receiver will illuminate for the full ten seconds without blinking. Do not do this while the motorhome is moving! The Alert Receiver will illuminate: (1) if the BreakAway pin is pulled; (2) when the test button is depressed; or (3) when the BrakeBuddy activates as a result of forward inertia (i.e., the braking of the motorhome). When the BreakAway pin is pulled, in addition to the Receiver illuminating, an audible buzzer will sound after ten seconds.

This equipment has been tested and found to comply with the limits for a class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

1. Reorient or relocate the receiving antenna;
2. Increase the separation between the equipment and receiver;
3. Connect the equipment into an outlet on a circuit different from that to which the receiver is connected;
4. Consult the dealer or an experienced radio/TV technician for help.

This equipment has been certified to comply with the limits for a class B computing device, pursuant to FCC Rules. In order to maintain compliance with FCC regulations, shielded cables must be used with this equipment. Operation with non-approved equipment or unshielded cables is likely to result in interference to radio and TV reception. The user is cautioned that changes and modifications made to the equipment without the approval of manufacturer could void the user's authority to operate this equipment.