


Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5190MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10380.00	53.27	1.94	55.21	68.20	-12.99	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5190MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		5149.880	15.21	37.54	52.75	74.00	-21.25	peak	
2		5149.880	5.28	37.54	42.82	54.00	-11.18	AVG	
3	X	5190.000	62.46	37.58	100.04	74.00	26.04	peak	No Limit
4	*	5190.000	52.86	37.58	90.44	54.00	36.44	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5190MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10380.00	51.73	1.94	53.67	68.20	-14.53	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		5145.440	19.49	37.54	57.03	74.00	-16.97	peak	
2		5145.440	9.60	37.54	47.14	54.00	-6.86	AVG	
3	X	5230.000	70.07	37.63	107.70	74.00	33.70	peak	No Limit
4	*	5230.000	60.73	37.63	98.36	54.00	44.36	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10460.00	52.60	1.96	54.56	68.20	-13.64	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		5147.660	13.34	37.54	50.88	74.00	-23.12	peak	
2		5147.660	3.68	37.54	41.22	54.00	-12.78	AVG	
3	X	5230.000	63.83	37.63	101.46	74.00	27.46	peak	No Limit
4	*	5230.000	53.72	37.63	91.35	54.00	37.35	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10460.00	52.01	1.96	53.97	68.20	-14.23	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5149.400	20.08	37.54	57.62	74.00	-16.38	peak	
2		5149.400	8.23	37.54	45.77	54.00	-8.23	AVG	
3	X	5180.000	75.40	37.58	112.98	74.00	38.98	peak	No Limit
4	*	5180.000	63.79	37.58	101.37	54.00	47.37	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10360.00	53.00	1.92	54.92	68.20	-13.28	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5149.560	16.94	37.54	54.48	74.00	-19.52	peak	
2	5149.560	5.36	37.54	42.90	54.00	-11.10	AVG	
3 X	5180.000	68.00	37.58	105.58	74.00	31.58	peak	No Limit
4 *	5180.000	53.88	37.58	91.46	54.00	37.46	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10360.00	51.61	1.92	53.53	68.20	-14.67	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5200.000	74.11	37.60	111.71	74.00	37.71	peak	No Limit
2	*	5200.000	62.89	37.60	100.49	54.00	46.49	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10400.00	52.68	1.95	54.63	68.20	-13.57	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5200.000	64.85	37.60	102.45	74.00	28.45	peak	No Limit
2	*	5200.000	51.47	37.60	89.07	54.00	35.07	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10400.00	52.10	1.95	54.05	68.20	-14.15	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5240.000	74.81	37.64	112.45	74.00	38.45	peak	No Limit
2	*	5240.000	62.91	37.64	100.55	54.00	46.55	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10480.00	52.74	1.96	54.70	68.20	-13.50	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5240.000	68.24	37.64	105.88	74.00	31.88	peak	No Limit
2	*	5240.000	54.83	37.64	92.47	54.00	38.47	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10480.00	52.20	1.96	54.16	68.20	-14.04	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5150.000	24.03	37.54	61.57	74.00	-12.43	peak	
2		5150.000	9.73	37.54	47.27	54.00	-6.73	AVG	
3	X	5190.000	71.33	37.58	108.91	74.00	34.91	peak	No Limit
4	*	5190.000	57.59	37.58	95.17	54.00	41.17	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10380.00	53.05	1.94	54.99	68.20	-13.21	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5150.000	16.69	37.54	54.23	74.00	-19.77	peak	
2		5150.000	4.43	37.54	41.97	54.00	-12.03	AVG	
3	X	5190.000	61.41	37.58	98.99	74.00	24.99	peak	No Limit
4	*	5190.000	46.78	37.58	84.36	54.00	30.36	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10380.00	51.78	1.94	53.72	68.20	-14.48	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5147.220	17.92	37.54	55.46	74.00	-18.54	peak	
2	5147.220	6.65	37.54	44.19	54.00	-9.81	AVG	
3 X	5230.000	73.13	37.63	110.76	74.00	36.76	peak	No Limit
4 *	5230.000	61.09	37.63	98.72	54.00	44.72	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10460.00	52.33	1.96	54.29	68.20	-13.91	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5146.100	15.36	37.54	52.90	74.00	-21.10	peak	
2	5146.100	4.25	37.54	41.79	54.00	-12.21	AVG	
3 X	5230.000	64.23	37.63	101.86	74.00	27.86	peak	No Limit
4 *	5230.000	52.64	37.63	90.27	54.00	36.27	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10460.00	51.52	1.96	53.48	68.20	-14.72	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5146.640	25.11	37.54	62.65	74.00	-11.35	peak	
2		5146.640	15.30	37.54	52.84	54.00	-1.16	AVG	
3	X	5210.000	68.23	37.61	105.84	74.00	31.84	peak	No Limit
4	*	5210.000	56.91	37.61	94.52	54.00	40.52	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10420.00	52.98	1.95	54.93	68.20	-13.27	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5146.360	16.33	37.54	53.87	74.00	-20.13	peak	
2		5146.360	7.04	37.54	44.58	54.00	-9.42	AVG	
3	X	5210.000	58.65	37.61	96.26	74.00	22.26	peak	No Limit
4	*	5210.000	48.59	37.61	86.20	54.00	32.20	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10420.00	51.78	1.95	53.73	68.20	-14.47	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5646.725	15.47	38.31	53.78	68.20	-14.42	peak	
2	5697.650	13.52	38.46	51.98	103.47	-51.49	peak	
3	5719.680	14.81	38.52	53.33	110.71	-57.38	peak	
4	5724.900	20.95	38.53	59.48	121.97	-62.49	peak	
5	5745.000	68.10	38.58	106.68	122.20	-15.52	peak	No Limit
6 *	5745.000	60.67	38.58	99.25	54.00	45.25	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11490.00	52.70	3.40	56.10	74.00	-17.90	peak	
2 *	11490.00	39.65	3.40	43.05	54.00	-10.95	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5645.640	11.87	38.31	50.18	68.20	-18.02	peak	
2	5656.000	10.29	38.34	48.63	72.66	-24.03	peak	
3	5718.160	10.84	38.51	49.35	110.29	-60.94	peak	
4	5724.800	12.68	38.53	51.21	121.74	-70.53	peak	
5	5745.000	58.08	38.58	96.66	122.20	-25.54	peak	No Limit
6 *	5745.000	50.75	38.58	89.33	54.00	35.33	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11490.00	51.09	3.40	54.49	74.00	-19.51	peak	
2	*	11490.00	39.27	3.40	42.67	54.00	-11.33	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5696.130	14.66	38.45	53.11	102.35	-49.24	peak	
2	5700.720	14.98	38.46	53.44	105.40	-51.96	peak	
3	5720.095	15.76	38.52	54.28	111.02	-56.74	peak	
4	5785.000	68.51	38.70	107.21	122.20	-14.99	peak	No Limit
5 *	5785.000	60.96	38.70	99.66	54.00	45.66	A/VG	No Limit
6	5850.795	16.52	38.87	55.39	120.39	-65.00	peak	
7	5860.220	16.16	38.90	55.06	109.34	-54.28	peak	
8	5881.710	14.51	38.96	53.47	100.22	-46.75	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11570.00	52.76	3.28	56.04	74.00	-17.96	peak	
2	*	11570.00	39.78	3.28	43.06	54.00	-10.94	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5686.425	10.96	38.43	49.39	95.19	-45.80	peak	
2	5709.380	11.18	38.49	49.67	107.83	-58.16	peak	
3	5721.495	11.46	38.52	49.98	114.21	-64.23	peak	
4	5785.000	54.35	38.70	93.05	122.20	-29.15	peak	No Limit
5 *	5785.000	46.29	38.70	84.99	54.00	30.99	AVG	No Limit
6	5854.845	11.38	38.89	50.27	111.15	-60.88	peak	
7	5855.420	11.20	38.89	50.09	110.68	-60.59	peak	
8	5882.990	11.15	38.96	50.11	99.27	-49.16	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz

Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11570.00	51.48	3.28	54.76	74.00	-19.24	peak	
2 *	11570.00	39.42	3.28	42.70	54.00	-11.30	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5825.000	69.25	38.80	108.05	122.20	-14.15	peak	No Limit
2 *	5825.000	61.48	38.80	100.28	54.00	46.28	AVG	No Limit
3	5850.010	17.63	38.87	56.50	122.18	-65.68	peak	
4	5859.620	15.32	38.90	54.22	109.50	-55.28	peak	
5	5875.700	13.46	38.94	52.40	104.68	-52.28	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11650.00	52.70	3.13	55.83	74.00	-18.17	peak	
2 *	11650.00	39.54	3.13	42.67	54.00	-11.33	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5825.000	60.83	38.80	99.63	122.20	-22.57	peak	No Limit
2 *	5825.000	52.35	38.80	91.15	54.00	37.15	AVG	No Limit
3	5853.595	12.47	38.89	51.36	114.00	-62.64	peak	
4	5865.640	12.23	38.92	51.15	107.82	-56.67	peak	
5	5920.200	11.73	39.06	50.79	71.74	-20.95	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11650.00	52.58	3.13	55.71	74.00	-18.29	peak	
2	*	11650.00	39.44	3.13	42.57	54.00	-11.43	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5647.645	14.50	38.33	52.83	68.20	-15.37	peak	
2	5672.300	13.95	38.39	52.34	84.74	-32.40	peak	
3	5719.640	14.68	38.52	53.20	110.70	-57.50	peak	
4	5724.650	19.30	38.53	57.83	121.40	-63.57	peak	
5	5745.000	64.47	38.58	103.05	122.20	-19.15	peak	No Limit
6 *	5745.000	56.77	38.58	95.35	54.00	41.35	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11490.00	52.25	3.40	55.65	74.00	-18.35	peak	
2 *	11490.00	39.66	3.40	43.06	54.00	-10.94	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5647.375	12.14	38.33	50.47	68.20	-17.73	peak	
2	5676.700	10.68	38.40	49.08	88.00	-38.92	peak	
3	5714.320	11.15	38.50	49.65	109.21	-59.56	peak	
4	5724.890	12.05	38.53	50.58	121.95	-71.37	peak	
5	5745.000	50.51	38.58	89.09	122.20	-33.11	peak	No Limit
6 *	5745.000	42.79	38.58	81.37	54.00	27.37	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11490.00	50.49	3.40	53.89	74.00	-20.11	peak	
2	*	11490.00	39.19	3.40	42.59	54.00	-11.41	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5696.895	15.01	38.46	53.47	102.91	-49.44	peak	
2	5704.800	14.85	38.48	53.33	106.55	-53.22	peak	
3	5720.235	14.84	38.52	53.36	111.34	-57.98	peak	
4	5785.000	65.54	38.70	104.24	122.20	-17.96	peak	No Limit
5 *	5785.000	57.36	38.70	96.06	54.00	42.06	AVG	No Limit
6	5854.275	13.85	38.89	52.74	112.45	-59.71	peak	
7	5863.060	14.46	38.91	53.37	108.54	-55.17	peak	
8	5878.430	12.80	38.95	51.75	102.65	-50.90	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11570.00	52.30	3.28	55.58	74.00	-18.42	peak	
2	*	11570.00	39.63	3.28	42.91	54.00	-11.09	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5696.340	10.64	38.45	49.09	102.50	-53.41	peak	
2		5712.380	10.85	38.50	49.35	108.67	-59.32	peak	
3		5720.940	12.06	38.52	50.58	112.94	-62.36	peak	
4		5785.000	50.52	38.70	89.22	122.20	-32.98	peak	No Limit
5	*	5785.000	42.58	38.70	81.28	54.00	27.28	AVG	No Limit
6		5854.950	11.00	38.89	49.89	110.91	-61.02	peak	
7		5867.400	10.78	38.92	49.70	107.33	-57.63	peak	
8		5876.450	10.21	38.94	49.15	104.12	-54.97	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11570.00	50.52	3.28	53.80	74.00	-20.20	peak	
2	*	11570.00	39.36	3.28	42.64	54.00	-11.36	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5825.000	63.31	38.80	102.11	122.20	-20.09	peak	No Limit
2 *	5825.000	55.17	38.80	93.97	54.00	39.97	AVG	No Limit
3	5850.545	14.80	38.87	53.67	120.96	-67.29	peak	
4	5872.900	12.96	38.94	51.90	105.79	-53.89	peak	
5	5897.850	13.86	39.01	52.87	88.25	-35.38	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11650.00	52.38	3.13	55.51	74.00	-18.49	peak	
2	*	11650.00	39.74	3.13	42.87	54.00	-11.13	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5825.000	49.08	38.80	87.88	122.20	-34.32	peak	No Limit
2	*	5825.000	41.42	38.80	80.22	54.00	26.22	AVG	No Limit
3		5850.605	11.43	38.87	50.30	120.82	-70.52	peak	
4		5865.760	10.69	38.92	49.61	107.78	-58.17	peak	
5		5911.450	10.82	39.04	49.86	78.20	-28.34	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11650.00	50.92	3.13	54.05	74.00	-19.95	peak	
2	*	11650.00	39.69	3.13	42.82	54.00	-11.18	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5688.840	12.78	38.43	51.21	96.97	-45.76	peak	
2	5719.220	15.01	38.52	53.53	110.58	-57.05	peak	
3	5724.830	17.51	38.53	56.04	121.81	-65.77	peak	
4	5755.000	60.43	38.62	99.05	122.20	-23.15	peak	No Limit
5 *	5755.000	53.62	38.62	92.24	54.00	38.24	AVG	No Limit
6	5852.020	12.21	38.87	51.08	117.59	-66.51	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11510.00	51.57	3.40	54.97	74.00	-19.03	peak	
2	*	11510.00	40.07	3.40	43.47	54.00	-10.53	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5668.545	11.00	38.38	49.38	81.96	-32.58	peak	
2	5718.780	10.91	38.52	49.43	110.46	-61.03	peak	
3	5723.505	12.17	38.53	50.70	118.79	-68.09	peak	
4	5755.000	47.14	38.62	85.76	122.20	-36.44	peak	No Limit
5 *	5755.000	39.39	38.62	78.01	54.00	24.01	AVG	No Limit
6	5851.460	11.26	38.87	50.13	118.87	-68.74	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11510.00	51.32	3.40	54.72	74.00	-19.28	peak	
2	*	11510.00	39.80	3.40	43.20	54.00	-10.80	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5696.570	13.34	38.45	51.79	102.67	-50.88	peak	
2	5709.540	12.33	38.49	50.82	107.87	-57.05	peak	
3	5722.100	13.41	38.53	51.94	115.59	-63.65	peak	
4	5795.000	61.05	38.72	99.77	122.20	-22.43	peak	No Limit
5 *	5795.000	52.72	38.72	91.44	54.00	37.44	AVG	No Limit
6	5852.850	12.10	38.88	50.98	115.70	-64.72	peak	
7	5873.320	12.98	38.94	51.92	105.67	-53.75	peak	
8	5878.710	11.98	38.95	50.93	102.44	-51.51	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11590.00	52.01	3.25	55.26	74.00	-18.74	peak	
2 *	11590.00	39.75	3.25	43.00	54.00	-11.00	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5697.780	10.95	38.46	49.41	103.56	-54.15	peak	
2	5711.480	10.99	38.50	49.49	108.42	-58.93	peak	
3	5721.845	11.65	38.52	50.17	115.01	-64.84	peak	
4	5795.000	47.34	38.72	86.06	122.20	-36.14	peak	No Limit
5 *	5795.000	39.32	38.72	78.04	54.00	24.04	AVG	No Limit
6	5851.840	11.60	38.87	50.47	118.00	-67.53	peak	
7	5867.720	10.78	38.92	49.70	107.24	-57.54	peak	
8	5886.580	10.94	38.97	49.91	96.60	-46.69	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11590.00	50.95	3.25	54.20	74.00	-19.80	peak	
2	*	11590.00	39.57	3.25	42.82	54.00	-11.18	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	5646.565	18.28	38.31	56.59	68.20	-11.61	peak	
2	5692.650	17.46	38.45	55.91	99.78	-43.87	peak	
3	5715.160	19.10	38.50	57.60	109.45	-51.85	peak	
4	5724.355	28.54	38.53	67.07	120.73	-53.66	peak	
5	5745.000	72.35	38.58	110.93	122.20	-11.27	peak	No Limit
6 *	5745.000	62.83	38.58	101.41	54.00	47.41	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11490.00	51.69	3.40	55.09	74.00	-18.91	peak	
2	*	11490.00	39.64	3.40	43.04	54.00	-10.96	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	5645.200	16.11	38.31	54.42	68.20	-13.78	peak	
2	5660.550	16.91	38.36	55.27	76.03	-20.76	peak	
3	5719.400	15.10	38.52	53.62	110.63	-57.01	peak	
4	5722.315	16.85	38.53	55.38	116.08	-60.70	peak	
5	5745.000	57.91	38.58	96.49	122.20	-25.71	peak	No Limit
6 *	5745.000	48.37	38.58	86.95	54.00	32.95	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11490.00	50.58	3.40	53.98	74.00	-20.02	peak	
2 *	11490.00	39.13	3.40	42.53	54.00	-11.47	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	5696.670	16.74	38.45	55.19	102.75	-47.56	peak	
2	5710.380	17.09	38.50	55.59	108.11	-52.52	peak	
3	5720.500	17.66	38.52	56.18	111.94	-55.76	peak	
4	5785.000	69.02	38.70	107.72	122.20	-14.48	peak	No Limit
5 *	5785.000	58.84	38.70	97.54	54.00	43.54	AVG	No Limit
6	5851.080	18.04	38.87	56.91	119.74	-62.83	peak	
7	5867.940	17.43	38.92	56.35	107.17	-50.82	peak	
8	5884.830	16.33	38.97	55.30	97.90	-42.60	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11570.00	52.30	3.28	55.58	74.00	-18.42	peak	
2 *	11570.00	39.77	3.28	43.05	54.00	-10.95	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz

Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	5698.350	14.74	38.46	53.20	103.98	-50.78	peak	
2	5719.540	15.12	38.52	53.64	110.67	-57.03	peak	
3	5722.375	16.94	38.53	55.47	116.22	-60.75	peak	
4	5785.000	55.07	38.70	93.77	122.20	-28.43	peak	No Limit
5 *	5785.000	45.68	38.70	84.38	54.00	30.38	A/VG	No Limit
6	5850.260	17.65	38.87	56.52	121.61	-65.09	peak	
7	5872.040	15.23	38.94	54.17	106.03	-51.86	peak	
8	5878.880	15.76	38.95	54.71	102.32	-47.61	peak	