


802.11a_Nss1,(6Mbps)_4TX

02/05/2019

5260MHz_TX




EUT Z_4TX
Setting 96
06-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.77836G	58.77	74.00	-15.23	16.84	3	Horizontal	343	1.50	-
AV	15.7762G	45.46	54.00	-8.54	16.85	3	Horizontal	343	1.50	-

802.11a_Nss1,(6Mbps)_4TX

02/05/2019

5300MHz_TX




EUT_Z_4TX
Setting 74
06-5-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2988G	119.03	Inf	-Inf	7.48	3	Vertical	68	2.03	-
AV	5.2982G	109.75	Inf	-Inf	7.48	3	Vertical	68	2.03	-
PK	5.351G	63.49	74.00	-10.51	7.55	3	Vertical	68	2.03	-
AV	5.354G	52.85	54.00	-1.15	7.55	3	Vertical	68	2.03	-

802.11a_Nss1,(6Mbps)_4TX

02/05/2019

5300MHz_TX




EUT Z_4TX
Setting 74
06-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.89256G	58.74	74.00	-15.26	16.69	3	Vertical	98	1.50	-
AV	15.89G	45.22	54.00	-8.78	16.70	3	Vertical	98	1.50	-

802.11a_Nss1,(6Mbps)_4TX

02/05/2019

5300MHz_TX




EUT Z_4TX
Setting 74
06-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.90144G	58.76	74.00	-15.24	16.68	3	Horizontal	159	1.89	-
AV	15.90472G	45.25	54.00	-8.75	16.67	3	Horizontal	159	1.89	-

802.11a_Nss1,(6Mbps)_4TX

02/05/2019

5320MHz_TX




EUT_Z_4TX
Setting 74
06-5-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.318G	118.84	Inf	-Inf	7.50	3	Vertical	68	2.03	-
AV	5.3184G	109.45	Inf	-Inf	7.50	3	Vertical	68	2.03	-
PK	5.3736G	64.60	74.00	-9.40	7.57	3	Vertical	68	2.03	-
AV	5.3744G	52.81	54.00	-1.19	7.57	3	Vertical	68	2.03	-

802.11a_Nss1,(6Mbps)_4TX

02/05/2019

5320MHz_TX




EUT Z_4TX
Setting 74
06-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.95096G	57.81	74.00	-16.19	16.63	3	Vertical	154	1.50	-						
AV	15.95228G	44.15	54.00	-9.85	16.63	3	Vertical	154	1.50	-						

802.11a_Nss1,(6Mbps)_4TX

02/05/2019

5320MHz_TX




EUT Z_4TX
Setting 74
06-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.95304G	57.84	74.00	-16.16	16.63	3	Horizontal	319	1.50	-
AV	15.95504G	44.02	54.00	-9.98	16.62	3	Horizontal	319	1.50	-

802.11a_Nss1,(6Mbps)_4TX

02/05/2019

5500MHz_TX




EUT_Z_4TX
Setting 75
06-5-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.44G	63.64	74.00	-10.36	7.66	3	Vertical	270	2.31	-
AV	5.4408G	52.77	54.00	-1.23	7.66	3	Vertical	270	2.31	-
PK	5.4624G	63.42	68.20	-4.78	7.71	3	Vertical	270	2.31	-
PK	5.498G	119.83	Inf	-Inf	7.76	3	Vertical	270	2.31	-
AV	5.4984G	110.22	Inf	-Inf	7.76	3	Vertical	270	2.31	-

802.11a_Nss1,(6Mbps)_4TX

13/07/2019

5500MHz_TX




EUT Z_4TX
Setting 75
01-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.00438G	53.85	74.00	-20.15	11.71	3	Vertical	339	2.33	-
AV	10.99988G	42.36	54.00	-11.64	11.71	3	Vertical	339	2.33	-

802.11a_Nss1,(6Mbps)_4TX

13/07/2019

5500MHz_TX




EUT Z_4TX
Setting 75
01-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.00984G	54.13	74.00	-19.87	11.71	3	Horizontal	279	1.50	-
AV	10.99448G	40.86	54.00	-13.14	11.71	3	Horizontal	279	1.50	-

802.11a_Nss1,(6Mbps)_4TX

02/05/2019

5580MHz_TX




EUT Z_4TX
Setting 98
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.33G	62.09	68.20	-6.11	7.52	3	Vertical	270	2.35	-
PK	5.441G	64.38	74.00	-9.62	7.66	3	Vertical	270	2.35	-
AV	5.401G	52.86	54.00	-1.14	7.61	3	Vertical	270	2.35	-
PK	5.47G	63.68	68.20	-4.52	7.72	3	Vertical	270	2.35	-
PK	5.578G	124.54	Inf	-Inf	7.91	3	Vertical	270	2.35	-
AV	5.579G	115.06	Inf	-Inf	7.91	3	Vertical	270	2.35	-
PK	5.727G	61.75	68.20	-6.45	8.16	3	Vertical	270	2.35	-

802.11a_Nss1,(6Mbps)_4TX

13/07/2019

5580MHz_TX




EUT_Z_4TX
Setting 98
01-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.166G	55.38	74.00	-18.62	11.78	3	Vertical	355	2.39	-
AV	11.15988G	42.16	54.00	-11.84	11.78	3	Vertical	355	2.39	-

802.11a_Nss1,(6Mbps)_4TX

13/07/2019

5580MHz_TX




EUT Z_4TX
Setting 98
01-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.169G	55.09	74.00	-18.91	11.78	3	Horizontal	353	1.50	-
AV	11.1573G	41.07	54.00	-12.93	11.78	3	Horizontal	353	1.50	-

802.11a_Nss1,(6Mbps)_4TX

02/05/2019

5700MHz_TX




EUT_Z_4TX
Setting 81
06-5-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6992G	119.22	Inf	-Inf	8.11	3	Vertical	269	1.89	-
AV	5.6992G	109.21	Inf	-Inf	8.11	3	Vertical	269	1.89	-
PK	5.7272G	67.18	68.20	-1.02	8.16	3	Vertical	269	1.89	-

802.11a_Nss1,(6Mbps)_4TX

13/07/2019

5700MHz_TX




EUT Z_4TX
Setting 81
06-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.41326G	55.64	74.00	-18.36	11.89	3	Vertical	350	1.47	-
AV	11.39976G	42.14	54.00	-11.86	11.89	3	Vertical	350	1.47	-

802.11a_Nss1,(6Mbps)_4TX

13/07/2019

5700MHz_TX




EUT Z_4TX
Setting 81
06-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.41116G	55.61	74.00	-18.39	11.89	3	Horizontal	58	1.28	-
AV	11.41398G	42.10	54.00	-11.90	11.89	3	Horizontal	58	1.28	-

802.11ax HEW20_Nss1,(MCS0)_4TX

02/05/2019

5260MHz_TX




EUT Z_4TX
Setting 100
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1454G	61.60	74.00	-12.40	7.27	3	Vertical	247	1.78	-
AV	5.1472G	48.88	54.00	-5.12	7.27	3	Vertical	247	1.78	-
PK	5.257G	125.85	Inf	-Inf	7.42	3	Vertical	247	1.78	-
AV	5.2576G	112.80	Inf	-Inf	7.42	3	Vertical	247	1.78	-
PK	5.362G	65.15	74.00	-8.85	7.57	3	Vertical	247	1.78	-
AV	5.3626G	51.83	54.00	-2.17	7.57	3	Vertical	247	1.78	-

802.11ax HEW20_Nss1,(MCS0)_4TX

13/07/2019

5260MHz_TX




EUT Z_4TX
Setting 100
01-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.78132G	58.54	74.00	-15.46	14.16	3	Vertical	105	1.02	-
AV	15.76974G	44.52	54.00	-9.48	14.18	3	Vertical	105	1.02	-

802.11ax HEW20_Nss1,(MCS0)_4TX

13/07/2019

5260MHz_TX




EUT Z_4TX
Setting 100
01-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.78896G	58.62	74.00	-15.38	14.16	3	Horizontal	338	1.69	-
AV	15.78818G	44.52	54.00	-9.48	14.16	3	Horizontal	338	1.69	-

802.11ax HEW20_Nss1,(MCS0)_4TX

02/05/2019

5300MHz_TX




EUT_Z_4TX
Setting 87
06-5-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2924G	122.49	Inf	-Inf	7.48	3	Vertical	93	1.85	-
AV	5.2972G	109.30	Inf	-Inf	7.48	3	Vertical	93	1.85	-
PK	5.3576G	65.29	74.00	-8.71	7.55	3	Vertical	93	1.85	-
AV	5.3528G	52.91	54.00	-1.09	7.55	3	Vertical	93	1.85	-

802.11ax HEW20_Nss1,(MCS0)_4TX

13/07/2019

5300MHz_TX




EUT_Z_4TX
Setting 87
06-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.60984G	53.43	74.00	-20.57	11.19	3	Vertical	276	2.74	-
AV	10.61026G	39.77	54.00	-14.23	11.19	3	Vertical	276	2.74	-
PK	15.90996G	59.82	74.00	-14.18	14.00	3	Vertical	359	1.48	-
AV	15.909G	46.19	54.00	-7.81	14.00	3	Vertical	359	1.48	-

802.11ax HEW20_Nss1,(MCS0)_4TX

14/08/2019

5300MHz_TX




EUT_Z_4TX
Setting 87
06-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	10.60064G	53.65	74.00	-20.35	11.17	3	Horizontal	104	1.50	-						
AV	10.6021G	39.70	54.00	-14.30	11.17	3	Horizontal	104	1.50	-						
PK	15.90972G	60.27	74.00	-13.73	14.00	3	Horizontal	54	1.50	-						
AV	15.91194G	46.20	54.00	-7.80	14.00	3	Horizontal	54	1.50	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

02/05/2019

5320MHz_TX




EUT_Z_4TX
Setting 84
06-5-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3224G	121.82	Inf	-Inf	7.50	3	Vertical	91	1.80	-
AV	5.3176G	108.34	Inf	-Inf	7.50	3	Vertical	91	1.80	-
PK	5.352G	72.17	74.00	-1.83	7.55	3	Vertical	91	1.80	-
AV	5.368G	52.82	54.00	-1.18	7.57	3	Vertical	91	1.80	-

802.11ax HEW20_Nss1,(MCS0)_4TX

13/07/2019

5320MHz_TX




EUT_Z_4TX
Setting 84
06-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.6412G	53.33	74.00	-20.67	11.23	3	Vertical	44	1.50	-
AV	10.63028G	39.40	54.00	-14.60	11.21	3	Vertical	44	1.50	-
PK	15.94962G	59.84	74.00	-14.16	13.96	3	Vertical	127	1.50	-
AV	15.9468G	45.91	54.00	-8.09	13.96	3	Vertical	127	1.50	-

802.11ax HEW20_Nss1,(MCS0)_4TX

13/07/2019

5320MHz_TX




EUT_Z_4TX
Setting 84
06-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	10.63472G	52.51	74.00	-21.49	9.99	3	Horizontal	78	1.50	-						
AV	10.6271G	38.38	54.00	-15.62	9.98	3	Horizontal	78	1.50	-						
PK	15.96798G	59.17	74.00	-14.83	12.16	3	Horizontal	70	1.50	-						
AV	15.96132G	44.30	54.00	-9.70	12.16	3	Horizontal	10	1.50	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

02/05/2019

5500MHz_TX




EUT_Z_4TX
Setting 60
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.4432G	61.59	74.00	-12.41	7.67	3	Vertical	269	2.09	-						
AV	5.4472G	49.24	54.00	-4.76	7.68	3	Vertical	269	2.09	-						
PK	5.4696G	67.06	68.20	-1.14	7.72	3	Vertical	269	2.09	-						
PK	5.5044G	117.38	Inf	-Inf	7.77	3	Vertical	269	2.09	-						
AV	5.5048G	103.95	Inf	-Inf	7.77	3	Vertical	269	2.09	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

13/07/2019

5500MHz_TX




EUT Z_4TX
Setting 60
06-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.99196G	54.36	74.00	-19.64	11.70	3	Vertical	203	2.13	-
AV	10.98968G	40.26	54.00	-13.74	11.70	3	Vertical	203	2.13	-

802.11ax HEW20_Nss1,(MCS0)_4TX

13/07/2019

5500MHz_TX




EUT Z_4TX
Setting 60
06-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.9907G	54.32	74.00	-19.68	11.70	3	Horizontal	252	1.71	-
AV	10.98542G	40.28	54.00	-13.72	11.69	3	Horizontal	252	1.71	-

802.11ax HEW20_Nss1,(MCS0)_4TX

02/05/2019

5580MHz_TX




EUT_Z_4TX
Setting 100
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4128G	64.70	74.00	-9.30	7.63	3	Vertical	269	1.77	-
AV	5.3984G	51.53	54.00	-2.47	7.61	3	Vertical	269	1.77	-
PK	5.4632G	63.45	68.20	-4.75	7.71	3	Vertical	269	1.77	-
PK	5.5744G	125.02	Inf	-Inf	7.90	3	Vertical	269	1.77	-
AV	5.5744G	113.07	Inf	-Inf	7.90	3	Vertical	269	1.77	-
PK	5.7552G	64.16	68.20	-4.04	8.20	3	Vertical	269	1.77	-

802.11ax HEW20_Nss1,(MCS0)_4TX

13/07/2019

5580MHz_TX




EUT_Z_4TX
Setting 100
06-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.16528G	54.81	74.00	-19.19	11.78	3	Vertical	217	1.50	-						
AV	11.16246G	40.39	54.00	-13.61	11.78	3	Vertical	217	1.50	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

13/07/2019

5580MHz_TX




EUT Z_4TX
Setting 100
06-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.1588G	55.03	74.00	-18.97	11.78	3	Horizontal	175	2.60	-						
AV	11.1738G	40.35	54.00	-13.65	11.78	3	Horizontal	175	2.60	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

02/05/2019

5700MHz_TX




EUT Z_4TX
Setting 62
06-S-5-10
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments						
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)							
PK	5.7052G	116.24	Inf	-Inf	8.12	3	Vertical	268	1.98	-						
AV	5.6948G	103.58	Inf	-Inf	8.10	3	Vertical	268	1.98	-						
PK	5.7268G	67.16	68.20	-1.04	8.16	3	Vertical	268	1.98	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

13/07/2019

5700MHz_TX




EUT Z_4TX
Setting 62
06-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.41224G	55.19	74.00	-18.81	11.89	3	Vertical	174	1.93	-						
AV	11.39016G	41.36	54.00	-12.64	11.88	3	Vertical	174	1.93	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

13/07/2019

5700MHz_TX




EUT_Z_4TX
Setting 62
06-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.40366G	55.68	74.00	-18.32	11.89	3	Horizontal	152	2.44	-						
AV	11.40156G	41.33	54.00	-12.67	11.89	3	Horizontal	152	2.44	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

02/05/2019

5270MHz_TX




EUT Z_4TX
Setting 78
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1228G	60.96	74.00	-13.04	7.23	3	Vertical	247	1.87	-
AV	5.142G	50.45	54.00	-3.55	7.27	3	Vertical	247	1.87	-
PK	5.262G	117.83	Inf	-Inf	7.44	3	Vertical	247	1.87	-
AV	5.2676G	105.76	Inf	-Inf	7.44	3	Vertical	247	1.87	-
PK	5.459G	60.48	74.00	-13.52	7.71	3	Vertical	247	1.87	-
AV	5.3676G	52.82	54.00	-1.18	7.57	3	Vertical	247	1.87	-
PK	5.4676G	59.72	68.20	-8.48	7.71	3	Vertical	247	1.87	-

802.11ax HEW40_Nss1,(MCS0)_4TX

13/07/2019

5270MHz_TX




EUT Z_4TX
Setting 78
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.8097G	58.51	74.00	-15.49	14.13	3	Vertical	33	1.13	-						
AV	15.82398G	46.21	54.00	-7.79	14.12	3	Vertical	33	1.13	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

13/07/2019

5270MHz_TX




EUT Z_4TX
Setting 78
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.81894G	58.25	74.00	-15.75	14.12	3	Horizontal	136	2.02	-
AV	15.80046G	46.20	54.00	-7.80	14.14	3	Horizontal	136	2.02	-

802.11ax HEW40_Nss1,(MCS0)_4TX

02/05/2019

5310MHz_TX




EUT Z_4TX
Setting 79
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.126G	59.87	74.00	-14.13	7.24	3	Vertical	92	1.84	-
AV	5.1396G	48.19	54.00	-5.81	7.26	3	Vertical	92	1.84	-
PK	5.302G	118.54	Inf	-Inf	7.48	3	Vertical	92	1.84	-
AV	5.2972G	106.18	Inf	-Inf	7.48	3	Vertical	92	1.84	-
PK	5.3524G	71.60	74.00	-2.40	7.55	3	Vertical	92	1.84	-
PK	5.4812G	61.10	68.20	-7.10	7.73	3	Vertical	92	1.84	-
AV	5.4236G	52.81	54.00	-1.19	7.64	3	Vertical	92	1.84	-

802.11ax HEW40_Nss1,(MCS0)_4TX

13/07/2019

5310MHz_TX




EUT_Z_4TX
Setting 79
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.62786G	52.81	74.00	-21.19	11.21	3	Vertical	153	1.98	-
AV	10.63014G	40.74	54.00	-13.26	11.21	3	Vertical	153	1.98	-
PK	15.93198G	60.58	74.00	-13.42	13.98	3	Vertical	240	1.59	-
AV	15.94164G	47.71	54.00	-6.29	13.98	3	Vertical	240	1.59	-

802.11ax HEW40_Nss1,(MCS0)_4TX

13/07/2019

5310MHz_TX




EUT_Z_4TX
Setting 79
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	10.63308G	53.45	74.00	-20.55	11.23	3	Horizontal	350	1.32	-						
AV	10.6125G	40.83	54.00	-13.17	11.19	3	Horizontal	350	1.32	-						
PK	15.92784G	60.03	74.00	-13.97	13.98	3	Horizontal	314	1.27	-						
AV	15.91866G	47.77	54.00	-6.23	14.00	3	Horizontal	314	1.27	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

02/05/2019

5510MHz_TX




EUT Z_4TX
Setting 75
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3372G	60.45	68.20	-7.75	7.52	3	Vertical	278	2.10	-
PK	5.4596G	63.99	74.00	-10.01	7.71	3	Vertical	278	2.10	-
AV	5.4564G	51.80	54.00	-2.20	7.70	3	Vertical	278	2.10	-
PK	5.4612G	66.96	68.20	-1.24	7.71	3	Vertical	278	2.10	-
PK	5.5012G	115.48	Inf	-Inf	7.76	3	Vertical	278	2.10	-
AV	5.506G	106.13	Inf	-Inf	7.78	3	Vertical	278	2.10	-

802.11ax HEW40_Nss1,(MCS0)_4TX

13/07/2019

5510MHz_TX




EUT Z_4TX
Setting 75
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.01604G	53.83	74.00	-20.17	11.72	3	Vertical	130	2.37	-						
AV	11.00848G	41.58	54.00	-12.42	11.71	3	Vertical	130	2.37	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

13/07/2019

5510MHz_TX




EUT Z_4TX
Setting 75
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.0338G	54.44	74.00	-19.56	11.72	3	Horizontal	119	2.09	-						
AV	11.01508G	41.46	54.00	-12.54	11.72	3	Horizontal	119	2.09	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

02/05/2019

5550MHz_TX




EUT_Z_4TX
Setting 88
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4436G	64.88	74.00	-9.12	7.67	3	Vertical	267	1.69	-
AV	5.4436G	52.76	54.00	-1.24	7.67	3	Vertical	267	1.69	-
PK	5.4692G	63.95	68.20	-4.25	7.72	3	Vertical	267	1.69	-
PK	5.5348G	121.03	Inf	-Inf	7.83	3	Vertical	267	1.69	-
AV	5.5548G	109.19	Inf	-Inf	7.87	3	Vertical	267	1.69	-
PK	5.7372G	61.83	68.20	-6.37	8.17	3	Vertical	267	1.69	-

802.11ax HEW40_Nss1,(MCS0)_4TX

13/07/2019

5550MHz_TX




EUT Z_4TX
Setting 88
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.08674G	54.42	74.00	-19.58	11.75	3	Vertical	268	1.50	-						
AV	11.08698G	42.07	54.00	-11.93	11.75	3	Vertical	268	1.50	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

13/07/2019

5550MHz_TX




EUT Z_4TX
Setting 88
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.1126G	54.44	74.00	-19.56	11.75	3	Horizontal	238	2.48	-						
AV	11.10162G	41.73	54.00	-12.27	11.75	3	Horizontal	238	2.48	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

14/08/2019

5670MHz_TX




EUT_Z_4TX
Setting 81
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.6598G	118.11	Inf	-Inf	6.37	3	Vertical	266	2.08	-						
AV	5.6748G	107.24	Inf	-Inf	6.37	3	Vertical	266	2.08	-						
PK	5.7642G	67.16	68.20	-1.04	6.43	3	Vertical	266	2.08	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

13/07/2019

5670MHz_TX




EUT_Z_4TX
Setting 81
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.32506G	55.01	74.00	-18.99	11.86	3	Vertical	332	1.42	-						
AV	11.3496G	42.57	54.00	-11.43	11.87	3	Vertical	332	1.42	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

13/07/2019

5670MHz_TX




EUT Z_4TX
Setting 81
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.34354G	55.26	74.00	-18.74	11.86	3	Horizontal	156	2.30	-						
AV	11.34072G	42.66	54.00	-11.34	11.86	3	Horizontal	156	2.30	-						

802.11ax HEW80_Nss1,(MCS0)_4TX

14/08/2019

5290MHz_TX




EUT Z_4TX
Setting 80
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1484G	62.07	74.00	-11.93	5.83	3	Vertical	90	1.65	-
AV	5.1468G	50.47	54.00	-3.53	5.83	3	Vertical	90	1.65	-
PK	5.2724G	115.55	Inf	-Inf	6.13	3	Vertical	90	1.65	-
AV	5.302G	104.38	Inf	-Inf	6.22	3	Vertical	90	1.65	-
PK	5.362G	70.95	74.00	-3.05	6.33	3	Vertical	90	1.65	-
PK	5.4604G	61.98	68.20	-6.22	6.45	3	Vertical	90	1.65	-
AV	5.4188G	52.94	54.00	-1.06	6.42	3	Vertical	90	1.65	-

802.11ax HEW80_Nss1,(MCS0)_4TX

13/07/2019

5290MHz_TX




EUT Z_4TX
Setting 80
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.86868G	59.69	74.00	-14.31	14.06	3	Vertical	149	1.47	-
AV	15.8766G	47.28	54.00	-6.72	14.04	3	Vertical	149	1.47	-

802.11ax HEW80_Nss1,(MCS0)_4TX

13/07/2019

5290MHz_TX




EUT_Z_4TX
Setting 80
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.87024G	59.67	74.00	-14.33	14.06	3	Horizontal	344	1.83	-
AV	15.885G	47.32	54.00	-6.68	14.04	3	Horizontal	344	1.83	-

802.11ax HEW80_Nss1,(MCS0)_4TX

14/08/2019

5530MHz_TX




EUT Z_4TX
Setting 78
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.349G	60.92	68.20	-7.28	6.31	3	Vertical	57	1.69	-
PK	5.455G	65.74	74.00	-8.26	6.44	3	Vertical	57	1.69	-
AV	5.357G	52.98	54.00	-1.02	6.32	3	Vertical	57	1.69	-
PK	5.463G	64.29	68.20	-3.91	6.45	3	Vertical	57	1.69	-
PK	5.521G	114.82	Inf	-Inf	6.47	3	Vertical	57	1.69	-
AV	5.536G	102.83	Inf	-Inf	6.45	3	Vertical	57	1.69	-
PK	5.772G	62.93	68.20	-5.27	6.44	3	Vertical	57	1.69	-

802.11ax HEW80_Nss1,(MCS0)_4TX

13/07/2019

5530MHz_TX




EUT Z_4TX
Setting 78
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.06804G	54.26	74.00	-19.74	11.74	3	Vertical	350	2.03	-						
AV	11.06708G	41.41	54.00	-12.59	11.74	3	Vertical	350	2.03	-						

802.11ax HEW80_Nss1,(MCS0)_4TX

13/07/2019

5530MHz_TX




EUT Z_4TX
Setting 78
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.05628G	53.97	74.00	-20.03	11.73	3	Horizontal	314	2.27	-						
AV	11.07056G	41.69	54.00	-12.31	11.74	3	Horizontal	314	2.27	-						

802.11ax HEW80_Nss1,(MCS0)_4TX

14/08/2019

5610MHz_TX




EUT_Z_4TX
Setting 78
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.45G	64.39	74.00	-9.61	6.45	3	Vertical	59	2.02	-
AV	5.434G	52.82	54.00	-1.18	6.43	3	Vertical	59	2.02	-
PK	5.47G	63.25	68.20	-4.95	6.46	3	Vertical	59	2.02	-
PK	5.601G	115.07	Inf	-Inf	6.37	3	Vertical	59	2.02	-
AV	5.581G	103.12	Inf	-Inf	6.39	3	Vertical	59	2.02	-
PK	5.765G	64.72	68.20	-3.48	6.43	3	Vertical	59	2.02	-

802.11ax HEW80_Nss1,(MCS0)_4TX

13/07/2019

5610MHz_TX




EUT Z_4TX
Setting 78
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.21382G	54.78	74.00	-19.22	11.80	3	Vertical	22	2.31	-						
AV	11.22498G	41.83	54.00	-12.17	11.81	3	Vertical	22	2.31	-						

802.11ax HEW80_Nss1,(MCS0)_4TX

13/07/2019

5610MHz_TX




EUT Z_4TX
Setting 78
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.22882G	54.19	74.00	-19.81	11.82	3	Horizontal	324	2.26	-
AV	11.22564G	41.83	54.00	-12.17	11.82	3	Horizontal	324	2.26	-

802.11ax HEW160_Nss1,(MCS0)_4TX

03/05/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT Z_4TX
Setting 65
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1268G	64.41	74.00	-9.59	5.79	3	Vertical	91	1.62	-
AV	5.1476G	52.86	54.00	-1.14	5.83	3	Vertical	91	1.62	-
PK	5.2324G	108.85	Inf	-Inf	6.01	3	Vertical	91	1.62	-
AV	5.2724G	97.99	Inf	-Inf	6.13	3	Vertical	91	1.62	-
PK	5.386G	63.47	74.00	-10.53	6.38	3	Vertical	274	2.08	-
AV	5.3748G	52.10	54.00	-1.90	6.35	3	Vertical	274	2.08	-
PK	5.4628G	59.88	68.20	-8.32	6.45	3	Vertical	91	1.62	-

802.11ax HEW160_Nss1,(MCS0)_4TX

13/07/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT Z_4TX
Setting 65
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.7467G	59.27	74.00	-14.73	14.21	3	Vertical	159	1.04	-
AV	15.74064G	47.63	54.00	-6.37	14.22	3	Vertical	159	1.04	-

802.11ax HEW160_Nss1,(MCS0)_4TX

13/07/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 65
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.74124G	58.73	74.00	-15.27	14.21	3	Horizontal	292	1.83	-
AV	15.7389G	47.59	54.00	-6.41	14.22	3	Horizontal	292	1.83	-

802.11ax HEW160_Nss1,(MCS0)_4TX

03/05/2019

5570MHz_TX




EUT Z_4TX
Setting 62
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3268G	59.45	68.20	-8.75	6.27	3	Vertical	274	2.08	-
PK	5.4564G	62.72	74.00	-11.28	6.45	3	Vertical	274	2.08	-
AV	5.4564G	52.80	54.00	-1.20	6.45	3	Vertical	274	2.08	-
PK	5.4612G	65.98	68.20	-2.22	6.45	3	Vertical	274	2.08	-
PK	5.562G	108.39	Inf	-Inf	6.41	3	Vertical	274	2.08	-
AV	5.5572G	98.08	Inf	-Inf	6.41	3	Vertical	274	2.08	-
PK	5.7732G	61.64	68.20	-6.56	6.44	3	Vertical	274	2.08	-

802.11ax HEW160_Nss1,(MCS0)_4TX

13/07/2019

5570MHz_TX




EUT Z_4TX
Setting 62
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.14828G	53.82	74.00	-20.18	11.78	3	Vertical	237	2.03	-						
AV	11.12686G	43.43	54.00	-10.57	11.77	3	Vertical	237	2.03	-						

802.11ax HEW160_Nss1,(MCS0)_4TX

13/07/2019

5570MHz_TX




EUT_Z_4TX
Setting 62
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.13352G	54.17	74.00	-19.83	11.77	3	Horizontal	302	2.24	-						
AV	11.13448G	42.83	54.00	-11.17	11.77	3	Horizontal	302	2.24	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

07/05/2019

5260MHz_TX




EUT_Z_4TX
Setting 88
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1478G	62.79	74.00	-11.21	7.27	3	Vertical	267	2.59	-
AV	5.1478G	50.28	54.00	-3.72	7.27	3	Vertical	267	2.59	-
PK	5.263G	125.93	Inf	-Inf	7.44	3	Vertical	267	2.59	-
AV	5.2612G	113.70	Inf	-Inf	7.44	3	Vertical	267	2.59	-
PK	5.3752G	64.56	74.00	-9.44	7.59	3	Vertical	267	2.59	-
AV	5.3722G	52.84	54.00	-1.16	7.57	3	Vertical	267	2.59	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5260MHz_TX




EUT_Z_4TX
Setting 88
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.7815G	58.36	74.00	-15.64	14.16	3	Vertical	137	1.96	-						
AV	15.76884G	44.80	54.00	-9.20	14.18	3	Vertical	137	1.96	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5260MHz_TX




EUT_Z_4TX
Setting 88
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.77922G	58.38	74.00	-15.62	14.16	3	Horizontal	294	1.55	-						
AV	15.76974G	44.84	54.00	-9.16	14.18	3	Horizontal	294	1.55	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

07/05/2019

5300MHz_TX




EUT_Z_4TX
Setting 84
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.303G	121.86	Inf	-Inf	7.48	3	Vertical	84	1.50	-
AV	5.3048G	109.00	Inf	-Inf	7.48	3	Vertical	84	1.50	-
PK	5.3624G	65.06	74.00	-8.94	7.57	3	Vertical	84	1.50	-
AV	5.36G	52.84	54.00	-1.16	7.57	3	Vertical	84	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

14/08/2019

5300MHz_TX




EUT_Z_4TX
Setting 84
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	10.60084G	54.04	74.00	-19.96	11.17	3	Vertical	250	2.08	-						
AV	10.61032G	40.35	54.00	-13.65	11.19	3	Vertical	250	2.08	-						
PK	15.8979G	59.97	74.00	-14.03	14.03	3	Vertical	289	2.35	-						
AV	15.90516G	46.49	54.00	-7.51	14.02	3	Vertical	289	2.35	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

14/08/2019

5300MHz_TX




EUT_Z_4TX
Setting 84
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.600122G	53.46	74.00	-20.54	11.17	3	Horizontal	328	2.36	-
AV	10.60738G	40.33	54.00	-13.67	11.19	3	Horizontal	328	2.36	-
PK	15.89796G	60.08	74.00	-13.92	14.03	3	Horizontal	168	2.01	-
AV	15.90948G	46.57	54.00	-7.43	14.00	3	Horizontal	168	2.01	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

07/05/2019

5320MHz_TX




EUT_Z_4TX
Setting 86
06-5-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.328G	124.21	Inf	-Inf	7.52	3	Vertical	284	2.90	-
AV	5.328G	112.02	Inf	-Inf	7.52	3	Vertical	284	2.90	-
PK	5.3508G	71.90	74.00	-2.10	7.55	3	Vertical	284	2.90	-
AV	5.3508G	52.78	54.00	-1.22	7.55	3	Vertical	284	2.90	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5320MHz_TX




EUT_Z_4TX
Setting 86
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	10.62686G	53.51	74.00	-20.49	11.21	3	Vertical	182	1.50	-						
AV	10.63076G	40.34	54.00	-13.66	11.21	3	Vertical	182	1.50	-						
PK	15.95268G	59.72	74.00	-14.28	13.95	3	Vertical	359	1.50	-						
AV	15.96498G	46.43	54.00	-7.57	13.94	3	Vertical	359	1.50	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5320MHz_TX




EUT_Z_4TX
Setting 86
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	10.64378G	52.62	74.00	-21.38	11.23	3	Horizontal	145	1.50	-						
AV	10.62794G	39.65	54.00	-14.35	11.21	3	Horizontal	145	1.50	-						
PK	15.94728G	60.01	74.00	-13.99	13.96	3	Horizontal	150	1.97	-						
AV	15.9681G	47.05	54.00	-6.95	13.94	3	Horizontal	150	1.97	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

07/05/2019

5500MHz_TX




EUT Z_4TX
Setting 72
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4512G	64.64	74.00	-9.36	7.69	3	Vertical	271	2.56	-
AV	5.4508G	52.91	54.00	-1.09	7.69	3	Vertical	271	2.56	-
PK	5.4692G	63.12	68.20	-5.08	7.72	3	Vertical	271	2.56	-
PK	5.506G	120.83	Inf	-Inf	7.78	3	Vertical	271	2.56	-
AV	5.508G	109.07	Inf	-Inf	7.78	3	Vertical	271	2.56	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5500MHz_TX




EUT Z_4TX
Setting 72
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	10.9856G	53.51	74.00	-20.49	11.69	3	Vertical	259	1.48	-						
AV	11.00006G	40.56	54.00	-13.44	11.71	3	Vertical	259	1.48	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5500MHz_TX




EUT Z_4TX
Setting 72
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.00504G	53.83	74.00	-20.17	11.71	3	Horizontal	237	1.64	-						
AV	10.98512G	40.44	54.00	-13.56	11.69	3	Horizontal	237	1.64	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

07/05/2019

5580MHz_TX




EUT_Z_4TX
Setting 81
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.4064G	64.70	74.00	-9.30	7.62	3	Vertical	112	2.34	-						
AV	5.4064G	52.80	54.00	-1.20	7.62	3	Vertical	112	2.34	-						
PK	5.4664G	63.22	68.20	-4.98	7.71	3	Vertical	112	2.34	-						
PK	5.5864G	126.29	Inf	-Inf	7.93	3	Vertical	112	2.34	-						
AV	5.5864G	112.72	Inf	-Inf	7.93	3	Vertical	112	2.34	-						
PK	5.7536G	62.58	68.20	-5.62	8.20	3	Vertical	112	2.34	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5580MHz_TX




EUT_Z_4TX
Setting 81
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.17482G	53.64	74.00	-20.36	11.78	3	Vertical	252	1.70	-
AV	11.17398G	40.35	54.00	-13.65	11.78	3	Vertical	252	1.70	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5580MHz_TX




EUT Z_4TX
Setting 81
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.1534G	54.25	74.00	-19.75	11.78	3	Horizontal	121	1.43	-
AV	11.1672G	40.42	54.00	-13.58	11.78	3	Horizontal	121	1.43	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

07/05/2019

5700MHz_TX




EUT_Z_4TX
Setting 75
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.706G	119.42	Inf	-Inf	8.12	3	Vertical	294	1.70	-						
AV	5.7088G	107.85	Inf	-Inf	8.13	3	Vertical	294	1.70	-						
PK	5.7256G	67.02	68.20	-1.18	8.16	3	Vertical	294	1.70	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5700MHz_TX




EUT Z_4TX
Setting 75
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.40366G	55.26	74.00	-18.74	11.89	3	Vertical	312	2.25	-
AV	11.38728G	41.65	54.00	-12.35	11.88	3	Vertical	312	2.25	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5700MHz_TX




EUT Z_4TX
Setting 75
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.39892G	55.16	74.00	-18.84	11.89	3	Horizontal	112	1.39	-						
AV	11.39568G	41.80	54.00	-12.20	11.88	3	Horizontal	112	1.39	-						

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

07/05/2019

5270MHz_TX




EUT Z_4TX
Setting 70
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.149G	60.62	74.00	-13.38	7.27	3	Vertical	59	1.79	-
AV	5.1488G	48.79	54.00	-5.21	7.27	3	Vertical	59	1.79	-
PK	5.2688G	116.09	Inf	-Inf	7.44	3	Vertical	59	1.79	-
AV	5.264G	103.65	Inf	-Inf	7.44	3	Vertical	59	1.79	-
PK	5.3744G	65.22	74.00	-8.78	7.57	3	Vertical	59	1.79	-
AV	5.3768G	52.99	54.00	-1.01	7.59	3	Vertical	59	1.79	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5270MHz_TX




EUT Z_4TX
Setting 70
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.81732G	59.14	74.00	-14.86	14.12	3	Vertical	136	2.30	-
AV	15.82332G	44.65	54.00	-9.35	14.12	3	Vertical	136	2.30	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5270MHz_TX




EUT Z_4TX
Setting 70
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.813G	58.63	74.00	-15.37	14.12	3	Horizontal	317	2.36	-
AV	15.81978G	44.73	54.00	-9.27	14.12	3	Horizontal	317	2.36	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

07/05/2019

5310MHz_TX




EUT_Z_4TX
Setting 76
06-5-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3178G	117.64	Inf	-Inf	7.50	3	Vertical	66	2.05	-
AV	5.3178G	106.25	Inf	-Inf	7.50	3	Vertical	66	2.05	-
PK	5.351G	70.36	74.00	-3.64	7.55	3	Vertical	66	2.05	-
AV	5.4288G	52.78	54.00	-1.22	7.65	3	Vertical	66	2.05	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5310MHz_TX




EUT_Z_4TX
Setting 76
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.60584G	53.24	74.00	-20.76	11.18	3	Vertical	332	1.85	-
AV	10.63356G	39.73	54.00	-14.27	11.23	3	Vertical	332	1.85	-
PK	15.92592G	59.82	74.00	-14.18	13.98	3	Vertical	320	2.10	-
AV	15.91752G	46.20	54.00	-7.80	14.00	3	Vertical	320	2.10	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5310MHz_TX




EUT_Z_4TX
Setting 76
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	10.61838G	53.78	74.00	-20.22	11.20	3	Horizontal	353	2.41	-						
AV	10.62516G	39.69	54.00	-14.31	11.21	3	Horizontal	353	2.41	-						
PK	15.91806G	59.85	74.00	-14.15	14.00	3	Horizontal	318	1.81	-						
AV	15.91812G	46.07	54.00	-7.93	14.00	3	Horizontal	318	1.81	-						

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

07/05/2019

5510MHz_TX




EUT_Z_4TX
Setting 76
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.46G	65.74	74.00	-8.26	7.71	3	Vertical	343	2.06	-						
AV	5.459G	50.00	54.00	-4.00	7.71	3	Vertical	343	2.06	-						
PK	5.4692G	66.97	68.20	-1.23	7.72	3	Vertical	343	2.06	-						
PK	5.519G	118.19	Inf	-Inf	7.80	3	Vertical	343	2.06	-						
AV	5.5178G	106.60	Inf	-Inf	7.79	3	Vertical	343	2.06	-						

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5510MHz_TX




EUT Z_4TX
Setting 76
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.03344G	53.61	74.00	-20.39	11.72	3	Vertical	357	1.59	-						
AV	11.03356G	39.94	54.00	-14.06	11.72	3	Vertical	357	1.59	-						

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5510MHz_TX




EUT Z_4TX
Setting 76
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.0188G	53.95	74.00	-20.05	11.72	3	Horizontal	247	1.20	-
AV	11.02828G	39.97	54.00	-14.03	11.73	3	Horizontal	247	1.20	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

07/05/2019

5550MHz_TX




EUT_Z_4TX
Setting 82
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4246G	65.35	74.00	-8.65	7.64	3	Vertical	106	2.40	-
AV	5.4276G	52.78	54.00	-1.22	7.65	3	Vertical	106	2.40	-
PK	5.4636G	62.45	68.20	-5.75	7.71	3	Vertical	106	2.40	-
PK	5.5398G	118.19	Inf	-Inf	7.84	3	Vertical	106	2.40	-
AV	5.532G	105.71	Inf	-Inf	7.82	3	Vertical	106	2.40	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5550MHz_TX




EUT Z_4TX
Setting 82
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.10432G	53.90	74.00	-20.10	11.75	3	Vertical	124	1.56	-						
AV	11.10168G	40.24	54.00	-13.76	11.75	3	Vertical	124	1.56	-						

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5550MHz_TX




EUT Z_4TX
Setting 82
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.10912G	54.01	74.00	-19.99	11.75	3	Horizontal	290	2.03	-						
AV	11.09352G	40.16	54.00	-13.84	11.76	3	Horizontal	290	2.03	-						

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

07/05/2019

5670MHz_TX




EUT_Z_4TX
Setting 82
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.6572G	119.31	Inf	-Inf	8.04	3	Vertical	106	1.90	-						
AV	5.6556G	106.04	Inf	-Inf	8.04	3	Vertical	106	1.90	-						
PK	5.7268G	67.03	68.20	-1.17	8.16	3	Vertical	106	1.90	-						

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5670MHz_TX




EUT_Z_4TX
Setting 82
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.34612G	55.69	74.00	-18.31	11.86	3	Vertical	266	1.39	-
AV	11.34702G	41.28	54.00	-12.72	11.87	3	Vertical	266	1.39	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5670MHz_TX




EUT_Z_4TX
Setting 82
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.33514G	55.21	74.00	-18.79	11.86	3	Horizontal	148	1.49	-
AV	11.34414G	41.24	54.00	-12.76	11.86	3	Horizontal	148	1.49	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

07/05/2019

5290MHz_TX




EUT Z_4TX
Setting 80
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.124G	60.70	74.00	-13.30	7.23	3	Vertical	86	1.50	-
AV	5.124G	50.19	54.00	-3.81	7.23	3	Vertical	86	1.50	-
PK	5.308G	115.69	Inf	-Inf	7.48	3	Vertical	86	1.50	-
AV	5.306G	101.95	Inf	-Inf	7.48	3	Vertical	86	1.50	-
PK	5.358G	72.78	74.00	-1.22	7.55	3	Vertical	86	1.50	-
AV	5.351G	51.50	54.00	-2.50	7.55	3	Vertical	86	1.50	-
PK	5.469G	61.69	68.20	-6.51	7.72	3	Vertical	86	1.50	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

13/07/2019

5290MHz_TX




EUT Z_4TX
Setting 80
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.88338G	60.27	74.00	-13.73	14.04	3	Vertical	122	1.90	-
AV	15.88182G	46.00	54.00	-8.00	14.04	3	Vertical	122	1.90	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

13/07/2019

5290MHz_TX




EUT_Z_4TX
Setting 80
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.8844G	59.62	74.00	-14.38	14.04	3	Horizontal	217	2.15	-
AV	15.88296G	45.96	54.00	-8.04	14.04	3	Horizontal	217	2.15	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

07/05/2019

5530MHz_TX




EUT Z_4TX
Setting 75
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.346G	61.59	68.20	-6.61	7.54	3	Vertical	88	2.02	-
PK	5.452G	66.64	74.00	-7.36	7.69	3	Vertical	88	2.02	-
AV	5.46G	50.82	54.00	-3.18	7.71	3	Vertical	88	2.02	-
PK	5.469G	66.99	68.20	-1.21	7.72	3	Vertical	88	2.02	-
PK	5.521G	118.33	Inf	-Inf	7.80	3	Vertical	88	2.02	-
AV	5.545G	102.45	Inf	-Inf	7.84	3	Vertical	88	2.02	-
PK	5.727G	62.33	68.20	-5.87	8.16	3	Vertical	88	2.02	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

13/07/2019

5530MHz_TX




EUT Z_4TX
Setting 75
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.0675G	54.03	74.00	-19.97	11.74	3	Vertical	90	2.42	-						
AV	11.07368G	40.27	54.00	-13.73	11.74	3	Vertical	90	2.42	-						

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

13/07/2019

5530MHz_TX




EUT Z_4TX
Setting 75
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.0699G	54.04	74.00	-19.96	11.74	3	Horizontal	315	1.21	-						
AV	11.0738G	40.29	54.00	-13.71	11.74	3	Horizontal	315	1.21	-						

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

07/05/2019

5610MHz_TX




EUT Z_4TX
Setting 86
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.455G	65.29	74.00	-8.71	7.69	3	Vertical	108	1.50	-
AV	5.459G	50.49	54.00	-3.51	7.71	3	Vertical	108	1.50	-
PK	5.468G	64.59	68.20	-3.61	7.71	3	Vertical	108	1.50	-
PK	5.587G	117.07	Inf	-Inf	7.93	3	Vertical	108	1.50	-
AV	5.588G	103.51	Inf	-Inf	7.92	3	Vertical	108	1.50	-
PK	5.735G	66.98	68.20	-1.22	8.17	3	Vertical	108	1.50	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

13/07/2019

5610MHz_TX




EUT Z_4TX
Setting 86
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.23284G	54.01	74.00	-19.99	11.82	3	Vertical	272	2.34	-
AV	11.23116G	40.33	54.00	-13.67	11.82	3	Vertical	272	2.34	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

13/07/2019

5610MHz_TX




EUT_Z_4TX
Setting 86
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.21376G	53.79	74.00	-20.21	11.80	3	Horizontal	203	2.27	-						
AV	11.22276G	40.40	54.00	-13.60	11.81	3	Horizontal	203	2.27	-						

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

07/05/2019

5250MHz Straddle 5.15-5.25GHz_TX




EUT Z_4TX
Setting 71
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
PK	5.146G	70.86	74.00	-3.14	7.27	3	Vertical	266	1.50	-								
AV	5.1492G	52.81	54.00	-1.19	7.27	3	Vertical	266	1.50	-								
PK	5.2612G	109.91	Inf	-Inf	7.44	3	Vertical	266	1.50	-								
AV	5.2644G	98.42	Inf	-Inf	7.44	3	Vertical	266	1.50	-								
PK	5.3892G	66.26	74.00	-7.74	7.59	3	Vertical	266	1.50	-								
AV	5.3924G	52.21	54.00	-1.79	7.61	3	Vertical	266	1.50	-								
PK	5.4772G	63.59	68.20	-4.61	7.73	3	Vertical	266	1.50	-								

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

13/07/2019

5250MHz Straddle 5.15-5.25GHz_TX




EUT Z_4TX
Setting 71
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.75708G	58.29	74.00	-15.71	14.20	3	Vertical	172	1.67	-
AV	15.73572G	46.17	54.00	-7.83	14.22	3	Vertical	172	1.67	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

13/07/2019

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_4TX
Setting 71
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.73722G	58.55	74.00	-15.45	14.22	3	Horizontal	24	1.44	-						
AV	15.74076G	46.30	54.00	-7.70	14.22	3	Horizontal	24	1.44	-						

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

07/05/2019

5570MHz_TX




EUT Z_4TX
Setting 63
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3156G	59.66	68.20	-8.54	7.50	3	Vertical	267	1.50	-
PK	5.4468G	66.02	74.00	-7.98	7.68	3	Vertical	267	1.50	-
AV	5.4468G	52.45	54.00	-1.55	7.68	3	Vertical	267	1.50	-
PK	5.466G	67.13	68.20	-1.07	7.71	3	Vertical	267	1.50	-
PK	5.5524G	109.41	Inf	-Inf	7.86	3	Vertical	267	1.50	-
AV	5.562G	100.47	Inf	-Inf	7.89	3	Vertical	267	1.50	-
PK	5.7252G	63.99	68.20	-4.21	8.16	3	Vertical	267	1.50	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

13/07/2019

5570MHz_TX




EUT_Z_4TX
Setting 63
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.12668G	53.64	74.00	-20.36	11.77	3	Vertical	332	2.01	-						
AV	11.13184G	41.04	54.00	-12.96	11.77	3	Vertical	332	2.01	-						

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

13/07/2019

5570MHz_TX



EUT_Z_4TX
Setting 63
01-E-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.13268G	53.56	74.00	-20.44	11.77	3	Horizontal	71	1.97	-						
AV	11.15278G	41.28	54.00	-12.72	11.78	3	Horizontal	71	1.97	-						