


File name: D022693C.RES
 Date: 08. Jan 04 10:26

Scan Settings (3 Ranges)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	1M	5k	9k	QP+AV	1ms	AUTO LN	OFF
1M	10M	10k	9k	QP+AV	1ms	AUTO LN	OFF
10M	30M	50k	9k	QP+AV	1ms	AUTO LN	OFF

Transducer No.	Start	Stop	Name
2	150K	30M	LIMITER

Final Measurement: x QP / + AV
 Meas Time: 1 s
 Subranges: 16
 Acc Margin: 30dB



File name: D022693C.RES
Date: 08. Jan 04 10:26



CMA Testing
and Certification
Laboratories
检测认证中心

Final Measurement Results:

Indicated Phase/PE shows Configuration of max. Emission

Frequency MHz	QP Level dBuV	Delta Limit dB	Phase -	PE -
0.15000	58.9	-7.0	L1	f1
0.21000	56.1	-7.0	L1	f1
0.29500	44.3	-16.0	N	f1
0.53000	39.0	-16.9	L1	f1
0.73000	35.9	-20.0	L1	f1
0.79500	35.7	-20.2	N	f1
1.13000	31.7	-24.2	N	f1
1.79000	27.3	-28.6	L1	f1
7.17000	33.6	-26.4	N	f1
8.35000	33.4	-26.5	N	f1
12.80000	32.7	-27.2	N	f1
16.50000	31.2	-28.7	N	f1

Frequency MHz	AV Level dBuV	Delta Limit dB	Phase -	PE -
0.20000	45.8	-7.8	L1	f1
0.26500	40.2	-11.1	L1	f1
0.33000	42.7	-6.7	L1	f1
0.53000	38.9	-7.0	L1	f1
0.73000	36.3	-9.6	L1	f1
0.79500	34.6	-11.3	N	f1
1.06000	31.3	-14.6	L1	f1
1.66000	26.8	-19.1	N	f1
2.39000	21.6	-24.4	L1	f1
3.34000	20.2	-25.7	L1	f1
5.44000	25.2	-24.7	L1	f1
7.42000	32.2	-17.7	N	f1
8.35000	32.3	-17.6	N	f1
12.55000	28.8	-21.1	N	f1
17.00000	25.8	-24.1	N	f1
22.25000	20.7	-29.2	N	f1

* limit exceeded

File name: D022693D.RES
 Date: 26. Feb 04 15:02


Scan Settings (3 Ranges)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	1M	5k	9k	QP+AV	1ms	AUTO LN	OFF
1M	10M	10k	9k	QP+AV	1ms	AUTO LN	OFF
10M	30M	50k	9k	QP+AV	1ms	AUTO LN	OFF

Transducer No.	Start	Stop	Name
2	150k	30M	LIMITER

Final Measurement: x QP / + AV

Meas Time: 1 s
 Subranges: 16
 Acc Margin: 30dB



File name: D022693D.RES
Date: 26. Feb 04 15:02

Final Measurement Results:

Indicated Phase/PE shows Configuration of max. Emission

Frequency MHz	QP Level dBuV	Delta Limit dB	Phase -	PE -
0.15000	59.7	-6.2	L1	f1
0.21000	57.0	-6.1	L1	f1
0.29500	44.7	-15.6	N	f1
0.53000	37.9	-18.0	L1	f1
0.66500	37.0	-19.0	L1	f1
0.80000	36.5	-19.4	N	f1
1.00000	32.8	-23.1	N	f1
1.53000	27.0	-28.9	N	f1

Frequency MHz	AV Level dBuV	Delta Limit dB	Phase -	PE -
0.20000	46.3	-7.3	L1	f1
0.26500	40.0	-11.3	L1	f1
0.33000	42.2	-7.2	L1	f1
0.53000	38.0	-8.0	L1	f1
0.66500	36.4	-9.5	L1	f1
0.80000	34.4	-11.6	N	f1
1.13000	32.0	-13.9	L1	f1
1.66000	25.5	-20.4	N	f1
2.20000	10.6	-35.3	N	f1
3.32000	18.7	-27.2	L1	f1
4.12000	17.5	-28.4	L1	f1
7.44000	21.2	-28.7	N	f1
8.79000	23.4	-26.6	L1	f1

* limit exceeded