

File name: E01675C1.RES
Date: 23. Feb 04 15:16

Scan Settings (3 Ranges)


Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	
150k	1M	5k	9k	QP+AV	1ms	AUTO	LN	OFF
1M	10M	10k	9k	QP+AV	1ms	AUTO	LN	OFF
10M	30M	50k	9k	QP+AV	1ms	AUTO	LN	OFF

Transducer No.	Start	Stop	Name
2	150k	30M	LIMITER

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 30dB

Mode : PC connected

Model : DFP 5500



File name: E01675C1.RES
Date: 23. Feb 04 15:16

Final Measurement Results:

Indicated Phase/PE shows Configuration of max. Emission

Frequency MHz	QP Level dB	Delta Limit dB	Phase -	PE -
0.15000	59.2	-6.7	L1	f1
0.21500	55.7	-7.3	L1	f1
0.29500	43.9	-16.4	N	f1
0.53000	38.4	-17.5	L1	f1
0.66000	36.0	-19.9	L1	f1
0.79000	36.2	-19.7	N	f1
1.12000	33.8	-22.1	N	f1
1.65000	30.5	-25.4	N	f1

Frequency MHz	AV Level dB	Delta Limit dB	Phase -	PE -
0.19500	44.6	-9.2	L1	f1
0.21000	37.7	-15.4	N	f1
0.33000	43.3	-6.1	L1	f1
0.53000	37.8	-8.1	L1	f1
0.66000	36.4	-9.5	L1	f1
0.79000	34.0	-11.9	N	f1
1.12000	31.2	-14.7	L1	f1
1.65000	27.3	-18.6	N	f1
2.18000	21.6	-24.3	N	f1
3.17000	18.4	-27.5	L1	f1
4.16000	16.7	-29.2	L1	f1
7.23000	21.2	-28.8	L1	f1
8.71000	22.1	-27.8	L1	f1
10.00000	18.6	-31.3	L1	f1
25.50000	11.0	-38.9	L1	f1

* limit exceeded

File name: E01675C2.RES
Date: 26. Feb 04 13:01

Scan Settings (3 Ranges)


Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	1M	5k	9k	QP+AV	1ms	AUTO LN	OFF
1M	10M	10k	9k	QP+AV	1ms	AUTO LN	OFF
10M	30M	50k	9k	QP+AV	1ms	AUTO LN	OFF

Transducer No.	Start	Stop	Name
2	150k	30M	LIMITER

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 30dB

Mode : PC connected

Model : DFP 5502



File name: E01675C2.RES
Date: 26. Feb 04 13:01

Final Measurement Results:

Indicated Phase/PE shows Configuration of max. Emission

Frequency MHz	QP Level dBuV	Delta Limit dB	Phase -	PE -
0.15000	59.6	-6.3	L1	fl
0.21500	56.4	-6.5	N	fl
0.29500	44.4	-15.9	N	fl
0.53000	38.5	-17.4	L1	fl
0.66500	36.6	-19.3	L1	fl
0.79500	36.1	-19.8	N	fl
1.13000	32.3	-23.6	N	fl
1.66000	28.7	-27.2	N	fl

Frequency MHz	AV Level dBuV	Delta Limit dB	Phase -	PE -
0.20000	45.9	-7.7	L1	fl
0.26500	40.1	-11.2	L1	fl
0.33000	42.6	-6.8	L1	fl
0.53000	38.6	-7.3	L1	fl
0.73000	36.3	-9.6	L1	fl
0.79500	34.6	-11.3	N	fl
1.13000	31.0	-14.9	N	fl
1.66000	26.9	-19.0	N	fl
2.19000	21.8	-24.1	N	fl
3.26000	15.8	-30.1	N	fl
5.68000	20.5	-29.4	N	fl
7.16000	22.4	-27.5	N	fl
8.70000	23.0	-26.9	L1	fl
27.55000	12.0	-37.9	L1	fl

* limit exceeded