


Measurement made on EUT

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	1M	5k	9k	QP+AV	1ms	AUTO LN	OFF
1M	10M	10k	9k	QP+AV	1ms	AUTO LN	OFF
10M	30M	50k	9k	QP+AV	1ms	AUTO LN	OFF

Final Measurement:		Transducer No.	Start	Stop	Name
x QP / + AV		2	150k	30M	LIMITER
Meas Time:	1 s				
Subranges:	16				
Acc Margin:	30dB				





File Name :J07134C1

Measurement made on EUT

Date: 24-09-04 12:20

Final Measurement Results:

Indicated Phase/PE shows Configuration of max. Emission

Frequency:	QP Level: dB	Delta Limit: dB	Phase:	PE:
180.00 kHz	39.8	-24.8	L1	f1
240.00 kHz	42.0	-20.2	L1	f1
295.00 kHz	40.2	-20.2	L1	f1
415.00 kHz	39.9	-17.7	L1	f1
770.00 kHz	39.8	-16.2	L1	f1
830.00 kHz	40.0	-16.0	L1	f1
1.37000 MHz	36.6	-19.4	L1	f1
1.96000 MHz	36.5	-19.6	L1	f1
2.61000 MHz	33.8	-22.2	L1	f1
3.80000 MHz	32.9	-23.1	L1	f1
4.69000 MHz	36.5	-19.5	L1	f1

Frequency:	AV Level: dB	Delta Limit: dB	Phase:	PE:
235.00 kHz	29.6	-22.8	L1	f1
355.00 kHz	28.0	-20.8	L1	f1
475.00 kHz	25.0	-21.4	L1	f1
595.00 kHz	21.2	-24.8	L1	f1
830.00 kHz	28.7	-17.3	L1	f1
1.01000 MHz	20.3	-25.7	L1	f1
1.96000 MHz	24.0	-22.0	L1	f1
2.91000 MHz	19.7	-26.3	L1	f1
3.80000 MHz	20.0	-26.0	L1	f1
4.63000 MHz	23.8	-22.2	L1	f1




File Name : J07134C2

Measurement made on PC

Scan Settings (3 Ranges)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	1M	5k	9k	QP+AV	1ms	AUTO	LN OFF
1M	10M	10k	9k	QP+AV	1ms	AUTO	LN OFF
10M	30M	50k	9k	QP+AV	1ms	AUTO	LN OFF

Final Measurement: x QP / + AV Transducer No. Start Stop Name
Meas Time: 1 s 2 150k 30M LIMITER
Subranges: 18
Acc Margin: 30dB



File Name :J07134C2

Measurement made on PC

Date: 25-09-04 15:03

Final Measurement Results:

Indicated Phase/PE shows Configuration of max.
Emission

Frequency:	QP Level: dB	Delta Limit: dB	Phase:	PE:
150.00 kHz	58.9	-7.1	L1	f1
210.00 kHz	55.9	-7.4	L1	f1
295.00 kHz	43.8	-16.6	N	f1
540.00 kHz	38.8	-17.2	L1	f1
605.00 kHz	37.8	-18.2	L1	f1
875.00 kHz	36.8	-19.3	N	f1
1.21000 MHz	37.1	-18.9	N	f1
1.99000 MHz	38.8	-17.2	L1	f1
2.18000 MHz	42.0	-14.1	N	f1
3.92000 MHz	34.0	-22.0	N	f1
4.40000 MHz	27.3	-28.8	N	f1

Frequency:	AV Level: dB	Delta Limit: dB	Phase:	PE:
200.00 kHz	46.4	-7.3	L1	f1
270.00 kHz	40.8	-10.4	L1	f1
335.00 kHz	43.2	-6.2	L1	f1
540.00 kHz	38.9	-7.1	L1	f1
605.00 kHz	37.7	-8.3	L1	f1
940.00 kHz	35.0	-11.0	L1	f1
1.01000 MHz	35.2	-10.8	L1	f1
1.99000 MHz	34.7	-11.3	N	f1
2.18000 MHz	38.5	-7.6	N	f1
3.01000 MHz	31.9	-14.1	N	f1
4.16000 MHz	21.6	-24.4	N	f1
6.14000 MHz	23.9	-26.1	N	f1
8.61000 MHz	21.2	-28.8	N	f1
13.25000 MHz	18.8	-31.2	N	f1
20.65000 MHz	20.6	-29.4	L1	f1
22.70000 MHz	23.6	-26.4	L1	f1