


File name: D018528C.RES
Date: 09. Jan 04 17:12

Scan Settings (3 Ranges)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	
150k	1M	5k	9k	QP+AV	1ms	AUTO LN	OFF	
1M	10M	10k	9k	QP+AV	1ms	AUTO LN	OFF	
10M	30M	50k	9k	QP+AV	1ms	AUTO LN	OFF	

Transducer No.	Start	Stop	Name
2	150k	30M	LIMITER

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 30dB



File name: D018528C.RES
Date: 09. Jan 04 17:12

Final Measurement Results:

Indicated Phase/PE shows Configuration of max. Emission

Frequency MHz	QP Level dBuV	Delta Limit dB	Phase -	PE -
0.15000	58.5	-7.4	L1	f1
0.21000	55.5	-7.7	L1	f1
0.29500	43.5	-16.8	N	f1
0.53000	38.1	-17.8	L1	f1
0.72500	36.2	-19.8	L1	f1
0.79000	36.0	-19.9	N	f1
1.12000	33.0	-22.9	N	f1
1.65000	29.2	-26.7	N	f1
2.31000	21.0	-34.9	N	f1
3.84000	25.8	-30.1	L1	f1
7.30000	35.2	-24.7	L1	f1
8.41000	35.3	-24.6	L1	f1
10.20000	31.6	-28.3	L1	f1
16.50000	30.9	-29.0	N	f1

Frequency MHz	AV Level dBuV	Delta Limit dB	Phase -	PE -
0.19500	44.7	-9.1	L1	f1
0.26500	39.6	-11.7	L1	f1
0.33000	43.4	-6.0	L1	f1
0.52500	38.0	-8.0	L1	f1
0.72500	36.4	-9.5	L1	f1
0.79000	34.4	-11.6	N	f1
1.12000	30.9	-15.0	L1	f1
1.65000	26.7	-19.2	L1	f1
2.31000	17.8	-28.1	N	f1
3.79000	11.2	-34.7	L1	f1
5.51000	25.3	-24.6	N	f1
7.30000	34.3	-15.6	N	f1
8.41000	33.3	-16.6	L1	f1
10.20000	28.7	-21.2	N	f1
16.25000	26.9	-23.0	N	f1
25.80000	24.0	-25.9	L1	f1

* limit exceeded

File name: D018528D.RES
Date: 08. Jan 04 09:49




CMA Testing
and Certification
Laboratories
廠商會檢定中心

Scan Settings (3 Ranges)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	
150k	1M	5k	9k	QP+AV	1ms	AUTO	LN	OFF
1M	10M	10k	9k	QP+AV	1ms	AUTO	LN	OFF
10M	30M	50k	9k	QP+AV	1ms	AUTO	LN	OFF

Transducer No.	Start	Stop	Name
2	150k	30M	LIMITER

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 30dB



File name: D018528D.RES
Date: 08. Jan 04 09:49

Final Measurement Results:

Indicated Phase/PE shows Configuration of max. Emission

Frequency MHz	QP Level dB	Delta Limit dB	Phase -	PE -
0.15000	58.8	-7.1	L1	f1
0.21000	56.0	-7.1	L1	f1
0.29500	44.2	-16.1	N	f1
0.53000	38.5	-17.4	L1	f1
0.66500	36.3	-19.6	L1	f1
0.80000	34.2	-21.7	N	f1
1.13000	32.0	-24.0	L1	f1
1.86000	28.3	-27.6	L1	f1
7.24000	34.0	-25.9	N	f1
8.54000	33.4	-26.5	L1	f1
12.80000	32.3	-27.6	L1	f1
16.75000	31.3	-28.6	N	f1

Frequency MHz	AV Level dB	Delta Limit dB	Phase -	PE -
0.20000	46.0	-7.6	L1	f1
0.26500	39.9	-11.4	L1	f1
0.33000	42.4	-7.1	L1	f1
0.53000	38.4	-7.6	L1	f1
0.66500	36.2	-9.7	L1	f1
0.80000	32.6	-13.3	N	f1
1.13000	32.0	-13.9	L1	f1
1.53000	26.6	-19.3	N	f1
2.85000	20.9	-25.0	L1	f1
3.90000	19.6	-26.3	L1	f1
5.51000	25.1	-24.8	N	f1
7.30000	32.0	-17.9	L1	f1
8.48000	26.3	-23.6	L1	f1
13.05000	23.5	-26.5	L1	f1
17.00000	26.0	-23.9	N	f1
24.35000	24.2	-25.7	N	f1

* limit exceeded