

File name: E03149C1.RES
Date: 26. Feb 04 14:40

Scan Settings (3 Ranges)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	1M	5k	9k	QP+AV	1ms	AUTO LN	OFF
1M	10M	10k	9k	QP+AV	1ms	AUTO LN	OFF
10M	30M	50k	9k	QP+AV	1ms	AUTO LN	OFF


Transducer No. Start Stop Name
2 150k 30M LIMITER

Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 30dB



File name: E03149C1.RES
Date: 26. Feb 04 14:40



CMA Testing
and Certification
Laboratories
商業實驗中心

Final Measurement Results:

Indicated Phase/PE shows Configuration of max. Emission

Frequency MHz	QP Level dBuV	Delta Limit dB	Phase -	PE -
0.15000	60.3	-5.6	L1	f1
0.21000	57.3	-5.9	L1	f1
0.29500	45.2	-15.1	N	f1
0.53500	38.0	-17.9	L1	f1
0.66500	36.9	-19.0	L1	f1
0.80000	36.6	-19.3	L1	f1
1.00000	33.2	-22.7	N	f1
1.53000	26.9	-29.0	N	f1

Frequency MHz	AV Level dBuV	Delta Limit dB	Phase -	PE -
0.20000	46.3	-7.3	L1	f1
0.26500	39.8	-11.5	L1	f1
0.33500	42.1	-7.2	L1	f1
0.53000	37.1	-8.8	L1	f1
0.60000	36.2	-9.8	L1	f1
0.80000	35.0	-10.9	N	f1
1.00000	32.6	-13.3	L1	f1
1.53000	26.3	-19.6	N	f1
2.46000	18.8	-27.1	L1	f1
3.33000	20.9	-25.0	N	f1
4.19000	17.9	-28.0	L1	f1
7.95000	20.0	-29.9	N	f1
8.87000	24.4	-25.5	N	f1
12.00000	22.4	-27.6	N	f1

* limit exceeded

File name: E03149C2.RES
Date: 23. Mar 04 14:27


Scan Settings (3 Ranges)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	1M	5k	9k	QP+AV	1ms	AUTO	LN OFF
1M	10M	10k	9k	QP+AV	1ms	AUTO	LN OFF
10M	30M	50k	9k	QP+AV	1ms	AUTO	LN OFF

Transducer No.	Start	Stop	Name
2	150k	30M	LIMITER

Final Measurement: x QP / + AV

Meas Time: 1 s
Subranges: 16
Acc Margin: 30dB



File name: E03149C2.RES
Date: 23. Mar 04 14:27

Final Measurement Results:

Indicated Phase/PE shows Configuration of max. Emission

Frequency MHz	QP Level dBuV	Delta Limit dB	Phase -	PE -
0.15000	60.3	-5.6	L1	f1
0.21000	57.7	-5.4	L1	f1
0.29500	45.6	-14.7	N	f1
0.53000	38.6	-17.3	L1	f1
0.66500	37.2	-18.8	L1	f1
0.93000	35.0	-20.9	L1	f1
1.48000	38.3	-17.6	N	f1
1.69000	39.2	-16.7	L1	f1
2.17000	41.5	-14.5	L1	f1
3.22000	34.4	-21.6	N	f1
4.77000	31.1	-24.8	L1	f1
6.75000	28.5	-31.4	N	f1
9.28000	29.6	-30.3	N	f1

Frequency MHz	AV Level dBuV	Delta Limit dB	Phase -	PE -
0.16000	43.9	-11.6	L1	f1
0.26500	40.3	-11.0	L1	f1
0.33000	42.4	-7.0	L1	f1
0.53000	38.8	-7.1	L1	f1
0.73000	36.7	-9.2	L1	f1
0.93000	34.4	-11.5	L1	f1
1.48000	35.3	-10.7	N	f1
1.69000	35.7	-10.2	L1	f1
2.37000	36.1	-9.8	N	f1
3.10000	30.9	-15.0	L1	f1
4.77000	29.2	-16.8	N	f1
6.81000	27.9	-22.0	L1	f1
9.03000	27.4	-22.5	L1	f1
10.20000	27.1	-22.8	L1	f1
28.05000	20.4	-29.5	L1	f1

* limit exceeded