


2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	51.92	54.00	-2.08	31.64	3	Vertical	112	1.91	20.28	27.39	4.25	-
AV	2.4222G	101.90	Inf	-Inf	31.87	3	Vertical	112	1.91	70.03	27.60	4.27	-
AV	2.485G	47.73	54.00	-6.27	32.06	3	Vertical	112	1.91	15.67	27.75	4.31	-
PK	2.3874G	67.21	74.00	-6.79	31.62	3	Vertical	112	1.91	35.59	27.37	4.25	-
PK	2.4302G	112.80	Inf	-Inf	31.88	3	Vertical	112	1.91	80.92	27.60	4.28	-
PK	2.4842G	60.04	74.00	-13.96	32.05	3	Vertical	112	1.91	27.99	27.74	4.31	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.09	54.00	-0.91	31.65	3	Horizontal	9	1.91	21.44	27.40	4.25	-
AV	2.4194G	103.48	Inf	-Inf	31.86	3	Horizontal	9	1.91	71.62	27.59	4.27	-
AV	2.4835G	48.28	54.00	-5.72	32.04	3	Horizontal	9	1.91	16.24	27.73	4.31	-
PK	2.389G	68.42	74.00	-5.58	31.64	3	Horizontal	9	1.91	36.78	27.39	4.25	-
PK	2.4186G	112.75	Inf	-Inf	31.86	3	Horizontal	9	1.91	80.89	27.59	4.27	-
PK	2.4835G	60.85	74.00	-13.15	32.04	3	Horizontal	9	1.91	28.81	27.73	4.31	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.97	54.00	-4.03	31.65	3	Vertical	109	1.90	18.32	27.40	4.25	-
AV	2.4226G	102.05	Inf	-Inf	31.87	3	Vertical	109	1.90	70.18	27.60	4.27	-
AV	2.4854G	50.34	54.00	-3.66	32.06	3	Vertical	109	1.90	18.28	27.75	4.31	-
PK	2.3894G	64.76	74.00	-9.24	31.64	3	Vertical	109	1.90	33.12	27.39	4.25	-
PK	2.425G	113.04	Inf	-Inf	31.87	3	Vertical	109	1.90	81.17	27.60	4.27	-
PK	2.4846G	64.75	74.00	-9.25	32.06	3	Vertical	109	1.90	32.69	27.75	4.31	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.50	54.00	-3.50	31.65	3	Horizontal	8	1.86	18.85	27.40	4.25	-
AV	2.4226G	103.38	Inf	-Inf	31.87	3	Horizontal	8	1.86	71.51	27.60	4.27	-
AV	2.4835G	51.34	54.00	-2.66	32.04	3	Horizontal	8	1.86	19.30	27.73	4.31	-
PK	2.3894G	65.77	74.00	-8.23	31.64	3	Horizontal	8	1.86	34.13	27.39	4.25	-
PK	2.4254G	112.07	Inf	-Inf	31.88	3	Horizontal	8	1.86	80.19	27.60	4.28	-
PK	2.4854G	66.59	74.00	-7.41	32.06	3	Horizontal	8	1.86	34.53	27.75	4.31	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87544G	29.84	54.00	-24.16	4.70	3	Vertical	179	1.50	25.14	32.65	6.21	34.16
AV	12.19052G	39.89	54.00	-14.11	16.30	3	Vertical	101	1.50	23.59	38.98	11.58	34.26
PK	4.89992G	42.55	74.00	-31.45	4.77	3	Vertical	179	1.50	37.78	32.70	6.23	34.16
PK	12.19004G	51.68	74.00	-22.32	16.30	3	Vertical	101	1.50	35.38	38.98	11.58	34.26

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8956G	30.01	54.00	-23.99	4.76	3	Horizontal	272	1.50	25.25	32.69	6.23	34.16
AV	12.18788G	39.73	54.00	-14.27	16.30	3	Horizontal	347	1.50	23.43	38.98	11.58	34.26
PK	4.89548G	42.38	74.00	-31.62	4.76	3	Horizontal	272	1.50	37.62	32.69	6.23	34.16
PK	12.1982G	51.80	74.00	-22.20	16.32	3	Horizontal	347	1.50	35.48	39.00	11.58	34.26

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.61	54.00	-7.39	31.65	3	Vertical	113	1.50	14.96	27.40	4.25	-
AV	2.459G	100.41	Inf	-Inf	31.99	3	Vertical	113	1.50	68.42	27.69	4.30	-
AV	2.4842G	49.54	54.00	-4.46	32.05	3	Vertical	113	1.50	17.49	27.74	4.31	-
PK	2.3886G	59.57	74.00	-14.43	31.64	3	Vertical	113	1.50	27.93	27.39	4.25	-
PK	2.4614G	110.70	Inf	-Inf	32.00	3	Vertical	113	1.50	78.70	27.70	4.30	-
PK	2.4835G	67.31	74.00	-6.69	32.04	3	Vertical	113	1.50	35.27	27.73	4.31	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	46.48	54.00	-7.52	31.64	3	Horizontal	10	2.03	14.84	27.39	4.25	-
AV	2.4506G	102.62	Inf	-Inf	31.90	3	Horizontal	10	2.03	70.72	27.61	4.29	-
AV	2.4835G	52.69	54.00	-1.31	32.04	3	Horizontal	10	2.03	20.65	27.73	4.31	-
PK	2.3898G	59.34	74.00	-14.66	31.65	3	Horizontal	10	2.03	27.69	27.40	4.25	-
PK	2.4558G	110.97	Inf	-Inf	31.95	3	Horizontal	10	2.03	79.02	27.66	4.29	-
PK	2.4835G	69.91	74.00	-4.09	32.04	3	Horizontal	10	2.03	37.87	27.73	4.31	-

2.4-2.4835GHz_802.11n HT40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.21	54.00	-7.79	31.65	3	Vertical	108	1.50	14.56	27.40	4.25	-
AV	2.4612G	100.48	Inf	-Inf	32.00	3	Vertical	108	1.50	68.48	27.70	4.30	-
AV	2.4848G	49.45	54.00	-4.55	32.06	3	Vertical	108	1.50	17.39	27.75	4.31	-
PK	2.3888G	58.18	74.00	-15.82	31.64	3	Vertical	108	1.50	26.54	27.39	4.25	-
PK	2.4584G	110.33	Inf	-Inf	31.98	3	Vertical	108	1.50	78.35	27.68	4.30	-
PK	2.4835G	68.22	74.00	-5.78	32.04	3	Vertical	108	1.50	36.18	27.73	4.31	-

2.4-2.4835GHz_802.11n HT40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	46.34	54.00	-7.66	31.65	3	Horizontal	10	2.03	14.69	27.40	4.25	-
AV	2.4564G	102.01	Inf	-Inf	31.95	3	Horizontal	10	2.03	70.06	27.66	4.29	-
AV	2.4835G	52.13	54.00	-1.87	32.04	3	Horizontal	10	2.03	20.09	27.73	4.31	-
PK	2.39G	58.23	74.00	-15.77	31.65	3	Horizontal	10	2.03	26.58	27.40	4.25	-
PK	2.456G	110.38	Inf	-Inf	31.95	3	Horizontal	10	2.03	78.43	27.66	4.29	-
PK	2.4844G	71.38	74.00	-2.62	32.05	3	Horizontal	10	2.03	39.33	27.74	4.31	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89912G	30.00	54.00	-24.00	4.74	3	Vertical	26	1.12	25.26	32.68	6.22	34.16
AV	12.2588G	39.46	54.00	-14.54	16.22	3	Vertical	42	1.50	23.24	38.88	11.57	34.23
PK	4.91708G	42.92	74.00	-31.08	4.86	3	Vertical	26	1.12	38.06	32.77	6.24	34.15
PK	12.26672G	51.48	74.00	-22.52	16.21	3	Vertical	42	1.50	35.27	38.87	11.56	34.22

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91684G	30.10	54.00	-23.90	4.86	3	Horizontal	30	1.50	25.24	32.77	6.24	34.15
AV	12.25388G	39.47	54.00	-14.53	16.23	3	Horizontal	201	2.02	23.24	38.89	11.57	34.23
PK	4.91876G	42.63	74.00	-31.37	4.87	3	Horizontal	30	1.50	37.76	32.78	6.24	34.15
PK	12.25244G	50.95	74.00	-23.05	16.24	3	Horizontal	201	2.02	34.71	38.90	11.57	34.23

2.4-2.4835GHz_VHT20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.41	54.00	-4.59	31.65	3	Vertical	111	1.96	17.76	27.40	4.25	-
AV	2.4196G	102.39	Inf	-Inf	31.87	3	Vertical	111	1.96	70.52	27.60	4.27	-
PK	2.3898G	70.91	74.00	-3.09	31.65	3	Vertical	111	1.96	39.26	27.40	4.25	-
PK	2.4146G	114.61	Inf	-Inf	31.82	3	Vertical	111	1.96	82.79	27.55	4.27	-

2.4-2.4835GHz_VHT20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	50.70	54.00	-3.30	31.65	3	Horizontal	4	1.90	19.05	27.40	4.25	-
AV	2.4194G	104.24	Inf	-Inf	31.86	3	Horizontal	4	1.90	72.38	27.59	4.27	-
PK	2.39G	71.74	74.00	-2.26	31.65	3	Horizontal	4	1.90	40.09	27.40	4.25	-
PK	2.4182G	115.28	Inf	-Inf	31.85	3	Horizontal	4	1.90	83.43	27.58	4.27	-

2.4-2.4835GHz_VHT20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82616G	28.17	54.00	-25.83	4.50	3	Vertical	122	1.50	23.67	32.50	6.18	34.18
AV	12.04998G	37.83	54.00	-16.17	16.07	3	Vertical	94	1.12	21.76	38.80	11.61	34.34
PK	4.82946G	42.24	74.00	-31.76	4.52	3	Vertical	122	1.50	37.72	32.52	6.18	34.18
PK	12.06702G	51.15	74.00	-22.85	16.08	3	Vertical	94	1.12	35.07	38.80	11.61	34.33

2.4-2.4835GHz_VHT20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82574G	28.89	54.00	-25.11	4.50	3	Horizontal	324	1.34	24.39	32.50	6.18	34.18
AV	12.04818G	37.71	54.00	-16.29	16.07	3	Horizontal	268	1.00	21.64	38.80	11.61	34.34
PK	4.82388G	43.31	74.00	-30.69	4.50	3	Horizontal	324	1.34	38.81	32.50	6.18	34.18
PK	12.06138G	51.94	74.00	-22.06	16.07	3	Horizontal	268	1.00	35.87	38.80	11.61	34.34

2.4-2.4835GHz_VHT20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.41	54.00	-1.59	31.65	3	Vertical	112	1.90	20.76	27.40	4.25	-
AV	2.4208G	106.15	Inf	-Inf	31.87	3	Vertical	112	1.90	74.28	27.60	4.27	-
PK	2.3888G	70.55	74.00	-3.45	31.64	3	Vertical	112	1.90	38.91	27.39	4.25	-
PK	2.4226G	117.98	Inf	-Inf	31.87	3	Vertical	112	1.90	86.11	27.60	4.27	-

2.4-2.4835GHz_VHT20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.05	54.00	-0.95	31.65	3	Horizontal	5	1.90	21.40	27.40	4.25	-
AV	2.4186G	107.94	Inf	-Inf	31.86	3	Horizontal	5	1.90	76.08	27.59	4.27	-
PK	2.3896G	69.06	74.00	-4.94	31.65	3	Horizontal	5	1.90	37.41	27.40	4.25	-
PK	2.4194G	118.99	Inf	-Inf	31.86	3	Horizontal	5	1.90	87.13	27.59	4.27	-

2.4-2.4835GHz_VHT20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.24	54.00	-3.76	31.65	3	Vertical	129	2.12	18.59	27.40	4.25	-
AV	2.435G	107.44	Inf	-Inf	31.88	3	Vertical	129	2.12	75.56	27.60	4.28	-
AV	2.4835G	51.78	54.00	-2.22	32.04	3	Vertical	129	2.12	19.74	27.73	4.31	-
PK	2.3898G	69.22	74.00	-4.78	31.65	3	Vertical	129	2.12	37.57	27.40	4.25	-
PK	2.4346G	120.26	Inf	-Inf	31.88	3	Vertical	129	2.12	88.38	27.60	4.28	-
PK	2.4835G	69.72	74.00	-4.28	32.04	3	Vertical	129	2.12	37.68	27.73	4.31	-

2.4-2.4835GHz_VHT20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	52.33	54.00	-1.67	31.64	3	Horizontal	58	1.25	20.69	27.39	4.25	-
AV	2.4334G	108.37	Inf	-Inf	31.88	3	Horizontal	58	1.25	76.49	27.60	4.28	-
AV	2.4835G	52.12	54.00	-1.88	32.04	3	Horizontal	58	1.25	20.08	27.73	4.31	-
PK	2.3886G	68.26	74.00	-5.74	31.64	3	Horizontal	58	1.25	36.62	27.39	4.25	-
PK	2.4334G	119.46	Inf	-Inf	31.88	3	Horizontal	58	1.25	87.58	27.60	4.28	-
PK	2.4838G	68.72	74.00	-5.28	32.05	3	Horizontal	58	1.25	36.67	27.74	4.31	-

2.4-2.4835GHz_VHT20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8743G	29.75	54.00	-24.25	4.69	3	Vertical	42	2.04	25.06	32.65	6.21	34.17
AV	12.18788G	39.14	54.00	-14.86	16.30	3	Vertical	50	1.50	22.84	38.98	11.58	34.26
PK	4.87628G	43.25	74.00	-30.75	4.70	3	Vertical	42	2.04	38.55	32.65	6.21	34.16
PK	12.19166G	52.24	74.00	-21.76	16.30	3	Vertical	50	1.50	35.94	38.98	11.58	34.26

2.4-2.4835GHz_VHT20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87562G	30.29	54.00	-23.71	4.70	3	Horizontal	330	1.50	25.59	32.65	6.21	34.16
AV	12.1889G	40.02	54.00	-13.98	16.30	3	Horizontal	43	2.48	23.72	38.98	11.58	34.26
PK	4.87136G	44.55	74.00	-29.45	4.68	3	Horizontal	330	1.50	39.87	32.64	6.21	34.17
PK	12.17768G	53.97	74.00	-20.03	16.27	3	Horizontal	43	2.48	37.70	38.96	11.58	34.27

2.4-2.4835GHz_VHT20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4618G	105.11	Inf	-Inf	32.00	3	Vertical	109	1.50	73.11	27.70	4.30	-
AV	2.4838G	51.46	54.00	-2.54	32.05	3	Vertical	109	1.50	19.41	27.74	4.31	-
PK	2.4594G	117.72	Inf	-Inf	31.99	3	Vertical	109	1.50	85.73	27.69	4.30	-
PK	2.485G	68.24	74.00	-5.76	32.06	3	Vertical	109	1.50	36.18	27.75	4.31	-

2.4-2.4835GHz_VHT20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4554G	106.30	Inf	-Inf	31.94	3	Horizontal	9	2.03	74.36	27.65	4.29	-
AV	2.4846G	52.11	54.00	-1.89	32.06	3	Horizontal	9	2.03	20.05	27.75	4.31	-
PK	2.4532G	117.29	Inf	-Inf	31.92	3	Horizontal	9	2.03	85.37	27.63	4.29	-
PK	2.4844G	73.12	74.00	-0.88	32.05	3	Horizontal	9	2.03	41.07	27.74	4.31	-

2.4-2.4835GHz_VHT20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4614G	102.54	Inf	-Inf	32.00	3	Vertical	108	1.50	70.54	27.70	4.30	-
AV	2.4842G	48.35	54.00	-5.65	32.05	3	Vertical	108	1.50	16.30	27.74	4.31	-
PK	2.4594G	115.12	Inf	-Inf	31.99	3	Vertical	108	1.50	83.13	27.69	4.30	-
PK	2.4836G	69.72	74.00	-4.28	32.05	3	Vertical	108	1.50	37.67	27.74	4.31	-

2.4-2.4835GHz_VHT20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4594G	103.92	Inf	-Inf	31.99	3	Horizontal	8	1.89	71.93	27.69	4.30	-
AV	2.4844G	50.17	54.00	-3.83	32.05	3	Horizontal	8	1.89	18.12	27.74	4.31	-
PK	2.4594G	114.91	Inf	-Inf	31.99	3	Horizontal	8	1.89	82.92	27.69	4.30	-
PK	2.4835G	72.79	74.00	-1.21	32.04	3	Horizontal	8	1.89	40.75	27.73	4.31	-

2.4-2.4835GHz_VHT20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9237G	28.57	54.00	-25.43	4.89	3	Vertical	326	1.50	23.68	32.79	6.25	34.15
AV	12.31282G	37.59	54.00	-16.41	16.16	3	Vertical	26	1.50	21.43	38.80	11.55	34.19
PK	4.91188G	43.31	74.00	-30.69	4.84	3	Vertical	326	1.50	38.47	32.75	6.24	34.15
PK	12.3127G	51.65	74.00	-22.35	16.16	3	Vertical	26	1.50	35.49	38.80	11.55	34.19

2.4-2.4835GHz_VHT20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92382G	28.77	54.00	-25.23	4.90	3	Horizontal	330	1.90	23.87	32.80	6.25	34.15
AV	12.31144G	37.57	54.00	-16.43	16.15	3	Horizontal	182	3.00	21.42	38.80	11.55	34.20
PK	4.92376G	42.78	74.00	-31.22	4.90	3	Horizontal	330	1.90	37.88	32.80	6.25	34.15
PK	12.3019G	51.48	74.00	-22.52	16.16	3	Horizontal	182	3.00	35.32	38.80	11.56	34.20

2.4-2.4835GHz_VHT40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	51.51	54.00	-2.49	31.64	3	Vertical	100	1.92	19.87	27.39	4.25	-
AV	2.426G	100.90	Inf	-Inf	31.88	3	Vertical	100	1.92	69.02	27.60	4.28	-
AV	2.4848G	46.97	54.00	-7.03	32.06	3	Vertical	100	1.92	14.91	27.75	4.31	-
PK	2.3896G	69.91	74.00	-4.09	31.65	3	Vertical	100	1.92	38.26	27.40	4.25	-
PK	2.424G	111.39	Inf	-Inf	31.87	3	Vertical	100	1.92	79.52	27.60	4.27	-
PK	2.4835G	61.17	74.00	-12.83	32.04	3	Vertical	100	1.92	29.13	27.73	4.31	-

2.4-2.4835GHz_VHT40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	52.69	54.00	-1.31	31.64	3	Horizontal	7	1.92	21.05	27.39	4.25	-
AV	2.4188G	102.95	Inf	-Inf	31.86	3	Horizontal	7	1.92	71.09	27.59	4.27	-
AV	2.484G	47.35	54.00	-6.65	32.05	3	Horizontal	7	1.92	15.30	27.74	4.31	-
PK	2.3892G	70.73	74.00	-3.27	31.64	3	Horizontal	7	1.92	39.09	27.39	4.25	-
PK	2.4172G	111.60	Inf	-Inf	31.84	3	Horizontal	7	1.92	79.76	27.57	4.27	-
PK	2.4835G	58.81	74.00	-15.19	32.04	3	Horizontal	7	1.92	26.77	27.73	4.31	-

2.4-2.4835GHz_VHT40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8458G	29.72	54.00	-24.28	4.59	3	Vertical	24	1.50	25.13	32.58	6.19	34.18
AV	12.0818G	39.81	54.00	-14.19	16.08	3	Vertical	39	2.02	23.73	38.80	11.60	34.32
PK	4.86248G	42.50	74.00	-31.50	4.65	3	Vertical	24	1.50	37.85	32.62	6.20	34.17
PK	12.11264G	51.94	74.00	-22.06	16.12	3	Vertical	39	2.02	35.82	38.83	11.60	34.31

2.4-2.4835GHz_VHT40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8242G	29.78	54.00	-24.22	4.50	3	Horizontal	97	1.50	25.28	32.50	6.18	34.18
AV	12.1148G	39.40	54.00	-14.60	16.12	3	Horizontal	360	1.50	23.28	38.83	11.60	34.31
PK	4.8278G	42.01	74.00	-31.99	4.51	3	Horizontal	97	1.50	37.50	32.51	6.18	34.18
PK	12.10604G	50.92	74.00	-23.08	16.10	3	Horizontal	360	1.50	34.82	38.81	11.60	34.31

2.4-2.4835GHz_VHT40_Nss1,(MCS0)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	50.42	54.00	-3.58	31.64	3	Vertical	111	1.89	18.78	27.39	4.25	-
AV	2.4214G	101.69	Inf	-Inf	31.87	3	Vertical	111	1.89	69.82	27.60	4.27	-
AV	2.4835G	47.83	54.00	-6.17	32.04	3	Vertical	111	1.89	15.79	27.73	4.31	-
PK	2.3898G	67.65	74.00	-6.35	31.65	3	Vertical	111	1.89	36.00	27.40	4.25	-
PK	2.4214G	112.07	Inf	-Inf	31.87	3	Vertical	111	1.89	80.20	27.60	4.27	-
PK	2.485G	61.07	74.00	-12.93	32.06	3	Vertical	111	1.89	29.01	27.75	4.31	-

2.4-2.4835GHz_VHT40_Nss1,(MCS0)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.14	54.00	-1.86	31.65	3	Horizontal	10	1.89	20.49	27.40	4.25	-
AV	2.4214G	103.30	Inf	-Inf	31.87	3	Horizontal	10	1.89	71.43	27.60	4.27	-
AV	2.4835G	48.54	54.00	-5.46	32.04	3	Horizontal	10	1.89	16.50	27.73	4.31	-
PK	2.3894G	69.89	74.00	-4.11	31.64	3	Horizontal	10	1.89	38.25	27.39	4.25	-
PK	2.4222G	112.52	Inf	-Inf	31.87	3	Horizontal	10	1.89	80.65	27.60	4.27	-
PK	2.485G	61.35	74.00	-12.65	32.06	3	Horizontal	10	1.89	29.29	27.75	4.31	-

2.4-2.4835GHz_VHT40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	50.63	54.00	-3.37	31.64	3	Vertical	112	1.91	18.99	27.39	4.25	-
AV	2.4262G	102.03	Inf	-Inf	31.88	3	Vertical	112	1.91	70.15	27.60	4.28	-
AV	2.4838G	51.95	54.00	-2.05	32.05	3	Vertical	112	1.91	19.90	27.74	4.31	-
PK	2.3898G	65.74	74.00	-8.26	31.65	3	Vertical	112	1.91	34.09	27.40	4.25	-
PK	2.4262G	112.54	Inf	-Inf	31.88	3	Vertical	112	1.91	80.66	27.60	4.28	-
PK	2.4838G	69.95	74.00	-4.05	32.05	3	Vertical	112	1.91	37.90	27.74	4.31	-

2.4-2.4835GHz_VHT40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	51.64	54.00	-2.36	31.64	3	Horizontal	8	1.88	20.00	27.39	4.25	-
AV	2.4238G	103.70	Inf	-Inf	31.87	3	Horizontal	8	1.88	71.83	27.60	4.27	-
AV	2.4842G	52.96	54.00	-1.04	32.05	3	Horizontal	8	1.88	20.91	27.74	4.31	-
PK	2.3898G	66.43	74.00	-7.57	31.65	3	Horizontal	8	1.88	34.78	27.40	4.25	-
PK	2.4218G	112.67	Inf	-Inf	31.87	3	Horizontal	8	1.88	80.80	27.60	4.27	-
PK	2.4842G	71.76	74.00	-2.24	32.05	3	Horizontal	8	1.88	39.71	27.74	4.31	-

2.4-2.4835GHz_VHT40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89692G	29.91	54.00	-24.09	4.76	3	Vertical	210	1.50	25.15	32.69	6.23	34.16
AV	12.17048G	39.90	54.00	-14.10	16.25	3	Vertical	261	2.63	23.65	38.94	11.58	34.27
PK	4.88348G	42.32	74.00	-31.68	4.73	3	Vertical	210	1.50	37.59	32.67	6.22	34.16
PK	12.21332G	51.57	74.00	-22.43	16.30	3	Vertical	261	2.63	35.27	38.97	11.58	34.25

2.4-2.4835GHz_VHT40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89548G	29.78	54.00	-24.22	4.76	3	Horizontal	323	1.50	25.02	32.69	6.23	34.16
AV	12.19256G	39.49	54.00	-14.51	16.31	3	Horizontal	34	1.50	23.18	38.99	11.58	34.26
PK	4.89932G	42.06	74.00	-31.94	4.77	3	Horizontal	323	1.50	37.29	32.70	6.23	34.16
PK	12.20024G	51.70	74.00	-22.30	16.32	3	Horizontal	34	1.50	35.38	39.00	11.58	34.26

2.4-2.4835GHz_VHT40_Nss1,(MCS0)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	46.42	54.00	-7.58	31.64	3	Vertical	114	1.50	14.78	27.39	4.25	-
AV	2.4602G	100.43	Inf	-Inf	32.00	3	Vertical	114	1.50	68.43	27.70	4.30	-
AV	2.4835G	50.02	54.00	-3.98	32.04	3	Vertical	114	1.50	17.98	27.73	4.31	-
PK	2.3886G	58.42	74.00	-15.58	31.64	3	Vertical	114	1.50	26.78	27.39	4.25	-
PK	2.4578G	110.04	Inf	-Inf	31.97	3	Vertical	114	1.50	78.07	27.68	4.29	-
PK	2.4835G	66.88	74.00	-7.12	32.04	3	Vertical	114	1.50	34.84	27.73	4.31	-

2.4-2.4835GHz_VHT40_Nss1,(MCS0)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.77	54.00	-7.23	31.65	3	Horizontal	8	2.04	15.12	27.40	4.25	-
AV	2.4542G	102.24	Inf	-Inf	31.93	3	Horizontal	8	2.04	70.31	27.64	4.29	-
AV	2.4846G	52.02	54.00	-1.98	32.06	3	Horizontal	8	2.04	19.96	27.75	4.31	-
PK	2.3898G	59.96	74.00	-14.04	31.65	3	Horizontal	8	2.04	28.31	27.40	4.25	-
PK	2.4518G	111.45	Inf	-Inf	31.91	3	Horizontal	8	2.04	79.54	27.62	4.29	-
PK	2.4835G	71.58	74.00	-2.42	32.04	3	Horizontal	8	2.04	39.54	27.73	4.31	-

2.4-2.4835GHz_VHT40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	46.02	54.00	-7.98	31.64	3	Vertical	111	1.50	14.38	27.39	4.25	-
AV	2.458G	100.52	Inf	-Inf	31.97	3	Vertical	111	1.50	68.55	27.68	4.29	-
AV	2.4856G	49.67	54.00	-4.33	32.07	3	Vertical	111	1.50	17.60	27.76	4.31	-
PK	2.3892G	58.22	74.00	-15.78	31.64	3	Vertical	111	1.50	26.58	27.39	4.25	-
PK	2.4632G	111.25	Inf	-Inf	32.00	3	Vertical	111	1.50	79.25	27.70	4.30	-
PK	2.4835G	71.18	74.00	-2.82	32.04	3	Vertical	111	1.50	39.14	27.73	4.31	-

2.4-2.4835GHz_VHT40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.37	54.00	-7.63	31.65	3	Horizontal	7	1.90	14.72	27.40	4.25	-
AV	2.4576G	102.09	Inf	-Inf	31.97	3	Horizontal	7	1.90	70.12	27.68	4.29	-
AV	2.4848G	52.69	54.00	-1.31	32.06	3	Horizontal	7	1.90	20.63	27.75	4.31	-
PK	2.3896G	58.86	74.00	-15.14	31.65	3	Horizontal	7	1.90	27.21	27.40	4.25	-
PK	2.4584G	111.30	Inf	-Inf	31.98	3	Horizontal	7	1.90	79.32	27.68	4.30	-
PK	2.4835G	71.55	74.00	-2.45	32.04	3	Horizontal	7	1.90	39.51	27.73	4.31	-

2.4-2.4835GHz_VHT40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93148G	30.12	54.00	-23.88	4.94	3	Vertical	154	1.50	25.18	32.83	6.25	34.14
AV	12.2528G	39.63	54.00	-14.37	16.23	3	Vertical	320	1.50	23.40	38.89	11.57	34.23
PK	4.90628G	43.23	74.00	-30.77	4.81	3	Vertical	154	1.50	38.42	32.73	6.23	34.15
PK	12.23252G	51.51	74.00	-22.49	16.26	3	Vertical	320	1.50	35.25	38.93	11.57	34.24

2.4-2.4835GHz_VHT40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91096G	30.04	54.00	-23.96	4.83	3	Horizontal	324	1.50	25.21	32.74	6.24	34.15
AV	12.25028G	39.83	54.00	-14.17	16.24	3	Horizontal	141	1.50	23.59	38.90	11.57	34.23
PK	4.89944G	42.67	74.00	-31.33	4.77	3	Horizontal	324	1.50	37.90	32.70	6.23	34.16
PK	12.24092G	51.54	74.00	-22.46	16.25	3	Horizontal	141	1.50	35.29	38.92	11.57	34.24

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.41	54.00	-2.59	31.77	3	Vertical	97	1.53	19.64	27.52	4.25	-
AV	2.4208G	104.07	Inf	-Inf	31.91	3	Vertical	97	1.53	72.16	27.64	4.27	-
PK	2.39G	69.95	74.00	-4.05	31.77	3	Vertical	97	1.53	38.18	27.52	4.25	-
PK	2.4186G	116.36	Inf	-Inf	31.91	3	Vertical	97	1.53	84.45	27.64	4.27	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.91	54.00	-1.09	31.77	3	Horizontal	5	1.95	21.14	27.52	4.25	-
AV	2.4162G	106.31	Inf	-Inf	31.90	3	Horizontal	5	1.95	74.41	27.63	4.27	-
PK	2.39G	72.80	74.00	-1.20	31.77	3	Horizontal	5	1.95	41.03	27.52	4.25	-
PK	2.4186G	118.46	Inf	-Inf	31.91	3	Horizontal	5	1.95	86.55	27.64	4.27	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82688G	29.70	54.00	-24.30	4.36	3	Vertical	22	1.50	25.34	32.36	6.18	34.18
AV	12.04776G	39.16	54.00	-14.84	16.42	3	Vertical	334	2.90	22.74	39.15	11.61	34.34
PK	4.83156G	42.63	74.00	-31.37	4.39	3	Vertical	22	1.50	38.24	32.39	6.18	34.18
PK	12.06294G	52.29	74.00	-21.71	16.44	3	Vertical	334	2.90	35.85	39.16	11.61	34.33

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	29.73	54.00	-24.27	4.34	3	Horizontal	61	1.74	25.39	32.34	6.18	34.18
AV	12.04992G	39.41	54.00	-14.59	16.42	3	Horizontal	339	2.24	22.99	39.15	11.61	34.34
PK	4.82388G	42.41	74.00	-31.59	4.34	3	Horizontal	61	1.74	38.07	32.34	6.18	34.18
PK	12.05604G	51.66	74.00	-22.34	16.43	3	Horizontal	339	2.24	35.23	39.16	11.61	34.34

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	51.66	54.00	-2.34	31.77	3	Vertical	96	1.50	19.89	27.52	4.25	-
AV	2.4212G	106.01	Inf	-Inf	31.91	3	Vertical	96	1.50	74.10	27.64	4.27	-
PK	2.3896G	69.17	74.00	-4.83	31.77	3	Vertical	96	1.50	37.40	27.52	4.25	-
PK	2.4138G	118.16	Inf	-Inf	31.90	3	Vertical	96	1.50	86.26	27.63	4.27	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.80	54.00	-1.20	31.77	3	Horizontal	360	1.97	21.03	27.52	4.25	-
AV	2.4194G	108.20	Inf	-Inf	31.91	3	Horizontal	360	1.97	76.29	27.64	4.27	-
PK	2.39G	69.44	74.00	-4.56	31.77	3	Horizontal	360	1.97	37.67	27.52	4.25	-
PK	2.4138G	120.48	Inf	-Inf	31.90	3	Horizontal	360	1.97	88.58	27.63	4.27	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.57	54.00	-3.43	31.77	3	Vertical	98	2.08	18.80	27.52	4.25	-
AV	2.431G	108.83	Inf	-Inf	31.94	3	Vertical	98	2.08	76.89	27.66	4.28	-
AV	2.4846G	51.13	54.00	-2.87	32.15	3	Vertical	98	2.08	18.98	27.84	4.31	-
PK	2.3898G	67.74	74.00	-6.26	31.77	3	Vertical	98	2.08	35.97	27.52	4.25	-
PK	2.4338G	120.31	Inf	-Inf	31.95	3	Vertical	98	2.08	88.36	27.67	4.28	-
PK	2.4842G	67.33	74.00	-6.67	32.15	3	Vertical	98	2.08	35.18	27.84	4.31	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.78	54.00	-2.22	31.77	3	Horizontal	3	1.53	20.01	27.52	4.25	-
AV	2.431G	110.01	Inf	-Inf	31.94	3	Horizontal	3	1.53	78.07	27.66	4.28	-
AV	2.4846G	52.88	54.00	-1.12	32.15	3	Horizontal	3	1.53	20.73	27.84	4.31	-
PK	2.3898G	71.14	74.00	-2.86	31.77	3	Horizontal	3	1.53	39.37	27.52	4.25	-
PK	2.4354G	121.46	Inf	-Inf	31.95	3	Horizontal	3	1.53	89.51	27.67	4.28	-
PK	2.4842G	68.52	74.00	-5.48	32.15	3	Horizontal	3	1.53	36.37	27.84	4.31	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87856G	29.94	54.00	-24.06	4.66	3	Vertical	287	1.50	25.28	32.61	6.21	34.16
AV	12.1862G	41.14	54.00	-12.86	16.51	3	Vertical	337	1.26	24.63	39.20	11.58	34.27
PK	4.88288G	43.19	74.00	-30.81	4.69	3	Vertical	287	1.50	38.50	32.63	6.22	34.16
PK	12.17414G	54.20	74.00	-19.80	16.51	3	Vertical	337	1.26	37.69	39.20	11.58	34.27

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8746G	31.19	54.00	-22.81	4.64	3	Horizontal	220	2.34	26.55	32.60	6.21	34.17
AV	12.19106G	40.61	54.00	-13.39	16.52	3	Horizontal	38	2.66	24.09	39.20	11.58	34.26
PK	4.87478G	43.82	74.00	-30.18	4.64	3	Horizontal	220	2.34	39.18	32.60	6.21	34.17
PK	12.18512G	54.16	74.00	-19.84	16.51	3	Horizontal	38	2.66	37.65	39.20	11.58	34.27

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4586G	105.53	Inf	-Inf	32.03	3	Vertical	85	1.69	73.50	27.73	4.30	-
AV	2.4836G	51.26	54.00	-2.74	32.14	3	Vertical	85	1.69	19.12	27.83	4.31	-
PK	2.4586G	117.68	Inf	-Inf	32.03	3	Vertical	85	1.69	85.65	27.73	4.30	-
PK	2.4835G	68.05	74.00	-5.95	32.14	3	Vertical	85	1.69	35.91	27.83	4.31	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4588G	107.15	Inf	-Inf	32.04	3	Horizontal	4	2.03	75.11	27.74	4.30	-
AV	2.4835G	53.11	54.00	-0.89	32.14	3	Horizontal	4	2.03	20.97	27.83	4.31	-
PK	2.4586G	119.41	Inf	-Inf	32.03	3	Horizontal	4	2.03	87.38	27.73	4.30	-
PK	2.4835G	71.13	74.00	-2.87	32.14	3	Horizontal	4	2.03	38.99	27.83	4.31	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4636G	101.92	Inf	-Inf	32.05	3	Vertical	85	1.69	69.87	27.75	4.30	-
AV	2.4836G	47.11	54.00	-6.89	32.14	3	Vertical	85	1.69	14.97	27.83	4.31	-
PK	2.4638G	114.38	Inf	-Inf	32.06	3	Vertical	85	1.69	82.32	27.76	4.30	-
PK	2.4838G	68.58	74.00	-5.42	32.15	3	Vertical	85	1.69	36.43	27.84	4.31	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4572G	103.36	Inf	-Inf	32.02	3	Horizontal	4	2.02	71.34	27.73	4.29	-
AV	2.4835G	49.09	54.00	-4.91	32.14	3	Horizontal	4	2.02	16.95	27.83	4.31	-
PK	2.4552G	115.91	Inf	-Inf	32.01	3	Horizontal	4	2.02	83.90	27.72	4.29	-
PK	2.4836G	72.82	74.00	-1.18	32.14	3	Horizontal	4	2.02	40.68	27.83	4.31	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91392G	29.22	54.00	-24.78	4.87	3	Vertical	186	1.50	24.35	32.78	6.24	34.15
AV	12.31852G	38.79	54.00	-15.21	16.46	3	Vertical	85	1.50	22.33	39.10	11.55	34.19
PK	4.93762G	42.04	74.00	-31.96	5.05	3	Vertical	186	1.50	36.99	32.93	6.26	34.14
PK	12.3001G	51.99	74.00	-22.01	16.46	3	Vertical	85	1.50	35.53	39.10	11.56	34.20

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91056G	29.23	54.00	-24.77	4.85	3	Horizontal	278	1.50	24.38	32.76	6.24	34.15
AV	12.3139G	38.80	54.00	-15.20	16.46	3	Horizontal	0	1.50	22.34	39.10	11.55	34.19
PK	4.92964G	42.35	74.00	-31.65	4.98	3	Horizontal	278	1.50	37.37	32.88	6.25	34.15
PK	12.31444G	51.11	74.00	-22.89	16.46	3	Horizontal	0	1.50	34.65	39.10	11.55	34.19

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	50.98	54.00	-3.02	31.76	3	Vertical	95	1.50	19.22	27.51	4.25	-
AV	2.4204G	101.19	Inf	-Inf	31.91	3	Vertical	95	1.50	69.28	27.64	4.27	-
AV	2.4844G	47.31	54.00	-6.69	32.15	3	Vertical	95	1.50	15.16	27.84	4.31	-
PK	2.3896G	65.86	74.00	-8.14	31.77	3	Vertical	95	1.50	34.09	27.52	4.25	-
PK	2.4276G	113.05	Inf	-Inf	31.94	3	Vertical	95	1.50	81.11	27.66	4.28	-
PK	2.4872G	58.77	74.00	-15.23	32.16	3	Vertical	95	1.50	26.61	27.85	4.31	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3884G	52.95	54.00	-1.05	31.76	3	Horizontal	1	1.97	21.19	27.51	4.25	-
AV	2.4204G	103.38	Inf	-Inf	31.91	3	Horizontal	1	1.97	71.47	27.64	4.27	-
AV	2.4844G	47.94	54.00	-6.06	32.15	3	Horizontal	1	1.97	15.79	27.84	4.31	-
PK	2.39G	70.90	74.00	-3.10	31.77	3	Horizontal	1	1.97	39.13	27.52	4.25	-
PK	2.42G	115.77	Inf	-Inf	31.91	3	Horizontal	1	1.97	83.86	27.64	4.27	-
PK	2.484G	61.00	74.00	-13.00	32.15	3	Horizontal	1	1.97	28.85	27.84	4.31	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8332G	30.05	54.00	-23.95	4.40	3	Vertical	30	1.70	25.65	32.40	6.18	34.18
AV	12.08636G	40.28	54.00	-13.72	16.47	3	Vertical	273	3.00	23.81	39.19	11.60	34.32
PK	4.84796G	42.68	74.00	-31.32	4.51	3	Vertical	30	1.70	38.17	32.49	6.19	34.17
PK	12.1178G	52.00	74.00	-22.00	16.50	3	Vertical	273	3.00	35.50	39.20	11.60	34.30

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8392G	29.63	54.00	-24.37	4.45	3	Horizontal	40	1.71	25.18	32.44	6.19	34.18
AV	12.11216G	40.05	54.00	-13.95	16.49	3	Horizontal	352	2.82	23.56	39.20	11.60	34.31
PK	4.84952G	42.42	74.00	-31.58	4.52	3	Horizontal	40	1.71	37.90	32.50	6.19	34.17
PK	12.11492G	51.61	74.00	-22.39	16.49	3	Horizontal	352	2.82	35.12	39.20	11.60	34.31

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	50.32	54.00	-3.68	31.77	3	Vertical	96	1.51	18.55	27.52	4.25	-
AV	2.4214G	102.07	Inf	-Inf	31.91	3	Vertical	96	1.51	70.16	27.64	4.27	-
AV	2.4858G	48.09	54.00	-5.91	32.15	3	Vertical	96	1.51	15.94	27.84	4.31	-
PK	2.3894G	70.46	74.00	-3.54	31.77	3	Vertical	96	1.51	38.69	27.52	4.25	-
PK	2.4238G	114.42	Inf	-Inf	31.92	3	Vertical	96	1.51	82.50	27.65	4.27	-
PK	2.4842G	61.67	74.00	-12.33	32.15	3	Vertical	96	1.51	29.52	27.84	4.31	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	51.52	54.00	-2.48	31.76	3	Horizontal	2	1.55	19.76	27.51	4.25	-
AV	2.4214G	103.80	Inf	-Inf	31.91	3	Horizontal	2	1.55	71.89	27.64	4.27	-
AV	2.4842G	48.80	54.00	-5.20	32.15	3	Horizontal	2	1.55	16.65	27.84	4.31	-
PK	2.4238G	116.26	Inf	-Inf	31.92	3	Horizontal	2	1.55	84.34	27.65	4.27	-
PK	2.3898G	72.90	74.00	-1.10	31.77	3	Horizontal	2	1.55	41.13	27.52	4.25	-
PK	2.4866G	60.80	74.00	-13.20	32.16	3	Horizontal	2	1.55	28.64	27.85	4.31	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	50.16	54.00	-3.84	31.76	3	Vertical	91	1.53	18.40	27.51	4.25	-
AV	2.4238G	102.14	Inf	-Inf	31.92	3	Vertical	91	1.53	70.22	27.65	4.27	-
AV	2.4842G	51.22	54.00	-2.78	32.15	3	Vertical	91	1.53	19.07	27.84	4.31	-
PK	2.389G	68.52	74.00	-5.48	31.76	3	Vertical	91	1.53	36.76	27.51	4.25	-
PK	2.4238G	114.40	Inf	-Inf	31.92	3	Vertical	91	1.53	82.48	27.65	4.27	-
PK	2.485G	69.05	74.00	-4.95	32.15	3	Vertical	91	1.53	36.90	27.84	4.31	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	50.87	54.00	-3.13	31.76	3	Horizontal	4	1.55	19.11	27.51	4.25	-
AV	2.4238G	104.07	Inf	-Inf	31.92	3	Horizontal	4	1.55	72.15	27.65	4.27	-
AV	2.4842G	52.98	54.00	-1.02	32.15	3	Horizontal	4	1.55	20.83	27.84	4.31	-
PK	2.3894G	70.91	74.00	-3.09	31.77	3	Horizontal	4	1.55	39.14	27.52	4.25	-
PK	2.4338G	115.31	Inf	-Inf	31.95	3	Horizontal	4	1.55	83.36	27.67	4.28	-
PK	2.4854G	69.16	74.00	-4.84	32.15	3	Horizontal	4	1.55	37.01	27.84	4.31	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89464G	29.87	54.00	-24.13	4.75	3	Vertical	346	1.50	25.12	32.68	6.23	34.16
AV	12.19112G	40.08	54.00	-13.92	16.52	3	Vertical	222	1.01	23.56	39.20	11.58	34.26
PK	4.89812G	41.99	74.00	-32.01	4.76	3	Vertical	346	1.50	37.23	32.69	6.23	34.16
PK	12.1574G	51.63	74.00	-22.37	16.51	3	Vertical	222	1.01	35.12	39.20	11.59	34.28

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8788G	29.88	54.00	-24.12	4.68	3	Horizontal	70	1.11	25.20	32.62	6.22	34.16
AV	12.19136G	40.03	54.00	-13.97	16.52	3	Horizontal	60	1.50	23.51	39.20	11.58	34.26
PK	4.87076G	42.13	74.00	-31.87	4.62	3	Horizontal	70	1.11	37.51	32.58	6.21	34.17
PK	12.18476G	51.79	74.00	-22.21	16.51	3	Horizontal	60	1.50	35.28	39.20	11.58	34.27

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	46.86	54.00	-7.14	31.76	3	Vertical	91	1.68	15.10	27.51	4.25	-
AV	2.4626G	101.04	Inf	-Inf	32.05	3	Vertical	91	1.68	68.99	27.75	4.30	-
AV	2.4854G	50.37	54.00	-3.63	32.15	3	Vertical	91	1.68	18.22	27.84	4.31	-
PK	2.3898G	61.94	74.00	-12.06	31.77	3	Vertical	91	1.68	30.17	27.52	4.25	-
PK	2.457G	112.70	Inf	-Inf	32.02	3	Vertical	91	1.68	80.68	27.73	4.29	-
PK	2.4838G	69.96	74.00	-4.04	32.15	3	Vertical	91	1.68	37.81	27.84	4.31	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	46.93	54.00	-7.07	31.77	3	Horizontal	7	2.05	15.16	27.52	4.25	-
AV	2.4538G	102.67	Inf	-Inf	32.01	3	Horizontal	7	2.05	70.66	27.72	4.29	-
AV	2.4835G	53.07	54.00	-0.93	32.14	3	Horizontal	7	2.05	20.93	27.83	4.31	-
PK	2.3882G	59.65	74.00	-14.35	31.76	3	Horizontal	7	2.05	27.89	27.51	4.25	-
PK	2.4438G	113.39	Inf	-Inf	31.98	3	Horizontal	7	2.05	81.41	27.69	4.29	-
PK	2.4842G	70.61	74.00	-3.39	32.15	3	Horizontal	7	2.05	38.46	27.84	4.31	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	50.89	54.00	-3.11	31.77	3	Vertical	84	1.88	19.12	27.52	4.25	-
AV	2.416G	105.42	Inf	-Inf	31.90	3	Vertical	84	1.88	73.52	27.63	4.27	-
PK	2.39G	73.21	74.00	-0.79	31.77	3	Vertical	84	1.88	41.44	27.52	4.25	-
PK	2.4184G	115.65	Inf	-Inf	31.91	3	Vertical	84	1.88	83.74	27.64	4.27	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	51.43	54.00	-2.57	31.76	3	Horizontal	4	1.93	19.67	27.51	4.25	-
AV	2.416G	107.59	Inf	-Inf	31.90	3	Horizontal	4	1.93	75.69	27.63	4.27	-
PK	2.3894G	71.85	74.00	-2.15	31.77	3	Horizontal	4	1.93	40.08	27.52	4.25	-
PK	2.4128G	116.62	Inf	-Inf	31.90	3	Horizontal	4	1.93	84.72	27.63	4.27	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89752G	29.25	54.00	-24.75	4.76	3	Vertical	312	1.50	24.49	32.69	6.23	34.16
AV	12.2606G	38.99	54.00	-15.01	16.49	3	Vertical	235	1.50	22.50	39.14	11.57	34.22
PK	4.89596G	42.49	74.00	-31.51	4.75	3	Vertical	312	1.50	37.74	32.68	6.23	34.16
PK	12.25244G	51.21	74.00	-22.79	16.49	3	Vertical	235	1.50	34.72	39.15	11.57	34.23

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8968G	29.32	54.00	-24.68	4.76	3	Horizontal	56	1.50	24.56	32.69	6.23	34.16
AV	12.254G	38.92	54.00	-15.08	16.49	3	Horizontal	151	2.55	22.43	39.15	11.57	34.23
PK	4.9166G	43.00	74.00	-31.00	4.89	3	Horizontal	56	1.50	38.11	32.80	6.24	34.15
PK	12.25388G	51.47	74.00	-22.53	16.49	3	Horizontal	151	2.55	34.98	39.15	11.57	34.23



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1.	Pass	AV	14.47194G	52.56	54.00	-1.44	Vertical



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Height (m)	Comments
Mode 1.	Pass	AV	4.83864G	27.86	54.00	-26.14	3	Vertical	1.50	-
Mode 1.	Pass	AV	11.4888G	46.99	54.00	-7.01	3	Vertical	2.97	-
Mode 1.	Pass	AV	12.05916G	42.99	54.00	-11.01	3	Vertical	1.69	-
Mode 1.	Pass	AV	14.47194G	52.56	54.00	-1.44	3	Vertical	1.93	-
Mode 1.	Pass	PK	4.83216G	41.51	74.00	-32.49	3	Vertical	1.50	-
Mode 1.	Pass	PK	11.48382G	59.76	74.00	-14.24	3	Vertical	2.97	-
Mode 1.	Pass	PK	12.0615G	54.04	74.00	-19.96	3	Vertical	1.69	-
Mode 1.	Pass	PK	14.47188G	59.06	74.00	-14.94	3	Vertical	1.93	-
Mode 1.	Pass	PK	17.24022G	53.68	68.20	-14.52	3	Vertical	1.59	-
Mode 1.	Pass	AV	4.83788G	27.79	54.00	-26.21	3	Horizontal	1.25	-
Mode 1.	Pass	AV	11.49204G	41.55	54.00	-12.45	3	Horizontal	2.36	-
Mode 1.	Pass	AV	12.06072G	42.41	54.00	-11.59	3	Horizontal	1.69	-
Mode 1.	Pass	AV	14.47188G	50.42	54.00	-3.58	3	Horizontal	1.59	-
Mode 1.	Pass	PK	4.83768G	41.58	74.00	-32.42	3	Horizontal	1.25	-
Mode 1.	Pass	PK	11.48586G	55.65	74.00	-18.35	3	Horizontal	2.36	-
Mode 1.	Pass	PK	12.0576G	54.55	74.00	-19.45	3	Horizontal	1.69	-
Mode 1.	Pass	PK	14.472G	58.74	74.00	-15.26	3	Horizontal	1.59	-
Mode 1.	Pass	PK	17.22834G	53.63	68.20	-14.57	3	Horizontal	2.84	-

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.83864G	27.86	54.00	-26.14	0.66	3	Vertical	0	1.50	-	27.20	32.73	5.31	37.38
AV	11.4888G	46.99	54.00	-7.01	10.04	3	Vertical	341	2.97	-	36.95	39.38	8.57	37.91
AV	12.05916G	42.99	54.00	-11.01	10.16	3	Vertical	324	1.69	-	32.83	39.30	8.83	37.97
AV	14.47194G	52.56	54.00	-1.44	12.02	3	Vertical	47	1.93	-	40.54	40.44	9.63	38.05
PK	4.83216G	41.51	74.00	-32.49	0.60	3	Vertical	0	1.50	-	40.91	32.69	5.30	37.39
PK	11.48382G	59.76	74.00	-14.24	10.03	3	Vertical	341	2.97	-	49.73	39.37	8.57	37.91
PK	12.0615G	54.04	74.00	-19.96	10.16	3	Vertical	324	1.69	-	43.88	39.30	8.83	37.97
PK	14.47188G	59.06	74.00	-14.94	12.02	3	Vertical	47	1.93	-	47.04	40.44	9.63	38.05
PK	17.24022G	53.68	68.20	-14.52	10.31	3	Vertical	17	1.59	-	43.37	37.88	10.58	38.15

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.83788G	27.79	54.00	-26.21	0.66	3	Horizontal	173	1.25	-	27.13	32.73	5.31	37.38
AV	11.49204G	41.55	54.00	-12.45	10.04	3	Horizontal	62	2.36	-	31.51	39.38	8.57	37.91
AV	12.06072G	42.41	54.00	-11.59	10.16	3	Horizontal	301	1.69	-	32.25	39.30	8.83	37.97
AV	14.47188G	50.42	54.00	-3.58	12.02	3	Horizontal	0	1.59	-	38.40	40.44	9.63	38.05
PK	4.83768G	41.58	74.00	-32.42	0.66	3	Horizontal	173	1.25	-	40.92	32.73	5.31	37.38
PK	11.48586G	55.65	74.00	-18.35	10.03	3	Horizontal	62	2.36	-	45.62	39.37	8.57	37.91
PK	12.0576G	54.55	74.00	-19.45	10.16	3	Horizontal	301	1.69	-	44.39	39.30	8.83	37.97
PK	14.472G	58.74	74.00	-15.26	12.02	3	Horizontal	0	1.59	-	46.72	40.44	9.63	38.05
PK	17.22834G	53.63	68.20	-14.57	10.29	3	Horizontal	143	2.84	-	43.34	37.86	10.58	38.15