



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	7.66	10.67
802.11n HT20_Nss1,(MCS0)_2TX	7.35	10.47
802.11n HT40_Nss1,(MCS0)_2TX	4.40	7.44
802.11ac VHT20_Nss1,(MCS0)_2TX	7.33	10.35
802.11ac VHT40_Nss1,(MCS0)_2TX	4.08	7.14
802.11ac VHT80_Nss1,(MCS0)_2TX	1.59	4.71
802.11ax HEW20_Nss1,(MCS0)_2TX	6.74	9.75
802.11ax HEW40_Nss1,(MCS0)_2TX	3.93	7.00
802.11ax HEW80_Nss1,(MCS0)_2TX	1.24	4.35
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	10.98	14.10
802.11n HT20_Nss1,(MCS0)_2TX	10.62	13.72
802.11n HT40_Nss1,(MCS0)_2TX	7.86	10.89
802.11ac VHT20_Nss1,(MCS0)_2TX	10.58	13.59
802.11ac VHT40_Nss1,(MCS0)_2TX	7.80	10.83
802.11ac VHT80_Nss1,(MCS0)_2TX	5.10	8.10
802.11ax HEW20_Nss1,(MCS0)_2TX	10.55	13.56
802.11ax HEW40_Nss1,(MCS0)_2TX	7.82	10.83
802.11ax HEW80_Nss1,(MCS0)_2TX	5.22	8.26
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	10.84	13.90
802.11n HT20_Nss1,(MCS0)_2TX	10.77	13.89
802.11n HT40_Nss1,(MCS0)_2TX	8.27	11.33
802.11ac VHT20_Nss1,(MCS0)_2TX	10.83	13.90
802.11ac VHT40_Nss1,(MCS0)_2TX	8.21	11.23
802.11ac VHT80_Nss1,(MCS0)_2TX	5.30	8.29
802.11ax HEW20_Nss1,(MCS0)_2TX	10.71	13.74
802.11ax HEW40_Nss1,(MCS0)_2TX	8.29	11.27
802.11ax HEW80_Nss1,(MCS0)_2TX	5.38	8.37
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	15.74	18.82
802.11n HT20_Nss1,(MCS0)_2TX	15.08	18.18
802.11n HT40_Nss1,(MCS0)_2TX	12.33	15.47
802.11ac VHT20_Nss1,(MCS0)_2TX	15.09	18.15
802.11ac VHT40_Nss1,(MCS0)_2TX	12.43	15.45
802.11ac VHT80_Nss1,(MCS0)_2TX	9.78	12.8
802.11ax HEW20_Nss1,(MCS0)_2TX	14.95	17.97
802.11ax HEW40_Nss1,(MCS0)_2TX	12.35	15.36
802.11ax HEW80_Nss1,(MCS0)_2TX	9.96	12.95

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	Port 1 Gain (dBi)	Port 2 Gain (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-
5180MHz	Pass	2.58	3.37	4.65	4.68	7.66	17.00	10.67	23.00
5200MHz	Pass	2.58	3.37	4.68	4.55	7.51	17.00	10.61	23.00
5240MHz	Pass	2.58	3.37	4.48	4.55	7.38	17.00	10.52	23.00
5260MHz	Pass	2.58	3.37	8.10	7.91	10.97	11.00	14.00	17.00
5300MHz	Pass	2.58	3.37	7.87	7.86	10.86	11.00	13.87	17.00
5320MHz	Pass	2.58	3.37	8.13	8.06	10.98	11.00	14.10	17.00
5500MHz	Pass	2.58	3.37	7.81	7.97	10.84	11.00	13.90	17.00
5580MHz	Pass	2.58	3.37	7.91	7.90	10.79	11.00	13.91	17.00
5700MHz	Pass	2.58	3.37	7.69	7.77	10.69	11.00	13.74	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	2.58	3.37	7.82	7.56	10.55	11.00	13.68	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	2.58	3.37	5.87	5.86	8.75	30.00	11.87	36.00
5745MHz	Pass	2.58	3.37	12.62	12.97	15.74	30.00	18.82	36.00
5785MHz	Pass	2.58	3.37	12.50	12.84	15.58	30.00	18.69	36.00
5825MHz	Pass	2.58	3.37	11.91	12.01	14.86	30.00	17.97	36.00
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5180MHz	Pass	2.58	3.37	4.54	4.40	7.35	17.00	10.47	23.00
5200MHz	Pass	2.58	3.37	4.42	4.43	7.29	17.00	10.43	23.00
5240MHz	Pass	2.58	3.37	4.40	4.37	7.25	17.00	10.39	23.00
5260MHz	Pass	2.58	3.37	7.85	7.60	10.62	11.00	13.72	17.00
5300MHz	Pass	2.58	3.37	7.66	7.67	10.55	11.00	13.67	17.00
5320MHz	Pass	2.58	3.37	7.56	7.62	10.50	11.00	13.60	17.00
5500MHz	Pass	2.58	3.37	7.78	7.97	10.77	11.00	13.89	17.00
5580MHz	Pass	2.58	3.37	7.71	7.96	10.76	11.00	13.85	17.00
5700MHz	Pass	2.58	3.37	4.97	4.79	7.71	11.00	10.88	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	2.58	3.37	7.38	7.36	10.19	11.00	13.37	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	2.58	3.37	5.62	5.66	8.58	30.00	11.65	36.00
5745MHz	Pass	2.58	3.37	11.89	12.41	15.08	30.00	18.18	36.00
5785MHz	Pass	2.58	3.37	11.96	12.42	15.07	30.00	18.22	36.00
5825MHz	Pass	2.58	3.37	11.94	12.13	14.93	30.00	18.05	36.00
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5190MHz	Pass	2.58	3.37	1.62	1.28	4.40	17.00	7.44	23.00
5230MHz	Pass	2.58	3.37	1.59	1.02	4.21	17.00	7.29	23.00
5270MHz	Pass	2.58	3.37	4.77	4.98	7.86	11.00	10.89	17.00
5310MHz	Pass	2.58	3.37	4.82	4.75	7.79	11.00	10.79	17.00
5510MHz	Pass	2.58	3.37	4.32	4.05	7.02	11.00	10.18	17.00
5550MHz	Pass	2.58	3.37	5.44	5.23	8.27	11.00	11.33	17.00
5670MHz	Pass	2.58	3.37	4.82	4.96	7.81	11.00	10.90	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	2.58	3.37	5.01	4.72	7.80	11.00	10.86	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	2.58	3.37	2.52	2.79	5.58	30.00	8.67	36.00
5755MHz	Pass	2.58	3.37	8.82	8.81	11.74	30.00	14.82	36.00
5795MHz	Pass	2.58	3.37	9.47	9.47	12.33	30.00	15.47	36.00
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5180MHz	Pass	2.58	3.37	4.37	4.32	7.33	17.00	10.35	23.00
5200MHz	Pass	2.58	3.37	4.37	4.25	7.26	17.00	10.31	23.00
5240MHz	Pass	2.58	3.37	4.24	4.23	7.19	17.00	10.24	23.00
5260MHz	Pass	2.58	3.37	7.84	7.36	10.58	11.00	13.59	17.00
5300MHz	Pass	2.58	3.37	7.69	7.46	10.52	11.00	13.57	17.00
5320MHz	Pass	2.58	3.37	7.60	7.41	10.47	11.00	13.50	17.00
5500MHz	Pass	2.58	3.37	7.85	7.93	10.83	11.00	13.90	17.00
5580MHz	Pass	2.58	3.37	7.75	7.80	10.75	11.00	13.78	17.00
5700MHz	Pass	2.58	3.37	4.93	4.93	7.87	11.00	10.93	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	2.58	3.37	7.43	7.31	10.34	11.00	13.37	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	2.58	3.37	5.54	5.69	8.59	30.00	11.63	36.00
5745MHz	Pass	2.58	3.37	11.89	12.16	14.97	30.00	18.04	36.00







Mode	Result	Port 1 Gain (dBi)	Port 2 Gain (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5785MHz	Pass	2.58	3.37	12.00	12.26	15.09	30.00	18.15	36.00
5825MHz	Pass	2.58	3.37	11.91	12.06	14.93	30.00	18.00	36.00
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5190MHz	Pass	2.58	3.37	1.51	0.80	4.08	17.00	7.14	23.00
5230MHz	Pass	2.58	3.37	1.24	0.84	4.01	17.00	7.03	23.00
5270MHz	Pass	2.58	3.37	4.82	4.83	7.80	11.00	10.83	17.00
5310MHz	Pass	2.58	3.37	4.75	4.62	7.64	11.00	10.68	17.00
5510MHz	Pass	2.58	3.37	4.15	4.01	7.03	11.00	10.08	17.00
5550MHz	Pass	2.58	3.37	5.22	5.23	8.21	11.00	11.23	17.00
5670MHz	Pass	2.58	3.37	4.90	4.84	7.87	11.00	10.87	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	2.58	3.37	4.88	4.81	7.73	11.00	10.85	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	2.58	3.37	2.38	2.78	5.59	30.00	8.61	36.00
5755MHz	Pass	2.58	3.37	8.79	8.74	11.73	30.00	14.77	36.00
5795MHz	Pass	2.58	3.37	9.42	9.47	12.43	30.00	15.45	36.00
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5210MHz	Pass	2.58	3.37	-1.30	-1.28	1.59	17.00	4.71	23.00
5290MHz	Pass	2.58	3.37	2.18	2.03	5.10	11.00	8.10	17.00
5530MHz	Pass	2.58	3.37	1.72	1.61	4.63	11.00	7.66	17.00
5610MHz	Pass	2.58	3.37	2.42	2.18	5.30	11.00	8.29	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	2.58	3.37	1.59	1.98	4.73	11.00	7.81	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	2.58	3.37	-1.79	-0.33	2.00	30.00	5.07	36.00
5775MHz	Pass	2.58	3.37	6.79	6.81	9.78	30.00	12.80	36.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5180MHz	Pass	2.58	3.37	3.77	3.46	6.58	17.00	9.61	23.00
5200MHz	Pass	2.58	3.37	3.83	3.68	6.74	17.00	9.75	23.00
5240MHz	Pass	2.58	3.37	3.72	3.73	6.70	17.00	9.73	23.00
5260MHz	Pass	2.58	3.37	7.63	7.43	10.51	11.00	13.53	17.00
5300MHz	Pass	2.58	3.37	7.68	7.45	10.55	11.00	13.56	17.00
5320MHz	Pass	2.58	3.37	7.59	7.31	10.45	11.00	13.44	17.00
5500MHz	Pass	2.58	3.37	7.77	7.71	10.71	11.00	13.74	17.00
5580MHz	Pass	2.58	3.37	7.68	7.73	10.71	11.00	13.71	17.00
5700MHz	Pass	2.58	3.37	4.90	4.90	7.87	11.00	10.90	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	2.58	3.37	7.39	7.35	10.33	11.00	13.37	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	2.58	3.37	5.50	5.44	8.47	30.00	11.47	36.00
5745MHz	Pass	2.58	3.37	11.72	12.04	14.85	30.00	17.90	36.00
5785MHz	Pass	2.58	3.37	11.88	12.04	14.95	30.00	17.97	36.00
5825MHz	Pass	2.58	3.37	11.82	11.83	14.81	30.00	17.83	36.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5190MHz	Pass	2.58	3.37	1.21	0.82	3.93	17.00	7.00	23.00
5230MHz	Pass	2.58	3.37	0.99	0.58	3.76	17.00	6.77	23.00
5270MHz	Pass	2.58	3.37	4.72	4.70	7.70	11.00	10.71	17.00
5310MHz	Pass	2.58	3.37	4.86	4.79	7.82	11.00	10.83	17.00
5510MHz	Pass	2.58	3.37	4.30	4.02	7.12	11.00	10.15	17.00
5550MHz	Pass	2.58	3.37	5.48	5.09	8.29	11.00	11.27	17.00
5670MHz	Pass	2.58	3.37	4.82	4.94	7.84	11.00	10.89	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	2.58	3.37	4.82	4.71	7.67	11.00	10.76	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	2.58	3.37	2.68	2.90	5.79	30.00	8.80	36.00
5755MHz	Pass	2.58	3.37	8.75	8.62	11.65	30.00	14.68	36.00
5795MHz	Pass	2.58	3.37	9.32	9.39	12.35	30.00	15.36	36.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5210MHz	Pass	2.58	3.37	-1.66	-1.64	1.24	17.00	4.35	23.00
5290MHz	Pass	2.58	3.37	2.23	2.28	5.22	11.00	8.26	17.00
5530MHz	Pass	2.58	3.37	1.78	1.65	4.73	11.00	7.71	17.00
5610MHz	Pass	2.58	3.37	2.39	2.35	5.38	11.00	8.37	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	2.58	3.37	1.78	2.23	4.88	11.00	8.03	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	2.58	3.37	-1.38	0.05	2.35	30.00	5.46	36.00






Mode	Result	Port 1 Gain (dBi)	Port 2 Gain (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5775MHz	Pass	2.58	3.37	6.97	6.92	9.96	30.00	12.95	36.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

































































































































































































Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	47.46M	29.89	40.00	-10.11	3	Vertical	360	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	47.46M	29.89	40.00	-10.11	3	Vertical	360	1.00
5775MHz	Pass	PK	70.74M	29.26	40.00	-10.74	3	Vertical	360	1.00
5775MHz	Pass	PK	249.22M	21.43	46.00	-24.57	3	Vertical	360	1.00
5775MHz	Pass	PK	336.52M	24.17	46.00	-21.83	3	Vertical	360	1.00
5775MHz	Pass	PK	466.5M	28.23	46.00	-17.77	3	Vertical	360	1.00
5775MHz	Pass	PK	610.06M	29.90	46.00	-16.10	3	Vertical	360	1.00
5775MHz	Pass	PK	90.14M	28.57	43.50	-14.93	3	Horizontal	0	1.00
5775MHz	Pass	PK	105.66M	26.60	43.50	-16.90	3	Horizontal	0	1.00
5775MHz	Pass	PK	249.22M	28.07	46.00	-17.93	3	Horizontal	0	1.00
5775MHz	Pass	PK	456.8M	27.25	46.00	-18.75	3	Horizontal	0	1.00
5775MHz	Pass	PK	561.56M	29.76	46.00	-16.24	3	Horizontal	0	1.00
5775MHz	Pass	PK	774.96M	30.91	46.00	-15.09	3	Horizontal	0	1.00

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	47.46M	29.89	40.00	-10.11	-12.20	3	Vertical	360	1.00	42.09	14.25	1.11	27.56
PK	70.74M	29.26	40.00	-10.74	-14.69	3	Vertical	360	1.00	43.95	11.50	1.35	27.54
PK	249.22M	21.43	46.00	-24.57	-6.91	3	Vertical	360	1.00	28.34	17.51	2.63	27.05
PK	336.52M	24.17	46.00	-21.83	-4.94	3	Vertical	360	1.00	29.11	19.01	3.10	27.05
PK	466.5M	28.23	46.00	-17.77	-1.50	3	Vertical	360	1.00	29.73	22.66	3.70	27.86
PK	610.06M	29.90	46.00	-16.10	0.34	3	Vertical	360	1.00	29.56	24.10	4.39	28.15

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	90.14M	28.57	43.50	-14.93	-11.54	3	Horizontal	0	1.00	40.11	14.35	1.56	27.45
PK	105.66M	26.60	43.50	-16.90	-8.92	3	Horizontal	0	1.00	35.52	16.81	1.69	27.42
PK	249.22M	28.07	46.00	-17.93	-6.91	3	Horizontal	0	1.00	34.98	17.51	2.63	27.05
PK	456.8M	27.25	46.00	-18.75	-1.71	3	Horizontal	0	1.00	28.96	22.46	3.65	27.82
PK	561.56M	29.76	46.00	-16.24	0.11	3	Horizontal	0	1.00	29.65	24.26	4.08	28.23
PK	774.96M	30.91	46.00	-15.09	2.35	3	Horizontal	0	1.00	28.56	25.45	4.90	28.00



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1498G	53.06	54.00	-0.94	3	Vertical	333	1.52
802.11n HT20_Nss1,(MCS0)_2TX	Pass	AV	5.149G	52.66	54.00	-1.34	3	Horizontal	64	1.65
802.11n HT40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.06	54.00	-0.94	3	Horizontal	66	1.85
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	PK	5.15G	73.14	74.00	-0.86	3	Horizontal	60	1.63
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.94	54.00	-1.06	3	Horizontal	66	1.84
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	AV	5.146G	52.71	54.00	-1.29	3	Horizontal	64	1.72
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.13	54.00	-0.87	3	Horizontal	62	1.84
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.1496G	52.99	54.00	-1.01	3	Horizontal	56	1.56
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.147G	52.73	54.00	-1.27	3	Horizontal	58	1.61
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3502G	53.23	54.00	-0.77	3	Horizontal	61	1.66
802.11n HT20_Nss1,(MCS0)_2TX	Pass	AV	5.35G	52.96	54.00	-1.04	3	Horizontal	293	2.05
802.11n HT40_Nss1,(MCS0)_2TX	Pass	AV	5.3512G	52.96	54.00	-1.04	3	Horizontal	293	1.81
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	AV	5.3506G	52.80	54.00	-1.20	3	Horizontal	289	1.63
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	AV	5.3504G	52.94	54.00	-1.06	3	Horizontal	291	2.00
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	AV	5.352G	53.12	54.00	-0.88	3	Horizontal	294	2.19
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.21	54.00	-0.79	3	Horizontal	58	1.60
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.35G	52.82	54.00	-1.18	3	Horizontal	57	1.64
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.354G	53.07	54.00	-0.93	3	Horizontal	63	1.65
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.4696G	66.99	68.20	-1.21	3	Vertical	355	1.53
802.11n HT20_Nss1,(MCS0)_2TX	Pass	PK	5.7304G	67.19	68.20	-1.01	3	Horizontal	296	2.02
802.11n HT40_Nss1,(MCS0)_2TX	Pass	PK	5.47G	67.38	68.20	-0.82	3	Horizontal	300	2.15
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	PK	5.7256G	66.42	68.20	-1.78	3	Horizontal	298	2.03
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	PK	5.47G	67.23	68.20	-0.97	3	Vertical	354	1.32
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	PK	5.725G	67.42	68.20	-0.78	3	Horizontal	305	2.21
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.7264G	66.78	68.20	-1.42	3	Horizontal	305	2.30
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.4686G	67.23	68.20	-0.97	3	Vertical	355	1.49
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.727G	67.23	68.20	-0.97	3	Horizontal	304	2.38
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.6478G	64.89	68.20	-3.31	3	Horizontal	299	2.18
802.11n HT20_Nss1,(MCS0)_2TX	Pass	PK	5.6466G	64.83	68.20	-3.37	3	Horizontal	297	1.91
802.11n HT40_Nss1,(MCS0)_2TX	Pass	PK	5.927G	66.52	68.20	-1.68	3	Horizontal	298	1.86
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	PK	5.649G	65.63	68.20	-2.57	3	Horizontal	299	1.90
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	PK	5.9402G	67.00	68.20	-1.20	3	Horizontal	304	2.02
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	PK	5.643G	66.97	68.20	-1.23	3	Horizontal	298	2.06
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.49186G	51.01	54.00	-2.99	3	Vertical	352	2.96
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.9258G	67.30	68.20	-0.90	3	Horizontal	305	2.28
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.6502G	67.22	68.35	-1.13	3	Horizontal	302	2.15



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	53.06	54.00	-0.94	3	Vertical	333	1.52
5180MHz	Pass	AV	5.177G	108.01	Inf	-Inf	3	Vertical	333	1.52
5180MHz	Pass	PK	5.15G	71.70	74.00	-2.30	3	Vertical	333	1.52
5180MHz	Pass	PK	5.173G	118.51	Inf	-Inf	3	Vertical	333	1.52
5180MHz	Pass	AV	5.1474G	52.99	54.00	-1.01	3	Horizontal	61	1.72
5180MHz	Pass	AV	5.1822G	109.59	Inf	-Inf	3	Horizontal	61	1.72
5180MHz	Pass	PK	5.148G	71.95	74.00	-2.05	3	Horizontal	61	1.72
5180MHz	Pass	PK	5.1864G	118.81	Inf	-Inf	3	Horizontal	61	1.72
5180MHz	Pass	AV	15.53976G	41.80	54.00	-12.20	3	Vertical	346	1.49
5180MHz	Pass	PK	10.35862G	49.42	68.20	-18.78	3	Vertical	32	1.50
5180MHz	Pass	PK	15.53514G	55.66	74.00	-18.34	3	Vertical	346	1.49
5180MHz	Pass	AV	15.54354G	39.64	54.00	-14.36	3	Horizontal	57	1.42
5180MHz	Pass	PK	10.34998G	49.65	68.20	-18.55	3	Horizontal	335	1.49
5180MHz	Pass	PK	15.5421G	52.53	74.00	-21.47	3	Horizontal	57	1.42
5200MHz	Pass	AV	5.1492G	50.47	54.00	-3.53	3	Vertical	333	1.57
5200MHz	Pass	AV	5.204G	110.48	Inf	-Inf	3	Vertical	333	1.57
5200MHz	Pass	PK	5.1468G	68.71	74.00	-5.29	3	Vertical	333	1.57
5200MHz	Pass	PK	5.2036G	120.42	Inf	-Inf	3	Vertical	333	1.57
5200MHz	Pass	AV	5.1472G	50.78	54.00	-3.22	3	Horizontal	54	1.50
5200MHz	Pass	AV	5.202G	111.62	Inf	-Inf	3	Horizontal	54	1.50
5200MHz	Pass	PK	5.1472G	69.50	74.00	-4.50	3	Horizontal	54	1.50
5200MHz	Pass	PK	5.1988G	121.07	Inf	-Inf	3	Horizontal	54	1.50
5200MHz	Pass	AV	15.6003G	44.05	54.00	-9.95	3	Vertical	348	1.30
5200MHz	Pass	PK	10.41482G	49.94	68.20	-18.26	3	Vertical	295	1.24
5200MHz	Pass	PK	15.59946G	56.97	74.00	-17.03	3	Vertical	348	1.30
5200MHz	Pass	AV	15.6012G	40.39	54.00	-13.61	3	Horizontal	57	1.50
5200MHz	Pass	PK	10.40204G	49.87	68.20	-18.33	3	Horizontal	0	1.50
5200MHz	Pass	PK	15.60144G	53.10	74.00	-20.90	3	Horizontal	57	1.50
5240MHz	Pass	AV	5.1452G	49.58	54.00	-4.42	3	Vertical	332	1.57
5240MHz	Pass	AV	5.237G	109.37	Inf	-Inf	3	Vertical	332	1.57
5240MHz	Pass	AV	5.36G	47.60	54.00	-6.40	3	Vertical	332	1.57
5240MHz	Pass	PK	5.1356G	61.67	74.00	-12.33	3	Vertical	332	1.57
5240MHz	Pass	PK	5.2334G	119.42	Inf	-Inf	3	Vertical	332	1.57
5240MHz	Pass	PK	5.3726G	61.31	74.00	-12.69	3	Vertical	332	1.57
5240MHz	Pass	AV	5.1458G	50.59	54.00	-3.41	3	Horizontal	58	1.66
5240MHz	Pass	AV	5.2424G	111.67	Inf	-Inf	3	Horizontal	58	1.66
5240MHz	Pass	AV	5.351G	47.77	54.00	-6.23	3	Horizontal	58	1.66
5240MHz	Pass	PK	5.1386G	62.83	74.00	-11.17	3	Horizontal	58	1.66
5240MHz	Pass	PK	5.2388G	120.82	Inf	-Inf	3	Horizontal	58	1.66
5240MHz	Pass	PK	5.3504G	61.23	74.00	-12.77	3	Horizontal	58	1.66
5240MHz	Pass	AV	15.72012G	40.69	54.00	-13.31	3	Vertical	352	1.35
5240MHz	Pass	PK	10.46878G	49.93	68.20	-18.27	3	Vertical	16	2.41
5240MHz	Pass	PK	15.72498G	52.84	74.00	-21.16	3	Vertical	352	1.35
5240MHz	Pass	AV	15.72366G	39.07	54.00	-14.93	3	Horizontal	341	1.34
5240MHz	Pass	PK	10.49182G	49.97	68.20	-18.23	3	Horizontal	326	1.91
5240MHz	Pass	PK	15.7182G	50.84	74.00	-23.16	3	Horizontal	341	1.34
5260MHz	Pass	AV	5.1388G	47.14	54.00	-6.86	3	Vertical	331	1.50
5260MHz	Pass	AV	5.2612G	110.39	Inf	-Inf	3	Vertical	331	1.50
5260MHz	Pass	AV	5.3524G	49.75	54.00	-4.25	3	Vertical	331	1.50
5260MHz	Pass	PK	5.1406G	60.22	74.00	-13.78	3	Vertical	331	1.50
5260MHz	Pass	PK	5.2612G	120.19	Inf	-Inf	3	Vertical	331	1.50
5260MHz	Pass	PK	5.362G	62.76	74.00	-11.24	3	Vertical	331	1.50
5260MHz	Pass	AV	5.1256G	47.06	54.00	-6.94	3	Horizontal	64	1.77
5260MHz	Pass	AV	5.2576G	112.15	Inf	-Inf	3	Horizontal	64	1.77
5260MHz	Pass	AV	5.3674G	50.43	54.00	-3.57	3	Horizontal	64	1.77
5260MHz	Pass	PK	5.1124G	60.09	74.00	-13.91	3	Horizontal	64	1.77
5260MHz	Pass	PK	5.2576G	121.94	Inf	-Inf	3	Horizontal	64	1.77
5260MHz	Pass	PK	5.368G	62.65	74.00	-11.35	3	Horizontal	64	1.77
5260MHz	Pass	AV	15.78012G	41.02	54.00	-12.98	3	Vertical	352	1.34
5260MHz	Pass	PK	10.5056G	50.22	68.20	-17.98	3	Vertical	358	3.00



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	PK	15.7809G	53.19	74.00	-20.81	3	Vertical	352	1.34
5260MHz	Pass	AV	15.78522G	38.79	54.00	-15.21	3	Horizontal	66	1.50
5260MHz	Pass	PK	10.517G	50.72	68.20	-17.48	3	Horizontal	286	1.50
5260MHz	Pass	PK	15.78582G	51.83	74.00	-22.17	3	Horizontal	66	1.50
5300MHz	Pass	AV	5.3016G	110.42	Inf	-Inf	3	Vertical	332	1.47
5300MHz	Pass	AV	5.35G	52.19	54.00	-1.81	3	Vertical	332	1.47
5300MHz	Pass	PK	5.3012G	120.29	Inf	-Inf	3	Vertical	332	1.47
5300MHz	Pass	PK	5.35G	71.03	74.00	-2.97	3	Vertical	332	1.47
5300MHz	Pass	AV	5.298G	111.88	Inf	-Inf	3	Horizontal	56	1.61
5300MHz	Pass	AV	5.35G	51.77	54.00	-2.23	3	Horizontal	56	1.61
5300MHz	Pass	PK	5.2976G	121.48	Inf	-Inf	3	Horizontal	56	1.61
5300MHz	Pass	PK	5.3532G	71.35	74.00	-2.65	3	Horizontal	56	1.61
5300MHz	Pass	AV	10.60198G	37.67	54.00	-16.33	3	Vertical	338	1.00
5300MHz	Pass	AV	15.89388G	39.22	54.00	-14.78	3	Vertical	37	1.37
5300MHz	Pass	PK	10.5925G	49.50	68.20	-18.70	3	Vertical	338	1.00
5300MHz	Pass	PK	15.89976G	51.03	74.00	-22.97	3	Vertical	37	1.37
5300MHz	Pass	AV	15.90186G	38.54	54.00	-15.46	3	Horizontal	18	1.02
5300MHz	Pass	PK	10.61386G	50.50	74.00	-23.50	3	Horizontal	211	1.50
5300MHz	Pass	PK	15.89766G	51.79	74.00	-22.21	3	Horizontal	18	1.02
5320MHz	Pass	AV	5.3178G	106.52	Inf	-Inf	3	Vertical	47	1.64
5320MHz	Pass	AV	5.35G	51.77	54.00	-2.23	3	Vertical	47	1.64
5320MHz	Pass	PK	5.3176G	115.83	Inf	-Inf	3	Vertical	47	1.64
5320MHz	Pass	PK	5.35G	70.39	74.00	-3.61	3	Vertical	47	1.64
5320MHz	Pass	AV	5.3222G	108.63	Inf	-Inf	3	Horizontal	61	1.66
5320MHz	Pass	AV	5.3502G	53.23	54.00	-0.77	3	Horizontal	61	1.66
5320MHz	Pass	PK	5.3264G	117.77	Inf	-Inf	3	Horizontal	61	1.66
5320MHz	Pass	PK	5.35G	73.20	74.00	-0.80	3	Horizontal	61	1.66
5320MHz	Pass	AV	10.64108G	38.09	54.00	-15.91	3	Vertical	193	1.50
5320MHz	Pass	AV	15.95934G	38.15	54.00	-15.85	3	Vertical	302	2.75
5320MHz	Pass	PK	10.63196G	51.15	74.00	-22.85	3	Vertical	193	1.50
5320MHz	Pass	PK	15.9609G	50.51	74.00	-23.49	3	Vertical	302	2.75
5320MHz	Pass	AV	10.63784G	37.85	54.00	-16.15	3	Horizontal	234	1.50
5320MHz	Pass	AV	15.96144G	38.05	54.00	-15.95	3	Horizontal	316	1.19
5320MHz	Pass	PK	10.6388G	50.14	74.00	-23.86	3	Horizontal	234	1.50
5320MHz	Pass	PK	15.95388G	50.22	74.00	-23.78	3	Horizontal	316	1.19
5500MHz	Pass	AV	5.4578G	47.05	54.00	-6.95	3	Vertical	355	1.53
5500MHz	Pass	AV	5.4938G	103.34	Inf	-Inf	3	Vertical	355	1.53
5500MHz	Pass	PK	5.4512G	59.97	74.00	-14.03	3	Vertical	355	1.53
5500MHz	Pass	PK	5.4696G	66.99	68.20	-1.21	3	Vertical	355	1.53
5500MHz	Pass	PK	5.493G	113.94	Inf	-Inf	3	Vertical	355	1.53
5500MHz	Pass	AV	5.4538G	46.75	54.00	-7.25	3	Horizontal	296	2.44
5500MHz	Pass	AV	5.4978G	105.89	Inf	-Inf	3	Horizontal	296	2.44
5500MHz	Pass	PK	5.458G	59.71	74.00	-14.29	3	Horizontal	296	2.44
5500MHz	Pass	PK	5.4698G	66.85	68.20	-1.35	3	Horizontal	296	2.44
5500MHz	Pass	PK	5.493G	115.16	Inf	-Inf	3	Horizontal	296	2.44
5500MHz	Pass	AV	10.98602G	38.15	54.00	-15.85	3	Vertical	345	1.50
5500MHz	Pass	PK	11.01068G	50.96	74.00	-23.04	3	Vertical	345	1.50
5500MHz	Pass	PK	16.49796G	50.77	68.20	-17.43	3	Vertical	19	1.50
5500MHz	Pass	AV	10.99376G	38.20	54.00	-15.80	3	Horizontal	323	1.12
5500MHz	Pass	PK	10.9967G	50.66	74.00	-23.34	3	Horizontal	323	1.12
5500MHz	Pass	PK	16.49502G	51.25	68.20	-16.95	3	Horizontal	3	1.50
5580MHz	Pass	AV	5.457G	47.41	54.00	-6.59	3	Vertical	351	1.40
5580MHz	Pass	AV	5.5842G	109.49	Inf	-Inf	3	Vertical	351	1.40
5580MHz	Pass	PK	5.4564G	61.18	74.00	-12.82	3	Vertical	351	1.40
5580MHz	Pass	PK	5.4612G	61.42	68.20	-6.78	3	Vertical	351	1.40
5580MHz	Pass	PK	5.5836G	119.52	Inf	-Inf	3	Vertical	351	1.40
5580MHz	Pass	PK	5.7288G	60.95	68.20	-7.25	3	Vertical	351	1.40
5580MHz	Pass	AV	5.4528G	47.13	54.00	-6.87	3	Horizontal	299	2.21
5580MHz	Pass	AV	5.5818G	111.94	Inf	-Inf	3	Horizontal	299	2.21
5580MHz	Pass	PK	5.4516G	60.42	74.00	-13.58	3	Horizontal	299	2.21
5580MHz	Pass	PK	5.4678G	60.14	68.20	-8.06	3	Horizontal	299	2.21
5580MHz	Pass	PK	5.5848G	122.01	Inf	-Inf	3	Horizontal	299	2.21



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	5.7258G	61.32	68.20	-6.88	3	Horizontal	299	2.21
5580MHz	Pass	AV	11.1621G	39.73	54.00	-14.27	3	Vertical	8	1.02
5580MHz	Pass	PK	11.16162G	51.43	74.00	-22.57	3	Vertical	8	1.02
5580MHz	Pass	PK	16.7457G	51.62	68.20	-16.58	3	Vertical	351	1.50
5580MHz	Pass	AV	11.16132G	38.76	54.00	-15.24	3	Horizontal	41	1.49
5580MHz	Pass	PK	11.16336G	51.23	74.00	-22.77	3	Horizontal	41	1.49
5580MHz	Pass	PK	16.7355G	51.91	68.20	-16.29	3	Horizontal	162	1.50
5700MHz	Pass	AV	5.7008G	104.44	Inf	-Inf	3	Vertical	352	1.53
5700MHz	Pass	PK	5.7008G	114.72	Inf	-Inf	3	Vertical	352	1.53
5700MHz	Pass	PK	5.7252G	66.82	68.20	-1.38	3	Vertical	352	1.53
5700MHz	Pass	AV	5.702G	106.32	Inf	-Inf	3	Horizontal	304	2.30
5700MHz	Pass	PK	5.7064G	115.42	Inf	-Inf	3	Horizontal	304	2.30
5700MHz	Pass	PK	5.7276G	66.80	68.20	-1.40	3	Horizontal	304	2.30
5700MHz	Pass	AV	11.39904G	42.83	54.00	-11.17	3	Vertical	0	3.00
5700MHz	Pass	PK	11.3952G	54.19	74.00	-19.81	3	Vertical	0	3.00
5700MHz	Pass	PK	17.09718G	50.90	68.20	-17.30	3	Vertical	3	1.44
5700MHz	Pass	AV	11.40144G	39.55	54.00	-14.45	3	Horizontal	71	1.50
5700MHz	Pass	PK	11.40156G	51.28	74.00	-22.72	3	Horizontal	71	1.50
5700MHz	Pass	PK	17.11356G	50.69	68.20	-17.51	3	Horizontal	224	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4212G	46.70	54.00	-7.30	3	Vertical	351	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	110.77	Inf	-Inf	3	Vertical	351	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4452G	59.13	74.00	-14.87	3	Vertical	351	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	59.99	68.20	-8.21	3	Vertical	351	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	120.87	Inf	-Inf	3	Vertical	351	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8664G	61.39	68.20	-6.81	3	Vertical	351	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4452G	46.60	54.00	-7.40	3	Horizontal	301	2.22
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	112.96	Inf	-Inf	3	Horizontal	301	2.22
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4332G	59.70	74.00	-14.30	3	Horizontal	301	2.22
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	58.50	68.20	-9.70	3	Horizontal	301	2.22
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	122.36	Inf	-Inf	3	Horizontal	301	2.22
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.912G	61.49	68.20	-6.71	3	Horizontal	301	2.22
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44252G	49.68	54.00	-4.32	3	Vertical	1	2.97
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43868G	60.76	74.00	-13.24	3	Vertical	1	2.97
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16788G	50.55	68.20	-17.65	3	Vertical	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44096G	43.82	54.00	-10.18	3	Horizontal	69	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44144G	55.81	74.00	-18.19	3	Horizontal	69	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15364G	50.64	68.20	-17.56	3	Horizontal	58	1.50
5745MHz	Pass	AV	5.457G	46.33	54.00	-7.67	3	Vertical	351	1.37
5745MHz	Pass	AV	5.7414G	111.22	Inf	-Inf	3	Vertical	351	1.37
5745MHz	Pass	PK	5.6502G	63.10	68.35	-5.25	3	Vertical	351	1.37
5745MHz	Pass	PK	5.7378G	121.22	Inf	-Inf	3	Vertical	351	1.37
5745MHz	Pass	PK	5.9598G	61.16	68.20	-7.04	3	Vertical	351	1.37
5745MHz	Pass	AV	5.4534G	46.59	54.00	-7.41	3	Horizontal	299	2.18
5745MHz	Pass	AV	5.7474G	113.27	Inf	-Inf	3	Horizontal	299	2.18
5745MHz	Pass	PK	5.6478G	64.89	68.20	-3.31	3	Horizontal	299	2.18
5745MHz	Pass	PK	5.7426G	122.92	Inf	-Inf	3	Horizontal	299	2.18
5745MHz	Pass	PK	5.943G	61.57	68.20	-6.63	3	Horizontal	299	2.18
5745MHz	Pass	AV	11.4927G	50.57	54.00	-3.43	3	Vertical	0	2.95
5745MHz	Pass	PK	11.48784G	62.66	74.00	-11.34	3	Vertical	0	2.95
5745MHz	Pass	PK	17.22792G	50.25	68.20	-17.95	3	Vertical	40	1.50
5745MHz	Pass	AV	11.49132G	45.85	54.00	-8.15	3	Horizontal	66	1.58
5745MHz	Pass	PK	11.49552G	57.35	74.00	-16.65	3	Horizontal	66	1.58
5745MHz	Pass	PK	17.23188G	51.48	68.20	-16.72	3	Horizontal	148	1.50
5785MHz	Pass	AV	5.7825G	111.19	Inf	-Inf	3	Vertical	351	1.37
5785MHz	Pass	PK	5.55018G	60.24	68.20	-7.96	3	Vertical	351	1.37
5785MHz	Pass	PK	5.77766G	121.32	Inf	-Inf	3	Vertical	351	1.37
5785MHz	Pass	PK	6.06564G	60.95	68.20	-7.25	3	Vertical	351	1.37
5785MHz	Pass	AV	5.78734G	113.58	Inf	-Inf	3	Horizontal	300	2.06
5785MHz	Pass	PK	5.61431G	61.55	68.20	-6.65	3	Horizontal	300	2.06
5785MHz	Pass	PK	5.79097G	122.88	Inf	-Inf	3	Horizontal	300	2.06
5785MHz	Pass	PK	6.02813G	62.60	68.20	-5.60	3	Horizontal	300	2.06
5785MHz	Pass	AV	11.56976G	50.61	54.00	-3.39	3	Vertical	352	2.98



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	11.56952G	62.46	74.00	-11.54	3	Vertical	352	2.98
5785MHz	Pass	PK	17.34564G	51.47	68.20	-16.73	3	Vertical	0	1.50
5785MHz	Pass	AV	11.57012G	46.54	54.00	-7.46	3	Horizontal	53	2.42
5785MHz	Pass	PK	11.57738G	58.06	74.00	-15.94	3	Horizontal	53	2.42
5785MHz	Pass	PK	17.34042G	51.49	68.20	-16.71	3	Horizontal	354	1.39
5825MHz	Pass	AV	5.8262G	111.51	Inf	-Inf	3	Vertical	356	3.00
5825MHz	Pass	PK	5.6162G	59.61	68.20	-8.59	3	Vertical	356	3.00
5825MHz	Pass	PK	5.8298G	121.62	Inf	-Inf	3	Vertical	356	3.00
5825MHz	Pass	PK	5.9258G	62.98	68.20	-5.22	3	Vertical	356	3.00
5825MHz	Pass	AV	5.8274G	113.57	Inf	-Inf	3	Horizontal	302	2.16
5825MHz	Pass	PK	5.6306G	63.19	68.20	-5.01	3	Horizontal	302	2.16
5825MHz	Pass	PK	5.8238G	123.06	Inf	-Inf	3	Horizontal	302	2.16
5825MHz	Pass	PK	5.9282G	64.77	68.20	-3.43	3	Horizontal	302	2.16
5825MHz	Pass	AV	11.65042G	48.88	54.00	-5.12	3	Vertical	350	3.00
5825MHz	Pass	PK	11.6458G	61.08	74.00	-12.92	3	Vertical	350	3.00
5825MHz	Pass	PK	17.47986G	51.97	68.20	-16.23	3	Vertical	22	1.50
5825MHz	Pass	AV	11.6506G	44.12	54.00	-9.88	3	Horizontal	51	1.50
5825MHz	Pass	PK	11.65312G	56.35	74.00	-17.65	3	Horizontal	51	1.50
5825MHz	Pass	PK	17.47944G	51.87	68.20	-16.33	3	Horizontal	360	1.50
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	52.59	54.00	-1.41	3	Vertical	328	1.35
5180MHz	Pass	AV	5.1784G	106.59	Inf	-Inf	3	Vertical	328	1.35
5180MHz	Pass	PK	5.1492G	70.32	74.00	-3.68	3	Vertical	328	1.35
5180MHz	Pass	PK	5.183G	117.54	Inf	-Inf	3	Vertical	328	1.35
5180MHz	Pass	AV	5.149G	52.66	54.00	-1.34	3	Horizontal	64	1.65
5180MHz	Pass	AV	5.181G	107.76	Inf	-Inf	3	Horizontal	64	1.65
5180MHz	Pass	PK	5.149G	69.50	74.00	-4.50	3	Horizontal	64	1.65
5180MHz	Pass	PK	5.1808G	118.31	Inf	-Inf	3	Horizontal	64	1.65
5180MHz	Pass	AV	15.54018G	40.33	54.00	-13.67	3	Vertical	348	1.36
5180MHz	Pass	PK	10.36558G	50.03	68.20	-18.17	3	Vertical	4	2.13
5180MHz	Pass	PK	15.53202G	54.69	74.00	-19.31	3	Vertical	348	1.36
5180MHz	Pass	AV	15.53334G	38.86	54.00	-15.14	3	Horizontal	61	1.50
5180MHz	Pass	PK	10.3708G	50.51	68.20	-17.69	3	Horizontal	250	1.00
5180MHz	Pass	PK	15.5328G	52.11	74.00	-21.89	3	Horizontal	61	1.50
5200MHz	Pass	AV	5.15G	50.88	54.00	-3.12	3	Vertical	331	1.40
5200MHz	Pass	AV	5.1984G	109.70	Inf	-Inf	3	Vertical	331	1.40
5200MHz	Pass	PK	5.1488G	68.17	74.00	-5.83	3	Vertical	331	1.40
5200MHz	Pass	PK	5.198G	119.95	Inf	-Inf	3	Vertical	331	1.40
5200MHz	Pass	AV	5.15G	52.03	54.00	-1.97	3	Horizontal	62	1.61
5200MHz	Pass	AV	5.2008G	110.52	Inf	-Inf	3	Horizontal	62	1.61
5200MHz	Pass	PK	5.1476G	69.77	74.00	-4.23	3	Horizontal	62	1.61
5200MHz	Pass	PK	5.2008G	120.90	Inf	-Inf	3	Horizontal	62	1.61
5200MHz	Pass	AV	15.6003G	38.11	54.00	-15.89	3	Vertical	119	1.70
5200MHz	Pass	PK	10.41356G	49.92	68.20	-18.28	3	Vertical	8	1.50
5200MHz	Pass	PK	15.61494G	50.11	74.00	-23.89	3	Vertical	119	1.70
5200MHz	Pass	AV	15.58578G	38.02	54.00	-15.98	3	Horizontal	189	1.14
5200MHz	Pass	PK	10.3955G	50.67	68.20	-17.53	3	Horizontal	114	1.50
5200MHz	Pass	PK	15.58626G	50.33	74.00	-23.67	3	Horizontal	189	1.14
5240MHz	Pass	AV	5.1386G	48.63	54.00	-5.37	3	Vertical	333	1.38
5240MHz	Pass	AV	5.2382G	109.28	Inf	-Inf	3	Vertical	333	1.38
5240MHz	Pass	AV	5.3636G	47.78	54.00	-6.22	3	Vertical	333	1.38
5240MHz	Pass	PK	5.1452G	61.61	74.00	-12.39	3	Vertical	333	1.38
5240MHz	Pass	PK	5.2382G	120.08	Inf	-Inf	3	Vertical	333	1.38
5240MHz	Pass	PK	5.3648G	60.70	74.00	-13.30	3	Vertical	333	1.38
5240MHz	Pass	AV	5.141G	50.07	54.00	-3.93	3	Horizontal	64	1.67
5240MHz	Pass	AV	5.2388G	111.06	Inf	-Inf	3	Horizontal	64	1.67
5240MHz	Pass	AV	5.35G	47.62	54.00	-6.38	3	Horizontal	64	1.67
5240MHz	Pass	PK	5.1332G	62.63	74.00	-11.37	3	Horizontal	64	1.67
5240MHz	Pass	PK	5.2328G	121.62	Inf	-Inf	3	Horizontal	64	1.67
5240MHz	Pass	PK	5.387G	60.49	74.00	-13.51	3	Horizontal	64	1.67
5240MHz	Pass	AV	15.70524G	38.60	54.00	-15.40	3	Vertical	161	1.67
5240MHz	Pass	AV	15.71926G	38.42	54.00	-15.58	3	Vertical	116	2.67



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	10.47912G	49.47	68.20	-18.73	3	Vertical	7	1.87
5240MHz	Pass	PK	15.71076G	50.85	74.00	-23.15	3	Vertical	161	1.94
5240MHz	Pass	PK	15.72066G	50.45	74.00	-23.55	3	Vertical	116	2.67
5240MHz	Pass	AV	15.7203G	38.39	54.00	-15.61	3	Horizontal	140	1.87
5240MHz	Pass	PK	10.48864G	49.94	68.20	-18.26	3	Horizontal	42	1.37
5240MHz	Pass	PK	15.71948G	50.78	74.00	-23.22	3	Horizontal	140	1.87
5260MHz	Pass	AV	5.137G	46.94	54.00	-7.06	3	Vertical	329	1.38
5260MHz	Pass	AV	5.2582G	109.32	Inf	-Inf	3	Vertical	329	1.38
5260MHz	Pass	AV	5.3518G	49.21	54.00	-4.79	3	Vertical	329	1.38
5260MHz	Pass	PK	5.131G	59.93	74.00	-14.07	3	Vertical	329	1.38
5260MHz	Pass	PK	5.2582G	120.19	Inf	-Inf	3	Vertical	329	1.38
5260MHz	Pass	PK	5.3542G	62.86	74.00	-11.14	3	Vertical	329	1.38
5260MHz	Pass	AV	5.143G	47.65	54.00	-6.35	3	Horizontal	290	1.76
5260MHz	Pass	AV	5.2588G	111.48	Inf	-Inf	3	Horizontal	290	1.76
5260MHz	Pass	AV	5.3518G	50.39	54.00	-3.61	3	Horizontal	290	1.76
5260MHz	Pass	PK	5.1364G	60.25	74.00	-13.75	3	Horizontal	290	1.76
5260MHz	Pass	PK	5.2606G	121.75	Inf	-Inf	3	Horizontal	290	1.76
5260MHz	Pass	PK	5.3608G	62.68	74.00	-11.32	3	Horizontal	290	1.76
5260MHz	Pass	AV	15.77974G	40.34	54.00	-13.66	3	Vertical	89	2.42
5260MHz	Pass	PK	10.52083G	47.56	68.20	-20.64	3	Vertical	34	1.22
5260MHz	Pass	PK	15.78032G	47.46	74.00	-26.54	3	Vertical	89	2.42
5260MHz	Pass	AV	15.77923G	40.42	54.00	-13.58	3	Horizontal	20	2.25
5260MHz	Pass	PK	10.5164G	46.99	68.20	-21.21	3	Horizontal	169	1.89
5260MHz	Pass	PK	15.78042G	48.93	74.00	-25.07	3	Horizontal	20	2.25
5300MHz	Pass	AV	5.2984G	109.24	Inf	-Inf	3	Vertical	326	1.34
5300MHz	Pass	AV	5.3508G	51.10	54.00	-2.90	3	Vertical	326	1.34
5300MHz	Pass	PK	5.296G	119.41	Inf	-Inf	3	Vertical	326	1.34
5300MHz	Pass	PK	5.3512G	72.09	74.00	-1.91	3	Vertical	326	1.34
5300MHz	Pass	AV	5.2988G	111.11	Inf	-Inf	3	Horizontal	293	2.05
5300MHz	Pass	AV	5.35G	52.96	54.00	-1.04	3	Horizontal	293	2.05
5300MHz	Pass	PK	5.3008G	121.24	Inf	-Inf	3	Horizontal	293	2.05
5300MHz	Pass	PK	5.3504G	71.94	74.00	-2.06	3	Horizontal	293	2.05
5300MHz	Pass	AV	15.9G	40.82	54.00	-13.18	3	Vertical	200	2.95
5300MHz	Pass	PK	10.60062G	47.74	74.00	-26.26	3	Vertical	193	1.29
5300MHz	Pass	PK	15.899G	47.63	74.00	-26.37	3	Vertical	200	2.95
5300MHz	Pass	AV	10.60052G	40.30	54.00	-13.70	3	Horizontal	165	2.04
5300MHz	Pass	AV	15.90067G	40.75	54.00	-13.25	3	Horizontal	148	2.27
5300MHz	Pass	PK	10.6004G	47.04	74.00	-26.96	3	Horizontal	165	2.04
5300MHz	Pass	PK	15.89901G	48.52	74.00	-25.48	3	Horizontal	148	2.27
5320MHz	Pass	AV	5.3184G	105.54	Inf	-Inf	3	Vertical	335	1.33
5320MHz	Pass	AV	5.351G	50.62	54.00	-3.38	3	Vertical	335	1.33
5320MHz	Pass	PK	5.3136G	116.53	Inf	-Inf	3	Vertical	335	1.33
5320MHz	Pass	PK	5.3508G	70.26	74.00	-3.74	3	Vertical	335	1.33
5320MHz	Pass	AV	5.3186G	107.33	Inf	-Inf	3	Horizontal	288	1.64
5320MHz	Pass	AV	5.35G	51.37	54.00	-2.63	3	Horizontal	288	1.64
5320MHz	Pass	PK	5.3208G	117.26	Inf	-Inf	3	Horizontal	288	1.64
5320MHz	Pass	PK	5.3502G	70.67	74.00	-3.33	3	Horizontal	288	1.64
5320MHz	Pass	AV	10.6402G	40.62	54.00	-13.38	3	Vertical	58	2.09
5320MHz	Pass	AV	15.959G	41.42	54.00	-12.58	3	Vertical	144	2.74
5320MHz	Pass	PK	10.63993G	47.70	74.00	-26.30	3	Vertical	58	2.09
5320MHz	Pass	PK	15.96036G	48.87	74.00	-25.13	3	Vertical	144	2.74
5320MHz	Pass	AV	10.642G	40.86	54.00	-13.14	3	Horizontal	247	2.53
5320MHz	Pass	AV	15.95968G	41.28	54.00	-12.72	3	Horizontal	171	2.11
5320MHz	Pass	PK	10.6382G	50.15	74.00	-23.85	3	Horizontal	247	2.53
5320MHz	Pass	PK	15.96052G	49.17	74.00	-24.83	3	Horizontal	171	2.11
5500MHz	Pass	AV	5.4568G	47.26	54.00	-6.74	3	Vertical	353	1.51
5500MHz	Pass	AV	5.4986G	103.56	Inf	-Inf	3	Vertical	353	1.51
5500MHz	Pass	PK	5.4578G	60.69	74.00	-13.31	3	Vertical	353	1.51
5500MHz	Pass	PK	5.4696G	63.60	68.20	-4.60	3	Vertical	353	1.51
5500MHz	Pass	PK	5.4958G	115.01	Inf	-Inf	3	Vertical	353	1.51
5500MHz	Pass	AV	5.459G	47.13	54.00	-6.87	3	Horizontal	297	2.11
5500MHz	Pass	AV	5.4968G	105.60	Inf	-Inf	3	Horizontal	297	2.11



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	5.4592G	60.91	74.00	-13.09	3	Horizontal	297	2.11
5500MHz	Pass	PK	5.4696G	63.39	68.20	-4.81	3	Horizontal	297	2.11
5500MHz	Pass	PK	5.5008G	115.98	Inf	-Inf	3	Horizontal	297	2.11
5500MHz	Pass	AV	10.999G	40.11	54.00	-13.89	3	Vertical	70	1.48
5500MHz	Pass	PK	10.99964G	48.63	74.00	-25.37	3	Vertical	70	1.48
5500MHz	Pass	PK	16.50077G	48.36	68.20	-19.84	3	Vertical	27	2.89
5500MHz	Pass	AV	10.99432G	40.35	54.00	-13.65	3	Horizontal	256	1.11
5500MHz	Pass	PK	11.00688G	48.57	74.00	-25.43	3	Horizontal	256	1.11
5500MHz	Pass	PK	16.501G	48.45	68.20	-19.75	3	Horizontal	127	2.86
5580MHz	Pass	AV	5.4594G	47.79	54.00	-6.21	3	Vertical	352	1.50
5580MHz	Pass	AV	5.5782G	109.44	Inf	-Inf	3	Vertical	352	1.50
5580MHz	Pass	PK	5.4552G	60.84	74.00	-13.16	3	Vertical	352	1.50
5580MHz	Pass	PK	5.4642G	60.44	68.20	-7.76	3	Vertical	352	1.50
5580MHz	Pass	PK	5.5746G	120.03	Inf	-Inf	3	Vertical	352	1.50
5580MHz	Pass	PK	5.727G	61.04	68.20	-7.16	3	Vertical	352	1.50
5580MHz	Pass	AV	5.4504G	47.32	54.00	-6.68	3	Horizontal	301	2.12
5580MHz	Pass	AV	5.5812G	111.09	Inf	-Inf	3	Horizontal	301	2.12
5580MHz	Pass	PK	5.4546G	61.09	74.00	-12.91	3	Horizontal	301	2.12
5580MHz	Pass	PK	5.4612G	60.50	68.20	-7.70	3	Horizontal	301	2.12
5580MHz	Pass	PK	5.5806G	121.41	Inf	-Inf	3	Horizontal	301	2.12
5580MHz	Pass	PK	5.7258G	61.48	68.20	-6.72	3	Horizontal	301	2.12
5580MHz	Pass	AV	11.16031G	40.75	54.00	-13.25	3	Vertical	235	1.26
5580MHz	Pass	PK	11.1593G	49.16	74.00	-24.84	3	Vertical	235	1.26
5580MHz	Pass	PK	16.739G	48.40	68.20	-19.80	3	Vertical	8	2.84
5580MHz	Pass	AV	11.1652G	40.70	54.00	-13.30	3	Horizontal	269	2.32
5580MHz	Pass	PK	11.15228G	48.04	74.00	-25.96	3	Horizontal	269	2.32
5580MHz	Pass	PK	16.7404G	49.00	68.20	-19.20	3	Horizontal	233	1.94
5700MHz	Pass	AV	5.6988G	103.41	Inf	-Inf	3	Vertical	352	1.33
5700MHz	Pass	PK	5.7004G	114.65	Inf	-Inf	3	Vertical	352	1.33
5700MHz	Pass	PK	5.728G	65.46	68.20	-2.74	3	Vertical	352	1.33
5700MHz	Pass	AV	5.7008G	105.17	Inf	-Inf	3	Horizontal	296	2.02
5700MHz	Pass	PK	5.7008G	115.66	Inf	-Inf	3	Horizontal	296	2.02
5700MHz	Pass	PK	5.7304G	67.19	68.20	-1.01	3	Horizontal	296	2.02
5700MHz	Pass	AV	11.4001G	41.29	54.00	-12.71	3	Vertical	348	2.65
5700MHz	Pass	PK	11.39938G	49.26	74.00	-24.74	3	Vertical	348	2.65
5700MHz	Pass	PK	17.10046G	49.04	68.20	-19.16	3	Vertical	125	2.04
5700MHz	Pass	AV	11.40404G	41.56	54.00	-12.44	3	Horizontal	236	1.05
5700MHz	Pass	PK	11.4004G	48.20	74.00	-25.80	3	Horizontal	236	1.05
5700MHz	Pass	PK	17.10028G	47.88	68.20	-20.32	3	Horizontal	14	1.84
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	46.61	54.00	-7.39	3	Vertical	352	1.27
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	110.02	Inf	-Inf	3	Vertical	352	1.27
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4248G	59.02	74.00	-14.98	3	Vertical	352	1.27
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	59.70	68.20	-8.50	3	Vertical	352	1.27
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	120.79	Inf	-Inf	3	Vertical	352	1.27
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.894G	61.20	68.20	-7.00	3	Vertical	352	1.27
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4452G	46.57	54.00	-7.43	3	Horizontal	299	2.01
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	112.30	Inf	-Inf	3	Horizontal	299	2.01
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4368G	59.44	74.00	-14.56	3	Horizontal	299	2.01
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	59.06	68.20	-9.14	3	Horizontal	299	2.01
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	122.60	Inf	-Inf	3	Horizontal	299	2.01
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9036G	61.52	68.20	-6.68	3	Horizontal	299	2.01
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43904G	41.09	54.00	-12.91	3	Vertical	116	2.29
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43996G	49.30	74.00	-24.70	3	Vertical	116	2.29
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15967G	48.02	68.20	-20.18	3	Vertical	289	1.45
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4338G	41.12	54.00	-12.88	3	Horizontal	278	2.03
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43384G	48.01	74.00	-25.99	3	Horizontal	278	2.03
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.161G	47.53	68.20	-20.67	3	Horizontal	266	2.53
5745MHz	Pass	AV	5.4462G	46.08	54.00	-7.92	3	Vertical	353	1.05
5745MHz	Pass	AV	5.7426G	110.84	Inf	-Inf	3	Vertical	353	1.05
5745MHz	Pass	PK	5.643G	61.80	68.20	-6.40	3	Vertical	353	1.05
5745MHz	Pass	PK	5.7414G	121.76	Inf	-Inf	3	Vertical	353	1.05
5745MHz	Pass	PK	5.9454G	61.56	68.20	-6.64	3	Vertical	353	1.05



RSE TX above 1GHz

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5745MHz	Pass	AV	5.4462G	46.45	54.00	-7.55	3	Horizontal	297	1.91
5745MHz	Pass	AV	5.7438G	112.88	Inf	-Inf	3	Horizontal	297	1.91
5745MHz	Pass	PK	5.6466G	64.83	68.20	-3.37	3	Horizontal	297	1.91
5745MHz	Pass	PK	5.7474G	123.06	Inf	-Inf	3	Horizontal	297	1.91
5745MHz	Pass	PK	5.9442G	62.00	68.20	-6.20	3	Horizontal	297	1.91
5745MHz	Pass	AV	11.49043G	41.08	54.00	-12.92	3	Vertical	83	2.88
5745MHz	Pass	PK	11.49024G	48.79	74.00	-25.21	3	Vertical	83	2.88
5745MHz	Pass	PK	17.23596G	47.23	68.20	-20.97	3	Vertical	253	2.09
5745MHz	Pass	AV	11.48064G	41.20	54.00	-12.80	3	Horizontal	133	2.49
5745MHz	Pass	PK	11.4868G	50.57	74.00	-23.43	3	Horizontal	133	2.49
5745MHz	Pass	PK	17.23522G	47.66	68.20	-20.54	3	Horizontal	206	1.34
5785MHz	Pass	AV	5.78371G	109.00	Inf	-Inf	3	Vertical	112	1.52
5785MHz	Pass	PK	5.57801G	60.20	68.20	-8.00	3	Vertical	112	1.52
5785MHz	Pass	PK	5.78129G	119.76	Inf	-Inf	3	Vertical	112	1.52
5785MHz	Pass	PK	5.99062G	60.96	68.20	-7.24	3	Vertical	112	1.52
5785MHz	Pass	AV	5.78855G	112.93	Inf	-Inf	3	Horizontal	304	2.06
5785MHz	Pass	PK	5.59132G	62.26	68.20	-5.94	3	Horizontal	304	2.06
5785MHz	Pass	PK	5.78371G	122.78	Inf	-Inf	3	Horizontal	304	2.06
5785MHz	Pass	PK	6.06443G	61.88	68.20	-6.32	3	Horizontal	304	2.06
5785MHz	Pass	AV	11.57077G	40.64	54.00	-13.36	3	Vertical	115	1.35
5785MHz	Pass	PK	11.57076G	47.68	74.00	-26.32	3	Vertical	115	1.35
5785MHz	Pass	PK	17.356G	49.62	68.20	-18.58	3	Vertical	23	2.33
5785MHz	Pass	AV	11.57048G	41.01	54.00	-12.99	3	Horizontal	106	3.00
5785MHz	Pass	PK	11.57808G	48.73	74.00	-25.27	3	Horizontal	106	3.00
5785MHz	Pass	PK	17.35586G	49.06	68.20	-19.14	3	Horizontal	36	1.18
5825MHz	Pass	AV	5.8226G	109.85	Inf	-Inf	3	Vertical	282	1.48
5825MHz	Pass	PK	5.6174G	60.55	68.20	-7.65	3	Vertical	282	1.48
5825MHz	Pass	PK	5.8202G	120.16	Inf	-Inf	3	Vertical	282	1.48
5825MHz	Pass	PK	5.9294G	62.80	68.20	-5.40	3	Vertical	282	1.48
5825MHz	Pass	AV	5.8238G	111.51	Inf	-Inf	3	Horizontal	314	2.13
5825MHz	Pass	PK	5.6258G	63.09	68.20	-5.11	3	Horizontal	314	2.13
5825MHz	Pass	PK	5.8262G	121.20	Inf	-Inf	3	Horizontal	314	2.13
5825MHz	Pass	PK	5.9306G	63.59	68.20	-4.61	3	Horizontal	314	2.13
5825MHz	Pass	AV	11.65083G	40.63	54.00	-13.37	3	Vertical	29	1.68
5825MHz	Pass	PK	11.649G	46.82	74.00	-27.18	3	Vertical	29	1.68
5825MHz	Pass	PK	17.476G	48.01	68.20	-20.19	3	Vertical	301	1.68
5825MHz	Pass	AV	11.64824G	40.64	54.00	-13.36	3	Horizontal	207	1.10
5825MHz	Pass	PK	11.64188G	48.70	74.00	-25.30	3	Horizontal	207	1.10
5825MHz	Pass	PK	17.475G	49.10	68.20	-19.10	3	Horizontal	328	1.23
802.11n HT40_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	51.90	54.00	-2.10	3	Vertical	328	1.35
5190MHz	Pass	AV	5.1936G	101.42	Inf	-Inf	3	Vertical	328	1.35
5190MHz	Pass	PK	5.15G	69.26	74.00	-4.74	3	Vertical	328	1.35
5190MHz	Pass	PK	5.1932G	112.11	Inf	-Inf	3	Vertical	328	1.35
5190MHz	Pass	AV	5.15G	53.06	54.00	-0.94	3	Horizontal	66	1.85
5190MHz	Pass	AV	5.1936G	102.79	Inf	-Inf	3	Horizontal	66	1.85
5190MHz	Pass	PK	5.15G	71.71	74.00	-2.29	3	Horizontal	66	1.85
5190MHz	Pass	PK	5.1964G	112.52	Inf	-Inf	3	Horizontal	66	1.85
5190MHz	Pass	AV	15.57004G	38.78	54.00	-15.22	3	Vertical	307	1.16
5190MHz	Pass	PK	10.37944G	49.45	68.20	-18.75	3	Vertical	129	1.12
5190MHz	Pass	PK	15.57044G	50.02	74.00	-23.98	3	Vertical	307	1.16
5190MHz	Pass	AV	15.57008G	38.80	54.00	-15.20	3	Horizontal	317	1.90
5190MHz	Pass	PK	10.375G	49.67	68.20	-18.53	3	Horizontal	300	1.26
5190MHz	Pass	PK	15.5698G	50.60	74.00	-23.40	3	Horizontal	317	1.90
5230MHz	Pass	AV	5.1496G	51.15	54.00	-2.85	3	Vertical	331	1.40
5230MHz	Pass	AV	5.2336G	105.89	Inf	-Inf	3	Vertical	331	1.40
5230MHz	Pass	PK	5.1472G	65.89	74.00	-8.11	3	Vertical	331	1.40
5230MHz	Pass	PK	5.2332G	116.97	Inf	-Inf	3	Vertical	331	1.40
5230MHz	Pass	AV	5.15G	52.88	54.00	-1.12	3	Horizontal	291	2.15
5230MHz	Pass	AV	5.2336G	107.81	Inf	-Inf	3	Horizontal	291	2.15
5230MHz	Pass	PK	5.1472G	68.19	74.00	-5.81	3	Horizontal	291	2.15
5230MHz	Pass	PK	5.2364G	116.73	Inf	-Inf	3	Horizontal	291	2.15



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	AV	15.68936G	41.25	54.00	-12.75	3	Vertical	225	1.91
5230MHz	Pass	PK	10.4602G	47.33	68.20	-20.87	3	Vertical	36	2.70
5230MHz	Pass	PK	15.691G	47.59	74.00	-26.41	3	Vertical	225	1.91
5230MHz	Pass	AV	15.69066G	41.42	54.00	-12.58	3	Horizontal	357	1.65
5230MHz	Pass	PK	10.45784G	48.28	68.20	-19.92	3	Horizontal	114	1.12
5230MHz	Pass	PK	15.69066G	48.84	74.00	-25.16	3	Horizontal	357	1.65
5270MHz	Pass	AV	5.2656G	104.96	Inf	-Inf	3	Vertical	331	1.53
5270MHz	Pass	AV	5.3508G	51.24	54.00	-2.76	3	Vertical	331	1.53
5270MHz	Pass	PK	5.2732G	115.72	Inf	-Inf	3	Vertical	331	1.53
5270MHz	Pass	PK	5.3568G	65.81	74.00	-8.19	3	Vertical	331	1.53
5270MHz	Pass	AV	5.2732G	107.30	Inf	-Inf	3	Horizontal	293	1.81
5270MHz	Pass	AV	5.3512G	52.96	54.00	-1.04	3	Horizontal	293	1.81
5270MHz	Pass	PK	5.264G	116.64	Inf	-Inf	3	Horizontal	293	1.81
5270MHz	Pass	PK	5.3532G	68.04	74.00	-5.96	3	Horizontal	293	1.81
5270MHz	Pass	AV	15.809G	41.01	54.00	-12.99	3	Vertical	87	2.64
5270MHz	Pass	PK	10.5406G	48.06	68.20	-20.14	3	Vertical	291	1.99
5270MHz	Pass	PK	15.80929G	47.08	74.00	-26.92	3	Vertical	87	2.64
5270MHz	Pass	AV	15.81064G	40.68	54.00	-13.32	3	Horizontal	69	1.64
5270MHz	Pass	PK	10.55G	47.30	68.20	-20.90	3	Horizontal	114	1.86
5270MHz	Pass	PK	15.811G	48.33	74.00	-25.67	3	Horizontal	69	1.64
5310MHz	Pass	AV	5.3144G	100.17	Inf	-Inf	3	Vertical	116	1.50
5310MHz	Pass	AV	5.352G	49.39	54.00	-4.61	3	Vertical	116	1.50
5310MHz	Pass	PK	5.3132G	110.77	Inf	-Inf	3	Vertical	116	1.50
5310MHz	Pass	PK	5.3536G	67.55	74.00	-6.45	3	Vertical	116	1.50
5310MHz	Pass	AV	5.3136G	103.30	Inf	-Inf	3	Horizontal	294	1.68
5310MHz	Pass	AV	5.3544G	52.00	54.00	-2.00	3	Horizontal	294	1.68
5310MHz	Pass	PK	5.318G	111.69	Inf	-Inf	3	Horizontal	294	1.68
5310MHz	Pass	PK	5.3532G	72.10	74.00	-1.90	3	Horizontal	294	1.68
5310MHz	Pass	AV	10.62097G	40.74	54.00	-13.26	3	Vertical	5	2.43
5310MHz	Pass	AV	15.93024G	41.51	54.00	-12.49	3	Vertical	65	1.41
5310MHz	Pass	PK	10.61906G	48.36	74.00	-25.64	3	Vertical	5	2.43
5310MHz	Pass	PK	15.929G	47.96	74.00	-26.04	3	Vertical	65	1.41
5310MHz	Pass	AV	10.62844G	41.13	54.00	-12.87	3	Horizontal	245	1.85
5310MHz	Pass	AV	15.93022G	41.33	54.00	-12.67	3	Horizontal	319	1.43
5310MHz	Pass	PK	10.61G	48.33	74.00	-25.67	3	Horizontal	245	1.85
5310MHz	Pass	PK	15.92986G	48.61	74.00	-25.39	3	Horizontal	319	1.43
5510MHz	Pass	AV	5.4592G	48.99	54.00	-5.01	3	Vertical	353	1.33
5510MHz	Pass	AV	5.5072G	99.65	Inf	-Inf	3	Vertical	353	1.33
5510MHz	Pass	PK	5.458G	62.84	74.00	-11.16	3	Vertical	353	1.33
5510MHz	Pass	PK	5.47G	64.92	68.20	-3.28	3	Vertical	353	1.33
5510MHz	Pass	PK	5.5132G	110.88	Inf	-Inf	3	Vertical	353	1.33
5510MHz	Pass	AV	5.458G	48.96	54.00	-5.04	3	Horizontal	300	2.15
5510MHz	Pass	AV	5.5136G	101.80	Inf	-Inf	3	Horizontal	300	2.15
5510MHz	Pass	PK	5.4516G	61.56	74.00	-12.44	3	Horizontal	300	2.15
5510MHz	Pass	PK	5.47G	67.38	68.20	-0.82	3	Horizontal	300	2.15
5510MHz	Pass	PK	5.5164G	111.10	Inf	-Inf	3	Horizontal	300	2.15
5510MHz	Pass	AV	11.01949G	40.77	54.00	-13.23	3	Vertical	356	1.27
5510MHz	Pass	PK	11.019G	47.80	74.00	-26.20	3	Vertical	356	1.27
5510MHz	Pass	PK	16.53062G	49.27	68.20	-18.93	3	Vertical	322	1.16
5510MHz	Pass	AV	11.02204G	40.68	54.00	-13.32	3	Horizontal	98	1.88
5510MHz	Pass	PK	11.0146G	47.42	74.00	-26.58	3	Horizontal	98	1.88
5510MHz	Pass	PK	16.53022G	48.72	68.20	-19.48	3	Horizontal	307	2.59
5550MHz	Pass	AV	5.4592G	50.47	54.00	-3.53	3	Vertical	354	1.30
5550MHz	Pass	AV	5.5536G	104.39	Inf	-Inf	3	Vertical	354	1.30
5550MHz	Pass	PK	5.4592G	62.57	74.00	-11.43	3	Vertical	354	1.30
5550MHz	Pass	PK	5.4692G	64.21	68.20	-3.99	3	Vertical	354	1.30
5550MHz	Pass	PK	5.5532G	116.05	Inf	-Inf	3	Vertical	354	1.30
5550MHz	Pass	AV	5.4568G	49.95	54.00	-4.05	3	Horizontal	303	2.08
5550MHz	Pass	AV	5.5564G	107.16	Inf	-Inf	3	Horizontal	303	2.08
5550MHz	Pass	PK	5.4592G	63.02	74.00	-10.98	3	Horizontal	303	2.08
5550MHz	Pass	PK	5.4688G	64.61	68.20	-3.59	3	Horizontal	303	2.08
5550MHz	Pass	PK	5.5564G	116.18	Inf	-Inf	3	Horizontal	303	2.08



RSE TX above 1GHz

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5550MHz	Pass	AV	11.0998G	41.12	54.00	-12.88	3	Vertical	145	1.89
5550MHz	Pass	PK	11.099G	48.17	74.00	-25.83	3	Vertical	145	1.89
5550MHz	Pass	PK	16.64966G	51.30	68.20	-16.90	3	Vertical	17	1.26
5550MHz	Pass	AV	11.09908G	41.32	54.00	-12.68	3	Horizontal	13	2.84
5550MHz	Pass	PK	11.0992G	48.21	74.00	-25.79	3	Horizontal	13	2.84
5550MHz	Pass	PK	16.6503G	49.21	68.20	-18.99	3	Horizontal	136	1.80
5670MHz	Pass	AV	5.6736G	102.90	Inf	-Inf	3	Vertical	351	1.27
5670MHz	Pass	PK	5.673G	114.16	Inf	-Inf	3	Vertical	351	1.27
5670MHz	Pass	PK	5.7252G	64.73	68.20	-3.47	3	Vertical	351	1.27
5670MHz	Pass	AV	5.6736G	104.46	Inf	-Inf	3	Horizontal	302	2.06
5670MHz	Pass	PK	5.6802G	113.38	Inf	-Inf	3	Horizontal	302	2.06
5670MHz	Pass	PK	5.7282G	67.11	68.20	-1.09	3	Horizontal	302	2.06
5670MHz	Pass	AV	11.341G	41.33	54.00	-12.67	3	Vertical	168	2.10
5670MHz	Pass	PK	11.3391G	48.52	74.00	-25.48	3	Vertical	168	2.10
5670MHz	Pass	PK	17.00912G	48.48	68.20	-19.72	3	Vertical	260	2.12
5670MHz	Pass	AV	11.33556G	41.78	54.00	-12.22	3	Horizontal	355	2.46
5670MHz	Pass	PK	11.33516G	49.95	74.00	-24.05	3	Horizontal	355	2.46
5670MHz	Pass	PK	17.01096G	47.47	68.20	-20.73	3	Horizontal	117	2.85
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4124G	46.89	54.00	-7.11	3	Vertical	360	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7052G	107.86	Inf	-Inf	3	Vertical	360	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4232G	58.95	74.00	-15.05	3	Vertical	360	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	58.14	68.20	-10.06	3	Vertical	360	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7124G	117.03	Inf	-Inf	3	Vertical	360	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.854G	63.13	68.20	-5.07	3	Vertical	360	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4508G	47.97	54.00	-6.03	3	Horizontal	300	2.11
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.716G	109.93	Inf	-Inf	3	Horizontal	300	2.11
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4424G	59.53	74.00	-14.47	3	Horizontal	300	2.11
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	59.49	68.20	-8.71	3	Horizontal	300	2.11
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.716G	119.34	Inf	-Inf	3	Horizontal	300	2.11
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8612G	63.47	68.20	-4.73	3	Horizontal	300	2.11
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42061G	42.12	54.00	-11.88	3	Vertical	122	2.45
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41961G	48.22	74.00	-25.78	3	Vertical	122	2.45
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.129G	48.33	68.20	-19.87	3	Vertical	188	2.73
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42112G	42.35	54.00	-11.65	3	Horizontal	278	1.48
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41452G	50.60	74.00	-23.40	3	Horizontal	278	1.48
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12924G	47.41	68.20	-20.79	3	Horizontal	173	1.59
5755MHz	Pass	AV	5.4586G	46.76	54.00	-7.24	3	Vertical	353	1.04
5755MHz	Pass	AV	5.743G	106.55	Inf	-Inf	3	Vertical	353	1.04
5755MHz	Pass	PK	5.6506G	64.60	68.64	-4.04	3	Vertical	353	1.04
5755MHz	Pass	PK	5.7502G	116.66	Inf	-Inf	3	Vertical	353	1.04
5755MHz	Pass	PK	5.983G	61.09	68.20	-7.11	3	Vertical	353	1.04
5755MHz	Pass	AV	5.455G	47.07	54.00	-6.93	3	Horizontal	302	1.93
5755MHz	Pass	AV	5.7586G	109.30	Inf	-Inf	3	Horizontal	302	1.93
5755MHz	Pass	PK	5.6386G	66.18	68.20	-2.02	3	Horizontal	302	1.93
5755MHz	Pass	PK	5.761G	117.65	Inf	-Inf	3	Horizontal	302	1.93
5755MHz	Pass	PK	5.947G	61.87	68.20	-6.33	3	Horizontal	302	1.93
5755MHz	Pass	AV	11.50996G	41.30	54.00	-12.70	3	Vertical	115	1.72
5755MHz	Pass	PK	11.509G	48.24	74.00	-25.76	3	Vertical	115	1.72
5755MHz	Pass	PK	17.264G	47.53	68.20	-20.67	3	Vertical	36	2.49
5755MHz	Pass	AV	11.51684G	41.79	54.00	-12.21	3	Horizontal	352	1.70
5755MHz	Pass	PK	11.51188G	49.24	74.00	-24.76	3	Horizontal	352	1.70
5755MHz	Pass	PK	17.26428G	47.76	68.20	-20.44	3	Horizontal	123	1.53
5795MHz	Pass	AV	5.7914G	106.77	Inf	-Inf	3	Vertical	108	1.54
5795MHz	Pass	PK	5.6126G	60.98	68.20	-7.22	3	Vertical	108	1.54
5795MHz	Pass	PK	5.783G	117.00	Inf	-Inf	3	Vertical	108	1.54
5795MHz	Pass	PK	5.9258G	63.07	68.20	-5.13	3	Vertical	108	1.54
5795MHz	Pass	AV	5.801G	110.82	Inf	-Inf	3	Horizontal	298	1.86
5795MHz	Pass	PK	5.6498G	64.10	68.20	-4.10	3	Horizontal	298	1.86
5795MHz	Pass	PK	5.8034G	119.71	Inf	-Inf	3	Horizontal	298	1.86
5795MHz	Pass	PK	5.927G	66.52	68.20	-1.68	3	Horizontal	298	1.86
5795MHz	Pass	AV	11.58949G	41.04	54.00	-12.96	3	Vertical	118	2.74
5795MHz	Pass	PK	11.59043G	47.64	74.00	-26.36	3	Vertical	118	2.74



RSE TX above 1GHz

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5795MHz	Pass	PK	17.38413G	49.02	68.20	-19.18	3	Vertical	74	1.88
5795MHz	Pass	AV	11.58876G	41.27	54.00	-12.73	3	Horizontal	310	1.71
5795MHz	Pass	PK	11.58328G	47.94	74.00	-26.06	3	Horizontal	310	1.71
5795MHz	Pass	PK	17.38518G	49.98	68.20	-18.22	3	Horizontal	229	1.43
802.11ac 802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1496G	52.18	54.00	-1.82	3	Vertical	332	1.38
5180MHz	Pass	AV	5.185G	105.90	Inf	-Inf	3	Vertical	332	1.38
5180MHz	Pass	PK	5.149G	71.33	74.00	-2.67	3	Vertical	332	1.38
5180MHz	Pass	PK	5.1824G	118.40	Inf	-Inf	3	Vertical	332	1.38
5180MHz	Pass	AV	5.15G	52.73	54.00	-1.27	3	Horizontal	60	1.63
5180MHz	Pass	AV	5.1766G	106.97	Inf	-Inf	3	Horizontal	60	1.63
5180MHz	Pass	PK	5.15G	73.14	74.00	-0.86	3	Horizontal	60	1.63
5180MHz	Pass	PK	5.1788G	118.42	Inf	-Inf	3	Horizontal	60	1.63
5180MHz	Pass	AV	15.53942G	39.85	54.00	-14.15	3	Vertical	181	2.95
5180MHz	Pass	PK	10.35994G	46.92	68.20	-21.28	3	Vertical	315	1.41
5180MHz	Pass	PK	15.539G	48.79	74.00	-25.21	3	Vertical	181	2.95
5180MHz	Pass	AV	15.54042G	40.02	54.00	-13.98	3	Horizontal	24	2.38
5180MHz	Pass	PK	10.35316G	48.66	68.20	-19.54	3	Horizontal	323	1.38
5180MHz	Pass	PK	15.53906G	47.75	74.00	-26.25	3	Horizontal	24	2.38
5200MHz	Pass	AV	5.1496G	50.54	54.00	-3.46	3	Vertical	334	1.39
5200MHz	Pass	AV	5.1984G	108.78	Inf	-Inf	3	Vertical	334	1.39
5200MHz	Pass	PK	5.1496G	71.69	74.00	-2.31	3	Vertical	334	1.39
5200MHz	Pass	PK	5.196G	121.18	Inf	-Inf	3	Vertical	334	1.39
5200MHz	Pass	AV	5.1496G	51.36	54.00	-2.64	3	Horizontal	57	1.76
5200MHz	Pass	AV	5.1992G	109.62	Inf	-Inf	3	Horizontal	57	1.76
5200MHz	Pass	PK	5.1496G	71.47	74.00	-2.53	3	Horizontal	57	1.76
5200MHz	Pass	PK	5.1988G	120.99	Inf	-Inf	3	Horizontal	57	1.76
5200MHz	Pass	AV	15.60062G	39.48	54.00	-14.52	3	Vertical	231	2.29
5200MHz	Pass	PK	10.40092G	47.02	68.20	-21.18	3	Vertical	236	1.37
5200MHz	Pass	PK	15.59954G	47.11	74.00	-26.89	3	Vertical	231	2.29
5200MHz	Pass	AV	15.60079G	39.58	54.00	-14.42	3	Horizontal	100	1.50
5200MHz	Pass	PK	10.403G	47.49	68.20	-20.71	3	Horizontal	194	2.71
5200MHz	Pass	PK	15.59984G	47.09	74.00	-26.91	3	Horizontal	100	1.50
5240MHz	Pass	AV	5.147G	48.39	54.00	-5.61	3	Vertical	331	1.38
5240MHz	Pass	AV	5.2382G	108.15	Inf	-Inf	3	Vertical	331	1.38
5240MHz	Pass	AV	5.3636G	47.12	54.00	-6.88	3	Vertical	331	1.38
5240MHz	Pass	PK	5.1476G	62.11	74.00	-11.89	3	Vertical	331	1.38
5240MHz	Pass	PK	5.2382G	120.51	Inf	-Inf	3	Vertical	331	1.38
5240MHz	Pass	PK	5.363G	62.60	74.00	-11.40	3	Vertical	331	1.38
5240MHz	Pass	AV	5.141G	49.54	54.00	-4.46	3	Horizontal	62	1.67
5240MHz	Pass	AV	5.2364G	109.98	Inf	-Inf	3	Horizontal	62	1.67
5240MHz	Pass	AV	5.357G	46.98	54.00	-7.02	3	Horizontal	62	1.67
5240MHz	Pass	PK	5.1428G	62.10	74.00	-11.90	3	Horizontal	62	1.67
5240MHz	Pass	PK	5.2388G	121.26	Inf	-Inf	3	Horizontal	62	1.67
5240MHz	Pass	PK	5.3606G	60.67	74.00	-13.33	3	Horizontal	62	1.67
5240MHz	Pass	AV	15.72062G	40.17	54.00	-13.83	3	Vertical	269	1.97
5240MHz	Pass	PK	10.47949G	46.85	68.20	-21.35	3	Vertical	176	1.32
5240MHz	Pass	PK	15.7196G	48.06	74.00	-25.94	3	Vertical	269	1.97
5240MHz	Pass	AV	15.71947G	40.06	54.00	-13.94	3	Horizontal	338	2.89
5240MHz	Pass	PK	10.48316G	47.38	68.20	-20.82	3	Horizontal	22	2.26
5240MHz	Pass	PK	15.71992G	49.95	74.00	-24.05	3	Horizontal	338	2.89
5260MHz	Pass	AV	5.15G	46.22	54.00	-7.78	3	Vertical	335	1.17
5260MHz	Pass	AV	5.2582G	108.38	Inf	-Inf	3	Vertical	335	1.17
5260MHz	Pass	AV	5.3608G	48.85	54.00	-5.15	3	Vertical	335	1.17
5260MHz	Pass	PK	5.1232G	60.58	74.00	-13.42	3	Vertical	335	1.17
5260MHz	Pass	PK	5.2624G	121.14	Inf	-Inf	3	Vertical	335	1.17
5260MHz	Pass	PK	5.3626G	62.41	74.00	-11.59	3	Vertical	335	1.17
5260MHz	Pass	AV	5.15G	47.20	54.00	-6.80	3	Horizontal	291	1.98
5260MHz	Pass	AV	5.2606G	110.29	Inf	-Inf	3	Horizontal	291	1.98
5260MHz	Pass	AV	5.3524G	49.40	54.00	-4.60	3	Horizontal	291	1.98
5260MHz	Pass	PK	5.1448G	60.41	74.00	-13.59	3	Horizontal	291	1.98
5260MHz	Pass	PK	5.2606G	121.04	Inf	-Inf	3	Horizontal	291	1.98



RSE TX above 1GHz

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	PK	5.3614G	62.99	74.00	-11.01	3	Horizontal	291	1.98
5260MHz	Pass	AV	15.78088G	39.65	54.00	-14.35	3	Vertical	111	1.49
5260MHz	Pass	PK	10.519G	45.63	68.20	-22.57	3	Vertical	150	2.52
5260MHz	Pass	PK	15.78001G	48.00	74.00	-26.00	3	Vertical	111	1.49
5260MHz	Pass	AV	15.77997G	39.67	54.00	-14.33	3	Horizontal	6	2.40
5260MHz	Pass	PK	10.51616G	47.30	68.20	-20.90	3	Horizontal	191	1.65
5260MHz	Pass	PK	15.77997G	47.95	74.00	-26.05	3	Horizontal	6	2.40
5300MHz	Pass	AV	5.2992G	107.63	Inf	-Inf	3	Vertical	351	1.50
5300MHz	Pass	AV	5.35G	49.99	54.00	-4.01	3	Vertical	351	1.50
5300MHz	Pass	PK	5.3024G	119.79	Inf	-Inf	3	Vertical	351	1.50
5300MHz	Pass	PK	5.3528G	69.71	74.00	-4.29	3	Vertical	351	1.50
5300MHz	Pass	AV	5.2964G	109.97	Inf	-Inf	3	Horizontal	296	2.17
5300MHz	Pass	AV	5.3508G	51.94	54.00	-2.06	3	Horizontal	296	2.17
5300MHz	Pass	PK	5.2988G	120.92	Inf	-Inf	3	Horizontal	296	2.17
5300MHz	Pass	PK	5.3528G	72.25	74.00	-1.75	3	Horizontal	296	2.17
5300MHz	Pass	AV	10.60058G	39.59	54.00	-14.41	3	Vertical	107	1.00
5300MHz	Pass	AV	15.89956G	40.15	54.00	-13.85	3	Vertical	119	1.65
5300MHz	Pass	PK	10.60067G	48.07	74.00	-25.93	3	Vertical	107	1.00
5300MHz	Pass	PK	15.899G	47.54	74.00	-26.46	3	Vertical	119	1.65
5300MHz	Pass	AV	10.60128G	39.79	54.00	-14.21	3	Horizontal	145	2.24
5300MHz	Pass	AV	15.89936G	40.06	54.00	-13.94	3	Horizontal	123	2.17
5300MHz	Pass	PK	10.602G	49.89	74.00	-24.11	3	Horizontal	145	2.24
5300MHz	Pass	PK	15.90054G	49.05	74.00	-24.95	3	Horizontal	123	2.17
5320MHz	Pass	AV	5.3168G	104.73	Inf	-Inf	3	Vertical	339	1.35
5320MHz	Pass	AV	5.35G	51.67	54.00	-2.33	3	Vertical	339	1.35
5320MHz	Pass	PK	5.315G	117.43	Inf	-Inf	3	Vertical	339	1.35
5320MHz	Pass	PK	5.355G	72.63	74.00	-1.37	3	Vertical	339	1.35
5320MHz	Pass	AV	5.319G	106.51	Inf	-Inf	3	Horizontal	289	1.63
5320MHz	Pass	AV	5.3506G	52.80	54.00	-1.20	3	Horizontal	289	1.63
5320MHz	Pass	PK	5.3172G	117.52	Inf	-Inf	3	Horizontal	289	1.63
5320MHz	Pass	PK	5.3528G	72.59	74.00	-1.41	3	Horizontal	289	1.63
5320MHz	Pass	AV	10.639G	39.96	54.00	-14.04	3	Vertical	215	2.05
5320MHz	Pass	AV	15.95995G	40.48	54.00	-13.52	3	Vertical	90	1.46
5320MHz	Pass	PK	10.641G	49.39	74.00	-24.61	3	Vertical	215	2.05
5320MHz	Pass	PK	15.96098G	49.16	74.00	-24.84	3	Vertical	90	1.46
5320MHz	Pass	AV	10.64112G	40.08	54.00	-13.92	3	Horizontal	318	1.93
5320MHz	Pass	AV	15.95907G	40.59	54.00	-13.41	3	Horizontal	17	2.99
5320MHz	Pass	PK	10.64136G	49.08	74.00	-24.92	3	Horizontal	318	1.93
5320MHz	Pass	PK	15.961G	48.19	74.00	-25.81	3	Horizontal	17	2.99
5500MHz	Pass	AV	5.4598G	46.79	54.00	-7.21	3	Vertical	354	1.50
5500MHz	Pass	AV	5.4948G	102.88	Inf	-Inf	3	Vertical	354	1.50
5500MHz	Pass	PK	5.4594G	61.26	74.00	-12.74	3	Vertical	354	1.50
5500MHz	Pass	PK	5.47G	66.18	68.20	-2.02	3	Vertical	354	1.50
5500MHz	Pass	PK	5.495G	115.66	Inf	-Inf	3	Vertical	354	1.50
5500MHz	Pass	AV	5.4594G	46.54	54.00	-7.46	3	Horizontal	302	2.04
5500MHz	Pass	AV	5.493G	104.25	Inf	-Inf	3	Horizontal	302	2.04
5500MHz	Pass	PK	5.4592G	60.26	74.00	-13.74	3	Horizontal	302	2.04
5500MHz	Pass	PK	5.4692G	65.22	68.20	-2.98	3	Horizontal	302	2.04
5500MHz	Pass	PK	5.4948G	115.11	Inf	-Inf	3	Horizontal	302	2.04
5500MHz	Pass	AV	10.999G	39.66	54.00	-14.34	3	Vertical	103	1.15
5500MHz	Pass	PK	11.00056G	46.70	74.00	-27.30	3	Vertical	103	1.15
5500MHz	Pass	PK	16.49936G	49.38	68.20	-18.82	3	Vertical	271	1.00
5500MHz	Pass	AV	10.99228G	39.84	54.00	-14.16	3	Horizontal	64	3.00
5500MHz	Pass	PK	11.00072G	47.41	74.00	-26.59	3	Horizontal	64	3.00
5500MHz	Pass	PK	16.49994G	48.64	68.20	-19.56	3	Horizontal	66	2.78
5580MHz	Pass	AV	5.4588G	47.14	54.00	-6.86	3	Vertical	352	1.32
5580MHz	Pass	AV	5.5764G	108.10	Inf	-Inf	3	Vertical	352	1.32
5580MHz	Pass	PK	5.445G	61.17	74.00	-12.83	3	Vertical	352	1.32
5580MHz	Pass	PK	5.466G	60.79	68.20	-7.41	3	Vertical	352	1.32
5580MHz	Pass	PK	5.5824G	120.78	Inf	-Inf	3	Vertical	352	1.32
5580MHz	Pass	PK	5.7258G	61.09	68.20	-7.11	3	Vertical	352	1.32
5580MHz	Pass	AV	5.46G	46.52	54.00	-7.48	3	Horizontal	300	2.07



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	AV	5.5836G	110.24	Inf	-Inf	3	Horizontal	300	2.07
5580MHz	Pass	PK	5.4432G	60.75	74.00	-13.25	3	Horizontal	300	2.07
5580MHz	Pass	PK	5.4642G	60.36	68.20	-7.84	3	Horizontal	300	2.07
5580MHz	Pass	PK	5.586G	121.25	Inf	-Inf	3	Horizontal	300	2.07
5580MHz	Pass	PK	5.7258G	61.91	68.20	-6.29	3	Horizontal	300	2.07
5580MHz	Pass	AV	11.16049G	39.94	54.00	-14.06	3	Vertical	71	2.41
5580MHz	Pass	PK	11.16031G	47.85	74.00	-26.15	3	Vertical	71	2.41
5580MHz	Pass	PK	16.73921G	48.29	68.20	-19.91	3	Vertical	201	1.02
5580MHz	Pass	AV	11.16792G	40.10	54.00	-13.90	3	Horizontal	101	1.94
5580MHz	Pass	PK	11.15912G	47.49	74.00	-26.51	3	Horizontal	101	1.94
5580MHz	Pass	PK	16.73996G	48.67	68.20	-19.53	3	Horizontal	203	2.91
5700MHz	Pass	AV	5.6984G	101.93	Inf	-Inf	3	Vertical	354	1.33
5700MHz	Pass	PK	5.7024G	114.68	Inf	-Inf	3	Vertical	354	1.33
5700MHz	Pass	PK	5.7264G	66.30	68.20	-1.90	3	Vertical	354	1.33
5700MHz	Pass	AV	5.7048G	103.97	Inf	-Inf	3	Horizontal	298	2.03
5700MHz	Pass	PK	5.7032G	114.96	Inf	-Inf	3	Horizontal	298	2.03
5700MHz	Pass	PK	5.7256G	66.42	68.20	-1.78	3	Horizontal	298	2.03
5700MHz	Pass	AV	11.399G	40.58	54.00	-13.42	3	Vertical	270	1.40
5700MHz	Pass	PK	11.401G	48.77	74.00	-25.23	3	Vertical	270	1.40
5700MHz	Pass	PK	17.09943G	49.39	68.20	-18.81	3	Vertical	85	2.49
5700MHz	Pass	AV	11.40172G	40.79	54.00	-13.21	3	Horizontal	107	2.20
5700MHz	Pass	PK	11.39356G	49.13	74.00	-24.87	3	Horizontal	107	2.20
5700MHz	Pass	PK	17.09905G	47.93	68.20	-20.27	3	Horizontal	35	2.04
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4428G	45.89	54.00	-8.11	3	Vertical	354	1.29
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	109.12	Inf	-Inf	3	Vertical	354	1.29
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4284G	59.41	74.00	-14.59	3	Vertical	354	1.29
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	58.74	68.20	-9.46	3	Vertical	354	1.29
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	121.64	Inf	-Inf	3	Vertical	354	1.29
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9456G	60.90	68.20	-7.30	3	Vertical	354	1.29
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4452G	45.78	54.00	-8.22	3	Horizontal	300	1.95
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	110.93	Inf	-Inf	3	Horizontal	300	1.95
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.438G	59.31	74.00	-14.69	3	Horizontal	300	1.95
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	58.82	68.20	-9.38	3	Horizontal	300	1.95
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	122.09	Inf	-Inf	3	Horizontal	300	1.95
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8772G	61.69	68.20	-6.51	3	Horizontal	300	1.95
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43946G	40.36	54.00	-13.64	3	Vertical	310	1.88
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44003G	48.77	74.00	-25.23	3	Vertical	310	1.88
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16051G	49.35	68.20	-18.85	3	Vertical	138	1.02
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43068G	40.61	54.00	-13.39	3	Horizontal	77	2.68
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43512G	48.46	74.00	-25.54	3	Horizontal	77	2.68
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16031G	48.18	68.20	-20.02	3	Horizontal	215	2.10
5745MHz	Pass	AV	5.445G	45.55	54.00	-8.45	3	Vertical	352	1.05
5745MHz	Pass	AV	5.739G	109.81	Inf	-Inf	3	Vertical	352	1.05
5745MHz	Pass	PK	5.6406G	63.33	68.20	-4.87	3	Vertical	352	1.05
5745MHz	Pass	PK	5.7474G	122.21	Inf	-Inf	3	Vertical	352	1.05
5745MHz	Pass	PK	5.9382G	61.90	68.20	-6.30	3	Vertical	352	1.05
5745MHz	Pass	AV	5.4486G	45.84	54.00	-8.16	3	Horizontal	299	1.90
5745MHz	Pass	AV	5.7438G	111.62	Inf	-Inf	3	Horizontal	299	1.90
5745MHz	Pass	PK	5.649G	65.63	68.20	-2.57	3	Horizontal	299	1.90
5745MHz	Pass	PK	5.7474G	122.90	Inf	-Inf	3	Horizontal	299	1.90
5745MHz	Pass	PK	5.9322G	62.95	68.20	-5.25	3	Horizontal	299	1.90
5745MHz	Pass	AV	11.48922G	40.37	54.00	-13.63	3	Vertical	167	1.83
5745MHz	Pass	PK	11.49039G	48.99	74.00	-25.01	3	Vertical	167	1.83
5745MHz	Pass	PK	17.23489G	47.51	68.20	-20.69	3	Vertical	23	2.65
5745MHz	Pass	AV	11.48G	40.61	54.00	-13.39	3	Horizontal	264	2.73
5745MHz	Pass	PK	11.49812G	49.58	74.00	-24.42	3	Horizontal	264	2.73
5745MHz	Pass	PK	17.23509G	48.90	68.20	-19.30	3	Horizontal	149	2.31
5785MHz	Pass	AV	5.78734G	108.04	Inf	-Inf	3	Vertical	277	1.49
5785MHz	Pass	PK	5.59979G	60.28	68.20	-7.92	3	Vertical	277	1.49
5785MHz	Pass	PK	5.7825G	120.36	Inf	-Inf	3	Vertical	277	1.49
5785MHz	Pass	PK	5.97852G	61.32	68.20	-6.88	3	Vertical	277	1.49
5785MHz	Pass	AV	5.78129G	112.28	Inf	-Inf	3	Horizontal	304	2.06



RSE TX above 1GHz

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	5.62278G	62.50	68.20	-5.70	3	Horizontal	304	2.06
5785MHz	Pass	PK	5.77887G	123.59	Inf	-Inf	3	Horizontal	304	2.06
5785MHz	Pass	PK	6.01966G	61.96	68.20	-6.24	3	Horizontal	304	2.06
5785MHz	Pass	AV	11.569G	40.08	54.00	-13.92	3	Vertical	348	2.40
5785MHz	Pass	PK	11.57098G	48.33	74.00	-25.67	3	Vertical	348	2.40
5785MHz	Pass	PK	17.3558G	48.27	68.20	-19.93	3	Vertical	307	1.90
5785MHz	Pass	AV	11.56G	40.34	54.00	-13.66	3	Horizontal	26	1.13
5785MHz	Pass	PK	11.56092G	50.09	74.00	-23.91	3	Horizontal	26	1.13
5785MHz	Pass	PK	17.35438G	49.30	68.20	-18.90	3	Horizontal	153	1.13
5825MHz	Pass	AV	5.8178G	108.45	Inf	-Inf	3	Vertical	282	1.55
5825MHz	Pass	PK	5.5682G	60.08	68.20	-8.12	3	Vertical	282	1.55
5825MHz	Pass	PK	5.8226G	120.57	Inf	-Inf	3	Vertical	282	1.55
5825MHz	Pass	PK	5.9294G	61.50	68.20	-6.70	3	Vertical	282	1.55
5825MHz	Pass	AV	5.8214G	111.55	Inf	-Inf	3	Horizontal	297	2.13
5825MHz	Pass	PK	5.6234G	63.29	68.20	-4.91	3	Horizontal	297	2.13
5825MHz	Pass	PK	5.8238G	122.44	Inf	-Inf	3	Horizontal	297	2.13
5825MHz	Pass	PK	5.9318G	63.37	68.20	-4.83	3	Horizontal	297	2.13
5825MHz	Pass	AV	11.65032G	39.75	54.00	-14.25	3	Vertical	299	2.67
5825MHz	Pass	PK	11.65028G	48.77	74.00	-25.23	3	Vertical	299	2.67
5825MHz	Pass	PK	17.474G	49.36	68.20	-18.84	3	Vertical	135	1.31
5825MHz	Pass	AV	11.65864G	40.05	54.00	-13.95	3	Horizontal	16	2.49
5825MHz	Pass	PK	11.6518G	48.38	74.00	-25.62	3	Horizontal	16	2.49
5825MHz	Pass	PK	17.47423G	49.08	68.20	-19.12	3	Horizontal	27	2.86
802.11ac 802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1488G	51.26	54.00	-2.74	3	Vertical	330	1.37
5190MHz	Pass	AV	5.1956G	100.80	Inf	-Inf	3	Vertical	330	1.37
5190MHz	Pass	PK	5.1488G	68.53	74.00	-5.47	3	Vertical	330	1.37
5190MHz	Pass	PK	5.1924G	110.75	Inf	-Inf	3	Vertical	330	1.37
5190MHz	Pass	AV	5.15G	52.94	54.00	-1.06	3	Horizontal	66	1.84
5190MHz	Pass	AV	5.196G	102.34	Inf	-Inf	3	Horizontal	66	1.84
5190MHz	Pass	PK	5.1496G	70.30	74.00	-3.70	3	Horizontal	66	1.84
5190MHz	Pass	PK	5.1912G	111.98	Inf	-Inf	3	Horizontal	66	1.84
5190MHz	Pass	AV	15.57076G	41.07	54.00	-12.93	3	Vertical	179	2.93
5190MHz	Pass	PK	10.3796G	47.98	68.20	-20.22	3	Vertical	1	1.99
5190MHz	Pass	PK	15.56981G	46.89	74.00	-27.11	3	Vertical	179	2.93
5190MHz	Pass	AV	15.56948G	41.10	54.00	-12.90	3	Horizontal	100	1.61
5190MHz	Pass	PK	10.37156G	48.02	68.20	-20.18	3	Horizontal	139	2.02
5190MHz	Pass	PK	15.57034G	48.12	74.00	-25.88	3	Horizontal	100	1.61
5230MHz	Pass	AV	5.1484G	51.20	54.00	-2.80	3	Vertical	331	1.38
5230MHz	Pass	AV	5.2356G	105.45	Inf	-Inf	3	Vertical	331	1.38
5230MHz	Pass	PK	5.1456G	65.75	74.00	-8.25	3	Vertical	331	1.38
5230MHz	Pass	PK	5.2404G	115.24	Inf	-Inf	3	Vertical	331	1.38
5230MHz	Pass	AV	5.144G	52.28	54.00	-1.72	3	Horizontal	58	1.68
5230MHz	Pass	AV	5.2364G	107.24	Inf	-Inf	3	Horizontal	58	1.68
5230MHz	Pass	PK	5.148G	67.00	74.00	-7.00	3	Horizontal	58	1.68
5230MHz	Pass	PK	5.2312G	117.49	Inf	-Inf	3	Horizontal	58	1.68
5230MHz	Pass	AV	15.689G	41.42	54.00	-12.58	3	Vertical	305	1.57
5230MHz	Pass	PK	10.45922G	47.38	68.20	-20.82	3	Vertical	3	2.64
5230MHz	Pass	PK	15.68942G	50.51	74.00	-23.49	3	Vertical	305	1.57
5230MHz	Pass	AV	15.69024G	41.21	54.00	-12.79	3	Horizontal	232	2.22
5230MHz	Pass	PK	10.45824G	48.35	68.20	-19.85	3	Horizontal	73	1.76
5230MHz	Pass	PK	15.691G	47.84	74.00	-26.16	3	Horizontal	232	2.22
5270MHz	Pass	AV	5.2652G	105.31	Inf	-Inf	3	Vertical	328	1.44
5270MHz	Pass	AV	5.3508G	51.37	54.00	-2.63	3	Vertical	328	1.44
5270MHz	Pass	PK	5.2624G	114.86	Inf	-Inf	3	Vertical	328	1.44
5270MHz	Pass	PK	5.3564G	65.57	74.00	-8.43	3	Vertical	328	1.44
5270MHz	Pass	AV	5.2636G	107.06	Inf	-Inf	3	Horizontal	291	2.00
5270MHz	Pass	AV	5.3504G	52.94	54.00	-1.06	3	Horizontal	291	2.00
5270MHz	Pass	PK	5.2636G	116.15	Inf	-Inf	3	Horizontal	291	2.00
5270MHz	Pass	PK	5.35G	67.99	74.00	-6.01	3	Horizontal	291	2.00
5270MHz	Pass	AV	15.80906G	41.05	54.00	-12.95	3	Vertical	213	2.49
5270MHz	Pass	PK	10.54011G	49.32	68.20	-18.88	3	Vertical	302	2.51



RSE TX above 1GHz

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5270MHz	Pass	PK	15.81033G	47.60	74.00	-26.40	3	Vertical	213	2.49
5270MHz	Pass	AV	15.80995G	40.87	54.00	-13.13	3	Horizontal	304	1.23
5270MHz	Pass	PK	10.533G	48.75	68.20	-19.45	3	Horizontal	1	2.09
5270MHz	Pass	PK	15.81099G	47.14	74.00	-26.86	3	Horizontal	304	1.23
5310MHz	Pass	AV	5.3128G	100.70	Inf	-Inf	3	Vertical	328	1.50
5310MHz	Pass	AV	5.35G	50.31	54.00	-3.69	3	Vertical	328	1.50
5310MHz	Pass	PK	5.318G	110.42	Inf	-Inf	3	Vertical	328	1.50
5310MHz	Pass	PK	5.35G	68.61	74.00	-5.39	3	Vertical	328	1.50
5310MHz	Pass	AV	5.3136G	103.25	Inf	-Inf	3	Horizontal	290	2.08
5310MHz	Pass	AV	5.352G	52.32	54.00	-1.68	3	Horizontal	290	2.08
5310MHz	Pass	PK	5.3136G	112.32	Inf	-Inf	3	Horizontal	290	2.08
5310MHz	Pass	PK	5.354G	70.30	74.00	-3.70	3	Horizontal	290	2.08
5310MHz	Pass	AV	10.61974G	40.98	54.00	-13.02	3	Vertical	271	2.50
5310MHz	Pass	AV	15.931G	41.30	54.00	-12.70	3	Vertical	136	2.24
5310MHz	Pass	PK	10.62018G	47.39	74.00	-26.61	3	Vertical	271	2.50
5310MHz	Pass	PK	15.92954G	49.00	74.00	-25.00	3	Vertical	136	2.24
5310MHz	Pass	AV	10.62824G	40.90	54.00	-13.10	3	Horizontal	343	1.51
5310MHz	Pass	AV	15.93027G	41.35	54.00	-12.65	3	Horizontal	174	2.14
5310MHz	Pass	PK	10.62804G	48.47	74.00	-25.53	3	Horizontal	343	1.51
5310MHz	Pass	PK	15.93081G	48.39	74.00	-25.61	3	Horizontal	174	2.14
5510MHz	Pass	AV	5.458G	49.28	54.00	-4.72	3	Vertical	354	1.32
5510MHz	Pass	AV	5.5064G	100.13	Inf	-Inf	3	Vertical	354	1.32
5510MHz	Pass	PK	5.46G	63.11	74.00	-10.89	3	Vertical	354	1.32
5510MHz	Pass	PK	5.47G	67.23	68.20	-0.97	3	Vertical	354	1.32
5510MHz	Pass	PK	5.5036G	111.08	Inf	-Inf	3	Vertical	354	1.32
5510MHz	Pass	AV	5.458G	49.11	54.00	-4.89	3	Horizontal	300	2.14
5510MHz	Pass	AV	5.5144G	102.41	Inf	-Inf	3	Horizontal	300	2.14
5510MHz	Pass	PK	5.4524G	62.64	74.00	-11.36	3	Horizontal	300	2.14
5510MHz	Pass	PK	5.47G	67.04	68.20	-1.16	3	Horizontal	300	2.14
5510MHz	Pass	PK	5.5112G	111.73	Inf	-Inf	3	Horizontal	300	2.14
5510MHz	Pass	AV	11.01986G	40.94	54.00	-13.06	3	Vertical	140	1.20
5510MHz	Pass	PK	11.02034G	49.05	74.00	-24.95	3	Vertical	140	1.20
5510MHz	Pass	PK	16.53021G	47.60	68.20	-20.60	3	Vertical	42	2.07
5510MHz	Pass	AV	11.024G	41.30	54.00	-12.70	3	Horizontal	225	2.75
5510MHz	Pass	PK	11.02408G	48.98	74.00	-25.02	3	Horizontal	225	2.75
5510MHz	Pass	PK	16.52985G	48.74	68.20	-19.46	3	Horizontal	278	1.98
5550MHz	Pass	AV	5.4596G	50.74	54.00	-3.26	3	Vertical	356	1.29
5550MHz	Pass	AV	5.5556G	104.96	Inf	-Inf	3	Vertical	356	1.29
5550MHz	Pass	PK	5.4572G	63.40	74.00	-10.60	3	Vertical	356	1.29
5550MHz	Pass	PK	5.4676G	66.14	68.20	-2.06	3	Vertical	356	1.29
5550MHz	Pass	PK	5.558G	115.89	Inf	-Inf	3	Vertical	356	1.29
5550MHz	Pass	AV	5.4596G	50.74	54.00	-3.26	3	Horizontal	303	2.08
5550MHz	Pass	AV	5.5564G	107.79	Inf	-Inf	3	Horizontal	303	2.08
5550MHz	Pass	PK	5.4596G	64.17	74.00	-9.83	3	Horizontal	303	2.08
5550MHz	Pass	PK	5.4696G	66.29	68.20	-1.91	3	Horizontal	303	2.08
5550MHz	Pass	PK	5.5512G	117.04	Inf	-Inf	3	Horizontal	303	2.08
5550MHz	Pass	AV	11.09941G	40.77	54.00	-13.23	3	Vertical	30	1.66
5550MHz	Pass	PK	11.099G	47.39	74.00	-26.61	3	Vertical	30	1.66
5550MHz	Pass	PK	16.65056G	49.73	68.20	-18.47	3	Vertical	359	1.04
5550MHz	Pass	AV	11.10992G	41.30	54.00	-12.70	3	Horizontal	201	2.30
5550MHz	Pass	PK	11.1008G	49.04	74.00	-24.96	3	Horizontal	201	2.30
5550MHz	Pass	PK	16.64977G	49.70	68.20	-18.50	3	Horizontal	344	1.09
5670MHz	Pass	AV	5.673G	101.84	Inf	-Inf	3	Vertical	353	1.27
5670MHz	Pass	PK	5.6814G	112.43	Inf	-Inf	3	Vertical	353	1.27
5670MHz	Pass	PK	5.7252G	63.62	68.20	-4.58	3	Vertical	353	1.27
5670MHz	Pass	AV	5.6634G	104.19	Inf	-Inf	3	Horizontal	301	2.10
5670MHz	Pass	PK	5.6712G	113.39	Inf	-Inf	3	Horizontal	301	2.10
5670MHz	Pass	PK	5.7288G	65.61	68.20	-2.59	3	Horizontal	301	2.10
5670MHz	Pass	AV	11.339G	41.61	54.00	-12.39	3	Vertical	305	2.05
5670MHz	Pass	PK	11.3405G	48.85	74.00	-25.15	3	Vertical	305	2.05
5670MHz	Pass	PK	17.0105G	48.66	68.20	-19.54	3	Vertical	310	2.87
5670MHz	Pass	AV	11.33712G	41.81	54.00	-12.19	3	Horizontal	338	2.92



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5670MHz	Pass	PK	11.33824G	48.83	74.00	-25.17	3	Horizontal	338	2.92
5670MHz	Pass	PK	17.01028G	48.71	68.20	-19.49	3	Horizontal	22	2.59
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4172G	47.53	54.00	-6.47	3	Vertical	353	1.27
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7172G	107.89	Inf	-Inf	3	Vertical	353	1.27
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4136G	60.02	74.00	-13.98	3	Vertical	353	1.27
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	60.53	68.20	-7.67	3	Vertical	353	1.27
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7208G	117.97	Inf	-Inf	3	Vertical	353	1.27
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	62.56	68.20	-5.64	3	Vertical	353	1.27
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	48.03	54.00	-5.97	3	Horizontal	297	2.04
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.704G	109.67	Inf	-Inf	3	Horizontal	297	2.04
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4184G	59.70	74.00	-14.30	3	Horizontal	297	2.04
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	59.20	68.20	-9.00	3	Horizontal	297	2.04
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7088G	119.59	Inf	-Inf	3	Horizontal	297	2.04
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	63.79	68.20	-4.41	3	Horizontal	297	2.04
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.421G	41.99	54.00	-12.01	3	Vertical	272	2.08
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41994G	48.47	74.00	-25.53	3	Vertical	272	2.08
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12977G	48.13	68.20	-20.07	3	Vertical	22	2.85
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41G	42.23	54.00	-11.77	3	Horizontal	292	1.25
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42796G	49.76	74.00	-24.24	3	Horizontal	292	1.25
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13016G	48.37	68.20	-19.83	3	Horizontal	291	2.24
5755MHz	Pass	AV	5.4586G	47.13	54.00	-6.87	3	Vertical	354	1.28
5755MHz	Pass	AV	5.7622G	106.92	Inf	-Inf	3	Vertical	354	1.28
5755MHz	Pass	PK	5.6494G	63.60	68.20	-4.60	3	Vertical	354	1.28
5755MHz	Pass	PK	5.7526G	116.90	Inf	-Inf	3	Vertical	354	1.28
5755MHz	Pass	PK	5.9374G	61.25	68.20	-6.95	3	Vertical	354	1.28
5755MHz	Pass	AV	5.4598G	47.17	54.00	-6.83	3	Horizontal	303	1.95
5755MHz	Pass	AV	5.761G	108.89	Inf	-Inf	3	Horizontal	303	1.95
5755MHz	Pass	PK	5.6506G	66.73	68.64	-1.91	3	Horizontal	303	1.95
5755MHz	Pass	PK	5.7562G	118.51	Inf	-Inf	3	Horizontal	303	1.95
5755MHz	Pass	PK	5.9554G	61.84	68.20	-6.36	3	Horizontal	303	1.95
5755MHz	Pass	AV	11.50962G	41.49	54.00	-12.51	3	Vertical	311	2.07
5755MHz	Pass	PK	11.50981G	47.60	74.00	-26.40	3	Vertical	311	2.07
5755MHz	Pass	PK	17.26531G	47.91	68.20	-20.29	3	Vertical	176	2.72
5755MHz	Pass	AV	11.50368G	41.74	54.00	-12.26	3	Horizontal	255	2.41
5755MHz	Pass	PK	11.50064G	49.00	74.00	-25.00	3	Horizontal	255	2.41
5755MHz	Pass	PK	17.26528G	48.26	68.20	-19.94	3	Horizontal	259	2.00
5795MHz	Pass	AV	5.7902G	107.95	Inf	-Inf	3	Vertical	360	2.91
5795MHz	Pass	PK	5.651G	62.45	68.94	-6.49	3	Vertical	360	2.91
5795MHz	Pass	PK	5.7986G	117.46	Inf	-Inf	3	Vertical	360	2.91
5795MHz	Pass	PK	5.9258G	65.38	68.20	-2.82	3	Vertical	360	2.91
5795MHz	Pass	AV	5.7866G	110.12	Inf	-Inf	3	Horizontal	304	2.02
5795MHz	Pass	PK	5.6498G	64.93	68.20	-3.27	3	Horizontal	304	2.02
5795MHz	Pass	PK	5.7962G	120.12	Inf	-Inf	3	Horizontal	304	2.02
5795MHz	Pass	PK	5.9402G	67.00	68.20	-1.20	3	Horizontal	304	2.02
5795MHz	Pass	AV	11.58909G	41.45	54.00	-12.55	3	Vertical	58	1.04
5795MHz	Pass	PK	11.5902G	48.93	74.00	-25.07	3	Vertical	58	1.04
5795MHz	Pass	PK	17.386G	48.39	68.20	-19.81	3	Vertical	332	2.50
5795MHz	Pass	AV	11.59308G	41.92	54.00	-12.08	3	Horizontal	164	2.85
5795MHz	Pass	PK	11.58576G	48.64	74.00	-25.36	3	Horizontal	164	2.85
5795MHz	Pass	PK	17.38498G	48.01	68.20	-20.19	3	Horizontal	316	1.54
802.11ac 802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	52.25	54.00	-1.75	3	Vertical	331	1.26
5210MHz	Pass	AV	5.204G	97.09	Inf	-Inf	3	Vertical	331	1.26
5210MHz	Pass	AV	5.36G	48.61	54.00	-5.39	3	Vertical	331	1.26
5210MHz	Pass	PK	5.15G	67.89	74.00	-6.11	3	Vertical	331	1.26
5210MHz	Pass	PK	5.201G	108.02	Inf	-Inf	3	Vertical	331	1.26
5210MHz	Pass	PK	5.404G	61.68	74.00	-12.32	3	Vertical	331	1.26
5210MHz	Pass	AV	5.146G	52.71	54.00	-1.29	3	Horizontal	64	1.72
5210MHz	Pass	AV	5.223G	98.92	Inf	-Inf	3	Horizontal	64	1.72
5210MHz	Pass	AV	5.362G	48.57	54.00	-5.43	3	Horizontal	64	1.72
5210MHz	Pass	PK	5.139G	67.36	74.00	-6.64	3	Horizontal	64	1.72
5210MHz	Pass	PK	5.226G	108.85	Inf	-Inf	3	Horizontal	64	1.72



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	PK	5.364G	60.51	74.00	-13.49	3	Horizontal	64	1.72
5210MHz	Pass	AV	15.6297G	41.08	54.00	-12.92	3	Vertical	40	2.04
5210MHz	Pass	PK	10.42081G	49.28	68.20	-18.92	3	Vertical	47	1.98
5210MHz	Pass	PK	15.629G	46.92	74.00	-27.08	3	Vertical	40	2.04
5210MHz	Pass	AV	15.63046G	40.87	54.00	-13.13	3	Horizontal	335	2.63
5210MHz	Pass	PK	10.4164G	46.49	68.20	-21.71	3	Horizontal	104	2.12
5210MHz	Pass	PK	15.62984G	48.45	74.00	-25.55	3	Horizontal	335	2.63
5290MHz	Pass	AV	5.148G	48.21	54.00	-5.79	3	Vertical	332	1.35
5290MHz	Pass	AV	5.281G	97.77	Inf	-Inf	3	Vertical	332	1.35
5290MHz	Pass	AV	5.351G	51.22	54.00	-2.78	3	Vertical	332	1.35
5290MHz	Pass	PK	5.143G	60.31	74.00	-13.69	3	Vertical	332	1.35
5290MHz	Pass	PK	5.281G	109.33	Inf	-Inf	3	Vertical	332	1.35
5290MHz	Pass	PK	5.354G	69.40	74.00	-4.60	3	Vertical	332	1.35
5290MHz	Pass	PK	5.513G	60.30	68.20	-7.90	3	Vertical	332	1.35
5290MHz	Pass	AV	5.143G	48.44	54.00	-5.56	3	Horizontal	294	2.19
5290MHz	Pass	AV	5.284G	100.18	Inf	-Inf	3	Horizontal	294	2.19
5290MHz	Pass	AV	5.352G	53.12	54.00	-0.88	3	Horizontal	294	2.19
5290MHz	Pass	PK	5.137G	61.11	74.00	-12.89	3	Horizontal	294	2.19
5290MHz	Pass	PK	5.282G	109.68	Inf	-Inf	3	Horizontal	294	2.19
5290MHz	Pass	PK	5.354G	72.30	74.00	-1.70	3	Horizontal	294	2.19
5290MHz	Pass	PK	5.472G	61.26	68.20	-6.94	3	Horizontal	294	2.19
5290MHz	Pass	AV	15.86911G	41.21	54.00	-12.79	3	Vertical	68	2.15
5290MHz	Pass	PK	10.58076G	49.92	68.20	-18.28	3	Vertical	228	1.28
5290MHz	Pass	PK	15.87036G	48.90	74.00	-25.10	3	Vertical	68	2.15
5290MHz	Pass	AV	15.87064G	41.15	54.00	-12.85	3	Horizontal	314	1.45
5290MHz	Pass	PK	10.57244G	47.75	68.20	-20.45	3	Horizontal	212	1.18
5290MHz	Pass	PK	15.86934G	48.25	74.00	-25.75	3	Horizontal	314	1.45
5530MHz	Pass	AV	5.35G	46.94	54.00	-7.06	3	Vertical	351	1.10
5530MHz	Pass	AV	5.452G	48.73	54.00	-5.27	3	Vertical	351	1.10
5530MHz	Pass	AV	5.524G	96.24	Inf	-Inf	3	Vertical	351	1.10
5530MHz	Pass	PK	5.334G	59.64	68.20	-8.56	3	Vertical	351	1.10
5530MHz	Pass	PK	5.447G	62.96	74.00	-11.04	3	Vertical	351	1.10
5530MHz	Pass	PK	5.468G	65.28	68.20	-2.92	3	Vertical	351	1.10
5530MHz	Pass	PK	5.521G	107.47	Inf	-Inf	3	Vertical	351	1.10
5530MHz	Pass	PK	5.742G	60.40	68.20	-7.80	3	Vertical	351	1.10
5530MHz	Pass	AV	5.35G	47.16	54.00	-6.84	3	Horizontal	296	2.09
5530MHz	Pass	AV	5.459G	49.73	54.00	-4.27	3	Horizontal	296	2.09
5530MHz	Pass	AV	5.524G	99.23	Inf	-Inf	3	Horizontal	296	2.09
5530MHz	Pass	PK	5.313G	59.16	68.20	-9.04	3	Horizontal	296	2.09
5530MHz	Pass	PK	5.455G	64.11	74.00	-9.89	3	Horizontal	296	2.09
5530MHz	Pass	PK	5.47G	65.00	68.20	-3.20	3	Horizontal	296	2.09
5530MHz	Pass	PK	5.563G	108.25	Inf	-Inf	3	Horizontal	296	2.09
5530MHz	Pass	PK	5.737G	60.71	68.20	-7.49	3	Horizontal	296	2.09
5530MHz	Pass	AV	11.06076G	40.98	54.00	-13.02	3	Vertical	312	1.68
5530MHz	Pass	PK	11.05925G	47.77	74.00	-26.23	3	Vertical	312	1.68
5530MHz	Pass	PK	16.59061G	50.06	68.20	-18.14	3	Vertical	244	1.98
5530MHz	Pass	AV	11.05072G	41.30	54.00	-12.70	3	Horizontal	248	1.42
5530MHz	Pass	PK	11.06048G	48.64	74.00	-25.36	3	Horizontal	248	1.42
5530MHz	Pass	PK	16.59007G	48.22	68.20	-19.98	3	Horizontal	27	2.44
5610MHz	Pass	AV	5.46G	49.89	54.00	-4.11	3	Vertical	352	1.44
5610MHz	Pass	AV	5.623G	99.46	Inf	-Inf	3	Vertical	352	1.44
5610MHz	Pass	PK	5.447G	62.04	74.00	-11.96	3	Vertical	352	1.44
5610MHz	Pass	PK	5.469G	61.90	68.20	-6.30	3	Vertical	352	1.44
5610MHz	Pass	PK	5.621G	109.95	Inf	-Inf	3	Vertical	352	1.44
5610MHz	Pass	PK	5.742G	65.39	68.20	-2.81	3	Vertical	352	1.44
5610MHz	Pass	AV	5.447G	48.54	54.00	-5.46	3	Horizontal	305	2.21
5610MHz	Pass	AV	5.624G	101.68	Inf	-Inf	3	Horizontal	305	2.21
5610MHz	Pass	PK	5.46G	60.66	74.00	-13.34	3	Horizontal	305	2.21
5610MHz	Pass	PK	5.468G	61.74	68.20	-6.46	3	Horizontal	305	2.21
5610MHz	Pass	PK	5.622G	111.32	Inf	-Inf	3	Horizontal	305	2.21
5610MHz	Pass	PK	5.725G	67.42	68.20	-0.78	3	Horizontal	305	2.21
5610MHz	Pass	AV	11.22014G	41.33	54.00	-12.67	3	Vertical	243	1.67



RSE TX above 1GHz

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	PK	11.22082G	47.29	74.00	-26.71	3	Vertical	243	1.67
5610MHz	Pass	PK	16.82969G	49.10	68.20	-19.10	3	Vertical	114	2.82
5610MHz	Pass	AV	11.22484G	41.38	54.00	-12.62	3	Horizontal	325	1.56
5610MHz	Pass	PK	11.22532G	49.57	74.00	-24.43	3	Horizontal	325	1.56
5610MHz	Pass	PK	16.83088G	48.25	68.20	-19.95	3	Horizontal	68	2.48
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4464G	46.77	54.00	-7.23	3	Vertical	356	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7032G	102.53	Inf	-Inf	3	Vertical	356	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4128G	59.34	74.00	-14.66	3	Vertical	356	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	59.37	68.20	-8.83	3	Vertical	356	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7032G	113.09	Inf	-Inf	3	Vertical	356	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	64.55	68.20	-3.65	3	Vertical	356	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	47.61	54.00	-6.39	3	Horizontal	300	2.05
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7008G	103.99	Inf	-Inf	3	Horizontal	300	2.05
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.438G	59.75	74.00	-14.25	3	Horizontal	300	2.05
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	59.70	68.20	-8.50	3	Horizontal	300	2.05
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.702G	113.77	Inf	-Inf	3	Horizontal	300	2.05
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8652G	66.57	68.20	-1.63	3	Horizontal	300	2.05
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37994G	42.02	54.00	-11.98	3	Vertical	21	2.54
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38094G	48.77	74.00	-25.23	3	Vertical	21	2.54
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.069G	48.83	68.20	-19.37	3	Vertical	57	1.10
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38428G	42.19	54.00	-11.81	3	Horizontal	180	1.87
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37452G	48.59	74.00	-25.41	3	Horizontal	180	1.87
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06902G	47.42	68.20	-20.78	3	Horizontal	204	1.45
5775MHz	Pass	AV	5.7666G	99.21	Inf	-Inf	3	Vertical	276	1.62
5775MHz	Pass	PK	5.6502G	64.31	68.35	-4.04	3	Vertical	276	1.62
5775MHz	Pass	PK	5.7666G	109.03	Inf	-Inf	3	Vertical	276	1.62
5775MHz	Pass	PK	5.9262G	61.43	68.20	-6.77	3	Vertical	276	1.62
5775MHz	Pass	AV	5.7558G	102.79	Inf	-Inf	3	Horizontal	298	2.06
5775MHz	Pass	PK	5.643G	66.97	68.20	-1.23	3	Horizontal	298	2.06
5775MHz	Pass	PK	5.7618G	112.10	Inf	-Inf	3	Horizontal	298	2.06
5775MHz	Pass	PK	5.9274G	64.38	68.20	-3.82	3	Horizontal	298	2.06
5775MHz	Pass	AV	11.54969G	41.51	54.00	-12.49	3	Vertical	179	1.45
5775MHz	Pass	PK	11.54939G	47.33	74.00	-26.67	3	Vertical	179	1.45
5775MHz	Pass	PK	17.32452G	48.69	68.20	-19.51	3	Vertical	226	2.20
5775MHz	Pass	AV	11.55064G	41.42	54.00	-12.58	3	Horizontal	277	2.28
5775MHz	Pass	PK	11.55592G	48.67	74.00	-25.33	3	Horizontal	277	2.28
5775MHz	Pass	PK	17.32584G	48.15	68.20	-20.05	3	Horizontal	12	1.42
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.149G	51.48	54.00	-2.52	3	Vertical	333	1.36
5180MHz	Pass	AV	5.1746G	106.15	Inf	-Inf	3	Vertical	333	1.36
5180MHz	Pass	PK	5.1488G	70.38	74.00	-3.62	3	Vertical	333	1.36
5180MHz	Pass	PK	5.1768G	119.25	Inf	-Inf	3	Vertical	333	1.36
5180MHz	Pass	AV	5.1492G	53.03	54.00	-0.97	3	Horizontal	57	1.72
5180MHz	Pass	AV	5.185G	107.19	Inf	-Inf	3	Horizontal	57	1.72
5180MHz	Pass	PK	5.149G	71.23	74.00	-2.77	3	Horizontal	57	1.72
5180MHz	Pass	PK	5.177G	119.46	Inf	-Inf	3	Horizontal	57	1.72
5180MHz	Pass	AV	15.54204G	40.30	54.00	-13.70	3	Vertical	347	1.30
5180MHz	Pass	PK	10.34548G	49.51	68.20	-18.69	3	Vertical	157	1.50
5180MHz	Pass	PK	15.54672G	54.01	74.00	-19.99	3	Vertical	347	1.30
5180MHz	Pass	AV	15.54456G	39.14	54.00	-14.86	3	Horizontal	59	1.49
5180MHz	Pass	PK	10.35178G	49.85	68.20	-18.35	3	Horizontal	281	1.50
5180MHz	Pass	PK	15.5493G	51.59	74.00	-22.41	3	Horizontal	59	1.49
5200MHz	Pass	AV	5.1492G	51.98	54.00	-2.02	3	Vertical	333	1.57
5200MHz	Pass	AV	5.2028G	109.25	Inf	-Inf	3	Vertical	333	1.57
5200MHz	Pass	PK	5.1468G	69.46	74.00	-4.54	3	Vertical	333	1.57
5200MHz	Pass	PK	5.2044G	121.99	Inf	-Inf	3	Vertical	333	1.57
5200MHz	Pass	AV	5.15G	53.13	54.00	-0.87	3	Horizontal	62	1.84
5200MHz	Pass	AV	5.2012G	110.57	Inf	-Inf	3	Horizontal	62	1.84
5200MHz	Pass	PK	5.1456G	70.47	74.00	-3.53	3	Horizontal	62	1.84
5200MHz	Pass	PK	5.1968G	123.16	Inf	-Inf	3	Horizontal	62	1.84
5200MHz	Pass	AV	15.59982G	43.02	54.00	-10.98	3	Vertical	348	1.35
5200MHz	Pass	PK	10.39922G	50.49	68.20	-17.71	3	Vertical	328	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5200MHz	Pass	PK	15.60174G	55.46	74.00	-18.54	3	Vertical	348	1.35
5200MHz	Pass	AV	15.59736G	40.34	54.00	-13.66	3	Horizontal	60	1.32
5200MHz	Pass	PK	10.3964G	50.57	68.20	-17.63	3	Horizontal	34	1.50
5200MHz	Pass	PK	15.6087G	52.37	74.00	-21.63	3	Horizontal	60	1.32
5240MHz	Pass	AV	5.1488G	48.84	54.00	-5.16	3	Vertical	332	1.15
5240MHz	Pass	AV	5.2382G	108.62	Inf	-Inf	3	Vertical	332	1.15
5240MHz	Pass	AV	5.35G	48.55	54.00	-5.45	3	Vertical	332	1.15
5240MHz	Pass	PK	5.1428G	61.72	74.00	-12.28	3	Vertical	332	1.15
5240MHz	Pass	PK	5.2448G	121.46	Inf	-Inf	3	Vertical	332	1.15
5240MHz	Pass	PK	5.35G	61.20	74.00	-12.80	3	Vertical	332	1.15
5240MHz	Pass	AV	5.1476G	49.71	54.00	-4.29	3	Horizontal	54	1.50
5240MHz	Pass	AV	5.2412G	110.31	Inf	-Inf	3	Horizontal	54	1.50
5240MHz	Pass	AV	5.35G	48.00	54.00	-6.00	3	Horizontal	54	1.50
5240MHz	Pass	PK	5.1392G	61.86	74.00	-12.14	3	Horizontal	54	1.50
5240MHz	Pass	PK	5.237G	123.26	Inf	-Inf	3	Horizontal	54	1.50
5240MHz	Pass	PK	5.3648G	60.90	74.00	-13.10	3	Horizontal	54	1.50
5240MHz	Pass	AV	15.7221G	40.22	54.00	-13.78	3	Vertical	354	2.19
5240MHz	Pass	PK	10.48798G	51.12	68.20	-17.08	3	Vertical	4	1.50
5240MHz	Pass	PK	15.7173G	53.24	74.00	-20.76	3	Vertical	354	2.19
5240MHz	Pass	AV	15.72306G	39.00	54.00	-15.00	3	Horizontal	58	1.35
5240MHz	Pass	PK	10.46764G	50.77	68.20	-17.43	3	Horizontal	297	1.50
5240MHz	Pass	PK	15.71718G	50.71	74.00	-23.29	3	Horizontal	58	1.35
5260MHz	Pass	AV	5.15G	48.01	54.00	-5.99	3	Vertical	332	1.50
5260MHz	Pass	AV	5.2582G	109.52	Inf	-Inf	3	Vertical	332	1.50
5260MHz	Pass	AV	5.3512G	49.53	54.00	-4.47	3	Vertical	332	1.50
5260MHz	Pass	PK	5.15G	60.37	74.00	-13.63	3	Vertical	332	1.50
5260MHz	Pass	PK	5.2612G	121.34	Inf	-Inf	3	Vertical	332	1.50
5260MHz	Pass	PK	5.356G	62.51	74.00	-11.49	3	Vertical	332	1.50
5260MHz	Pass	AV	5.15G	47.40	54.00	-6.60	3	Horizontal	55	1.61
5260MHz	Pass	AV	5.2564G	110.86	Inf	-Inf	3	Horizontal	55	1.61
5260MHz	Pass	AV	5.3596G	49.91	54.00	-4.09	3	Horizontal	55	1.61
5260MHz	Pass	PK	5.1244G	60.84	74.00	-13.16	3	Horizontal	55	1.61
5260MHz	Pass	PK	5.257G	123.85	Inf	-Inf	3	Horizontal	55	1.61
5260MHz	Pass	PK	5.3596G	62.75	74.00	-11.25	3	Horizontal	55	1.61
5260MHz	Pass	AV	15.77994G	40.66	54.00	-13.34	3	Vertical	352	1.36
5260MHz	Pass	PK	10.5218G	50.40	68.20	-17.80	3	Vertical	68	1.50
5260MHz	Pass	PK	15.78192G	52.73	74.00	-21.27	3	Vertical	352	1.36
5260MHz	Pass	AV	15.78342G	38.68	54.00	-15.32	3	Horizontal	54	1.35
5260MHz	Pass	PK	10.5146G	51.02	68.20	-17.18	3	Horizontal	84	1.50
5260MHz	Pass	PK	15.7848G	50.43	74.00	-23.57	3	Horizontal	54	1.35
5300MHz	Pass	AV	5.15G	46.09	54.00	-7.91	3	Vertical	333	1.47
5300MHz	Pass	AV	5.303G	108.89	Inf	-Inf	3	Vertical	333	1.47
5300MHz	Pass	AV	5.35G	52.76	54.00	-1.24	3	Vertical	333	1.47
5300MHz	Pass	PK	5.15G	58.51	74.00	-15.49	3	Vertical	333	1.47
5300MHz	Pass	PK	5.297G	121.40	Inf	-Inf	3	Vertical	333	1.47
5300MHz	Pass	PK	5.35G	71.00	74.00	-3.00	3	Vertical	333	1.47
5300MHz	Pass	AV	5.15G	46.20	54.00	-7.80	3	Horizontal	58	1.60
5300MHz	Pass	AV	5.3012G	110.20	Inf	-Inf	3	Horizontal	58	1.60
5300MHz	Pass	AV	5.35G	53.21	54.00	-0.79	3	Horizontal	58	1.60
5300MHz	Pass	PK	5.15G	57.94	74.00	-16.06	3	Horizontal	58	1.60
5300MHz	Pass	PK	5.297G	123.60	Inf	-Inf	3	Horizontal	58	1.60
5300MHz	Pass	PK	5.3516G	72.35	74.00	-1.65	3	Horizontal	58	1.60
5300MHz	Pass	AV	10.60558G	37.39	54.00	-16.61	3	Vertical	346	1.50
5300MHz	Pass	AV	15.90288G	38.68	54.00	-15.32	3	Vertical	39	1.87
5300MHz	Pass	PK	10.5925G	49.77	68.20	-18.43	3	Vertical	346	1.50
5300MHz	Pass	PK	15.9063G	50.59	74.00	-23.41	3	Vertical	39	1.87
5300MHz	Pass	AV	15.89418G	38.61	54.00	-15.39	3	Horizontal	348	1.50
5300MHz	Pass	PK	10.594G	49.56	68.20	-18.64	3	Horizontal	355	1.50
5300MHz	Pass	PK	15.88806G	49.96	74.00	-24.04	3	Horizontal	348	1.50
5320MHz	Pass	AV	5.314G	104.53	Inf	-Inf	3	Vertical	335	1.30
5320MHz	Pass	AV	5.35G	51.11	54.00	-2.89	3	Vertical	335	1.30
5320MHz	Pass	PK	5.317G	117.39	Inf	-Inf	3	Vertical	335	1.30



RSE TX above 1GHz

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.3536G	70.26	74.00	-3.74	3	Vertical	335	1.30
5320MHz	Pass	PK	5.467G	59.47	68.20	-8.73	3	Vertical	335	1.30
5320MHz	Pass	AV	5.3146G	106.33	Inf	-Inf	3	Horizontal	58	1.56
5320MHz	Pass	AV	5.3506G	52.58	54.00	-1.42	3	Horizontal	58	1.56
5320MHz	Pass	PK	5.317G	119.41	Inf	-Inf	3	Horizontal	58	1.56
5320MHz	Pass	PK	5.353G	71.73	74.00	-2.27	3	Horizontal	58	1.56
5320MHz	Pass	PK	5.4652G	59.57	68.20	-8.63	3	Horizontal	58	1.56
5320MHz	Pass	AV	10.6442G	37.46	54.00	-16.54	3	Vertical	277	1.50
5320MHz	Pass	AV	15.96018G	37.83	54.00	-16.17	3	Vertical	302	1.15
5320MHz	Pass	PK	10.64468G	49.43	74.00	-24.57	3	Vertical	277	1.50
5320MHz	Pass	PK	15.95292G	50.27	74.00	-23.73	3	Vertical	302	1.15
5320MHz	Pass	AV	10.64378G	37.51	54.00	-16.49	3	Horizontal	159	1.50
5320MHz	Pass	AV	15.95778G	37.97	54.00	-16.03	3	Horizontal	36	1.50
5320MHz	Pass	PK	10.6406G	49.82	74.00	-24.18	3	Horizontal	159	1.50
5320MHz	Pass	PK	15.9642G	49.81	74.00	-24.19	3	Horizontal	36	1.50
5500MHz	Pass	AV	5.35G	45.54	54.00	-8.46	3	Vertical	356	1.53
5500MHz	Pass	AV	5.4592G	47.47	54.00	-6.53	3	Vertical	356	1.53
5500MHz	Pass	AV	5.4934G	103.08	Inf	-Inf	3	Vertical	356	1.53
5500MHz	Pass	PK	5.35G	57.78	74.00	-16.22	3	Vertical	356	1.53
5500MHz	Pass	PK	5.3902G	61.14	74.00	-12.86	3	Vertical	356	1.53
5500MHz	Pass	PK	5.4646G	66.33	68.20	-1.87	3	Vertical	356	1.53
5500MHz	Pass	PK	5.497G	116.26	Inf	-Inf	3	Vertical	356	1.53
5500MHz	Pass	AV	5.35G	45.65	54.00	-8.35	3	Horizontal	298	2.45
5500MHz	Pass	AV	5.4592G	47.62	54.00	-6.38	3	Horizontal	298	2.45
5500MHz	Pass	AV	5.4952G	105.08	Inf	-Inf	3	Horizontal	298	2.45
5500MHz	Pass	PK	5.35G	57.14	74.00	-16.86	3	Horizontal	298	2.45
5500MHz	Pass	PK	5.4592G	61.18	74.00	-12.82	3	Horizontal	298	2.45
5500MHz	Pass	PK	5.4658G	66.11	68.20	-2.09	3	Horizontal	298	2.45
5500MHz	Pass	PK	5.4934G	118.08	Inf	-Inf	3	Horizontal	298	2.45
5500MHz	Pass	AV	10.98956G	38.55	54.00	-15.45	3	Vertical	23	1.50
5500MHz	Pass	PK	10.98554G	51.17	74.00	-22.83	3	Vertical	23	1.50
5500MHz	Pass	PK	16.49574G	50.36	68.20	-17.84	3	Vertical	297	1.50
5500MHz	Pass	AV	10.98794G	38.61	54.00	-15.39	3	Horizontal	279	1.50
5500MHz	Pass	PK	11.00408G	51.44	74.00	-22.56	3	Horizontal	279	1.50
5500MHz	Pass	PK	16.50546G	49.98	68.20	-18.22	3	Horizontal	73	1.50
5580MHz	Pass	AV	5.4528G	47.29	54.00	-6.71	3	Vertical	352	1.38
5580MHz	Pass	AV	5.583G	108.82	Inf	-Inf	3	Vertical	352	1.38
5580MHz	Pass	PK	5.436G	60.25	74.00	-13.75	3	Vertical	352	1.38
5580MHz	Pass	PK	5.4636G	60.22	68.20	-7.98	3	Vertical	352	1.38
5580MHz	Pass	PK	5.577G	121.96	Inf	-Inf	3	Vertical	352	1.38
5580MHz	Pass	PK	5.7282G	60.70	68.20	-7.50	3	Vertical	352	1.38
5580MHz	Pass	AV	5.4486G	46.94	54.00	-7.06	3	Horizontal	299	2.22
5580MHz	Pass	AV	5.5812G	110.98	Inf	-Inf	3	Horizontal	299	2.22
5580MHz	Pass	PK	5.4438G	60.42	74.00	-13.58	3	Horizontal	299	2.22
5580MHz	Pass	PK	5.4648G	60.01	68.20	-8.19	3	Horizontal	299	2.22
5580MHz	Pass	PK	5.577G	124.09	Inf	-Inf	3	Horizontal	299	2.22
5580MHz	Pass	PK	5.7294G	60.47	68.20	-7.73	3	Horizontal	299	2.22
5580MHz	Pass	AV	11.16024G	40.06	54.00	-13.94	3	Vertical	9	1.55
5580MHz	Pass	PK	11.15706G	52.41	74.00	-21.59	3	Vertical	9	1.55
5580MHz	Pass	PK	16.7538G	51.53	68.20	-16.67	3	Vertical	157	2.27
5580MHz	Pass	AV	11.16078G	38.44	54.00	-15.56	3	Horizontal	45	1.50
5580MHz	Pass	PK	11.16036G	50.95	74.00	-23.05	3	Horizontal	45	1.50
5580MHz	Pass	PK	16.7511G	51.75	68.20	-16.45	3	Horizontal	61	1.50
5700MHz	Pass	AV	5.703G	101.05	Inf	-Inf	3	Vertical	353	1.37
5700MHz	Pass	PK	5.7048G	113.25	Inf	-Inf	3	Vertical	353	1.37
5700MHz	Pass	PK	5.7264G	66.17	68.20	-2.03	3	Vertical	353	1.37
5700MHz	Pass	AV	5.7036G	102.65	Inf	-Inf	3	Horizontal	305	2.30
5700MHz	Pass	PK	5.7006G	115.70	Inf	-Inf	3	Horizontal	305	2.30
5700MHz	Pass	PK	5.7264G	66.78	68.20	-1.42	3	Horizontal	305	2.30
5700MHz	Pass	AV	11.40144G	49.82	54.00	-4.18	3	Vertical	360	3.00
5700MHz	Pass	PK	11.3988G	61.16	74.00	-12.84	3	Vertical	360	3.00
5700MHz	Pass	PK	17.08506G	50.97	68.20	-17.23	3	Vertical	360	1.50



RSE TX above 1GHz

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5700MHz	Pass	AV	11.40066G	43.06	54.00	-10.94	3	Horizontal	69	1.60
5700MHz	Pass	PK	11.40246G	55.65	74.00	-18.35	3	Horizontal	69	1.60
5700MHz	Pass	PK	17.09496G	50.28	68.20	-17.92	3	Horizontal	270	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4416G	46.44	54.00	-7.56	3	Vertical	352	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	110.10	Inf	-Inf	3	Vertical	352	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4416G	59.38	74.00	-14.62	3	Vertical	352	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	58.85	68.20	-9.35	3	Vertical	352	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	122.90	Inf	-Inf	3	Vertical	352	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9672G	60.63	68.20	-7.57	3	Vertical	352	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4416G	46.18	54.00	-7.82	3	Horizontal	302	2.20
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	112.08	Inf	-Inf	3	Horizontal	302	2.20
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.45G	60.15	74.00	-13.85	3	Horizontal	302	2.20
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	58.82	68.20	-9.38	3	Horizontal	302	2.20
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	124.53	Inf	-Inf	3	Horizontal	302	2.20
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8832G	61.74	68.20	-6.46	3	Horizontal	302	2.20
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43934G	50.22	54.00	-3.78	3	Vertical	349	2.98
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4394G	61.58	74.00	-12.42	3	Vertical	349	2.98
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.17296G	49.74	68.20	-18.46	3	Vertical	77	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43814G	43.68	54.00	-10.32	3	Horizontal	68	1.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43586G	55.89	74.00	-18.11	3	Horizontal	68	1.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16558G	50.54	68.20	-17.66	3	Horizontal	350	1.50
5745MHz	Pass	AV	5.457G	46.17	54.00	-7.83	3	Vertical	352	1.37
5745MHz	Pass	AV	5.7402G	110.47	Inf	-Inf	3	Vertical	352	1.37
5745MHz	Pass	PK	5.6478G	61.90	68.20	-6.30	3	Vertical	352	1.37
5745MHz	Pass	PK	5.7414G	122.34	Inf	-Inf	3	Vertical	352	1.37
5745MHz	Pass	PK	5.9382G	61.25	68.20	-6.95	3	Vertical	352	1.37
5745MHz	Pass	AV	5.4498G	46.31	54.00	-7.69	3	Horizontal	300	2.17
5745MHz	Pass	AV	5.739G	111.92	Inf	-Inf	3	Horizontal	300	2.17
5745MHz	Pass	PK	5.6466G	64.85	68.20	-3.35	3	Horizontal	300	2.17
5745MHz	Pass	PK	5.7462G	124.01	Inf	-Inf	3	Horizontal	300	2.17
5745MHz	Pass	PK	5.9682G	60.70	68.20	-7.50	3	Horizontal	300	2.17
5745MHz	Pass	AV	11.49186G	51.01	54.00	-2.99	3	Vertical	352	2.96
5745MHz	Pass	PK	11.49408G	62.62	74.00	-11.38	3	Vertical	352	2.96
5745MHz	Pass	PK	17.24856G	49.77	68.20	-18.43	3	Vertical	12	1.50
5745MHz	Pass	AV	11.4882G	44.86	54.00	-9.14	3	Horizontal	69	1.50
5745MHz	Pass	PK	11.48388G	56.82	74.00	-17.18	3	Horizontal	69	1.50
5745MHz	Pass	PK	17.24016G	50.10	68.20	-18.10	3	Horizontal	345	1.50
5785MHz	Pass	AV	5.78371G	110.44	Inf	-Inf	3	Vertical	351	1.37
5785MHz	Pass	PK	5.50299G	60.10	68.20	-8.10	3	Vertical	351	1.37
5785MHz	Pass	PK	5.78129G	123.18	Inf	-Inf	3	Vertical	351	1.37
5785MHz	Pass	PK	6.03055G	61.74	68.20	-6.46	3	Vertical	351	1.37
5785MHz	Pass	AV	5.78613G	112.11	Inf	-Inf	3	Horizontal	300	2.08
5785MHz	Pass	PK	5.58406G	61.79	68.20	-6.41	3	Horizontal	300	2.08
5785MHz	Pass	PK	5.7825G	124.59	Inf	-Inf	3	Horizontal	300	2.08
5785MHz	Pass	PK	6.03539G	62.75	68.20	-5.45	3	Horizontal	300	2.08
5785MHz	Pass	AV	11.57186G	47.11	54.00	-6.89	3	Vertical	2	3.00
5785MHz	Pass	PK	11.56946G	59.47	74.00	-14.53	3	Vertical	2	3.00
5785MHz	Pass	PK	17.35302G	50.57	68.20	-17.63	3	Vertical	228	1.50
5785MHz	Pass	AV	11.56982G	46.66	54.00	-7.34	3	Horizontal	50	2.68
5785MHz	Pass	PK	11.56622G	58.48	74.00	-15.52	3	Horizontal	50	2.68
5785MHz	Pass	PK	17.35134G	50.84	68.20	-17.36	3	Horizontal	70	1.50
5825MHz	Pass	AV	5.8274G	110.62	Inf	-Inf	3	Vertical	354	3.00
5825MHz	Pass	PK	5.5922G	59.71	68.20	-8.49	3	Vertical	354	3.00
5825MHz	Pass	PK	5.8262G	122.11	Inf	-Inf	3	Vertical	354	3.00
5825MHz	Pass	PK	5.9306G	62.94	68.20	-5.26	3	Vertical	354	3.00
5825MHz	Pass	AV	5.8202G	111.75	Inf	-Inf	3	Horizontal	311	1.54
5825MHz	Pass	PK	5.6318G	62.45	68.20	-5.75	3	Horizontal	311	1.54
5825MHz	Pass	PK	5.8214G	125.02	Inf	-Inf	3	Horizontal	311	1.54
5825MHz	Pass	PK	5.9306G	63.18	68.20	-5.02	3	Horizontal	311	1.54
5825MHz	Pass	AV	11.65G	47.36	54.00	-6.64	3	Vertical	1	3.00
5825MHz	Pass	PK	11.65252G	59.23	74.00	-14.77	3	Vertical	1	3.00
5825MHz	Pass	PK	17.46714G	51.61	68.20	-16.59	3	Vertical	23	1.50



RSE TX above 1GHz

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5825MHz	Pass	AV	11.64922G	43.78	54.00	-10.22	3	Horizontal	66	1.48
5825MHz	Pass	PK	11.6488G	56.12	74.00	-17.88	3	Horizontal	66	1.48
5825MHz	Pass	PK	17.47608G	51.26	68.20	-16.94	3	Horizontal	360	1.50
802.11ax HEW40_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1498G	51.81	54.00	-2.19	3	Vertical	341	1.17
5190MHz	Pass	AV	5.1954G	100.57	Inf	-Inf	3	Vertical	341	1.17
5190MHz	Pass	PK	5.1498G	68.72	74.00	-5.28	3	Vertical	341	1.17
5190MHz	Pass	PK	5.1954G	113.22	Inf	-Inf	3	Vertical	341	1.17
5190MHz	Pass	AV	5.1486G	52.48	54.00	-1.52	3	Horizontal	55	1.50
5190MHz	Pass	AV	5.1942G	101.71	Inf	-Inf	3	Horizontal	55	1.50
5190MHz	Pass	PK	5.1486G	68.19	74.00	-5.81	3	Horizontal	55	1.50
5190MHz	Pass	PK	5.1888G	112.81	Inf	-Inf	3	Horizontal	55	1.50
5190MHz	Pass	AV	15.58524G	39.35	54.00	-14.65	3	Vertical	106	1.50
5190MHz	Pass	PK	10.35756G	50.39	68.20	-17.81	3	Vertical	345	1.50
5190MHz	Pass	PK	15.5484G	50.79	74.00	-23.21	3	Vertical	106	1.50
5190MHz	Pass	AV	15.56124G	39.45	54.00	-14.55	3	Horizontal	217	1.50
5190MHz	Pass	PK	10.39176G	50.43	68.20	-17.77	3	Horizontal	319	1.50
5190MHz	Pass	PK	15.55296G	50.46	74.00	-23.54	3	Horizontal	217	1.50
5230MHz	Pass	AV	5.1496G	51.44	54.00	-2.56	3	Vertical	334	1.34
5230MHz	Pass	AV	5.2258G	105.09	Inf	-Inf	3	Vertical	334	1.34
5230MHz	Pass	AV	5.3536G	49.28	54.00	-4.72	3	Vertical	334	1.34
5230MHz	Pass	PK	5.1472G	67.58	74.00	-6.42	3	Vertical	334	1.34
5230MHz	Pass	PK	5.2354G	116.77	Inf	-Inf	3	Vertical	334	1.34
5230MHz	Pass	PK	5.3518G	61.53	74.00	-12.47	3	Vertical	334	1.34
5230MHz	Pass	AV	5.1496G	52.99	54.00	-1.01	3	Horizontal	56	1.56
5230MHz	Pass	AV	5.2366G	106.70	Inf	-Inf	3	Horizontal	56	1.56
5230MHz	Pass	AV	5.3506G	49.53	54.00	-4.47	3	Horizontal	56	1.56
5230MHz	Pass	PK	5.1466G	69.43	74.00	-4.57	3	Horizontal	56	1.56
5230MHz	Pass	PK	5.227G	118.96	Inf	-Inf	3	Horizontal	56	1.56
5230MHz	Pass	PK	5.356G	62.16	74.00	-11.84	3	Horizontal	56	1.56
5230MHz	Pass	AV	15.66384G	39.39	54.00	-14.61	3	Vertical	354	2.07
5230MHz	Pass	PK	10.44536G	51.04	68.20	-17.16	3	Vertical	285	2.11
5230MHz	Pass	PK	15.68544G	50.82	74.00	-23.18	3	Vertical	354	2.07
5230MHz	Pass	AV	15.66888G	39.03	54.00	-14.97	3	Horizontal	173	2.06
5230MHz	Pass	PK	10.46516G	50.17	68.20	-18.03	3	Horizontal	201	1.50
5230MHz	Pass	PK	15.6882G	51.11	74.00	-22.89	3	Horizontal	173	2.06
5270MHz	Pass	AV	5.1386G	47.99	54.00	-6.01	3	Vertical	332	1.20
5270MHz	Pass	AV	5.2754G	104.93	Inf	-Inf	3	Vertical	332	1.20
5270MHz	Pass	AV	5.3528G	51.49	54.00	-2.51	3	Vertical	332	1.20
5270MHz	Pass	PK	5.1368G	60.56	74.00	-13.44	3	Vertical	332	1.20
5270MHz	Pass	PK	5.2754G	117.15	Inf	-Inf	3	Vertical	332	1.20
5270MHz	Pass	PK	5.351G	67.00	74.00	-7.00	3	Vertical	332	1.20
5270MHz	Pass	AV	5.1386G	48.29	54.00	-5.71	3	Horizontal	57	1.64
5270MHz	Pass	AV	5.2766G	106.02	Inf	-Inf	3	Horizontal	57	1.64
5270MHz	Pass	AV	5.35G	52.82	54.00	-1.18	3	Horizontal	57	1.64
5270MHz	Pass	PK	5.138G	61.57	74.00	-12.43	3	Horizontal	57	1.64
5270MHz	Pass	PK	5.267G	118.53	Inf	-Inf	3	Horizontal	57	1.64
5270MHz	Pass	PK	5.3516G	68.58	74.00	-5.42	3	Horizontal	57	1.64
5270MHz	Pass	AV	15.78384G	39.34	54.00	-14.66	3	Vertical	352	1.26
5270MHz	Pass	PK	10.55776G	49.94	68.20	-18.26	3	Vertical	321	1.50
5270MHz	Pass	PK	15.8376G	50.68	74.00	-23.32	3	Vertical	352	1.26
5270MHz	Pass	AV	15.80844G	38.97	54.00	-15.03	3	Horizontal	25	1.50
5270MHz	Pass	PK	10.55452G	50.18	68.20	-18.02	3	Horizontal	119	1.85
5270MHz	Pass	PK	15.82332G	50.41	74.00	-23.59	3	Horizontal	25	1.50
5310MHz	Pass	AV	5.316G	101.34	Inf	-Inf	3	Vertical	331	1.30
5310MHz	Pass	AV	5.352G	51.58	54.00	-2.42	3	Vertical	331	1.30
5310MHz	Pass	PK	5.2974G	112.86	Inf	-Inf	3	Vertical	331	1.30
5310MHz	Pass	PK	5.3544G	71.65	74.00	-2.35	3	Vertical	331	1.30
5310MHz	Pass	AV	5.304G	102.90	Inf	-Inf	3	Horizontal	57	1.62
5310MHz	Pass	AV	5.35G	52.79	54.00	-1.21	3	Horizontal	57	1.62
5310MHz	Pass	PK	5.307G	115.29	Inf	-Inf	3	Horizontal	57	1.62
5310MHz	Pass	PK	5.35G	71.35	74.00	-2.65	3	Horizontal	57	1.62



RSE TX above 1GHz

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	AV	10.6416G	38.27	54.00	-15.73	3	Vertical	264	1.50
5310MHz	Pass	AV	15.90192G	38.81	54.00	-15.19	3	Vertical	192	1.50
5310MHz	Pass	PK	10.62288G	49.65	74.00	-24.35	3	Vertical	264	1.50
5310MHz	Pass	PK	15.92196G	50.28	74.00	-23.72	3	Vertical	192	1.50
5310MHz	Pass	AV	15.91548G	39.01	54.00	-14.99	3	Horizontal	261	1.50
5310MHz	Pass	PK	10.60068G	49.81	74.00	-24.19	3	Horizontal	7	1.18
5310MHz	Pass	PK	15.9534G	50.22	74.00	-23.78	3	Horizontal	261	1.50
5510MHz	Pass	AV	5.4584G	49.20	54.00	-4.80	3	Vertical	355	1.49
5510MHz	Pass	AV	5.5088G	99.81	Inf	-Inf	3	Vertical	355	1.49
5510MHz	Pass	PK	5.4578G	61.99	74.00	-12.01	3	Vertical	355	1.49
5510MHz	Pass	PK	5.4686G	67.23	68.20	-0.97	3	Vertical	355	1.49
5510MHz	Pass	PK	5.507G	112.12	Inf	-Inf	3	Vertical	355	1.49
5510MHz	Pass	AV	5.4584G	50.40	54.00	-3.60	3	Horizontal	298	2.35
5510MHz	Pass	AV	5.5058G	102.16	Inf	-Inf	3	Horizontal	298	2.35
5510MHz	Pass	PK	5.4578G	65.26	74.00	-8.74	3	Horizontal	298	2.35
5510MHz	Pass	PK	5.4632G	66.54	68.20	-1.66	3	Horizontal	298	2.35
5510MHz	Pass	PK	5.5088G	113.95	Inf	-Inf	3	Horizontal	298	2.35
5510MHz	Pass	AV	10.99384G	39.14	54.00	-14.86	3	Vertical	123	1.50
5510MHz	Pass	PK	11.01064G	51.10	74.00	-22.90	3	Vertical	123	1.50
5510MHz	Pass	PK	16.51752G	50.33	68.20	-17.87	3	Vertical	294	1.50
5510MHz	Pass	AV	10.99984G	39.11	54.00	-14.89	3	Horizontal	359	1.50
5510MHz	Pass	PK	11.041G	50.72	74.00	-23.28	3	Horizontal	359	1.50
5510MHz	Pass	PK	16.55508G	50.56	68.20	-17.64	3	Horizontal	170	1.50
5550MHz	Pass	AV	5.46G	50.39	54.00	-3.61	3	Vertical	353	1.49
5550MHz	Pass	AV	5.5554G	104.33	Inf	-Inf	3	Vertical	353	1.49
5550MHz	Pass	PK	5.46G	63.88	74.00	-10.12	3	Vertical	353	1.49
5550MHz	Pass	PK	5.4672G	67.10	68.20	-1.10	3	Vertical	353	1.49
5550MHz	Pass	PK	5.5554G	116.39	Inf	-Inf	3	Vertical	353	1.49
5550MHz	Pass	AV	5.4594G	50.17	54.00	-3.83	3	Horizontal	303	2.52
5550MHz	Pass	AV	5.5566G	106.53	Inf	-Inf	3	Horizontal	303	2.52
5550MHz	Pass	PK	5.46G	65.42	74.00	-8.58	3	Horizontal	303	2.52
5550MHz	Pass	PK	5.4672G	67.13	68.20	-1.07	3	Horizontal	303	2.52
5550MHz	Pass	PK	5.5464G	117.74	Inf	-Inf	3	Horizontal	303	2.52
5550MHz	Pass	AV	11.0976G	39.45	54.00	-14.55	3	Vertical	11	1.45
5550MHz	Pass	PK	11.11428G	51.23	74.00	-22.77	3	Vertical	11	1.45
5550MHz	Pass	PK	16.6224G	50.89	68.20	-17.31	3	Vertical	149	1.12
5550MHz	Pass	AV	11.09508G	38.88	54.00	-15.12	3	Horizontal	355	1.50
5550MHz	Pass	PK	11.1102G	51.10	74.00	-22.90	3	Horizontal	355	1.50
5550MHz	Pass	PK	16.6734G	50.58	68.20	-17.62	3	Horizontal	234	1.00
5670MHz	Pass	AV	5.6748G	101.20	Inf	-Inf	3	Vertical	353	1.24
5670MHz	Pass	PK	5.6754G	113.52	Inf	-Inf	3	Vertical	353	1.24
5670MHz	Pass	PK	5.73G	64.15	68.20	-4.05	3	Vertical	353	1.24
5670MHz	Pass	AV	5.6766G	103.38	Inf	-Inf	3	Horizontal	303	2.21
5670MHz	Pass	PK	5.676G	114.59	Inf	-Inf	3	Horizontal	303	2.21
5670MHz	Pass	PK	5.727G	64.88	68.20	-3.32	3	Horizontal	303	2.21
5670MHz	Pass	AV	11.34228G	42.47	54.00	-11.53	3	Vertical	349	2.96
5670MHz	Pass	PK	11.34204G	54.44	74.00	-19.56	3	Vertical	349	2.96
5670MHz	Pass	PK	17.01288G	51.45	68.20	-16.75	3	Vertical	30	1.50
5670MHz	Pass	AV	11.34228G	40.05	54.00	-13.95	3	Horizontal	53	2.73
5670MHz	Pass	PK	11.36424G	51.12	74.00	-22.88	3	Horizontal	53	2.73
5670MHz	Pass	PK	17.00652G	50.88	68.20	-17.32	3	Horizontal	347	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.44G	47.43	54.00	-6.57	3	Vertical	352	1.49
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.716G	107.24	Inf	-Inf	3	Vertical	352	1.49
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4568G	58.94	74.00	-15.06	3	Vertical	352	1.49
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	59.68	68.20	-8.52	3	Vertical	352	1.49
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7148G	119.63	Inf	-Inf	3	Vertical	352	1.49
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.854G	64.96	68.20	-3.24	3	Vertical	352	1.49
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4544G	47.23	54.00	-6.77	3	Horizontal	303	2.25
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7064G	109.38	Inf	-Inf	3	Horizontal	303	2.25
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4424G	58.96	74.00	-15.04	3	Horizontal	303	2.25
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	59.41	68.20	-8.79	3	Horizontal	303	2.25
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7064G	120.92	Inf	-Inf	3	Horizontal	303	2.25



RSE TX above 1GHz

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8516G	65.11	68.20	-3.09	3	Horizontal	303	2.25
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41892G	47.58	54.00	-6.42	3	Vertical	0	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41916G	59.14	74.00	-14.86	3	Vertical	0	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12376G	50.41	68.20	-17.79	3	Vertical	295	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42084G	42.53	54.00	-11.47	3	Horizontal	68	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42864G	53.64	74.00	-20.36	3	Horizontal	68	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.10756G	50.89	68.20	-17.31	3	Horizontal	144	1.50
5755MHz	Pass	AV	5.4586G	46.61	54.00	-7.39	3	Vertical	352	1.37
5755MHz	Pass	AV	5.7466G	106.50	Inf	-Inf	3	Vertical	352	1.37
5755MHz	Pass	PK	5.6518G	66.68	69.53	-2.85	3	Vertical	352	1.37
5755MHz	Pass	PK	5.7502G	118.58	Inf	-Inf	3	Vertical	352	1.37
5755MHz	Pass	PK	6.0298G	61.12	68.20	-7.08	3	Vertical	352	1.37
5755MHz	Pass	AV	5.455G	47.28	54.00	-6.72	3	Horizontal	301	2.17
5755MHz	Pass	AV	5.749G	108.44	Inf	-Inf	3	Horizontal	301	2.17
5755MHz	Pass	PK	5.6482G	67.12	68.20	-1.08	3	Horizontal	301	2.17
5755MHz	Pass	PK	5.7514G	121.25	Inf	-Inf	3	Horizontal	301	2.17
5755MHz	Pass	PK	6.055G	61.88	68.20	-6.32	3	Horizontal	301	2.17
5755MHz	Pass	AV	11.50952G	48.99	54.00	-5.01	3	Vertical	352	3.00
5755MHz	Pass	PK	11.50868G	59.97	74.00	-14.03	3	Vertical	352	3.00
5755MHz	Pass	PK	17.27256G	50.59	68.20	-17.61	3	Vertical	192	1.50
5755MHz	Pass	AV	11.50952G	44.53	54.00	-9.47	3	Horizontal	53	2.70
5755MHz	Pass	PK	11.50184G	55.58	74.00	-18.42	3	Horizontal	53	2.70
5755MHz	Pass	PK	17.28576G	50.14	68.20	-18.06	3	Horizontal	95	1.50
5795MHz	Pass	AV	5.7818G	107.37	Inf	-Inf	3	Vertical	352	1.37
5795MHz	Pass	PK	5.6426G	61.89	68.20	-6.31	3	Vertical	352	1.37
5795MHz	Pass	PK	5.783G	119.15	Inf	-Inf	3	Vertical	352	1.37
5795MHz	Pass	PK	5.9246G	66.75	68.50	-1.75	3	Vertical	352	1.37
5795MHz	Pass	AV	5.7866G	109.19	Inf	-Inf	3	Horizontal	305	2.28
5795MHz	Pass	PK	5.603G	63.97	68.20	-4.23	3	Horizontal	305	2.28
5795MHz	Pass	PK	5.7914G	121.15	Inf	-Inf	3	Horizontal	305	2.28
5795MHz	Pass	PK	5.9258G	67.30	68.20	-0.90	3	Horizontal	305	2.28
5795MHz	Pass	AV	11.58976G	48.63	54.00	-5.37	3	Vertical	0	2.97
5795MHz	Pass	PK	11.5924G	60.37	74.00	-13.63	3	Vertical	0	2.97
5795MHz	Pass	PK	17.40828G	51.10	68.20	-17.10	3	Vertical	327	1.50
5795MHz	Pass	AV	11.58964G	45.29	54.00	-8.71	3	Horizontal	51	2.69
5795MHz	Pass	PK	11.59228G	56.78	74.00	-17.22	3	Horizontal	51	2.69
5795MHz	Pass	PK	17.38248G	50.84	68.20	-17.36	3	Horizontal	171	1.50
802.11ax HEW80_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	52.70	54.00	-1.30	3	Vertical	330	1.50
5210MHz	Pass	AV	5.218G	97.56	Inf	-Inf	3	Vertical	330	1.50
5210MHz	Pass	AV	5.356G	48.43	54.00	-5.57	3	Vertical	330	1.50
5210MHz	Pass	PK	5.145G	67.38	74.00	-6.62	3	Vertical	330	1.50
5210MHz	Pass	PK	5.221G	109.92	Inf	-Inf	3	Vertical	330	1.50
5210MHz	Pass	PK	5.371G	61.32	74.00	-12.68	3	Vertical	330	1.50
5210MHz	Pass	AV	5.147G	52.73	54.00	-1.27	3	Horizontal	58	1.61
5210MHz	Pass	AV	5.221G	99.07	Inf	-Inf	3	Horizontal	58	1.61
5210MHz	Pass	AV	5.372G	48.29	54.00	-5.71	3	Horizontal	58	1.61
5210MHz	Pass	PK	5.15G	65.25	74.00	-8.75	3	Horizontal	58	1.61
5210MHz	Pass	PK	5.221G	110.67	Inf	-Inf	3	Horizontal	58	1.61
5210MHz	Pass	PK	5.391G	60.71	74.00	-13.29	3	Horizontal	58	1.61
5210MHz	Pass	AV	15.5808G	39.10	54.00	-14.90	3	Vertical	1	1.50
5210MHz	Pass	PK	10.46248G	50.39	68.20	-17.81	3	Vertical	204	1.50
5210MHz	Pass	PK	15.6612G	51.03	74.00	-22.97	3	Vertical	1	1.50
5210MHz	Pass	AV	15.57768G	39.20	54.00	-14.80	3	Horizontal	163	1.50
5210MHz	Pass	PK	10.42648G	50.71	68.20	-17.49	3	Horizontal	12	1.01
5210MHz	Pass	PK	15.57144G	50.19	74.00	-23.81	3	Horizontal	163	1.50
5290MHz	Pass	AV	5.15G	48.08	54.00	-5.92	3	Vertical	335	1.46
5290MHz	Pass	AV	5.301G	98.39	Inf	-Inf	3	Vertical	335	1.46
5290MHz	Pass	AV	5.35G	51.31	54.00	-2.69	3	Vertical	335	1.46
5290MHz	Pass	PK	5.14G	60.41	74.00	-13.59	3	Vertical	335	1.46
5290MHz	Pass	PK	5.301G	110.88	Inf	-Inf	3	Vertical	335	1.46
5290MHz	Pass	PK	5.356G	68.71	74.00	-5.29	3	Vertical	335	1.46



RSE TX above 1GHz

Appendix E.2


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	PK	5.473G	60.11	68.20	-8.09	3	Vertical	335	1.46
5290MHz	Pass	AV	5.149G	48.84	54.00	-5.16	3	Horizontal	63	1.65
5290MHz	Pass	AV	5.281G	100.06	Inf	-Inf	3	Horizontal	63	1.65
5290MHz	Pass	AV	5.354G	53.07	54.00	-0.93	3	Horizontal	63	1.65
5290MHz	Pass	PK	5.126G	60.49	74.00	-13.51	3	Horizontal	63	1.65
5290MHz	Pass	PK	5.281G	111.01	Inf	-Inf	3	Horizontal	63	1.65
5290MHz	Pass	PK	5.356G	69.30	74.00	-4.70	3	Horizontal	63	1.65
5290MHz	Pass	PK	5.484G	60.41	68.20	-7.79	3	Horizontal	63	1.65
5290MHz	Pass	AV	15.8928G	39.24	54.00	-14.76	3	Vertical	141	1.44
5290MHz	Pass	PK	10.5296G	49.90	68.20	-18.30	3	Vertical	211	1.76
5290MHz	Pass	PK	15.84528G	50.33	74.00	-23.67	3	Vertical	141	1.44
5290MHz	Pass	AV	15.8856G	39.40	54.00	-14.60	3	Horizontal	246	1.50
5290MHz	Pass	PK	10.5968G	50.37	68.20	-17.83	3	Horizontal	296	1.41
5290MHz	Pass	PK	15.88752G	50.74	74.00	-23.26	3	Horizontal	246	1.50
5530MHz	Pass	AV	5.35G	46.99	54.00	-7.01	3	Vertical	356	1.61
5530MHz	Pass	AV	5.456G	50.25	54.00	-3.75	3	Vertical	356	1.61
5530MHz	Pass	AV	5.521G	97.79	Inf	-Inf	3	Vertical	356	1.61
5530MHz	Pass	PK	5.34G	59.91	68.20	-8.29	3	Vertical	356	1.61
5530MHz	Pass	PK	5.455G	65.69	74.00	-8.31	3	Vertical	356	1.61
5530MHz	Pass	PK	5.467G	66.89	68.20	-1.31	3	Vertical	356	1.61
5530MHz	Pass	PK	5.518G	109.35	Inf	-Inf	3	Vertical	356	1.61
5530MHz	Pass	PK	5.739G	60.58	68.20	-7.62	3	Vertical	356	1.61
5530MHz	Pass	AV	5.35G	46.74	54.00	-7.26	3	Horizontal	302	2.51
5530MHz	Pass	AV	5.458G	50.78	54.00	-3.22	3	Horizontal	302	2.51
5530MHz	Pass	AV	5.542G	99.18	Inf	-Inf	3	Horizontal	302	2.51
5530MHz	Pass	PK	5.302G	59.70	68.20	-8.50	3	Horizontal	302	2.51
5530MHz	Pass	PK	5.458G	64.76	74.00	-9.24	3	Horizontal	302	2.51
5530MHz	Pass	PK	5.468G	66.47	68.20	-1.73	3	Horizontal	302	2.51
5530MHz	Pass	PK	5.557G	111.30	Inf	-Inf	3	Horizontal	302	2.51
5530MHz	Pass	PK	5.768G	60.31	68.20	-7.89	3	Horizontal	302	2.51
5530MHz	Pass	AV	11.04728G	38.91	54.00	-15.09	3	Vertical	88	1.50
5530MHz	Pass	PK	11G	50.89	74.00	-23.11	3	Vertical	88	1.50
5530MHz	Pass	PK	16.62216G	50.77	68.20	-17.43	3	Vertical	294	1.50
5530MHz	Pass	AV	11.0048G	39.02	54.00	-14.98	3	Horizontal	30	1.50
5530MHz	Pass	PK	11.05376G	50.85	74.00	-23.15	3	Horizontal	30	1.50
5530MHz	Pass	PK	16.5732G	50.88	68.20	-17.32	3	Horizontal	8	1.50
5610MHz	Pass	AV	5.458G	48.91	54.00	-5.09	3	Vertical	354	1.39
5610MHz	Pass	AV	5.621G	99.18	Inf	-Inf	3	Vertical	354	1.39
5610MHz	Pass	PK	5.459G	60.66	74.00	-13.34	3	Vertical	354	1.39
5610MHz	Pass	PK	5.467G	61.72	68.20	-6.48	3	Vertical	354	1.39
5610MHz	Pass	PK	5.621G	111.94	Inf	-Inf	3	Vertical	354	1.39
5610MHz	Pass	PK	5.752G	65.42	68.20	-2.78	3	Vertical	354	1.39
5610MHz	Pass	AV	5.458G	48.39	54.00	-5.61	3	Horizontal	304	2.38
5610MHz	Pass	AV	5.621G	101.40	Inf	-Inf	3	Horizontal	304	2.38
5610MHz	Pass	PK	5.438G	61.29	74.00	-12.71	3	Horizontal	304	2.38
5610MHz	Pass	PK	5.47G	62.56	68.20	-5.64	3	Horizontal	304	2.38
5610MHz	Pass	PK	5.621G	113.08	Inf	-Inf	3	Horizontal	304	2.38
5610MHz	Pass	PK	5.727G	67.23	68.20	-0.97	3	Horizontal	304	2.38
5610MHz	Pass	AV	11.22816G	39.16	54.00	-14.84	3	Vertical	9	1.53
5610MHz	Pass	PK	11.21112G	50.63	74.00	-23.37	3	Vertical	9	1.53
5610MHz	Pass	PK	16.82472G	50.86	68.20	-17.34	3	Vertical	31	2.52
5610MHz	Pass	AV	11.23872G	38.98	54.00	-15.02	3	Horizontal	360	1.08
5610MHz	Pass	PK	11.18616G	50.90	74.00	-23.10	3	Horizontal	360	1.08
5610MHz	Pass	PK	16.82472G	52.35	68.20	-15.85	3	Horizontal	111	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	47.55	54.00	-6.45	3	Vertical	352	1.54
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6984G	102.11	Inf	-Inf	3	Vertical	352	1.54
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4092G	60.40	74.00	-13.60	3	Vertical	352	1.54
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	59.65	68.20	-8.55	3	Vertical	352	1.54
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7008G	114.27	Inf	-Inf	3	Vertical	352	1.54
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.858G	65.05	68.20	-3.15	3	Vertical	352	1.54
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	47.25	54.00	-6.75	3	Horizontal	306	2.22
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6816G	103.86	Inf	-Inf	3	Horizontal	306	2.22



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.432G	59.25	74.00	-14.75	3	Horizontal	306	2.22
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	58.96	68.20	-9.24	3	Horizontal	306	2.22
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	114.92	Inf	-Inf	3	Horizontal	306	2.22
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8592G	66.31	68.20	-1.89	3	Horizontal	306	2.22
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38216G	44.29	54.00	-9.71	3	Vertical	0	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37712G	56.98	74.00	-17.02	3	Vertical	0	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06016G	50.77	68.20	-17.43	3	Vertical	127	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3836G	40.31	54.00	-13.69	3	Horizontal	70	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.32624G	51.46	74.00	-22.54	3	Horizontal	70	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.05032G	50.96	68.20	-17.24	3	Horizontal	295	1.50
5775MHz	Pass	AV	5.7834G	100.30	Inf	-Inf	3	Vertical	350	1.37
5775MHz	Pass	PK	5.6526G	67.47	70.12	-2.65	3	Vertical	350	1.37
5775MHz	Pass	PK	5.7858G	112.52	Inf	-Inf	3	Vertical	350	1.37
5775MHz	Pass	PK	5.9274G	62.36	68.20	-5.84	3	Vertical	350	1.37
5775MHz	Pass	AV	5.7666G	102.21	Inf	-Inf	3	Horizontal	302	2.15
5775MHz	Pass	PK	5.6502G	67.22	68.35	-1.13	3	Horizontal	302	2.15
5775MHz	Pass	PK	5.7786G	113.92	Inf	-Inf	3	Horizontal	302	2.15
5775MHz	Pass	PK	5.9286G	62.96	68.20	-5.24	3	Horizontal	302	2.15
5775MHz	Pass	AV	11.54688G	42.02	54.00	-11.98	3	Vertical	0	2.98
5775MHz	Pass	PK	11.56872G	54.03	74.00	-19.97	3	Vertical	0	2.98
5775MHz	Pass	PK	17.37996G	50.94	68.20	-17.26	3	Vertical	20	1.50
5775MHz	Pass	AV	11.54928G	40.37	54.00	-13.63	3	Horizontal	54	1.50
5775MHz	Pass	PK	11.5548G	52.21	74.00	-21.79	3	Horizontal	54	1.50
5775MHz	Pass	PK	17.3538G	50.44	68.20	-17.76	3	Horizontal	40	1.50

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	53.06	54.00	-0.94	5.37	3	Vertical	333	1.52	47.69	33.10	6.41	34.14
AV	5.177G	108.01	Inf	-Inf	5.39	3	Vertical	333	1.52	102.62	33.10	6.43	34.14
PK	5.15G	71.70	74.00	-2.30	5.37	3	Vertical	333	1.52	66.33	33.10	6.41	34.14
PK	5.173G	118.51	Inf	-Inf	5.39	3	Vertical	333	1.52	113.12	33.10	6.43	34.14

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1474G	52.99	54.00	-1.01	5.37	3	Horizontal	61	1.72	47.62	33.10	6.41	34.14
AV	5.1822G	109.59	Inf	-Inf	5.40	3	Horizontal	61	1.72	104.19	33.10	6.44	34.14
PK	5.148G	71.95	74.00	-2.05	5.37	3	Horizontal	61	1.72	66.58	33.10	6.41	34.14
PK	5.1864G	118.81	Inf	-Inf	5.40	3	Horizontal	61	1.72	113.41	33.10	6.44	34.14

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53976G	41.80	54.00	-12.20	16.65	3	Vertical	346	1.49	25.15	38.82	12.15	34.32
PK	10.35862G	49.42	68.20	-18.78	15.28	3	Vertical	32	1.50	34.14	38.90	11.01	34.63
PK	15.53514G	55.66	74.00	-18.34	16.66	3	Vertical	346	1.49	39.00	38.83	12.15	34.32

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54354G	39.64	54.00	-14.36	16.65	3	Horizontal	57	1.42	22.99	38.81	12.16	34.32
PK	10.34998G	49.65	68.20	-18.55	15.27	3	Horizontal	335	1.49	34.38	38.90	11.01	34.64
PK	15.5421G	52.53	74.00	-21.47	16.66	3	Horizontal	57	1.42	35.87	38.82	12.16	34.32

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	50.47	54.00	-3.53	5.37	3	Vertical	333	1.57	45.10	33.10	6.41	34.14
AV	5.204G	110.48	Inf	-Inf	5.40	3	Vertical	333	1.57	105.08	33.09	6.45	34.14
PK	5.1468G	68.71	74.00	-5.29	5.37	3	Vertical	333	1.57	63.34	33.10	6.41	34.14
PK	5.2036G	120.42	Inf	-Inf	5.40	3	Vertical	333	1.57	115.02	33.09	6.45	34.14

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	50.78	54.00	-3.22	5.37	3	Horizontal	54	1.50	45.41	33.10	6.41	34.14
AV	5.202G	111.62	Inf	-Inf	5.41	3	Horizontal	54	1.50	106.21	33.10	6.45	34.14
PK	5.1472G	69.50	74.00	-4.50	5.37	3	Horizontal	54	1.50	64.13	33.10	6.41	34.14
PK	5.1988G	121.07	Inf	-Inf	5.41	3	Horizontal	54	1.50	115.66	33.10	6.45	34.14

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6003G	44.05	54.00	-9.95	16.52	3	Vertical	348	1.30	27.53	38.70	12.19	34.37
PK	10.41482G	49.94	68.20	-18.26	15.35	3	Vertical	295	1.24	34.59	38.90	11.03	34.58
PK	15.59946G	56.97	74.00	-17.03	16.52	3	Vertical	348	1.30	40.45	38.70	12.19	34.37

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6012G	40.39	54.00	-13.61	16.52	3	Horizontal	57	1.50	23.87	38.70	12.19	34.37
PK	10.40204G	49.87	68.20	-18.33	15.34	3	Horizontal	0	1.50	34.53	38.90	11.03	34.59
PK	15.60144G	53.10	74.00	-20.90	16.52	3	Horizontal	57	1.50	36.58	38.70	12.19	34.37

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1452G	49.58	54.00	-4.42	5.37	3	Vertical	332	1.57	44.21	33.10	6.41	34.14
AV	5.237G	109.37	Inf	-Inf	5.36	3	Vertical	332	1.57	104.01	33.03	6.48	34.15
AV	5.36G	47.60	54.00	-6.40	5.30	3	Vertical	332	1.57	42.30	32.90	6.56	34.16
PK	5.1356G	61.67	74.00	-12.33	5.36	3	Vertical	332	1.57	56.31	33.10	6.40	34.14
PK	5.2334G	119.42	Inf	-Inf	5.35	3	Vertical	332	1.57	114.07	33.03	6.47	34.15
PK	5.3726G	61.31	74.00	-12.69	5.31	3	Vertical	332	1.57	56.00	32.90	6.57	34.16

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1458G	50.59	54.00	-3.41	5.37	3	Horizontal	58	1.66	45.22	33.10	6.41	34.14
AV	5.2424G	111.67	Inf	-Inf	5.35	3	Horizontal	58	1.66	106.32	33.02	6.48	34.15
AV	5.351G	47.77	54.00	-6.23	5.30	3	Horizontal	58	1.66	42.47	32.90	6.56	34.16
PK	5.1386G	62.83	74.00	-11.17	5.36	3	Horizontal	58	1.66	57.47	33.10	6.40	34.14
PK	5.2388G	120.82	Inf	-Inf	5.35	3	Horizontal	58	1.66	115.47	33.02	6.48	34.15
PK	5.3504G	61.23	74.00	-12.77	5.30	3	Horizontal	58	1.66	55.93	32.90	6.56	34.16

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72012G	40.69	54.00	-13.31	16.21	3	Vertical	352	1.35	24.48	38.40	12.27	34.46
PK	10.46878G	49.93	68.20	-18.27	15.41	3	Vertical	16	2.41	34.52	38.90	11.05	34.54
PK	15.72498G	52.84	74.00	-21.16	16.20	3	Vertical	352	1.35	36.64	38.40	12.27	34.47

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72366G	39.07	54.00	-14.93	16.21	3	Horizontal	341	1.34	22.86	38.40	12.27	34.46
PK	10.49182G	49.97	68.20	-18.23	15.44	3	Horizontal	326	1.91	34.53	38.90	11.06	34.52
PK	15.7182G	50.84	74.00	-23.16	16.21	3	Horizontal	341	1.34	34.63	38.40	12.27	34.46

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1388G	47.14	54.00	-6.86	5.36	3	Vertical	331	1.50	41.78	33.10	6.40	34.14
AV	5.2612G	110.39	Inf	-Inf	5.34	3	Vertical	331	1.50	105.05	33.00	6.49	34.15
AV	5.3524G	49.75	54.00	-4.25	5.30	3	Vertical	331	1.50	44.45	32.90	6.56	34.16
PK	5.1406G	60.22	74.00	-13.78	5.37	3	Vertical	331	1.50	54.85	33.10	6.41	34.14
PK	5.2612G	120.19	Inf	-Inf	5.34	3	Vertical	331	1.50	114.85	33.00	6.49	34.15
PK	5.362G	62.76	74.00	-11.24	5.30	3	Vertical	331	1.50	57.46	32.90	6.56	34.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1256G	47.06	54.00	-6.94	5.35	3	Horizontal	64	1.77	41.71	33.10	6.39	34.14
AV	5.2576G	112.15	Inf	-Inf	5.34	3	Horizontal	64	1.77	106.81	33.00	6.49	34.15
AV	5.3674G	50.43	54.00	-3.57	5.31	3	Horizontal	64	1.77	45.12	32.90	6.57	34.16
PK	5.1124G	60.09	74.00	-13.91	5.35	3	Horizontal	64	1.77	54.74	33.10	6.38	34.13
PK	5.2576G	121.94	Inf	-Inf	5.34	3	Horizontal	64	1.77	116.60	33.00	6.49	34.15
PK	5.368G	62.65	74.00	-11.35	5.31	3	Horizontal	64	1.77	57.34	32.90	6.57	34.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78012G	41.02	54.00	-12.98	16.19	3	Vertical	352	1.34	24.83	38.40	12.30	34.51
PK	10.5056G	50.22	68.20	-17.98	15.46	3	Vertical	358	3.00	34.76	38.90	11.07	34.51
PK	15.7809G	53.19	74.00	-20.81	16.19	3	Vertical	352	1.34	37.00	38.40	12.30	34.51

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78522G	38.79	54.00	-15.21	16.20	3	Horizontal	66	1.50	22.59	38.40	12.31	34.51
PK	10.517G	50.72	68.20	-17.48	15.47	3	Horizontal	286	1.50	35.25	38.90	11.07	34.50
PK	15.78582G	51.83	74.00	-22.17	16.20	3	Horizontal	66	1.50	35.63	38.40	12.31	34.51

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3016G	110.42	Inf	-Inf	5.36	3	Vertical	332	1.47	105.06	33.00	6.52	34.16
AV	5.35G	52.19	54.00	-1.81	5.29	3	Vertical	332	1.47	46.90	32.90	6.55	34.16
PK	5.3012G	120.29	Inf	-Inf	5.36	3	Vertical	332	1.47	114.93	33.00	6.52	34.16
PK	5.35G	71.03	74.00	-2.97	5.29	3	Vertical	332	1.47	65.74	32.90	6.55	34.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.298G	111.88	Inf	-Inf	5.36	3	Horizontal	56	1.61	106.52	33.00	6.52	34.16
AV	5.35G	51.77	54.00	-2.23	5.29	3	Horizontal	56	1.61	46.48	32.90	6.55	34.16
PK	5.2976G	121.48	Inf	-Inf	5.36	3	Horizontal	56	1.61	116.12	33.00	6.52	34.16
PK	5.352G	71.35	74.00	-2.65	5.30	3	Horizontal	56	1.61	66.05	32.90	6.56	34.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60198G	37.67	54.00	-16.33	15.57	3	Vertical	338	1.00	22.10	38.91	11.10	34.44
AV	15.89388G	39.22	54.00	-14.78	15.98	3	Vertical	37	1.37	23.24	38.21	12.37	34.60
PK	10.5925G	49.50	68.20	-18.70	15.55	3	Vertical	338	1.00	33.95	38.90	11.10	34.45
PK	15.89976G	51.03	74.00	-22.97	15.98	3	Vertical	37	1.37	35.05	38.20	12.38	34.60

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90186G	38.54	54.00	-15.46	15.98	3	Horizontal	18	1.02	22.56	38.20	12.38	34.60
PK	10.61386G	50.50	74.00	-23.50	15.62	3	Horizontal	211	1.50	34.88	38.94	11.11	34.43
PK	15.89766G	51.79	74.00	-22.21	15.98	3	Horizontal	18	1.02	35.81	38.20	12.38	34.60

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3178G	106.52	Inf	-Inf	5.33	3	Vertical	47	1.64	101.19	32.96	6.53	34.16
AV	5.35G	51.77	54.00	-2.23	5.29	3	Vertical	47	1.64	46.48	32.90	6.55	34.16
PK	5.3176G	115.83	Inf	-Inf	5.33	3	Vertical	47	1.64	110.50	32.96	6.53	34.16
PK	5.35G	70.39	74.00	-3.61	5.29	3	Vertical	47	1.64	65.10	32.90	6.55	34.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3222G	108.63	Inf	-Inf	5.34	3	Horizontal	61	1.66	103.29	32.96	6.54	34.16
AV	5.3502G	53.23	54.00	-0.77	5.30	3	Horizontal	61	1.66	47.93	32.90	6.56	34.16
PK	5.3264G	117.77	Inf	-Inf	5.33	3	Horizontal	61	1.66	112.44	32.95	6.54	34.16
PK	5.35G	73.20	74.00	-0.80	5.29	3	Horizontal	61	1.66	67.91	32.90	6.55	34.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64108G	38.09	54.00	-15.91	15.73	3	Vertical	193	1.50	22.36	39.02	11.12	34.41
AV	15.95934G	38.15	54.00	-15.85	15.84	3	Vertical	302	2.75	22.31	38.08	12.41	34.65
PK	10.63196G	51.15	74.00	-22.85	15.69	3	Vertical	193	1.50	35.46	39.00	11.11	34.42
PK	15.9609G	50.51	74.00	-23.49	15.85	3	Vertical	302	2.75	34.66	38.08	12.42	34.65

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63784G	37.85	54.00	-16.15	15.72	3	Horizontal	234	1.50	22.13	39.01	11.12	34.41
AV	15.96144G	38.05	54.00	-15.95	15.85	3	Horizontal	316	1.19	22.20	38.08	12.42	34.65
PK	10.6388G	50.14	74.00	-23.86	15.73	3	Horizontal	234	1.50	34.41	39.02	11.12	34.41
PK	15.95388G	50.22	74.00	-23.78	15.86	3	Horizontal	316	1.19	34.36	38.09	12.41	34.64

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4578G	47.05	54.00	-6.95	5.37	3	Vertical	355	1.53	41.68	32.90	6.64	34.17
AV	5.4938G	103.34	Inf	-Inf	5.39	3	Vertical	355	1.53	97.95	32.90	6.67	34.18
PK	5.4512G	59.97	74.00	-14.03	5.37	3	Vertical	355	1.53	54.60	32.90	6.64	34.17
PK	5.4696G	66.99	68.20	-1.21	5.37	3	Vertical	355	1.53	61.62	32.90	6.65	34.18
PK	5.493G	113.94	Inf	-Inf	5.39	3	Vertical	355	1.53	108.55	32.90	6.67	34.18

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4538G	46.75	54.00	-7.25	5.37	3	Horizontal	296	2.44	41.38	32.90	6.64	34.17
AV	5.4978G	105.89	Inf	-Inf	5.40	3	Horizontal	296	2.44	100.49	32.90	6.68	34.18
PK	5.458G	59.71	74.00	-14.29	5.37	3	Horizontal	296	2.44	54.34	32.90	6.64	34.17
PK	5.4698G	66.85	68.20	-1.35	5.37	3	Horizontal	296	2.44	61.48	32.90	6.65	34.18
PK	5.493G	115.16	Inf	-Inf	5.39	3	Horizontal	296	2.44	109.77	32.90	6.67	34.18

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.98602G	38.15	54.00	-15.85	16.08	3	Vertical	345	1.50	22.07	39.01	11.24	34.17
PK	11.01068G	50.96	74.00	-23.04	16.08	3	Vertical	345	1.50	34.88	38.99	11.25	34.16
PK	16.49796G	50.77	68.20	-17.43	16.86	3	Vertical	19	1.50	33.91	38.39	12.67	34.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99376G	38.20	54.00	-15.80	16.10	3	Horizontal	323	1.12	22.10	39.01	11.25	34.16
PK	10.9967G	50.66	74.00	-23.34	16.09	3	Horizontal	323	1.12	34.57	39.00	11.25	34.16
PK	16.49502G	51.25	68.20	-16.95	16.85	3	Horizontal	3	1.50	34.40	38.38	12.67	34.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	47.41	54.00	-6.59	5.37	3	Vertical	351	1.40	42.04	32.90	6.64	34.17
AV	5.5842G	109.49	Inf	-Inf	5.54	3	Vertical	351	1.40	103.95	32.97	6.76	34.19
PK	5.4564G	61.18	74.00	-12.82	5.37	3	Vertical	351	1.40	55.81	32.90	6.64	34.17
PK	5.4612G	61.42	68.20	-6.78	5.37	3	Vertical	351	1.40	56.05	32.90	6.65	34.18
PK	5.5836G	119.52	Inf	-Inf	5.54	3	Vertical	351	1.40	113.98	32.97	6.76	34.19
PK	5.7288G	60.95	68.20	-7.25	6.37	3	Vertical	351	1.40	54.58	33.72	6.85	34.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4528G	47.13	54.00	-6.87	5.37	3	Horizontal	299	2.21	41.76	32.90	6.64	34.17
AV	5.5818G	111.94	Inf	-Inf	5.52	3	Horizontal	299	2.21	106.42	32.96	6.75	34.19
PK	5.4516G	60.42	74.00	-13.58	5.37	3	Horizontal	299	2.21	55.05	32.90	6.64	34.17
PK	5.4678G	60.14	68.20	-8.06	5.37	3	Horizontal	299	2.21	54.77	32.90	6.65	34.18
PK	5.5848G	122.01	Inf	-Inf	5.54	3	Horizontal	299	2.21	116.47	32.97	6.76	34.19
PK	5.7258G	61.32	68.20	-6.88	6.35	3	Horizontal	299	2.21	54.97	33.70	6.85	34.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1621G	39.73	54.00	-14.27	16.14	3	Vertical	8	1.02	23.59	38.96	11.31	34.13
PK	11.16162G	51.43	74.00	-22.57	16.14	3	Vertical	8	1.02	35.29	38.96	11.31	34.13
PK	16.7457G	51.62	68.20	-16.58	17.37	3	Vertical	351	1.50	34.25	38.30	12.78	33.71

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16132G	38.76	54.00	-15.24	16.14	3	Horizontal	41	1.49	22.62	38.96	11.31	34.13
PK	11.16336G	51.23	74.00	-22.77	16.14	3	Horizontal	41	1.49	35.09	38.96	11.31	34.13
PK	16.7355G	51.91	68.20	-16.29	17.34	3	Horizontal	162	1.50	34.57	38.30	12.77	33.73

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7008G	104.44	Inf	-Inf	6.24	3	Vertical	352	1.53	98.20	33.60	6.84	34.20
PK	5.7008G	114.72	Inf	-Inf	6.24	3	Vertical	352	1.53	108.48	33.60	6.84	34.20
PK	5.7252G	66.82	68.20	-1.38	6.35	3	Vertical	352	1.53	60.47	33.70	6.85	34.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.702G	106.32	Inf	-Inf	6.25	3	Horizontal	304	2.30	100.07	33.61	6.84	34.20
PK	5.7064G	115.42	Inf	-Inf	6.27	3	Horizontal	304	2.30	109.15	33.63	6.84	34.20
PK	5.7276G	66.80	68.20	-1.40	6.36	3	Horizontal	304	2.30	60.44	33.71	6.85	34.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39904G	42.83	54.00	-11.17	16.52	3	Vertical	0	3.00	26.31	39.20	11.40	34.08
PK	11.3952G	54.19	74.00	-19.81	16.52	3	Vertical	0	3.00	37.67	39.20	11.40	34.08
PK	17.09718G	50.90	68.20	-17.30	17.90	3	Vertical	3	1.44	33.00	38.20	12.94	33.24

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40144G	39.55	54.00	-14.45	16.52	3	Horizontal	71	1.50	23.03	39.20	11.40	34.08
PK	11.40156G	51.28	74.00	-22.72	16.52	3	Horizontal	71	1.50	34.76	39.20	11.40	34.08
PK	17.11356G	50.69	68.20	-17.51	17.90	3	Horizontal	224	1.50	32.79	38.20	12.95	33.25

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4212G	46.70	54.00	-7.30	5.34	3	Vertical	351	1.42	41.36	32.90	6.61	34.17
AV	5.7236G	110.77	Inf	-Inf	6.34	3	Vertical	351	1.42	104.43	33.69	6.85	34.20
PK	5.4452G	59.13	74.00	-14.87	5.36	3	Vertical	351	1.42	53.77	32.90	6.63	34.17
PK	5.468G	59.99	68.20	-8.21	5.37	3	Vertical	351	1.42	54.62	32.90	6.65	34.18
PK	5.7248G	120.87	Inf	-Inf	6.35	3	Vertical	351	1.42	114.52	33.70	6.85	34.20
PK	5.8664G	61.39	68.20	-6.81	6.92	3	Vertical	351	1.42	54.47	34.17	6.96	34.21

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4452G	46.60	54.00	-7.40	5.36	3	Horizontal	301	2.22	41.24	32.90	6.63	34.17
AV	5.7176G	112.96	Inf	-Inf	6.32	3	Horizontal	301	2.22	106.64	33.67	6.85	34.20
PK	5.4332G	59.70	74.00	-14.30	5.35	3	Horizontal	301	2.22	54.35	32.90	6.62	34.17
PK	5.462G	58.50	68.20	-9.70	5.37	3	Horizontal	301	2.22	53.13	32.90	6.65	34.18
PK	5.7176G	122.36	Inf	-Inf	6.32	3	Horizontal	301	2.22	116.04	33.67	6.85	34.20
PK	5.912G	61.49	68.20	-6.71	7.07	3	Horizontal	301	2.22	54.42	34.28	7.00	34.21

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44252G	49.68	54.00	-4.32	16.50	3	Vertical	1	2.97	33.18	39.16	11.41	34.07
PK	11.43868G	60.76	74.00	-13.24	16.50	3	Vertical	1	2.97	44.26	39.16	11.41	34.07
PK	17.16786G	50.55	68.20	-17.65	17.91	3	Vertical	0	1.50	32.64	38.20	12.97	33.26

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44096G	43.82	54.00	-10.18	16.50	3	Horizontal	69	1.50	27.32	39.16	11.41	34.07
PK	11.44144G	55.81	74.00	-18.19	16.50	3	Horizontal	69	1.50	39.31	39.16	11.41	34.07
PK	17.15364G	50.64	68.20	-17.56	17.90	3	Horizontal	58	1.50	32.74	38.20	12.96	33.26

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	46.33	54.00	-7.67	5.37	3	Vertical	351	1.37	40.96	32.90	6.64	34.17
AV	5.7414G	111.22	Inf	-Inf	6.43	3	Vertical	351	1.37	104.79	33.77	6.86	34.20
PK	5.6502G	63.10	68.35	-5.25	5.61	3	Vertical	351	1.37	57.49	33.00	6.80	34.19
PK	5.7378G	121.22	Inf	-Inf	6.41	3	Vertical	351	1.37	114.81	33.75	6.86	34.20
PK	5.9598G	61.16	68.20	-7.04	7.00	3	Vertical	351	1.37	54.16	34.18	7.04	34.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4534G	46.59	54.00	-7.41	5.37	3	Horizontal	299	2.18	41.22	32.90	6.64	34.17
AV	5.7474G	113.27	Inf	-Inf	6.46	3	Horizontal	299	2.18	106.81	33.79	6.87	34.20
PK	5.6478G	64.89	68.20	-3.31	5.61	3	Horizontal	299	2.18	59.28	33.00	6.80	34.19
PK	5.7426G	122.92	Inf	-Inf	6.43	3	Horizontal	299	2.18	116.49	33.77	6.86	34.20
PK	5.943G	61.57	68.20	-6.63	7.01	3	Horizontal	299	2.18	54.56	34.21	7.02	34.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4927G	50.57	54.00	-3.43	16.48	3	Vertical	0	2.95	34.09	39.11	11.43	34.06
PK	11.48784G	62.66	74.00	-11.34	16.48	3	Vertical	0	2.95	46.18	39.11	11.43	34.06
PK	17.22792G	50.25	68.20	-17.95	17.95	3	Vertical	40	1.50	32.30	38.23	13.00	33.28

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49132G	45.85	54.00	-8.15	16.48	3	Horizontal	66	1.58	29.37	39.11	11.43	34.06
PK	11.49552G	57.35	74.00	-16.65	16.47	3	Horizontal	66	1.58	40.88	39.10	11.43	34.06
PK	17.23188G	51.48	68.20	-16.72	17.95	3	Horizontal	148	1.50	33.53	38.23	13.00	33.28

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7825G	111.19	Inf	-Inf	6.69	3	Vertical	351	1.37	104.50	34.00	6.89	34.20
PK	5.55018G	60.24	68.20	-7.96	5.45	3	Vertical	351	1.37	54.79	32.90	6.73	34.18
PK	5.77766G	121.32	Inf	-Inf	6.66	3	Vertical	351	1.37	114.66	33.97	6.89	34.20
PK	6.06564G	60.95	68.20	-7.25	6.94	3	Vertical	351	1.37	54.01	34.07	7.10	34.23

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78734G	113.58	Inf	-Inf	6.71	3	Horizontal	300	2.06	106.87	34.02	6.89	34.20
PK	5.61431G	61.55	68.20	-6.65	5.59	3	Horizontal	300	2.06	55.96	33.00	6.78	34.19
PK	5.79097G	122.88	Inf	-Inf	6.74	3	Horizontal	300	2.06	116.14	34.05	6.89	34.20
PK	6.02813G	62.60	68.20	-5.60	6.95	3	Horizontal	300	2.06	55.65	34.10	7.08	34.23

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56976G	50.61	54.00	-3.39	16.18	3	Vertical	352	2.98	34.43	38.82	11.46	34.10
PK	11.56952G	62.46	74.00	-11.54	16.18	3	Vertical	352	2.98	46.28	38.82	11.46	34.10
PK	17.34564G	51.47	68.20	-16.73	18.17	3	Vertical	0	1.50	33.30	38.44	13.05	33.32

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57012G	46.54	54.00	-7.46	16.18	3	Horizontal	53	2.42	30.36	38.82	11.46	34.10
PK	11.57738G	58.06	74.00	-15.94	16.14	3	Horizontal	53	2.42	41.92	38.79	11.46	34.11
PK	17.34042G	51.49	68.20	-16.71	18.15	3	Horizontal	354	1.39	33.34	38.42	13.05	33.32

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	111.51	Inf	-Inf	6.81	3	Vertical	356	3.00	104.70	34.10	6.92	34.21
PK	5.6162G	59.61	68.20	-8.59	5.59	3	Vertical	356	3.00	54.02	33.00	6.78	34.19
PK	5.8298G	121.62	Inf	-Inf	6.82	3	Vertical	356	3.00	114.80	34.10	6.93	34.21
PK	5.9258G	62.98	68.20	-5.22	7.05	3	Vertical	356	3.00	55.93	34.25	7.01	34.21

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	113.57	Inf	-Inf	6.81	3	Horizontal	302	2.16	106.76	34.10	6.92	34.21
PK	5.6306G	63.19	68.20	-5.01	5.60	3	Horizontal	302	2.16	57.59	33.00	6.79	34.19
PK	5.8238G	123.06	Inf	-Inf	6.81	3	Horizontal	302	2.16	116.25	34.10	6.92	34.21
PK	5.9282G	64.77	68.20	-3.43	7.04	3	Horizontal	302	2.16	57.73	34.24	7.01	34.21

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65042G	48.88	54.00	-5.12	16.04	3	Vertical	350	3.00	32.84	38.70	11.49	34.15
PK	11.6458G	61.08	74.00	-12.92	16.04	3	Vertical	350	3.00	45.04	38.70	11.49	34.15
PK	17.47986G	51.97	68.20	-16.23	18.43	3	Vertical	22	1.50	33.54	38.68	13.11	33.36

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6506G	44.12	54.00	-9.88	16.04	3	Horizontal	51	1.50	28.08	38.70	11.49	34.15
PK	11.65312G	56.35	74.00	-17.65	16.04	3	Horizontal	51	1.50	40.31	38.70	11.49	34.15
PK	17.47944G	51.87	68.20	-16.33	18.43	3	Horizontal	360	1.50	33.44	38.68	13.11	33.36

5.15-5.25GHz_802.11n_HT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.59	54.00	-1.41	5.27	3	Vertical	328	1.35	47.32	33.00	6.41	34.14
AV	5.1784G	106.59	Inf	-Inf	5.35	3	Vertical	328	1.35	101.24	33.06	6.43	34.14
PK	5.1492G	70.32	74.00	-3.68	5.27	3	Vertical	328	1.35	65.05	33.00	6.41	34.14
PK	5.183G	117.54	Inf	-Inf	5.37	3	Vertical	328	1.35	112.17	33.07	6.44	34.14

5.15-5.25GHz_802.11n_HT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	52.66	54.00	-1.34	5.27	3	Horizontal	64	1.65	47.39	33.00	6.41	34.14
AV	5.181G	107.76	Inf	-Inf	5.36	3	Horizontal	64	1.65	102.40	33.06	6.44	34.14
PK	5.149G	69.50	74.00	-4.50	5.27	3	Horizontal	64	1.65	64.23	33.00	6.41	34.14
PK	5.1808G	118.31	Inf	-Inf	5.36	3	Horizontal	64	1.65	112.95	33.06	6.44	34.14

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54018G	40.33	54.00	-13.67	15.89	3	Vertical	348	1.36	24.44	38.06	12.15	34.32
PK	10.36558G	50.03	68.20	-18.17	15.20	3	Vertical	4	2.13	34.83	38.80	11.02	34.62
PK	15.53202G	54.69	74.00	-19.31	15.95	3	Vertical	348	1.36	38.74	38.11	12.15	34.31

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53334G	38.86	54.00	-15.14	15.93	3	Horizontal	61	1.50	22.93	38.10	12.15	34.32
PK	10.3708G	50.51	68.20	-17.69	15.20	3	Horizontal	250	1.00	35.31	38.80	11.02	34.62
PK	15.5328G	52.11	74.00	-21.89	15.93	3	Horizontal	61	1.50	36.18	38.10	12.15	34.32

5.15-5.25GHz_802.11n_HT20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.88	54.00	-3.12	5.27	3	Vertical	331	1.40	45.61	33.00	6.41	34.14
AV	5.1984G	109.70	Inf	-Inf	5.41	3	Vertical	331	1.40	104.29	33.10	6.45	34.14
PK	5.1488G	68.17	74.00	-5.83	5.27	3	Vertical	331	1.40	62.90	33.00	6.41	34.14
PK	5.198G	119.95	Inf	-Inf	5.41	3	Vertical	331	1.40	114.54	33.10	6.45	34.14

5.15-5.25GHz_802.11n_HT20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.03	54.00	-1.97	5.27	3	Horizontal	62	1.61	46.76	33.00	6.41	34.14
AV	5.2008G	110.52	Inf	-Inf	5.41	3	Horizontal	62	1.61	105.11	33.10	6.45	34.14
PK	5.1476G	69.77	74.00	-4.23	5.27	3	Horizontal	62	1.61	64.50	33.00	6.41	34.14
PK	5.2008G	120.90	Inf	-Inf	5.41	3	Horizontal	62	1.61	115.49	33.10	6.45	34.14

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6003G	38.11	54.00	-15.89	15.82	3	Vertical	119	1.70	22.29	38.00	12.19	34.37
PK	10.41356G	49.92	68.20	-18.28	15.25	3	Vertical	8	1.50	34.67	38.80	11.03	34.58
PK	15.61494G	50.11	74.00	-23.89	15.79	3	Vertical	119	1.70	34.32	37.97	12.20	34.38

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58578G	38.02	54.00	-15.98	15.82	3	Horizontal	189	1.14	22.20	38.00	12.18	34.36
PK	10.3955G	50.67	68.20	-17.53	15.23	3	Horizontal	114	1.50	35.44	38.80	11.03	34.60
PK	15.58626G	50.33	74.00	-23.67	15.82	3	Horizontal	189	1.14	34.51	38.00	12.18	34.36

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1386G	48.63	54.00	-5.37	5.28	3	Vertical	333	1.38	43.35	33.02	6.40	34.14
AV	5.2382G	109.28	Inf	-Inf	5.35	3	Vertical	333	1.38	103.93	33.02	6.48	34.15
AV	5.3636G	47.78	54.00	-6.22	5.40	3	Vertical	333	1.38	42.38	33.00	6.56	34.16
PK	5.1452G	61.61	74.00	-12.39	5.28	3	Vertical	333	1.38	56.33	33.01	6.41	34.14
PK	5.2382G	120.08	Inf	-Inf	5.35	3	Vertical	333	1.38	114.73	33.02	6.48	34.15
PK	5.3648G	60.70	74.00	-13.30	5.41	3	Vertical	333	1.38	55.29	33.00	6.57	34.16

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.141G	50.07	54.00	-3.93	5.29	3	Horizontal	64	1.67	44.78	33.02	6.41	34.14
AV	5.2388G	111.06	Inf	-Inf	5.35	3	Horizontal	64	1.67	105.71	33.02	6.48	34.15
AV	5.35G	47.62	54.00	-6.38	5.39	3	Horizontal	64	1.67	42.23	33.00	6.55	34.16
PK	5.1332G	62.63	74.00	-11.37	5.29	3	Horizontal	64	1.67	57.34	33.03	6.40	34.14
PK	5.2328G	121.62	Inf	-Inf	5.35	3	Horizontal	64	1.67	116.27	33.03	6.47	34.15
PK	5.387G	60.49	74.00	-13.51	5.41	3	Horizontal	64	1.67	55.08	33.00	6.58	34.17

5.15-5.25GHz_802.11n_HT20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70524G	38.60	54.00	-15.40	16.01	3	Vertical	161	1.67	22.59	38.20	12.26	34.45
AV	15.71926G	38.42	54.00	-15.58	16.01	3	Vertical	116	2.67	22.41	38.20	12.27	34.46
PK	10.47912G	49.47	68.20	-18.73	15.33	3	Vertical	7	1.87	34.14	38.80	11.06	34.53
PK	15.71076G	50.85	74.00	-23.15	16.01	3	Vertical	161	1.94	34.84	38.20	12.26	34.45
PK	15.72066G	50.45	74.00	-23.55	16.01	3	Vertical	116	2.67	34.44	38.20	12.27	34.46

5.15-5.25GHz_802.11n_HT20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7203G	38.39	54.00	-15.61	16.01	3	Horizontal	140	1.87	22.38	38.20	12.27	34.46
PK	10.48864G	49.94	68.20	-18.26	15.34	3	Horizontal	42	1.37	34.60	38.80	11.06	34.52
PK	15.71948G	50.78	74.00	-23.22	16.01	3	Horizontal	140	1.87	34.77	38.20	12.27	34.46

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.137G	46.94	54.00	-7.06	5.29	3	Vertical	329	1.38	41.65	33.03	6.40	34.14
AV	5.2582G	109.32	Inf	-Inf	5.36	3	Vertical	329	1.38	103.96	33.02	6.49	34.15
AV	5.3518G	49.21	54.00	-4.79	5.40	3	Vertical	329	1.38	43.81	33.00	6.56	34.16
PK	5.131G	59.93	74.00	-14.07	5.30	3	Vertical	329	1.38	54.63	33.04	6.40	34.14
PK	5.2582G	120.19	Inf	-Inf	5.36	3	Vertical	329	1.38	114.83	33.02	6.49	34.15
PK	5.3542G	62.86	74.00	-11.14	5.40	3	Vertical	329	1.38	57.46	33.00	6.56	34.16

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	47.65	54.00	-6.35	5.28	3	Horizontal	290	1.76	42.37	33.01	6.41	34.14
AV	5.2588G	111.48	Inf	-Inf	5.36	3	Horizontal	290	1.76	106.12	33.02	6.49	34.15
AV	5.3518G	50.39	54.00	-3.61	5.40	3	Horizontal	290	1.76	44.99	33.00	6.56	34.16
PK	5.1364G	60.25	74.00	-13.75	5.29	3	Horizontal	290	1.76	54.96	33.03	6.40	34.14
PK	5.2606G	121.75	Inf	-Inf	5.36	3	Horizontal	290	1.76	116.39	33.02	6.49	34.15
PK	5.3608G	62.68	74.00	-11.32	5.40	3	Horizontal	290	1.76	57.28	33.00	6.56	34.16

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77974G	40.34	54.00	-13.66	15.75	3	Vertical	89	2.42	24.59	37.96	12.30	34.51
PK	10.52083G	47.56	68.20	-20.64	15.37	3	Vertical	34	1.22	32.19	38.80	11.07	34.50
PK	15.78032G	47.46	74.00	-26.54	15.75	3	Vertical	89	2.42	31.71	37.96	12.30	34.51

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77923G	40.42	54.00	-13.58	15.76	3	Horizontal	20	2.25	24.66	37.97	12.30	34.51
PK	10.5164G	46.99	68.20	-21.21	15.37	3	Horizontal	169	1.89	31.62	38.80	11.07	34.50
PK	15.78042G	48.93	74.00	-25.07	15.75	3	Horizontal	20	2.25	33.18	37.96	12.30	34.51

5.25-5.35GHz_802.11n_HT20_Nss1,(MCS0)_2TX

5300MHz_TX




Lim.PK
PK
Lim.AV
AV

08/09/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2984G	109.24	Inf	-Inf	5.46	3	Vertical	326	1.34	103.78	33.10	6.52	34.16
AV	5.3508G	51.10	54.00	-2.90	5.40	3	Vertical	326	1.34	45.70	33.00	6.56	34.16
PK	5.296G	119.41	Inf	-Inf	5.45	3	Vertical	326	1.34	113.96	33.09	6.52	34.16
PK	5.3512G	72.09	74.00	-1.91	5.40	3	Vertical	326	1.34	66.69	33.00	6.56	34.16

5.25-5.35GHz_802.11n_HT20_Nss1,(MCS0)_2TX

5300MHz_TX




Lim.PK
PK
Lim.AV
AV

08/09/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2988G	111.11	Inf	-Inf	5.46	3	Horizontal	293	2.05	105.65	33.10	6.52	34.16
AV	5.35G	52.96	54.00	-1.04	5.39	3	Horizontal	293	2.05	47.57	33.00	6.55	34.16
PK	5.3008G	121.24	Inf	-Inf	5.46	3	Horizontal	293	2.05	115.78	33.10	6.52	34.16
PK	5.3504G	71.94	74.00	-2.06	5.40	3	Horizontal	293	2.05	66.54	33.00	6.56	34.16

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.9G	40.82	54.00	-13.18	15.68	3	Vertical	200	2.95	25.14	37.90	12.38	34.60
PK	10.60062G	47.74	74.00	-26.26	15.76	3	Vertical	193	1.29	31.98	39.10	11.10	34.44
PK	15.899G	47.63	74.00	-26.37	15.68	3	Vertical	200	2.95	31.95	37.90	12.38	34.60

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60052G	40.30	54.00	-13.70	15.76	3	Horizontal	165	2.04	24.54	39.10	11.10	34.44
AV	15.90067G	40.75	54.00	-13.25	15.68	3	Horizontal	148	2.27	25.07	37.90	12.38	34.60
PK	10.6004G	47.04	74.00	-26.96	15.76	3	Horizontal	165	2.04	31.28	39.10	11.10	34.44
PK	15.89901G	48.52	74.00	-25.48	15.68	3	Horizontal	148	2.27	32.84	37.90	12.38	34.60

5.25-5.35GHz_802.11n_HT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3184G	105.54	Inf	-Inf	5.43	3	Vertical	335	1.33	100.11	33.06	6.53	34.16
AV	5.351G	50.62	54.00	-3.38	5.40	3	Vertical	335	1.33	45.22	33.00	6.56	34.16
PK	5.3136G	116.53	Inf	-Inf	5.44	3	Vertical	335	1.33	111.09	33.07	6.53	34.16
PK	5.3508G	70.26	74.00	-3.74	5.40	3	Vertical	335	1.33	64.86	33.00	6.56	34.16

5.25-5.35GHz_802.11n_HT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3186G	107.33	Inf	-Inf	5.43	3	Horizontal	288	1.64	101.90	33.06	6.53	34.16
AV	5.35G	51.37	54.00	-2.63	5.39	3	Horizontal	288	1.64	45.98	33.00	6.55	34.16
PK	5.3208G	117.26	Inf	-Inf	5.43	3	Horizontal	288	1.64	111.83	33.06	6.53	34.16
PK	5.3502G	70.67	74.00	-3.33	5.40	3	Horizontal	288	1.64	65.27	33.00	6.56	34.16

5.25-5.35GHz_802.11n_HT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6402G	40.62	54.00	-13.38	15.97	3	Vertical	58	2.09	24.65	39.26	11.12	34.41
AV	15.959G	41.42	54.00	-12.58	15.88	3	Vertical	144	2.74	25.54	38.12	12.41	34.65
PK	10.63993G	47.70	74.00	-26.30	15.97	3	Vertical	58	2.09	31.73	39.26	11.12	34.41
PK	15.96036G	48.87	74.00	-25.13	15.89	3	Vertical	144	2.74	32.98	38.12	12.42	34.65

5.25-5.35GHz_802.11n_HT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.642G	40.86	54.00	-13.14	15.98	3	Horizontal	247	2.53	24.88	39.27	11.12	34.41
AV	15.95968G	41.28	54.00	-12.72	15.89	3	Horizontal	171	2.11	25.39	38.12	12.42	34.65
PK	10.6382G	50.15	74.00	-23.85	15.96	3	Horizontal	247	2.53	34.19	39.25	11.12	34.41
PK	15.96052G	49.17	74.00	-24.83	15.89	3	Horizontal	171	2.11	33.28	38.12	12.42	34.65

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	47.26	54.00	-6.74	5.48	3	Vertical	353	1.51	41.78	33.01	6.64	34.17
AV	5.4986G	103.56	Inf	-Inf	5.60	3	Vertical	353	1.51	97.96	33.10	6.68	34.18
PK	5.4578G	60.69	74.00	-13.31	5.49	3	Vertical	353	1.51	55.20	33.02	6.64	34.17
PK	5.4696G	63.60	68.20	-4.60	5.51	3	Vertical	353	1.51	58.09	33.04	6.65	34.18
PK	5.4958G	115.01	Inf	-Inf	5.59	3	Vertical	353	1.51	109.42	33.09	6.68	34.18

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	47.13	54.00	-6.87	5.48	3	Horizontal	297	2.11	41.65	33.02	6.64	34.18
AV	5.4968G	105.60	Inf	-Inf	5.59	3	Horizontal	297	2.11	100.01	33.09	6.68	34.18
PK	5.4592G	60.91	74.00	-13.09	5.48	3	Horizontal	297	2.11	55.43	33.02	6.64	34.18
PK	5.4696G	63.39	68.20	-4.81	5.51	3	Horizontal	297	2.11	57.88	33.04	6.65	34.18
PK	5.5008G	115.98	Inf	-Inf	5.60	3	Horizontal	297	2.11	110.38	33.10	6.68	34.18

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9996G	40.11	54.00	-13.89	15.79	3	Vertical	70	1.48	24.32	38.70	11.25	34.16
PK	10.99964G	48.63	74.00	-25.37	15.79	3	Vertical	70	1.48	32.84	38.70	11.25	34.16
PK	16.50077G	48.36	68.20	-19.84	16.76	3	Vertical	27	2.89	31.60	38.29	12.67	34.20

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99432G	40.35	54.00	-13.65	15.80	3	Horizontal	256	1.11	24.55	38.71	11.25	34.16
PK	11.00688G	48.57	74.00	-25.43	15.79	3	Horizontal	256	1.11	32.78	38.70	11.25	34.16
PK	16.5011G	48.45	68.20	-19.75	16.76	3	Horizontal	127	2.86	31.69	38.29	12.67	34.20

5.47-5.725GHz_802.11n_HT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	47.79	54.00	-6.21	5.48	3	Vertical	352	1.50	42.31	33.02	6.64	34.18
AV	5.5782G	109.44	Inf	-Inf	5.56	3	Vertical	352	1.50	103.88	33.00	6.75	34.19
PK	5.4552G	60.84	74.00	-13.16	5.48	3	Vertical	352	1.50	55.36	33.01	6.64	34.17
PK	5.4642G	60.44	68.20	-7.76	5.50	3	Vertical	352	1.50	54.94	33.03	6.65	34.18
PK	5.5746G	120.03	Inf	-Inf	5.56	3	Vertical	352	1.50	114.47	33.00	6.75	34.19
PK	5.727G	61.04	68.20	-7.16	6.31	3	Vertical	352	1.50	54.73	33.66	6.85	34.20

5.47-5.725GHz_802.11n_HT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4504G	47.32	54.00	-6.68	5.47	3	Horizontal	301	2.12	41.85	33.00	6.64	34.17
AV	5.5812G	111.09	Inf	-Inf	5.56	3	Horizontal	301	2.12	105.53	33.00	6.75	34.19
PK	5.4546G	61.09	74.00	-12.91	5.48	3	Horizontal	301	2.12	55.61	33.01	6.64	34.17
PK	5.4612G	60.50	68.20	-7.70	5.49	3	Horizontal	301	2.12	55.01	33.02	6.65	34.18
PK	5.5806G	121.41	Inf	-Inf	5.56	3	Horizontal	301	2.12	115.85	33.00	6.75	34.19
PK	5.7258G	61.48	68.20	-6.72	6.30	3	Horizontal	301	2.12	55.18	33.65	6.85	34.20

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16031G	40.75	54.00	-13.25	16.08	3	Vertical	235	1.26	24.67	38.90	11.31	34.13
PK	11.1593G	49.16	74.00	-24.84	16.08	3	Vertical	235	1.26	33.08	38.90	11.31	34.13
PK	16.739G	48.40	68.20	-19.80	16.99	3	Vertical	8	2.84	31.41	37.94	12.78	33.73

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1652G	40.70	54.00	-13.30	16.08	3	Horizontal	269	2.32	24.62	38.90	11.31	34.13
PK	11.15228G	48.04	74.00	-25.96	16.08	3	Horizontal	269	2.32	31.96	38.90	11.31	34.13
PK	16.7404G	49.00	68.20	-19.20	17.00	3	Horizontal	233	1.94	32.00	37.94	12.78	33.72

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6988G	103.41	Inf	-Inf	6.12	3	Vertical	352	1.33	97.29	33.49	6.83	34.20
PK	5.7004G	114.65	Inf	-Inf	6.14	3	Vertical	352	1.33	108.51	33.50	6.84	34.20
PK	5.728G	65.46	68.20	-2.74	6.32	3	Vertical	352	1.33	59.14	33.67	6.85	34.20

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7008G	105.17	Inf	-Inf	6.14	3	Horizontal	296	2.02	99.03	33.50	6.84	34.20
PK	5.7008G	115.66	Inf	-Inf	6.14	3	Horizontal	296	2.02	109.52	33.50	6.84	34.20
PK	5.7304G	67.19	68.20	-1.01	6.33	3	Horizontal	296	2.02	60.86	33.68	6.85	34.20

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4001G	41.29	54.00	-12.71	16.32	3	Vertical	348	2.65	24.97	39.00	11.40	34.08
PK	11.39938G	49.26	74.00	-24.74	16.32	3	Vertical	348	2.65	32.94	39.00	11.40	34.08
PK	17.10046G	49.04	68.20	-19.16	17.40	3	Vertical	125	2.04	31.64	37.70	12.94	33.24

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40040G	41.56	54.00	-12.44	16.31	3	Horizontal	236	1.05	25.25	38.99	11.40	34.08
PK	11.4004G	48.20	74.00	-25.80	16.32	3	Horizontal	236	1.05	31.88	39.00	11.40	34.08
PK	17.10028G	47.88	68.20	-20.32	17.40	3	Horizontal	14	1.84	30.48	37.70	12.94	33.24

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	46.61	54.00	-7.39	5.48	3	Vertical	352	1.27	41.13	33.02	6.64	34.18
AV	5.7176G	110.02	Inf	-Inf	6.26	3	Vertical	352	1.27	103.76	33.61	6.85	34.20
PK	5.4248G	59.02	74.00	-14.98	5.44	3	Vertical	352	1.27	53.58	33.00	6.61	34.17
PK	5.462G	59.70	68.20	-8.50	5.49	3	Vertical	352	1.27	54.21	33.02	6.65	34.18
PK	5.7236G	120.79	Inf	-Inf	6.29	3	Vertical	352	1.27	114.50	33.64	6.85	34.20
PK	5.894G	61.20	68.20	-7.00	7.15	3	Vertical	352	1.27	54.05	34.38	6.98	34.21

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4452G	46.57	54.00	-7.43	5.46	3	Horizontal	299	2.01	41.11	33.00	6.63	34.17
AV	5.7212G	112.30	Inf	-Inf	6.28	3	Horizontal	299	2.01	106.02	33.63	6.85	34.20
PK	5.4368G	59.44	74.00	-14.56	5.45	3	Horizontal	299	2.01	53.99	33.00	6.62	34.17
PK	5.468G	59.06	68.20	-9.14	5.51	3	Horizontal	299	2.01	53.55	33.04	6.65	34.18
PK	5.7212G	122.60	Inf	-Inf	6.28	3	Horizontal	299	2.01	116.32	33.63	6.85	34.20
PK	5.9036G	61.52	68.20	-6.68	7.17	3	Horizontal	299	2.01	54.35	34.39	6.99	34.21

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43904G	41.09	54.00	-12.91	16.26	3	Vertical	116	2.29	24.83	38.92	11.41	34.07
PK	11.43996G	49.30	74.00	-24.70	16.26	3	Vertical	116	2.29	33.04	38.92	11.41	34.07
PK	17.15967G	48.02	68.20	-20.18	17.51	3	Vertical	289	1.45	30.51	37.80	12.97	33.26

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4338G	41.12	54.00	-12.88	16.27	3	Horizontal	278	2.03	24.85	38.93	11.41	34.07
PK	11.43384G	48.01	74.00	-25.99	16.27	3	Horizontal	278	2.03	31.74	38.93	11.41	34.07
PK	17.161G	47.53	68.20	-20.67	17.51	3	Horizontal	266	2.53	30.02	37.80	12.97	33.26

5.725-5.85GHz_802.11n HT20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4462G	46.08	54.00	-7.92	5.46	3	Vertical	353	1.05	40.62	33.00	6.63	34.17
AV	5.7426G	110.84	Inf	-Inf	6.42	3	Vertical	353	1.05	104.42	33.76	6.86	34.20
PK	5.643G	61.80	68.20	-6.40	5.70	3	Vertical	353	1.05	56.10	33.09	6.80	34.19
PK	5.7414G	121.76	Inf	-Inf	6.41	3	Vertical	353	1.05	115.35	33.75	6.86	34.20
PK	5.9454G	61.56	68.20	-6.64	7.11	3	Vertical	353	1.05	54.45	34.31	7.02	34.22

5.725-5.85GHz_802.11n HT20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4462G	46.45	54.00	-7.55	5.46	3	Horizontal	297	1.91	40.99	33.00	6.63	34.17
AV	5.7438G	112.88	Inf	-Inf	6.42	3	Horizontal	297	1.91	106.46	33.76	6.86	34.20
PK	5.6466G	64.83	68.20	-3.37	5.70	3	Horizontal	297	1.91	59.13	33.09	6.80	34.19
PK	5.7474G	123.06	Inf	-Inf	6.45	3	Horizontal	297	1.91	116.61	33.78	6.87	34.20
PK	5.9442G	62.00	68.20	-6.20	7.11	3	Horizontal	297	1.91	54.89	34.31	7.02	34.22

5.725-5.85GHz_802.11n HT20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49043G	41.08	54.00	-12.92	16.19	3	Vertical	83	2.88	24.89	38.82	11.43	34.06
PK	11.49024G	48.79	74.00	-25.21	16.19	3	Vertical	83	2.88	32.60	38.82	11.43	34.06
PK	17.23596G	47.23	68.20	-20.97	17.51	3	Vertical	253	2.09	29.72	37.80	13.00	33.29

5.725-5.85GHz_802.11n HT20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48064G	41.20	54.00	-12.80	16.21	3	Horizontal	133	2.49	24.99	38.84	11.43	34.06
PK	11.4868G	50.57	74.00	-23.43	16.20	3	Horizontal	133	2.49	34.37	38.83	11.43	34.06
PK	17.23522G	47.66	68.20	-20.54	17.51	3	Horizontal	206	1.34	30.15	37.80	13.00	33.29

5.725-5.85GHz_802.11n_HT20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78371G	109.00	Inf	-Inf	6.69	3	Vertical	112	1.52	102.31	34.00	6.89	34.20
PK	5.57801G	60.20	68.20	-8.00	5.56	3	Vertical	112	1.52	54.64	33.00	6.75	34.19
PK	5.78129G	119.76	Inf	-Inf	6.68	3	Vertical	112	1.52	113.08	33.99	6.89	34.20
PK	5.99062G	60.96	68.20	-7.24	6.98	3	Vertical	112	1.52	53.98	34.14	7.06	34.22

5.725-5.85GHz_802.11n_HT20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78855G	112.93	Inf	-Inf	6.72	3	Horizontal	304	2.06	106.21	34.03	6.89	34.20
PK	5.59132G	62.26	68.20	-5.94	5.57	3	Horizontal	304	2.06	56.69	33.00	6.76	34.19
PK	5.78371G	122.78	Inf	-Inf	6.69	3	Horizontal	304	2.06	116.09	34.00	6.89	34.20
PK	6.06443G	61.88	68.20	-6.32	7.04	3	Horizontal	304	2.06	54.84	34.17	7.10	34.23

5.725-5.85GHz_802.11n HT20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57077G	40.64	54.00	-13.36	15.92	3	Vertical	115	1.35	24.72	38.56	11.46	34.10
PK	11.57076G	47.68	74.00	-26.32	15.92	3	Vertical	115	1.35	31.76	38.56	11.46	34.10
PK	17.356G	49.62	68.20	-18.58	17.86	3	Vertical	23	2.33	31.76	38.12	13.06	33.32

5.725-5.85GHz_802.11n HT20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57048G	41.01	54.00	-12.99	15.92	3	Horizontal	106	3.00	25.09	38.56	11.46	34.10
PK	11.57808G	48.73	74.00	-25.27	15.89	3	Horizontal	106	3.00	32.84	38.54	11.46	34.11
PK	17.35586G	49.06	68.20	-19.14	17.86	3	Horizontal	36	1.18	31.20	38.12	13.06	33.32

5.725-5.85GHz_802.11n_HT20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	109.85	Inf	-Inf	6.86	3	Vertical	282	1.48	102.99	34.15	6.92	34.21
PK	5.6174G	60.55	68.20	-7.65	5.62	3	Vertical	282	1.48	54.93	33.03	6.78	34.19
PK	5.8202G	120.16	Inf	-Inf	6.85	3	Vertical	282	1.48	113.31	34.14	6.92	34.21
PK	5.9294G	62.80	68.20	-5.40	7.14	3	Vertical	282	1.48	55.66	34.34	7.01	34.21

5.725-5.85GHz_802.11n_HT20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	111.51	Inf	-Inf	6.86	3	Horizontal	314	2.13	104.65	34.15	6.92	34.21
PK	5.6258G	63.09	68.20	-5.11	5.65	3	Horizontal	314	2.13	57.44	33.05	6.79	34.19
PK	5.8262G	121.20	Inf	-Inf	6.86	3	Horizontal	314	2.13	114.34	34.15	6.92	34.21
PK	5.9306G	63.59	68.20	-4.61	7.14	3	Horizontal	314	2.13	56.45	34.34	7.01	34.21

5.725-5.85GHz_802.11n HT20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65083G	40.63	54.00	-13.37	15.64	3	Vertical	29	1.68	24.99	38.30	11.49	34.15
PK	11.649G	46.82	74.00	-27.18	15.64	3	Vertical	29	1.68	31.18	38.30	11.49	34.15
PK	17.476G	48.01	68.20	-20.19	18.15	3	Vertical	301	1.68	29.86	38.40	13.11	33.36

5.725-5.85GHz_802.11n HT20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64824G	40.64	54.00	-13.36	15.65	3	Horizontal	207	1.10	24.99	38.31	11.49	34.15
PK	11.64188G	48.70	74.00	-25.30	15.67	3	Horizontal	207	1.10	33.03	38.33	11.49	34.15
PK	17.475G	49.10	68.20	-19.10	18.15	3	Horizontal	328	1.23	30.95	38.40	13.11	33.36

5.15-5.25GHz_802.11n_HT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.90	54.00	-2.10	5.27	3	Vertical	328	1.35	46.63	33.00	6.41	34.14
AV	5.1936G	101.42	Inf	-Inf	5.40	3	Vertical	328	1.35	96.02	33.09	6.45	34.14
PK	5.15G	69.26	74.00	-4.74	5.27	3	Vertical	328	1.35	63.99	33.00	6.41	34.14
PK	5.1932G	112.11	Inf	-Inf	5.39	3	Vertical	328	1.35	106.72	33.09	6.44	34.14

5.15-5.25GHz_802.11n_HT40_Nss1,(MCS0)_2TX

5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.06	54.00	-0.94	5.27	3	Horizontal	66	1.85	47.79	33.00	6.41	34.14
AV	5.1936G	102.79	Inf	-Inf	5.40	3	Horizontal	66	1.85	97.39	33.09	6.45	34.14
PK	5.15G	71.71	74.00	-2.29	5.27	3	Horizontal	66	1.85	66.44	33.00	6.41	34.14
PK	5.1964G	112.52	Inf	-Inf	5.40	3	Horizontal	66	1.85	107.12	33.09	6.45	34.14