


5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57004G	38.78	54.00	-15.22	15.83	3	Vertical	307	1.16	22.95	38.00	12.17	34.34
PK	10.37944G	49.45	68.20	-18.75	15.21	3	Vertical	129	1.12	34.24	38.80	11.02	34.61
PK	15.57044G	50.02	74.00	-23.98	15.83	3	Vertical	307	1.16	34.19	38.00	12.17	34.34

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57008G	38.80	54.00	-15.20	15.83	3	Horizontal	317	1.90	22.97	38.00	12.17	34.34
PK	10.375G	49.67	68.20	-18.53	15.21	3	Horizontal	300	1.26	34.46	38.80	11.02	34.61
PK	15.5698G	50.60	74.00	-23.40	15.83	3	Horizontal	317	1.90	34.77	38.00	12.17	34.34

5.15-5.25GHz_802.11n_HT40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	51.15	54.00	-2.85	5.27	3	Vertical	331	1.40	45.88	33.00	6.41	34.14
AV	5.2336G	105.89	Inf	-Inf	5.35	3	Vertical	331	1.40	100.54	33.03	6.47	34.15
PK	5.1472G	65.89	74.00	-8.11	5.28	3	Vertical	331	1.40	60.61	33.01	6.41	34.14
PK	5.2332G	116.97	Inf	-Inf	5.35	3	Vertical	331	1.40	111.62	33.03	6.47	34.15

5.15-5.25GHz_802.11n_HT40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.88	54.00	-1.12	5.27	3	Horizontal	291	2.15	47.61	33.00	6.41	34.14
AV	5.2336G	107.81	Inf	-Inf	5.35	3	Horizontal	291	2.15	102.46	33.03	6.47	34.15
PK	5.1472G	68.19	74.00	-5.81	5.28	3	Horizontal	291	2.15	62.91	33.01	6.41	34.14
PK	5.2364G	116.73	Inf	-Inf	5.36	3	Horizontal	291	2.15	111.37	33.03	6.48	34.15

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68936G	41.25	54.00	-12.75	15.95	3	Vertical	225	1.91	25.30	38.14	12.25	34.44
PK	10.4602G	47.33	68.20	-20.87	15.31	3	Vertical	36	2.70	32.02	38.80	11.05	34.54
PK	15.691G	47.59	74.00	-26.41	15.96	3	Vertical	225	1.91	31.63	38.15	12.25	34.44

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69066G	41.42	54.00	-12.58	15.95	3	Horizontal	357	1.65	25.47	38.14	12.25	34.44
PK	10.45784G	48.28	68.20	-19.92	15.30	3	Horizontal	114	1.12	32.98	38.80	11.05	34.55
PK	15.69066G	48.84	74.00	-25.16	15.95	3	Horizontal	357	1.65	32.89	38.14	12.25	34.44

5.25-5.35GHz_802.11n_HT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2656G	104.96	Inf	-Inf	5.38	3	Vertical	331	1.53	99.58	33.03	6.50	34.15
AV	5.3508G	51.24	54.00	-2.76	5.40	3	Vertical	331	1.53	45.84	33.00	6.56	34.16
PK	5.2732G	115.72	Inf	-Inf	5.40	3	Vertical	331	1.53	110.32	33.05	6.50	34.15
PK	5.3568G	65.81	74.00	-8.19	5.40	3	Vertical	331	1.53	60.41	33.00	6.56	34.16

5.25-5.35GHz_802.11n_HT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2732G	107.30	Inf	-Inf	5.40	3	Horizontal	293	1.81	101.90	33.05	6.50	34.15
AV	5.3512G	52.96	54.00	-1.04	5.40	3	Horizontal	293	1.81	47.56	33.00	6.56	34.16
PK	5.264G	116.64	Inf	-Inf	5.37	3	Horizontal	293	1.81	111.27	33.03	6.49	34.15
PK	5.3532G	68.04	74.00	-5.96	5.40	3	Horizontal	293	1.81	62.64	33.00	6.56	34.16

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.809G	41.01	54.00	-12.99	15.57	3	Vertical	87	2.64	25.44	37.78	12.32	34.53
PK	10.5406G	48.06	68.20	-20.14	15.40	3	Vertical	291	1.99	32.66	38.80	11.08	34.48
PK	15.80929G	47.08	74.00	-26.92	15.57	3	Vertical	87	2.64	31.51	37.78	12.32	34.53

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81064G	40.68	54.00	-13.32	15.57	3	Horizontal	69	1.64	25.11	37.78	12.32	34.53
PK	10.55G	47.30	68.20	-20.90	15.41	3	Horizontal	114	1.86	31.89	38.80	11.08	34.47
PK	15.811G	48.33	74.00	-25.67	15.57	3	Horizontal	69	1.64	32.76	37.78	12.32	34.53

5.25-5.35GHz_802.11n_HT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3144G	100.17	Inf	-Inf	5.44	3	Vertical	116	1.50	94.73	33.07	6.53	34.16
AV	5.352G	49.39	54.00	-4.61	5.40	3	Vertical	116	1.50	43.99	33.00	6.56	34.16
PK	5.3132G	110.77	Inf	-Inf	5.44	3	Vertical	116	1.50	105.33	33.07	6.53	34.16
PK	5.3536G	67.55	74.00	-6.45	5.40	3	Vertical	116	1.50	62.15	33.00	6.56	34.16

5.25-5.35GHz_802.11n_HT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3136G	103.30	Inf	-Inf	5.44	3	Horizontal	294	1.68	97.86	33.07	6.53	34.16
AV	5.3544G	52.00	54.00	-2.00	5.40	3	Horizontal	294	1.68	46.60	33.00	6.56	34.16
PK	5.318G	111.69	Inf	-Inf	5.43	3	Horizontal	294	1.68	106.26	33.06	6.53	34.16
PK	5.3532G	72.10	74.00	-1.90	5.40	3	Horizontal	294	1.68	66.70	33.00	6.56	34.16

5.25-5.35GHz_802.11n_HT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62097G	40.74	54.00	-13.26	15.86	3	Vertical	5	2.43	24.88	39.18	11.11	34.43
AV	15.93024G	41.51	54.00	-12.49	15.79	3	Vertical	65	1.41	25.72	38.02	12.40	34.63
PK	10.61906G	48.36	74.00	-25.64	15.86	3	Vertical	5	2.43	32.50	39.18	11.11	34.43
PK	15.929G	47.96	74.00	-26.04	15.80	3	Vertical	65	1.41	32.16	38.02	12.40	34.62

5.25-5.35GHz_802.11n_HT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62844G	41.13	54.00	-12.87	15.90	3	Horizontal	245	1.85	25.23	39.21	11.11	34.42
AV	15.93022G	41.33	54.00	-12.67	15.79	3	Horizontal	319	1.43	25.54	38.02	12.40	34.63
PK	10.61G	48.33	74.00	-25.67	15.82	3	Horizontal	245	1.85	32.51	39.14	11.11	34.43
PK	15.92986G	48.61	74.00	-25.39	15.79	3	Horizontal	319	1.43	32.82	38.02	12.40	34.63

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	48.99	54.00	-5.01	5.48	3	Vertical	353	1.33	43.51	33.02	6.64	34.18
AV	5.5072G	99.65	Inf	-Inf	5.60	3	Vertical	353	1.33	94.05	33.09	6.69	34.18
PK	5.458G	62.84	74.00	-11.16	5.49	3	Vertical	353	1.33	57.35	33.02	6.64	34.17
PK	5.47G	64.92	68.20	-3.28	5.51	3	Vertical	353	1.33	59.41	33.04	6.65	34.18
PK	5.5132G	110.88	Inf	-Inf	5.58	3	Vertical	353	1.33	105.30	33.07	6.69	34.18

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	48.96	54.00	-5.04	5.49	3	Horizontal	300	2.15	43.47	33.02	6.64	34.17
AV	5.5136G	101.80	Inf	-Inf	5.58	3	Horizontal	300	2.15	96.22	33.07	6.69	34.18
PK	5.4516G	61.56	74.00	-12.44	5.47	3	Horizontal	300	2.15	56.09	33.00	6.64	34.17
PK	5.47G	67.38	68.20	-0.82	5.51	3	Horizontal	300	2.15	61.87	33.04	6.65	34.18
PK	5.5164G	111.10	Inf	-Inf	5.58	3	Horizontal	300	2.15	105.52	33.07	6.69	34.18

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01949G	40.77	54.00	-13.23	15.80	3	Vertical	356	1.27	24.97	38.70	11.26	34.16
PK	11.019G	47.80	74.00	-26.20	15.80	3	Vertical	356	1.27	32.00	38.70	11.26	34.16
PK	16.53062G	49.27	68.20	-18.93	16.60	3	Vertical	322	1.16	32.67	38.06	12.68	34.14

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02204G	40.68	54.00	-13.32	15.80	3	Horizontal	98	1.88	24.88	38.70	11.26	34.16
PK	11.0146G	47.42	74.00	-26.58	15.80	3	Horizontal	98	1.88	31.62	38.70	11.26	34.16
PK	16.53022G	48.72	68.20	-19.48	16.60	3	Horizontal	307	2.59	32.12	38.06	12.68	34.14

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX

5550MHz_TX




08/09/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	50.47	54.00	-3.53	5.48	3	Vertical	354	1.30	44.99	33.02	6.64	34.18
AV	5.5536G	104.39	Inf	-Inf	5.55	3	Vertical	354	1.30	98.84	33.00	6.73	34.18
PK	5.4592G	62.57	74.00	-11.43	5.48	3	Vertical	354	1.30	57.09	33.02	6.64	34.18
PK	5.4692G	64.21	68.20	-3.99	5.51	3	Vertical	354	1.30	58.70	33.04	6.65	34.18
PK	5.5532G	116.05	Inf	-Inf	5.55	3	Vertical	354	1.30	110.50	33.00	6.73	34.18

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX

5550MHz_TX




08/09/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	49.95	54.00	-4.05	5.48	3	Horizontal	303	2.08	44.47	33.01	6.64	34.17
AV	5.5564G	107.16	Inf	-Inf	5.55	3	Horizontal	303	2.08	101.61	33.00	6.73	34.18
PK	5.4592G	63.02	74.00	-10.98	5.48	3	Horizontal	303	2.08	57.54	33.02	6.64	34.18
PK	5.4688G	64.61	68.20	-3.59	5.51	3	Horizontal	303	2.08	59.10	33.04	6.65	34.18
PK	5.5564G	116.18	Inf	-Inf	5.55	3	Horizontal	303	2.08	110.63	33.00	6.73	34.18

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0998G	41.12	54.00	-12.88	15.95	3	Vertical	145	1.89	25.17	38.80	11.29	34.14
PK	11.099G	48.17	74.00	-25.83	15.95	3	Vertical	145	1.89	32.22	38.80	11.29	34.14
PK	16.64966G	51.30	68.20	-16.90	16.94	3	Vertical	17	1.26	34.36	38.10	12.74	33.90

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09908G	41.32	54.00	-12.68	15.95	3	Horizontal	13	2.84	25.37	38.80	11.29	34.14
PK	11.0992G	48.21	74.00	-25.79	15.95	3	Horizontal	13	2.84	32.26	38.80	11.29	34.14
PK	16.6503G	49.21	68.20	-18.99	16.94	3	Horizontal	136	1.80	32.27	38.10	12.74	33.90

5.47-5.725GHz_802.11n_HT40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6736G	102.90	Inf	-Inf	5.92	3	Vertical	351	1.27	96.98	33.29	6.82	34.19
PK	5.673G	114.16	Inf	-Inf	5.91	3	Vertical	351	1.27	108.25	33.28	6.82	34.19
PK	5.7252G	64.73	68.20	-3.47	6.30	3	Vertical	351	1.27	58.43	33.65	6.85	34.20

5.47-5.725GHz_802.11n_HT40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6736G	104.46	Inf	-Inf	5.92	3	Horizontal	302	2.06	98.54	33.29	6.82	34.19
PK	5.6802G	113.38	Inf	-Inf	5.97	3	Horizontal	302	2.06	107.41	33.34	6.82	34.19
PK	5.7282G	67.11	68.20	-1.09	6.32	3	Horizontal	302	2.06	60.79	33.67	6.85	34.20

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.341G	41.33	54.00	-12.67	16.29	3	Vertical	168	2.10	25.04	39.00	11.38	34.09
PK	11.3391G	48.52	74.00	-25.48	16.29	3	Vertical	168	2.10	32.23	39.00	11.38	34.09
PK	17.00912G	48.48	68.20	-19.72	17.26	3	Vertical	260	2.12	31.22	37.57	12.90	33.21

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33556G	41.78	54.00	-12.22	16.28	3	Horizontal	355	2.46	25.50	39.00	11.37	34.09
PK	11.33516G	49.95	74.00	-24.05	16.28	3	Horizontal	355	2.46	33.67	39.00	11.37	34.09
PK	17.01095G	47.47	68.20	-20.73	17.28	3	Horizontal	117	2.85	30.19	37.59	12.90	33.21

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4124G	46.89	54.00	-7.11	5.43	3	Vertical	360	3.00	41.46	33.00	6.60	34.17
AV	5.7052G	107.86	Inf	-Inf	6.17	3	Vertical	360	3.00	101.69	33.53	6.84	34.20
PK	5.4232G	58.95	74.00	-15.05	5.44	3	Vertical	360	3.00	53.51	33.00	6.61	34.17
PK	5.4604G	58.14	68.20	-10.06	5.48	3	Vertical	360	3.00	52.66	33.02	6.64	34.18
PK	5.7124G	117.03	Inf	-Inf	6.21	3	Vertical	360	3.00	110.82	33.57	6.84	34.20
PK	5.854G	63.13	68.20	-5.07	6.96	3	Vertical	360	3.00	56.17	34.22	6.95	34.21

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4508G	47.97	54.00	-6.03	5.47	3	Horizontal	300	2.11	42.50	33.00	6.64	34.17
AV	5.716G	109.93	Inf	-Inf	6.25	3	Horizontal	300	2.11	103.68	33.60	6.85	34.20
PK	5.4424G	59.53	74.00	-14.47	5.46	3	Horizontal	300	2.11	54.07	33.00	6.63	34.17
PK	5.4652G	59.49	68.20	-8.71	5.50	3	Horizontal	300	2.11	53.99	33.03	6.65	34.18
PK	5.716G	119.34	Inf	-Inf	6.25	3	Horizontal	300	2.11	113.09	33.60	6.85	34.20
PK	5.8612G	63.47	68.20	-4.73	6.98	3	Horizontal	300	2.11	56.49	34.24	6.95	34.21

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42061G	42.12	54.00	-11.88	16.29	3	Vertical	122	2.45	25.83	38.96	11.41	34.08
PK	11.41961G	48.22	74.00	-25.78	16.29	3	Vertical	122	2.45	31.93	38.96	11.41	34.08
PK	17.129G	48.33	68.20	-19.87	17.46	3	Vertical	188	2.73	30.87	37.76	12.95	33.25

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42112G	42.35	54.00	-11.65	16.29	3	Horizontal	278	1.48	26.06	38.96	11.41	34.08
PK	11.41452G	50.60	74.00	-23.40	16.29	3	Horizontal	278	1.48	34.31	38.97	11.40	34.08
PK	17.12924G	47.41	68.20	-20.79	17.46	3	Horizontal	173	1.59	29.95	37.76	12.95	33.25

5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_2TX

5755MHz_TX




08/09/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	46.76	54.00	-7.24	5.48	3	Vertical	353	1.04	41.28	33.02	6.64	34.18
AV	5.743G	106.55	Inf	-Inf	6.42	3	Vertical	353	1.04	100.13	33.76	6.86	34.20
PK	5.6506G	64.60	68.64	-4.04	5.71	3	Vertical	353	1.04	58.89	33.10	6.80	34.19
PK	5.7502G	116.66	Inf	-Inf	6.47	3	Vertical	353	1.04	110.19	33.80	6.87	34.20
PK	5.983G	61.09	68.20	-7.11	7.01	3	Vertical	353	1.04	54.08	34.17	7.06	34.22

5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_2TX

5755MHz_TX




08/09/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	47.07	54.00	-6.93	5.48	3	Horizontal	302	1.93	41.59	33.01	6.64	34.17
AV	5.7586G	109.30	Inf	-Inf	6.52	3	Horizontal	302	1.93	102.78	33.85	6.87	34.20
PK	5.6386G	66.18	68.20	-2.02	5.69	3	Horizontal	302	1.93	60.49	33.08	6.80	34.19
PK	5.761G	117.65	Inf	-Inf	6.54	3	Horizontal	302	1.93	111.11	33.87	6.87	34.20
PK	5.947G	61.87	68.20	-6.33	7.11	3	Horizontal	302	1.93	54.76	34.31	7.02	34.22

5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50996G	41.30	54.00	-12.70	16.13	3	Vertical	115	1.72	25.17	38.76	11.44	34.07
PK	11.509G	48.24	74.00	-25.76	16.13	3	Vertical	115	1.72	32.11	38.76	11.44	34.07
PK	17.264G	47.53	68.20	-20.67	17.56	3	Vertical	36	2.49	29.97	37.83	13.02	33.29

5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51684G	41.79	54.00	-12.21	16.10	3	Horizontal	352	1.70	25.69	38.73	11.44	34.07
PK	11.51188G	49.24	74.00	-24.76	16.12	3	Horizontal	352	1.70	33.12	38.75	11.44	34.07
PK	17.26428G	47.76	68.20	-20.44	17.56	3	Horizontal	123	1.53	30.20	37.83	13.02	33.29

5.725-5.85GHz_802.11n_HT40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7914G	106.77	Inf	-Inf	6.74	3	Vertical	108	1.54	100.03	34.05	6.89	34.20
PK	5.6126G	60.98	68.20	-7.22	5.62	3	Vertical	108	1.54	55.36	33.03	6.78	34.19
PK	5.783G	117.00	Inf	-Inf	6.69	3	Vertical	108	1.54	110.31	34.00	6.89	34.20
PK	5.9258G	63.07	68.20	-5.13	7.15	3	Vertical	108	1.54	55.92	34.35	7.01	34.21

5.725-5.85GHz_802.11n_HT40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.801G	110.82	Inf	-Inf	6.80	3	Horizontal	298	1.86	104.02	34.10	6.90	34.20
PK	5.6498G	64.10	68.20	-4.10	5.71	3	Horizontal	298	1.86	58.39	33.10	6.80	34.19
PK	5.8034G	119.71	Inf	-Inf	6.81	3	Horizontal	298	1.86	112.90	34.11	6.90	34.20
PK	5.927G	66.52	68.20	-1.68	7.15	3	Horizontal	298	1.86	59.37	34.35	7.01	34.21

5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58949G	41.04	54.00	-12.96	15.87	3	Vertical	118	2.74	25.17	38.52	11.47	34.12
PK	11.59043G	47.64	74.00	-26.36	15.87	3	Vertical	118	2.74	31.77	38.52	11.47	34.12
PK	17.38413G	49.02	68.20	-19.18	17.98	3	Vertical	74	1.88	31.04	38.24	13.07	33.33

5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58876G	41.27	54.00	-12.73	15.87	3	Horizontal	310	1.71	25.40	38.52	11.47	34.12
PK	11.58328G	47.94	74.00	-26.06	15.89	3	Horizontal	310	1.71	32.05	38.53	11.47	34.11
PK	17.38518G	49.98	68.20	-18.22	17.98	3	Horizontal	229	1.43	32.00	38.24	13.07	33.33

5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	52.18	54.00	-1.82	5.27	3	Vertical	332	1.38	46.91	33.00	6.41	34.14
AV	5.185G	105.90	Inf	-Inf	5.37	3	Vertical	332	1.38	100.53	33.07	6.44	34.14
PK	5.149G	71.33	74.00	-2.67	5.27	3	Vertical	332	1.38	66.06	33.00	6.41	34.14
PK	5.1824G	118.40	Inf	-Inf	5.36	3	Vertical	332	1.38	113.04	33.06	6.44	34.14

5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.73	54.00	-1.27	5.27	3	Horizontal	60	1.63	47.46	33.00	6.41	34.14
AV	5.1766G	106.97	Inf	-Inf	5.34	3	Horizontal	60	1.63	101.63	33.05	6.43	34.14
PK	5.15G	73.14	74.00	-0.86	5.27	3	Horizontal	60	1.63	67.87	33.00	6.41	34.14
PK	5.1788G	118.42	Inf	-Inf	5.35	3	Horizontal	60	1.63	113.07	33.06	6.43	34.14

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53942G	39.85	54.00	-14.15	15.89	3	Vertical	181	2.95	23.96	38.06	12.15	34.32
PK	10.35994G	46.92	68.20	-21.28	15.18	3	Vertical	315	1.41	31.74	38.80	11.01	34.63
PK	15.5399G	48.79	74.00	-25.21	15.90	3	Vertical	181	2.95	32.89	38.07	12.15	34.32

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54042G	40.02	54.00	-13.98	15.90	3	Horizontal	24	2.38	24.12	38.06	12.16	34.32
PK	10.35316G	48.66	68.20	-19.54	15.18	3	Horizontal	323	1.38	33.48	38.80	11.01	34.63
PK	15.53906G	47.75	74.00	-26.25	15.90	3	Horizontal	24	2.38	31.85	38.07	12.15	34.32

5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	50.54	54.00	-3.46	5.27	3	Vertical	334	1.39	45.27	33.00	6.41	34.14
AV	5.1984G	108.78	Inf	-Inf	5.41	3	Vertical	334	1.39	103.37	33.10	6.45	34.14
PK	5.1496G	71.69	74.00	-2.31	5.27	3	Vertical	334	1.39	66.42	33.00	6.41	34.14
PK	5.196G	121.18	Inf	-Inf	5.40	3	Vertical	334	1.39	115.78	33.09	6.45	34.14

5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	51.36	54.00	-2.64	5.27	3	Horizontal	57	1.76	46.09	33.00	6.41	34.14
AV	5.1992G	109.62	Inf	-Inf	5.41	3	Horizontal	57	1.76	104.21	33.10	6.45	34.14
PK	5.1496G	71.47	74.00	-2.53	5.27	3	Horizontal	57	1.76	66.20	33.00	6.41	34.14
PK	5.1988G	120.99	Inf	-Inf	5.41	3	Horizontal	57	1.76	115.58	33.10	6.45	34.14

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60062G	39.48	54.00	-14.52	15.82	3	Vertical	231	2.29	23.66	38.00	12.19	34.37
PK	10.40092G	47.02	68.20	-21.18	15.24	3	Vertical	236	1.37	31.78	38.80	11.03	34.59
PK	15.59954G	47.11	74.00	-26.89	15.82	3	Vertical	231	2.29	31.29	38.00	12.19	34.37

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60079G	39.58	54.00	-14.42	15.82	3	Horizontal	100	1.50	23.76	38.00	12.19	34.37
PK	10.403G	47.49	68.20	-20.71	15.24	3	Horizontal	194	2.71	32.25	38.80	11.03	34.59
PK	15.59984G	47.09	74.00	-26.91	15.82	3	Horizontal	100	1.50	31.27	38.00	12.19	34.37

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	48.39	54.00	-5.61	5.28	3	Vertical	331	1.38	43.11	33.01	6.41	34.14
AV	5.2382G	108.15	Inf	-Inf	5.35	3	Vertical	331	1.38	102.80	33.02	6.48	34.15
AV	5.3636G	47.12	54.00	-6.88	5.40	3	Vertical	331	1.38	41.72	33.00	6.56	34.16
PK	5.1476G	62.11	74.00	-11.89	5.27	3	Vertical	331	1.38	56.84	33.00	6.41	34.14
PK	5.2382G	120.51	Inf	-Inf	5.35	3	Vertical	331	1.38	115.16	33.02	6.48	34.15
PK	5.363G	62.60	74.00	-11.40	5.40	3	Vertical	331	1.38	57.20	33.00	6.56	34.16

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.141G	49.54	54.00	-4.46	5.29	3	Horizontal	62	1.67	44.25	33.02	6.41	34.14
AV	5.2364G	109.98	Inf	-Inf	5.36	3	Horizontal	62	1.67	104.62	33.03	6.48	34.15
AV	5.357G	46.98	54.00	-7.02	5.40	3	Horizontal	62	1.67	41.58	33.00	6.56	34.16
PK	5.1428G	62.10	74.00	-11.90	5.28	3	Horizontal	62	1.67	56.82	33.01	6.41	34.14
PK	5.2388G	121.26	Inf	-Inf	5.35	3	Horizontal	62	1.67	115.91	33.02	6.48	34.15
PK	5.3606G	60.67	74.00	-13.33	5.40	3	Horizontal	62	1.67	55.27	33.00	6.56	34.16

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72062G	40.17	54.00	-13.83	16.01	3	Vertical	269	1.97	24.16	38.20	12.27	34.46
PK	10.47949G	46.85	68.20	-21.35	15.33	3	Vertical	176	1.32	31.52	38.80	11.06	34.53
PK	15.7196G	48.06	74.00	-25.94	16.01	3	Vertical	269	1.97	32.05	38.20	12.27	34.46

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71947G	40.06	54.00	-13.94	16.01	3	Horizontal	338	2.89	24.05	38.20	12.27	34.46
PK	10.48316G	47.38	68.20	-20.82	15.34	3	Horizontal	22	2.26	32.04	38.80	11.06	34.52
PK	15.71992G	49.95	74.00	-24.05	16.01	3	Horizontal	338	2.89	33.94	38.20	12.27	34.46

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.22	54.00	-7.78	5.27	3	Vertical	335	1.17	40.95	33.00	6.41	34.14
AV	5.2582G	108.38	Inf	-Inf	5.36	3	Vertical	335	1.17	103.02	33.02	6.49	34.15
AV	5.3608G	48.85	54.00	-5.15	5.40	3	Vertical	335	1.17	43.45	33.00	6.56	34.16
PK	5.1232G	60.58	74.00	-13.42	5.31	3	Vertical	335	1.17	55.27	33.05	6.39	34.13
PK	5.2624G	121.14	Inf	-Inf	5.36	3	Vertical	335	1.17	115.78	33.02	6.49	34.15
PK	5.3626G	62.41	74.00	-11.59	5.40	3	Vertical	335	1.17	57.01	33.00	6.56	34.16

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.20	54.00	-6.80	5.27	3	Horizontal	291	1.98	41.93	33.00	6.41	34.14
AV	5.2606G	110.29	Inf	-Inf	5.36	3	Horizontal	291	1.98	104.93	33.02	6.49	34.15
AV	5.3524G	49.40	54.00	-4.60	5.40	3	Horizontal	291	1.98	44.00	33.00	6.56	34.16
PK	5.1448G	60.41	74.00	-13.59	5.28	3	Horizontal	291	1.98	55.13	33.01	6.41	34.14
PK	5.2606G	121.04	Inf	-Inf	5.36	3	Horizontal	291	1.98	115.68	33.02	6.49	34.15
PK	5.3614G	62.99	74.00	-11.01	5.40	3	Horizontal	291	1.98	57.59	33.00	6.56	34.16

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78088G	39.65	54.00	-14.35	15.74	3	Vertical	111	1.49	23.91	37.95	12.30	34.51
PK	10.519G	45.63	68.20	-22.57	15.37	3	Vertical	150	2.52	30.26	38.80	11.07	34.50
PK	15.78001G	48.00	74.00	-26.00	15.75	3	Vertical	111	1.49	32.25	37.96	12.30	34.51

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77997G	39.67	54.00	-14.33	15.75	3	Horizontal	6	2.40	23.92	37.96	12.30	34.51
PK	10.51616G	47.30	68.20	-20.90	15.37	3	Horizontal	191	1.65	31.93	38.80	11.07	34.50
PK	15.77997G	47.95	74.00	-26.05	15.75	3	Horizontal	6	2.40	32.20	37.96	12.30	34.51

5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	107.63	Inf	-Inf	5.46	3	Vertical	351	1.50	102.17	33.10	6.52	34.16
AV	5.35G	49.99	54.00	-4.01	5.39	3	Vertical	351	1.50	44.60	33.00	6.55	34.16
PK	5.3024G	119.79	Inf	-Inf	5.46	3	Vertical	351	1.50	114.33	33.10	6.52	34.16
PK	5.3528G	69.71	74.00	-4.29	5.40	3	Vertical	351	1.50	64.31	33.00	6.56	34.16

5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2964G	109.97	Inf	-Inf	5.45	3	Horizontal	296	2.17	104.52	33.09	6.52	34.16
AV	5.3508G	51.94	54.00	-2.06	5.40	3	Horizontal	296	2.17	46.54	33.00	6.56	34.16
PK	5.2988G	120.92	Inf	-Inf	5.46	3	Horizontal	296	2.17	115.46	33.10	6.52	34.16
PK	5.3528G	72.25	74.00	-1.75	5.40	3	Horizontal	296	2.17	66.85	33.00	6.56	34.16

5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60058G	39.59	54.00	-14.41	15.76	3	Vertical	107	1.00	23.83	39.10	11.10	34.44
AV	15.89956G	40.15	54.00	-13.85	15.68	3	Vertical	119	1.65	24.47	37.90	12.38	34.60
PK	10.60067G	48.07	74.00	-25.93	15.76	3	Vertical	107	1.00	32.31	39.10	11.10	34.44
PK	15.899G	47.54	74.00	-26.46	15.68	3	Vertical	119	1.65	31.86	37.90	12.38	34.60

5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60128G	39.79	54.00	-14.21	15.77	3	Horizontal	145	2.24	24.02	39.11	11.10	34.44
AV	15.89936G	40.06	54.00	-13.94	15.68	3	Horizontal	123	2.17	24.38	37.90	12.38	34.60
PK	10.602G	49.89	74.00	-24.11	15.77	3	Horizontal	145	2.24	34.12	39.11	11.10	34.44
PK	15.90054G	49.05	74.00	-24.95	15.68	3	Horizontal	123	2.17	33.37	37.90	12.38	34.60

5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3168G	104.73	Inf	-Inf	5.44	3	Vertical	339	1.35	99.29	33.07	6.53	34.16
AV	5.35G	51.67	54.00	-2.33	5.39	3	Vertical	339	1.35	46.28	33.00	6.55	34.16
PK	5.315G	117.43	Inf	-Inf	5.44	3	Vertical	339	1.35	111.99	33.07	6.53	34.16
PK	5.355G	72.63	74.00	-1.37	5.40	3	Vertical	339	1.35	67.23	33.00	6.56	34.16

5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.319G	106.51	Inf	-Inf	5.43	3	Horizontal	289	1.63	101.08	33.06	6.53	34.16
AV	5.3506G	52.80	54.00	-1.20	5.40	3	Horizontal	289	1.63	47.40	33.00	6.56	34.16
PK	5.3172G	117.52	Inf	-Inf	5.44	3	Horizontal	289	1.63	112.08	33.07	6.53	34.16
PK	5.3528G	72.59	74.00	-1.41	5.40	3	Horizontal	289	1.63	67.19	33.00	6.56	34.16

5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.639G	39.96	54.00	-14.04	15.97	3	Vertical	215	2.05	23.99	39.26	11.12	34.41
AV	15.95995G	40.48	54.00	-13.52	15.89	3	Vertical	90	1.46	24.59	38.12	12.42	34.65
PK	10.641G	49.39	74.00	-24.61	15.97	3	Vertical	215	2.05	33.42	39.26	11.12	34.41
PK	15.96098G	49.16	74.00	-24.84	15.89	3	Vertical	90	1.46	33.27	38.12	12.42	34.65

5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64112G	40.08	54.00	-13.92	15.97	3	Horizontal	318	1.93	24.11	39.26	11.12	34.41
AV	15.95907G	40.59	54.00	-13.41	15.88	3	Horizontal	17	2.99	24.71	38.12	12.41	34.65
PK	10.64136G	49.08	74.00	-24.92	15.98	3	Horizontal	318	1.93	33.10	39.27	11.12	34.41
PK	15.961G	48.19	74.00	-25.81	15.89	3	Horizontal	17	2.99	32.30	38.12	12.42	34.65

5.47-5.725GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	46.79	54.00	-7.21	5.48	3	Vertical	354	1.50	41.31	33.02	6.64	34.18
AV	5.4948G	102.88	Inf	-Inf	5.59	3	Vertical	354	1.50	97.29	33.09	6.68	34.18
PK	5.4594G	61.26	74.00	-12.74	5.48	3	Vertical	354	1.50	55.78	33.02	6.64	34.18
PK	5.47G	66.18	68.20	-2.02	5.51	3	Vertical	354	1.50	60.67	33.04	6.65	34.18
PK	5.495G	115.66	Inf	-Inf	5.59	3	Vertical	354	1.50	110.07	33.09	6.68	34.18

5.47-5.725GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	46.54	54.00	-7.46	5.48	3	Horizontal	302	2.04	41.06	33.02	6.64	34.18
AV	5.493G	104.25	Inf	-Inf	5.58	3	Horizontal	302	2.04	98.67	33.09	6.67	34.18
PK	5.4592G	60.26	74.00	-13.74	5.48	3	Horizontal	302	2.04	54.78	33.02	6.64	34.18
PK	5.4692G	65.22	68.20	-2.98	5.51	3	Horizontal	302	2.04	59.71	33.04	6.65	34.18
PK	5.4948G	115.11	Inf	-Inf	5.59	3	Horizontal	302	2.04	109.52	33.09	6.68	34.18

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.999G	39.66	54.00	-14.34	15.79	3	Vertical	103	1.15	23.87	38.70	11.25	34.16
PK	11.00056G	46.70	74.00	-27.30	15.79	3	Vertical	103	1.15	30.91	38.70	11.25	34.16
PK	16.49936G	49.38	68.20	-18.82	16.77	3	Vertical	271	1.00	32.61	38.30	12.67	34.20

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99228G	39.84	54.00	-14.16	15.80	3	Horizontal	64	3.00	24.04	38.72	11.25	34.17
PK	11.00072G	47.41	74.00	-26.59	15.79	3	Horizontal	64	3.00	31.62	38.70	11.25	34.16
PK	16.49994G	48.64	68.20	-19.56	16.77	3	Horizontal	66	2.78	31.87	38.30	12.67	34.20

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	47.14	54.00	-6.86	5.48	3	Vertical	352	1.32	41.66	33.02	6.64	34.18
AV	5.5764G	108.10	Inf	-Inf	5.56	3	Vertical	352	1.32	102.54	33.00	6.75	34.19
PK	5.445G	61.17	74.00	-12.83	5.46	3	Vertical	352	1.32	55.71	33.00	6.63	34.17
PK	5.466G	60.79	68.20	-7.41	5.50	3	Vertical	352	1.32	55.29	33.03	6.65	34.18
PK	5.5824G	120.78	Inf	-Inf	5.56	3	Vertical	352	1.32	115.22	33.00	6.75	34.19
PK	5.7258G	61.09	68.20	-7.11	6.30	3	Vertical	352	1.32	54.79	33.65	6.85	34.20

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.52	54.00	-7.48	5.48	3	Horizontal	300	2.07	41.04	33.02	6.64	34.18
AV	5.5836G	110.24	Inf	-Inf	5.57	3	Horizontal	300	2.07	104.67	33.00	6.76	34.19
PK	5.4432G	60.75	74.00	-13.25	5.46	3	Horizontal	300	2.07	55.29	33.00	6.63	34.17
PK	5.4642G	60.36	68.20	-7.84	5.50	3	Horizontal	300	2.07	54.86	33.03	6.65	34.18
PK	5.586G	121.25	Inf	-Inf	5.57	3	Horizontal	300	2.07	115.68	33.00	6.76	34.19
PK	5.7258G	61.91	68.20	-6.29	6.30	3	Horizontal	300	2.07	55.61	33.65	6.85	34.20

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16049G	39.94	54.00	-14.06	16.08	3	Vertical	71	2.41	23.86	38.90	11.31	34.13
PK	11.16031G	47.85	74.00	-26.15	16.08	3	Vertical	71	2.41	31.77	38.90	11.31	34.13
PK	16.73921G	48.29	68.20	-19.91	16.99	3	Vertical	201	1.02	31.30	37.94	12.78	33.73

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16792G	40.10	54.00	-13.90	16.08	3	Horizontal	101	1.94	24.02	38.90	11.31	34.13
PK	11.15912G	47.49	74.00	-26.51	16.08	3	Horizontal	101	1.94	31.41	38.90	11.31	34.13
PK	16.73996G	48.67	68.20	-19.53	17.00	3	Horizontal	203	2.91	31.67	37.94	12.78	33.72

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6984G	101.93	Inf	-Inf	6.12	3	Vertical	354	1.33	95.81	33.49	6.83	34.20
PK	5.7024G	114.68	Inf	-Inf	6.15	3	Vertical	354	1.33	108.53	33.51	6.84	34.20
PK	5.7264G	66.30	68.20	-1.90	6.31	3	Vertical	354	1.33	59.99	33.66	6.85	34.20

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7048G	103.97	Inf	-Inf	6.17	3	Horizontal	298	2.03	97.80	33.53	6.84	34.20
PK	5.7032G	114.96	Inf	-Inf	6.16	3	Horizontal	298	2.03	108.80	33.52	6.84	34.20
PK	5.7256G	66.42	68.20	-1.78	6.30	3	Horizontal	298	2.03	60.12	33.65	6.85	34.20

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.399G	40.58	54.00	-13.42	16.32	3	Vertical	270	1.40	24.26	39.00	11.40	34.08
PK	11.401G	48.77	74.00	-25.23	16.32	3	Vertical	270	1.40	32.45	39.00	11.40	34.08
PK	17.09943G	49.39	68.20	-18.81	17.40	3	Vertical	85	2.49	31.99	37.70	12.94	33.24

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40172G	40.79	54.00	-13.21	16.32	3	Horizontal	107	2.20	24.47	39.00	11.40	34.08
PK	11.39356G	49.13	74.00	-24.87	16.32	3	Horizontal	107	2.20	32.81	39.00	11.40	34.08
PK	17.09905G	47.93	68.20	-20.27	17.40	3	Horizontal	35	2.04	30.53	37.70	12.94	33.24

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4428G	45.89	54.00	-8.11	5.46	3	Vertical	354	1.29	40.43	33.00	6.63	34.17
AV	5.7188G	109.12	Inf	-Inf	6.26	3	Vertical	354	1.29	102.86	33.61	6.85	34.20
PK	5.4284G	59.41	74.00	-14.59	5.45	3	Vertical	354	1.29	53.96	33.00	6.62	34.17
PK	5.4644G	58.74	68.20	-9.46	5.50	3	Vertical	354	1.29	53.24	33.03	6.65	34.18
PK	5.7224G	121.64	Inf	-Inf	6.28	3	Vertical	354	1.29	115.36	33.63	6.85	34.20
PK	5.9456G	60.90	68.20	-7.30	7.11	3	Vertical	354	1.29	53.79	34.31	7.02	34.22

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4452G	45.78	54.00	-8.22	5.46	3	Horizontal	300	1.95	40.32	33.00	6.63	34.17
AV	5.7236G	110.93	Inf	-Inf	6.29	3	Horizontal	300	1.95	104.64	33.64	6.85	34.20
PK	5.438G	59.31	74.00	-14.69	5.45	3	Horizontal	300	1.95	53.86	33.00	6.62	34.17
PK	5.4608G	58.82	68.20	-9.38	5.48	3	Horizontal	300	1.95	53.34	33.02	6.64	34.18
PK	5.7224G	122.09	Inf	-Inf	6.28	3	Horizontal	300	1.95	115.81	33.63	6.85	34.20
PK	5.8772G	61.69	68.20	-6.51	7.07	3	Horizontal	300	1.95	54.62	34.31	6.97	34.21

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43946G	40.36	54.00	-13.64	16.26	3	Vertical	310	1.88	24.10	38.92	11.41	34.07
PK	11.44003G	48.77	74.00	-25.23	16.26	3	Vertical	310	1.88	32.51	38.92	11.41	34.07
PK	17.16051G	49.35	68.20	-18.85	17.51	3	Vertical	138	1.02	31.84	37.80	12.97	33.26

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43068G	40.61	54.00	-13.39	16.28	3	Horizontal	77	2.68	24.33	38.94	11.41	34.07
PK	11.43512G	48.46	74.00	-25.54	16.27	3	Horizontal	77	2.68	32.19	38.93	11.41	34.07
PK	17.16031G	48.18	68.20	-20.02	17.51	3	Horizontal	215	2.10	30.67	37.80	12.97	33.26

5.725-5.85GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	45.55	54.00	-8.45	5.46	3	Vertical	352	1.05	40.09	33.00	6.63	34.17
AV	5.739G	109.81	Inf	-Inf	6.39	3	Vertical	352	1.05	103.42	33.73	6.86	34.20
PK	5.6406G	63.33	68.20	-4.87	5.69	3	Vertical	352	1.05	57.64	33.08	6.80	34.19
PK	5.7474G	122.21	Inf	-Inf	6.45	3	Vertical	352	1.05	115.76	33.78	6.87	34.20
PK	5.9382G	61.90	68.20	-6.30	7.12	3	Vertical	352	1.05	54.78	34.32	7.02	34.22

5.725-5.85GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4486G	45.84	54.00	-8.16	5.46	3	Horizontal	299	1.90	40.38	33.00	6.63	34.17
AV	5.7438G	111.62	Inf	-Inf	6.42	3	Horizontal	299	1.90	105.20	33.76	6.86	34.20
PK	5.649G	65.63	68.20	-2.57	5.71	3	Horizontal	299	1.90	59.92	33.10	6.80	34.19
PK	5.7474G	122.90	Inf	-Inf	6.45	3	Horizontal	299	1.90	116.45	33.78	6.87	34.20
PK	5.9322G	62.95	68.20	-5.25	7.14	3	Horizontal	299	1.90	55.81	34.34	7.01	34.21

5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48922G	40.37	54.00	-13.63	16.19	3	Vertical	167	1.83	24.18	38.82	11.43	34.06
PK	11.49039G	48.99	74.00	-25.01	16.19	3	Vertical	167	1.83	32.80	38.82	11.43	34.06
PK	17.23489G	47.51	68.20	-20.69	17.51	3	Vertical	23	2.65	30.00	37.80	13.00	33.29

5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48G	40.61	54.00	-13.39	16.21	3	Horizontal	264	2.73	24.40	38.84	11.43	34.06
PK	11.49812G	49.58	74.00	-24.42	16.17	3	Horizontal	264	2.73	33.41	38.80	11.43	34.06
PK	17.23509G	48.90	68.20	-19.30	17.51	3	Horizontal	149	2.31	31.39	37.80	13.00	33.29

5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78734G	108.04	Inf	-Inf	6.71	3	Vertical	277	1.49	101.33	34.02	6.89	34.20
PK	5.59979G	60.28	68.20	-7.92	5.58	3	Vertical	277	1.49	54.70	33.00	6.77	34.19
PK	5.7825G	120.36	Inf	-Inf	6.69	3	Vertical	277	1.49	113.67	34.00	6.89	34.20
PK	5.97852G	61.32	68.20	-6.88	7.02	3	Vertical	277	1.49	54.30	34.19	7.05	34.22

5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78129G	112.28	Inf	-Inf	6.68	3	Horizontal	304	2.06	105.60	33.99	6.89	34.20
PK	5.62278G	62.50	68.20	-5.70	5.64	3	Horizontal	304	2.06	56.86	33.05	6.78	34.19
PK	5.77887G	123.59	Inf	-Inf	6.66	3	Horizontal	304	2.06	116.93	33.97	6.89	34.20
PK	6.01966G	61.96	68.20	-6.24	7.00	3	Horizontal	304	2.06	54.96	34.14	7.08	34.22

5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.569G	40.08	54.00	-13.92	15.92	3	Vertical	348	2.40	24.16	38.56	11.46	34.10
PK	11.57098G	48.33	74.00	-25.67	15.92	3	Vertical	348	2.40	32.41	38.56	11.46	34.10
PK	17.3558G	48.27	68.20	-19.93	17.86	3	Vertical	307	1.90	30.41	38.12	13.06	33.32

5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56G	40.34	54.00	-13.66	15.94	3	Horizontal	26	1.13	24.40	38.58	11.46	34.10
PK	11.56092G	50.09	74.00	-23.91	15.94	3	Horizontal	26	1.13	34.15	38.58	11.46	34.10
PK	17.35438G	49.30	68.20	-18.90	17.86	3	Horizontal	153	1.13	31.44	38.12	13.06	33.32

5.725-5.85GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	108.45	Inf	-Inf	6.85	3	Vertical	282	1.55	101.60	34.14	6.92	34.21
PK	5.5682G	60.08	68.20	-8.12	5.55	3	Vertical	282	1.55	54.53	33.00	6.74	34.19
PK	5.8226G	120.57	Inf	-Inf	6.86	3	Vertical	282	1.55	113.71	34.15	6.92	34.21
PK	5.9294G	61.50	68.20	-6.70	7.14	3	Vertical	282	1.55	54.36	34.34	7.01	34.21

5.725-5.85GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	111.55	Inf	-Inf	6.85	3	Horizontal	297	2.13	104.70	34.14	6.92	34.21
PK	5.6234G	63.29	68.20	-4.91	5.65	3	Horizontal	297	2.13	57.64	33.05	6.79	34.19
PK	5.8238G	122.44	Inf	-Inf	6.86	3	Horizontal	297	2.13	115.58	34.15	6.92	34.21
PK	5.9318G	63.37	68.20	-4.83	7.14	3	Horizontal	297	2.13	56.23	34.34	7.01	34.21

5.725-5.85GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65032G	39.75	54.00	-14.25	15.64	3	Vertical	299	2.67	24.11	38.30	11.49	34.15
PK	11.65028G	48.77	74.00	-25.23	15.64	3	Vertical	299	2.67	33.13	38.30	11.49	34.15
PK	17.474G	49.36	68.20	-18.84	18.15	3	Vertical	135	1.31	31.21	38.40	13.11	33.36

5.725-5.85GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65864G	40.05	54.00	-13.95	15.65	3	Horizontal	16	2.49	24.40	38.32	11.49	34.16
PK	11.6518G	48.38	74.00	-25.62	15.64	3	Horizontal	16	2.49	32.74	38.30	11.49	34.15
PK	17.47423G	49.08	68.20	-19.12	18.15	3	Horizontal	27	2.86	30.93	38.40	13.11	33.36

5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	51.26	54.00	-2.74	5.27	3	Vertical	330	1.37	45.99	33.00	6.41	34.14
AV	5.1956G	100.80	Inf	-Inf	5.40	3	Vertical	330	1.37	95.40	33.09	6.45	34.14
PK	5.1488G	68.53	74.00	-5.47	5.27	3	Vertical	330	1.37	63.26	33.00	6.41	34.14
PK	5.1924G	110.75	Inf	-Inf	5.38	3	Vertical	330	1.37	105.37	33.08	6.44	34.14

5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.94	54.00	-1.06	5.27	3	Horizontal	66	1.84	47.67	33.00	6.41	34.14
AV	5.196G	102.34	Inf	-Inf	5.40	3	Horizontal	66	1.84	96.94	33.09	6.45	34.14
PK	5.1496G	70.30	74.00	-3.70	5.27	3	Horizontal	66	1.84	65.03	33.00	6.41	34.14
PK	5.1912G	111.98	Inf	-Inf	5.38	3	Horizontal	66	1.84	106.60	33.08	6.44	34.14

5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57076G	41.07	54.00	-12.93	15.82	3	Vertical	179	2.93	25.25	38.00	12.17	34.35
PK	10.3796G	47.98	68.20	-20.22	15.21	3	Vertical	1	1.99	32.77	38.80	11.02	34.61
PK	15.56981G	46.89	74.00	-27.11	15.83	3	Vertical	179	2.93	31.06	38.00	12.17	34.34

5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56948G	41.10	54.00	-12.90	15.83	3	Horizontal	100	1.61	25.27	38.00	12.17	34.34
PK	10.37156G	48.02	68.20	-20.18	15.20	3	Horizontal	139	2.02	32.82	38.80	11.02	34.62
PK	15.57034G	48.12	74.00	-25.88	15.83	3	Horizontal	100	1.61	32.29	38.00	12.17	34.34

5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	51.20	54.00	-2.80	5.27	3	Vertical	331	1.38	45.93	33.00	6.41	34.14
AV	5.2356G	105.45	Inf	-Inf	5.35	3	Vertical	331	1.38	100.10	33.03	6.47	34.15
PK	5.1456G	65.75	74.00	-8.25	5.28	3	Vertical	331	1.38	60.47	33.01	6.41	34.14
PK	5.2404G	115.24	Inf	-Inf	5.35	3	Vertical	331	1.38	109.89	33.02	6.48	34.15

5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	52.28	54.00	-1.72	5.28	3	Horizontal	58	1.68	47.00	33.01	6.41	34.14
AV	5.2364G	107.24	Inf	-Inf	5.36	3	Horizontal	58	1.68	101.88	33.03	6.48	34.15
PK	5.148G	67.00	74.00	-7.00	5.27	3	Horizontal	58	1.68	61.73	33.00	6.41	34.14
PK	5.2312G	117.49	Inf	-Inf	5.36	3	Horizontal	58	1.68	112.13	33.04	6.47	34.15

5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.689G	41.42	54.00	-12.58	15.94	3	Vertical	305	1.57	25.48	38.13	12.25	34.44
PK	10.45922G	47.38	68.20	-20.82	15.31	3	Vertical	3	2.64	32.07	38.80	11.05	34.54
PK	15.68942G	50.51	74.00	-23.49	15.95	3	Vertical	305	1.57	34.56	38.14	12.25	34.44

5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69024G	41.21	54.00	-12.79	15.95	3	Horizontal	232	2.22	25.26	38.14	12.25	34.44
PK	10.45824G	48.35	68.20	-19.85	15.30	3	Horizontal	73	1.76	33.05	38.80	11.05	34.55
PK	15.691G	47.84	74.00	-26.16	15.96	3	Horizontal	232	2.22	31.88	38.15	12.25	34.44

5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2652G	105.31	Inf	-Inf	5.38	3	Vertical	328	1.44	99.93	33.03	6.50	34.15
AV	5.3508G	51.37	54.00	-2.63	5.40	3	Vertical	328	1.44	45.97	33.00	6.56	34.16
PK	5.2624G	114.86	Inf	-Inf	5.36	3	Vertical	328	1.44	109.50	33.02	6.49	34.15
PK	5.3564G	65.57	74.00	-8.43	5.40	3	Vertical	328	1.44	60.17	33.00	6.56	34.16

5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2636G	107.06	Inf	-Inf	5.37	3	Horizontal	291	2.00	101.69	33.03	6.49	34.15
AV	5.3504G	52.94	54.00	-1.06	5.40	3	Horizontal	291	2.00	47.54	33.00	6.56	34.16
PK	5.2636G	116.15	Inf	-Inf	5.37	3	Horizontal	291	2.00	110.78	33.03	6.49	34.15
PK	5.35G	67.99	74.00	-6.01	5.39	3	Horizontal	291	2.00	62.60	33.00	6.55	34.16

5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80906G	41.05	54.00	-12.95	15.57	3	Vertical	213	2.49	25.48	37.78	12.32	34.53
PK	10.54011G	49.32	68.20	-18.88	15.40	3	Vertical	302	2.51	33.92	38.80	11.08	34.48
PK	15.81033G	47.60	74.00	-26.40	15.57	3	Vertical	213	2.49	32.03	37.78	12.32	34.53

5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80995G	40.87	54.00	-13.13	15.57	3	Horizontal	304	1.23	25.30	37.78	12.32	34.53
PK	10.533G	48.75	68.20	-19.45	15.39	3	Horizontal	1	2.09	33.36	38.80	11.08	34.49
PK	15.81099G	47.14	74.00	-26.86	15.57	3	Horizontal	304	1.23	31.57	37.78	12.32	34.53

5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3128G	100.70	Inf	-Inf	5.44	3	Vertical	328	1.50	95.26	33.07	6.53	34.16
AV	5.35G	50.31	54.00	-3.69	5.39	3	Vertical	328	1.50	44.92	33.00	6.55	34.16
PK	5.318G	110.42	Inf	-Inf	5.43	3	Vertical	328	1.50	104.99	33.06	6.53	34.16
PK	5.35G	68.61	74.00	-5.39	5.39	3	Vertical	328	1.50	63.22	33.00	6.55	34.16

5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3136G	103.25	Inf	-Inf	5.44	3	Horizontal	290	2.08	97.81	33.07	6.53	34.16
AV	5.352G	52.32	54.00	-1.68	5.40	3	Horizontal	290	2.08	46.92	33.00	6.56	34.16
PK	5.3136G	112.32	Inf	-Inf	5.44	3	Horizontal	290	2.08	106.88	33.07	6.53	34.16
PK	5.354G	70.30	74.00	-3.70	5.40	3	Horizontal	290	2.08	64.90	33.00	6.56	34.16

5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61974G	40.98	54.00	-13.02	15.86	3	Vertical	271	2.50	25.12	39.18	11.11	34.43
AV	15.931G	41.30	54.00	-12.70	15.79	3	Vertical	136	2.24	25.51	38.02	12.40	34.63
PK	10.62018G	47.39	74.00	-26.61	15.86	3	Vertical	271	2.50	31.53	39.18	11.11	34.43
PK	15.92954G	49.00	74.00	-25.00	15.79	3	Vertical	136	2.24	33.21	38.02	12.40	34.63

5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62824G	40.90	54.00	-13.10	15.90	3	Horizontal	343	1.51	25.00	39.21	11.11	34.42
AV	15.93027G	41.35	54.00	-12.65	15.79	3	Horizontal	174	2.14	25.56	38.02	12.40	34.63
PK	10.62804G	48.47	74.00	-25.53	15.90	3	Horizontal	343	1.51	32.57	39.21	11.11	34.42
PK	15.93081G	48.39	74.00	-25.61	15.79	3	Horizontal	174	2.14	32.60	38.02	12.40	34.63

5.47-5.725GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	49.28	54.00	-4.72	5.49	3	Vertical	354	1.32	43.79	33.02	6.64	34.17
AV	5.5064G	100.13	Inf	-Inf	5.60	3	Vertical	354	1.32	94.53	33.09	6.69	34.18
PK	5.46G	63.11	74.00	-10.89	5.48	3	Vertical	354	1.32	57.63	33.02	6.64	34.18
PK	5.47G	67.23	68.20	-0.97	5.51	3	Vertical	354	1.32	61.72	33.04	6.65	34.18
PK	5.5036G	111.08	Inf	-Inf	5.59	3	Vertical	354	1.32	105.49	33.09	6.68	34.18

5.47-5.725GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	49.11	54.00	-4.89	5.49	3	Horizontal	300	2.14	43.62	33.02	6.64	34.17
AV	5.5144G	102.41	Inf	-Inf	5.58	3	Horizontal	300	2.14	96.83	33.07	6.69	34.18
PK	5.4524G	62.64	74.00	-11.36	5.47	3	Horizontal	300	2.14	57.17	33.00	6.64	34.17
PK	5.47G	67.04	68.20	-1.16	5.51	3	Horizontal	300	2.14	61.53	33.04	6.65	34.18
PK	5.5112G	111.73	Inf	-Inf	5.59	3	Horizontal	300	2.14	106.14	33.08	6.69	34.18

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01986G	40.94	54.00	-13.06	15.80	3	Vertical	140	1.20	25.14	38.70	11.26	34.16
PK	11.02034G	49.05	74.00	-24.95	15.80	3	Vertical	140	1.20	33.25	38.70	11.26	34.16
PK	16.53021G	47.60	68.20	-20.60	16.60	3	Vertical	42	2.07	31.00	38.06	12.68	34.14

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.024G	41.30	54.00	-12.70	15.80	3	Horizontal	225	2.75	25.50	38.70	11.26	34.16
PK	11.02408G	48.98	74.00	-25.02	15.80	3	Horizontal	225	2.75	33.18	38.70	11.26	34.16
PK	16.52985G	48.74	68.20	-19.46	16.60	3	Horizontal	278	1.98	32.14	38.06	12.68	34.14

5.47-5.725GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	50.74	54.00	-3.26	5.48	3	Vertical	356	1.29	45.26	33.02	6.64	34.18
AV	5.5596G	104.96	Inf	-Inf	5.55	3	Vertical	356	1.29	99.41	33.00	6.73	34.18
PK	5.4572G	63.40	74.00	-10.60	5.48	3	Vertical	356	1.29	57.92	33.01	6.64	34.17
PK	5.4676G	66.14	68.20	-2.06	5.51	3	Vertical	356	1.29	60.63	33.04	6.65	34.18
PK	5.558G	115.89	Inf	-Inf	5.55	3	Vertical	356	1.29	110.34	33.00	6.73	34.18

5.47-5.725GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	50.74	54.00	-3.26	5.48	3	Horizontal	303	2.08	45.26	33.02	6.64	34.18
AV	5.5564G	107.79	Inf	-Inf	5.55	3	Horizontal	303	2.08	102.24	33.00	6.73	34.18
PK	5.4596G	64.17	74.00	-9.83	5.48	3	Horizontal	303	2.08	58.69	33.02	6.64	34.18
PK	5.4696G	66.29	68.20	-1.91	5.51	3	Horizontal	303	2.08	60.78	33.04	6.65	34.18
PK	5.5512G	117.04	Inf	-Inf	5.55	3	Horizontal	303	2.08	111.49	33.00	6.73	34.18

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09941G	40.77	54.00	-13.23	15.95	3	Vertical	30	1.66	24.82	38.80	11.29	34.14
PK	11.099G	47.39	74.00	-26.61	15.95	3	Vertical	30	1.66	31.44	38.80	11.29	34.14
PK	16.65056G	49.73	68.20	-18.47	16.94	3	Vertical	359	1.04	32.79	38.10	12.74	33.90

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10992G	41.30	54.00	-12.70	15.97	3	Horizontal	201	2.30	25.33	38.82	11.29	34.14
PK	11.1008G	49.04	74.00	-24.96	15.95	3	Horizontal	201	2.30	33.09	38.80	11.29	34.14
PK	16.64977G	49.70	68.20	-18.50	16.94	3	Horizontal	344	1.09	32.76	38.10	12.74	33.90

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.673G	101.84	Inf	-Inf	5.91	3	Vertical	353	1.27	95.93	33.28	6.82	34.19
PK	5.6814G	112.43	Inf	-Inf	5.98	3	Vertical	353	1.27	106.45	33.35	6.82	34.19
PK	5.7252G	63.62	68.20	-4.58	6.30	3	Vertical	353	1.27	57.32	33.65	6.85	34.20

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6634G	104.19	Inf	-Inf	5.83	3	Horizontal	301	2.10	98.36	33.21	6.81	34.19
PK	5.6712G	113.39	Inf	-Inf	5.90	3	Horizontal	301	2.10	107.49	33.27	6.82	34.19
PK	5.7288G	65.61	68.20	-2.59	6.32	3	Horizontal	301	2.10	59.29	33.67	6.85	34.20

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.339G	41.61	54.00	-12.39	16.29	3	Vertical	305	2.05	25.32	39.00	11.38	34.09
PK	11.34055G	48.85	74.00	-25.15	16.29	3	Vertical	305	2.05	32.56	39.00	11.38	34.09
PK	17.0105G	48.66	68.20	-19.54	17.27	3	Vertical	310	2.87	31.39	37.58	12.90	33.21

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33712G	41.81	54.00	-12.19	16.28	3	Horizontal	338	2.92	25.53	39.00	11.37	34.09
PK	11.33824G	48.83	74.00	-25.17	16.29	3	Horizontal	338	2.92	32.54	39.00	11.38	34.09
PK	17.01028G	48.71	68.20	-19.49	17.27	3	Horizontal	22	2.59	31.44	37.58	12.90	33.21

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4172G	47.53	54.00	-6.47	5.44	3	Vertical	353	1.27	42.09	33.00	6.61	34.17
AV	5.7172G	107.89	Inf	-Inf	6.25	3	Vertical	353	1.27	101.64	33.60	6.85	34.20
PK	5.4136G	60.02	74.00	-13.98	5.43	3	Vertical	353	1.27	54.59	33.00	6.60	34.17
PK	5.4676G	60.53	68.20	-7.67	5.51	3	Vertical	353	1.27	55.02	33.04	6.65	34.18
PK	5.7208G	117.97	Inf	-Inf	6.27	3	Vertical	353	1.27	111.70	33.62	6.85	34.20
PK	5.8504G	62.56	68.20	-5.64	6.93	3	Vertical	353	1.27	55.63	34.20	6.94	34.21

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	48.03	54.00	-5.97	5.49	3	Horizontal	297	2.04	42.54	33.02	6.64	34.17
AV	5.704G	109.67	Inf	-Inf	6.16	3	Horizontal	297	2.04	103.51	33.52	6.84	34.20
PK	5.4184G	59.70	74.00	-14.30	5.44	3	Horizontal	297	2.04	54.26	33.00	6.61	34.17
PK	5.4676G	59.20	68.20	-9.00	5.51	3	Horizontal	297	2.04	53.69	33.04	6.65	34.18
PK	5.7088G	119.59	Inf	-Inf	6.19	3	Horizontal	297	2.04	113.40	33.55	6.84	34.20
PK	5.8504G	63.79	68.20	-4.41	6.93	3	Horizontal	297	2.04	56.86	34.20	6.94	34.21

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.421G	41.99	54.00	-12.01	16.29	3	Vertical	272	2.08	25.70	38.96	11.41	34.08
PK	11.41994G	48.47	74.00	-25.53	16.29	3	Vertical	272	2.08	32.18	38.96	11.41	34.08
PK	17.12977G	48.13	68.20	-20.07	17.46	3	Vertical	22	2.85	30.67	37.76	12.95	33.25

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41G	42.23	54.00	-11.77	16.30	3	Horizontal	292	1.25	25.93	38.98	11.40	34.08
PK	11.42796G	49.76	74.00	-24.24	16.28	3	Horizontal	292	1.25	33.48	38.94	11.41	34.07
PK	17.13016G	48.37	68.20	-19.83	17.46	3	Horizontal	291	2.24	30.91	37.76	12.95	33.25

5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	47.13	54.00	-6.87	5.48	3	Vertical	354	1.28	41.65	33.02	6.64	34.18
AV	5.7622G	106.92	Inf	-Inf	6.55	3	Vertical	354	1.28	100.37	33.87	6.88	34.20
PK	5.6494G	63.60	68.20	-4.60	5.71	3	Vertical	354	1.28	57.89	33.10	6.80	34.19
PK	5.7526G	116.90	Inf	-Inf	6.49	3	Vertical	354	1.28	110.41	33.82	6.87	34.20
PK	5.9374G	61.25	68.20	-6.95	7.14	3	Vertical	354	1.28	54.11	34.33	7.02	34.21

5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	47.17	54.00	-6.83	5.48	3	Horizontal	303	1.95	41.69	33.02	6.64	34.18
AV	5.761G	108.89	Inf	-Inf	6.54	3	Horizontal	303	1.95	102.35	33.87	6.87	34.20
PK	5.6506G	66.73	68.64	-1.91	5.71	3	Horizontal	303	1.95	61.02	33.10	6.80	34.19
PK	5.7562G	118.51	Inf	-Inf	6.51	3	Horizontal	303	1.95	112.00	33.84	6.87	34.20
PK	5.9554G	61.84	68.20	-6.36	7.09	3	Horizontal	303	1.95	54.75	34.28	7.03	34.22

5.725-5.85GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50962G	41.49	54.00	-12.51	16.13	3	Vertical	311	2.07	25.36	38.76	11.44	34.07
PK	11.50981G	47.60	74.00	-26.40	16.13	3	Vertical	311	2.07	31.47	38.76	11.44	34.07
PK	17.26531G	47.91	68.20	-20.29	17.56	3	Vertical	176	2.72	30.35	37.83	13.02	33.29

5.725-5.85GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50368G	41.74	54.00	-12.26	16.17	3	Horizontal	255	2.41	25.57	38.79	11.44	34.06
PK	11.50064G	49.00	74.00	-25.00	16.18	3	Horizontal	255	2.41	32.82	38.80	11.44	34.06
PK	17.26528G	48.26	68.20	-19.94	17.56	3	Horizontal	259	2.00	30.70	37.83	13.02	33.29

5.725-5.85GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7902G	107.95	Inf	-Inf	6.73	3	Vertical	360	2.91	101.22	34.04	6.89	34.20
PK	5.651G	62.45	68.94	-6.49	5.72	3	Vertical	360	2.91	56.73	33.11	6.80	34.19
PK	5.7986G	117.46	Inf	-Inf	6.79	3	Vertical	360	2.91	110.67	34.09	6.90	34.20
PK	5.9258G	65.38	68.20	-2.82	7.15	3	Vertical	360	2.91	58.23	34.35	7.01	34.21

5.725-5.85GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7866G	110.12	Inf	-Inf	6.71	3	Horizontal	304	2.02	103.41	34.02	6.89	34.20
PK	5.6498G	64.93	68.20	-3.27	5.71	3	Horizontal	304	2.02	59.22	33.10	6.80	34.19
PK	5.7962G	120.12	Inf	-Inf	6.78	3	Horizontal	304	2.02	113.34	34.08	6.90	34.20
PK	5.9402G	67.00	68.20	-1.20	7.12	3	Horizontal	304	2.02	59.88	34.32	7.02	34.22

5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58909G	41.45	54.00	-12.55	15.87	3	Vertical	58	1.04	25.58	38.52	11.47	34.12
PK	11.5902G	48.93	74.00	-25.07	15.87	3	Vertical	58	1.04	33.06	38.52	11.47	34.12
PK	17.386G	48.39	68.20	-19.81	17.98	3	Vertical	332	2.50	30.41	38.24	13.07	33.33

5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59308G	41.92	54.00	-12.08	15.86	3	Horizontal	164	2.85	26.06	38.51	11.47	34.12
PK	11.58576G	48.64	74.00	-25.36	15.89	3	Horizontal	164	2.85	32.75	38.53	11.47	34.11
PK	17.38498G	48.01	68.20	-20.19	17.98	3	Horizontal	316	1.54	30.03	38.24	13.07	33.33

5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.25	54.00	-1.75	5.27	3	Vertical	331	1.26	46.98	33.00	6.41	34.14
AV	5.204G	97.09	Inf	-Inf	5.40	3	Vertical	331	1.26	91.69	33.09	6.45	34.14
AV	5.36G	48.61	54.00	-5.39	5.40	3	Vertical	331	1.26	43.21	33.00	6.56	34.16
PK	5.15G	67.89	74.00	-6.11	5.27	3	Vertical	331	1.26	62.62	33.00	6.41	34.14
PK	5.201G	108.02	Inf	-Inf	5.41	3	Vertical	331	1.26	102.61	33.10	6.45	34.14
PK	5.404G	61.68	74.00	-12.32	5.42	3	Vertical	331	1.26	56.26	33.00	6.59	34.17

5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	52.71	54.00	-1.29	5.28	3	Horizontal	64	1.72	47.43	33.01	6.41	34.14
AV	5.223G	98.92	Inf	-Inf	5.37	3	Horizontal	64	1.72	93.55	33.05	6.47	34.15
AV	5.362G	48.57	54.00	-5.43	5.40	3	Horizontal	64	1.72	43.17	33.00	6.56	34.16
PK	5.139G	67.36	74.00	-6.64	5.28	3	Horizontal	64	1.72	62.08	33.02	6.40	34.14
PK	5.226G	108.85	Inf	-Inf	5.37	3	Horizontal	64	1.72	103.48	33.05	6.47	34.15
PK	5.364G	60.51	74.00	-13.49	5.40	3	Horizontal	64	1.72	55.11	33.00	6.56	34.16

5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6297G	41.08	54.00	-12.92	15.76	3	Vertical	40	2.04	25.32	37.94	12.21	34.39
PK	10.42081G	49.28	68.20	-18.92	15.26	3	Vertical	47	1.98	34.02	38.80	11.04	34.58
PK	15.629G	46.92	74.00	-27.08	15.76	3	Vertical	40	2.04	31.16	37.94	12.21	34.39

5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63046G	40.87	54.00	-13.13	15.76	3	Horizontal	335	2.63	25.11	37.94	12.21	34.39
PK	10.4164G	46.49	68.20	-21.71	15.25	3	Horizontal	104	2.12	31.24	38.80	11.03	34.58
PK	15.62984G	48.45	74.00	-25.55	15.76	3	Horizontal	335	2.63	32.69	37.94	12.21	34.39

5.25-5.35GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	48.21	54.00	-5.79	5.27	3	Vertical	332	1.35	42.94	33.00	6.41	34.14
AV	5.281G	97.77	Inf	-Inf	5.42	3	Vertical	332	1.35	92.35	33.06	6.51	34.15
AV	5.351G	51.22	54.00	-2.78	5.40	3	Vertical	332	1.35	45.82	33.00	6.56	34.16
PK	5.143G	60.31	74.00	-13.69	5.28	3	Vertical	332	1.35	55.03	33.01	6.41	34.14
PK	5.281G	109.33	Inf	-Inf	5.42	3	Vertical	332	1.35	103.91	33.06	6.51	34.15
PK	5.354G	69.40	74.00	-4.60	5.40	3	Vertical	332	1.35	64.00	33.00	6.56	34.16
PK	5.513G	60.30	68.20	-7.90	5.58	3	Vertical	332	1.35	54.72	33.07	6.69	34.18

5.25-5.35GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	48.44	54.00	-5.56	5.28	3	Horizontal	294	2.19	43.16	33.01	6.41	34.14
AV	5.284G	100.18	Inf	-Inf	5.43	3	Horizontal	294	2.19	94.75	33.07	6.51	34.15
AV	5.352G	53.12	54.00	-0.88	5.40	3	Horizontal	294	2.19	47.72	33.00	6.56	34.16
PK	5.137G	61.11	74.00	-12.89	5.29	3	Horizontal	294	2.19	55.82	33.03	6.40	34.14
PK	5.282G	109.68	Inf	-Inf	5.42	3	Horizontal	294	2.19	104.26	33.06	6.51	34.15
PK	5.354G	72.30	74.00	-1.70	5.40	3	Horizontal	294	2.19	66.90	33.00	6.56	34.16
PK	5.472G	61.26	68.20	-6.94	5.51	3	Horizontal	294	2.19	55.75	33.04	6.65	34.18

5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86911G	41.21	54.00	-12.79	15.56	3	Vertical	68	2.15	25.65	37.78	12.36	34.58
PK	10.58076G	49.92	68.20	-18.28	15.62	3	Vertical	228	1.28	34.30	38.98	11.09	34.45
PK	15.87036G	48.90	74.00	-25.10	15.56	3	Vertical	68	2.15	33.34	37.78	12.36	34.58

5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87064G	41.15	54.00	-12.85	15.56	3	Horizontal	314	1.45	25.59	37.78	12.36	34.58
PK	10.57244G	47.75	68.20	-20.45	15.56	3	Horizontal	212	1.18	32.19	38.93	11.09	34.46
PK	15.86934G	48.25	74.00	-25.75	15.56	3	Horizontal	314	1.45	32.69	37.78	12.36	34.58

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.94	54.00	-7.06	5.39	3	Vertical	351	1.10	41.55	33.00	6.55	34.16
AV	5.452G	48.73	54.00	-5.27	5.47	3	Vertical	351	1.10	43.26	33.00	6.64	34.17
AV	5.524G	96.24	Inf	-Inf	5.57	3	Vertical	351	1.10	90.67	33.05	6.70	34.18
PK	5.334G	59.64	68.20	-8.56	5.41	3	Vertical	351	1.10	54.23	33.03	6.54	34.16
PK	5.447G	62.96	74.00	-11.04	5.46	3	Vertical	351	1.10	57.50	33.00	6.63	34.17
PK	5.468G	65.28	68.20	-2.92	5.51	3	Vertical	351	1.10	59.77	33.04	6.65	34.18
PK	5.521G	107.47	Inf	-Inf	5.58	3	Vertical	351	1.10	101.89	33.06	6.70	34.18
PK	5.742G	60.40	68.20	-7.80	6.41	3	Vertical	351	1.10	53.99	33.75	6.86	34.20

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.16	54.00	-6.84	5.39	3	Horizontal	296	2.09	41.77	33.00	6.55	34.16
AV	5.459G	49.73	54.00	-4.27	5.48	3	Horizontal	296	2.09	44.25	33.02	6.64	34.18
AV	5.524G	99.23	Inf	-Inf	5.57	3	Horizontal	296	2.09	93.66	33.05	6.70	34.18
PK	5.313G	59.16	68.20	-9.04	5.44	3	Horizontal	296	2.09	53.72	33.07	6.53	34.16
PK	5.455G	64.11	74.00	-9.89	5.48	3	Horizontal	296	2.09	58.63	33.01	6.64	34.17
PK	5.47G	65.00	68.20	-3.20	5.51	3	Horizontal	296	2.09	59.49	33.04	6.65	34.18
PK	5.563G	108.25	Inf	-Inf	5.55	3	Horizontal	296	2.09	102.70	33.00	6.74	34.19
PK	5.737G	60.71	68.20	-7.49	6.38	3	Horizontal	296	2.09	54.33	33.72	6.86	34.20

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06076G	40.98	54.00	-13.02	15.84	3	Vertical	312	1.68	25.14	38.72	11.27	34.15
PK	11.05925G	47.77	74.00	-26.23	15.84	3	Vertical	312	1.68	31.93	38.72	11.27	34.15
PK	16.59061G	50.06	68.20	-18.14	16.43	3	Vertical	244	1.98	33.63	37.74	12.71	34.02

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05072G	41.30	54.00	-12.70	15.82	3	Horizontal	248	1.42	25.48	38.70	11.27	34.15
PK	11.06048G	48.64	74.00	-25.36	15.84	3	Horizontal	248	1.42	32.80	38.72	11.27	34.15
PK	16.59007G	48.22	68.20	-19.98	16.43	3	Horizontal	27	2.44	31.79	37.74	12.71	34.02

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.89	54.00	-4.11	5.48	3	Vertical	352	1.44	44.41	33.02	6.64	34.18
AV	5.623G	99.46	Inf	-Inf	5.64	3	Vertical	352	1.44	93.82	33.05	6.78	34.19
PK	5.447G	62.04	74.00	-11.96	5.46	3	Vertical	352	1.44	56.58	33.00	6.63	34.17
PK	5.469G	61.90	68.20	-6.30	5.51	3	Vertical	352	1.44	56.39	33.04	6.65	34.18
PK	5.621G	109.95	Inf	-Inf	5.63	3	Vertical	352	1.44	104.32	33.04	6.78	34.19
PK	5.742G	65.39	68.20	-2.81	6.41	3	Vertical	352	1.44	58.98	33.75	6.86	34.20

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.447G	48.54	54.00	-5.46	5.46	3	Horizontal	305	2.21	43.08	33.00	6.63	34.17
AV	5.624G	101.68	Inf	-Inf	5.65	3	Horizontal	305	2.21	96.03	33.05	6.79	34.19
PK	5.46G	60.66	74.00	-13.34	5.48	3	Horizontal	305	2.21	55.18	33.02	6.64	34.18
PK	5.468G	61.74	68.20	-6.46	5.51	3	Horizontal	305	2.21	56.23	33.04	6.65	34.18
PK	5.622G	111.32	Inf	-Inf	5.63	3	Horizontal	305	2.21	105.69	33.04	6.78	34.19
PK	5.725G	67.42	68.20	-0.78	6.30	3	Horizontal	305	2.21	61.12	33.65	6.85	34.20

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22014G	41.33	54.00	-12.67	16.15	3	Vertical	243	1.67	25.18	38.94	11.33	34.12
PK	11.22082G	47.29	74.00	-26.71	16.15	3	Vertical	243	1.67	31.14	38.94	11.33	34.12
PK	16.82969G	49.10	68.20	-19.10	16.91	3	Vertical	114	2.82	32.19	37.64	12.82	33.55

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22484G	41.38	54.00	-12.62	16.16	3	Horizontal	325	1.56	25.22	38.95	11.33	34.12
PK	11.22532G	49.57	74.00	-24.43	16.17	3	Horizontal	325	1.56	33.40	38.95	11.33	34.11
PK	16.83088G	48.25	68.20	-19.95	16.92	3	Horizontal	68	2.48	31.33	37.64	12.82	33.54

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4464G	46.77	54.00	-7.23	5.46	3	Vertical	356	3.00	41.31	33.00	6.63	34.17
AV	5.7032G	102.53	Inf	-Inf	6.16	3	Vertical	356	3.00	96.37	33.52	6.84	34.20
PK	5.4128G	59.34	74.00	-14.66	5.43	3	Vertical	356	3.00	53.91	33.00	6.60	34.17
PK	5.4656G	59.37	68.20	-8.83	5.50	3	Vertical	356	3.00	53.87	33.03	6.65	34.18
PK	5.7032G	113.09	Inf	-Inf	6.16	3	Vertical	356	3.00	106.93	33.52	6.84	34.20
PK	5.8508G	64.55	68.20	-3.65	6.93	3	Vertical	356	3.00	57.62	34.20	6.94	34.21

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	47.61	54.00	-6.39	5.48	3	Horizontal	300	2.05	42.13	33.01	6.64	34.17
AV	5.7008G	103.99	Inf	-Inf	6.14	3	Horizontal	300	2.05	97.85	33.50	6.84	34.20
PK	5.438G	59.75	74.00	-14.25	5.45	3	Horizontal	300	2.05	54.30	33.00	6.62	34.17
PK	5.4668G	59.70	68.20	-8.50	5.50	3	Horizontal	300	2.05	54.20	33.03	6.65	34.18
PK	5.702G	113.77	Inf	-Inf	6.15	3	Horizontal	300	2.05	107.62	33.51	6.84	34.20
PK	5.8652G	66.57	68.20	-1.63	7.01	3	Horizontal	300	2.05	59.56	34.26	6.96	34.21

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37994G	42.02	54.00	-11.98	16.31	3	Vertical	21	2.54	25.71	39.00	11.39	34.08
PK	11.38094G	48.77	74.00	-25.23	16.31	3	Vertical	21	2.54	32.46	39.00	11.39	34.08
PK	17.069G	48.83	68.20	-19.37	17.52	3	Vertical	57	1.10	31.31	37.82	12.93	33.23

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38428G	42.19	54.00	-11.81	16.31	3	Horizontal	180	1.87	25.88	39.00	11.39	34.08
PK	11.37452G	48.59	74.00	-25.41	16.30	3	Horizontal	180	1.87	32.29	39.00	11.39	34.09
PK	17.06902G	47.42	68.20	-20.78	17.52	3	Horizontal	204	1.45	29.90	37.82	12.93	33.23

5.725-5.85GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7666G	99.21	Inf	-Inf	6.58	3	Vertical	276	1.62	92.63	33.90	6.88	34.20
PK	5.6502G	64.31	68.35	-4.04	5.71	3	Vertical	276	1.62	58.60	33.10	6.80	34.19
PK	5.7666G	109.03	Inf	-Inf	6.58	3	Vertical	276	1.62	102.45	33.90	6.88	34.20
PK	5.9262G	61.43	68.20	-6.77	7.15	3	Vertical	276	1.62	54.28	34.35	7.01	34.21

5.725-5.85GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7558G	102.79	Inf	-Inf	6.50	3	Horizontal	298	2.06	96.29	33.83	6.87	34.20
PK	5.643G	66.97	68.20	-1.23	5.70	3	Horizontal	298	2.06	61.27	33.09	6.80	34.19
PK	5.7618G	112.10	Inf	-Inf	6.55	3	Horizontal	298	2.06	105.55	33.87	6.88	34.20
PK	5.9274G	64.38	68.20	-3.82	7.15	3	Horizontal	298	2.06	57.23	34.35	7.01	34.21

5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54969G	41.51	54.00	-12.49	15.96	3	Vertical	179	1.45	25.55	38.60	11.45	34.09
PK	11.54939G	47.33	74.00	-26.67	15.96	3	Vertical	179	1.45	31.37	38.60	11.45	34.09
PK	17.32452G	48.69	68.20	-19.51	17.73	3	Vertical	226	2.20	30.96	38.00	13.04	33.31

5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55064G	41.42	54.00	-12.58	15.96	3	Horizontal	277	2.28	25.46	38.60	11.45	34.09
PK	11.55592G	48.67	74.00	-25.33	15.96	3	Horizontal	277	2.28	32.71	38.59	11.46	34.09
PK	17.32584G	48.15	68.20	-20.05	17.73	3	Horizontal	12	1.42	30.42	38.00	13.04	33.31

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	51.48	54.00	-2.52	5.37	3	Vertical	333	1.36	46.11	33.10	6.41	34.14
AV	5.1746G	106.15	Inf	-Inf	5.39	3	Vertical	333	1.36	100.76	33.10	6.43	34.14
PK	5.1488G	70.38	74.00	-3.62	5.37	3	Vertical	333	1.36	65.01	33.10	6.41	34.14
PK	5.1768G	119.25	Inf	-Inf	5.39	3	Vertical	333	1.36	113.86	33.10	6.43	34.14

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.03	54.00	-0.97	5.37	3	Horizontal	57	1.72	47.66	33.10	6.41	34.14
AV	5.185G	107.19	Inf	-Inf	5.40	3	Horizontal	57	1.72	101.79	33.10	6.44	34.14
PK	5.149G	71.23	74.00	-2.77	5.37	3	Horizontal	57	1.72	65.86	33.10	6.41	34.14
PK	5.177G	119.46	Inf	-Inf	5.39	3	Horizontal	57	1.72	114.07	33.10	6.43	34.14

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54204G	40.30	54.00	-13.70	16.66	3	Vertical	347	1.30	23.64	38.82	12.16	34.32
PK	10.34548G	49.51	68.20	-18.69	15.27	3	Vertical	157	1.50	34.24	38.90	11.01	34.64
PK	15.54672G	54.01	74.00	-19.99	16.64	3	Vertical	347	1.30	37.37	38.81	12.16	34.33

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54456G	39.14	54.00	-14.86	16.65	3	Horizontal	59	1.49	22.49	38.81	12.16	34.32
PK	10.35178G	49.85	68.20	-18.35	15.28	3	Horizontal	281	1.50	34.57	38.90	11.01	34.63
PK	15.5493G	51.59	74.00	-22.41	16.63	3	Horizontal	59	1.49	34.96	38.80	12.16	34.33

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	51.98	54.00	-2.02	5.37	3	Vertical	333	1.57	46.61	33.10	6.41	34.14
AV	5.2028G	109.25	Inf	-Inf	5.40	3	Vertical	333	1.57	103.85	33.09	6.45	34.14
PK	5.1468G	69.46	74.00	-4.54	5.37	3	Vertical	333	1.57	64.09	33.10	6.41	34.14
PK	5.2044G	121.99	Inf	-Inf	5.40	3	Vertical	333	1.57	116.59	33.09	6.45	34.14

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.13	54.00	-0.87	5.37	3	Horizontal	62	1.84	47.76	33.10	6.41	34.14
AV	5.2012G	110.57	Inf	-Inf	5.41	3	Horizontal	62	1.84	105.16	33.10	6.45	34.14
PK	5.1456G	70.47	74.00	-3.53	5.37	3	Horizontal	62	1.84	65.10	33.10	6.41	34.14
PK	5.1968G	123.16	Inf	-Inf	5.41	3	Horizontal	62	1.84	117.75	33.10	6.45	34.14

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59982G	43.02	54.00	-10.98	16.52	3	Vertical	348	1.35	26.50	38.70	12.19	34.37
PK	10.39922G	50.49	68.20	-17.71	15.34	3	Vertical	328	1.50	35.15	38.90	11.03	34.59
PK	15.60174G	55.46	74.00	-18.54	16.51	3	Vertical	348	1.35	38.95	38.69	12.19	34.37

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59736G	40.34	54.00	-13.66	16.53	3	Horizontal	60	1.32	23.81	38.71	12.19	34.37
PK	10.3964G	50.57	68.20	-17.63	15.33	3	Horizontal	34	1.50	35.24	38.90	11.03	34.60
PK	15.6087G	52.37	74.00	-21.63	16.50	3	Horizontal	60	1.32	35.87	38.67	12.20	34.37

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	48.84	54.00	-5.16	5.37	3	Vertical	332	1.15	43.47	33.10	6.41	34.14
AV	5.2382G	108.62	Inf	-Inf	5.35	3	Vertical	332	1.15	103.27	33.02	6.48	34.15
AV	5.35G	48.55	54.00	-5.45	5.29	3	Vertical	332	1.15	43.26	32.90	6.55	34.16
PK	5.1428G	61.72	74.00	-12.28	5.37	3	Vertical	332	1.15	56.35	33.10	6.41	34.14
PK	5.2448G	121.46	Inf	-Inf	5.34	3	Vertical	332	1.15	116.12	33.01	6.48	34.15
PK	5.35G	61.20	74.00	-12.80	5.29	3	Vertical	332	1.15	55.91	32.90	6.55	34.16

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	49.71	54.00	-4.29	5.37	3	Horizontal	54	1.50	44.34	33.10	6.41	34.14
AV	5.2412G	110.31	Inf	-Inf	5.35	3	Horizontal	54	1.50	104.96	33.02	6.48	34.15
AV	5.35G	48.00	54.00	-6.00	5.29	3	Horizontal	54	1.50	42.71	32.90	6.55	34.16
PK	5.1392G	61.86	74.00	-12.14	5.36	3	Horizontal	54	1.50	56.50	33.10	6.40	34.14
PK	5.2376G	123.26	Inf	-Inf	5.36	3	Horizontal	54	1.50	117.90	33.03	6.48	34.15
PK	5.3648G	60.90	74.00	-13.10	5.31	3	Horizontal	54	1.50	55.59	32.90	6.57	34.16

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7221G	40.22	54.00	-13.78	16.21	3	Vertical	354	2.19	24.01	38.40	12.27	34.46
PK	10.48798G	51.12	68.20	-17.08	15.44	3	Vertical	4	1.50	35.68	38.90	11.06	34.52
PK	15.7173G	53.24	74.00	-20.76	16.20	3	Vertical	354	2.19	37.04	38.40	12.26	34.46

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72306G	39.00	54.00	-15.00	16.21	3	Horizontal	58	1.35	22.79	38.40	12.27	34.46
PK	10.46764G	50.77	68.20	-17.43	15.41	3	Horizontal	297	1.50	35.36	38.90	11.05	34.54
PK	15.71718G	50.71	74.00	-23.29	16.20	3	Horizontal	58	1.35	34.51	38.40	12.26	34.46

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.01	54.00	-5.99	5.37	3	Vertical	332	1.50	42.64	33.10	6.41	34.14
AV	5.2582G	109.52	Inf	-Inf	5.34	3	Vertical	332	1.50	104.18	33.00	6.49	34.15
AV	5.3512G	49.53	54.00	-4.47	5.30	3	Vertical	332	1.50	44.23	32.90	6.56	34.16
PK	5.15G	60.37	74.00	-13.63	5.37	3	Vertical	332	1.50	55.00	33.10	6.41	34.14
PK	5.2612G	121.34	Inf	-Inf	5.34	3	Vertical	332	1.50	116.00	33.00	6.49	34.15
PK	5.356G	62.51	74.00	-11.49	5.30	3	Vertical	332	1.50	57.21	32.90	6.56	34.16

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.40	54.00	-6.60	5.37	3	Horizontal	55	1.61	42.03	33.10	6.41	34.14
AV	5.2564G	110.86	Inf	-Inf	5.34	3	Horizontal	55	1.61	105.52	33.00	6.49	34.15
AV	5.3596G	49.91	54.00	-4.09	5.30	3	Horizontal	55	1.61	44.61	32.90	6.56	34.16
PK	5.1244G	60.84	74.00	-13.16	5.36	3	Horizontal	55	1.61	55.48	33.10	6.39	34.13
PK	5.257G	123.85	Inf	-Inf	5.34	3	Horizontal	55	1.61	118.51	33.00	6.49	34.15
PK	5.3596G	62.75	74.00	-11.25	5.30	3	Horizontal	55	1.61	57.45	32.90	6.56	34.16

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77994G	40.66	54.00	-13.34	16.19	3	Vertical	352	1.36	24.47	38.40	12.30	34.51
PK	10.5218G	50.40	68.20	-17.80	15.48	3	Vertical	68	1.50	34.92	38.90	11.07	34.49
PK	15.78192G	52.73	74.00	-21.27	16.19	3	Vertical	352	1.36	36.54	38.40	12.30	34.51

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78342G	38.68	54.00	-15.32	16.20	3	Horizontal	54	1.35	22.48	38.40	12.31	34.51
PK	10.5146G	51.02	68.20	-17.18	15.47	3	Horizontal	84	1.50	35.55	38.90	11.07	34.50
PK	15.7848G	50.43	74.00	-23.57	16.20	3	Horizontal	54	1.35	34.23	38.40	12.31	34.51

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.09	54.00	-7.91	5.37	3	Vertical	333	1.47	40.72	33.10	6.41	34.14
AV	5.303G	108.89	Inf	-Inf	5.35	3	Vertical	333	1.47	103.54	32.99	6.52	34.16
AV	5.35G	52.76	54.00	-1.24	5.29	3	Vertical	333	1.47	47.47	32.90	6.55	34.16
PK	5.15G	58.51	74.00	-15.49	5.37	3	Vertical	333	1.47	53.14	33.10	6.41	34.14
PK	5.297G	121.40	Inf	-Inf	5.36	3	Vertical	333	1.47	116.04	33.00	6.52	34.16
PK	5.35G	71.00	74.00	-3.00	5.29	3	Vertical	333	1.47	65.71	32.90	6.55	34.16

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.20	54.00	-7.80	5.37	3	Horizontal	58	1.60	40.83	33.10	6.41	34.14
AV	5.3012G	110.20	Inf	-Inf	5.36	3	Horizontal	58	1.60	104.84	33.00	6.52	34.16
AV	5.35G	53.21	54.00	-0.79	5.29	3	Horizontal	58	1.60	47.92	32.90	6.55	34.16
PK	5.15G	57.94	74.00	-16.06	5.37	3	Horizontal	58	1.60	52.57	33.10	6.41	34.14
PK	5.297G	123.60	Inf	-Inf	5.36	3	Horizontal	58	1.60	118.24	33.00	6.52	34.16
PK	5.3516G	72.35	74.00	-1.65	5.30	3	Horizontal	58	1.60	67.05	32.90	6.56	34.16

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60558G	37.39	54.00	-16.61	15.58	3	Vertical	346	1.50	21.81	38.92	11.10	34.44
AV	15.90288G	38.68	54.00	-15.32	15.97	3	Vertical	39	1.87	22.71	38.19	12.38	34.60
PK	10.5925G	49.77	68.20	-18.43	15.55	3	Vertical	346	1.50	34.22	38.90	11.10	34.45
PK	15.9063G	50.59	74.00	-23.41	15.96	3	Vertical	39	1.87	34.63	38.19	12.38	34.61

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89418G	38.61	54.00	-15.39	15.98	3	Horizontal	348	1.50	22.63	38.21	12.37	34.60
PK	10.594G	49.56	68.20	-18.64	15.56	3	Horizontal	355	1.50	34.00	38.90	11.10	34.44
PK	15.88806G	49.96	74.00	-24.04	16.00	3	Horizontal	348	1.50	33.96	38.22	12.37	34.59

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.314G	104.53	Inf	-Inf	5.34	3	Vertical	335	1.30	99.19	32.97	6.53	34.16
AV	5.35G	51.11	54.00	-2.89	5.29	3	Vertical	335	1.30	45.82	32.90	6.55	34.16
PK	5.317G	117.39	Inf	-Inf	5.34	3	Vertical	335	1.30	112.05	32.97	6.53	34.16
PK	5.3536G	70.26	74.00	-3.74	5.30	3	Vertical	335	1.30	64.96	32.90	6.56	34.16
PK	5.467G	59.47	68.20	-8.73	5.37	3	Vertical	335	1.30	54.10	32.90	6.65	34.18

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3146G	106.33	Inf	-Inf	5.34	3	Horizontal	58	1.56	100.99	32.97	6.53	34.16
AV	5.3506G	52.58	54.00	-1.42	5.30	3	Horizontal	58	1.56	47.28	32.90	6.56	34.16
PK	5.317G	119.41	Inf	-Inf	5.34	3	Horizontal	58	1.56	114.07	32.97	6.53	34.16
PK	5.353G	71.73	74.00	-2.27	5.30	3	Horizontal	58	1.56	66.43	32.90	6.56	34.16
PK	5.4652G	59.57	68.20	-8.63	5.37	3	Horizontal	58	1.56	54.20	32.90	6.65	34.18

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6442G	37.46	54.00	-16.54	15.74	3	Vertical	277	1.50	21.72	39.03	11.12	34.41
AV	15.96018G	37.83	54.00	-16.17	15.85	3	Vertical	302	1.15	21.98	38.08	12.42	34.65
PK	10.64468G	49.43	74.00	-24.57	15.74	3	Vertical	277	1.50	33.69	39.03	11.12	34.41
PK	15.95292G	50.27	74.00	-23.73	15.86	3	Vertical	302	1.15	34.41	38.09	12.41	34.64

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64378G	37.51	54.00	-16.49	15.74	3	Horizontal	159	1.50	21.77	39.03	11.12	34.41
AV	15.95778G	37.97	54.00	-16.03	15.84	3	Horizontal	36	1.50	22.13	38.08	12.41	34.65
PK	10.6406G	49.82	74.00	-24.18	15.73	3	Horizontal	159	1.50	34.09	39.02	11.12	34.41
PK	15.9642G	49.81	74.00	-24.19	15.84	3	Horizontal	36	1.50	33.97	38.07	12.42	34.65

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	45.54	54.00	-8.46	5.29	3	Vertical	356	1.53	40.25	32.90	6.55	34.16
AV	5.4592G	47.47	54.00	-6.53	5.36	3	Vertical	356	1.53	42.11	32.90	6.64	34.18
AV	5.4934G	103.08	Inf	-Inf	5.39	3	Vertical	356	1.53	97.69	32.90	6.67	34.18
PK	5.35G	57.78	74.00	-16.22	5.29	3	Vertical	356	1.53	52.49	32.90	6.55	34.16
PK	5.3902G	61.14	74.00	-12.86	5.31	3	Vertical	356	1.53	55.83	32.90	6.58	34.17
PK	5.4646G	66.33	68.20	-1.87	5.37	3	Vertical	356	1.53	60.96	32.90	6.65	34.18
PK	5.497G	116.26	Inf	-Inf	5.40	3	Vertical	356	1.53	110.86	32.90	6.68	34.18

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	45.65	54.00	-8.35	5.29	3	Horizontal	298	2.45	40.36	32.90	6.55	34.16
AV	5.4592G	47.62	54.00	-6.38	5.36	3	Horizontal	298	2.45	42.26	32.90	6.64	34.18
AV	5.4952G	105.08	Inf	-Inf	5.40	3	Horizontal	298	2.45	99.68	32.90	6.68	34.18
PK	5.35G	57.14	74.00	-16.86	5.29	3	Horizontal	298	2.45	51.85	32.90	6.55	34.16
PK	5.4592G	61.18	74.00	-12.82	5.36	3	Horizontal	298	2.45	55.82	32.90	6.64	34.18
PK	5.4658G	66.11	68.20	-2.09	5.37	3	Horizontal	298	2.45	60.74	32.90	6.65	34.18
PK	5.4934G	118.08	Inf	-Inf	5.39	3	Horizontal	298	2.45	112.69	32.90	6.67	34.18

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.98956G	38.55	54.00	-15.45	16.09	3	Vertical	23	1.50	22.46	39.01	11.25	34.17
PK	10.98554G	51.17	74.00	-22.83	16.08	3	Vertical	23	1.50	35.09	39.01	11.24	34.17
PK	16.49574G	50.36	68.20	-17.84	16.85	3	Vertical	297	1.50	33.51	38.38	12.67	34.20

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.98794G	38.61	54.00	-15.39	16.09	3	Horizontal	279	1.50	22.52	39.01	11.25	34.17
PK	11.00408G	51.44	74.00	-22.56	16.09	3	Horizontal	279	1.50	35.35	39.00	11.25	34.16
PK	16.50546G	49.98	68.20	-18.22	16.86	3	Horizontal	73	1.50	33.12	38.38	12.67	34.19

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4528G	47.29	54.00	-6.71	5.37	3	Vertical	352	1.38	41.92	32.90	6.64	34.17
AV	5.583G	108.82	Inf	-Inf	5.53	3	Vertical	352	1.38	103.29	32.97	6.75	34.19
PK	5.436G	60.25	74.00	-13.75	5.35	3	Vertical	352	1.38	54.90	32.90	6.62	34.17
PK	5.4636G	60.22	68.20	-7.98	5.37	3	Vertical	352	1.38	54.85	32.90	6.65	34.18
PK	5.577G	121.96	Inf	-Inf	5.51	3	Vertical	352	1.38	116.45	32.95	6.75	34.19
PK	5.7282G	60.70	68.20	-7.50	6.36	3	Vertical	352	1.38	54.34	33.71	6.85	34.20

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4486G	46.94	54.00	-7.06	5.36	3	Horizontal	299	2.22	41.58	32.90	6.63	34.17
AV	5.5812G	110.98	Inf	-Inf	5.52	3	Horizontal	299	2.22	105.46	32.96	6.75	34.19
PK	5.4438G	60.42	74.00	-13.58	5.36	3	Horizontal	299	2.22	55.06	32.90	6.63	34.17
PK	5.4648G	60.01	68.20	-8.19	5.37	3	Horizontal	299	2.22	54.64	32.90	6.65	34.18
PK	5.577G	124.09	Inf	-Inf	5.51	3	Horizontal	299	2.22	118.58	32.95	6.75	34.19
PK	5.7294G	60.47	68.20	-7.73	6.37	3	Horizontal	299	2.22	54.10	33.72	6.85	34.20

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16024G	40.06	54.00	-13.94	16.14	3	Vertical	9	1.55	23.92	38.96	11.31	34.13
PK	11.15706G	52.41	74.00	-21.59	16.14	3	Vertical	9	1.55	36.27	38.96	11.31	34.13
PK	16.7538G	51.53	68.20	-16.67	17.38	3	Vertical	157	2.27	34.15	38.30	12.78	33.70

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16078G	38.44	54.00	-15.56	16.14	3	Horizontal	45	1.50	22.30	38.96	11.31	34.13
PK	11.16036G	50.95	74.00	-23.05	16.14	3	Horizontal	45	1.50	34.81	38.96	11.31	34.13
PK	16.7511G	51.75	68.20	-16.45	17.38	3	Horizontal	61	1.50	34.37	38.30	12.78	33.70

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.703G	101.05	Inf	-Inf	6.25	3	Vertical	353	1.37	94.80	33.61	6.84	34.20
PK	5.7048G	113.25	Inf	-Inf	6.26	3	Vertical	353	1.37	106.99	33.62	6.84	34.20
PK	5.7264G	66.17	68.20	-2.03	6.36	3	Vertical	353	1.37	59.81	33.71	6.85	34.20

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7036G	102.65	Inf	-Inf	6.25	3	Horizontal	305	2.30	96.40	33.61	6.84	34.20
PK	5.7006G	115.70	Inf	-Inf	6.24	3	Horizontal	305	2.30	109.46	33.60	6.84	34.20
PK	5.7264G	66.78	68.20	-1.42	6.36	3	Horizontal	305	2.30	60.42	33.71	6.85	34.20

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40144G	49.82	54.00	-4.18	16.52	3	Vertical	360	3.00	33.30	39.20	11.40	34.08
PK	11.3988G	61.16	74.00	-12.84	16.52	3	Vertical	360	3.00	44.64	39.20	11.40	34.08
PK	17.08506G	50.97	68.20	-17.23	17.88	3	Vertical	360	1.50	33.09	38.19	12.93	33.24

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40066G	43.06	54.00	-10.94	16.52	3	Horizontal	69	1.60	26.54	39.20	11.40	34.08
PK	11.40246G	55.65	74.00	-18.35	16.52	3	Horizontal	69	1.60	39.13	39.20	11.40	34.08
PK	17.09496G	50.28	68.20	-17.92	17.89	3	Horizontal	270	1.50	32.39	38.19	12.94	33.24

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4416G	46.44	54.00	-7.56	5.36	3	Vertical	352	1.42	41.08	32.90	6.63	34.17
AV	5.7224G	110.10	Inf	-Inf	6.34	3	Vertical	352	1.42	103.76	33.69	6.85	34.20
PK	5.4416G	59.38	74.00	-14.62	5.36	3	Vertical	352	1.42	54.02	32.90	6.63	34.17
PK	5.4692G	58.85	68.20	-9.35	5.37	3	Vertical	352	1.42	53.48	32.90	6.65	34.18
PK	5.7248G	122.90	Inf	-Inf	6.35	3	Vertical	352	1.42	116.55	33.70	6.85	34.20
PK	5.9672G	60.63	68.20	-7.57	6.99	3	Vertical	352	1.42	53.64	34.17	7.04	34.22

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4416G	46.18	54.00	-7.82	5.36	3	Horizontal	302	2.20	40.82	32.90	6.63	34.17
AV	5.7212G	112.08	Inf	-Inf	6.33	3	Horizontal	302	2.20	105.75	33.68	6.85	34.20
PK	5.45G	60.15	74.00	-13.85	5.36	3	Horizontal	302	2.20	54.79	32.90	6.63	34.17
PK	5.4692G	58.82	68.20	-9.38	5.37	3	Horizontal	302	2.20	53.45	32.90	6.65	34.18
PK	5.7164G	124.53	Inf	-Inf	6.32	3	Horizontal	302	2.20	118.21	33.67	6.85	34.20
PK	5.8832G	61.74	68.20	-6.46	6.99	3	Horizontal	302	2.20	54.75	34.23	6.97	34.21

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43934G	50.22	54.00	-3.78	16.50	3	Vertical	349	2.98	33.72	39.16	11.41	34.07
PK	11.4394G	61.58	74.00	-12.42	16.50	3	Vertical	349	2.98	45.08	39.16	11.41	34.07
PK	17.17296G	49.74	68.20	-18.46	17.90	3	Vertical	77	1.50	31.84	38.20	12.97	33.27

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43814G	43.68	54.00	-10.32	16.50	3	Horizontal	68	1.60	27.18	39.16	11.41	34.07
PK	11.43586G	55.89	74.00	-18.11	16.50	3	Horizontal	68	1.60	39.39	39.16	11.41	34.07
PK	17.16558G	50.54	68.20	-17.66	17.91	3	Horizontal	350	1.50	32.63	38.20	12.97	33.26

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




03/09/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	46.17	54.00	-7.83	5.37	3	Vertical	352	1.37	40.80	32.90	6.64	34.17
AV	5.7402G	110.47	Inf	-Inf	6.42	3	Vertical	352	1.37	104.05	33.76	6.86	34.20
PK	5.6478G	61.90	68.20	-6.30	5.61	3	Vertical	352	1.37	56.29	33.00	6.80	34.19
PK	5.7414G	122.34	Inf	-Inf	6.43	3	Vertical	352	1.37	115.91	33.77	6.86	34.20
PK	5.9382G	61.25	68.20	-6.95	7.02	3	Vertical	352	1.37	54.23	34.22	7.02	34.22

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




03/09/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4498G	46.31	54.00	-7.69	5.36	3	Horizontal	300	2.17	40.95	32.90	6.63	34.17
AV	5.739G	111.92	Inf	-Inf	6.42	3	Horizontal	300	2.17	105.50	33.76	6.86	34.20
PK	5.6466G	64.85	68.20	-3.35	5.61	3	Horizontal	300	2.17	59.24	33.00	6.80	34.19
PK	5.7462G	124.01	Inf	-Inf	6.45	3	Horizontal	300	2.17	117.56	33.78	6.87	34.20
PK	5.9682G	60.70	68.20	-7.50	6.98	3	Horizontal	300	2.17	53.72	34.16	7.04	34.22

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49186G	51.01	54.00	-2.99	16.48	3	Vertical	352	2.96	34.53	39.11	11.43	34.06
PK	11.49408G	62.62	74.00	-11.38	16.48	3	Vertical	352	2.96	46.14	39.11	11.43	34.06
PK	17.24856G	49.77	68.20	-18.43	17.97	3	Vertical	12	1.50	31.80	38.25	13.01	33.29

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4882G	44.86	54.00	-9.14	16.48	3	Horizontal	69	1.50	28.38	39.11	11.43	34.06
PK	11.48388G	56.82	74.00	-17.18	16.49	3	Horizontal	69	1.50	40.33	39.12	11.43	34.06
PK	17.24016G	50.10	68.20	-18.10	17.95	3	Horizontal	345	1.50	32.15	38.24	13.00	33.29

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78371G	110.44	Inf	-Inf	6.69	3	Vertical	351	1.37	103.75	34.00	6.89	34.20
PK	5.50299G	60.10	68.20	-8.10	5.40	3	Vertical	351	1.37	54.70	32.90	6.68	34.18
PK	5.78129G	123.18	Inf	-Inf	6.68	3	Vertical	351	1.37	116.50	33.99	6.89	34.20
PK	6.03055G	61.74	68.20	-6.46	6.96	3	Vertical	351	1.37	54.78	34.10	7.09	34.23

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78613G	112.11	Inf	-Inf	6.71	3	Horizontal	300	2.08	105.40	34.02	6.89	34.20
PK	5.58406G	61.79	68.20	-6.41	5.54	3	Horizontal	300	2.08	56.25	32.97	6.76	34.19
PK	5.7825G	124.59	Inf	-Inf	6.69	3	Horizontal	300	2.08	117.90	34.00	6.89	34.20
PK	6.03539G	62.75	68.20	-5.45	6.96	3	Horizontal	300	2.08	55.79	34.10	7.09	34.23

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57186G	47.11	54.00	-6.89	16.17	3	Vertical	2	3.00	30.94	38.81	11.46	34.10
PK	11.56946G	59.47	74.00	-14.53	16.18	3	Vertical	2	3.00	43.29	38.82	11.46	34.10
PK	17.35302G	50.57	68.20	-17.63	18.20	3	Vertical	228	1.50	32.37	38.46	13.06	33.32

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56982G	46.66	54.00	-7.34	16.18	3	Horizontal	50	2.68	30.48	38.82	11.46	34.10
PK	11.56622G	58.48	74.00	-15.52	16.20	3	Horizontal	50	2.68	42.28	38.84	11.46	34.10
PK	17.35134G	50.84	68.20	-17.36	18.18	3	Horizontal	70	1.50	32.66	38.45	13.05	33.32

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	110.62	Inf	-Inf	6.81	3	Vertical	354	3.00	103.81	34.10	6.92	34.21
PK	5.5922G	59.71	68.20	-8.49	5.55	3	Vertical	354	3.00	54.16	32.98	6.76	34.19
PK	5.8262G	122.11	Inf	-Inf	6.81	3	Vertical	354	3.00	115.30	34.10	6.92	34.21
PK	5.9306G	62.94	68.20	-5.26	7.04	3	Vertical	354	3.00	55.90	34.24	7.01	34.21

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	111.75	Inf	-Inf	6.81	3	Horizontal	311	1.54	104.94	34.10	6.92	34.21
PK	5.6318G	62.45	68.20	-5.75	5.60	3	Horizontal	311	1.54	56.85	33.00	6.79	34.19
PK	5.8214G	125.02	Inf	-Inf	6.81	3	Horizontal	311	1.54	118.21	34.10	6.92	34.21
PK	5.9306G	63.18	68.20	-5.02	7.04	3	Horizontal	311	1.54	56.14	34.24	7.01	34.21

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65G	47.36	54.00	-6.64	16.04	3	Vertical	1	3.00	31.32	38.70	11.49	34.15
PK	11.65252G	59.23	74.00	-14.77	16.04	3	Vertical	1	3.00	43.19	38.70	11.49	34.15
PK	17.46714G	51.61	68.20	-16.59	18.42	3	Vertical	23	1.50	33.19	38.67	13.11	33.36

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64922G	43.78	54.00	-10.22	16.04	3	Horizontal	66	1.48	27.74	38.70	11.49	34.15
PK	11.6488G	56.12	74.00	-17.88	16.04	3	Horizontal	66	1.48	40.08	38.70	11.49	34.15
PK	17.47608G	51.26	68.20	-16.94	18.43	3	Horizontal	360	1.50	32.83	38.68	13.11	33.36

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	51.81	54.00	-2.19	5.37	3	Vertical	341	1.17	46.44	33.10	6.41	34.14
AV	5.1954G	100.57	Inf	-Inf	5.41	3	Vertical	341	1.17	95.16	33.10	6.45	34.14
PK	5.1498G	68.72	74.00	-5.28	5.37	3	Vertical	341	1.17	63.35	33.10	6.41	34.14
PK	5.1954G	113.22	Inf	-Inf	5.41	3	Vertical	341	1.17	107.81	33.10	6.45	34.14

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1486G	52.48	54.00	-1.52	5.37	3	Horizontal	55	1.50	47.11	33.10	6.41	34.14
AV	5.1942G	101.71	Inf	-Inf	5.41	3	Horizontal	55	1.50	96.30	33.10	6.45	34.14
PK	5.1486G	68.19	74.00	-5.81	5.37	3	Horizontal	55	1.50	62.82	33.10	6.41	34.14
PK	5.1888G	112.81	Inf	-Inf	5.40	3	Horizontal	55	1.50	107.41	33.10	6.44	34.14

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58524G	39.35	54.00	-14.65	16.55	3	Vertical	106	1.50	22.80	38.73	12.18	34.36
PK	10.35756G	50.39	68.20	-17.81	15.28	3	Vertical	345	1.50	35.11	38.90	11.01	34.63
PK	15.5484G	50.79	74.00	-23.21	16.63	3	Vertical	106	1.50	34.16	38.80	12.16	34.33

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56124G	39.45	54.00	-14.55	16.61	3	Horizontal	217	1.50	22.84	38.78	12.17	34.34
PK	10.39176G	50.43	68.20	-17.77	15.32	3	Horizontal	319	1.50	35.11	38.90	11.02	34.60
PK	15.55296G	50.46	74.00	-23.54	16.62	3	Horizontal	217	1.50	33.84	38.79	12.16	34.33

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	51.44	54.00	-2.56	5.37	3	Vertical	334	1.34	46.07	33.10	6.41	34.14
AV	5.2258G	105.09	Inf	-Inf	5.37	3	Vertical	334	1.34	99.72	33.05	6.47	34.15
AV	5.3536G	49.28	54.00	-4.72	5.30	3	Vertical	334	1.34	43.98	32.90	6.56	34.16
PK	5.1472G	67.58	74.00	-6.42	5.37	3	Vertical	334	1.34	62.21	33.10	6.41	34.14
PK	5.2354G	116.77	Inf	-Inf	5.35	3	Vertical	334	1.34	111.42	33.03	6.47	34.15
PK	5.3518G	61.53	74.00	-12.47	5.30	3	Vertical	334	1.34	56.23	32.90	6.56	34.16

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	52.99	54.00	-1.01	5.37	3	Horizontal	56	1.56	47.62	33.10	6.41	34.14
AV	5.2366G	106.70	Inf	-Inf	5.36	3	Horizontal	56	1.56	101.34	33.03	6.48	34.15
AV	5.3506G	49.53	54.00	-4.47	5.30	3	Horizontal	56	1.56	44.23	32.90	6.56	34.16
PK	5.1466G	69.43	74.00	-4.57	5.37	3	Horizontal	56	1.56	64.06	33.10	6.41	34.14
PK	5.227G	118.96	Inf	-Inf	5.37	3	Horizontal	56	1.56	113.59	33.05	6.47	34.15
PK	5.356G	62.16	74.00	-11.84	5.30	3	Horizontal	56	1.56	56.86	32.90	6.56	34.16

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.66384G	39.39	54.00	-14.61	16.32	3	Vertical	354	2.07	23.07	38.51	12.23	34.42
PK	10.44536G	51.04	68.20	-17.16	15.38	3	Vertical	285	2.11	35.66	38.90	11.04	34.56
PK	15.68544G	50.82	74.00	-23.18	16.25	3	Vertical	354	2.07	34.57	38.44	12.24	34.43

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.66888G	39.03	54.00	-14.97	16.30	3	Horizontal	173	2.06	22.73	38.49	12.23	34.42
PK	10.46516G	50.17	68.20	-18.03	15.41	3	Horizontal	201	1.50	34.76	38.90	11.05	34.54
PK	15.6882G	51.11	74.00	-22.89	16.25	3	Horizontal	173	2.06	34.86	38.44	12.25	34.44

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1386G	47.99	54.00	-6.01	5.36	3	Vertical	332	1.20	42.63	33.10	6.40	34.14
AV	5.2754G	104.93	Inf	-Inf	5.35	3	Vertical	332	1.20	99.58	33.00	6.50	34.15
AV	5.3528G	51.49	54.00	-2.51	5.30	3	Vertical	332	1.20	46.19	32.90	6.56	34.16
PK	5.1368G	60.56	74.00	-13.44	5.36	3	Vertical	332	1.20	55.20	33.10	6.40	34.14
PK	5.2754G	117.15	Inf	-Inf	5.35	3	Vertical	332	1.20	111.80	33.00	6.50	34.15
PK	5.351G	67.00	74.00	-7.00	5.30	3	Vertical	332	1.20	61.70	32.90	6.56	34.16

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1386G	48.29	54.00	-5.71	5.36	3	Horizontal	57	1.64	42.93	33.10	6.40	34.14
AV	5.2766G	106.02	Inf	-Inf	5.35	3	Horizontal	57	1.64	100.67	33.00	6.50	34.15
AV	5.35G	52.82	54.00	-1.18	5.29	3	Horizontal	57	1.64	47.53	32.90	6.55	34.16
PK	5.138G	61.57	74.00	-12.43	5.36	3	Horizontal	57	1.64	56.21	33.10	6.40	34.14
PK	5.267G	118.53	Inf	-Inf	5.35	3	Horizontal	57	1.64	113.18	33.00	6.50	34.15
PK	5.3516G	68.58	74.00	-5.42	5.30	3	Horizontal	57	1.64	63.28	32.90	6.56	34.16

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78384G	39.34	54.00	-14.66	16.20	3	Vertical	352	1.26	23.14	38.40	12.31	34.51
PK	10.55776G	49.94	68.20	-18.26	15.52	3	Vertical	321	1.50	34.42	38.90	11.09	34.47
PK	15.8376G	50.68	74.00	-23.32	16.11	3	Vertical	352	1.26	34.57	38.32	12.34	34.55

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80844G	38.97	54.00	-15.03	16.17	3	Horizontal	25	1.50	22.80	38.38	12.32	34.53
PK	10.55452G	50.18	68.20	-18.02	15.52	3	Horizontal	119	1.85	34.66	38.90	11.09	34.47
PK	15.82332G	50.41	74.00	-23.59	16.14	3	Horizontal	25	1.50	34.27	38.35	12.33	34.54

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.316G	101.34	Inf	-Inf	5.34	3	Vertical	331	1.30	96.00	32.97	6.53	34.16
AV	5.352G	51.58	54.00	-2.42	5.30	3	Vertical	331	1.30	46.28	32.90	6.56	34.16
PK	5.2974G	112.86	Inf	-Inf	5.36	3	Vertical	331	1.30	107.50	33.00	6.52	34.16
PK	5.3544G	71.65	74.00	-2.35	5.30	3	Vertical	331	1.30	66.35	32.90	6.56	34.16

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.304G	102.90	Inf	-Inf	5.35	3	Horizontal	57	1.62	97.55	32.99	6.52	34.16
AV	5.35G	52.79	54.00	-1.21	5.29	3	Horizontal	57	1.62	47.50	32.90	6.55	34.16
PK	5.307G	115.29	Inf	-Inf	5.35	3	Horizontal	57	1.62	109.94	32.99	6.52	34.16
PK	5.35G	71.35	74.00	-2.65	5.29	3	Horizontal	57	1.62	66.06	32.90	6.55	34.16

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6416G	38.27	54.00	-15.73	15.73	3	Vertical	264	1.50	22.54	39.02	11.12	34.41
AV	15.90192G	38.81	54.00	-15.19	15.98	3	Vertical	192	1.50	22.83	38.20	12.38	34.60
PK	10.62288G	49.65	74.00	-24.35	15.66	3	Vertical	264	1.50	33.99	38.97	11.11	34.42
PK	15.92196G	50.28	74.00	-23.72	15.93	3	Vertical	192	1.50	34.35	38.16	12.39	34.62

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.91548G	39.01	54.00	-14.99	15.95	3	Horizontal	261	1.50	23.06	38.17	12.39	34.61
PK	10.60068G	49.81	74.00	-24.19	15.56	3	Horizontal	7	1.18	34.25	38.90	11.10	34.44
PK	15.9534G	50.22	74.00	-23.78	15.86	3	Horizontal	261	1.50	34.36	38.09	12.41	34.64

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	49.20	54.00	-4.80	5.36	3	Vertical	355	1.49	43.84	32.90	6.64	34.18
AV	5.5088G	99.81	Inf	-Inf	5.41	3	Vertical	355	1.49	94.40	32.90	6.69	34.18
PK	5.4578G	61.99	74.00	-12.01	5.37	3	Vertical	355	1.49	56.62	32.90	6.64	34.17
PK	5.4686G	67.23	68.20	-0.97	5.37	3	Vertical	355	1.49	61.86	32.90	6.65	34.18
PK	5.507G	112.12	Inf	-Inf	5.41	3	Vertical	355	1.49	106.71	32.90	6.69	34.18

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	50.40	54.00	-3.60	5.36	3	Horizontal	298	2.35	45.04	32.90	6.64	34.18
AV	5.5058G	102.16	Inf	-Inf	5.41	3	Horizontal	298	2.35	96.75	32.90	6.69	34.18
PK	5.4578G	65.26	74.00	-8.74	5.37	3	Horizontal	298	2.35	59.89	32.90	6.64	34.17
PK	5.4632G	66.54	68.20	-1.66	5.37	3	Horizontal	298	2.35	61.17	32.90	6.65	34.18
PK	5.5088G	113.95	Inf	-Inf	5.41	3	Horizontal	298	2.35	108.54	32.90	6.69	34.18

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99384G	39.14	54.00	-14.86	16.10	3	Vertical	123	1.50	23.04	39.01	11.25	34.16
PK	11.01064G	51.10	74.00	-22.90	16.08	3	Vertical	123	1.50	35.02	38.99	11.25	34.16
PK	16.51752G	50.33	68.20	-17.87	16.86	3	Vertical	294	1.50	33.47	38.35	12.68	34.17

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99984G	39.11	54.00	-14.89	16.09	3	Horizontal	359	1.50	23.02	39.00	11.25	34.16
PK	11.041G	50.72	74.00	-23.28	16.08	3	Horizontal	359	1.50	34.64	38.96	11.27	34.15
PK	16.55508G	50.56	68.20	-17.64	16.83	3	Horizontal	170	1.50	33.73	38.23	12.69	34.09

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.39	54.00	-3.61	5.36	3	Vertical	353	1.49	45.03	32.90	6.64	34.18
AV	5.5554G	104.33	Inf	-Inf	5.46	3	Vertical	353	1.49	98.87	32.91	6.73	34.18
PK	5.46G	63.88	74.00	-10.12	5.36	3	Vertical	353	1.49	58.52	32.90	6.64	34.18
PK	5.4672G	67.10	68.20	-1.10	5.37	3	Vertical	353	1.49	61.73	32.90	6.65	34.18
PK	5.5554G	116.39	Inf	-Inf	5.46	3	Vertical	353	1.49	110.93	32.91	6.73	34.18

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	50.17	54.00	-3.83	5.36	3	Horizontal	303	2.52	44.81	32.90	6.64	34.18
AV	5.5566G	106.53	Inf	-Inf	5.46	3	Horizontal	303	2.52	101.07	32.91	6.73	34.18
PK	5.46G	65.42	74.00	-8.58	5.36	3	Horizontal	303	2.52	60.06	32.90	6.64	34.18
PK	5.4672G	67.13	68.20	-1.07	5.37	3	Horizontal	303	2.52	61.76	32.90	6.65	34.18
PK	5.5464G	117.74	Inf	-Inf	5.44	3	Horizontal	303	2.52	112.30	32.90	6.72	34.18

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0976G	39.45	54.00	-14.55	16.05	3	Vertical	11	1.45	23.40	38.90	11.29	34.14
PK	11.11428G	51.23	74.00	-22.77	16.06	3	Vertical	11	1.45	35.17	38.91	11.29	34.14
PK	16.6224G	50.89	68.20	-17.31	16.90	3	Vertical	149	1.12	33.99	38.14	12.72	33.96

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09508G	38.88	54.00	-15.12	16.05	3	Horizontal	355	1.50	22.83	38.90	11.29	34.14
PK	11.1102G	51.10	74.00	-22.90	16.06	3	Horizontal	355	1.50	35.04	38.91	11.29	34.14
PK	16.6734G	50.58	68.20	-17.62	17.14	3	Horizontal	234	1.00	33.44	38.25	12.75	33.86

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6748G	101.20	Inf	-Inf	5.93	3	Vertical	353	1.24	95.27	33.30	6.82	34.19
PK	5.6754G	113.52	Inf	-Inf	5.93	3	Vertical	353	1.24	107.59	33.30	6.82	34.19
PK	5.73G	64.15	68.20	-4.05	6.37	3	Vertical	353	1.24	57.78	33.72	6.85	34.20

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6766G	103.38	Inf	-Inf	5.95	3	Horizontal	303	2.21	97.43	33.32	6.82	34.19
PK	5.676G	114.59	Inf	-Inf	5.94	3	Horizontal	303	2.21	108.65	33.31	6.82	34.19
PK	5.727G	64.88	68.20	-3.32	6.36	3	Horizontal	303	2.21	58.52	33.71	6.85	34.20

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34228G	42.47	54.00	-11.53	16.43	3	Vertical	349	2.96	26.04	39.14	11.38	34.09
PK	11.34204G	54.44	74.00	-19.56	16.43	3	Vertical	349	2.96	38.01	39.14	11.38	34.09
PK	17.01288G	51.45	68.20	-16.75	17.80	3	Vertical	30	1.50	33.65	38.11	12.90	33.21

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34228G	40.05	54.00	-13.95	16.43	3	Horizontal	53	2.73	23.62	39.14	11.38	34.09
PK	11.36424G	51.12	74.00	-22.88	16.45	3	Horizontal	53	2.73	34.67	39.16	11.38	34.09
PK	17.00652G	50.88	68.20	-17.32	17.80	3	Horizontal	347	3.00	33.08	38.11	12.90	33.21

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.44G	47.43	54.00	-6.57	5.36	3	Vertical	352	1.49	42.07	32.90	6.63	34.17
AV	5.716G	107.24	Inf	-Inf	6.31	3	Vertical	352	1.49	100.93	33.66	6.85	34.20
PK	5.4568G	58.94	74.00	-15.06	5.37	3	Vertical	352	1.49	53.57	32.90	6.64	34.17
PK	5.4688G	59.68	68.20	-8.52	5.37	3	Vertical	352	1.49	54.31	32.90	6.65	34.18
PK	5.7148G	119.63	Inf	-Inf	6.30	3	Vertical	352	1.49	113.33	33.66	6.84	34.20
PK	5.854G	64.96	68.20	-3.24	6.86	3	Vertical	352	1.49	58.10	34.12	6.95	34.21

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	47.23	54.00	-6.77	5.37	3	Horizontal	303	2.25	41.86	32.90	6.64	34.17
AV	5.7064G	109.38	Inf	-Inf	6.27	3	Horizontal	303	2.25	103.11	33.63	6.84	34.20
PK	5.4424G	58.96	74.00	-15.04	5.36	3	Horizontal	303	2.25	53.60	32.90	6.63	34.17
PK	5.4628G	59.41	68.20	-8.79	5.37	3	Horizontal	303	2.25	54.04	32.90	6.65	34.18
PK	5.7064G	120.92	Inf	-Inf	6.27	3	Horizontal	303	2.25	114.65	33.63	6.84	34.20
PK	5.8516G	65.11	68.20	-3.09	6.84	3	Horizontal	303	2.25	58.27	34.11	6.94	34.21

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41892G	47.58	54.00	-6.42	16.51	3	Vertical	0	3.00	31.07	39.18	11.41	34.08
PK	11.41916G	59.14	74.00	-14.86	16.51	3	Vertical	0	3.00	42.63	39.18	11.41	34.08
PK	17.12376G	50.41	68.20	-17.79	17.90	3	Vertical	295	1.50	32.51	38.20	12.95	33.25

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42084G	42.53	54.00	-11.47	16.51	3	Horizontal	68	1.50	26.02	39.18	11.41	34.08
PK	11.42864G	53.64	74.00	-20.36	16.51	3	Horizontal	68	1.50	37.13	39.17	11.41	34.07
PK	17.10756G	50.89	68.20	-17.31	17.90	3	Horizontal	144	1.50	32.99	38.20	12.94	33.24

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	46.61	54.00	-7.39	5.36	3	Vertical	352	1.37	41.25	32.90	6.64	34.18
AV	5.7466G	106.50	Inf	-Inf	6.46	3	Vertical	352	1.37	100.04	33.79	6.87	34.20
PK	5.6518G	66.68	69.53	-2.85	5.63	3	Vertical	352	1.37	61.05	33.02	6.80	34.19
PK	5.7502G	118.58	Inf	-Inf	6.47	3	Vertical	352	1.37	112.11	33.80	6.87	34.20
PK	6.0298G	61.12	68.20	-7.08	6.95	3	Vertical	352	1.37	54.17	34.10	7.08	34.23

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	47.28	54.00	-6.72	5.37	3	Horizontal	301	2.17	41.91	32.90	6.64	34.17
AV	5.749G	108.44	Inf	-Inf	6.47	3	Horizontal	301	2.17	101.97	33.80	6.87	34.20
PK	5.6482G	67.12	68.20	-1.08	5.61	3	Horizontal	301	2.17	61.51	33.00	6.80	34.19
PK	5.7514G	121.25	Inf	-Inf	6.48	3	Horizontal	301	2.17	114.77	33.81	6.87	34.20
PK	6.055G	61.88	68.20	-6.32	6.96	3	Horizontal	301	2.17	54.92	34.09	7.10	34.23

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50952G	48.99	54.00	-5.01	16.43	3	Vertical	352	3.00	32.56	39.06	11.44	34.07
PK	11.50868G	59.97	74.00	-14.03	16.44	3	Vertical	352	3.00	43.53	39.07	11.44	34.07
PK	17.27256G	50.59	68.20	-17.61	17.99	3	Vertical	192	1.50	32.60	38.27	13.02	33.30

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50952G	44.53	54.00	-9.47	16.43	3	Horizontal	53	2.70	28.10	39.06	11.44	34.07
PK	11.50184G	55.58	74.00	-18.42	16.47	3	Horizontal	53	2.70	39.11	39.09	11.44	34.06
PK	17.28576G	50.14	68.20	-18.06	18.02	3	Horizontal	95	1.50	32.12	38.29	13.03	33.30

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7818G	107.37	Inf	-Inf	6.68	3	Vertical	352	1.37	100.69	33.99	6.89	34.20
PK	5.6426G	61.89	68.20	-6.31	5.61	3	Vertical	352	1.37	56.28	33.00	6.80	34.19
PK	5.783G	119.15	Inf	-Inf	6.69	3	Vertical	352	1.37	112.46	34.00	6.89	34.20
PK	5.9246G	66.75	68.50	-1.75	7.05	3	Vertical	352	1.37	59.70	34.25	7.01	34.21

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7866G	109.19	Inf	-Inf	6.71	3	Horizontal	305	2.28	102.48	34.02	6.89	34.20
PK	5.603G	63.97	68.20	-4.23	5.58	3	Horizontal	305	2.28	58.39	33.00	6.77	34.19
PK	5.7914G	121.15	Inf	-Inf	6.74	3	Horizontal	305	2.28	114.41	34.05	6.89	34.20
PK	5.9258G	67.30	68.20	-0.90	7.05	3	Horizontal	305	2.28	60.25	34.25	7.01	34.21

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58976G	48.63	54.00	-5.37	16.09	3	Vertical	0	2.97	32.54	38.74	11.47	34.12
PK	11.5924G	60.37	74.00	-13.63	16.08	3	Vertical	0	2.97	44.29	38.73	11.47	34.12
PK	17.40828G	51.10	68.20	-17.10	18.35	3	Vertical	327	1.50	32.75	38.61	13.08	33.34

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58964G	45.29	54.00	-8.71	16.09	3	Horizontal	51	2.69	29.20	38.74	11.47	34.12
PK	11.59228G	56.78	74.00	-17.22	16.08	3	Horizontal	51	2.69	40.70	38.73	11.47	34.12
PK	17.38248G	50.84	68.20	-17.36	18.29	3	Horizontal	171	1.50	32.55	38.55	13.07	33.33

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	52.70	54.00	-1.30	5.37	3	Vertical	330	1.50	47.33	33.10	6.41	34.14
AV	5.218G	97.56	Inf	-Inf	5.37	3	Vertical	330	1.50	92.19	33.06	6.46	34.15
AV	5.356G	48.43	54.00	-5.57	5.30	3	Vertical	330	1.50	43.13	32.90	6.56	34.16
PK	5.145G	67.38	74.00	-6.62	5.37	3	Vertical	330	1.50	62.01	33.10	6.41	34.14
PK	5.221G	109.92	Inf	-Inf	5.37	3	Vertical	330	1.50	104.55	33.06	6.46	34.15
PK	5.371G	61.32	74.00	-12.68	5.31	3	Vertical	330	1.50	56.01	32.90	6.57	34.16

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	52.73	54.00	-1.27	5.37	3	Horizontal	58	1.61	47.36	33.10	6.41	34.14
AV	5.221G	99.07	Inf	-Inf	5.37	3	Horizontal	58	1.61	93.70	33.06	6.46	34.15
AV	5.372G	48.29	54.00	-5.71	5.31	3	Horizontal	58	1.61	42.98	32.90	6.57	34.16
PK	5.15G	65.25	74.00	-8.75	5.37	3	Horizontal	58	1.61	59.88	33.10	6.41	34.14
PK	5.221G	110.67	Inf	-Inf	5.37	3	Horizontal	58	1.61	105.30	33.06	6.46	34.15
PK	5.391G	60.71	74.00	-13.29	5.31	3	Horizontal	58	1.61	55.40	32.90	6.58	34.17

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5808G	39.10	54.00	-14.90	16.57	3	Vertical	1	1.50	22.53	38.74	12.18	34.35
PK	10.46248G	50.39	68.20	-17.81	15.41	3	Vertical	204	1.50	34.98	38.90	11.05	34.54
PK	15.6612G	51.03	74.00	-22.97	16.33	3	Vertical	1	1.50	34.70	38.52	12.23	34.42

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57768G	39.20	54.00	-14.80	16.57	3	Horizontal	163	1.50	22.63	38.74	12.18	34.35
PK	10.42648G	50.71	68.20	-17.49	15.37	3	Horizontal	12	1.01	35.34	38.90	11.04	34.57
PK	15.57144G	50.19	74.00	-23.81	16.58	3	Horizontal	163	1.50	33.61	38.76	12.17	34.35

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.08	54.00	-5.92	5.37	3	Vertical	335	1.46	42.71	33.10	6.41	34.14
AV	5.301G	98.39	Inf	-Inf	5.36	3	Vertical	335	1.46	93.03	33.00	6.52	34.16
AV	5.35G	51.31	54.00	-2.69	5.29	3	Vertical	335	1.46	46.02	32.90	6.55	34.16
PK	5.14G	60.41	74.00	-13.59	5.37	3	Vertical	335	1.46	55.04	33.10	6.41	34.14
PK	5.301G	110.88	Inf	-Inf	5.36	3	Vertical	335	1.46	105.52	33.00	6.52	34.16
PK	5.356G	68.71	74.00	-5.29	5.30	3	Vertical	335	1.46	63.41	32.90	6.56	34.16
PK	5.473G	60.11	68.20	-8.09	5.38	3	Vertical	335	1.46	54.73	32.90	6.66	34.18

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	48.84	54.00	-5.16	5.37	3	Horizontal	63	1.65	43.47	33.10	6.41	34.14
AV	5.281G	100.06	Inf	-Inf	5.36	3	Horizontal	63	1.65	94.70	33.00	6.51	34.15
AV	5.354G	53.07	54.00	-0.93	5.30	3	Horizontal	63	1.65	47.77	32.90	6.56	34.16
PK	5.126G	60.49	74.00	-13.51	5.35	3	Horizontal	63	1.65	55.14	33.10	6.39	34.14
PK	5.281G	111.01	Inf	-Inf	5.36	3	Horizontal	63	1.65	105.65	33.00	6.51	34.15
PK	5.356G	69.30	74.00	-4.70	5.30	3	Horizontal	63	1.65	64.00	32.90	6.56	34.16
PK	5.484G	60.41	68.20	-7.79	5.39	3	Horizontal	63	1.65	55.02	32.90	6.67	34.18

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8928G	39.24	54.00	-14.76	15.98	3	Vertical	141	1.44	23.26	38.21	12.37	34.60
PK	10.5296G	49.90	68.20	-18.30	15.49	3	Vertical	211	1.76	34.41	38.90	11.08	34.49
PK	15.84528G	50.33	74.00	-23.67	16.09	3	Vertical	141	1.44	34.24	38.31	12.34	34.56

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8856G	39.40	54.00	-14.60	16.01	3	Horizontal	246	1.50	23.39	38.23	12.37	34.59
PK	10.5968G	50.37	68.20	-17.83	15.56	3	Horizontal	296	1.41	34.81	38.90	11.10	34.44
PK	15.88752G	50.74	74.00	-23.26	16.00	3	Horizontal	246	1.50	34.74	38.22	12.37	34.59

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.99	54.00	-7.01	5.29	3	Vertical	356	1.61	41.70	32.90	6.55	34.16
AV	5.456G	50.25	54.00	-3.75	5.37	3	Vertical	356	1.61	44.88	32.90	6.64	34.17
AV	5.521G	97.79	Inf	-Inf	5.42	3	Vertical	356	1.61	92.37	32.90	6.70	34.18
PK	5.34G	59.91	68.20	-8.29	5.31	3	Vertical	356	1.61	54.60	32.92	6.55	34.16
PK	5.455G	65.69	74.00	-8.31	5.37	3	Vertical	356	1.61	60.32	32.90	6.64	34.17
PK	5.467G	66.89	68.20	-1.31	5.37	3	Vertical	356	1.61	61.52	32.90	6.65	34.18
PK	5.518G	109.35	Inf	-Inf	5.42	3	Vertical	356	1.61	103.93	32.90	6.70	34.18
PK	5.739G	60.58	68.20	-7.62	6.42	3	Vertical	356	1.61	54.16	33.76	6.86	34.20

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.74	54.00	-7.26	5.29	3	Horizontal	302	2.51	41.45	32.90	6.55	34.16
AV	5.458G	50.78	54.00	-3.22	5.37	3	Horizontal	302	2.51	45.41	32.90	6.64	34.17
AV	5.542G	99.18	Inf	-Inf	5.44	3	Horizontal	302	2.51	93.74	32.90	6.72	34.18
PK	5.302G	59.70	68.20	-8.50	5.36	3	Horizontal	302	2.51	54.34	33.00	6.52	34.16
PK	5.458G	64.76	74.00	-9.24	5.37	3	Horizontal	302	2.51	59.39	32.90	6.64	34.17
PK	5.468G	66.47	68.20	-1.73	5.37	3	Horizontal	302	2.51	61.10	32.90	6.65	34.18
PK	5.557G	111.30	Inf	-Inf	5.46	3	Horizontal	302	2.51	105.84	32.91	6.73	34.18
PK	5.768G	60.31	68.20	-7.89	6.59	3	Horizontal	302	2.51	53.72	33.91	6.88	34.20

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04728G	38.91	54.00	-15.09	16.07	3	Vertical	88	1.50	22.84	38.95	11.27	34.15
PK	11G	50.89	74.00	-23.11	16.09	3	Vertical	88	1.50	34.80	39.00	11.25	34.16
PK	16.62216G	50.77	68.20	-17.43	16.90	3	Vertical	294	1.50	33.87	38.14	12.72	33.96

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0048G	39.02	54.00	-14.98	16.09	3	Horizontal	30	1.50	22.93	39.00	11.25	34.16
PK	11.05376G	50.85	74.00	-23.15	16.07	3	Horizontal	30	1.50	34.78	38.95	11.27	34.15
PK	16.5732G	50.88	68.20	-17.32	16.82	3	Horizontal	8	1.50	34.06	38.18	12.70	34.06

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	48.91	54.00	-5.09	5.37	3	Vertical	354	1.39	43.54	32.90	6.64	34.17
AV	5.621G	99.18	Inf	-Inf	5.59	3	Vertical	354	1.39	93.59	33.00	6.78	34.19
PK	5.459G	60.66	74.00	-13.34	5.36	3	Vertical	354	1.39	55.30	32.90	6.64	34.18
PK	5.467G	61.72	68.20	-6.48	5.37	3	Vertical	354	1.39	56.35	32.90	6.65	34.18
PK	5.621G	111.94	Inf	-Inf	5.59	3	Vertical	354	1.39	106.35	33.00	6.78	34.19
PK	5.752G	65.42	68.20	-2.78	6.48	3	Vertical	354	1.39	58.94	33.81	6.87	34.20

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	48.39	54.00	-5.61	5.37	3	Horizontal	304	2.38	43.02	32.90	6.64	34.17
AV	5.621G	101.40	Inf	-Inf	5.59	3	Horizontal	304	2.38	95.81	33.00	6.78	34.19
PK	5.438G	61.29	74.00	-12.71	5.35	3	Horizontal	304	2.38	55.94	32.90	6.62	34.17
PK	5.47G	62.56	68.20	-5.64	5.37	3	Horizontal	304	2.38	57.19	32.90	6.65	34.18
PK	5.621G	113.08	Inf	-Inf	5.59	3	Horizontal	304	2.38	107.49	33.00	6.78	34.19
PK	5.727G	67.23	68.20	-0.97	6.36	3	Horizontal	304	2.38	60.87	33.71	6.85	34.20

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22816G	39.16	54.00	-14.84	16.25	3	Vertical	9	1.53	22.91	39.03	11.33	34.11
PK	11.21112G	50.63	74.00	-23.37	16.22	3	Vertical	9	1.53	34.41	39.01	11.33	34.12
PK	16.82472G	50.86	68.20	-17.34	17.51	3	Vertical	31	2.52	33.35	38.25	12.82	33.56

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.23872G	38.98	54.00	-15.02	16.27	3	Horizontal	360	1.08	22.71	39.04	11.34	34.11
PK	11.18616G	50.90	74.00	-23.10	16.19	3	Horizontal	360	1.08	34.71	38.99	11.32	34.12
PK	16.82472G	52.35	68.20	-15.85	17.51	3	Horizontal	111	1.50	34.84	38.25	12.82	33.56

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.55	54.00	-6.45	5.36	3	Vertical	352	1.54	42.19	32.90	6.64	34.18
AV	5.6984G	102.11	Inf	-Inf	6.21	3	Vertical	352	1.54	95.90	33.58	6.83	34.20
PK	5.4092G	60.40	74.00	-13.60	5.33	3	Vertical	352	1.54	55.07	32.90	6.60	34.17
PK	5.468G	59.65	68.20	-8.55	5.37	3	Vertical	352	1.54	54.28	32.90	6.65	34.18
PK	5.7008G	114.27	Inf	-Inf	6.24	3	Vertical	352	1.54	108.03	33.60	6.84	34.20
PK	5.858G	65.05	68.20	-3.15	6.87	3	Vertical	352	1.54	58.18	34.13	6.95	34.21

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	47.25	54.00	-6.75	5.37	3	Horizontal	306	2.22	41.88	32.90	6.64	34.17
AV	5.6816G	103.86	Inf	-Inf	6.01	3	Horizontal	306	2.22	97.85	33.38	6.82	34.19
PK	5.432G	59.25	74.00	-14.75	5.35	3	Horizontal	306	2.22	53.90	32.90	6.62	34.17
PK	5.462G	58.96	68.20	-9.24	5.37	3	Horizontal	306	2.22	53.59	32.90	6.65	34.18
PK	5.7164G	114.92	Inf	-Inf	6.32	3	Horizontal	306	2.22	108.60	33.67	6.85	34.20
PK	5.8592G	66.31	68.20	-1.89	6.88	3	Horizontal	306	2.22	59.43	34.14	6.95	34.21

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38216G	44.29	54.00	-9.71	16.49	3	Vertical	0	3.00	27.80	39.18	11.39	34.08
PK	11.37712G	56.98	74.00	-17.02	16.49	3	Vertical	0	3.00	40.49	39.18	11.39	34.08
PK	17.06016G	50.77	68.20	-17.43	17.85	3	Vertical	127	2.04	32.92	38.16	12.92	33.23

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3836G	40.31	54.00	-13.69	16.49	3	Horizontal	70	1.50	23.82	39.18	11.39	34.08
PK	11.32624G	51.46	74.00	-22.54	16.41	3	Horizontal	70	1.50	35.05	39.13	11.37	34.09
PK	17.05032G	50.96	68.20	-17.24	17.84	3	Horizontal	295	1.50	33.12	38.15	12.92	33.23

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7834G	100.30	Inf	-Inf	6.69	3	Vertical	350	1.37	93.61	34.00	6.89	34.20
PK	5.6526G	67.47	70.12	-2.65	5.64	3	Vertical	350	1.37	61.83	33.03	6.80	34.19
PK	5.7858G	112.52	Inf	-Inf	6.70	3	Vertical	350	1.37	105.82	34.01	6.89	34.20
PK	5.9274G	62.36	68.20	-5.84	7.05	3	Vertical	350	1.37	55.31	34.25	7.01	34.21

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7666G	102.21	Inf	-Inf	6.58	3	Horizontal	302	2.15	95.63	33.90	6.88	34.20
PK	5.6502G	67.22	68.35	-1.13	5.61	3	Horizontal	302	2.15	61.61	33.00	6.80	34.19
PK	5.7786G	113.92	Inf	-Inf	6.66	3	Horizontal	302	2.15	107.26	33.97	6.89	34.20
PK	5.9286G	62.96	68.20	-5.24	7.04	3	Horizontal	302	2.15	55.92	34.24	7.01	34.21

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.546888G	42.02	54.00	-11.98	16.27	3	Vertical	0	2.98	25.75	38.91	11.45	34.09
PK	11.56872G	54.03	74.00	-19.97	16.19	3	Vertical	0	2.98	37.84	38.83	11.46	34.10
PK	17.37996G	50.94	68.20	-17.26	18.28	3	Vertical	20	1.50	32.66	38.54	13.07	33.33

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54928G	40.37	54.00	-13.63	16.26	3	Horizontal	54	1.50	24.11	38.90	11.45	34.09
PK	11.5548G	52.21	74.00	-21.79	16.25	3	Horizontal	54	1.50	35.96	38.88	11.46	34.09
PK	17.3538G	50.44	68.20	-17.76	18.20	3	Horizontal	40	1.50	32.24	38.46	13.06	33.32



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1.	Pass	AV	14.47194G	52.56	54.00	-1.44	Vertical



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Height (m)	Comments
Mode 1.	Pass	AV	4.83864G	27.86	54.00	-26.14	3	Vertical	1.50	-
Mode 1.	Pass	AV	11.4888G	46.99	54.00	-7.01	3	Vertical	2.97	-
Mode 1.	Pass	AV	12.05916G	42.99	54.00	-11.01	3	Vertical	1.69	-
Mode 1.	Pass	AV	14.47194G	52.56	54.00	-1.44	3	Vertical	1.93	-
Mode 1.	Pass	PK	4.83216G	41.51	74.00	-32.49	3	Vertical	1.50	-
Mode 1.	Pass	PK	11.48382G	59.76	74.00	-14.24	3	Vertical	2.97	-
Mode 1.	Pass	PK	12.0615G	54.04	74.00	-19.96	3	Vertical	1.69	-
Mode 1.	Pass	PK	14.47188G	59.06	74.00	-14.94	3	Vertical	1.93	-
Mode 1.	Pass	PK	17.24022G	53.68	68.20	-14.52	3	Vertical	1.59	-
Mode 1.	Pass	AV	4.83788G	27.79	54.00	-26.21	3	Horizontal	1.25	-
Mode 1.	Pass	AV	11.49204G	41.55	54.00	-12.45	3	Horizontal	2.36	-
Mode 1.	Pass	AV	12.06072G	42.41	54.00	-11.59	3	Horizontal	1.69	-
Mode 1.	Pass	AV	14.47188G	50.42	54.00	-3.58	3	Horizontal	1.59	-
Mode 1.	Pass	PK	4.83768G	41.58	74.00	-32.42	3	Horizontal	1.25	-
Mode 1.	Pass	PK	11.48586G	55.65	74.00	-18.35	3	Horizontal	2.36	-
Mode 1.	Pass	PK	12.0576G	54.55	74.00	-19.45	3	Horizontal	1.69	-
Mode 1.	Pass	PK	14.472G	58.74	74.00	-15.26	3	Horizontal	1.59	-
Mode 1.	Pass	PK	17.22834G	53.63	68.20	-14.57	3	Horizontal	2.84	-

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.83864G	27.86	54.00	-26.14	0.66	3	Vertical	0	1.50	-	27.20	32.73	5.31	37.38
AV	11.4888G	46.99	54.00	-7.01	10.04	3	Vertical	341	2.97	-	36.95	39.38	8.57	37.91
AV	12.05916G	42.99	54.00	-11.01	10.16	3	Vertical	324	1.69	-	32.83	39.30	8.83	37.97
AV	14.47194G	52.56	54.00	-1.44	12.02	3	Vertical	47	1.93	-	40.54	40.44	9.63	38.05
PK	4.83216G	41.51	74.00	-32.49	0.60	3	Vertical	0	1.50	-	40.91	32.69	5.30	37.39
PK	11.48382G	59.76	74.00	-14.24	10.03	3	Vertical	341	2.97	-	49.73	39.37	8.57	37.91
PK	12.0615G	54.04	74.00	-19.96	10.16	3	Vertical	324	1.69	-	43.88	39.30	8.83	37.97
PK	14.47188G	59.06	74.00	-14.94	12.02	3	Vertical	47	1.93	-	47.04	40.44	9.63	38.05
PK	17.24022G	53.68	68.20	-14.52	10.31	3	Vertical	17	1.59	-	43.37	37.88	10.58	38.15

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.83788G	27.79	54.00	-26.21	0.66	3	Horizontal	173	1.25	-	27.13	32.73	5.31	37.38
AV	11.49204G	41.55	54.00	-12.45	10.04	3	Horizontal	62	2.36	-	31.51	39.38	8.57	37.91
AV	12.06072G	42.41	54.00	-11.59	10.16	3	Horizontal	301	1.69	-	32.25	39.30	8.83	37.97
AV	14.47188G	50.42	54.00	-3.58	12.02	3	Horizontal	0	1.59	-	38.40	40.44	9.63	38.05
PK	4.83768G	41.58	74.00	-32.42	0.66	3	Horizontal	173	1.25	-	40.92	32.73	5.31	37.38
PK	11.48586G	55.65	74.00	-18.35	10.03	3	Horizontal	62	2.36	-	45.62	39.37	8.57	37.91
PK	12.0576G	54.55	74.00	-19.45	10.16	3	Horizontal	301	1.69	-	44.39	39.30	8.83	37.97
PK	14.472G	58.74	74.00	-15.26	12.02	3	Horizontal	0	1.59	-	46.72	40.44	9.63	38.05
PK	17.22834G	53.63	68.20	-14.57	10.29	3	Horizontal	143	2.84	-	43.34	37.86	10.58	38.15