



Request Letter

Subject:

Reuse the test data of authorized equipment

Applicant: Hewlett Packard Enterprise

Dear Sirs,

This is to request for reference the test data of authorized device (FCC ID: Q9DASIN0306, Original Grant Date: 12/11/2023).

Mark Hill
Regulatory Compliance Engineer
Hewlett Packard Enterprise Company

mhill@hpe.com
+1 408 8070476 Office

For new device (FCC ID: Q9DASIN0305, M/N: ASIN0305), their differences are as follows.

Parts of Product	Modification
PCB	Remove LTE/GPS module and its antenna & Remove the super-capacitor
Others	No Change

According to the declaration above, this new device will reuse the test data of the original device. Spot checks were performed according to KDB 484596 D01v02, details of reuse data refer to table as below.

Frequency and Part Rules	Test Items	Original report No.	New report No.	Spot check message
5180-5320MHz, 5500-5825MHz, FCC 15.407	Occupied Bandwidth	2306RSU027-U4	2306RSU027-U14	Data Referencing
	Output Power			Data Referencing
	Transmit Power Control			Data Referencing
	Peak Power Spectral Density			Data Referencing
	Radiated Spurious Emission and Band Edge			Data Referencing with spot check
	AC Conducted Emissions 150kHz - 30MHz			Data Referencing
	DFS	2306RSU027-U10	2306RSU027-U18	Data Referencing
2402-2480MHz, FCC 15.247	Occupied Bandwidth	2306RSU027-U1	2306RSU027-U11	Data Referencing
	Output Power			Data Referencing
	Power Spectral Density			Data Referencing
	Band Edge / Out-of-Band Emissions			Data Referencing
	Radiated Spurious Emission and Band Edge			Data Referencing with spot check



Hewlett Packard Enterprise

Mark Hill
Regulatory Compliance Engineer
Hewlett Packard Enterprise Company

mhill@hpe.com
+1 408 8070476 Office

	AC Conducted Emissions 150kHz - 30MHz			Data Referencing
2405-2475MHz, FCC 15.247	Occupied Bandwidth	2306RSU027-U2	2306RSU027-U12	Data Referencing
	Output Power			Data Referencing
	Power Spectral Density			Data Referencing
	Band Edge / Out-of-Band Emissions			Data Referencing
	Radiated Spurious Emission and Band Edge			Data Referencing with spot check
	AC Conducted Emissions 150kHz - 30MHz			Data Referencing
5845-5885MHz, FCC 15.407	26dB Bandwidth	2306RSU027-U5	2306RSU027-U15	Data Referencing
	Occupied Bandwidth			Data Referencing
	Output Power			Data Referencing
	Peak Power Spectral Density			Data Referencing
	Radiated Spurious Emission and Band Edge			Data Referencing with spot check
	AC Conducted Emissions 150kHz - 30MHz			Data Referencing
2412-2462MHz, Part 15.247	6dB Bandwidth	2306RSU027-U3	2306RSU027-U13	Data Referencing
	Output Power			Data Referencing
	Power Spectral Density			Data Referencing
	Band Edge / Out-of-Band Emissions			Data Referencing
	Radiated Spurious Emission and Band Edge			Data Referencing with spot check
	AC Conducted Emissions 150kHz - 30MHz			Data Referencing
5955-7095MHz, FCC 15.407	Occupied Bandwidth	2306RSU027-U6	2306RSU027-U16	Data Referencing
	In-Band Emission			Data Referencing
	Frequency Stability			Data Referencing
	Contention-Based Protocol			Data Referencing
	Maximum Equivalent			Data Referencing

6280 America Center Drive
San Jose, CA 95002
USA



Hewlett Packard Enterprise

Mark Hill
Regulatory Compliance Engineer
Hewlett Packard Enterprise Company

mhill@hpe.com
+1 408 8070476 Office

	Isotopically Radiated Power			
	Peak Power Spectral Density (E.I.R.P)			Data Referencing
	Unwanted Emissions			Data Referencing
	General Field Strength (Restricted Bands and Radiated Emission)			Data Referencing with spot check
	AC Conducted Emissions 150kHz - 30MHz			Data Referencing

If you have any questions regarding this application, please feel free to contact me.

Sincerely,

Name: Mark Hill
Position: Regulatory Compliance Engineer
Hewlett Packard Enterprise Company
2023-12-16