




PART NUMBER BLOCK	
PART NUMBER	REV

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
	RELEASE TO FILE		




- NOTES:
- MATERIAL: SILVER MATT PET,T=0.05, BACKSIDE ADHESIVE MATERIAL
  - COLOR:
    - COLOR OF BASE: MATERIAL PRIMARY
    - COLOR OF FONT: BLACK
  - TEMPERATURE RESISTANT= 80°C.
  - ADHESIVE THICKNESS=0.024±0.003mm.
  - UL APPROVED INK & MATERIAL
  - REQUIREMENT FOR ADHESIVE GLUE: 3M-467



		UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN mm AND TOLERANCES ARE:					
		INTEGRAL DIMENSIONS ± 0.5 1 PLACE DECIMAL ± 0.3	ANGULAR DIMENSIONS ± 2° HOLES UNDER φ 5.00 ± 0.2				
		MATERIAL: SEE NOTES			DWG TITLE		
		FINISH: SEE NOTES			LABEL,DEVICE,ARUBA,MSR1K2SN0		
		THIRD ANGLE PROJECTION	DRAWN		SIZE	DWG NO.	REV
NEXT ASSY	USED ON		ENGR		A4		P0
APPLICATION			APVD		SCALE	1/1	SHEET 1 OF 1

PART NUMBER BLOCK	
PART NUMBER	REV

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
	RELEASE TO FILE		




- NOTES:
- MATERIAL: SILVER MATT PET,T=0.05, BACKSIDE ADHESIVE MATERIAL
  - COLOR:
    - COLOR OF BASE: MATERIAL PRIMARY
    - COLOR OF FONT: BLACK
  - TEMPERATURE RESISTANT= 80°C.
  - ADHESIVE THICKNESS=0.024±0.003mm.
  - UL APPROVED INK & MATERIAL
  - REQUIREMENT FOR ADHESIVE GLUE: 3M-467

		UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN mm AND TOLERANCES ARE:					
		INTEGRAL DIMENSIONS ± 0.5 1 PLACE DECIMAL ± 0.3	ANGULAR DIMENSIONS ± 2° HOLES UNDER φ 5.00 ± 0.2				
		MATERIAL: SEE NOTES			<b>LABEL,DEVICE,ARUBA,MSR1K2SN0</b>		
		FINISH: SEE NOTES					
		THIRD ANGLE PROJECTION	DRAWN		SIZE	DWG NO.	REV
NEXT ASSY	USED ON		ENGR		<b>A4</b>		<b>P0</b>
APPLICATION			APVD		SCALE	1/1	SHEET 1 OF 1

PART NUMBER BLOCK	
PART NUMBER	REV

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
	RELEASE TO FILE		



- NOTES:
1. MATERIAL: SILVER MATT PET, T=0.05, BACKSIDE ADHESIVE MATERIAL
  2. COLOR:
    - a. COLOR OF BASE: MATERIAL PRIMARY
    - b. COLOR OF FONT: BLACK
  3. TEMPERATURE RESISTANT= 80°C.
  4. ADHESIVE THICKNESS=0.024±0.003mm.
  5. UL APPROVED INK & MATERIAL
  6. REQUIREMENT FOR ADHESIVE GLUE: 3M-467

		UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN mm AND TOLERANCES ARE:		<b>ARUBA</b> networks		
		INTEGRAL DIMENSIONS ± 0.5 1 PLACE DECIMAL ± 0.3	ANGULAR DIMENSIONS ± 2° HOLES UNDER φ 5.00 ± 0.2			
		MATERIAL: SEE NOTES		DWG TITLE		
		FINISH: SEE NOTES		<b>LABEL, DEVICE, ARUBA, MSR1K2SN0</b>		
		THIRD ANGLE PROJECTION	DRAWN	SIZE <b>A4</b>	DWG NO.	REV <b>P0</b>
NEXT ASSY	USED ON		ENGR			
APPLICATION			APVD	SCALE	1/1	SHEET 1 OF 1



ARUBA NETWORKS, INC.  
MODEL: MSR1220N  
FCC ID: QSDMSR1200N  
IC: 4675A-MSR1200N  
SPEC: 48V --- 0.25A

25  
E0218  
MADE IN CHINA  
SN: XXXXXXXXXXXX  
MAC: XXXXXXXXXXXX

The device complies with Part 15 of the FCC Rules.  
Operation is subject to the following two conditions:  
(1) the device may not cause harmful interference, and  
(2) the device must accept any interference received,  
including interference that may cause undesired operation.