

hp

REF -20.0 dBm

AT 10 dB

MKR 78.500 msec


-29.99 dBm

PEAK

LOG

10

dB/



For 50% duty cycle,

Average Factor within 100ms

$$= \frac{79 \times 0.5 + 0.5}{100}$$

$$= \frac{40}{100}$$

$$= 0.4 \text{ or } -7.9 \text{ dB}$$

WA SB

SC VS

CORR

CENTER 433.824 MHz

#RES BW 3.0 MHz

#VBW 3 MHz

SPAN 0 Hz

#SWP 100 msec

hp

REF -20.0 dBm

AT 10 dB

PEAK

LOG


10

dB/

WA SB

SC VC

CORR



CENTER 433.824 MHz

#RES BW 3.0 MHz

#VBW 3 MHz

SPAN 0 Hz

#SWP 15.0 msec

HP

REF 87.0 dB μ V

AT 10 dB

PEAK

LOG


10

dB/

VA SB

SC VC

CORR



CENTER 433.824 MHz

#RES BW 3.0 MHz

#VBW 3 MHz

SPAN 0 Hz

#SWP 350 msec

hp

REF -20.0 dBm

AT 10 dB

MKR 330.00 msec

-28.20 dBm

PEAK

LOG


10

dB/

WA SB

SC VS

CORR



CENTER 433.824 MHz

#RES BW 3.0 MHz

#VBW 3 MHz

SPAN 0 Hz

#SWP 1.00 sec

hp

REF -20.0 dBm

AT 10 dB

silent Period
About 3min

PEAK

LOG


10

dB/

WA SB

SC VS

CORR



CENTER 433.824 MHz

#RES BW 3.0 MHz

#VBW 3 MHz

SPAN 0 Hz

#SWP 100 sec