

ANNEX 1 - 26 dB Bandwidth Measurements

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 7


FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 1 (1), Tx Frequency: 5.735 MHz, Power Output: -24 dBm
Modulation: [] BPSK (9Mb/s), [x] QPSK (18Mb/s), [] 16QAM (36Mb/s), [] 64QAM (54Mb/s)
26 dB BANDWIDTH

Date: June 03 2002
Tested by: Hung Trinh

PLOT # 7



ANNEX 1 - 26 dB Bandwidth Measurements

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 8


FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 5 (3) Tx Frequency: 5.775 MHz, Power Output: 26.5 dBm
Modulation: [] BPSK (9Mb/s), [x] QPSK (18Mb/s), [] 16QAM (36Mb/s), [] 64QAM (54Mb/s)
26 dB BANDWIDTH

Date: June 6, 2002
Tested by: Hung Trinh

PLOT # 8



ANNEX 1 - 26 dB Bandwidth Measurements

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 9


FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 9 (5), Tx Frequency: 5815 MHz, Power Output: -7.4 dBm
Modulation: [] BPSK (9Mb/s), [☒] QPSK (18Mb/s), [] 16QAM (36Mb/s), [] 64QAM (54Mb/s)
26 dB BANDWIDTH

Date: June 03, 2002
Tested by: Hung Trinh

PLOT # 9



ANNEX 1 - 26 dB Bandwidth Measurements

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 10


FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 1(1), Tx Frequency: 5735 MHz, Power Output: -38 dBm
Modulation: [X] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [] 64QAM (54Mb/s)
26 dB BANDWIDTH

Date: June 03 2002
Tested by: Hung Trinh

PLOT #10



ANNEX 1 - 26 dB Bandwidth Measurements

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 11


FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 5 (A), Tx Frequency: 5.7757 MHz, Power Output: 20.5 dBm
Modulation: ☒ BPSK (9Mb/s), ☐ QPSK (18Mb/s), ☐ 16QAM (36Mb/s), ☐ 64QAM (54Mb/s)
26 dB BANDWIDTH

Date: June 26 2002
Tested by: Hung Trinh

PLOT # 11



ANNEX 1 - 26 dB Bandwidth Measurements

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 12

FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 9 (9), Tx Frequency: 5815 MHz, Power Output: -74 dBm
Modulation: [☒] BPSK (9Mb/s), [☐] QPSK (18Mb/s), [☐] 16QAM (36Mb/s), [☐] 64QAM (54Mb/s)
26 dB BANDWIDTH

Date: June 12, 2002
Tested by: Hung Trinh

PLOT # 12/

