

ANNEX 1 - Peak Power Spectral Density

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 13

FCC ID: QC8-AN50




REDLINE COMMUNICATIONS INC.

UNII DEVICES, MODEL: AN 50

Channel: 1(1), Tx Frequency: 5745 MHz, Power Output: -18 dBm
Modulation: [] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [x] 64QAM (54Mb/s)
PEAK POWER SPECTRAL DENSITY

Date: June 06 2002
Tested by: Hung Trinh

PLOT # 13



ANNEX 1 - Peak Power Spectral Density

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 14

FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.


UNII DEVICES, MODEL: AN 50

Channel: 5 (3), Tx Frequency: 5775 MHz, Power Output: -18.6 dBm
Modulation: [] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [x] 64QAM (54Mb/s)

PEAK POWER SPECTRAL DENSITY

Date: June 06 2002
Tested by: Hung Trinh

PLOT # 14



ANNEX 1 - Peak Power Spectral Density

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 15


FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 9 (5), Tx Frequency: 5815 MHz, Power Output: -18.6 dBm
Modulation: [] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [x] 64QAM (54Mb/s)
PEAK POWER SPECTRAL DENSITY

Date: June 6, 2002
Tested by: Hung Trinh

PLOT # 15



ANNEX 1 - Peak Power Spectral Density

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 16


FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 1(1), Tx Frequency: 5735 MHz, Power Output: -24 dBm
Modulation: [] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [x] 64QAM (54Mb/s)
PEAK POWER SPECTRAL DENSITY

Date: June 06 2002
Tested by: Hung Trinh

PLOT # 16



ANNEX 1 - Peak Power Spectral Density

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 17

FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.

UNII DEVICES, MODEL: AN 50


Channel: 2 (14), Tx Frequency: 5.745 MHz, Power Output: 10.0 dBm

Modulation: [] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [x] 64QAM (54Mb/s)

PEAK POWER SPECTRAL DENSITY

Date: June 06 2002
Tested by: Hung Trinh

PLOT # 17



ANNEX 1 - Peak Power Spectral Density

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 18


FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 3(3), Tx Frequency: 5755 MHz, Power Output: 17.3 dBm
Modulation: [] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [x] 64QAM (54Mb/s)
PEAK POWER SPECTRAL DENSITY

Date: June 28 2002
Tested by: Hung Trinh

PLOT # 18



ANNEX 1 - Peak Power Spectral Density

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 19

FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 4 (3A), Tx Frequency: 5765 MHz, Power Output: 30 dBm
Modulation: [] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [x] 64QAM (54Mb/s)
PEAK POWER SPECTRAL DENSITY

Date: June 06 2002
Tested by: Hung Trinh

PLOT # 19

