

ANNEX 1 - Tx Spurious/Harmonic Emissions at Antenna Terminal(Conducted)

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 83


FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 1(1), Tx Frequency: 5735 MHz, Power Output: -74 dBm
Modulation: [] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [] 64QAM (54Mb/s)
Transmitter Antenna Power Conducted Emissions

Date: June 07 2002
Tested by: Hung Trinh

PLOT #83



ANNEX 1 - Tx Spurious/Harmonic Emissions at Antenna Terminal(Conducted)

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 84


FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 111, Tx Frequency: 5.735 MHz, Power Output: -22 dBm
Modulation: [] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [x] 64QAM (54Mb/s)
Transmitter Antenna Power Conducted Emissions

Date: June 07 2002
Tested by: Hung Trinh

PLOT # 84



ANNEX 1 - Tx Spurious/Harmonic Emissions at Antenna Terminal(Conducted)

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 85


FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 1 (1), Tx Frequency: 5.735 MHz, Power Output: -34 dBm
Modulation: [] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [x] 64QAM (54Mb/s)
Transmitter Antenna Power Conducted Emissions

Date: June 02 2002
Tested by: Hung Trinh

PLOT # 85



ANNEX 1 - Tx Spurious/Harmonic Emissions at Antenna Terminal(Conducted)

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 86


FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 111, Tx Frequency: 5735 MHz, Power Output: -7.4 dBm
Modulation: [] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [x] 64QAM (54Mb/s)
Transmitter Antenna Power Conducted Emissions

Date: June 02 2002
Tested by: Hung Trinh

PLOT # 86



ANNEX 1 - Tx Spurious/Harmonic Emissions at Antenna Terminal(Conducted)

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 87


FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 5735, Tx Frequency: 5775 MHz, Power Output: 20 dBm
Modulation: [] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [x] 64QAM (54Mb/s)
Transmitter Antenna Power Conducted Emissions

Date: June 07 2002
Tested by: Hung Trinh

PLOT #87



ANNEX 1 - Tx Spurious/Harmonic Emissions at Antenna Terminal(Conducted)

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 88

FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 5(3), Tx Frequency: 5775 MHz, Power Output: 20.50 dBm
Modulation: [] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [x] 64QAM (54Mb/s)
Transmitter Antenna Power Conducted Emissions

Date: June 07 2002
Tested by: Hung Trinh

PLOT # 88

