

ANNEX 1 - Tx Spurious/Harmonic Emissions at Antenna Terminal(Conducted)

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 95


FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 1(1), Tx Frequency: 5.735 MHz, Power Output: -46.6 dBm
Modulation: [] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [] 64QAM (54Mb/s)
Transmitter Antenna Power Conducted Emissions

Date: June 02 2002
Tested by: Hung Trinh

Plot # 95



ANNEX 1 - Tx Spurious/Harmonic Emissions at Antenna Terminal(Conducted)

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 96


FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 10, Tx Frequency: 5735 MHz, Power Output: -43.0 dBm
Modulation: [] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [x] 64QAM (54Mb/s)
Transmitter Antenna Power Conducted Emissions

Date: June 07 2002
Tested by: Hung Trinh

PLOT # 96



ANNEX 1 - Tx Spurious/Harmonic Emissions at Antenna Terminal(Conducted)

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 97


FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 1 (1) Tx Frequency: 5735 MHz, Power Output: -12.6 dBm
Modulation: [] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [x] 64QAM (54Mb/s)
Transmitter Antenna Power Conducted Emissions

Date: June 07 2002
Tested by: Hung Trinh

PLOT # 97



ANNEX 1 - Tx Spurious/Harmonic Emissions at Antenna Terminal(Conducted)

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 98


FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 1(1) Tx Frequency: 5735 MHz, Power Output: -54.84 dBm
Modulation: [] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [] 64QAM (54Mb/s)
Transmitter Antenna Power Conducted Emissions

Date: June 07 2002
Tested by: Hung Trinh

PLOT # 98



ANNEX 1 - Tx Spurious/Harmonic Emissions at Antenna Terminal(Conducted)

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 99


FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 5(3) Tx Frequency: 5775 MHz, Power Output: -83.78 dBm
Modulation: [] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [x] 64QAM (54Mb/s)
Transmitter Antenna Power Conducted Emissions

Date: June 02 2002
Tested by: Hung Trinh

PLOT #99



ANNEX 1 - Tx Spurious/Harmonic Emissions at Antenna Terminal(Conducted)

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 100

FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 5(3), Tx Frequency: 5.775 MHz, Power Output: -18.6 dBm
Modulation: [] BPSK (0Mb/s), [] QPSK (18Mb/s), [] 16QAM (35Mb/s), [x] 64QAM (54Mb/s)
Transmitter Antenna Power Conducted Emissions

Date: June 07 2002
Tested by: Hung Trinh

PLOT #100

