



IDQX65-1

LCD MONITOR

Made in China

HDMITM
HIGH-DEFINITION MULTIMEDIA INTERFACE

 100-240V~, 6.1-2.7A, 50/60Hz
 100-240V~, 2.5-1.1A, 50/60Hz, 250W

CAN ICES-003(A) / NMB-003(A)


Contains IC: 24278-SKIWB921AU1, IC: 4302A-IDNMOD1, and IC: 4302A-IDQXMOD1


Contains FCC ID: 2AR82-SKIWB921AU1, FCC ID: QCI-IDNMOD1, and FCC ID: QCI-IDQXMOD1

USB3.0: 5V --- 0.9A

Service 1: 5V --- 0.5A

Service 2: 5V --- 0.9A

 5V --- 0.9A

 5V --- 0.9A

USB-C 1: 5V --- 3A

USB-C 2: 5V --- 3.0A / 9V --- 3.0A / 12V --- 3.0A
15V --- 3.0A / 20V --- 3.25A

VARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.

ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKKPROP SKAL TILSLUTTET EN STIKKONTAKT MED JORD, SOM GIVER FORBINDELSE TIL STIKKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

© 2022 SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.

smarttech.com/support

smarttech.com/compliance

smarttech.com/patents

この装置は、クラスA情報技術装置です。この装置を家庭環境で使用すると電波妨害を引き起こすことがあります。この場合には使用者が適切な対策を講ずるよう要求されることがあります。 VCCI-A



I.T.E.
64RJ
E364616



SMART Board **SMART**
SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1,
CANADA



103xxxx - 0x

IDQX75-1

LCD MONITOR

Made in China

HDMITM
HIGH-DEFINITION MULTIMEDIA INTERFACE

 100-240V~, 6.3-2.7A, 50/60Hz
 100-240V~, 2.5-1.1A, 50/60Hz, 250W

この装置は、クラスA情報技術装置です。この装置を家庭環境で使用すると電波妨害を引き起こすことがあります。この場合には使用者が適切な対策を講ずるよう要求されることがあります。
VCCI-A

CAN ICES-003(A) / NMB-003(A)


Contains IC: 24278-SKIWB921AU1, IC: 4302A-IDNMOD1, and IC: 4302A-IDQXMOD1


Contains FCC ID: 2AR82-SKIWB921AU1, FCC ID: QCI-IDNMOD1, and FCC ID: QCI-IDQXMOD1

USB3.0: 5V --- 0.9A

Service 1: 5V --- 0.5A

Service 2: 5V --- 0.9A

 5V --- 0.9A

 5V --- 0.9A

USB-C 1: 5V --- 3A

USB-C 2: 5V --- 3.0A / 9V --- 3.0A / 12V --- 3.0A
15V --- 3.0A / 20V --- 3.25A

VARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.

ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKKPROP SKAL TILSLUTTET EN STIKKONTAKT MED JORD, SOM GIVER FORBINDELSE TIL STIKKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

© 2022 SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.

smarttech.com/support
smarttech.com/compliance
smarttech.com/patents



SMART Board® SMART®
SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1,
CANADA

103xxxx -0x



IDQX86-1

LCD MONITOR

Made in China

HDMI™
HIGH-DEFINITION MULTIMEDIA INTERFACE

この装置は、クラスA情報技術装置です。この装置を家庭環境で使用すると電波妨害を引き起こすことがあります。この場合には使用者が適切な対策を講ずるよう要求されることがあります。
VCCI-A

 100-240V~, 7.7-3.1A, 50/60Hz
 100-240V~, 2.5-1.1A, 50/60Hz, 250W

CAN ICES-003(A) / NMB-003(A)


Contains IC: 24278-SKIWB921AU1, IC: 4302A-IDNMOD1, and IC: 4302A-IDQXMOD1


Contains FCC ID: 2AR82-SKIWB921AU1, FCC ID: QCI-IDNMOD1, and FCC ID: QCI-IDQXMOD1

USB3.0: 5V --- 0.9A

Service 1: 5V --- 0.5A

Service 2: 5V --- 0.9A

 5V --- 0.9A

 5V --- 0.9A

USB-C 1: 5V --- 3A

USB-C 2: 5V --- 3.0A / 9V --- 3.0A / 12V --- 3.0A
15V --- 3.0A / 20V --- 3.25A

WARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.

ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKKPROP SKAL TILSLUTTES EN STIKKONTAKT MED JORD, SOM GIVER FORBINDELSE TIL STIKKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

© 2022 SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.

smarttech.com/support

smarttech.com/compliance

smarttech.com/patents



I.T.E.
64RJ
E364616



SMART Board SMART

SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1,
CANADA

103xxxx -0x

IDX55-4

55" LCD MONITOR

Made in China

HDMI™
HIGH-DEFINITION MULTIMEDIA INTERFACE

Input: 100-240V~, 4.0-1.75A, 50/60Hz

CAUTION

RISK OF ELECTRIC SHOCK. DO NOT OPEN.
RISQUE D'ELECTROCUTION. NE PAS OUVRIR.

CAN ICES-003 (A) / NMB-003 (A)


Contains FCC ID: QCI-IDNMOD1 and FCC ID: 2AR82-SKIWB921AU1


Contains IC: 4302A-IDNMOD1 and IC: 24728-SKIWB921AU1

USB3.0: 5V --- 0.9A

Service 1: 5V - 0.5A

Service 2: 5V - 0.9A

 5V --- 0.9A

 5V --- 0.9A

USB-C 1: 5V - 3A

USB-C 2: 5V - 3A / 9V - 3A / 12V-- 3A / 15V- 3A / 20V-- 3.25A

VARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.

ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA
VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKKPROP SKAL TILSLUTTES EN STIKKONTAKT
MED JORD, SOM GIVER FORBINDELSE TIL STIKKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation

SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.



I.T.E.
64RJ
E364616



UK
CA



SMART Board® SMART
SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1, CANADA

smarttech.com/support • smarttech.com/compliance • smarttech.com/patents

1038833-02

IDX65-4

65" LCD MONITOR

Made in China



Input: 100-240V~, 4.25-2.0A, 50/60Hz

CAUTION

RISK OF ELECTRIC SHOCK. DO NOT OPEN.
RISQUE D'ELECTROCUTION. NE PAS OUVRIR.

CAN ICES-003 (A) / NMB-003 (A)


Contains FCC ID: QCI-IDNMOD1 and FCC ID: 2AR82-SKIWB921AU1


Contains IC: 4302A-IDNMOD1 and IC: 24728-SKIWB921AU1

USB3.0: 5V \equiv 0.9A

Service 1: 5V \equiv 0.5A

Service 2: 5V \equiv 0.9A

 5V \equiv 0.9A

 5V \equiv 0.9A

USB-C 1: 5V \equiv 3A

USB-C 2: 5V \equiv 3A / 9V \equiv 3A / 12V \equiv 3A / 15V \equiv 3A / 20V \equiv 3.25A

WARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.

ADVARSEL: APPARATET MÅ TILKOLES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA
VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKKPROP SKAL TILSLUTTES EN STIKKONTAKT
MED JORD, SOM GIVER FORBINDELSE TIL STIKKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation

SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.

HDMI™
HIGH-DEFINITION MULTIMEDIA INTERFACE



LISTED

I.T.E.
64RJ
E364616



UK
CA



SMART Board® SMART®

SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1, CANADA

smarttech.com/support • smarttech.com/compliance • smarttech.com/patents

1038838-02

IDX75-4

75" LCD MONITOR

Made in China



Input: 100-240V~, 5.75-2.5A, 50/60Hz

CAUTION

RISK OF ELECTRIC SHOCK. DO NOT OPEN.
RISQUE D'ELECTROCUTION. NE PAS OUVRIR.

CAN ICES-003 (A) / NMB-003 (A)


Contains FCC ID: QCI-IDNMOD1 and FCC ID: 2AR82-SKIWB921AU1

Contains IC: 4302A-IDNMOD1 and IC: 24728-SKIWB921AU1

USB3.0: 5V \Rightarrow 0.9A

Service 1: 5V \Rightarrow 0.5A

Service 2: 5V \Rightarrow 0.9A

 5V \Rightarrow 0.9A

 5V \Rightarrow 0.9A

USB-C 1: 5V \Rightarrow 3A

USB-C 2: 5V \Rightarrow 3A / 9V \Rightarrow 3A / 12V \Rightarrow 3A / 15V \Rightarrow 3A / 20V \Rightarrow 3.25A

WARNING: APPARATEN SKALL ANSLUTAS TILL JORDÅT UTTAG.

ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA
VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKKPROP SKAL TILSLUTTET EN STIKKONTAKT
MED JORD, SOM GIVER FORBINDELSE TIL STIKKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation

SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.

HDMI™
HIGH-DEFINITION MULTIMEDIA INTERFACE



LISTED

I.T.E.
64RJ
E364616



UK
CA



SMART Board® SMART

SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1, CANADA

smarttech.com/support • smarttech.com/compliance • smarttech.com/patents

1038843-02

IDX86-4

86" LCD MONITOR

Made in China



Input: 100-240V~, 6.25-2.8A, 50/60Hz

CAUTION

RISK OF ELECTRIC SHOCK. DO NOT OPEN.
RISQUE D'ELECTROCUTION. NE PAS OUVRIR.

CAN ICES-003 (A) / NMB-003 (A)

Contains FCC ID: QCI-IDNMOD1 and FCC ID: 2AR82-SKIWB921AU1

Contains IC: 4302A-IDNMOD1 and IC: 24728-SKIWB921AU1

USB3.0: 5V \equiv 0.9A

Service 1: 5V \equiv 0.5A

Service 2: 5V \equiv 0.9A

5V \equiv 0.9A

5V \equiv 0.9A

USB-C 1: 5V \equiv 3A

USB-C 2: 5V \equiv 3A / 9V \equiv 3A / 12V \equiv 3A / 15V \equiv 3A / 20V \equiv 3.25A

VARNING: APPARATEN SKALL ANSLUTAS TILL JORDÅT UTTAG.

ADVARSEL: APPARATET MÅ TILKOPLSES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA
VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKKPROP SKAL TILSLUTTES EN STIKKONTAKT
MED JORD, SOM GIVER FORBINDELSE TIL STIKKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation

SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.



LISTED

I.T.E.

64RJ

E364616



SMART Board® SMART®

SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1, CANADA

smarttech.com/support • smarttech.com/compliance • smarttech.com/patents

1038848-02

SBID-MX055-V4

55" LCD MONITOR

Made in China

HDMITM
HIGH-DEFINITION MULTIMEDIA INTERFACE

Input: 100-240V~, 4.0-1.75A, 50/60Hz

CAUTION

RISK OF ELECTRIC SHOCK. DO NOT OPEN.
RISQUE D'ELECTROCUTION. NE PAS OUVRIR.

CAN ICES-003 (A) / NMB-003 (A)


Contains FCC ID: QCI-IDNMOD1 and FCC ID: 2AR82-SKIWB921AU1


Contains IC: 4302A-IDNMOD1 and IC: 24728-SKIWB921AU1

USB3.0: 5V --- 0.9A

Service 1: 5V - 0.5A

Service 2: 5V - 0.9A

 5V --- 0.9A

 5V --- 0.9A

USB-C 1: 5V - 3A

USB-C 2: 5V - 3A / 9V - 3A / 12V-- 3A / 15V- 3A / 20V-- 3.25A

VARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.

ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA
VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKKPROP SKAL TILSLUTTES EN STIKKONTAKT
MED JORD, SOM GIVER FORBINDELSE TIL STIKKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation

SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.



LISTED

I.T.E.
64RJ
E364616



UK
CA



SMART Board® SMART

SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1, CANADA

smarttech.com/support • smarttech.com/compliance • smarttech.com/patents

1038833-02

SBID-MX065-V4

65" LCD MONITOR

Made in China



Input: 100-240V~, 4.25-2.0A, 50/60Hz

CAUTION

RISK OF ELECTRIC SHOCK. DO NOT OPEN.
RISQUE D'ELECTROCUTION. NE PAS OUVRIR.

CAN ICES-003 (A) / NMB-003 (A)


Contains FCC ID: QCI-IDNMOD1 and FCC ID: 2AR82-SKIWB921AU1


Contains IC: 4302A-IDNMOD1 and IC: 24728-SKIWB921AU1

USB3.0: 5V \equiv 0.9A

Service 1: 5V \equiv 0.5A

Service 2: 5V \equiv 0.9A

 5V \equiv 0.9A

 5V \equiv 0.9A

USB-C 1: 5V \equiv 3A

USB-C 2: 5V \equiv 3A / 9V \equiv 3A / 12V \equiv 3A / 15V \equiv 3A / 20V \equiv 3.25A

WARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.

ADVARSEL: APPARATET MÅ TILKOPLSES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA
VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKKPROP SKAL TILSLUTTET EN STIKKONTAKT
MED JORD, SOM GIVER FORBINDELSE TIL STIKKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation

SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.

HDMI™
HIGH-DEFINITION MULTIMEDIA INTERFACE



LISTED

I.T.E.
64RJ
E364616



UK
CA



SMART Board® SMART®

SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1, CANADA

smarttech.com/support • smarttech.com/compliance • smarttech.com/patents

1038838-02

SBID-MX075-V4

75" LCD MONITOR

Made in China

HDMITM
HIGH-DEFINITION MULTIMEDIA INTERFACE

Input: 100-240V~, 5.75-2.5A, 50/60Hz

CAUTION

RISK OF ELECTRIC SHOCK. DO NOT OPEN.
RISQUE D'ELECTROCUTION. NE PAS OUVRIR.

CAN ICES-003 (A) / NMB-003 (A)


Contains FCC ID: QCI-IDNMOD1 and FCC ID: 2AR82-SKIWB921AU1

Contains IC: 4302A-IDNMOD1 and IC: 24728-SKIWB921AU1

USB3.0: 5V \Rightarrow 0.9A

Service 1: 5V \Rightarrow 0.5A

Service 2: 5V \Rightarrow 0.9A

 5V \Rightarrow 0.9A

 5V \Rightarrow 0.9A

USB-C 1: 5V \Rightarrow 3A

USB-C 2: 5V \Rightarrow 3A / 9V \Rightarrow 3A / 12V \Rightarrow 3A / 15V \Rightarrow 3A / 20V \Rightarrow 3.25A

WARNING: APPARATEN SKALL ANSLUTAS TILL JORDÅT UTTAG.

ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA
VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKKPROP SKAL TILSLUTTET EN STIKKONTAKT
MED JORD, SOM GIVER FORBINDELSE TIL STIKKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation

SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.



LISTED

I.T.E.
64RJ
E364616



UK
CA



SMART Board® SMART

SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1, CANADA

smarttech.com/support • smarttech.com/compliance • smarttech.com/patents

1038843-02

SBID-MX086-V4

86" LCD MONITOR

Made in China

HDMI™
HIGH-DEFINITION MULTIMEDIA INTERFACE

Input: 100-240V~, 6.25-2.8A, 50/60Hz

CAUTION

RISK OF ELECTRIC SHOCK. DO NOT OPEN.
RISQUE D'ELECTROCUTION. NE PAS OUVRIR.

CAN ICES-003 (A) / NMB-003 (A)


Contains FCC ID: QCI-IDNMOD1 and FCC ID: 2AR82-SKIWB921AU1


Contains IC: 4302A-IDNMOD1 and IC: 24728-SKIWB921AU1

USB3.0: 5V \equiv 0.9A

Service 1: 5V \equiv 0.5A

Service 2: 5V \equiv 0.9A

 5V \equiv 0.9A

 5V \equiv 0.9A

USB-C 1: 5V \equiv 3A

USB-C 2: 5V \equiv 3A / 9V \equiv 3A / 12V \equiv 3A / 15V \equiv 3A / 20V \equiv 3.25A

VARNING: APPARATEN SKALL ANSLUTAS TILL JORDÅT UTTAG.

ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA
VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKKPROP SKAL TILSLUTTES EN STIKKONTAKT
MED JORD, SOM GIVER FORBINDELSE TIL STIKKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation

SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.



LISTED

I.T.E.
64RJ
E364616



UK
CA



SMART Board® SMART™

SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1, CANADA

smarttech.com/support • smarttech.com/compliance • smarttech.com/patents



1038848-02

SBID-QX065

LCD MONITOR

Made in China

HDMITM
HIGH-DEFINITION MULTIMEDIA INTERFACE

 100-240V~, 6.1-2.7A, 50/60Hz
 100-240V~, 2.5-1.1A, 50/60Hz, 250W

この装置は、クラスA情報技術装置です。この装置を家庭環境で使用すると電波妨害を引き起こすことがあります。この場合には使用者が適切な対策を講ずるよう要求されることがあります。
VCCI-A

CAN ICES-003(A) / NMB-003(A)


Contains IC: 24278-SKIWB921AU1, IC: 4302A-IDNMOD1, and IC: 4302A-IDQXMOD1


Contains FCC ID: 2AR82-SKIWB921AU1, FCC ID: QCI-IDNMOD1, and FCC ID: QCI-IDQXMOD1

USB3.0: 5V --- 0.9A

Service 1: 5V --- 0.5A

Service 2: 5V --- 0.9A

 5V --- 0.9A

 5V --- 0.9A

USB-C 1: 5V --- 3A

USB-C 2: 5V --- 3.0A / 9V --- 3.0A / 12V --- 3.0A
15V --- 3.0A / 20V --- 3.25A

WARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.

ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKKPROP SKAL TILSLUTTET EN STIKKONTAKT MED JORD, SOM GIVER FORBINDELSE TIL STIKKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

© 2022 SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.

smarttech.com/support

smarttech.com/compliance

smarttech.com/patents



I.T.E.
64RJ
E364616



SMARTBoard® **SMART**
SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1,
CANADA



103xxxx - 0x

SBID-QX075

LCD MONITOR

Made in China

HDMITM
HIGH-DEFINITION MULTIMEDIA INTERFACE

 100-240V~, 6.3-2.7A, 50/60Hz
 100-240V~, 2.5-1.1A, 50/60Hz, 250W

この装置は、クラスA情報技術装置です。この装置を家庭環境で使用する
と電波妨害を引き起こすことがあります。この場合には使用者が適切な対策
を講ずるよう要求されることがあります。 VCCI-A

CAN ICES-003(A) / NMB-003(A)


Contains IC: 24278-SKIWB921AU1, IC: 4302A-IDNMOD1, and
IC: 4302A-IDQXMOD1


Contains FCC ID: 2AR82-SKIWB921AU1,
FCC ID: QCI-IDNMOD1, and FCC ID: QCI-IDQXMOD1

USB3.0: 5V --- 0.9A

Service 1: 5V --- 0.5A

Service 2: 5V --- 0.9A

 5V --- 0.9A

 5V --- 0.9A

USB-C 1: 5V --- 3A

USB-C 2: 5V --- 3.0A / 9V --- 3.0A / 12V --- 3.0A
15V --- 3.0A / 20V --- 3.25A



I.T.E.
64RJ
E364616



VARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.

ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKKPROP SKAL TILSLUTTES EN STIKKONTAKT MED JORD, SOM GIVER FORBINDELSE TIL STIKKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.



© 2022 SMART Technologies ULC. All rights reserved. SMART Board, the
SMART logo and smarttech are trademarks or registered trademarks of SMART
Technologies ULC in the U.S. and/or other countries.

smarttech.com/support
smarttech.com/compliance
smarttech.com/patents

SMART Board® SMART®

SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1,
CANADA

103xxxx -0x