



CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China
Tel: +86-755-27521059 Fax: +86-755-27521011 <http://www.sz-ctc.org.cn>

Label

IDX55-5

Regulatory Model / Model Normativo : IDX55-5

100-240V~, 4.5-2.0A, 50/60Hz

CAUTION: RISK OF ELECTRIC SHOCK. DO NOT OPEN.
AVERTIR: RISQUE D'ELECTROCUTION. NE PAS OUVRIR.
PRECAUCION: RIESGO DE DESCARGA ELÉCTRICA. NO ABRIR.

CAN ICES-003 (A) / NMB-003 (A)

Contains FCC ID: QCI-IDNMOD1 and FCC ID: QCI-SKOWB276P1
Contains IC: 4302A-IDNMOD1 and IC: 4302A-SKOWB276P1

USB3.0: 5V = 0.9A
Service 1: 5V = 0.5A
Service 2: 5V = 0.9A
 5V = 0.9A
 5V = 0.9A

USB-C 1: 5V = 3A / 9V = 3A
USB-C 2: 5V = 3A / 9V = 3A / 12V = 3A / 15V = 3A / 20V = 3.25A
USB-C 3: 5V = 0.9A

VARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.
ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.
VAROITUS: LAITE ON LITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA
VARUSTETTUIIN PISTORASIAAN.
ADVARSEL: APPARATETS STIKPROPP SKAL TILSLUTTES EN STIKKONTAKT
MED JORD, SOM GIVER FORBINDELSE TIL STIKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation

55" LCD MONITOR
55" MONITOR LCD

Made in China Hecho en China

HDMI™
HIGH-DEFINITION MULTIMEDIA INTERFACE

I.T.E.
64RJ
E364616

SMART Board. SMART.

SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1, CANADA

smarttech.com/support • smarttech.com/compliance • smarttech.com/patents

1040106-02

IDX65-5

Regulatory Model / Model Normativo : IDX65-5

100-240V~, 4.75-2.25A, 50/60Hz

CAUTION: RISK OF ELECTRIC SHOCK. DO NOT OPEN.
AVERTIR: RISQUE D'ELECTROCUTION. NE PAS OUVRIR.
PRECAUCION: RIESGO DE DESCARGA ELÉCTRICA. NO ABRIR.

CAN ICES-003 (A) / NMB-003 (A)

Contains FCC ID: QCI-IDNMOD1 and FCC ID: QCI-SKOWB276P1
Contains IC: 4302A-IDNMOD1 and IC: 4302A-SKOWB276P1

USB3.0: 5V = 0.9A
Service 1: 5V = 0.5A
Service 2: 5V = 0.9A
 5V = 0.9A
 5V = 0.9A

USB-C 1: 5V = 3A / 9V = 3A
USB-C 2: 5V = 3A / 9V = 3A / 12V = 3A / 15V = 3A / 20V = 3.25A
USB-C 3: 5V = 0.9A

VARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.
ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.
VAROITUS: LAITE ON LITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA
VARUSTETTUIIN PISTORASIAAN.
ADVARSEL: APPARATETS STIKPROPP SKAL TILSLUTTES EN STIKKONTAKT
MED JORD, SOM GIVER FORBINDELSE TIL STIKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation

65" LCD MONITOR
65" MONITOR LCD

Made in China Hecho en China

HDMI™
HIGH-DEFINITION MULTIMEDIA INTERFACE

I.T.E.
64RJ
E364616

SMART Board. SMART.

SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1, CANADA

smarttech.com/support • smarttech.com/compliance • smarttech.com/patents

1040107-02




CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China
Tel: +86-755-27521059 Fax: +86-755-27521011 <http://www.sz-ctc.org.cn>

IDQR65-A

65" LCD MONITOR
65" MONITOR LCD

Regulatory Model / Model Normativol : IDX65-5



⚡ 100-240V~, 4.75-2.25A, 50/60Hz

CAUTION: RISK OF ELECTRIC SHOCK. DO NOT OPEN.
AVERTIR: RISQUE D'ELECTROCUTION. NE PAS OUVRIR.
PRECAUCIÓN: RIESGO DE DESCARGA ELÉCTRICA. NO ABRIR.
CAN ICES-003 (A) / NMB-003 (A)

Contains FCC ID: QCI-IDNMOD1 and FCC ID: QCI-SKOWB276P1
Contains IC: 4302A-IDNMOD1 and IC: 4302A-SKOWB276P1
USB3.0: 5V=0.9A
Service 1: 5V=0.5A
Service 2: 5V=0.9A
 5V=0.9A
 5V=0.9A
 USB-C 1: 5V=3A / 9V=3A
 USB-C 2: 5V=3A / 9V=3A / 12V=3A / 15V=3A / 20V=3.25A
 USB-C 3: 5V=0.9A

VARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.
ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.
VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA VARUSTETTUUN PISTORASIAAN.
ADVARSEL: APPARATETS STIKKPROP SKAL TILSLUTTES EN STIKKONTAKT MED JORD, SOM GIVER FORBINDELSE TIL STIKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation

Made in China Hecho en China

HDMI™
HIGH-DEFINITION MULTIMEDIA INTERFACE

UL US
LISTED
I.T.E.
64R.J
E364616

CE

UK CA

R-NZ

SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.

smarttech.com/support • smarttech.com/compliance • smarttech.com/patents

SMART Board. SMART.
SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1, CANADA


1040107-02

IDX75-5

75" LCD MONITOR
75" MONITOR LCD

Regulatory Model / Model Normativo / 規定型號 : IDX75-5

Made in China Hecho en China 中國製造



⚡ 電源輸入: 100-240V~, 6.0-2.6A, 50/60 Hz

CAUTION: RISK OF ELECTRIC SHOCK. DO NOT OPEN.
AVERTIR: RISQUE D'ELECTROCUTION. NE PAS OUVRIR.
PRECAUCIÓN: RIESGO DE DESCARGA ELÉCTRICA. NO ABRIR.
CAN ICES-003 (A) / NMB-003 (A)

Contains FCC ID: QCI-IDNMOD1 and FCC ID: QCI-SKOWB276P1
Contains IC: 4302A-IDNMOD1 and IC: 4302A-SKOWB276P1
USB3.0: 5V=0.9A
Service 1: 5V=0.5A
Service 2: 5V=0.9A
 5V=0.9A
 5V=0.9A
 USB-C 1: 5V=3A / 9V=3A / 12V=2.5A / 15V=2A
 USB-C 2: 5V=3A / 9V=3A / 12V=3A / 15V=3A / 20V=3.25A
 USB-C 3: 5V=0.9A

VARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.
ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.
VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA VARUSTETTUUN PISTORASIAAN.
ADVARSEL: APPARATETS STIKKPROP SKAL TILSLUTTES EN STIKKONTAKT MED JORD, SOM GIVER FORBINDELSE TIL STIKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation

HDMI™
HIGH-DEFINITION MULTIMEDIA INTERFACE

UL US
LISTED
I.T.E.
64R.J
E364616

CE

UK CA

R-NZ

SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.

smarttech.com/support • smarttech.com/compliance • smarttech.com/patents

SMART Board. SMART.
SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1, CANADA

1040109-02



CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China
Tel: +86-755-27521059 Fax: +86-755-27521011 <http://www.sz-ctc.org.cn>

IDQR75-A

75" LCD MONITOR
75 互動顯示器 **75" MONITOR LCD**

Regulatory Model / Model Normativo / 規定型號 : IDX75-5
Made in China Hecho en China 中國製造

電源輸入 : 100-240V~, 6.0-2.6A, 50/60 Hz

CAUTION: RISK OF ELECTRIC SHOCK. DO NOT OPEN.
AVERTIR: RISQUE D'ELECTROCUTION. NE PAS OUVRIR.
PRECAUCIÓN: RIESGO DE DESCARGA ELÉCTRICA. NO ABRIR.

CAN ICES-003 (A) / NMB-003 (A)

Contains FCC ID: QCI-IDNMOD1 and FCC ID: QCI-SKOWB276P1
Contains IC: 4302A-IDNMOD1 and IC: 4302A-SKOWB276P1

USB3.0: 5V=0.9A
Service 1: 5V=0.5A
Service 2: 5V=0.9A
 5V=0.9A
 5V=0.9A

USB-C 1: 5V=3A / 9V=3A / 12V=2.5A / 15V=2A
USB-C 2: 5V=3A / 9V=3A / 12V=3A / 15V=3A / 20V=3.25A
USB-C 3: 5V=0.9A

VARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.
ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.
VAROITUS: LAITE ON LITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKKPROP SKAL TILSLUTTES EN STIKKONTAKT MED JORD, SOM GIVER FORBINDELSE TIL STIKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation

SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.

smarttech.com/support • smarttech.com/compliance • smarttech.com/patents

LISTED
I.T.E.
64RJ
E364616

SMART Board. SMART.
SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1, CANADA
1040109-02

IDX86-5

86" LCD MONITOR
86 互動顯示器 **86" MONITOR LCD**

Regulatory Model / Model Normativo / 規定型號 : IDX86-5
Made in China Hecho en China 中國製造

電源輸入 : 100-240V~, 6.75-3.0A, 50/60 Hz

CAUTION: RISK OF ELECTRIC SHOCK. DO NOT OPEN.
AVERTIR: RISQUE D'ELECTROCUTION. NE PAS OUVRIR.
PRECAUCIÓN: RIESGO DE DESCARGA ELÉCTRICA. NO ABRIR.

CAN ICES-003 (A) / NMB-003 (A)

Contains FCC ID: QCI-IDNMOD1 and FCC ID: QCI-SKOWB276P1
Contains IC: 4302A-IDNMOD1 and IC: 4302A-SKOWB276P1

USB3.0: 5V=0.9A
Service 1: 5V=0.5A
Service 2: 5V=0.9A
 5V=0.9A
 5V=0.9A

USB-C 1: 5V=3A / 9V=3A
USB-C 2: 5V=3A / 9V=3A / 12V=3A / 15V=3A / 20V=3.25A
USB-C 3: 5V=0.9A

VARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.
ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.
VAROITUS: LAITE ON LITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKKPROP SKAL TILSLUTTES EN STIKKONTAKT MED JORD, SOM GIVER FORBINDELSE TIL STIKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation

SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.

smarttech.com/support • smarttech.com/compliance • smarttech.com/patents

LISTED
I.T.E.
64RJ
E364616

SMART Board. SMART.
SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1, CANADA
1040111-02



CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China
Tel: +86-755-27521059 Fax: +86-755-27521011 <http://www.sz-ctc.org.cn>

IDQR86-A

⚡ 電源輸入: 100-240V~, 6.75-3.0A, 50/60 Hz
CAUTION: RISK OF ELECTRIC SHOCK. DO NOT OPEN.
AVERTIR: RISQUE D'ELECTROCUTION. NE PAS OUVRIR.
PRECAUCIÓN: RIESGO DE DESCARGA ELÉCTRICA. NO ABRIR.

CAN ICES-003 (A) / NMB-003 (A)
 Contains FCC ID: QCI-IDNMOD1 and FCC ID: QCI-SKOWB276P1
 Contains IC: 4302A-IDNMOD1 and IC: 4302A-SKOWB276P1

USB3.0: 5V=0.9A
 Service 1: 5V=0.5A
 Service 2: 5V=0.9A

5V=0.9A
 5V=0.9A

USB-C 1: 5V=3A / 9V=3A
 USB-C 2: 5V=3A / 9V=3A / 12V=3A / 15V=3A / 20V=3.25A
 USB-C 3: 5V=0.9A

WARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.
ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.
VAROITUS: LAITE ON LIETETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA VARUSTETTUUN PISTORASIAAN.
ADVARSEL: APPARATETS STIKKPROP SKAL TILSLUTTES EN STIKKONTAKT MED JORD, SOM GIVER FORBINDELSE TIL STIKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation

86" LCD MONITOR
 86 互動顯示器 **86" MONITOR LCD**

Regulatory Model / Model Normativo / 規定型號: IDXR86-5
 Made in China Hecho en China 中國製造

I.T.E.
64R.J
E364616

SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.

smarttech.com/support • smarttech.com/compliance • smarttech.com/patents

SMART Board. SMART.
 SMART Technologies ULC
 3636 Research Road NW
 Calgary, AB T2L 1Y1, CANADA
 1040111-02



CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China
Tel: +86-755-27521059 Fax: +86-755-27521011 <http://www.sz-ctc.org.cn>

Label Location:

