




BUBDDERFLY™
ON DEMAND ENERGY MANAGEMENT

Power Meter Part No. M0021501


Input 100-277VAC, 60Hz, 5mA (CAT III)
Load 100-277 VAC, 60Hz, max. 16 A
Measurement Category II
100-277 VAC Line to Neutral Single Phase
Operating Temperature 0°C to +40°C
FOR INDOOR USE ONLY

Address

Version

Date

Made in China
www.budderfly.com
U.S. Patent No. 8,140,279




BBUDDERLY™
ON BOARD BOARD IN MANUFACTURE

Power Meter Part No. M0021501

Input: 100-277VAC, 60Hz, 50A (CAT II)
Load: 00-277VAC, 800W, max. 16A
Measurement Category II
Operating Temperature: 0°C to +40°C
F08 800008 (ISO 9001)

Model: **HMV-131**
Date: **04-28-2013**
Made in China
U.S. Patent No. 8,342,729

Label	Version	Address





Power Meter

Part No. M0021501

Input 100-277VAC, 60Hz, 5mA (CAT II)
Load 100 - 277 VAC, 60Hz, max. 16 A
Measurement Category II
100 - 277 VAC Line to Neutral Single Phase
Operating Temperature 0°C to +40°C
FOR INDOOR USE ONLY

Address

Version

Date

HWV 131

04-26-2013

Made in China
www.budderfly.com
U.S. Patent No. 8,140,279

