

Date / Time:	11/4/2003 4:16:41 PM	Position:	left touch
Filename:	*.txt	Phantom:	HeadBox_new_spout.csv
Device Tested:	Broadcom	Head Rotation:	0
Antenna:	main	Test Frequency:	2437
Shape File:	pp02x_left_rearbystander.csv	Power Level:	maximum

Probe:	0106																				
Cal File:	106_2450_BODY_802_11																				
Cal Factors:	<table border="1"> <thead> <tr> <th></th> <th>X</th> <th>Y</th> <th>Z</th> </tr> </thead> <tbody> <tr> <td>Air</td> <td>415</td> <td>805</td> <td>371</td> </tr> <tr> <td>DCP</td> <td>19</td> <td>19</td> <td>19</td> </tr> <tr> <td>Lin</td> <td>0.58</td> <td>0.58</td> <td>0.58</td> </tr> <tr> <td></td> <td>5</td> <td>5</td> <td>5</td> </tr> </tbody> </table>		X	Y	Z	Air	415	805	371	DCP	19	19	19	Lin	0.58	0.58	0.58		5	5	5
		X	Y	Z																	
	Air	415	805	371																	
	DCP	19	19	19																	
Lin	0.58	0.58	0.58																		
	5	5	5																		
Amp Gain:	1																				
Averaging:	6																				
Batteries Replaced:	10/03/2003																				

Liquid:	2450
Type:	body
Conductivity:	1.921
Relative Permittivity:	50.96
Liquid Temp (deg C):	22.0
Ambient Temp (deg C):	22.0
Ambient RH (%):	50
Density (kg/m3):	1000
Software Version:	0.420

ZOOM SCAN RESULTS:

Spot SAR (W/kg):	Start Scan	End Scan
	0.151	0.146
Change during Scan (%):	-3.00	
Max E-field (V/m):	24.88	
Max SAR (W/kg)	1g	10g
	0.834	0.362

Location of Max (mm):	X	Y	Z
	75.3	-94.0	-153.2

AREA SCAN:

Scan Extent:	Min	Max	Steps	
	Y	-100.0	0.0	10.0
	Z	-200.0	-110.0	10.0