



STC Test Report

Date : 2010-07-10

Page 1 of 16

No. : MH184181

Applicant (HKS001): Kid Galaxy INC
150 Dow Street, Tower2, Unit 425B Manchester,
NH03101,U.S.A.

Manufacturer: DONGGUAN LC TECHNOLOGY CO., LTD
Qiao Li Management District, Chang Huang Road,
Changping Town, Dongguan City, Guang Dong Province,
China

Description of Sample(s): Submitted samples(s) said to be
Product: SPIN N GO POLICE CAR
Brand Name: My 1st RC
Model Number: 10448
FCC ID: QEA-SPINPOLICECAR


Date Sample(s) Received: 2010-06-08

Date Tested: 2010-06-14, 2010-06-15

Investigation Requested: Perform ElectroMagnetic Interference measurement in
accordance with FCC 47CFR [Codes of Federal Regulations]
Part 15: 2009 and ANSI C63.4:2003 for FCC Certification.

Conclusion(s): The submitted product COMPLIED with the requirements of
Federal Communications Commission [FCC] Rules and
Regulations Part 15. The tests were performed in accordance
with the standards described above and on Section 2.2 in this
Test Report.

Remark(s): ----



Dr. LEE Kam Chuen,
Arthorized Signatory
ElectroMagnetic Compatibility Department
For and on behalf of
The Hong Kong Standards and Testing Centre Ltd.

The Hong Kong Standards and Testing Centre Ltd.

10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong
Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org



STC Test Report

Date : 2010-07-10

Page 2 of 16

No. : MH184181

CONTENT:

| | |
|--|------------------|
| Cover | Page 1 of 16 |
| Content | Page 2-3 of 16 |
| <u>1.0</u> <u>General Details</u> | |
| 1.1 Test Laboratory | Page 4 of 16 |
| 1.2 Applicant Details Applicant Manufacturer | Page 4 of 16 |
| 1.3 Equipment Under Test [EUT] Description of EUT operation | Page 5 of 16 |
| 1.4 Date of Order | Page 5 of 16 |
| 1.5 Submitted Sample(s) | Page 5 of 16 |
| 1.6 Test Duration | Page 5 of 16 |
| 1.7 Country of Origin | Page 5 of 16 |
| <u>2.0</u> <u>Technical Details</u> | |
| 2.1 Investigations Requested | Page 6 of 16 |
| 2.2 Test Standards and Results Summary | Page 6 of 16 |
| <u>3.0</u> <u>Test Results</u> | |
| 3.1 Emission | Page 7-9 of 16 |
| 3.2 Bandwidth Measurement | Page 10-11 of 16 |

The Hong Kong Standards and Testing Centre Ltd.

10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong
Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Ltd.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage



STC Test Report

Date : 2010-07-10

Page 3 of 16

No. : MH184181

Appendix A

List of Measurement Equipment

Page 12 of 16

Appendix B

Duty Cycle Correction During 100 msec

Page 13-14 of 16

Appendix C

Photographs

Page 15-16 of 16

The Hong Kong Standards and Testing Centre Ltd.

10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong

Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Ltd.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage



STC Test Report

Date : 2010-07-10

Page 4 of 16

No. : MH184181

1.0 General Details

1.1 Test Laboratory

The Hong Kong Standards and Testing Centre Ltd.
EMC Laboratory
10 Dai Wang Street, Taipo Industrial Estate
New Territories, Hong Kong

Telephone: 852 2666 1888
Fax: 852 2664 4353

1.2 Applicant Details

Applicant

Kid Galaxy INC
150 Dow Street, Tower2, Unit 425B Manchester, NH03101.U.S.A.

Manufacturer

DONGGUAN LC TECHNOLOGY CO., LTD
Qiao Li Management District, Chang Huang Road, Changping Town, Dongguan City, Guang
Dong Province, China

The Hong Kong Standards and Testing Centre Ltd.

10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong
Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Ltd.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage



STC Test Report

Date : 2010-07-10

Page 5 of 16

No. : MH184181

1.3 Equipment Under Test [EUT] Description of Sample(s)

Product: SPIN N GO POLICE CAR
Manufacturer: DONGGUAN LC TECHNOLOGY CO., LTD
Brand Name: My 1st RC
Model Number: 10448
Rating: 3Vd.c("AA" size battery x 2)

1.3.1 Description of EUT Operation

The Equipment Under Test (EUT) is a Kid Galaxy INC, SPIN N GO POLICE CAR. The EUT is a transmitter of radio control toy. The transmitter was operating with button, the EUT retreat functions for the Rx, and the modulation type is AM.

1.4 Date of Order

2010-06-08

1.5 Submitted Sample(s):

2 Samples

1.6 Test Duration

2010-06-14, 2010-06-15

1.7 Country of Origin

China

The Hong Kong Standards and Testing Centre Ltd.

10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong
Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Ltd.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage



STC Test Report

Date : 2010-07-10

Page 6 of 16

No. : MH184181

2.0 Technical Details

2.1 Investigations Requested

Perform ElectroMagnetic Interference measurement in accordance with FCC 47CFR [Codes of Federal Regulations] Part 15: 2009 and ANSI C63.4:2003 for FCC Certification.

2.2 Test Standards and Results Summary Tables

| EMISSION Results Summary | | | | | | |
|--|------------------|-----------------|---------------------|-------------------------------------|--------------------------|--------------------------|
| Test Condition | Test Requirement | Test Method | Class / Severity | Test Result | | |
| | | | | Pass | Failed | N/A |
| Field Strength of Fundamental Emissions & Spurious Emissions | FCC 47CFR 15.227 | ANSI C63.4:2003 | N/A | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Radiated Emissions | FCC 47CFR 15.209 | ANSI C63.4:2003 | N/A | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Note: N/A - Not Applicable

The Hong Kong Standards and Testing Centre Ltd.

10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong

Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Ltd.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage



STC Test Report

Date : 2010-07-10

Page 7 of 16

No. : MH184181

3.0 Test Results

3.1 Emission

3.1.1 Radiated Emissions (30 – 1000MHz)


Test Requirement: FCC 47CFR 15.227
Test Method: ANSI C63.4:2003
Test Date: 2010-06-15
Mode of Operation: Tx mode

Test Method:

The sample was placed 0.8m above the ground plane of semi-anechoic chamber*. Measurements in both horizontal and vertical polarities were performed. During the test, each emission was maximized by: having the EUT continuously working, investigated all operating modes, rotated about all 3 axis (X, Y & Z) and considered typical configuration to obtain worst position, manipulating interconnecting cables, rotating turntable, varying antenna height from 1m to 4m in both horizontal and vertical polarizations. The emissions worst-case are shown in Test Results of the following pages.

*: Semi-anechoic chamber located on the STC (Dongguan) Company Ltd. 68 Fumin Nan Road, Dalang, Dongguan, Guangdong, PRC with a metal ground plane filed with the FCC pursuant to section 2.948 of the FCC rules, with Registration Number: 629686.

Test Setup:



The Hong Kong Standards and Testing Centre Ltd.

10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong

Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Ltd.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage



STC Test Report

Date : 2010-07-10

Page 8 of 16

No. : MH184181

Limits for Field Strength of Fundamental Emissions [FCC 47CFR 15.227]:

| Frequency Range of Fundamental [MHz] | Field Strength of Fundamental Emission [Peak] [$\mu\text{V}/\text{m}$] | Field Strength of Fundamental Emission [Average] [$\mu\text{V}/\text{m}$] |
|---|--|---|
| 26.96-27.28 | 100,000 | 10,000 |

Results of Tx mode: PASS

| Field Strength of Fundamental Emissions Peak Value | | | | | | |
|---|---|---------------------------|---|--|-------------------------------------|------------------|
| Frequency MHz | Measured Level @ 3m dB μV | Correction Factor dB/m | Field Strength dB $\mu\text{V}/\text{m}$ | Field Strength $\mu\text{V}/\text{m}$ | Limit @3m $\mu\text{V}/\text{m}$ | E-Field Polarity |
| 27.145 | 50.10 | 18.6 | 68.7 | 2,722.7 | 100,000 | Vertical |

| Field Strength of Fundamental Emissions Average Value | | | | | | | |
|--|---|------------------------------|---------------------------|---|--|-------------------------------------|------------------|
| Frequency MHz | Measured Level @ 3m dB μV | Adjusted by Duty Cycle dB | Correction Factor dB/m | Field Strength dB $\mu\text{V}/\text{m}$ | Field Strength $\mu\text{V}/\text{m}$ | Limit @3m $\mu\text{V}/\text{m}$ | E-Field Polarity |
| 27.145 | 30.1 | -20.0 | 18.6 | 48.7 | 272.3 | 10,000 | Vertical |

According to FCC 47CFR15.35, the limit on the radio frequency emissions as measured using instrumentation with a peak detector function, corresponding to 20dB above the maximum permitted average limit for the frequency being investigated unless a different peak emission limit is otherwise specified in the rules.

Remarks:

Correction Factor includes Antenna Factor and Cable Attenuation.

Calculated measurement uncertainty: 30MHz to 1GHz 5.1dB

The Hong Kong Standards and Testing Centre Ltd.

10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong

Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Ltd.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage



STC Test Report

Date : 2010-07-10

Page 9 of 16

No. : MH184181

Limits for Radiated Emissions [FCC 47 CFR 15.209]:

| Frequency Range [MHz] | Quasi-Peak Limits [$\mu\text{V/m}$] |
|-----------------------|---------------------------------------|
| 30-88 | 100 |
| 88-216 | 150 |
| 216-960 | 200 |
| Above960 | 500 |

The emission limits shown in the above table are based on measurement employing a CISPR quasi-peak detector and above 1000MHz are based on measurements employing an average detector.

Results of Tx mode: PASS

| Radiated Emissions Quasi-Peak | | | | | | |
|----------------------------------|-------------------------------------|------------------------|-----------------------------------|--------------------------------|---------------------------|------------------|
| Frequency MHz | Measured Level @3m dB μV | Correction Factor dB/m | Field Strength dB $\mu\text{V/m}$ | Field Strength $\mu\text{V/m}$ | Limit @3m $\mu\text{V/m}$ | E-Field Polarity |
| 54.3 | 29.0 | 10.5 | 39.5 | 94.4 | 100 | Vertical |
| 81.4 | 21.7 | 8.6 | 30.3 | 32.7 | 100 | Vertical |
| 108.6 | 7.3 | 8.9 | 16.2 | 6.5 | 150 | Vertical |
| 135.7 | 6.7 | 7.8 | 14.5 | 5.3 | 150 | Vertical |
| 162.9 | < 1.0 | 14.5 | < 15.5 | < 6.0 | 150 | Vertical |
| 190.0 | < 1.0 | 17.2 | < 18.2 | < 8.1 | 150 | Vertical |
| 217.2 | < 1.0 | 17.3 | < 18.3 | < 8.2 | 200 | Vertical |
| 201.2 | 6.3 | 9.6 | 15.9 | 6.2 | 200 | Horizontal |
| 271.5 | < 1.0 | 20.6 | < 21.6 | < 12.0 | 200 | Vertical |

Remarks:

No further spurious emissions found between lowest internal frequency and 30MHz.

Correction Factor includes Antenna Factor and Cable Attenuation.

Calculated measurement uncertainty : 30MHz to 1GHz 5.1dB

The Hong Kong Standards and Testing Centre Ltd.

10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong

Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org



STC Test Report

Date : 2010-07-10

Page 10 of 16

No. : MH184181

3.2 20dB Bandwidth of Fundamental Emission

Test Requirement: FCC 47 CFR 15.227
Test Method: ANSI C63.4:2003 (Section 13.1.7)
Test Date: 2010-06-14
Mode of Operation: Tx mode

Test Method:

The bandwidth is measured at an amplitude level reduced from the reference level by a specified ratio. The reference level is the level of the highest amplitude signal observed from the transmitter at the fundamental frequency. Once the reference level is established, the equipment is conditioned with typical modulating signal to produce the worst-case (i.e. the widest) bandwidth.

Test Setup:

As Test Setup of clause 3.1.1 in this test report.

The Hong Kong Standards and Testing Centre Ltd.

10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong
Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Ltd.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage



STC Test Report

Date : 2010-07-10

Page 11 of 16

No. : MH184181


Limits for 20dB Bandwidth of Fundamental Emission:

| Frequency Range [MHz] | 20dB Bandwidth [kHz] | FCC Limits [MHz] |
|--------------------------|-------------------------|---------------------|
| 27.145 | 50.00 | within 26.96-27.28 |

20dB Bandwidth of Fundamental Emission



Ref 90 dB μ V *Att 10 dB *RBW 3 kHz Marker 1 [T1] 58.47 dB μ V
*VBW 3 kHz *SWT 50 ms 27.145195000 MHz



The Hong Kong Standards and Testing Centre Ltd.

10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong

Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Ltd.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage



STC Test Report

Date : 2010-07-10

Page 12 of 16

No. : MH184181

Appendix A

List of Measurement Equipment

Radiated Emission

| EQP NO. | DESCRIPTION | MANUFACTURER | MODEL NO. | SERIAL NO. | LAST CAL | DUE CAL |
|---------|-------------------------------|--------------|-----------|------------|------------|------------|
| EM215 | MULTIDEVICE CONTROLLER | EMCO | 2090 | 00024676 | N/A | N/A |
| EM216 | MINI MAST SYSTEM | EMCO | 2075 | 00026842 | N/A | N/A |
| EM217 | ELECTRIC POWERED TURNTABLE | EMCO | 2088 | 00029144 | N/A | N/A |
| EM218 | ANECHOIC CHAMBER | ETS-Lingren | FACT-3 | -- | 2008/12/01 | 2011/12/01 |
| EM083 | STCOATS | -- | -- | -- | 2008/12/08 | 2011/12/08 |
| EM174 | BICONILOG ANTENNA | EMCO | 3142B | 1671 | 2010/01/24 | 2012/01/24 |
| EM194 | BICONILOG | EMCO | 3142B | 1795 | 2008/09/08 | 2010/09/08 |
| EM229 | EMI Test Receiver | R&S | ESIB40 | 100248 | 2009/09/27 | 2010/09/27 |
| EM022 | LOOP ANTENNA | EMCO | 6502 | 1189-2424 | 2009/07/26 | 2011/07/26 |

Remarks:-

CM Corrective Maintenance
N/A Not Applicable or Not Available
TBD To Be Determined

The Hong Kong Standards and Testing Centre Ltd.

10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong
Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Ltd.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage



STC Test Report

Date : 2010-07-10

Page 13 of 16

No. : MH184181

Appendix B

Duty Cycle Correction During 100msec


Each function key sends a different series of characters, but each packet period (100msec) never exceeds a series of 36 short pulses (0.22msec). Assuming any combination of short and long pulses may be obtained due to encoding the worst case transmit duty cycle would be considered (36x0.22msec) per 100msec=-22.0dB duty cycle. Figure A through B show the characteristics of the pulse train for one of these functions.

Remarks:

Duty Cycle Correction = -22.0dB

Duty Cycle Correction = -20.0dB, if the calculated duty cycle correction < -20dB

The following figures [Figure A to Figure B] show the characteristics of the pulse train for one of these functions.



The Hong Kong Standards and Testing Centre Ltd.

10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong

Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Ltd.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage




STC Test Report

Date : 2010-07-10

Page 14 of 16

No. : MH184181

Figure B [Sole Pulse]



The Hong Kong Standards and Testing Centre Ltd.

10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong

Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Ltd.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage



STC Test Report

Date : 2010-07-10

Page 15 of 16

No. : MH184181

Appendix C

Photographs of EUT


Front View of the product




Rear View of the product



Inner Circuit Top View



Inner Circuit Bottom View



The Hong Kong Standards and Testing Centre Ltd.

10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong

Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Ltd.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage



STC Test Report

Date : 2010-07-10

Page 16 of 16

No. : MH184181

Photographs of EUT

Measurement of Radiated Emission Test Set Up



***** End of Test Report *****

The Hong Kong Standards and Testing Centre Ltd.

10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong

Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Ltd.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage