

4

3

2


1

REV.	DESCRIPTION	DATE	BY
01	INITIAL ENGINEERING RELEASE	08-2086-2016	KC

Notes:

1. Material: Label stock, Brady B483
Ribbon resin, R6007
2. Barcode font shall be Code 128 with a 4 pixel line width preferred, but can be a minimum of 3 pixel line width if required.
3. Material and process used for fabrication of this part must be RoHS compliant

Actual Size



COMMScope

CommScope
250 Apollo Drive
Chelmsford, MA 01824
(978) 250-4455

MATERIAL:		NOTE 1				LABEL; SERIAL NUMBER AND REGULATORY;			
FINISH:						S1000C			
TOLERANCES UNLESS OTHERWISE SPECIFIED						THIS DOCUMENT CONTAINS INFORMATION WHICH IS THE EXCLUSIVE PROPERTY OF AIRVANA INC.. DISTRIBUTION, REPRODUCTION OR USE BY OTHERS IS NOT PERMITTED WITHOUT THE EXPRESS WRITTEN CONSENT OF AIRVANA INC.			
	X	.X	.XX	.XXX	ANGLES				
INCHES	N/A	0.1	0.03	0.01 5	1°				
UNLESS OTHERWISE SPECIFIED -INTERPRET PER ASME Y14.5M 1994 -ALL DIMENSIONS IN INCHES -DO NOT SCALE DRAWING						SIZE	DRAWN BY	PART NUMBER	REV
THIRD ANGLE PROJECTION						A	K. CRAIG	610192	01
						SCALE	NONE	CAD GENERATED DRAWING	SHEET
									1 OF 3

4

3

2

1

4

3

2

1



D

D

NOT TO SCALE

MAC ID: S1000

DEVICE ID: C4500
MAC Address

Sprint AIRAVE 3 LTE	 DEVICE ID: 0005B9123456
	MAC ID: 0005B9012345  Serial Number: 11027000430 For Patents See www.CS-pat.com



Part Number with
Major Minor
Revisions

Serial Number

C

C

B

B

A

A


		SIZE	FSCM NO	DWG NO	REV
DRAWN		A		610166	02
ISSUED		SCALE	NONE	SHEET	2 OF 3



4

3

2

1



Sprint AIRAVE 3 LTE	 DEVICE ID: 0005B9123456
Model: S1000C Rating: 12V $\overline{=}$ 4.0A Assembled in USA, Mar 2016 FCC ID: QHY-S1000C 800236-00-01	MAC ID: 0005B9012345  Serial Number: 11027000430 For Patents See www.CS-pat.com
	