



**TM3.1-64QAM\_15 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT0, Low Channel 1937.50 MHz 26 dB Bandwidth**




22:01:14 28.04.2022

**TM3.1-64QAM\_15 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT1, Low Channel 1937.50 MHz 26 dB Bandwidth**




21:58:43 28.04.2022

**TM3.1-64QAM\_15 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT0, Mid Channel 1962.50 MHz 26 dB Bandwidth**




11:32:23 20.05.2022

**TM3.1-64QAM\_15 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT1, Mid Channel 1962.50 MHz 26 dB Bandwidth**




11:42:47 20.05.2022

**TM3.1-64QAM\_15 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT0, High Channel 1992.5 MHz 26 dB Bandwidth**



12:39:17 20.05.2022


**TM3.1-64QAM\_15 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT1, High Channel 1992.5 MHz 26 dB Bandwidth**



12:41:38 20.05.2022




**TM3.1-64QAM\_20 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT0, Low Channel 1940.00 MHz 26 dB Bandwidth**




18:38:56 19.05.2022

**TM3.1-64QAM\_20 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT1, Low Channel 1940.00 MHz 26 dB Bandwidth**




18:35:08 19.05.2022

**TM3.1-64QAM\_20 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT0, Mid Channel 1962.50 MHz 26 dB Bandwidth**




13:20:21 20.05.2022

**TM3.1-64QAM\_20 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT1, Mid Channel 1962.50 MHz 26 dB Bandwidth**




13:22:42 20.05.2022

**TM3.1-64QAM\_20 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT0, High Channel 1985.00 MHz 26 dB Bandwidth**



14:05:49 20.05.2022


**TM3.1-64QAM\_20 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT1, High Channel 1985.00 MHz 26 dB Bandwidth**



14:08:06 20.05.2022




**TM3.1a-256QAM\_5 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT0, Low Channel 1932.50 MHz 26 dB Bandwidth**




17:33:08 28.04.2022

**TM3.1a-256QAM\_5 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT1, Low Channel 1932.50 MHz 26 dB Bandwidth**




17:33:28 28.04.2022

**TM3.1a-256QAM\_5 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT0, Mid Channel 1962.50 MHz 26 dB Bandwidth**



09:43:47 20.05.2022


**TM3.1a-256QAM\_5 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT1, Mid Channel 1962.50 MHz 26 dB Bandwidth**



09:41:32 20.05.2022




**TM3.1a-256QAM\_5 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT0, High Channel 192.50 MHz 26 dB Bandwidth**




09:31:57 20.05.2022

**TM3.1a-256QAM\_5 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT1, High Channel 192.50 MHz 26 dB Bandwidth**




09:35:11 20.05.2022

**TM3.1a-256QAM\_10 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT0, Low Channel 1935.00 MHz 26 dB Bandwidth**




19:55:13 28.04.2022

**TM3.1a-256QAM\_10 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT1, Low Channel 1935.00 MHz 26 dB Bandwidth**




19:52:21 28.04.2022

**TM3.1a-256QAM\_10 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT0, Mid Channel 1962.50 MHz 26 dB Bandwidth**



10:25:50 20.05.2022


**TM3.1a-256QAM\_10 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT1, Mid Channel 1962.50 MHz 26 dB Bandwidth**



10:23:39 20.05.2022




**TM3.1a-256QAM\_10 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT0, High Channel 1990.00 MHz 26 dB Bandwidth**




10:53:36 20.05.2022

**TM3.1a-256QAM\_10 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT1, High Channel 1990.00 MHz 26 dB Bandwidth**




10:51:14 20.05.2022

**TM3.1a-256QAM\_15 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT0, Low Channel 1937.50 MHz 26 dB Bandwidth**




22:04:10 28.04.2022

**TM3.1a-256QAM\_15 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT1, Low Channel 1937.50 MHz 26 dB Bandwidth**




22:06:00 28.04.2022

**TM3.1a-256QAM\_15 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT0, Mid Channel 26 dB Bandwidth**



11:50:00 20.05.2022


**TM3.1a-256QAM\_15 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT1, Mid Channel 1962.50 MHz 26 dB Bandwidth**



11:47:49 20.05.2022




**TM3.1a-256QAM\_15 MHz Bandwidth (5G NR)  
Slot 0 (Band 25), ANT0, High Channel 1982.50 MHz 26 dB Bandwidth**




12:57:05 20.05.2022

**TM3.1a-256QAM\_15 MHz Bandwidth (5G NR)  
Slot 0 (Band 25), ANT1, High Channel 1982.50 MHz 26 dB Bandwidth**




12:54:50 20.05.2022

**TM3.1a-256QAM\_20 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT0, Low Channel 1940.00 MHz 26 dB Bandwidth**




19:06:17 19.05.2022

**TM3.1a-256QAM\_20 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT1, Low Channel 1940.00 MHz 26 dB Bandwidth**




19:03:24 19.05.2022

**TM3.1a-256QAM\_20 MHz Bandwidth (5G NR)  
Slot 0 (Band 25), ANT0, Mid Channel 26 dB Bandwidth**



13:32:27 20.05.2022


**TM3.1a-256QAM\_20 MHz Bandwidth (5G NR)  
Slot 0 (Band 25), ANT1, Mid Channel 1962.50 MHz 26 dB Bandwidth**



13:30:27 20.05.2022




**TM3.1a-256QAM\_20 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT0, High Channel 1985.00 MHz 26 dB Bandwidth**



14:14:47 20.05.2022

**TM3.1a-256QAM\_20 MHz Bandwidth (5G NR)**  
**Slot 0 (Band 25), ANT1, High Channel 1985.00 MHz 26 dB Bandwidth**



14:12:28 20.05.2022

Test Personnel: Kouma Sinn *KPS*  
Supervising/Reviewing  
Engineer:  
(Where Applicable) Vathana F. Ven *VFR*

Test Date: 04/28/2022, 05/19/2022, 05/20/2022

Product Standard: FCC Part 24  
Input Voltage: 48 VDC (POE)

Limit Applied: See report section 8.3

Pretest Verification w/  
Ambient Signals or  
BB Source: N/A

Ambient Temperature: 24, 24, 23 °C

Relative Humidity: 17, 42, 45 %

Atmospheric Pressure: 1000, 997, 1006 mbars

Deviations, Additions, or Exclusions: None

## 9 Band Edge Compliance

### 9.1 Method

Tests are performed in accordance with ANSI C63.26, CFR47 FCC Part §2.1051, and CFR47 FCC Part §24.

**TEST SITE:** EMC Lab

**The EMC Lab** has one Semi-anechoic Chamber and one Shielded Chamber. AC Mains Power is available at 120, 230, and 277 Single Phase; 208, 400, and 480 3-Phase. Large reference ground-planes are installed in the general lab area to facilitate EMC work not requiring a shielded environment.

### 9.2 Test Equipment Used:

Asset	Description	Manufacturer	Model	Serial	Cal Date	Cal Due
DAV005	Weather Station	Davis	6250	MS191218083	02/11/2022	02/11/2023
ROS005-1'	Signal and Spectrum Analyzer	Rohde and Shwartz	FSW43	100646	11/02/2021	11/02/2022
CEN001'	DC-40GHz attenuator 20dB	Centric RF	C411-20	CEN001	01/26/2022	01/26/2023
CBLHF2012-2M-2'	2m 9kHz-40GHz Coaxial Cable - SET2	Huber & Suhner	SF102	252675002	02/10/2023	02/10/2023

#### Software Utilized:

Name	Manufacturer	Version
None	--	--

### 9.3 Results:

The sample tested was found to Comply. Since the two antenna ports transmit uncorrelated data streams and use cross polarized antennas, no adjustments to the test results were applied due to MIMO operation, per KDB 662911.

Limits – FCC Part §24.238(a): The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least  $43 + 10 \log(P)$  dB.  
 (b) Measurement procedure. Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 MHz or 1 percent of emission bandwidth, as specified). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.



# Intertek

Report Number: 105029958BOX-005d

Issued: 06/09/2022

### Slot 0 (Band 25), Bandwidth: 5 MHz, Modulation: TM1.1-QPSK (5G NR)

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)	Limit (dBm)	Margin (dB)
Low	1932.50	ANT0	-30.38	-13	-17.38
		ANT1	-15.97	-13	-2.97
High	1992.50	ANT0	-31.89	-13	-18.89
		ANT1	-14.16	-13	-1.16

### Slot 0 (Band 25), Bandwidth: 10 MHz, Modulation: TM1.1-QPSK (5G NR)

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)	Limit (dBm)	Margin (dB)
Low	1935	ANT0	-30.89	-13	-17.89
		ANT1	-16.33	-13	-3.33
High	1990	ANT0	-32.44	-13	-19.44
		ANT1	-16.56	-13	-3.56

### Slot 0 (Band 25), Bandwidth: 15 MHz, Modulation: TM1.1-QPSK (5G NR)

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)	Limit (dBm)	Margin (dB)
Low	1937.50	ANT0	-29.58	-13	-16.58
		ANT1	-17.56	-13	-4.56
High	1987.50	ANT0	-31.95	-13	-18.95
		ANT1	-18.14	-13	-5.14

### Slot 0 (Band 25), Bandwidth: 20 MHz, Modulation: TM1.1-QPSK (5G NR)

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)	Limit (dBm)	Margin (dB)
Low	1940	ANT0	-31.12	-13	-18.12
		ANT1	-19.62	-13	-6.62
High	1985	ANT0	-32.14	-13	-19.14
		ANT1	-19.42	-13	-6.42

### Slot 0 (Band 25), Bandwidth: 5 MHz, Modulation: TM3.2-16QAM (5G NR)

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)	Limit (dBm)	Margin (dB)
Low	1932.50	ANT0	-29.41	-13	-16.41
		ANT1	-14.27	-13	-1.27
High	1992.50	ANT0	-32.14	-13	-19.14
		ANT1	-13.94	-13	-0.94

### Slot 0 (Band 25), Bandwidth: 10 MHz, Modulation: TM3.2-16QAM (5G NR)

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)	Limit (dBm)	Margin (dB)
Low	1935	ANT0	-30.10	-13	-17.1
		ANT1	-15.99	-13	-2.99
High	1990	ANT0	-33.43	-13	-20.43
		ANT1	-16.69	-13	-3.69

### Slot 0 (Band 25), Bandwidth: 15 MHz, Modulation: TM3.2-16QAM (5G NR)

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)	Limit (dBm)	Margin (dB)
Low	1937.50	ANT0	-17.48	-13	-4.48
		ANT1	-17.72	-13	-4.72
High	1987.50	ANT0	-32.47	-13	-19.47
		ANT1	-17.64	-13	-4.64

### Slot 0 (Band 25), Bandwidth: 20 MHz, Modulation: TM3.2-16QAM (5G NR)

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)	Limit (dBm)	Margin (dB)
Low	1940	ANT0	-32.63	-13	-19.63
		ANT1	-19.07	-13	-6.07
High	1985	ANT0	-32.30	-13	-19.3
		ANT1	-19.31	-13	-6.31

# Intertek

Report Number: 105029958BOX-005d

Issued: 06/09/2022

### Slot 0 (Band 25), Bandwidth: 5 MHz, Modulation: TM3.1-64QAM (5G NR)

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)	Limit (dBm)	Margin (dB)
Low	1932.50	ANT0	-30.13	-13	-17.13
		ANT1	-15.19	-13	-2.19
High	1992.50	ANT0	-31.34	-13	-18.34
		ANT1	-15.18	-13	-2.18

### Slot 0 (Band 25), Bandwidth: 10 MHz, Modulation: TM3.1-64QAM (5G NR)

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)	Limit (dBm)	Margin (dB)
Low	1935	ANT0	-30.36	-13	-17.36
		ANT1	-17.13	-13	-4.13
High	1990	ANT0	-33.06	-13	-20.06
		ANT1	-16.45	-13	-3.45

### Slot 0 (Band 25), Bandwidth: 15 MHz, Modulation: TM3.1-64QAM (5G NR)

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)	Limit (dBm)	Margin (dB)
Low	1937.50	ANT0	-21.12	-13	-8.12
		ANT1	-17.92	-13	-4.92
High	1987.50	ANT0	-35.01	-13	-22.01
		ANT1	-18.71	-13	-5.71

### Slot 0 (Band 25), Bandwidth: 20 MHz, Modulation: TM3.1-64QAM (5G NR)

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)	Limit (dBm)	Margin (dB)
Low	1940	ANT0	-31.12	-13	-18.12
		ANT1	-20.65	-13	-7.65
High	1985	ANT0	-32.99	-13	-19.99
		ANT1	-19.82	-13	-6.82

### Slot 0 (Band 25), Bandwidth: 5 MHz, Modulation: TM3.1a-256QAM (5G NR)

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)	Limit (dBm)	Margin (dB)
Low	1932.50	ANT0	-30.40	-13	-17.4
		ANT1	-14.41	-13	-1.41
High	1992.50	ANT0	-32.30	-13	-19.3
		ANT1	-13.75	-13	-0.75

### Slot 0 (Band 25), Bandwidth: 10 MHz, Modulation: TM3.1a-256QAM (5G NR)

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)	Limit (dBm)	Margin (dB)
Low	1935	ANT0	-30.39	-13	-17.39
		ANT1	-16.76	-13	-3.76
High	1990	ANT0	-31.99	-13	-18.99
		ANT1	-16.28	-13	-3.28

### Slot 0 (Band 25), Bandwidth: 15 MHz, Modulation: TM3.1a-256QAM (5G NR)

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)	Limit (dBm)	Margin (dB)
Low	1937.50	ANT0	-31.81	-13	-18.81
		ANT1	-18.35	-13	-5.35
High	1987.50	ANT0	-32.15	-13	-19.15
		ANT1	-18.23	-13	-5.23

### Slot 0 (Band 25), Bandwidth: 20 MHz, Modulation: TM3.1a-256QAM (5G NR)

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)	Limit (dBm)	Margin (dB)
Low	1940	ANT0	-31.99	-13	-18.99
		ANT1	-19.41	-13	-6.41
High	1985	ANT0	-32.14	-13	-19.14
		ANT1	-19.15	-13	-6.15


**9.4 Setup Photograph:**

Confidential – Photos not included in this report




9.5 Plots/Data:

Band Edge Compliant, Lower Band Edge, 1932.50 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 5 MHz, Modulation: TM1.1-QPSK




17:18:15 28.04.2022

Band Edge Compliant, Lower Band Edge, 1932.50 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 5 MHz, Modulation: TM1.1-QPSK




17:12:31 28.04.2022

Band Edge Compliant, Upper Band Edge, 1992.50 (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 5 MHz, Modulation: TM1.1-QPSK




20:19:50 19.05.2022

Band Edge Compliant, Upper Band Edge, 1992.50 (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 5 MHz, Modulation: TM1.1-QPSK




20:16:41 19.05.2022

Band Edge Compliant, Lower Band Edge, 1935.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 10 MHz, Modulation: TM1.1-QPSK



19:16:50 28.04.2022


Band Edge Compliant, Lower Band Edge, 1935.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 10 MHz, Modulation: TM1.1-QPSK



19:19:37 28.04.2022




Band Edge Compliant, Upper Edge, 1990.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 10 MHz, Modulation: TM1.1-QPSK




10:31:49 20.05.2022

Band Edge Compliant, Upper Edge, 1990.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 10 MHz, Modulation: TM1.1-QPSK




10:34:02 20.05.2022

Band Edge Compliant, Lower Band Edge, 1937.50 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 15 MHz, Modulation: TM1.1-QPSK




21:45:22 28.04.2022

Band Edge Compliant, Lower Band Edge, 1937.50 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 15 MHz, Modulation: TM1.1-QPSK




21:47:22 28.04.2022

Band Edge Compliant, Upper Band Edge, 1987.50 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 15 MHz, Modulation: TM1.1-QPSK



11:58:06 20.05.2022


Band Edge Compliant, Upper Band Edge, 1987.50 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 15 MHz, Modulation: TM1.1-QPSK



12:00:16 20.05.2022




Band Edge Compliant, Lower Band Edge, 1940.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 20 MHz, Modulation: TM1.1-QPSK




17:43:15 19.05.2022

Band Edge Compliant, Lower Band Edge, 1940.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 20 MHz, Modulation: TM1.1-QPSK




17:40:04 19.05.2022

Band Edge Compliant, Upper Band Edge, 1985.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 20 MHz, Modulation: TM1.1-QPSK




13:44:15 20.05.2022

Band Edge Compliant, Upper Band Edge, 1985.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 20 MHz, Modulation: TM1.1-QPSK




13:47:22 20.05.2022

Band Edge Compliant, Lower Band Edge, 1932.5MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 5 MHz, Modulation: TM3.2-16QAM



17:22:06 28.04.2022


Band Edge Compliant, Lower Band Edge, 1932.5MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 5 MHz, Modulation: TM3.2-16QAM



17:24:47 28.04.2022




Band Edge Compliant, Upper Band Edge, 1992.50 (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 5 MHz, Modulation: TM3.2-16QAM




09:04:40 20.05.2022

Band Edge Compliant, Upper Band Edge, 1992.50 (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT, Bandwidth: 5 MHz, Modulation: TM3.2-16QAM




09:02:03 20.05.2022

Band Edge Compliant, Lower Band Edge, 1935.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 10 MHz, Modulation: TM3.2-16QAM




19:39:05 28.04.2022

Band Edge Compliant, Lower Band Edge, 1935.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 10 MHz, Modulation: TM3.2-16QAM




19:34:01 28.04.2022

Band Edge Compliant, Upper Band Edge, 1990.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 10 MHz, Modulation: TM3.2-16QAM



10:40:36 20.05.2022


Band Edge Compliant, Upper Band Edge, 1990.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 10 MHz, Modulation: TM3.2-16QAM



10:38:02 20.05.2022




Band Edge Compliant, Lower Band Edge, 1937.50 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 15 MHz, Modulation: TM3.2-16QAM




21:52:48 28.04.2022

Band Edge Compliant, Lower Band Edge, 1937.50 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 15 MHz, Modulation: TM3.2-16QAM




21:56:22 28.04.2022

Band Edge Compliant, Upper Band Edge, 1987.50 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 15 MHz, Modulation: TM3.2-16QAM




12:12:06 20.05.2022

Band Edge Compliant, Upper Band Edge, 1987.50 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 15 MHz, Modulation: TM3.2-16QAM




12:07:50 20.05.2022

Band Edge Compliant, Lower Band Edge, 1940.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 20 MHz, Modulation: TM3.2-16QAM



18:09:03 19.05.2022


Band Edge Compliant, Lower Band Edge, 1940.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 20 MHz, Modulation: TM3.2-16QAM



18:11:27 19.05.2022




Band Edge Compliant, Upper Band Edge, 1985.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 20 MHz, Modulation: TM3.2-16QAM




14:01:25 20.05.2022

Band Edge Compliant, Upper Band Edge, 1985.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 20 MHz, Modulation: TM3.2-16QAM




13:59:26 20.05.2022

Band Edge Compliant, Lower Band Edge, 1932.50 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 5 MHz, Modulation: TM3.1-64QAM




17:30:04 28.04.2022

Band Edge Compliant, Lower Band Edge, 1932.50 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 5 MHz, Modulation: TM3.1-64QAM




17:28:06 28.04.2022

Band Edge Compliant, Upper Band Edge, 1992.50 (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 5 MHz, Modulation: TM3.1-64QAM



09:25:10 20.05.2022


Band Edge Compliant, Upper Band Edge, 1992.50 (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 5 MHz, Modulation: TM3.1-64QAM



09:22:43 20.05.2022




Band Edge Compliant, Lower Band Edge, 1935.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 10 MHz, Modulation: TM3.1-64QAM




19:43:52 28.04.2022

Band Edge Compliant, Lower Band Edge, 1935.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 10 MHz, Modulation: TM3.1-64QAM




19:47:11 28.04.2022

Band Edge Compliant, Upper Band Edge, 1990.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 10 MHz, Modulation: TM3.1-64QAM




10:45:38 20.05.2022

Band Edge Compliant, Upper Band Edge, 1990.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 10 MHz, Modulation: TM3.1-64QAM




10:48:11 20.05.2022

Band Edge Compliant, Lower Band Edge, 1937.50 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 15 MHz, Modulation: TM3.1-64QAM



22:01:57 28.04.2022


Band Edge Compliant, Lower Band Edge, 1937.50 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 15 MHz, Modulation: TM3.1-64QAM



21:59:32 28.04.2022




Band Edge Compliant, Upper Band Edge, 1987.50 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 15 MHz, Modulation: TM3.1-64QAM




12:40:05 20.05.2022

Band Edge Compliant, Upper Band Edge, 1987.50 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 15 MHz, Modulation: TM3.1-64QAM




12:42:30 20.05.2022

Band Edge Compliant, Lower Band Edge, 1940.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 20 MHz, Modulation: TM3.1-64QAM




18:39:47 19.05.2022

Band Edge Compliant, Lower Band Edge, 1940.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 20 MHz, Modulation: TM3.1-64QAM




18:36:13 19.05.2022

Band Edge Compliant, Upper Band Edge, 1985.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 20 MHz, Modulation: TM3.1-64QAM



14:06:43 20.05.2022


Band Edge Compliant, Upper Band Edge, 1985.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 20 MHz, Modulation: TM3.1-64QAM



14:08:57 20.05.2022




Band Edge Compliant, Lower Band Edge, 1932.50 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 5 MHz, Modulation: TM3.1a-256QAM




17:33:56 28.04.2022

Band Edge Compliant, Lower Band Edge, 1932.50 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 5 MHz, Modulation: TM3.1a-256QAM




17:36:18 28.04.2022

Band Edge Compliant, Upper Band Edge, 1992.50 (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 5 MHz, Modulation: TM3.1a-256QAM




09:32:44 20.05.2022

Band Edge Compliant, Upper Band Edge, 1992.50 (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 5 MHz, Modulation: TM3.1a-256QAM




09:35:56 20.05.2022

Band Edge Compliant, Lower Band Edge, 1935.00 MHz (5G NR)  
Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 10 MHz, Modulation: TM3.1a-256QAM



19:56:05 28.04.2022


Band Edge Compliant, Lower Band Edge, 1935.00 MHz (5G NR)  
Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 10 MHz, Modulation: TM3.1a-256QAM



19:53:20 28.04.2022




Band Edge Compliant, Upper Band Edge, 1990.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 10 MHz, Modulation: TM3.1a-256QAM




10:54:24 20.05.2022

Band Edge Compliant, Upper Band Edge, 1990.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 10 MHz, Modulation: TM3.1a-256QAM




10:52:10 20.05.2022

Band Edge Compliant, Lower Band Edge, 1937.5MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 15 MHz, Modulation: TM3.1a-256QAM




22:04:55 28.04.2022

Band Edge Compliant, Lower Band Edge, 1937.5MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 15 MHz, Modulation: TM3.1a-256QAM




22:06:51 28.04.2022

Band Edge Compliant, Upper Band Edge, 1987.50 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 15 MHz, Modulation: TM3.1a-256QAM



12:57:55 20.05.2022


Band Edge Compliant, Upper Band Edge, 1987.50 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 15 MHz, Modulation: TM3.1a-256QAM



12:55:45 20.05.2022




Band Edge Compliant, Lower Band Edge, 1940.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 20 MHz, Modulation: TM3.1a-256QAM




19:07:06 19.05.2022

Band Edge Compliant, Lower Band Edge, 1940.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 20 MHz, Modulation: TM3.1a-256QAM




19:04:21 19.05.2022

Band Edge Compliant, Upper Band Edge, 1985.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT0, Bandwidth: 20 MHz, Modulation: TM3.1a-256QAM



14:15:35 20.05.2022

Band Edge Compliant, Upper Band Edge, 1985.00 MHz (5G NR)  
 Slot 0 (Band 25), Antenna Port: ANT1, Bandwidth: 20 MHz, Modulation: TM3.1a-256QAM



14:13:22 20.05.2022

Test Personnel: Kouma Sinn *KPS*  
Supervising/Reviewing Engineer:  
(Where Applicable) N/A

Test Date: 04/28/2022, 05/19/2022, 05/20/2022

Product Standard: FCC Part 24  
Input Voltage: 48 VDC (POE)

Limit Applied: See report section 9.3

Pretest Verification w/  
Ambient Signals or  
BB Source: N/A

Ambient Temperature: 24, 24, 23 °C

Relative Humidity: 17, 42, 45 %

Atmospheric Pressure: 1000, 997, 1006 mbars

Deviations, Additions, or Exclusions: None



## 10 Frequency Stability

### 10.1 Method

Tests are performed in accordance with ANSI C63.26 and CFR47 FCC Parts 2.1055 and 24.

**TEST SITE:** Safety Lab

### 10.2 Test Equipment Used:

Asset	Description	Manufacturer	Model	Serial	Cal Date	Cal Due
ROS005-1'	Signal and Spectrum Analyzer	Rohde and Shwartz	FSW43	100646	11/02/2021	11/02/2022
CEN001'	DC-40GHz attenuator 20dB	Centric RF	C411-20	CEN001	01/26/2022	01/26/2023
CBLHF2012-2M-2'	2m 9kHz-40GHz Coaxial Cable - SET2	Huber & Suhner	SF102	252675002	02/10/2023	02/10/2023
SAF1153'	Freezing Rain\icing\Temp\Humidity\ -73deg C to +190deg C, 95% humidity, Ice Freezing Rain	Cincinnati Sub-Zero	CTH-(FR)64-6-6-SC/AC	12-CT15628	11/22/2021	11/22/2022
148012'	Temp/Humidity Chamber	Envirotronics	SH27C	08015563S11263	11/22/2021	11/18/2022
DAV005'	Weather Station	Davis	6250	MS191218083	02/07/2021	02/07/2022

### Software Utilized:

Name	Manufacturer	Version
None	--	--

### 10.3 Results:

The sample tested was found to Comply.

FCC Part §24.235 Frequency stability – The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. The occupied bandwidth measurement was used to make sure the lower and upper frequencies of the occupied bandwidth remains within the assigned band of 1930-1990.00 MHz MHz.

**Frequency stability over temperature (5 MHz Bandwidth, Low Channel)**

Band 25, Mod: 16QAM (worst-case output power, 22.12 dBm), BW: 5MHz, Antenna Port: ANTO , Channel: Low 1932.5 MHz

Equipment used: 148012, ROS005-1, CEN001, CBLHF2012-5M-2, DAV005

25 deg C

65% 1007 mB

Low Edge of Occupied Bandwidth

Temperature (Deg. C)	Low Edge (GHz)	Low Edge Deviation (GHz)	Low Edge (%) --	PPM --	Limit PPM
-30	1.9302581	-2.6E-06	-1.34697E-06	-0.01	2.5
-20	1.9302581	-2.6E-06	-1.34697E-06	-0.01	2.5
-10	1.9302565	-1E-06	-5.18066E-07	-0.01	2.5
0	1.9302561	6E-07	3.1084E-07	0.00	2.5
10	1.9302548	-7E-07	-3.62646E-07	0.00	2.5
20	1.9302555	0	0	0.00	--
30	1.9302544	-1.1E-06	-5.69873E-07	-0.01	2.5
40	1.9302548	-7E-07	-3.62646E-07	0.00	2.5
50	1.9302536	-1.9E-06	-9.84326E-07	-0.01	2.5

Upper Edge of Occupied Bandwidth

Temperature (Deg. C)	Upper Edge (GHz)	Upper Edge Deviation (GHz)	Upper Edge (%) --	PPM --	Limit PPM
-30	1.9347753	-3.7E-06	-1.91237E-06	-0.02	2.5
-20	1.9347747	-3.1E-06	-1.60226E-06	-0.02	2.5
-10	1.9347729	-1.3E-06	-6.71914E-07	-0.01	2.5
0	1.9347716	0	0	0.00	2.5
10	1.934772	4E-07	2.06743E-07	0.00	2.5
20	1.9347716	0	0	0.00	--
30	1.9347714	-2E-07	-1.03371E-07	0.00	2.5
40	1.9347712	-4E-07	-2.06743E-07	0.00	2.5
50	1.9347711	-5E-07	-2.58428E-07	0.00	2.5

**Frequency stability over temperature (5 MHz Bandwidth, High Channel)**

Band 25, Mod: 16QAM (worst-case output power, 22.05 dBm), BW: 5MHz, Antenna Port: ANT1 , Channel: High 1992.5 MHz

Equipment used: 148012, ROS005-1, CEN001, CBLHF2012-5M-2, DAV005

24 deg C

48% 1005 mB

Low Edge of Occupied Bandwidth

Temperature (Deg. C)	Low Edge (GHz)	Low Edge Deviation (GHz)	Low Edge (%) --	PPM --	Limit PPM
-30	1.9902238	5.8E-06	2.91424E-06	0.03	2.5
-20	1.9902268	2.8E-06	1.40687E-06	0.01	2.5
-10	1.9902212	8.4E-06	4.22062E-06	0.04	2.5
0	1.9902245	-5.1E-06	-2.56252E-06	-0.03	2.5
10	1.990201	-2.86E-05	-1.43702E-05	-0.14	2.5
20	1.9902296	0	0	0.00	--
30	1.9902229	-6.7E-06	-3.36645E-06	-0.03	2.5
40	1.9902229	-6.7E-06	-3.36645E-06	-0.03	2.5
50	1.9902215	-8.1E-06	-4.06988E-06	-0.04	2.5

Upper Edge of Occupied Bandwidth

Temperature (Deg. C)	Upper Edge (GHz)	Upper Edge Deviation (GHz)	Upper Edge (%) --	PPM --	Limit PPM
-30	1.994766	1.3E-06	6.51705E-07	0.01	2.5
-20	1.9947544	1.29E-05	6.46692E-06	0.06	2.5
-10	1.9947634	3.9E-06	1.95512E-06	0.02	2.5
0	1.9947628	-4.5E-06	-2.2559E-06	-0.02	2.5
10	1.9947752	7.9E-06	3.96036E-06	0.04	2.5
20	1.9947673	0	0	0.00	--
30	1.9947552	-1.21E-05	-6.06587E-06	-0.06	2.5
40	1.9947558	-1.15E-05	-5.76508E-06	-0.06	2.5
50	1.9947565	-1.08E-05	-5.41417E-06	-0.05	2.5



**Frequency stability over temperature (20 MHz Bandwidth, Low Channel)**

Band 25, Modulation: 256QAM, Bandwidth: 20MHz, Antenna Port: ANT0 , Channel: Low 1940 MHz

Worst-case output power, 22.68 dBm

Low Edge of Occupied Bandwidth

Temperature (Deg. C)	Low Edge (GHz)	Low Edge Deviation (GHz)	Low Edge (%)	PPM	Limit PPM
-30	1.9305729	-2.32E-05	-1.20173E-05	-0.12	2.5
-20	1.930567	-1.73E-05	-8.96118E-06	-0.09	2.5
-10	1.9305609	-1.12E-05	-5.80146E-06	-0.06	2.5
0	1.9305555	5.8E-06	3.00433E-06	0.03	2.5
10	1.9305521	2.4E-06	1.24317E-06	0.01	2.5
20	1.9305497	0	0	0.00	--
30	1.9305475	-2.2E-06	-1.13957E-06	-0.01	2.5
40	1.930545	-4.7E-06	-2.43454E-06	-0.02	2.5
50	1.9305408	-8.9E-06	-4.61009E-06	-0.05	2.5

Upper Edge of Occupied Bandwidth

Temperature (Deg. C)	Upper Edge (GHz)	Upper Edge Deviation (GHz)	Upper Edge (%)	PPM	Limit PPM
-30	1.9494838	-5.3E-06	-2.71868E-06	-0.03	2.5
-20	1.9494825	-4E-06	-2.05183E-06	-0.02	2.5
-10	1.9494812	-2.7E-06	-1.38499E-06	-0.01	2.5
0	1.94948	1.5E-06	7.69437E-07	0.01	2.5
10	1.9494795	1E-06	5.12958E-07	0.01	2.5
20	1.9494785	0	0	0.00	--
30	1.9494779	-6E-07	-3.07775E-07	0.00	2.5
40	1.9494778	-7E-07	-3.5907E-07	0.00	2.5
50	1.9494782	-3E-07	-1.53887E-07	0.00	2.5

**Frequency stability over temperature (20 MHz Bandwidth, High Channel)**

Band 25, Mod: 16QAM (worst-case output power, 22.53 dBm), BW: 20MHz, Antenna Port: ANT1 , Channel: High 1985 MHz

Equipment used: SAF1153, ROS005-1, CEN001, CBLSHF204, DAV005

24 deg C

48% 1005 mB

**Low Edge of Occupied Bandwidth**

Temperature (Deg. C)	Low Edge (GHz)	Low Edge Deviation (GHz)	Low Edge (%) --	PPM --	Limit PPM
-30	1.9754809	-5.9E-06	-2.98662E-06	-0.03	2.5
-20	1.9754755	-5E-07	-2.53104E-07	0.00	2.5
-10	1.9754806	-5.6E-06	-2.83476E-06	-0.03	2.5
0	1.9754765	1.5E-06	7.59311E-07	0.01	2.5
10	1.9754832	8.2E-06	4.1509E-06	0.04	2.5
20	1.975475	0	0	0.00	--
30	1.9754858	1.08E-05	5.46704E-06	0.05	2.5
40	1.9754822	7.2E-06	3.64469E-06	0.04	2.5
50	1.9754822	7.2E-06	3.64469E-06	0.04	2.5

**Upper Edge of Occupied Bandwidth**

Temperature (Deg. C)	Upper Edge (GHz)	Upper Edge Deviation (GHz)	Upper Edge (%) --	PPM --	Limit PPM
-30	1.9944899	-1.01E-05	-5.06398E-06	-0.05	2.5
-20	1.9944868	-7E-06	-3.50969E-06	-0.04	2.5
-10	1.9944812	-1.4E-06	-7.01937E-07	-0.01	2.5
0	1.9944823	2.5E-06	1.25346E-06	0.01	2.5
10	1.9944775	-2.3E-06	-1.15318E-06	-0.01	2.5
20	1.9944798	0	0	0.00	--
30	1.9944701	-9.7E-06	-4.86342E-06	-0.05	2.5
40	1.9944713	-8.5E-06	-4.26176E-06	-0.04	2.5
50	1.9944721	-7.7E-06	-3.86066E-06	-0.04	2.5

**Frequency stability over voltages (5 MHz Band, Low and High Channels)**

Band 25 (5G NR), Modulation: 16QAM, Bandwidth: 5MHz, Antenna Port: ANTO , [Low Ch. 1932.5 MHz](#)

Worst-case output power 21.12 dBm

Low Channel 1940 MHz, Low Edge of Occupied Bandwidth

Voltage	Low Edge	Low Edge Deviation	Low Edge (%)	PPM	Limit
(VDC)	(GHz)	(GHz)	--	--	PPM
41.1	1.9302442	2E-07	1.03614E-07	0.00	2.5
48	1.930244	0	0	0.00	--
57	1.9302443	3E-07	1.55421E-07	0.00	2.5

Low Channel 1940 MHz, Upper Edge of Occupied Bandwidth

Voltage	Upper Edge	Upper Edge Deviation	Upper Edge (%)	PPM	Limit
(VDC)	(GHz)	(GHz)	--	--	PPM
41.1	1.9347841	1E-07	5.16854E-08	0.00	2.5
48	1.934784	0	0	0.00	--
57	1.9347841	1E-07	5.16854E-08	0.00	2.5

Band 25 (5G NR), Modulation: 16QAM, Bandwidth: 5MHz, Antenna Port: ANTO , [High Ch. 1992.5 MHz](#)

Worst-case output power 22.05 dBm

High Channel 1980 MHz, Low Edge of Occupied Bandwidth

Voltage	Low Edge	Low Edge Deviation	Low Edge (%)	PPM	Limit
(VDC)	(GHz)	(GHz)	--	--	PPM
41.1	1.9902234	-2E-07	-1.00491E-07	0.00	2.5
48	1.9902236	0	0	0.00	--
57	1.9902231	-5E-07	-2.51228E-07	0.00	2.5

High Channel 1980 MHz, Upper Edge of Occupied Bandwidth

Voltage	Upper Edge	Upper Edge Deviation	Upper Edge (%)	PPM	Limit
(VDC)	(GHz)	(GHz)	--	--	PPM
41.1	1.9947712	7E-07	3.50918E-07	0.00	2.5
48	1.9947705	0	0	0.00	--
57	1.9947708	3E-07	1.50393E-07	0.00	2.5



**Frequency stability over voltages (20 MHz Bandwidth, Low and High Channels)**

Band 25 (5G NR), Modulation: 256QAM, Bandwidth: 20MHz, Antenna Port: ANT0 , [Low Ch. 1940 MHz](#)

Worst-case output 22.68 dBm

Low Channel 1940 MHz, Low Edge of Occupied Bandwidth

<b>Voltage</b>	<b>Low Edge</b>	<b>Low Edge Deviation</b>	<b>Low Edge (%)</b>	<b>PPM</b>	<b>Limit</b>
<b>(VDC)</b>	<b>(GHz)</b>	<b>(GHz)</b>	<b>--</b>	<b>--</b>	<b>PPM</b>
41.1	1.9305479	-3E-07	-1.55396E-07	0.00	2.5
48	1.9305482	0	0	0.00	--
57	1.9305479	-3E-07	-1.55396E-07	0.00	2.5

Low Channel 1940 MHz, Upper Edge of Occupied Bandwidth

<b>Voltage</b>	<b>Upper Edge</b>	<b>Upper Edge Deviation</b>	<b>Upper Edge (%)</b>	<b>PPM</b>	<b>Limit</b>
<b>(VDC)</b>	<b>(GHz)</b>	<b>(GHz)</b>	<b>--</b>	<b>--</b>	<b>PPM</b>
41.1	1.9494787	0	0	0.00	2.5
48	1.9494787	0	0	0.00	--
57	1.9494785	-2E-07	-1.02592E-07	0.00	2.5

Band 25 (5G NR), Modulation: 16QAM, Bandwidth: 20MHz, Antenna Port: ANT0 , [High Ch. 1985 MHz](#)

Worst-case output power 22.53 dBm

High Channel 1980 MHz, Low Edge of Occupied Bandwidth

<b>Voltage</b>	<b>Low Edge</b>	<b>Low Edge Deviation</b>	<b>Low Edge (%)</b>	<b>PPM</b>	<b>Limit</b>
<b>(VDC)</b>	<b>(GHz)</b>	<b>(GHz)</b>	<b>--</b>	<b>--</b>	<b>PPM</b>
41.1	1.975466	3E-07	1.51863E-07	0.00	2.5
48	1.9754657	0	0	0.00	--
57	1.9754657	0	0	0.00	2.5

High Channel 1980 MHz, Upper Edge of Occupied Bandwidth


<b>Voltage</b>	<b>Upper Edge</b>	<b>Upper Edge Deviation</b>	<b>Upper Edge (%)</b>	<b>PPM</b>	<b>Limit</b>
<b>(VDC)</b>	<b>(GHz)</b>	<b>(GHz)</b>	<b>--</b>	<b>--</b>	<b>PPM</b>
41.1	1.9944824	1E-07	5.01383E-08	0.00	2.5
48	1.9944823	0	0	0.00	--
57	1.9944825	2E-07	1.00277E-07	0.00	2.5

**10.4 Setup Photographs:**


Confidential – Photos not included in this report

10.5 Plots/Data:

Slot 0 (Band 25), ANT0, Modulation: 16QAM, Bandwidth: 5 MHz Low Ch. 1932.50 MHz, -30 °C (5G NR)  
(worst-case output power, 22.12 dBm)




Slot 0 (Band 25), ANT0, Modulation: 16QAM, Bandwidth: 5 MHz Low Ch. 1932.50 MHz, -20 °C (5G NR)  
(worst-case output power, 22.12 dBm)






Slot 0 (Band 25), ANT0, Modulation: 16QAM, Bandwidth: 5 MHz Low Ch. 1932.50 MHz, -10 °C (5G NR)  
(worst-case output power, 22.12 dBm)




12:20:43 22.05.2022

Slot 0 (Band 25), ANT0, Modulation: 16QAM, Bandwidth: 5 MHz Low Ch. 1932.50 MHz, 0 °C (5G NR)  
(worst-case output power, 22.12 dBm)




11:48:55 22.05.2022

Slot 0 (Band 25), ANT0, Modulation: 16QAM, Bandwidth: 5 MHz Low Ch. 1932.50 MHz, 10 °C (5G NR)  
(worst-case output power, 22.12 dBm)




11:10:52 22.05.2022

Slot 0 (Band 25), ANT0, Modulation: 16QAM, Bandwidth: 5 MHz Low Ch. 1932.50 MHz, 20 °C (5G NR)  
(worst-case output power, 22.12 dBm)




08:23:47 22.05.2022

Slot 0 (Band 25), ANT0, Modulation: 16QAM, Bandwidth: 5 MHz Low Ch. 1932.50 MHz, 30 °C (5G NR)  
(worst-case output power, 22.12 dBm)




Slot 0 (Band 25), ANT0, Modulation: 16QAM, Bandwidth: 5 MHz Low Ch. 1932.50 MHz, 40 °C (5G NR)  
(worst-case output power, 22.12 dBm)





Slot 0 (Band 25), ANT0, Modulation: 16QAM, Bandwidth: 5 MHz Low Ch. 1932.50 MHz, 50 °C (5G NR)  
(worst-case output power, 22.12 dBm)




10:02:38 22.05.2022

Slot 0 (Band 25), ANT1, Modulation: 16QAM, Bandwidth: 5 MHz High Ch. 1992.50, -30 °C (5G NR)  
(worst-case output power, 22.05 dBm)



21:38:44 31.05.2022

Slot 0 (Band 25), ANT1, Modulation: 16QAM, Bandwidth: 5 MHz High Ch. 1992.50, -20 °C (5G NR)  
 (worst-case output power, 22.05 dBm)




21:02:06 31.05.2022

Slot 0 (Band 25), ANT1, Modulation: 16QAM, Bandwidth: 5 MHz High Ch. 1992.50, -10 °C (5G NR)  
 (worst-case output power, 22.05 dBm)




20:31:53 31.05.2022

Slot 0 (Band 25), ANT1, Modulation: 16QAM, Bandwidth: 5 MHz High Ch. 1992.50, 0 °C (5G NR)  
(worst-case output power, 22.05 dBm)




Slot 0 (Band 25), ANT1, Modulation: 16QAM, Bandwidth: 5 MHz High Ch. 1992.50, 10 °C (5G NR)  
(worst-case output power, 22.05 dBm)






Slot 0 (Band 25), ANT1, Modulation: 16QAM, Bandwidth: 5 MHz High Ch. 1992.50, 20 °C (5G NR)  
(worst-case output power, 22.05 dBm)




17:03:52 31.05.2022

Slot 0 (Band 25), ANT1, Modulation: 16QAM, Bandwidth: 5 MHz High Ch. 1992.50, 30 °C (5G NR)  
(worst-case output power, 22.05 dBm)




17:45:23 31.05.2022

Slot 0 (Band 25), ANT1, Modulation: 16QAM, Bandwidth: 5 MHz High Ch. 1992.50, 40 °C (5G NR)  
(worst-case output power, 22.05 dBm)




18:06:32 31.05.2022

Slot 0 (Band 25), ANT1, Modulation: 16QAM, Bandwidth: 5 MHz High Ch. 1992.50, 50 °C (5G NR)  
(worst-case output power, 22.05 dBm)




18:43:33 31.05.2022

Slot 0 (Band 25), ANT0, Modulation: 256QAM, Bandwidth: 20 MHz Low Ch. 1940.00 MHz, -30 °C (5G NR)  
(worst-case output power, 22.68 dBm)



14:28:56 23.05.2022


Slot 0 (Band 25), ANT0, Modulation: 256QAM, Bandwidth: 20 MHz Low Ch. 1940.00 MHz, -20 °C (5G NR)  
(worst-case output power, 22.68 dBm)




13:50:17 23.05.2022




Slot 0 (Band 25), ANT0, Modulation: 256QAM, Bandwidth: 20 MHz Low Ch. 1940.00 MHz, -10 °C (5G NR)  
(worst-case output power, 22.68 dBm)




Slot 0 (Band 25), ANT0, Modulation: 256QAM, Bandwidth: 20 MHz Low Ch. 1940.00 MHz, 0 °C (5G NR)  
(worst-case output power, 22.68 dBm)




Slot 0 (Band 25), ANT0, Modulation: 256QAM, Bandwidth: 20 MHz Low Ch. 1940.00 MHz, 10 °C (5G NR)  
(worst-case output power, 22.68 dBm)



Slot 0 (Band 25), ANT0, Modulation: 256QAM, Bandwidth: 20 MHz Low Ch. 1940.00 MHz, 20 °C (5G NR)  
(worst-case output power, 22.68 dBm)




Slot 0 (Band 25), ANT0, Modulation: 256QAM, Bandwidth: 20 MHz Low Ch. 1940.00 MHz, 30 °C (5G NR)  
(worst-case output power, 22.68 dBm)



09:44:33 23.05.2022


Slot 0 (Band 25), ANT0, Modulation: 256QAM, Bandwidth: 20 MHz Low Ch. 1940.00 MHz, 40 °C (5G NR)  
(worst-case output power, 22.68 dBm)



10:02:38 23.05.2022




Slot 0 (Band 25), ANT0, Modulation: 256QAM, Bandwidth: 20 MHz Low Ch. 1940.00 MHz, 50 °C (5G NR)  
(worst-case output power, 22.68 dBm)




10:45:45 23.05.2022

Slot 0 (Band 25), ANT1, Modulation: 16QAM, Bandwidth: 20 MHz High Ch. 1985.00 MHz, -30 °C (5G NR)  
(worst-case output power, 22.53 dBm)




21:42:31 31.05.2022


Slot 0 (Band 25), ANT1, Modulation: 16QAM, Bandwidth: 20 MHz High Ch. 1985.00 MHz, -20 °C (5G NR)  
 (worst-case output power, 22.53 dBm)



Slot 0 (Band 25), ANT1, Modulation: 16QAM, Bandwidth: 20 MHz High Ch. 1985.00 MHz, -10 °C (5G NR)  
 (worst-case output power, 22.53 dBm)




Slot 0 (Band 25), ANT1, Modulation: 16QAM, Bandwidth: 20 MHz High Ch. 1985.00 MHz, 0 °C (5G NR)  
(worst-case output power, 22.53 dBm)



19:57:15 31.05.2022


Slot 0 (Band 25), ANT1, Modulation: 16QAM, Bandwidth: 20 MHz High Ch. 1985.00 MHz, 10 °C (5G NR)  
(worst-case output power, 22.53 dBm)




19:14:11 31.05.2022




Slot 0 (Band 25), ANT1, Modulation: 16QAM, Bandwidth: 20 MHz High Ch. 1985.00 MHz, 20 °C (5G NR)  
(worst-case output power, 22.53 dBm)



Slot 0 (Band 25), ANT1, Modulation: 16QAM, Bandwidth: 20 MHz High Ch. 1985.00 MHz, 30 °C (5G NR)  
(worst-case output power, 22.53 dBm)




Slot 0 (Band 25), ANT1, Modulation: 16QAM, Bandwidth: 20 MHz High Ch. 1985.00 MHz, 40 °C (5G NR)  
(worst-case output power, 22.53 dBm)




18:09:33 31.05.2022

Slot 0 (Band 25), ANT0, Modulation: 16QAM, Bandwidth: 20 MHz High Ch. 1985.00 MHz, 50 °C (5G NR)  
(worst-case output power, 22.76 dBm)



18:39:25 31.05.2022


Slot 0 (Band 25), ANT0, Modulation: 16QAM, Bandwidth: 5 MHz, Low Channel 1932.50 MHz (5G NR)  
 Worst-case Output Power: 22.12 dBm, Lower Extreme Voltage: 41.1 VDC



09:16:01 25.05.2022




Slot 0 (Band 25), ANT0, Modulation: 16QAM, Bandwidth: 5 MHz, Low Channel 1932.50 MHz (5G NR)  
 Worst-case Output Power: 22.12 dBm, Nominal Voltage: 48 VDC




09:10:54 25.05.2022

Slot 0 (Band 25), ANT0, Modulation: 16QAM, Bandwidth: 5 MHz, Low Channel 1932.50 MHz (5G NR)  
 Worst-case Output Power: 22.12 dBm, Upper Extreme Voltage: 57 VDC



09:19:55 25.05.2022

Slot 0 (Band 25), ANT0, Modulation: 16QAM, Bandwidth: 5 MHz, High Channel 1992.50 (5G NR)  
 Worst-case Output Power: 22.05 dBm, Lower Extreme Voltage: 41.1 VDC



10:06:40 25.05.2022

Slot 0 (Band 25), ANT0, Modulation: 16QAM, Bandwidth: 5 MHz, High Channel 1992.50 (5G NR)  
 Worst-case Output Power: 22.05 dBm, Nominal Voltage: 48 VDC




10:10:06 25.05.2022

Slot 0 (Band 25), ANT0, Modulation: 16QAM, Bandwidth: 5 MHz, High Channel 1992.50 (5G NR)  
 Worst-case Output Power: 22.05 dBm, Upper Voltage: 57 VDC



10:13:26 25.05.2022


Slot 0 (Band 25), ANT0, Modulation: 256QAM, Bandwidth: 20 MHz, Low Channel 1940.00 MHz (5G NR)  
 Worst-case Output Power: 22.68 dBm, Lower Extreme Voltage: 41.1 VDC



09:38:12 25.05.2022




Slot 0 (Band 25), ANT0, Modulation: 256QAM, Bandwidth: 20 MHz, Low Channel 1940.00 MHz (5G NR)  
 Worst-case Output Power: 22.68 dBm, Nominal Voltage: 48 VDC




09:42:09 25.05.2022

Slot 0 (Band 25), ANT0, Modulation: 256QAM, Bandwidth: 20 MHz, Low Channel 1940.00 MHz (5G NR)  
 Worst-case Output Power: 22.68 dBm, Upper Extreme Voltage: 57 VDC




09:45:47 25.05.2022

Slot 0 (Band 25), ANT0, Modulation: 16QAM, Bandwidth: 20 MHz, High Channel 1985.00 MHz (5G NR)  
 Worst-case Output Power: 22.53 dBm, Lower Extreme Voltage: 41.1 VDC




10:27:09 25.05.2022

Slot 0 (Band 25), ANT0, Modulation: 16QAM, Bandwidth: 20 MHz, High Channel 1985.00 MHz (5G NR)  
 Worst-case Output Power: 22.53 dBm, Nominal Voltage: 48 VDC



10:23:40 25.05.2022

Slot 0 (Band 25), ANT0, Modulation: 16QAM, Bandwidth: 20 MHz, High Channel 1985.00 MHz (5G NR)  
 Worst-case Output Power: 22.53 dBm, Upper Extreme Voltage: 57 VDC



10:19:03 25.05.2022

Test Personnel: Kouma Sinn *KPS* Test Date: 05/03/2022-05/05/2022, 05/25/2022  
Vathana F. Ven *VSV* 05/22/2022  
 Supervising/Reviewing Engineer: N/A  
 Product Standard: FCC Part 24 Limit Applied: See report section 10.3  
41.1 VDC, 48VDC, 57 VDC  
 Input Voltage: (POE),  
 Pretest Verification w/ Ambient Signals or BB Source: N/A Ambient Temperature: 23 °C (05/25/2022)  
 Relative Humidity: 39 % (05/25/2022)  
 Atmospheric Pressure: 1020 mbar (05/25/2022)

Deviations, Additions, or Exclusions: None



## 11 Transmitter spurious emissions

### 11.1 Method

Tests are performed in accordance with ANSI C63.26 and CFR47 FCC Parts 2.1051, 2.1053, 2.1057, and 24.

**TEST SITE:** EMC Lab & 10m ALSE

**The EMC Lab** has one Semi-anechoic Chamber and one Shielded Chamber. AC Mains Power is available at 120, 230, and 277 Single Phase; 208, 400, and 480 3-Phase. Large reference ground-planes are installed in the general lab area to facilitate EMC work not requiring a shielded environment.

**The 10m ALSE** is 13m (Length) x 21m (Depth) x 10m (Height) with the effective size in terms of space from the tips of the absorber is 12m (Length) x 20m (Depth) x 8.5m (Height). This chamber achieves broadband performance using a unique arrangement of hybrid and ferrite tile absorber. This chamber has a built in 3m diameter turntable (Embedded type). The metal structure of the table makes electrical connection around the entire circumference of the turntable to the ground plane with a metal brush type connection. The turntable is located on one end of the chamber and the antennas are mounted 3 and 10 meters away at the other end of the chamber on the adjustable an Antenna Mast. The antenna mast is a non-conductive bore sighted type with remote control of antenna height and polarization. The Antenna Mast and the turntable can be remotely controlled through the controller located in the adjacent Control room. A Styrofoam table 80 cm high is used for table-top equipment.

### Measurement Uncertainty

Measurement	Frequency Range	Expanded Uncertainty (k=2)	Ucisp
Radiated Emissions, 10m	30-1000 MHz	4.6dB	6.3 dB
Radiated Emissions, 3m	30-1000 MHz	5.3 dB	6.3 dB
Radiated Emissions, 3m	1-6 GHz	4.5 dB	5.2 dB
Radiated Emissions, 3m	6-15 GHz	5.2 dB	5.5 dB
Radiated Emissions, 3m	15-18 GHz	5.0 dB	5.5 dB
Radiated Emissions, 3m	18-40 GHz	5.0 dB	5.5 dB

As shown in the table above our radiated emissions  $U_{lab}$  is less than the corresponding  $U_{CISPR}$  reference value in CISPR 16-4-2 Table 1, hence the compliance of the product is only based on the measured value, and no measurement uncertainty correction is required, based on CISPR 22 and CISPR 11 (for 2006 and later revisions) Clause 11.

### Sample Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor, and subtracting the Amplifier Gain (if any) from the measured reading. The basic equation with a sample calculation is as follows:

$$FS = RA + AF + CF - AG$$

Where

- FS = Field Strength in dB $\mu$ V/m
- RA = Receiver Amplitude (including preamplifier) in dB $\mu$ V
- CF = Cable Attenuation Factor in dB
- AF = Antenna Factor in dB
- AG = Amplifier Gain in dB

In the following table(s), the reading shown on the data table reflects the preamplifier gain. An example for the calculations in the following table is as follows.

Assume a receiver reading of 52.0 dB $\mu$ V is obtained. The antenna factor of 7.4 dB and cable factor of 1.6 dB is added. The amplifier gain of 29 dB is subtracted, giving a field strength of 32 dB $\mu$ V/m. This value in dB $\mu$ V/m was converted to its corresponding level in  $\mu$ V/m.

RA = 52.0 dB $\mu$ V  
 AF = 7.4 dB/m  
 CF = 1.6 dB  
 AG = 29.0 dB  
 FS = 32 dB $\mu$ V/m

To convert from dB $\mu$ V to  $\mu$ V or mV the following was used:

$UF = 10^{(NF / 20)}$  where UF = Net Reading in  $\mu$ V  
 NF = Net Reading in dB $\mu$ V

#### Example:

$FS = RA + AF + CF - AG = 52.0 + 7.4 + 1.6 - 29.0 = 32.0$   
 $UF = 10^{(32 \text{ dB}\mu\text{V} / 20)} = 39.8 \mu\text{V/m}$

Alternately, when BAT-EMC Emission Software is used, the "Level" includes all losses and gains and is comPAPRed directly in the "Margin" column to the "Limit". The "Correction" includes Antenna Factor, Preamp, and Cable Loss. These are already accounted for in the "Level" column.

**11.2 Test Equipment Used:**

Test equipment used for antenna port conducted measurements

Asset	Description	Manufacturer	Model	Serial	Cal Date	Cal Due
DAV005'	Weather Station	Davis	6250	MS191218083	02/11/2022	02/11/2023
ROS005-1'	Signal and Spectrum Analyzer	Rohde and Shwartz	FSW43	100646	11/02/2021	11/02/2022
CEN001'	DC-40GHz attenuator 20dB	Centric RF	C411-20	CEN001	01/26/2022	01/26/2023
CBLHF2012-2M-2'	2m 9kHz-40GHz Coaxial Cable - SET2	Huber & Suhner	SF102	252675002	02/10/2023	02/10/2023

**Software Utilized:**

Name	Manufacturer	Version
None	--	--

Test equipment used for radiated emissions from 9 kHz-30 MHz

Asset	Description	Manufacturer	Model	Serial	Cal Date	Cal Due
DAV007'	Weather Station Vantage Vue	Davis	6250	MS191212003	03/08/2022	03/08/2023
145-414'	Cables 145-400 145-403 145-405 145-409	Huber + Suhner	3m Track A cables	multiple	07/09/2021	07/09/2022
IW001'	2 meter cable	Insulated Wire	2801-NPS	001	09/23/2021	09/23/2022
IW002'	2 meter Armored cable	Insulated Wire	2800-NPS	002	09/23/2021	09/23/2022
IW003'	8.4 meter cable	Insulated Wire	2800-NPS	003	10/15/2022	10/15/2022
145108'	EMI Test Receiver (20Hz - 40GHz)	Rohde & Schwarz	ESIB40	100209	06/22/2021	06/22/2022
ETS003'	9kHz-30MHz Active Loop Antenna	ETS Lindgren	6502	00143396	08/26/2021	08/26/2022

**Software Utilized:**

Name	Manufacturer	Version
BAT-EMC	Nexio	3.18.0.16

Test equipment used for radiated emissions from 30-1000 MHz

Asset	Description	Manufacturer	Model	Serial	Cal Date	Cal Due
IW001'	2 meter cable	Insulated Wire	2801-NPS	001	09/23/2021	09/23/2022
145106'	Bilog Antenna (30MHz - 5GHz)	Sunol Sciences	JB5	A111003	07/15/2021	07/15/2022
HS002'	DC-18GHz cable 1.5M long	Huber & Suhner	SucoFlex 106A	HS002	12/06/2021	12/06/2022
IW006'	DC-18GHz cable 8.4m long	Insulated Wire	2800-NPS	IW006	07/22/2021	07/22/2022
PRE11'	50dB gain pre-amp	Pasternack	PRE11	PRE11	09/02/2021	09/02/2022
DAV007'	Weather Station Vantage Vue	Davis	6250	MS191212003	03/08/2022	03/08/2023
145145'	Broadband Hybrid Antenna 30 MHz - 3 GHz	Sunol Sciences Corp.	JB3	A122313	06/09/2021	06/09/2022
145108'	EMI Test Receiver (20Hz - 40GHz)	Rohde & Schwarz	ESIB40	100209	06/22/2021	06/22/2022

**Software Utilized:**

Name	Manufacturer	Version
BAT-EMC	Nexio	3.18.0.16

Test equipment used for radiated emissions from 1-18 GHz

Asset	Description	Manufacturer	Model	Serial	Cal Date	Cal Due
DAV007'	Weather Station Vantage Vue	Davis	6250	MS191212003	03/08/2022	03/08/2023
145-414'	Cables 145-400 145-403 145-405 145-409	Huber + Suhner	3m Track A cables	multiple	07/09/2021	07/09/2022
IW001'	2 meter cable	Insulated Wire	2801-NPS	001	09/23/2021	09/23/2022
IW002'	2 meter Armored cable	Insulated Wire	2800-NPS	002	09/23/2021	09/23/2022
IW003'	8.4 meter cable	Insulated Wire	2800-NPS	003	10/15/2022	10/15/2022
145108'	EMI Test Receiver (20Hz - 40GHz)	Rohde & Schwarz	ESIB40	100209	06/22/2021	06/22/2022
ETS002'	1-18GHz DRG Horn Antenna	ETS Lindgren	3117	00143260	08/24/2021	08/24/2022
PRE12'	Pre-amplifier	Com Power	PAM-118A	18040117	12/06/2021	12/06/2022

Test equipment used for radiated emissions from 18-20 GHz

Asset	Description	Manufacturer	Model	Serial	Cal Date	Cal Due
DAV007'	Weather Station Vantage Vue	Davis	6250	MS191212003	03/08/2022	03/08/2023
PRE8'	PREAMPLIFIER 1- 40 GHz	MITEQ	NSP4000-NF	507145	12/27/2021	12/27/2022
CBLHF2012-5M-2'	5m 9kHz-40GHz Coaxial Cable - SET2	Huber & Suhner	SF102	252676002	02/16/2022	02/16/2023
CBLSHF202'	Cable, SMA - SMA, 9kHz-40GHz	Sucoflex (Huber Suhn)	104PE	CBLSHF202	01/21/2022	02/21/2023
ETS004'	18-40GHz horn antenna	ets004	3116C	00218579	03/11/2022	03/11/2023
ROS005-1'	Signal and Spectrum Analyzer	Rohde and Shwartz	FSW43	100646	11/02/2021	11/02/2022



### 11.3 Results:

The sample tested was found to Comply. Where a resolution bandwidth of less than 1 MHz was used, more than 10 dB margin to the limit is shown. Since the two antenna ports transmit uncorrelated data streams and use cross polarized antennas, no adjustments to the test results were applied due to MIMO operation, per KDB 662911.

§24.238(a): The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least  $43 + 10 \log(P)$  dB.


(b) Measurement procedure. Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 MHz or 1 percent of emission bandwidth, as specified). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

**11.4 Setup Photographs:**


Confidential – Photos not included in this report

11.5 Plots/Data:

Low Channel 1937.50 MHz, Antenna Port (ANT0) Conducted Emissions, 9kHz-30MHz Band 25 (5G NR), BW 15 MHz, Modulation 64QAM (Worst-case output power, 22.81 dBm)




Low Channel 1937.50 MHz, Antenna Port (ANT0) Conducted Emissions, 30-1000 MHz Band 25 (5G NR), BW 15 MHz, Modulation 64QAM (Worst-case output power, 22.81 dBm)






**Low Channel 1937.50 MHz, Antenna Port (ANT0) Conducted Emissions, 1-20 GHz  
Band 25 (5G NR), BW 15 MHz, Modulation 64QAM (Worst-case output power, 22.81 dBm)**




11:03:58 25.05.2022

**Low Channel 1937.50 MHz, Antenna Port (ANT1) Conducted Emissions, 9kHz-30MHz  
Band 25 (5G NR), BW 15 MHz, Modulation 64QAM (Worst-case output power, 22.85 dBm)**




10:51:13 25.05.2022

Low Channel 1937.50 MHz, Antenna Port (ANT1) Conducted Emissions, 30-1000 MHz  
Band 25 (5G NR), BW 15 MHz, Modulation 64QAM (Worst-case output power, 22.85 dBm)




10:58:38 25.05.2022

Low Channel 1937.50 MHz, Antenna Port (ANT1) Conducted Emissions, 1-20 GHz  
Band 25 (5G NR), BW 15 MHz, Modulation 64QAM (Worst-case output power, 22.85 dBm)




11:00:40 25.05.2022

Mid Channel 1962.50 MHz, Antenna Port (ANT0) Conducted Emissions, 9kHz-30MHz  
Band 25 (5G NR), BW 5 MHz, Modulation 256QAM (Worst-case output power, 22.50 dBm)




Mid Channel 1962.50 MHz, Antenna Port (ANT0) Conducted Emissions, 30-1000 MHz  
Band 25 (5G NR), BW 5 MHz, Modulation 256QAM (Worst-case output power, 22.50 dBm)






**Mid Channel 1962.50 MHz, Antenna Port (ANT0) Conducted Emissions, 1-20 GHz Band 25 (5G NR), BW 5 MHz, Modulation 256QAM (Worst-case output power, 22.50 dBm)**




12:27:29 25.05.2022

**Mid Channel 1962.50 MHz, Antenna Port (ANT1) Conducted Emissions, 9 kHz-30 MHz Band 25 (5G NR), BW 5 MHz, Modulation 64QAM (Worst-case output power, 22.79 dBm)**




12:16:10 25.05.2022

**Mid Channel 1962.50 MHz, Antenna Port (ANT1) Conducted Emissions, 30 MHz-1000 MHz  
Band 25 (5G NR), BW 5 MHz, Modulation 64QAM (Worst-case output power, 22.79 dBm)**




12:18:50 25.05.2022

**Mid Channel 1962.50 MHz, Antenna Port (ANT1) Conducted Emissions, 1-20 GHz  
Band 25 (5G NR), BW 5 MHz, Modulation 64QAM (Worst-case output power, 22.79 dBm)**




12:19:29 25.05.2022

**High Channel 1985.00 MHz, Antenna Port (ANT0) Conducted Emissions, 9kHz-30MHz Band 25 (5G NR), BW 20 MHz, Modulation 16QAM (Worst-case output power, 22.50 dBm)**




**High Channel 1985.00 MHz, Antenna Port (ANT0) Conducted Emissions, 30-1000 MHz Band 25 (5G NR), BW 20 MHz, Modulation 16QAM (Worst-case output power, 22.50 dBm)**






**High Channel 1985.00 MHz, Antenna Port (ANT0) Conducted Emissions, 1-20 GHz  
Band 25 (5G NR), BW 20 MHz, Modulation 16QAM (Worst-case output power, 22.50 dBm)**




12:37:24 25.05.2022

**High Channel 1985.00 MHz, Antenna Port (ANT1) Conducted Emissions, 9 kHz-30 MHz  
Band 25 (5G NR), BW 20 MHz, Modulation 16QAM (Worst-case output power, 22.53 dBm)**




12:41:04 25.05.2022

**High Channel 1985.00 MHz, Antenna Port (ANT1) Conducted Emissions, 30-1000 MHz Band 25 (5G NR), BW 20 MHz, Modulation 16QAM (Worst-case output power, 22.53 dBm)**



**High Channel 1985.00 MHz, Antenna Port (ANT1) Conducted Emissions, 1-20 GHz Band 25 (5G NR), BW 20 MHz, Modulation 16QAM (Worst-case output power, 22.3 dBm)**




**Low Channel 1937.5 MHz, Radiated Emissions, 9 kHz-30 MHz  
Band 25 (5G NR), BW 15 MHz, Modulation 64QAM (Worst-case output power, 22.85 dBm)**

**Test Information:**

Date and Time	5/20/2022 6:28:55 PM
Client and Project Number	Commscope
Engineer	Kouma Sinn
Temperature	27 C
Humidity	34 %
Atmospheric Pressure	1005 mbar
Comments	Scan 2: Band 25, L Ch 1937.5 MHz (BW: 15 MHz, Mod: 64QAM, ANT1: 22.85 dBm - worst-case power), RE 9kHz-30MHz at 3m

**Graph:**



**Results:** Only one worst-case channel was selected for testing from 9 kHz-30 MHz. No emission was detected.




**Low Channel 1937.50 MHz, Radiated Emissions, 30-1000 MHz  
Band 25 (5G NR), BW 15 MHz, Modulation 64QAM (Worst-case output power, 22.85 dBm)**

**Test Information:**

Date and Time	5/20/2022 8:41:49 PM
Client and Project Number	Commscope
Engineer	Kouma Sinn
Temperature	27 C
Humidity	34 %
Atmospheric Pressure	1005 mbar
Comments	Scan 3: Band 2, L1937.50 MHz, BW: 15 MHz, Mod:64QAM, ANT1:22.85 dBm (Worst-case Output Power), RE 30-1000MHz SA mode

**Graph:**



**Results:**

**EIRP Peak (PASS) (6)**

Frequency (MHz)	Peak Level (dBµV/m)	EIRP Level (dBm)	Limit (dBm)	EIRP Margin (dB)	Azimuth (°)	Height (m)	Pol.	RBW (Hz)	Correction (dB)
44.92631579	47.40	-47.86	-13	-34.86	61.00	2.26	Vertical	1000000.00	-22.74
45.03157895	47.48	-47.78	-13	-34.78	68.00	2.79	Vertical	1000000.00	-22.81
52	43.68	-51.58	-13	-38.58	31.00	1.30	Vertical	1000000.00	-25.99
54.26315789	43.76	-51.50	-13	-38.50	17.00	1.00	Vertical	1000000.00	-26.27
68.92631579	41.13	-54.13	-13	-41.13	10.00	2.46	Vertical	1000000.00	-25.11
77.2	39.96	-55.30	-13	-42.30	163.00	3.22	Vertical	1000000.00	-25.35

**Notes:**


The level in EIRP (dBm) is calculated from the peak readings as  $EIRP (dBm) = E \text{ Peak } (dB\mu V/m) + 20 * \text{Log}(d) - 104.8$ , where d is the measurement distance (in the far field region) in meter.

**Low Channel 1937.50 MHz, Radiated Emissions, 1-20 GHz  
Band 25 (5G NR), BW 15 MHz, Modulation 64QAM (Worst-case output power, 22.85 dBm)**

**Test Information:**

Date and Time	5/21/2022 11:49:22 AM
Client and Project Number	Commscope
Engineer	Kouma Sinn
Temperature	25 C
Humidity	49 %
Atmospheric Pressure	1007 mbar
Comments	Scan 10: Band 2, L1937.50MHz, BW: 15 MHz, Mod: 64QAM, ANT1: 22.85 dBm (Worst-case Output Power), RE 1-18 GHz SA mode

**Graph:**



**Results:**

**EIRP Peak (7)**

Frequency (MHz)	Peak Level (dBµV/m)	EIRP Level (dBm)	Limit (dBm)	EIRP Margin (dB)	Azimuth (°)	Height (m)	Pol.	RBW (Hz)	Correction (dB)
2425.789474	46.22	-49.04	-13	-36.04	60.00	3.79	Vertical	1000000.00	-3.57
2844.473684	52.89	-42.37	-13	-29.37	112.00	1.45	Vertical	1000000.00	-2.82
3872.105263	42.38	-52.88	-13	-39.88	140.00	1.85	Horizontal	1000000.00	-1.09
5814.210526	43.87	-51.39	-13	-38.39	83.00	1.80	Vertical	1000000.00	2.98
7750	51.00	-44.26	-13	-31.26	0.00	1.00	Horizontal	1000000.00	6.30
9690.789474	51.50	-43.76	-13	-30.76	118.00	2.80	Vertical	1000000.00	8.99
11628.15789	52.53	-42.73	-13	-29.73	184.00	3.84	Horizontal	1000000.00	12.14

**Notes:**


The level in EIRP (dBm) is calculated from the peak readings as  $EIRP (dBm) = E \text{ Peak (dB}\mu\text{V/m)} + 20 \cdot \text{Log}(d) - 104.8$ , where  $d$  is the measurement distance (in the far field region) in meter. Manual scan was performed from 18-20 GHz at a distance of 10 cm with no emission was detected above measuring instrument noise floor.

**Mid Channel 1962.50 MHz, Radiated Emissions, 30-1000 MHz  
Band 25 (5G NR), BW 5 MHz, Modulation 64QAM (Worst-case output power, 22.79 dBm)**

**Test Information:**

Date and Time	5/21/2022 8:07:47 AM
Client and Project Number	Commscope
Engineer	Kouma Sinn
Temperature	25 C
Humidity	49 %
Atmospheric Pressure	1007 mbar
Comments	Scan 6: Band 25, M1962.5 MHz, BW: 5 MHz, Mod: 64QAM, ANT1: 22.79 dBm (Worst-case Output Power), RE 30-1000MHz SA mode

**Graph:**



**Results:**

**EIRP Peak (PASS) (7)**

Frequency (MHz)	Peak Level (dBµV/m)	EIRP Level (dBm)	Limit (dBm)	EIRP Margin (dB)	Azimuth (°)	Height (m)	Pol.	RBW (Hz)	Correction (dB)
36.26315789	46.42	-38.38	-13	-25.38	322.00	3.13	Vertical	1000000.00	-16.76
43.86315789	39.59	-45.21	-13	-32.21	271.00	2.53	Vertical	1000000.00	-22.09
68.26315789	40.45	-44.35	-13	-31.35	191.00	3.76	Vertical	1000000.00	-25.12
79.33684211	40.30	-44.5	-13	-31.5	177.00	1.00	Vertical	1000000.00	-25.54
92.67368421	37.04	-47.76	-13	-34.76	163.00	1.47	Vertical	1000000.00	-24.78
107.6	38.25	-46.55	-13	-33.55	358.00	1.21	Vertical	1000000.00	-20.76
326.0947368	28.83	-55.97	-13	-42.97	206.00	3.09	Vertical	1000000.00	-17.51

**Notes:**

The level in EIRP (dBm) is calculated from the peak readings as  $EIRP (dBm) = E \text{ Peak } (dB\mu V/m) + 20 * \text{Log}(d) - 104.8$ , where d is the measurement distance (in the far field region) in meter.




**Mid Channel 1962.50 MHz, Radiated Emissions, 1-20 GHz  
Band 25 (5G NR), BW 5 MHz, Modulation 64QAM (Worst-case output power, 22.79 dBm)**

**Test Information:**

Date and Time	5/21/2022 11:07:00 AM
Client and Project Number	Commscope
Engineer	Kouma Sinn
Temperature	25 C
Humidity	49 %
Atmospheric Pressure	1007 mbar
Comments	Scan 9: Band 25, M1962.5 MHz, BW: 5 MHz, Mod: 64QAM, ANT1: 22.79 dBm (Worst-case Output Power), RE 1 to 18 GHz SA mode

**Graph:**



**Results:**

**EIRP Peak (7)**

Frequency (MHz)	Peak Level (dBµV/m)	EIRP Level (dBm)	Limit (dBm)	EIRP Margin (dB)	Azimuth (°)	Height (m)	Pol.	RBW (Hz)	Correction (dB)
2426.052632	46.32	-48.94	-13	-35.94	0.00	1.15	Vertical	1000000.00	-3.57
2844.473684	53.02	-42.24	-13	-29.24	111.00	1.50	Vertical	1000000.00	-2.82
3925.789474	42.59	-52.67	-13	-39.67	75.00	1.05	Vertical	1000000.00	-1.02
5892.894737	45.02	-50.24	-13	-37.24	258.00	3.10	Horizontal	1000000.00	3.20
7848.684211	54.82	-40.44	-13	-27.44	345.00	1.01	Vertical	1000000.00	6.74
9816.315789	50.81	-44.45	-13	-31.45	0.00	3.75	Vertical	1000000.00	9.91
11773.94737	53.11	-42.15	-13	-29.15	359.00	3.59	Horizontal	1000000.00	12.59

**Notes:**


The level in EIRP (dBm) is calculated from the peak readings as  $EIRP (dBm) = E \text{ Peak (dB}\mu\text{V/m)} + 20 \cdot \text{Log}(d) - 104.8$ , where  $d$  is the measurement distance (in the far field region) in meter. Manual scan was performed from 18-20 GHz at a distance of 10 cm with no emission was detected above measuring instrument noise floor.

**High Channel 1985.00 MHz, Radiated Emissions, 30-1000 MHz  
Band 25 (5G NR), BW 20 MHz, Modulation 16QAM (Worst-case output power, 22.53 dBm)**

**Test Information:**

Date and Time	5/21/2022 9:04:15 AM
Client and Project Number	Commscope
Engineer	Kouma Sinn
Temperature	25 C
Humidity	49 %
Atmospheric Pressure	1007 mbar
Comments	Scan 7: Band 25, H1985 MHz, BW: 20 MHz, Mod: 16QAM, ANT1: 22.53 dBm (Worst-case Output Power), RE 30-1000MHz SA mode

**Graph:**



**Results:**

**EIRP Peak (PASS) (6)**

Frequency (MHz)	Peak Level (dBµV/m)	EIRP Level (dBm)	Limit (dBm)	EIRP Margin (dB)	Azimuth (°)	Height (m)	Pol.	RBW (Hz)	Correction (dB)
36.4	40.01	-44.79	-13	-31.79	310.00	1.35	Vertical	1000000.00	-16.85
47.43157895	37.27	-47.53	-13	-34.53	206.00	2.51	Vertical	1000000.00	-24.27
67.87368421	40.30	-44.5	-13	-31.5	163.00	3.24	Vertical	1000000.00	-25.14
78.78947368	41.03	-43.77	-13	-30.77	170.00	1.13	Vertical	1000000.00	-25.49
92.41052632	37.36	-47.44	-13	-34.44	222.00	2.16	Vertical	1000000.00	-24.91
107.0736842	38.45	-46.35	-13	-33.35	345.00	2.49	Vertical	1000000.00	-20.88

**Notes:**


The level in EIRP (dBm) is calculated from the peak readings as  $EIRP (dBm) = E \text{ Peak (dB}\mu\text{V/m)} + 20 \cdot \text{Log}(d) - 104.8$ , where  $d$  is the measurement distance (in the far field region) in meter.

**High Channel 1985.00 MHz, Radiated Emissions, 1-20 GHz  
Band 25 (5G NR), BW 20 MHz, Modulation 16QAM (Worst-case output power, 22.53 dBm)**

**Test Information:**

Date and Time	5/21/2022 11:01:46 AM
Client and Project Number	Commscope
Engineer	Kouma Sinn
Temperature	25 C
Humidity	49 %
Atmospheric Pressure	1007 mbar
Comments	Scan 8: Band 25, H1985 MHz, BW: 20 MHz, Mod: 16QAM, ANT1: 22.53 dBm (Worst-case Output Power), RE 1 to 18 GHz SA mode

**Graph:**



**Results:**

**EIRP Peak (8)**

Frequency (MHz)	Peak Level (dBµV/m)	EIRP Level (dBm)	Limit (dBm)	EIRP Margin (dB)	Azimuth (°)	Height (m)	Pol.	RBW (Hz)	Correction (dB)
2500	49.24	-46.02	-13	-33.02	220.00	1.06	Vertical	1000000.00	-3.04
2844.473684	53.02	-42.24	-13	-29.24	112.00	1.45	Vertical	1000000.00	-2.82
3000.263158	43.32	-51.94	-13	-38.94	46.00	2.00	Vertical	1000000.00	-2.31
3971.052632	42.50	-52.76	-13	-39.76	39.00	1.25	Horizontal	1000000.00	-0.98
5953.157895	45.59	-49.67	-13	-36.67	163.00	1.00	Horizontal	1000000.00	3.36
7939.736842	51.40	-43.86	-13	-30.86	343.00	1.05	Vertical	1000000.00	7.12
9925.789474	50.10	-45.16	-13	-32.16	170.00	2.20	Vertical	1000000.00	9.46
17266.31579	58.88	-36.38	-13	-23.38	4.00	2.55	Horizontal	1000000.00	22.41

**Notes:**

The level in EIRP (dBm) is calculated from the peak readings as  $EIRP (dBm) = E \text{ Peak (dB}\mu\text{V/m)} + 20 \cdot \text{Log}(d) - 104.8$ , where d is the measurement distance (in the far field region) in meter. Manual scan was performed from 18-20 GHz at a distance of 10 cm with no emission was detected above measuring instrument noise floor.



Test Personnel: Kouma Sinn *KPS*  
Supervising/Reviewing  
Engineer:  
(Where Applicable) Vathana F. Ven *VFV*

Test Date: 05/20/2022, 05/21/2022

Product Standard: FCC Part 24  
Input Voltage: 48 VDC (POE)

Limit Applied: See report section 11.3

Pretest Verification w/  
Ambient Signals or  
BB Source: N/A

Ambient Temperature: 27, 24 °C

Relative Humidity: 34, 49 %

Atmospheric Pressure: 1005, 1007 mbars

Deviations, Additions, or Exclusions: None

12 Revision History

Revision Level	Date	Report Number	PrePAPRed By	Reviewed By	Notes
0	06/09/2022	105029958BOX-005d	KPS <i>KPS</i>	VFV <i>VFV</i>	Original Issue