Small dock BT speaker quick guide

If no device connections is made within 10 minutes of the Spec

- 1. Keep the distance between the cell phone and the Speaker within 3 feet(for pairing only).
- 2. Turn on the Speaker by pressing and holding the Power Button " around 1second, meanwhile blue light flash quickly.
- 3. The tone prompt will sound and the blue and red light flash alternately, the unit will automatically enter into pairing mode.
- 4. Active the Bluetooth function of the cell phone to search for the Bluetooth devices. After finishing the search, select "B79" in the device list display.
- 5. The Speaker is ready for use.

# Speaker Controls:

ON/OFF

Press and hold" " button for 1seconds to turn the unit ON/OFF. The unit will turn off if inactive for 10minutes.

## Volume:

During a call or when listening to music

Press and hold button, volumet +
Press and hold button, volumet -

#### Music:

Short press button to next song

## Pay/Pause:

Short press

## Charging:

Charging by charge dock through DC5V/ 1000mA adaptor

Place the speaker into Charging station, read light appears when charging has begun. Red light turns off when charge is complete.

Spec:

IPX6 waterproof BT speaker Bluetooth version: BT 4.1 Speaker driver: D45mm

MAX output: 5W
Sensitivity: 90±3DB
Frequency: 120-20KHZ
Battery: 3.7V/1200mAh

Charging dock input: 5V 2.1A Charging dock output: 5V 2.1A Charging time: around 3hours Playing time: up to 8hours

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception,

which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the followingmeasures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which thereceiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules.

Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.