



Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1 pp 2483.96	42.28	-11.72	54.00	36.51	31.86	6.91	33.00	Average



### 1.3.2.4 Channel 11@Ant 1




	Over	Limit	ReadAntenna	Cable	Preamp	
Freq	Level	Limit	Line	Level	Loss	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB
1 pp 2484.12	51.56	-22.44	74.00	45.79	31.86	6.91 33.00 Peak




	Over	Limit	ReadAntenna	Cable	Preamp	
Freq	Level	Limit	Line	Level	Loss	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB
1 pp 2483.52	41.88	-12.12	54.00	36.11	31.86	6.91 33.00 Average



### 1.3.2.5 Channel 1 @Ant 2




Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1 pp 2387.70	51.49	-22.51	74.00	46.18	31.50	6.81	33.00	Peak




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1 pp	2389.80	41.66	-12.34	54.00	36.35	31.50	6.81	33.00	Average



### 1.3.2.6 Channel 2@Ant 2




Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	
1 pp 2389.59	52.96	-21.04	74.00	47.65	31.50	6.81 33.00	Peak




Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	
1 pp 2389.91	42.06	-11.94	54.00	36.75	31.50	6.81 33.00	Average



### 1.3.2.7 Channel 10@Ant 2




Over	Limit	ReadAntenna	Cable	Preamp	Remark			
Freq	Level	Limit	Line	Level	Factor			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m			
1 pp 2485.12	51.84	-22.16	74.00	46.07	31.86	6.91	33.00	Peak




Over	Limit	ReadAntenna	Cable	Preamp	Remark			
Freq	Level	Limit	Line	Level	Factor			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m			
1 pp 2483.80	42.61	-11.39	54.00	36.84	31.86	6.91	33.00	Average



### 1.3.2.8 Channel 11@Ant 2




Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB
1 pp 2483.60	52.25	-21.75	74.00	46.48	31.86	6.91	33.00 Peak



Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB
1 pp 2483.76	41.13	-12.87	54.00	35.36	31.86	6.91	33.00 Average



### 1.3.2.9 Channel 1 @CDD



Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1 pp 2342.97	51.69	-22.31	74.00	46.49	31.55	6.65	33.00	Peak




Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1 pp 2389.80	41.92	-12.08	54.00	36.61	31.50	6.81	33.00	Average






### 1.3.2.10 Channel 2@CDD




Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1 pp 2369.96	51.96	-22.04	74.00	46.71	31.52	6.73	33.00	Peak




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1 pp	2389.80	42.56	-11.44	54.00	37.25	31.50	6.81	33.00	Average



### 1.3.2.11 Channel 10@CDD




	Freq	Level	Over Limit	Limit	ReadAntenna	Cable Preamp			Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	pp	2483.72	52.54	-21.46	74.00	46.77	31.86	6.91	33.00 Peak




	Over	Limit	ReadAntenna	Cable	Preamp		
Freq	Level	Limit	Level	Loss	Factor	Remark	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB
1 pp 2483.56	43.59	-10.41	54.00	37.82	31.86	6.91	33.00 Average



### 1.3.2.12 Channel 11 @CDD




1 pp	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1 pp	2490.12	52.12	-21.88	74.00	46.28	31.93	6.91	33.00	Peak



Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB
1 pp 2484.20	42.83	-11.17	54.00	37.06	31.86	6.91	33.00 Average




### 1.3.3 Test Mode: 11N20






### 1.3.3.1 Channel 1 @Ant 1



	Over	Limit	ReadAntenna	Cable	Preamp			
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1 pp 2348.96	51.52	-22.48	74.00	46.24	31.55	6.73	33.00	Peak







	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1 pp	2370.90	41.09	-12.91	54.00	35.84	31.52	6.73	33.00	Average



### 1.3.3.2 Channel 2 @Ant 1




	Over	Limit	ReadAntenna	Cable	Preamp		
Freq	Limit	Line	Level	Loss	Factor	Factor	Remark
MHz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	dB
1 pp 2381.19	50.99	-23.01	74.00	45.74	31.52	6.73	33.00 Peak




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	pp 2380.14	41.02	-12.98	54.00	35.77	31.52	6.73	33.00	Average



### 1.3.3.3 Channel 10 @Ant 1




Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable Factor	Preamp Loss	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB
1 pp 2499.92	52.86	-21.14	74.00	47.02	31.93	6.91	33.00 Peak




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBUV/m	dB	dBUV/m	dBuV	dB/m	dB	dB	
1	pp 2483.56	42.67	-11.33	54.00	36.90	31.86	6.91	33.00	Average



### 1.3.3.4 Channel 11 @Ant 1




Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
L pp 2494.48	52.07	-21.93	74.00	46.23	31.93	6.91	33.00	Peak



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	pp 2483.56	42.16	-11.84	54.00	36.39	31.86	6.91	33.00	Average




### 1.3.3.5 Channel 1 @Ant 2



	Over	Limit	ReadAntenna	Cable	Preamp		
Freq	Level	Limit	Level	Loss	Factor	Remark	
MHz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	dB
1 pp 2384.45	51.13	-22.87	74.00	45.88	31.52	6.73	33.00 Peak







	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	pp 2389.49	42.44	-11.56	54.00	37.13	31.50	6.81	33.00	Average



### 1.3.3.6 Channel 2 @Ant 2




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1 pp	2390.00	52.94	-21.06	74.00	47.63	31.50	6.81	33.00	Peak




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1 pp	2389.80	42.99	-11.01	54.00	37.68	31.50	6.81	33.00	Average



### 1.3.3.7 Channel 10 @Ant 2




1	pp	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
		2485.76	52.45	-21.55	74.00	46.68	31.86	6.91	33.00	Peak




	Over	Limit	ReadAntenna	Cable	Preamp		
Freq	Level	Limit	Level	Loss	Factor	Remark	
MHz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	dB
1 pp 2483.88	42.38	-11.62	54.00	36.61	31.86	6.91	33.00 Average



### 1.3.3.8 Channel 11 @Ant 2




	Over	Limit	ReadAntenna	Cable	Preamp	
Freq	Level	Limit	Level	Loss	Factor	Remark
MHz	dBuV/m	dB	dBuV/m	dB	dB	
1 pp 2491.44	51.35	-22.65	74.00	45.51	31.93	6.91 33.00 Peak



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	pp 2484.04	42.16	-11.84	54.00	36.39	31.86	6.91	33.00	Average




### 1.3.3.9 Channel 1 @ MIMO



	Over	Limit	ReadAntenna	Cable	Preamp		
Freq	Level	Limit	Line	Level	Factor	Loss	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	
1 pp 2319.56	52.11	-21.89	74.00	46.89	31.57	6.65	33.00 Peak







	Over	Limit	ReadAntenna	Cable	Preamp		
Freq	Level	Limit	Level	Loss	Factor	Remark	
MHz	dBuV/m	dB	dBuV/m	dB	dB		
1 pp 2389.91	42.42	-11.58	54.00	37.11	31.50	6.81	33.00 Average



### 1.3.3.10 Channel 2 @ MIMO




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	
1 pp	2389.70	51.94	-22.06	74.00	46.63	31.50	6.81	33.00 Peak




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		
1	pp	2389.80	43.41	-10.59	54.00	38.10	31.50	6.81	33.00	Average



1.3.3.11 Channel 10 @ MIMO




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	pp 2486.20	51.75	-22.25	74.00	45.98	31.86	6.91	33.00	Peak




	Over	Limit	ReadAntenna	Cable	Preamp		
Freq	Level	Limit	Level	Loss	Factor	Remark	
MHz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	dB
1 pp 2483.60	42.80	-11.20	54.00	37.03	31.86	6.91	33.00 Average



### 1.3.3.12 Channel 11 @ MIMO



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	pp 2491.56	52.29	-21.71	74.00	46.45	31.93	6.91	33.00	Peak



Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1 pp 2483.52	42.50	-11.50	54.00	36.73	31.86	6.91	33.00	Average

Note2:


1, Level =Reading level by receiver + Transd (Antenna factor + cable loss – preamplifier gain)

The reading level is calculated by software which is not shown in the sheet.

2, Over limit=Level –Limit Line




1.3.4 Test Mode: 11N40








### 1.3.4.1 Channel 3 @Ant 1




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		
1	pp	2326.17	51.39	-22.61	74.00	46.17	31.57	6.65	33.00	Peak




	Over	Limit	ReadAntenna	Cable	Preamp		
Freq	Level	Limit	Line	Level	Factor	Loss	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	
1 pp 2371.22	41.23	-12.77	54.00	35.98	31.52	6.73	33.00 Average



### 1.3.4.2 Channel 4 @Ant 1




	Over	Limit	ReadAntenna	Cable	Preamp		
Freq	Level	Limit	Level	Loss	Factor	Remark	
MHz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	dB
1 pp 2344.76	50.92	-23.08	74.00	45.72	31.55	6.65	33.00 Peak




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	pp 2389.38	41.37	-12.63	54.00	36.06	31.50	6.81	33.00	Average



### 1.3.4.3 Channel 5 @Ant 1




Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1 pp 2336.67	52.17	-21.83	74.00	46.97	31.55	6.65	33.00	Peak




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	pp	2388.23	41.15	-12.85	54.00	35.84	31.50	6.81	33.00 Average



1.3.4.4 Channel 6 @Ant 1



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	2484.04	53.26	-20.74	74.00	47.49	31.86	6.91	33.00	Peak




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	pp 2483.62	42.81	-11.19	54.00	37.04	31.86	6.91	33.00	Average






1.3.4.5 Channel 7 @Ant 1




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1 pp	2485.86	52.28	-21.72	74.00	46.51	31.86	6.91	33.00	Peak




	Over	Limit	ReadAntenna	Cable	Preamp			
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1 pp 2489.29	41.68	-12.32	54.00	35.84	31.93	6.91	33.00	Average



### 1.3.4.6 Channel 8 @Ant 1




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	pp 2497.06	51.07	-22.93	74.00	45.23	31.93	6.91	33.00	Peak




	Over	Limit	ReadAntenna	Cable	Preamp		
Freq	Level	Limit	Level	Loss	Factor	Remark	
MHz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	dB
1 pp 2484.88	41.70	-12.30	54.00	35.93	31.86	6.91	33.00 Average



### 1.3.4.7 Channel 9 @Ant 1



Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1 pp 2490.13	51.54	-22.46	74.00	45.70	31.93	6.91	33.00	Peak




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	2483.90	41.68	-12.32	54.00	35.91	31.86	6.91	33.00	Average

1, Level =Reading level by receiver + Transd (Antenna factor + cable loss – preamplifier gain)  
 The reading level is calculated by software which is not shown in the sheet.


2, Over limit=Level –Limit Line



1.3.4.8 Channel 3 @Ant 2



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable Factor	Preamp Loss	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	
1 pp	2358.62	51.81	-22.19	74.00	46.54	31.54	6.73	33.00 Peak




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		
1	pp	2389.49	41.59	-12.41	54.00	36.28	31.50	6.81	33.00	Average






### 1.3.4.9 Channel 4 @Ant 2




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	
1 pp	2320.08	51.36	-22.64	74.00	46.14	31.57	6.65	33.00 Peak




	Over	Limit	ReadAntenna	Cable	Preamp				
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		
1 pp 2389.28	41.59	-12.41	54.00	36.28	31.50	6.81	33.00	Average	



### 1.3.4.10 Channel 5 @Ant 2




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB
1 pp	2345.39	51.27	-22.73	74.00	46.07	31.55	6.65	33.00 Peak




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1 pp	2390.00	41.54	-12.46	54.00	36.23	31.50	6.81	33.00	Average



### 1.3.4.11 Channel 6 @Ant 2




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	pp	2484.81	51.70	-22.30	74.00	45.93	31.86	6.91	33.00 Peak




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamplifier Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	2483.76	42.16	-11.84	54.00	36.39	31.86	6.91	33.00	Average



1.3.4.12 Channel 7 @Ant 2



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	pp 2495.24	52.64	-21.36	74.00	46.80	31.93	6.91	33.00	Peak




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1 pp	2493.49	41.66	-12.34	54.00	35.82	31.93	6.91	33.00	Average






### 1.3.4.13 Channel 8 @Ant 2




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	pp 2489.08	51.41	-22.59	74.00	45.57	31.93	6.91	33.00	Peak




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1 pp	2490.90	41.52	-12.48	54.00	35.68	31.93	6.91	33.00	Average



### 1.3.4.14 Channel 9 @Ant 2



	Over	Limit	ReadAntenna	Cable	Preamp	
Freq	Level	Limit	Level	Loss	Factor	Remark
MHz	dBuV/m	dB	dBuV/m	dB	dB	
1 pp 2492.16	51.00	-23.00	74.00	45.16	31.93	6.91 33.00 Peak



	Over	Limit	ReadAntenna	Cable	Preamp		
Freq	Level	Limit	Level	Loss	Factor	Factor	Remark
MHz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	dB
1 pp 2484.95	41.95	-12.05	54.00	36.18	31.86	6.91	33.00 Average

Note:


1, Level =Reading level by receiver + Transd (Antenna factor + cable loss – preamplifier gain)

The reading level is calculated by software which is not shown in the sheet.


2, Over limit=Level –Limit Line



### 1.3.4.15 Channel 3 @ MIMO




Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1 pp 2337.30	51.31	-22.69	74.00	46.11	31.55	6.65	33.00	Peak




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	2380.35	41.21	-12.79	54.00	35.96	31.52	6.73	33.00	Average



### 1.3.4.16 Channel 4 @ MIMO



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	
1	pp 2315.57	51.50	-22.50	74.00	46.26	31.59	6.65	33.00 Peak




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	pp	2389.91	41.68	-12.32	54.00	36.37	31.50	6.81	33.00 Average






### 1.3.4.17 Channel 5 @ MIMO




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	pp 2388.65	41.28	-12.72	54.00	35.97	31.50	6.81	33.00	Average



Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable Loss	Preamp Factor	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	
1 pp 2354.84	51.32	-22.68	74.00	46.05	31.54	6.73	33.00 Peak




### 1.3.4.18 Channel 6 @ MIMO




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	pp 2494.68	51.39	-22.61	74.00	45.55	31.93	6.91	33.00	Peak



### 1.3.4.19 Channel 7 @ MIMO




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	pp 2484.39	51.97	-22.03	74.00	46.20	31.86	6.91	33.00	Peak




	Over	Limit	ReadAntenna	Cable	Preamp			
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1 pp 2483.69	41.92	-12.08	54.00	36.15	31.86	6.91	33.00	Average



### 1.3.4.20 Channel 8 @ MIMO




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	pp	2484.32	52.27	-21.73	74.00	46.50	31.86	6.91	33.00 Peak



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	
1 pp	2483.50	42.82	-11.18	54.00	37.05	31.86	6.91	33.00 Average




### 1.3.4.21 Channel 9 @ MIMO



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	pp 2484.04	51.55	-22.45	74.00	45.78	31.86	6.91	33.00	Peak





	Over	Limit	ReadAntenna	Cable	Preamp			
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1 pp 2483.55	42.56	-11.44	54.00	36.79	31.86	6.91	33.00	Average




#### 1.4 Part 4: Testing Range of “3 GHz to 18 GHz”

Note 1: The test results and plot for testing range of “3 GHz to 18 GHz” showed as below is the worst case for all Test Modes and Channels. This range will not be presented for each Test Mode and each Channel.

Note 2: The testing range of “3 GHz to 18 GHz” is for checking radiated emissions located in restricted bands faraway from the EUT operating bands.

Note 3: Two limits are required in the testing range above 1 GHz, that is Peak limit (74 dB $\mu$ V/m) and Average Limit (54 dB $\mu$ V/m).

Mode: 11B




Peak No.	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	4830.00	46.65	-7.35	54.00	60.33	33.77	10.89	58.34	Average



### 1.5 Part 5: Testing Range of “18 GHz to 26.5 GHz”

- Note 1: The test results and plot for testing range of “18 GHz to 26.5 GHz” showed as below is the WORST case for all Test Modes and Channels. This range will not be presented for each Test Mode and each Channel.
- Note 2: The testing range of “18 GHz to 26.5 GHz” is for checking radiated emissions located in restricted bands faraway from the EUT operating bands.
- Note 3: Two limits are required in the testing range above 1 GHz, that is Peak limit (74 dB $\mu$ V/m) and Average Limit (54 dB $\mu$ V/m).




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1 pp	19428.00	44.18	-9.82	54.00	33.70	37.41	20.10	47.03	Average
2 pk	19428.00	52.71	-21.29	74.00	42.23	37.41	20.10	47.03	Peak



## Appendix I: Conducted Emission at Power Port

Note: RBW =9 kHz, VBW = 30 kHz



### MEASUREMENT RESULT: AV Detector

Frequency (MHz)	Level (dB $\mu$ V)	Limit (dB $\mu$ V)	Transd. (dB)	Margin (dB)	Line	PE
0.184072	37.2	54.3	9.7	20.1	L1	FLO
0.198506	38.4	54.26	9.7	15.86	L1	FLO
0.250771	31.6	51.73	9.7	20.13	L1	FLO
4.026452	23.49	46	10.1	22.51	L1	FLO
5.250204	22.39	50	10	27.61	L1	FLO
16.546516	26.97	50	11.4	23.03	L1	FLO

### MEASUREMENT RESULT: PK Detector

Frequency (MHz)	Level (dB $\mu$ V)	Limit (dB $\mu$ V)	Transd. (dB)	Margin (dB)	Line	PE
0.186814	52.95	64.18	9.7	11.23	N	FLO
0.24826	46.34	61.82	9.7	15.47	N	FLO
2.933033	38.07	56	9.8	17.93	L1	FLO



---

---

3.999394	38.48	56	10.1	17.52	L1	FLO
5.242709	35.24	60	10	24.76	L1	FLO
16.619688	35.06	60	11.4	24.94	L1	FLO

Note:

1, Level =Reading level by receiver + Transd (Antenna factor + cable loss – preamplifier gain)

The reading level is calculated by software which is not shown in the sheet.

2, Margin=Limit - Level

---

END