



Test Mode: WCDMA Band V_TX CH4182_HSDPA



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		41.640	-77.56	12.06	-65.50	-13.00	-52.50	peak	
2		154.160	-78.02	13.16	-64.86	-13.00	-51.86	peak	
3		268.620	-77.38	11.99	-65.39	-13.00	-52.39	peak	
4		407.330	-76.42	14.31	-62.11	-13.00	-49.11	peak	
5		498.510	-76.44	17.46	-58.98	-13.00	-45.98	peak	
6	*	640.130	-75.65	19.84	-55.81	-13.00	-42.81	peak	

Test Mode: WCDMA Band V_TX CH4182_HSDPA


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		41.640	-77.82	12.40	-65.42	-13.00	-52.42	peak	
2		150.280	-79.05	14.20	-64.85	-13.00	-51.85	peak	
3		234.670	-78.48	12.85	-65.63	-13.00	-52.63	peak	
4		269.590	-78.42	12.98	-65.44	-13.00	-52.44	peak	
5		420.910	-77.46	16.78	-60.68	-13.00	-47.68	peak	
6	*	708.030	-76.13	23.79	-52.34	-13.00	-39.34	peak	

Test Mode: WCDMA Band V_TX CH4182_HSDPA


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
-----	-----	--------------	-------------------------	-------------------------	-------------------------	--------------	--------------	----------	---------

Test Mode: WCDMA Band V_TX CH4182_HSDPA


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment

Test Mode: WCDMA Band V_TX CH4182_HSUPA


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		43.580	-77.92	11.99	-65.93	-13.00	-52.93	peak	
2		160.950	-78.00	12.87	-65.13	-13.00	-52.13	peak	
3		282.200	-78.09	12.56	-65.53	-13.00	-52.53	peak	
4		493.660	-76.61	17.18	-59.43	-13.00	-46.43	peak	
5		609.090	-76.07	18.96	-57.11	-13.00	-44.11	peak	
6	*	741.980	-76.95	22.16	-54.79	-13.00	-41.79	peak	

Test Mode: WCDMA Band V_TX CH4182_HSUPA


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	44.550	-78.64	12.97	-65.67	-13.00	-52.67	peak	
2	148.340	-78.89	14.06	-64.83	-13.00	-51.83	peak	
3	268.620	-78.14	12.87	-65.27	-13.00	-52.27	peak	
4	416.060	-77.62	16.68	-60.94	-13.00	-47.94	peak	
5	494.630	-75.56	17.67	-57.89	-13.00	-44.89	peak	
6 *	731.310	-76.56	23.22	-53.34	-13.00	-40.34	peak	

Test Mode: WCDMA Band V_TX CH4182_HSUPA


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment

Test Mode: WCDMA Band V_TX CH4182_HSUPA


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
---------	--------------	-------------------------	-------------------------	-------------------------	--------------	--------------	----------	---------

Test Mode: LTE Band 5_TX CH20525_1.4M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		56.190	-76.79	22.18	-54.61	-13.00	-41.61	peak	
2		147.370	-78.17	22.89	-55.28	-13.00	-42.28	peak	
3		276.380	-78.00	22.48	-55.52	-13.00	-42.52	peak	
4		378.230	-76.78	23.74	-53.04	-13.00	-40.04	peak	
5		461.650	-77.04	25.90	-51.14	-13.00	-38.14	peak	
6	*	632.370	-76.75	29.62	-47.13	-13.00	-34.13	peak	

Test Mode: LTE Band 5_TX CH20525_1.4M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		42.610	-78.25	22.59	-55.66	-13.00	-42.66	peak	
2		148.340	-78.56	24.06	-54.50	-13.00	-41.50	peak	
3		241.460	-77.96	22.32	-55.64	-13.00	-42.64	peak	
4		376.290	-78.05	25.66	-52.39	-13.00	-39.39	peak	
5		503.360	-77.02	28.06	-48.96	-13.00	-35.96	peak	
6	*	702.210	-76.89	33.93	-42.96	-13.00	-29.96	peak	

Test Mode: LTE Band 5_TX CH20525_1.4M


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1 *	2479.000	-59.15	12.15	-47.00	-13.00	-34.00	peak	

Test Mode: LTE Band 5_TX CH20525_1.4M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1646.000	-60.07	8.15	-51.92	-13.00	-38.92	peak	
2	*	2479.000	-57.00	5.34	-51.66	-13.00	-38.66	peak	

Test Mode: LTE Band 5_TX CH20525_10M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		41.640	-76.76	22.06	-54.70	-13.00	-41.70	peak	
2		145.430	-78.03	22.69	-55.34	-13.00	-42.34	peak	
3		282.200	-78.58	22.56	-56.02	-13.00	-43.02	peak	
4		421.880	-77.09	24.62	-52.47	-13.00	-39.47	peak	
5		507.240	-78.04	27.54	-50.50	-13.00	-37.50	peak	
6	*	764.290	-76.54	32.31	-44.23	-13.00	-31.23	peak	

Test Mode: LTE Band 5_TX CH20525_10M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		46.490	-78.06	22.52	-55.54	-13.00	-42.54	peak	
2		151.250	-78.52	24.05	-54.47	-13.00	-41.47	peak	
3		229.820	-78.50	23.20	-55.30	-13.00	-42.30	peak	
4		385.990	-77.33	26.03	-51.30	-13.00	-38.30	peak	
5		518.880	-76.98	28.08	-48.90	-13.00	-35.90	peak	
6	*	699.300	-77.52	33.93	-43.59	-13.00	-30.59	peak	

Test Mode: LTE Band 5_TX CH20525_10M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2479.000	-67.02	12.15	-54.87	-13.00	-41.87	peak	

Test Mode: LTE Band 5_TX CH20525_10M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1901.000	-64.27	8.27	-56.00	-13.00	-43.00	peak	
2		2479.000	-66.83	5.34	-61.49	-13.00	-48.49	peak	

Test Mode: LTE Band 26_TX CH27033_1.4M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		53.280	-76.75	21.99	-54.76	-13.00	-41.76	peak	
2		149.310	-78.28	23.08	-55.20	-13.00	-42.20	peak	
3		287.050	-77.81	22.35	-55.46	-13.00	-42.46	peak	
4		403.450	-77.76	24.20	-53.56	-13.00	-40.56	peak	
5		542.160	-76.38	27.47	-48.91	-13.00	-35.91	peak	
6	*	826.370	-75.49	33.25	-42.24	-13.00	-29.24	peak	


Test Mode: LTE Band 26_TX CH27033_1.4M

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		52.310	-77.64	21.92	-55.72	-13.00	-42.72	peak	
2		152.220	-78.39	23.91	-54.48	-13.00	-41.48	peak	
3		232.730	-77.83	23.02	-54.81	-13.00	-41.81	peak	
4		378.230	-77.63	25.89	-51.74	-13.00	-38.74	peak	
5		500.450	-76.76	28.06	-48.70	-13.00	-35.70	peak	
6	*	711.910	-76.81	33.69	-43.12	-13.00	-30.12	peak	


Test Mode: LTE Band 26_TX CH27033_1.4M



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1765.000	-61.22	7.75	-53.47	-13.00	-40.47	peak	

Test Mode: LTE Band 26_TX CH27033_1.4M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1731.000	-55.69	8.19	-47.50	-13.00	-34.50	peak	

Test Mode: LTE Band 26_TX CH26865_15M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		53.280	-76.29	21.99	-54.30	-13.00	-41.30	peak	
2		150.280	-77.79	23.15	-54.64	-13.00	-41.64	peak	
3		274.440	-77.84	22.39	-55.45	-13.00	-42.45	peak	
4		520.820	-76.46	27.51	-48.95	-13.00	-35.95	peak	
5		749.740	-76.05	32.47	-43.58	-13.00	-30.58	peak	
6	*	828.310	-62.81	33.35	-29.46	-13.00	-16.46	peak	

Test Mode: LTE Band 26_TX CH26865_15M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		45.520	-77.51	22.87	-54.64	-13.00	-41.64	peak	
2		152.220	-77.87	23.91	-53.96	-13.00	-40.96	peak	
3		265.710	-77.54	22.55	-54.99	-13.00	-41.99	peak	
4		386.960	-77.20	26.02	-51.18	-13.00	-38.18	peak	
5		732.280	-75.60	33.20	-42.40	-13.00	-29.40	peak	
6	*	821.520	-61.88	31.95	-29.93	-13.00	-16.93	peak	

Test Mode: LTE Band 26_TX CH26865_15M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2445.000	-63.94	12.06	-51.88	-13.00	-38.88	peak	


Test Mode: LTE Band 26_TX CH26865_15M

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1748.000	-61.71	8.20	-53.51	-13.00	-40.51	peak	


ATTACHMENT E - BAND EDGE




WCDMA Band V



WCDMA_HSDPA Band V



WCDMA_HSUPA Band V



LTE Band 5_1.4M

1RB0



1RB5

Channel

20407

Channel

20643




6RB0

Channel

20407

Channel

20643



LTE Band 5_3M

1RB0



1RB14

Channel

20415

Channel

20635





15RB0


Channel

20415

Channel

20635





LTE Band 5_10M

1RB0



1RB49

Channel

20450

Channel

20600




50RB0


Channel

20450

Channel

20600





LTE Band 26_3M

1RB0



1RB14

Channel

26805

Channel

27025





15RB0

Channel

26805

Channel

27025



LTE Band 26_5M

1RB0



1RB24

Channel

26815

Channel

27015





25RB0

Channel

26815

Channel

27015



LTE Band 26_10M

1RB0



1RB49

Channel

26840

Channel

26990




50RB0

Channel

26840

Channel

26990



LTE Band 26_15M

1RB0


1RB74

Channel

26865

Channel

26965




75RB0

Channel

26865


Channel

26965




ATTACHMENT F - PEAK TO AVERAGE RATIO

GSM 850 Spectrum Plot




WCDMA Band V Spectrum Plot


4132




4182




4233




-




WCDMA_HSDPA Band V Spectrum Plot




WCDMA_HSUPA Band V Spectrum Plot




LTE Band 5 Spectrum Plot_1.4M




LTE Band 5 Spectrum Plot_3M




LTE Band 5 Spectrum Plot_5M




LTE Band 5 Spectrum Plot_10M




LTE Band 26 Spectrum Plot_1.4M




LTE Band 26 Spectrum Plot_3M




LTE Band 26 Spectrum Plot_5M



LTE Band 26 Spectrum Plot_10M



LTE Band 26 Spectrum Plot_15M



ATTACHMENT G - FREQUENCY STABILITY

Test Mode:	GSM850_CH128
------------	--------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	7.26	0.008808542	2.5
5	6.19	0.007510313	2.5
10	5.99	0.007268653	2.5
15	7.16	0.008687212	2.5
20	4.36	0.005289978	2.5
25	5.08	0.006163553	2.5
30	6.18	0.00749818	2.5
35	5.34	0.00647901	2.5
Max. Deviation (ppm)	7.26	0.008808542	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	5.79	0.007024994	2.5
Middle	6.66	0.008080563	2.5
High	8.23	0.00998544	2.5
Max. Deviation (ppm)	8.23	0.00998544	2.5

Test Mode:	WCDMA Band V_CH4182
------------	---------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	7.46	0.008919177	2.5
5	8.59	0.010270206	2.5
10	6.52	0.007795313	2.5
15	7.34	0.008775705	2.5
20	6.11	0.007305117	2.5
25	5.48	0.006551889	2.5
30	4.73	0.005655189	2.5
35	7.82	0.009349593	2.5
Max. Deviation (ppm)	8.59	0.010270206	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	7.64	0.009134385	2.5
Middle	8.17	0.009768054	2.5
High	7.92	0.009469154	2.5
Max. Deviation (ppm)	8.17	0.009768054	2.5

Test Mode:	LTE Band 5_CH20525_1.4M
------------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-5.16	0.006168559	2.5
5	4.33	0.00517633	2.5
10	-6.13	0.007328153	2.5
15	5.24	0.006264196	2.5
20	3.79	0.004530783	2.5
25	-4.28	0.005116557	2.5
30	-5.41	0.006467424	2.5
35	3.79	0.004530783	2.5
Max. Deviation (ppm)	6.13	0.007328153	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	-5.73	0.00684997	2.5
Middle	4.11	0.004913329	2.5
High	5.13	0.006132696	2.5
Max. Deviation (ppm)	5.73	0.00684997	2.5

Test Mode:	LTE Band 5_CH20525_3M
------------	-----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	4.25	0.005080693	2.5
5	-5.31	0.006347878	2.5
10	-2.46	0.002940825	2.5
15	5.18	0.006192469	2.5
20	-3.77	0.004506874	2.5
25	4.16	0.004973102	2.5
30	-3.92	0.004686192	2.5
35	4.06	0.004853556	2.5
Max. Deviation (ppm)	5.31	0.006347878	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	4.32	0.005164375	2.5
Middle	-5.16	0.006168559	2.5
High	5.55	0.006634788	2.5
Max. Deviation (ppm)	5.55	0.006634788	2.5

Test Mode:	LTE Band 5_CH20525_5M
------------	-----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-4.16	0.004973102	2.5
5	-3.79	0.004530783	2.5
10	5.12	0.006120741	2.5
15	3.46	0.004136282	2.5
20	-4.62	0.005523013	2.5
25	3.79	0.004530783	2.5
30	-2.22	0.002653915	2.5
35	5.64	0.006742379	2.5
Max. Deviation (ppm)	5.64	0.006742379	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	4.76	0.005690377	2.5
Middle	5.34	0.006383742	2.5
High	-4.31	0.005152421	2.5
Max. Deviation (ppm)	5.34	0.006383742	2.5

Test Mode:	LTE Band 5_CH20525_10M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	4.69	0.005606695	2.5
5	5.73	0.00684997	2.5
10	-4.82	0.005762104	2.5
15	4.36	0.005212194	2.5
20	-3.49	0.004172146	2.5
25	-5.07	0.006060968	2.5
30	4.16	0.004973102	2.5
35	-5.12	0.006120741	2.5
Max. Deviation (ppm)	5.73	0.00684997	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	-5.13	0.006132696	2.5
Middle	-4.31	0.005152421	2.5
High	4.67	0.005582785	2.5
Max. Deviation (ppm)	5.13	0.006132696	2.5

Test Mode:	LTE Band 26_CH26915_1.4M
------------	--------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-5.73	0.006895307	2.5
5	4.76	0.005728039	2.5
10	-6.13	0.007373045	2.5
15	-3.74	0.004500602	2.5
20	5.26	0.006329723	2.5
25	-4.33	0.00521059	2.5
30	2.49	0.00299639	2.5
35	-5.17	0.00622142	2.5
Max. Deviation (ppm)	6.13	0.007373045	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	-5.49	0.006606498	2.5
Middle	3.77	0.004536703	2.5
High	4.19	0.005042118	2.5
Max. Deviation (ppm)	5.49	0.006606498	2.5

Test Mode:	LTE Band 26_CH26915_3M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	4.34	0.005222623	2.5
5	-5.27	0.006341757	2.5
10	-3.46	0.004163658	2.5
15	6.18	0.007436823	2.5
20	-2.79	0.003357401	2.5
25	4.09	0.004921781	2.5
30	-3.25	0.003910951	2.5
35	4.96	0.005968712	2.5
Max. Deviation (ppm)	6.18	0.007436823	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	3.76	0.004524669	2.5
Middle	-4.12	0.004957882	2.5
High	4.07	0.004897714	2.5
Max. Deviation (ppm)	4.12	0.004957882	2.5

Test Mode:	LTE Band 26_CH26915_5M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	5.42	0.006522262	2.5
5	4.12	0.004954272	2.5
10	5.17	0.00621781	2.5
15	-2.49	0.00299639	2.5
20	3.76	0.004524669	2.5
25	-5.04	0.006064982	2.5
30	4.22	0.005078219	2.5
35	-5.31	0.006389892	2.5
Max. Deviation (ppm)	5.42	0.006522262	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	5.10	0.006137184	2.5
Middle	3.76	0.004524669	2.5
High	-4.15	0.004993983	2.5
Max. Deviation (ppm)	5.10	0.006137184	2.5

Test Mode:	LTE Band 26_CH26915_10M
------------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-3.17	0.003814681	2.5
5	5.49	0.006606498	2.5
10	-4.13	0.004969916	2.5
15	5.17	0.00622142	2.5
20	-4.35	0.005234657	2.5
25	3.28	0.003947052	2.5
30	-5.62	0.006762936	2.5
35	4.79	0.00576414	2.5
Max. Deviation (ppm)	5.62	0.006762936	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	3.76	0.004524669	2.5
Middle	-4.36	0.005246691	2.5
High	3.98	0.00478941	2.5
Max. Deviation (ppm)	4.36	0.005246691	2.5

Test Mode:	LTE Band 26_CH26915_15M
------------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-5.23	0.006293622	2.5
5	4.76	0.005728039	2.5
10	-4.32	0.005198556	2.5
15	-3.89	0.004681107	2.5
20	5.19	0.006245487	2.5
25	4.37	0.005258724	2.5
30	-3.46	0.004163658	2.5
35	5.13	0.006173285	2.5
Max. Deviation (ppm)	5.23	0.006293622	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	5.13	0.006173285	2.5
Middle	4.37	0.005258724	2.5
High	-5.09	0.00612515	2.5
Max. Deviation (ppm)	5.13	0.006173285	2.5