


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5962.5000	37.26	16.81	54.07	74.30	-20.23	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17964.0000	35.75	17.66	53.41	80.00	-26.59	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25607.5000	39.62	17.20	56.82	74.30	-17.48	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

**Horizontal**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39770.5000	34.71	15.48	50.19	74.30	-24.11	Peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5796.6000	78.20	16.25	94.45	122.20	-27.75	Peak	No Limit
2	5850.0000	34.94	16.43	51.37	122.20	-70.83	Peak	
3	5860.0000	33.72	16.47	50.19	109.40	-59.21	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5792.600	80.29	16.24	96.53	122.20	-25.67	peak	No Limit
2		5850.000	35.86	16.44	52.30	122.20	-69.90	peak	
3		5860.000	34.05	16.47	50.52	109.40	-58.88	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180 MHz

**Vertical**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	40.88	14.32	55.20	74.00	-18.80	Peak	
2	5150.0000	30.35	14.32	44.67	54.00	-9.33	AVG	
3 *	5182.8000	89.93	14.41	104.34	68.30	36.04	Peak	No Limit
4	5187.8500	82.24	14.42	96.66	999.00	-902.34	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180 MHz

**Horizontal**




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	45.05	14.32	59.37	74.00	-14.63	peak	
2		5150.000	35.54	14.32	49.86	54.00	-4.14	AVG	
3	*	5183.600	94.95	14.41	109.36	68.30	41.06	peak	No Limit
4	X	5188.000	87.18	14.43	101.61	68.30	33.31	AVG	No Limit



Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5492.5000	39.50	15.25	54.75	74.30	-19.55	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	18000.0000	35.25	17.77	53.02	80.00	-26.98	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25828.5000	39.75	16.95	56.70	74.30	-17.60	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39682.7500	34.97	15.42	50.39	74.30	-23.91	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200 MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5540.0000	38.76	15.40	54.16	74.30	-20.14	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200 MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	18000.0000	35.14	17.77	52.91	80.00	-27.09	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200 MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	24931.7500	40.36	16.91	57.27	74.30	-17.03	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200 MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39750.2500	34.93	15.47	50.40	74.30	-23.90	Peak	



Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5236.6000	89.88	14.55	104.43	68.30	36.13	Peak	No Limit
2	5242.4500	81.49	14.57	96.06	999.00	-902.94	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240 MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5232.8000	94.48	14.54	109.02	68.30	40.72	Peak	No Limit
2	5248.1000	86.77	14.58	101.35	999.00	-897.65	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	43.03	14.32	57.35	74.00	-16.65	Peak	
2	5150.0000	34.21	14.32	48.53	54.00	-5.47	AVG	
3 *	5183.9000	84.84	14.41	99.25	68.30	30.95	Peak	No Limit
4	5188.0000	77.32	14.42	91.74	999.00	-907.26	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5945.0000	36.88	16.75	53.63	74.30	-20.67	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17988.0000	35.39	17.73	53.12	80.00	-26.88	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25543.7500	39.49	17.28	56.77	74.30	-17.53	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39858.2500	36.13	15.53	51.66	74.30	-22.64	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	43.10	14.32	57.42	74.00	-16.58	Peak	
2	5150.0000	35.64	14.32	49.96	54.00	-4.04	AVG	
3	5188.6000	80.17	14.42	94.59	999.00	-904.41	AVG	No Limit
4 *	5192.8000	87.44	14.43	101.87	68.30	33.57	Peak	No Limit



Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5935.0000	36.40	16.71	53.11	74.30	-21.19	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17904.0000	35.92	17.48	53.40	80.00	-26.60	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25594.7500	39.21	17.22	56.43	74.30	-17.87	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39696.2500	34.29	15.43	49.72	74.30	-24.58	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5219.1000	85.17	14.51	99.68	68.30	31.38	Peak	No Limit
2	5219.4000	77.66	14.51	92.17	999.00	-906.83	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5219.4000	79.85	14.51	94.36	999.00	-904.64	AVG	No Limit
2 *	5242.2000	87.56	14.57	102.13	68.30	33.83	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	41.54	14.32	55.86	74.00	-18.14	Peak	
2	5150.0000	35.00	14.32	49.32	54.00	-4.68	AVG	
3 *	5183.4000	83.06	14.41	97.47	68.30	29.17	Peak	No Limit
4	5214.2000	74.23	14.49	88.72	999.00	-910.28	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5627.5000	38.25	15.69	53.94	74.30	-20.36	Peak	



Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17940.0000	35.46	17.59	53.05	80.00	-26.95	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25475.7500	40.13	17.31	57.44	74.30	-16.86	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39939.2500	37.06	15.58	52.64	74.30	-21.66	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	45.98	14.32	60.30	74.00	-13.70	Peak	
2	5150.0000	35.81	14.32	50.13	54.00	-3.87	AVG	
3	5219.2000	75.40	14.51	89.91	999.00	-909.09	AVG	No Limit
4 *	5222.4000	83.68	14.51	98.19	68.30	29.89	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5895.0000	37.30	16.58	53.88	74.30	-20.42	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17844.0000	35.61	17.30	52.91	80.00	-27.09	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25531.0000	39.67	17.29	56.96	74.30	-17.34	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39750.2500	35.67	15.47	51.14	74.30	-23.16	Peak	



Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260 MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5259.3000	91.70	14.62	106.32	68.30	38.02	Peak	No Limit
2	5268.2000	84.52	14.64	99.16	999.00	-899.84	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260 MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5251.9000	87.00	14.60	101.60	999.00	-897.40	AVG	No Limit
2 *	5267.3000	94.95	14.64	109.59	68.30	41.29	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5595.0000	38.19	15.59	53.78	74.30	-20.52	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17880.0000	35.64	17.41	53.05	80.00	-26.95	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25611.7500	39.06	17.20	56.26	74.30	-18.04	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39831.2500	36.10	15.52	51.62	74.30	-22.68	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300 MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5977.5000	36.43	16.86	53.29	74.30	-21.01	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300 MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17868.0000	36.22	17.37	53.59	80.00	-26.41	Peak	



Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300 MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	26423.5000	39.48	17.83	57.31	74.30	-16.99	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300 MHz


**Horizontal**

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39804.2500	34.45	15.50	49.95	74.30	-24.35	Peak	


Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5322.300	84.62	14.78	99.40	68.30	31.10	AVG	No Limit
2	*	5325.800	93.74	14.79	108.53	68.30	40.23	peak	No Limit
3		5350.000	39.38	14.87	54.25	74.00	-19.75	peak	
4		5350.000	31.72	14.87	46.59	54.00	-7.41	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320 MHz

**Horizontal**




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5322.800	93.45	14.79	108.24	68.30	39.94	peak	No Limit
2	X	5328.000	84.99	14.80	99.79	68.30	31.49	AVG	No Limit
3		5350.000	42.12	14.87	56.99	74.00	-17.01	peak	
4		5350.000	32.41	14.87	47.28	54.00	-6.72	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5267.9000	78.70	14.64	93.34	999.00	-905.66	AVG	No Limit
2 *	5268.4000	86.85	14.64	101.49	68.30	33.19	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz


**Horizontal**

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5256.8000	85.86	14.61	100.47	68.30	32.17	Peak	No Limit
2	5261.8000	78.53	14.62	93.15	999.00	-905.85	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5319.800	77.25	14.78	92.03	68.30	23.73	AVG	No Limit
2	*	5322.400	84.79	14.78	99.57	68.30	31.27	peak	No Limit
3		5350.000	38.62	14.87	53.49	74.00	-20.51	peak	
4		5350.000	31.01	14.87	45.88	54.00	-8.12	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5685.0000	37.51	15.88	53.39	74.30	-20.91	Peak	



Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17988.0000	35.97	17.73	53.70	80.00	-26.30	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25535.2500	40.05	17.28	57.33	74.30	-16.97	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz


**Vertical**

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39831.2500	37.34	15.52	52.86	74.30	-21.44	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5304.800	78.10	14.74	92.84	68.30	24.54	AVG	No Limit
2	*	5315.800	86.48	14.77	101.25	68.30	32.95	peak	No Limit
3		5350.000	38.99	14.87	53.86	74.00	-20.14	peak	
4		5350.000	30.83	14.87	45.70	54.00	-8.30	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5495.0000	38.10	15.26	53.36	74.30	-20.94	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17988.0000	35.37	17.73	53.10	80.00	-26.90	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

**Horizontal**

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25832.7500	39.41	16.95	56.36	74.30	-17.94	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39912.2500	34.71	15.57	50.28	74.30	-24.02	Peak	



Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5303.000	81.37	14.74	96.11	68.30	27.81	peak	No Limit
2	X	5312.600	73.64	14.76	88.40	68.30	20.10	AVG	No Limit
3		5350.000	40.88	14.87	55.75	74.00	-18.25	peak	
4		5350.000	31.94	14.87	46.81	54.00	-7.19	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5582.5000	38.21	15.54	53.75	74.30	-20.55	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17976.0000	35.79	17.70	53.49	80.00	-26.51	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25590.5000	39.80	17.22	57.02	74.30	-17.28	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz


**Vertical**

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39716.5000	36.89	15.44	52.33	74.30	-21.97	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5267.600	74.17	14.65	88.82	68.30	20.52	AVG	No Limit
2	*	5271.600	81.81	14.65	96.46	68.30	28.16	peak	No Limit
3		5350.000	38.68	14.87	53.55	74.00	-20.45	peak	
4		5350.000	31.59	14.87	46.46	54.00	-7.54	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5845.0000	37.08	16.42	53.50	74.30	-20.80	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	18000.0000	35.06	17.77	52.83	80.00	-27.17	Peak	



Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25641.5000	39.71	17.16	56.87	74.30	-17.43	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39858.2500	35.00	15.53	50.53	74.30	-23.77	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	36.75	15.16	51.91	74.00	-22.09	Peak	
2	5460.0000	28.67	15.16	43.83	54.00	-10.17	AVG	
3	5470.0000	37.90	15.19	53.09	68.30	-15.21	Peak	
4	5496.2500	82.11	15.26	97.37	999.00	-901.63	AVG	No Limit
5 *	5498.9000	89.76	15.27	105.03	68.30	36.73	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500 MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	37.70	15.16	52.86	74.00	-21.14	Peak	
2	5460.0000	28.81	15.16	43.97	54.00	-10.03	AVG	
3	5470.0000	39.49	15.19	54.68	68.30	-13.62	Peak	
4 *	5496.1000	90.42	15.26	105.68	68.30	37.38	Peak	No Limit
5	5507.3000	83.44	15.29	98.73	999.00	-900.27	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5752.5000	37.10	16.11	53.21	74.30	-21.09	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17832.0000	36.16	17.26	53.42	80.00	-26.58	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25628.7500	39.24	17.18	56.42	74.30	-17.88	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39406.0000	35.02	14.91	49.93	74.30	-24.37	Peak	



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580 MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	6000.0000	38.03	16.93	54.96	74.30	-19.34	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580 MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17988.0000	35.25	17.73	52.98	80.00	-27.02	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580 MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25055.0000	39.50	17.06	56.56	74.30	-17.74	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580 MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39473.5000	35.95	15.20	51.15	74.30	-23.15	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5692.0500	79.08	15.91	94.99	999.00	-904.01	AVG	No Limit
2 *	5694.5000	86.10	15.92	102.02	68.30	33.72	Peak	No Limit
3	5725.0000	38.59	16.02	54.61	68.30	-13.69	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700 MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5691.9000	80.91	15.91	96.82	999.00	-902.18	AVG	No Limit
2 *	5699.0000	88.72	15.93	104.65	68.30	36.35	Peak	No Limit
3	5725.0000	40.26	16.02	56.28	68.30	-12.02	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	34.71	15.16	49.87	74.00	-24.13	Peak	
2	5460.0000	28.28	15.16	43.44	54.00	-10.56	AVG	
3	5470.0000	36.61	15.19	51.80	68.30	-16.50	Peak	
4	5499.7000	75.13	15.27	90.40	999.00	-908.60	AVG	No Limit
5 *	5501.8000	82.86	15.28	98.14	68.30	29.84	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	37.84	15.16	53.00	74.00	-21.00	Peak	
2	5460.0000	28.78	15.16	43.94	54.00	-10.06	AVG	
3	5470.0000	38.33	15.19	53.52	68.30	-14.78	Peak	
4	5500.8000	77.61	15.27	92.88	999.00	-906.12	AVG	No Limit
5 *	5508.4000	85.62	15.30	100.92	68.30	32.62	Peak	No Limit



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5822.5000	37.58	16.34	53.92	74.30	-20.38	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17856.0000	36.73	17.33	54.06	80.00	-25.94	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25548.0000	39.84	17.27	57.11	74.30	-17.19	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39777.2500	37.42	15.48	52.90	74.30	-21.40	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5842.5000	37.17	16.41	53.58	74.30	-20.72	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17904.0000	36.13	17.48	53.61	80.00	-26.39	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25577.7500	40.25	17.24	57.49	74.30	-16.81	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39986.5000	35.52	15.61	51.13	74.30	-23.17	Peak	



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5662.1000	77.12	15.81	92.93	68.30	24.63	Peak	No Limit
2	5681.6000	69.77	15.87	85.64	999.00	-913.36	AVG	No Limit
3	5725.0000	35.64	16.02	51.66	68.30	-16.64	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5662.8000	81.62	15.81	97.43	68.30	29.13	Peak	No Limit
2	5679.6000	73.13	15.87	89.00	999.00	-910.00	AVG	No Limit
3	5725.0000	35.06	16.02	51.08	68.30	-17.22	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	37.74	15.16	52.90	74.00	-21.10	Peak	
2	5460.0000	29.76	15.16	44.92	54.00	-9.08	AVG	
3	5470.0000	38.08	15.19	53.27	68.30	-15.03	Peak	
4 *	5503.6000	79.29	15.28	94.57	68.30	26.27	Peak	No Limit
5	5517.2000	71.37	15.33	86.70	999.00	-912.30	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5817.5000	37.79	16.32	54.11	74.30	-20.19	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17940.0000	35.13	17.59	52.72	80.00	-27.28	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25866.7500	40.33	16.91	57.24	74.30	-17.06	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39601.7500	37.66	15.37	53.03	74.30	-21.27	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	40.65	15.16	55.81	74.00	-18.19	Peak	
2	5460.0000	31.07	15.16	46.23	54.00	-7.77	AVG	
3	5470.0000	42.00	15.19	57.19	68.30	-11.11	Peak	
4 *	5505.6000	81.64	15.29	96.93	68.30	28.63	Peak	No Limit
5	5505.6000	72.98	15.29	88.27	999.00	-910.73	AVG	No Limit



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5270.0000	39.30	14.64	53.94	74.30	-20.36	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17976.0000	35.46	17.70	53.16	80.00	-26.84	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	26500.0000	36.96	18.02	54.98	74.30	-19.32	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

**Horizontal**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39763.7500	35.53	15.47	51.00	74.30	-23.30	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5614.0000	75.18	15.65	90.83	68.30	22.53	Peak	No Limit
2	5632.2000	67.74	15.71	83.45	999.00	-915.55	AVG	No Limit
3	5725.0000	36.19	16.02	52.21	68.30	-16.09	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz


**Horizontal**

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5582.0000	79.42	15.54	94.96	68.30	26.66	Peak	No Limit
2	5587.6000	70.34	15.56	85.90	999.00	-913.10	AVG	No Limit
3	5725.0000	36.19	16.02	52.21	68.30	-16.09	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	37.52	15.98	53.50	109.40	-55.90	peak	
2		5725.000	47.42	16.01	63.43	122.20	-58.77	peak	
3	*	5742.500	86.50	16.07	102.57	122.20	-19.63	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745 MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	38.91	15.98	54.89	109.40	-54.51	Peak	
2	5725.0000	51.93	16.02	67.95	122.20	-54.25	Peak	
3 *	5738.7000	88.71	16.06	104.77	122.20	-17.43	Peak	No Limit



Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5977.5000	37.28	16.86	54.14	74.30	-20.16	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17976.0000	35.42	17.70	53.12	80.00	-26.88	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25582.0000	40.08	17.23	57.31	74.30	-16.99	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	40000.0000	36.12	15.62	51.74	74.30	-22.56	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785 MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5925.0000	37.57	16.68	54.25	74.30	-20.05	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785 MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17868.0000	36.29	17.37	53.66	80.00	-26.34	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785 MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25590.5000	40.15	17.22	57.37	74.30	-16.93	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785 MHz

**Horizontal**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39898.7500	34.71	15.56	50.27	74.30	-24.03	Peak	




Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5830.600	83.97	16.37	100.34	122.20	-21.86	peak	No Limit
2		5850.000	43.90	16.44	60.34	122.20	-61.86	peak	
3		5860.000	34.02	16.47	50.49	109.40	-58.91	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5818.400	87.23	16.32	103.55	122.20	-18.65	peak	No Limit
2		5850.000	42.67	16.44	59.11	122.20	-63.09	peak	
3		5860.000	35.26	16.47	51.73	109.40	-57.67	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	36.97	15.98	52.95	109.40	-56.45	peak	
2		5725.000	38.78	16.01	54.79	122.20	-67.41	peak	
3	*	5751.900	79.86	16.12	95.98	122.20	-26.22	peak	No Limit


Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

**Horizontal**



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.000	39.71	15.98	55.69	109.40	-53.71	peak	
2	5725.000	40.65	16.01	56.66	122.20	-65.54	peak	
3 *	5751.000	81.31	16.11	97.42	122.20	-24.78	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5800.900	78.94	16.27	95.21	122.20	-26.99	peak	No Limit
2	5850.000	36.55	16.44	52.99	122.20	-69.21	peak	
3	5860.000	33.27	16.47	49.74	109.40	-59.66	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5917.5000	36.19	16.66	52.85	74.30	-21.45	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17832.0000	36.04	17.26	53.30	80.00	-26.70	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25543.7500	40.73	17.28	58.01	74.30	-16.29	Peak	



Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


**Vertical**

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39898.7500	36.87	15.56	52.43	74.30	-21.87	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5790.000	79.85	16.23	96.08	122.20	-26.12	peak	No Limit
2		5850.000	35.61	16.44	52.05	122.20	-70.15	peak	
3		5860.000	36.14	16.47	52.61	109.40	-56.79	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5930.0000	36.86	16.70	53.56	74.30	-20.74	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

**Horizontal**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17976.0000	35.62	17.70	53.32	80.00	-26.68	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25582.0000	40.13	17.23	57.36	74.30	-16.94	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39392.5000	35.67	14.86	50.53	74.30	-23.77	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	37.70	15.98	53.68	109.40	-55.72	Peak	
2	5725.0000	38.74	16.02	54.76	122.20	-67.44	Peak	
3 *	5762.8000	74.04	16.14	90.18	122.20	-32.02	Peak	No Limit
4	5850.0000	34.52	16.43	50.95	122.20	-71.25	Peak	
5	5860.0000	35.25	16.47	51.72	109.40	-57.68	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5527.5000	38.71	15.36	54.07	74.30	-20.23	Peak	



Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	18000.0000	35.30	17.77	53.07	80.00	-26.93	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25582.0000	39.05	17.23	56.28	74.30	-18.02	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

### Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39979.7500	38.01	15.61	53.62	74.30	-20.68	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	38.52	15.98	54.50	109.40	-54.90	Peak	
2	5725.0000	38.02	16.02	54.04	122.20	-68.16	Peak	
3 *	5770.2000	76.45	16.17	92.62	122.20	-29.58	Peak	No Limit
4	5850.0000	35.26	16.43	51.69	122.20	-70.51	Peak	
5	5860.0000	34.90	16.47	51.37	109.40	-58.03	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5457.5000	38.43	15.15	53.58	80.00	-26.42	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	18000.0000	35.99	17.77	53.76	80.00	-26.24	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25828.5000	39.83	16.95	56.78	74.30	-17.52	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

**Horizontal**

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39696.2500	34.81	15.43	50.24	74.30	-24.06	Peak	



**TX A Mode\_DUTY CYCLE**

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 2.064 msec

$T_{Total}$ : 2.120 msec

Duty cycle: 97.36%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.12



Date: 28.AUG.2018 15:42:54

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle < 98 %, so, the output power and power density should be cacluated as Output

Power = Measured power + Ducus factor

Power Spectral Density = Measured density + Duty factor

**TX N20 Mode\_DUTY CYCLE**

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 1.920 msec

$T_{Total}$ : 1.976 msec

Duty cycle: 97.17%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.12



Date: 28.AUG.2018 15:43:26

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle < 98 %, so, the output power and power density should be cacluated as Output

Power = Measured power + Ducus factor

Power Spectral Density = Measured density + Duty factor

**TX N40 Mode\_DUTY CYCLE**

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 0.920 msec

$T_{Total}$ : 0.995 msec

Duty cycle: 92.46%

Duty Factor =  $10 \log(1/Duty\ cycle)$

Duty Factor = 0.34



Date: 28.AUG.2018 15:44:25

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle < 98 %, so, the output power and power density should be cacluated as Output

Power = Measured power + Ducus factor

Power Spectral Density = Measured density + Duty factor

**TX AC20 Mode\_DUTY CYCLE**

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 1.928 msec

$T_{Total}$ : 1.984 msec

Duty cycle: 97.18%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.12



Date: 28.AUG.2018 15:43:50

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle < 98 %, so, the output power and power density should be cacluated as Output

Power = Measured power + Ducus factor

Power Spectral Density = Measured density + Duty factor

**TX AC40 Mode\_DUTY CYCLE**

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 0.925 msec

$T_{Total}$ : 1.005 msec

Duty cycle: 92.04%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.36



Date: 28.AUG.2018 15:44:46

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle < 98 %, so, the output power and power density should be cacluated as Output

Power = Measured power + Ducus factor

Power Spectral Density = Measured density + Duty factor

**TX AC80 Mode\_DUTY CYCLE**

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 0.875 msec

$T_{Total}$ : 0.955 msec

Duty cycle: 91.62%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.38



Date: 28.AUG.2018 15:45:15

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle < 98 %, so, the output power and power density should be cacluated as Output

Power = Measured power + Ducus factor


Power Spectral Density = Measured density + Duty factor

## APPENDIX E - BANDWIDTH

**Test Mode: UNII-1/TX A Mode\_CH36/CH40/CH48**

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	22.40	17.00
CH40	5200	22.49	16.90
CH48	5240	23.65	16.90


**TX CH36**



Date: 30.AUG.2018 10:29:13




**TX CH40**



Date: 30.AUG.2018 10:31:23

**TX CH48**




Date: 30.AUG.2018 10:32:37

**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48**


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	31.55	17.90
CH40	5200	25.95	17.90
CH48	5240	28.65	18.00

**TX CH36**




Date: 30.AUG.2018 10:45:57

**TX CH40**



Date: 30.AUG.2018 10:47:05

**TX CH48**




Date: 30.AUG.2018 10:48:33

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46**


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	40.80	36.20
CH46	5230	41.00	36.40

TX CH38



Date: 30.AUG.2018 11:33:36


TX CH46



Date: 30.AUG.2018 11:35:21


**Test Mode: UNII-2A/TX A Mode\_CH52/CH60/CH64**

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	20.19	16.90
CH60	5300	24.20	16.90
CH64	5320	19.99	16.80

**TX CH52**


Date: 30.AUG.2018 10:33:43

**TX CH60**




Date: 30.AUG.2018 10:34:50

**TX CH64**

**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64**

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	24.39	17.90
CH60	5300	27.01	17.90
CH64	5320	23.95	17.80


**TX CH52**



Date: 30.AUG.2018 10:49:55



**TX CH60**



Date: 30.AUG.2018 10:51:23

**TX CH64**

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62**

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	40.70	36.20
CH62	5310	40.70	36.20