



**TX CH54**



Date: 30.AUG.2018 11:36:38


**TX CH62**



Date: 30.AUG.2018 11:38:41


**Test Mode: UNII-2C/TX A Mode\_CH100/CH116/CH140**

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	19.89	16.80
CH116	5580	19.85	16.80
CH140	5700	19.90	16.80

**TX CH100**



Date: 30.AUG.2018 10:37:51

**TX CH116**



Date: 30.AUG.2018 10:38:47


**TX CH140**



Date: 30.AUG.2018 10:40:03


**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140**

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	25.35	17.90
CH116	5580	20.55	17.80
CH140	5700	20.75	17.80

**TX CH100**



Date: 30.AUG.2018 10:54:27

**TX CH116**



Date: 30.AUG.2018 10:55:35

**TX CH140**




Date: 30.AUG.2018 10:56:36

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134**


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	40.70	36.20
CH110	5550	40.22	36.40
CH134	5670	40.50	36.20

**TX CH102**




Date: 30.AUG.2018 11:40:33

**TX CH110**



Date: 30.AUG.2018 11:43:08


**TX CH134**



Date: 30.AUG.2018 11:44:29

**Test Mode: UNII-3/ TX A Mode\_CH149/CH157/CH165**


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	16.50	16.50	>=500
CH157	5785	16.50	16.50	>=500
CH165	5825	16.50	16.50	>=500

**TX CH 149**


Date: 30.AUG.2018 10:41:09




**TX CH 157**



Date: 30.AUG.2018 10:42:31


**TX CH 165**



Date: 30.AUG.2018 10:43:34


**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165**

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.61	17.70	>=500
CH157	5785	17.70	17.60	>=500
CH165	5825	17.65	17.60	>=500

**TX CH 149**



Date: 30.AUG.2018 10:57:41

### TX CH 157



Date: 30.AUG.2018 10:59:09

### TX CH 165




Date: 30.AUG.2018 11:00:31

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159**


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	35.81	36.00	>=500
CH159	5795	35.42	36.00	>=500

**TX CH 151**



Date: 30.AUG.2018 11:45:46

**TX CH 159**




Date: 30.AUG.2018 11:47:26

**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48**


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	30.80	17.90
CH40	5200	29.00	17.90
CH48	5240	30.49	17.90

**TX CH36**




Date: 30.AUG.2018 11:02:22

**TX CH40**



Date: 30.AUG.2018 11:03:51

**TX CH48**




Date: 30.AUG.2018 11:05:27

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46**

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	40.71	36.20
CH46	5230	40.59	36.40




**TX CH38**



Date: 30.AUG.2018 13:46:58

**TX CH46**




Date: 30.AUG.2018 13:48:17

**Test Mode: UNII-1/TX AC80 Mode\_CH42**

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	81.40	75.20


**TX CH42**



Date: 30.AUG.2018 14:02:18


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64**

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	28.55	17.90
CH60	5300	27.40	17.90
CH64	5320	24.49	17.90

**TX CH52**


Date: 30.AUG.2018 11:06:36

**TX CH60**




Date: 30.AUG.2018 11:08:05

**TX CH64**

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62**


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	40.59	36.40
CH62	5310	40.81	36.20

**TX CH54**



Date: 30.AUG.2018 13:49:42

**TX CH62**




Date: 30.AUG.2018 13:50:50

**Test Mode: UNII-2A/TX AC80 Mode\_CH58**

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH58	5290	81.00	75.20


**TX CH58**



Date: 30.AUG.2018 14:03:36

**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140**


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	20.80	17.80
CH116	5580	20.50	17.80
CH140	5700	20.35	17.80

**TX CH100**


Date: 30.AUG.2018 11:10:51




**TX CH116**



Date: 30.AUG.2018 11:12:31

**TX CH140**




Date: 30.AUG.2018 11:13:36

**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134**


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	40.59	36.20
CH110	5550	40.50	36.20
CH134	5670	40.50	36.20

**TX CH102**




Date: 30.AUG.2018 13:52:48

**TX CH110**



Date: 30.AUG.2018 13:54:32

**TX CH134**




Date: 30.AUG.2018 13:56:00

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122**


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH106	5530	81.19	75.20
CH122	5610	81.20	75.20

**TX CH106**



Date: 30.AUG.2018 14:05:15


**TX CH122**



Date: 30.AUG.2018 14:07:18


**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165**

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.59	17.70	>=500
CH157	5785	17.70	17.60	>=500
CH165	5825	17.65	17.60	>=500

**TX CH 149**



Date: 30.AUG.2018 11:14:37

**TX CH 157**



Date: 30.AUG.2018 11:15:46

**TX CH 165**




Date: 30.AUG.2018 11:16:56

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159**

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	35.60	36.00	>=500
CH159	5795	35.60	36.00	>=500




**TX CH 151**



Date: 30.AUG.2018 13:57:19


**TX CH 159**



Date: 30.AUG.2018 13:59:26

**Test Mode: UNII-3/ TX AC80 Mode\_CH155**

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	71.60	75.20	>=500



Date: 30.AUG.2018 14:09:13

## APPENDIX F - MAXIMUM OUTPUT POWER

**Test Mode: UNII-1/TX A Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.79	0.12	15.91	24.00	0.25
CH40	5200	15.58	0.12	15.70	24.00	0.25
CH48	5240	15.64	0.12	15.76	24.00	0.25

**Test Mode: UNII-1/TX N20 Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.98	0.12	16.10	24.00	0.25
CH40	5200	15.86	0.12	15.98	24.00	0.25
CH48	5240	15.81	0.12	15.93	24.00	0.25

**Test Mode: UNII-1/TX N40 Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	10.32	0.34	10.66	24.00	0.25
CH46	5230	10.18	0.34	10.52	24.00	0.25

**Test Mode: UNII-2A/TX A Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	15.36	0.12	15.48	24.00	0.25
CH60	5300	15.57	0.12	15.69	24.00	0.25
CH64	5320	15.61	0.12	15.73	24.00	0.25

**Test Mode: UNII-2A/TX N20 Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	15.76	0.12	15.88	24.00	0.25
CH60	5300	15.84	0.12	15.96	24.00	0.25
CH64	5320	15.62	0.12	15.74	24.00	0.25

**Test Mode: UNII-2A/TX N40 Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	10.14	0.34	10.48	24.00	0.25
CH62	5310	10.33	0.34	10.67	24.00	0.25

**Test Mode: UNII-2C/TX A Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	15.67	0.12	15.79	24.00	0.25
CH116	5580	15.62	0.12	15.74	24.00	0.25
CH140	5700	15.95	0.12	16.07	24.00	0.25

**Test Mode: UNII-2C/TX N20 Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	15.73	0.12	15.85	24.00	0.25
CH116	5580	15.66	0.12	15.78	24.00	0.25
CH140	5700	16.02	0.12	16.14	24.00	0.25

**Test Mode: UNII-2C/TX N40 Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	10.56	0.34	10.90	24.00	0.25
CH110	5550	10.57	0.34	10.91	24.00	0.25
CH134	5670	10.71	0.34	11.05	24.00	0.25

**Test Mode: UNII-3/ TX A Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	15.86	0.12	15.98	30.00	1.00
CH157	5785	15.91	0.12	16.03	30.00	1.00
CH165	5825	15.45	0.12	15.57	30.00	1.00

**Test Mode: UNII-3/TX N20 Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	15.91	0.12	16.03	30.00	1.00
CH157	5785	15.96	0.12	16.08	30.00	1.00
CH165	5825	15.52	0.12	15.64	30.00	1.00

**Test Mode: UNII-3/ TX N40 Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	10.89	0.34	11.23	30.00	1.00
CH159	5795	10.85	0.34	11.19	30.00	1.00

**Test Mode: UNII-1/TX AC20 Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.93	0.12	16.05	24.00	0.25
CH40	5200	15.88	0.12	16.00	24.00	0.25
CH48	5240	15.92	0.12	16.04	24.00	0.25

**Test Mode: UNII-1/TX AC40 Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	10.51	0.36	10.87	24.00	0.25
CH46	5230	10.37	0.36	10.73	24.00	0.25

**Test Mode: UNII-1/TX AC80 Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	9.72	0.38	10.10	24.00	0.25



**Test Mode: UNII-2A/TX AC20 Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	15.57	0.12	15.69	24.00	0.25
CH60	5300	15.91	0.12	16.03	24.00	0.25
CH64	5320	15.63	0.12	15.75	24.00	0.25

**Test Mode: UNII-2A/TX AC40 Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	10.51	0.36	10.87	24.00	0.25
CH62	5310	10.36	0.36	10.72	24.00	0.25

**Test Mode: UNII-2A/TX AC80 Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	9.41	0.38	9.79	24.00	0.25

**Test Mode: UNII-2C/TX AC20 Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	15.76	0.12	15.88	24.00	0.25
CH116	5580	15.66	0.12	15.78	24.00	0.25
CH140	5700	15.44	0.12	15.56	24.00	0.25

**Test Mode: UNII-2C/TX AC40 Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	10.31	0.36	10.67	24.00	0.25
CH110	5550	10.36	0.36	10.72	24.00	0.25
CH134	5670	10.44	0.36	10.80	24.00	0.25

**Test Mode: UNII-2C/TX AC80 Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	9.94	0.38	10.32	24.00	0.25
CH122	5610	9.32	0.38	9.70	24.00	0.25

**Test Mode: UNII-3/TX AC20 Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	15.36	0.12	15.48	30.00	1.00
CH157	5785	15.41	0.12	15.53	30.00	1.00
CH165	5825	15.55	0.12	15.67	30.00	1.00

**Test Mode: UNII-3/TX AC40 Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	10.64	0.36	11.00	30.00	1.00
CH159	5795	10.66	0.36	11.02	30.00	1.00


**Test Mode: UNII-3/TX AC80 Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	9.36	0.38	9.74	30.00	1.00

## APPENDIX G - POWER SPECTRAL DENSITY


**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.52	0.12	7.64	11.00
CH40	5200	7.52	0.12	7.64	11.00
CH48	5240	7.27	0.12	7.39	11.00




Date: 30.AUG.2018 10:29:22

### CH40



Date: 30.AUG.2018 10:31:32


### CH48



Date: 30.AUG.2018 10:32:46


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.11	0.12	7.23	11.00
CH40	5200	7.15	0.12	7.27	11.00
CH48	5240	6.96	0.12	7.08	11.00




Date: 30.AUG.2018 10:46:06

### CH40



Date: 30.AUG.2018 10:47:14

### CH48




Date: 30.AUG.2018 10:48:41



**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.27	0.34	0.07	11.00
CH46	5230	-0.47	0.34	-0.13	11.00

### CH38



Date: 30.AUG.2018 11:33:48


### CH46



Date: 30.AUG.2018 11:35:32


**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.81	0.12	6.93	11.00
CH60	5300	6.98	0.12	7.10	11.00
CH64	5320	6.70	0.12	6.82	11.00




Date: 30.AUG.2018 10:33:52

### CH60



Date: 30.AUG.2018 10:34:58


### CH64



Date: 30.AUG.2018 10:36:42


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.49	0.12	6.61	11.00
CH60	5300	6.62	0.12	6.74	11.00
CH64	5320	6.41	0.12	6.53	11.00




Date: 30.AUG.2018 10:50:03

### CH60



Date: 30.AUG.2018 10:51:32

### CH64




Date: 30.AUG.2018 10:53:11

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.11	0.34	-0.77	11.00
CH62	5310	-0.78	0.34	-0.44	11.00

### CH54



Date: 30.AUG.2018 11:36:50

### CH62




Date: 30.AUG.2018 11:38:52




**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.40	0.12	6.52	11.00
CH116	5580	6.94	0.12	7.06	11.00
CH140	5700	6.24	0.12	6.36	11.00




Date: 30.AUG.2018 10:38:00

### CH116



Date: 30.AUG.2018 10:38:56


### CH140



Date: 30.AUG.2018 10:40:12


**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.10	0.12	6.22	11.00
CH116	5580	6.81	0.12	6.93	11.00
CH140	5700	6.06	0.12	6.18	11.00




Date: 30.AUG.2018 10:54:35

### CH116



Date: 30.AUG.2018 10:55:44


### CH140



Date: 30.AUG.2018 10:56:45


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.92	0.34	-0.58	11.00
CH110	5550	-0.67	0.34	-0.33	11.00
CH134	5670	-1.68	0.34	-1.34	11.00




Date: 30.AUG.2018 11:40:45

### CH110



Date: 30.AUG.2018 11:43:20

### CH134




Date: 30.AUG.2018 11:53:58

**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.87	0.12	3.99	30.00
CH157	5785	3.68	0.12	3.80	30.00
CH165	5825	3.31	0.12	3.43	30.00

**TX CH149**




Date: 30.AUG.2018 10:41:18

### TX CH157



Date: 30.AUG.2018 10:42:39

### TX CH165




Date: 30.AUG.2018 10:43:43



**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.67	0.12	3.79	30.00
CH157	5785	3.45	0.12	3.57	30.00
CH165	5825	3.14	0.12	3.26	30.00

**TX CH149**




Date: 30.AUG.2018 10:57:50

### TX CH157



Date: 30.AUG.2018 10:59:18

### TX CH165




Date: 30.AUG.2018 11:00:39

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-4.12	0.34	-3.78	30.00
CH159	5795	-4.24	0.34	-3.90	30.00

### TX CH151



Date: 30.AUG.2018 11:45:58


### TX CH159



Date: 30.AUG.2018 11:47:38


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.10	0.12	7.22	11.00
CH40	5200	7.12	0.12	7.24	11.00
CH48	5240	6.94	0.12	7.06	11.00




Date: 30.AUG.2018 11:02:31

### CH40



Date: 30.AUG.2018 11:03:59

### CH48




Date: 30.AUG.2018 11:05:35

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.48	0.36	-0.12	11.00
CH46	5230	-0.56	0.36	-0.20	11.00

### CH38



Date: 30.AUG.2018 13:47:10

### CH46




Date: 30.AUG.2018 13:48:29



**Test Mode: UNII-1/TX AC80 Mode\_CH42**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-5.07	0.38	-4.69	11.00



Date: 30.AUG.2018 14:02:29


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.92	0.12	7.04	11.00
CH60	5300	6.63	0.12	6.75	11.00
CH64	5320	6.39	0.12	6.51	11.00




Date: 30.AUG.2018 11:06:45

### CH60



Date: 30.AUG.2018 11:08:14

### CH64




Date: 30.AUG.2018 11:09:40

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-0.91	0.36	-0.55	11.00
CH62	5310	-0.99	0.36	-0.63	11.00

### CH54



Date: 30.AUG.2018 13:49:53


### CH62



Date: 30.AUG.2018 13:51:02

**Test Mode: UNII-2A/TX AC80 Mode\_CH58**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-5.22	0.38	-4.84	11.00



Date: 30.AUG.2018 14:03:48


**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.04	0.12	6.16	11.00
CH116	5580	6.68	0.12	6.80	11.00
CH140	5700	5.45	0.12	5.57	11.00




Date: 30.AUG.2018 11:11:00

### CH116



Date: 30.AUG.2018 13:42:08

### CH140




Date: 30.AUG.2018 11:13:45




**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.05	0.36	-0.69	11.00
CH110	5550	-0.77	0.36	-0.41	11.00
CH134	5670	-1.98	0.36	-1.62	11.00




Date: 30.AUG.2018 13:53:00

### CH110



Date: 30.AUG.2018 13:54:43

### CH134




Date: 30.AUG.2018 13:56:12

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-5.15	0.38	-4.77	11.00
CH122	5610	-5.70	0.38	-5.32	11.00

### CH106



Date: 30.AUG.2018 14:05:27


### CH122



Date: 30.AUG.2018 14:07:29


**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.04	0.12	3.16	30.00
CH157	5785	2.80	0.12	2.92	30.00
CH165	5825	3.11	0.12	3.23	30.00




Date: 30.AUG.2018 11:14:46

### TX CH157



Date: 30.AUG.2018 13:44:33

### TX CH165




Date: 30.AUG.2018 11:17:05

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-4.31	0.36	-3.95	30.00
CH159	5795	-4.45	0.36	-4.09	30.00

### TX CH151



Date: 30.AUG.2018 13:57:31

### TX CH159




Date: 30.AUG.2018 13:59:38



**Test Mode: UNII-3/ TX AC80 Mode\_CH155**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-9.29	0.38	-8.91	30.00

**TX CH155**



Date: 30.AUG.2018 14:09:25

## APPENDIX H - FREQUENCY STABILITY

Test Mode:	UNII-1
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
4.35	5180.0084
3.82	5180.0076
3.60	5180.0072
Max. Deviation (MHz)	0.0084
Max. Deviation (ppm)	1.6216

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5180.0080
10	5180.0072
20	5180.0088
30	5180.0080
35	5180.0068
Max. Deviation (MHz)	0.0088
Max. Deviation (ppm)	1.6988

Test Mode:	UNII-2A
------------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
4.35	5260.0072
3.82	5260.0068
3.60	5260.0080
Max. Deviation (MHz)	0.0080
Max. Deviation (ppm)	1.5209

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
0	5260.0080
10	5260.0068
20	5260.0080
30	5260.0068
35	5260.0080
Max. Deviation (MHz)	0.0080
Max. Deviation (ppm)	1.5209

Test Mode:	UNII-2C
------------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
4.35	5500.0088
3.82	5500.0092
3.60	5500.0076
Max. Deviation (MHz)	0.0092
Max. Deviation (ppm)	1.6727

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
0	5500.0084
10	5500.0080
20	5500.0080
30	5500.0080
35	5500.0088
Max. Deviation (MHz)	0.0088
Max. Deviation (ppm)	1.6000

Test Mode:	UNII-3
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
4.35	5745.0072
3.82	5745.0080
3.60	5745.0080
Max. Deviation (MHz)	0.0080
Max. Deviation (ppm)	1.3925

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5745.0084
10	5745.0080
20	5745.0076
30	5745.0076
35	5745.0080
Max. Deviation (MHz)	0.0084
Max. Deviation (ppm)	1.4621