



# The Photos of SAR test

No. I19Z60553-SEM01

For

**Huawei Technologies Co.,Ltd**

**Tablet**

**Model Name: AGS2-L09**

With

**Hardware Version: A6t6e-2**

**Software Version: AGS2-L09 8.0.0.18(C432)**

**FCC ID: QISAGS2-L09A**



**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

**Test Laboratory:**

CTTL, Telecommunication Technology Labs, CAICT

No. 51, Xueyuan Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2512, Fax:+86(0)10-62304633-2504

Email: [ctl\\_terminals@caict.ac.cn](mailto:ctl_terminals@caict.ac.cn), website: [www.caict.ac.cn](http://www.caict.ac.cn)



**Picture 1: Constituents of the sample**

**Test positions for body:**

The Body SAR is tested at the following 5 test positions all with the distance =0/35/28mm between the EUT and the phantom bottom:



**Picture 2: Top with 0mm**



**Picture 3: Rear with 0mm**



**Picture 4: Right with 0mm**



**Picture 5: Top with 35mm**



**Picture 6: Rear with 28mm**