

Rev : 01

Page : 1 of 493

FCC SAR TEST REPORT





E5/2018/50008 Report No:

Huawei Technologies Co., Ltd. Applicant: Huawei Technologies Co., Ltd. Manufacturer: Huawei Technologies Co., Ltd. **Factory:**

Product Name: Smart Phone

Model No.(EUT): ALP-L29, ALP-L09

Trade Mark: **HUAWEI** FCC ID: QISALP-LX9

Standards: FCC 47CFR §2.1093

Date of Receipt: 2018-05-15

Date of Test: 2018-08-27 to 2018-09-07

Date of Issue: 2018-09-19 PASS * Test conclusion:

In the configuration tested, the EUT detailed in this report complied with the standards specified above.

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS Taiwan Electronic & Communication Laboratory or testing done by SGS Taiwan Electronic & Communication Laboratory in connection with distribution or use of the product described in this report must be approved by SGS Taiwan Electronic & Communication Laboratory in writing.

Signed on behalf of SGS Sr. Engineer Asst. Manager

Date: Sept. 19, 2018 Date: Sept. 19, 2018

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

Matt Kuo

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

John Yeh



: 01 Rev Page : 2 of 493

REVISION HISTORY

Revision Record					
Version	Chapter	Date	Modifier	Remark	
01		2018-09-19		Original	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 台灣檢驗科技股份有限公司

f (886-2) 2298-0488 www.tw.sgs.com



Rev : 01 Page : 3 of 493

TEST SUMMARY

Frequency Band	Maximum Reported SAR(W/kg)					
	Head	Body-worn	Hotspot	Limbs		
GSM850	0.98	0.50	0.59	1		
GSM1900	0.85	0.38	0.79	1.77		
WCDMA Band II	0.89	0.43	0.81	1.75		
WCDMA Band IV	0.43	0.54	0.74	2.15		
WCDMA Band V	0.73	0.50	0.51	/		
LTE Band 2	0.74	0.62	0.75	1.70		
LTE Band 4	0.47	0.39	0.87	1.98		
LTE Band 5	0.43	0.49	0.41	/		
LTE Band 7	0.52	0.47	0.60	2.58		
LTE Band 12	0.66	0.18	0.27	/		
LTE Band 17	0.64	0.23	0.35	1		
LTE Band 26	0.70	0.51	0.42	/		
LTE Band 38	0.95	0.26	0.76			
LTE Band 41	1.05	0.27	0.93			
WI-FI (2.4GHz)	0.57	<0.10	0.32	1		
WI-FI (5GHz)	0.97	0.12	0.19	0.50		
BT	/	1	0.13	/		
SAR Limited(W/kg)		1.6		4.0		
	Maximum Simulta	aneous Transmissior	n SAR (W/kg)			
Scenario	Head	Body-worn	Hotspot	Limbs		
Sum SAR	1.58	1.01	0.93	2.96		
SPLSR	N/A	N/A	N/A	N/A		
SPLSR Limited		0.1				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Rev : 01 Page : 4 of 493

CONTENTS

1 (GENERAL INFORMATION	7
1.1	DETAILS OF CLIENT	7
1.2	TEST LOCATION	7
1.3	GENERAL DESCRIPTION OF EUT	8
	1.3.1 DUT Antenna Locations	
	1.3.2 Dynamic antenna switching specification	
	1.3.3 Power reduction specification	
1	1.3.4 Downlink&Uplink LTE CA additional specification	15
1.4	TEST SPECIFICATION	24
1.5	RF EXPOSURE LIMITS	25
2 L	LABORATORY ENVIRONMENT	26
3 8	SAR MEASUREMENTS SYSTEM CONFIGURATION	27
3.1	THE SAR MEASUREMENT SYSTEM	27
3.2	SOTROPIC E-FIELD PROBE EX3DV4	28
3.3	DATA ACQUISITION ELECTRONICS (DAE)	29
3.4	SAM TWIN PHANTOM	29
3.5	ELI PHANTOM	30
3.6	DEVICE HOLDER FOR TRANSMITTERS	31
3.7	MEASUREMENT PROCEDURE	32
3	3.7.1 Scanning procedure	32
3	3.7.2 Data Storage	34
3	3.7.3 Data Evaluation by SEMCAD	34
4 8	SAR MEASUREMENT VARIABILITY AND UNCERTAINTY	36
4.1	SAR MEASUREMENT VARIABILITY	36
4.2	SAR MEASUREMENT UNCERTAINTY	37
5 [DESCRIPTION OF TEST POSITION	38
5.1		
	5.1.1 SAM Phantom Shape	
	5.1.2 EUT constructions	
5	5.1.3 Definition of the "cheek" position	40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Rev : 01 Page : 5 of 493

5.1.4	Definition of the "tilted" position	41
5.2	BODY EXPOSURE CONDITION	42
5.2.1	Body-worn accessory exposure conditions	42
5.2.2	Wireless Router exposure conditions	43
5.3	EXTREMITY EXPOSURE CONDITIONS	43
5.4	PROXIMITY SENSOR TRIGGERING TEST	47
6 SAR	SYSTEM VERIFICATION PROCEDURE	52
6.1	TISSUE SIMULATE LIQUID	52
6.1.1	Recipes for Tissue Simulate Liquid	52
6.1.2		
6.2	SAR SYSTEM CHECK	54
6.2.1	Justification for Extended SAR Dipole Calibrations	55
6.2.2		
6.2.3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
7 TEST	T CONFIGURATION	57
7.1	3G SAR TEST REDUCTION PROCEDURE	57
7.2	OPERATION CONFIGURATIONS	
7.2.1	GSM Test Configuration	57
7.2.2	WCDMA Test Configuration	58
7.2.3	B WiFi Test Configuration	64
7.2.4	LTE Test Configuration	72
8 TEST	T RESULT	75
8.1	MEASUREMENT OF RF CONDUCTED POWER	75
8.1.1	Conducted Power of Antenna 1	75
8.1.2	Conducted Power of Antenna 2	121
8.1.1	Conducted Power of Downlink and Uplink LTE CA	363
8.1.2	Conducted Power of WIFI and BT	373
8.2	STAND-ALONE SAR TEST EVALUATION	395
8.3	MEASUREMENT OF SAR DATA	
8.3.1		
8.3.2	SAR Result Of GSM1900	
833	R SAR Result Of WCDMA Band V	401

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Rev : 01 Page : 6 of 493

	8.3.4	SAR Result Of WCDMA Band IV	. 403
	8.3.5	SAR Result Of WCDMA Band II	. 405
	8.3.6	SAR Result Of LTE Band 2	. 408
	8.3.1	SAR Result Of LTE Band 4	. 412
	8.3.2	SAR Result Of LTE Band 5	. 416
	8.3.3	SAR Result Of LTE Band 7	. 419
	8.3.4	SAR Result Of LTE Band 12	. 422
	8.3.5	SAR Result Of LTE Band 17	. 426
	8.3.6	SAR Result Of LTE Band 26	. 429
	8.3.7	SAR Result Of LTE Band 38	. 432
	8.3.8	SAR Result Of LTE Band 41	. 435
	8.3.9	SAR Result Of 2.4GHz WIFI	. 438
	8.3.1	SAR Result Of 5GHz WIFI	. 441
	8.3.2	SAR Result Of Bluetooth	. 445
8	.4 M	ULTIPLE TRANSMITTER EVALUATION	. 446
	8.4.1	Simultaneous SAR SAR test evaluation	. 446
	8.4.2	Estimated SAR	. 449
	EQUIP	MENT LIST	. 492
0	CALIB	RATION CERTIFICATE	. 493
1	РНОТО	OGRAPHS	493
PF	PENDIX A	A: DETAILED SYSTEM VALIDATION RESULTS	493
PF	ENDIX I	3: DETAILED TEST RESULTS	. 493
PF	ENDIX (C: CALIBRATION CERTIFICATE	493
PF	ENDIX I	D: PHOTOGRAPHS	402
			. 755

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Rev : 01 : 7 of 493 Page

1 General Information

1.1 Details of Client

Applicant:	Huawei Technologies Co., Ltd.
Address:	Administration Building, Headquarters of Huawei Technologies Co., Ltd., Bantian, Longgang District, Shenzhen, 518129, P.R.C
Manufacturer:	Huawei Technologies Co., Ltd.
Address:	Administration Building, Headquarters of Huawei Technologies Co., Ltd., Bantian, Longgang District, Shenzhen, 518129, P.R.C
Factory:	Huawei Technologies Co., Ltd.
Address:	Administration Building, Headquarters of Huawei Technologies Co., Ltd., Bantian, Longgang District, Shenzhen, 518129, P.R.C

1.2 Test Location

SGS Taiwan Ltd. Electron	ics & Communication Laboratory	
No.134, Wu Kung Road, N	New Taipei Industrial Park	
Wuku District, New Taipei	City, Taiwan	
Tel	+886-2-2299-3279	
Fax	+886-2-2298-0488	
Internet	http://www.tw.sgs.com/	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



: 01 Page : 8 of 493

1.3 General Description of EUT

Device Type :	portable device					
Exposure Category:	uncontrolled environment / general population					
Product Name:	Smart Phone					
Model No.(EUT):	ALP-L29	ALP-L29				
Woder No.(LOT).	ALP-L09					
FCC ID:	QISALP-LX9					
Trade Mark:	HUAWEI					
Product Phase:	production unit					
SN:	QMU7N17B150022	69/QMU7N17B16000683				
Hardware Version:	HL1AALPSM					
Software Version:	ALP-L29: ALP-L29	8.0.0.129(C900log)				
	ALP-L09: ALP-L09					
Antenna Type:	Inner Antenna	\ J/				
Device Operating Configura	tions :					
Modulation Mode:	GSM:GMSK, 8PSK	;WCDMA: QPSK;LTE:QPSK ;BT: GFSK, π/4DQPSK,8DP				
Device Class:	В	, , , , , , , , , , , , , , , , , , , ,				
GPRS Multi-slots Class:	12	EGPRS Multi-slots Class:	12			
HSDPA UE Category:	14	HSUPA UE Category	6			
DC-HSDPA UE Category:	24	, ricer it de catagory				
LTE Category	7	LTE Release	13			
	4,tested with power level 5(GSM850)					
	1,tested with power level 0(GSM1900)					
Power Class	3, tested with power control "all 1"(UMTS Band II/IV/V)					
	3, tested with power control Max Power(LTE Band 2/4/5/7/12/17/26/38/41)					
	Band	Tx (MHz)	Rx (MHz)			
	GSM850	824 - 849	869 - 894			
	GSM1900	1850-1910	1930-1990			
	WCDMA Band V	824 - 849	869 - 894			
	WCDMA Band IV	1710–1755	2110–2155			
	WCDMA Band II	1850-1910	1930-1990			
	LTE Band 2	1850-1910	1930-1990			
	LTE Band 4	1710–1755	2110–2155			
	LTE Band 5	824 - 849	869 - 894			
Frequency Bands:	LTE Band 7	2500-2570	2620-2690			
	LTE Band 12	699-716	729-746			
	LTE Band 17	704-716	734-746			
	LTE Band 26	814-849	859-894			
	LTE Band 38	2570-2620	2570-2620			
	LTE Band 41	2545-2655	2545-2655			
	Bluetooth	2400-2483.5	2400-2483.5			
	Wi-Fi 2.4G	2400-2483.5	2400-2483.5			
	Wi-Fi 5G	5150-5350	5150-5350			
		5470-5850	5470-5850			
	NFC	13.56	13.56			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Rev : 01 Page : 9 of 493

	Model: HB436486ECW
Dottory Information 1#	Rated capacity :3900mAh
Battery Information1#:	Battery Type: Rechargeable Li-ion Battery
	Manufacturer: Sunwoda Electronic Co., LTD
3 4 9	Model: HB436486ECW
Datta ma Information Office	Rated capacity :3900mAh
Battery Information2#:	Battery Type: Rechargeable Li-ion Battery
	Manufacturer: Desay Battery Co., Ltd.
	Model: HB436486ECW
Dottom: Information 2#.	Rated capacity :3900mAh
Battery Information3#:	Battery Type: Rechargeable Li-ion Battery
	Manufacturer: SCUD (FUJIAN) Electronics Co., Ltd
Lloadest Information 4.4.	Model: MEMD1632B580C00
Headset Information1#:	Manufacturer: JIANGXI LIANCHUANG HONGSHENG ELECTRONIC CO., LTD
lles destinte mastic «O#»	Model:1311-3291-3.5mm-229
Headset Information2#:	Manufacturer: BOLUO COUNTY QUANCHENG ELECTRONIC CO., LTD
lles de et le ferencitie e O.U.	Model: NA12
Headset Information3#:	Manufacturer: Goer Tek Inc
Lloodoot Information 4#	Model: EMC309-001
Headset Information4#:	Manufacturer: MERRY ELECTRONICS (SHENZHEN) CO., LTD.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Rev : 01 Page : 10 of 493

The difference between ALP-L29(new) and ALP-L29(old) is as below:

	ALP-L29(old) ALP-L29(new)	
Supported uplink CA	Unsupported	CA_2C, CA_7C, CA_38C, CA_41C Supported
Software Version	ALP-L29 5.0.1.67(C432log)	ALP-L29 8.0.0.129(C900log)
other	the same	the same

The difference between ALP-L29 and ALP-L09 is as below:

Model	ALP-L29	ALP -L09
Brand	the same	the same
Frequency	the same	the same
SIM Card	Dual SIM	Single SIM
Hardware Version	the same	the same
Software Version	Different	Different
Dimensions	the same	the same
Appearance	the same	the same
main antenna	the same	the same
BT/Wi-Fi antenna	the same	the same
div antenna	the same	the same

Note:

- 1) According to the difference above, the ALP-L29(new) is share the same data with the original test report E5/2018/50008 for 2G&3G&4G&WIFI/BT, and ALP-L29(new) for the Uplink LTE CA (LTE Band 2/7/38/41) is test at the worst case of original test report E5/2018/50008, and Update the BT hotspot SAR test data;
- 2) According to the difference above, the ALP-L09 is share the same data of the ALP-L29 with SIM1.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 www.tw.sas.com



Rev : 01

Page : 11 of 493

1.3.1 DUT Antenna Locations



The test device is a mobile phone. The display diagonal dimension is 14.9 cm and the overall diagonal dimension of this device is 16.4 cm.

According to the distance between LTE/WCDMA/GSM&WIFI antennas and the sides of the EUT we can draw the conclusion that:

EUT Sides for SAR Testing						
Mode Front Back Left Right Top Botto						Bottom
Ant.1(Main Ant.)	Yes	Yes	Yes	Yes	No	Yes
Ant.2(Second Ant.)	Yes	Yes	Yes	Yes	Yes	No
Ant.4(2.4G WIFI1&BT&5G WIFI1 Ant.)	Yes	Yes	No	Yes	Yes	No
Ant.5(2.4G WIFI2&5G WIFI2 Ant.)	Yes	Yes	No	Yes	Yes	No

Table 1: EUT Sides for SAR Testing

Note:

- 1) When the antenna-to-edge distance is greater than 2.5cm, such position does not need to be tested.
- 2) All the SAR testing were measured with the following SIM: Cell ID: 0; MCC: 310; MNC: 260; TAC: 0001

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 www.tw.sas.com



Rev : 01 Page : 12 of 493

1.3.2 Dynamic antenna switching specification

The device has two 2G/3G/4G Tx antennas (Main Antenna and Second Antenna). It can transmit from either Main Antenna or Second Antenna, but they cannot transmit simultaneously.

SAR test procedure for dynamic antenna switching is as below:

The Main Antenna and Second Antenna are set to the MAX transmit power level respectively and test the SAR respectively in all applicable RF exposure conditions. Some commands or test scripts are supplied to fix the operation state and choose the antenna so that only one TX antenna is chosen and tested at a time. All independent antennas will be completely covered by the appropriate SAR measurements and all simultaneous transmission possibilities will be fully considered to ensure SAR compliance.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅享了。木報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Rev : 01 Page : 13 of 493

1.3.3 Power reduction specification

This device uses a single fixed level of power reduction through static table look-up for SAR compliance and it is triggered by a single event or operation:

- A fixed level power reduction is applied for some frequency bands when hotspot mode becomes active. When the hotspot is disabled, the power value will be recovered.
- A fixed level power reduction is applied for some frequency bands when simultaneously transmitting with the other antennas in certain simultaneous transmission conditions. The standalone SAR compliance still uses the standalone SAR results tested at the maximum output power level without any power reduction.
- A fixed level power reduction is applied for some frequency bands when handset operate "held to the ear" condition, the power reduction triggered by Accelerometer & Gyroscope and audio receiver detection. The audio receiver detection is used to determine head or body scenario. The Accelerometer & Gyroscope sensor is used to determine proximity to Left head or Right head scenario.

The following tables summarize the key power reduction information. The detailed full power which is the Max. power the state can use and reduced tune-up specifications and conducted power measurement results are provided in Section 8 of this report.

		Power Redu	ction Level Amount	(dB)	
Band	Antenr	na 1		Antenna 2	
Dana	Hotspot is active 2.4G&5G WiFi	Hotspot is disabled 2.4G&5G WiFi	Hotspot is active for 2.4G WiFi	Hotspot is active for 5G WiFi	Hotspot is disabled
GSM 850	0	0	2.5	4	0
GSM 1900	3.5	0	2.5	4	0
UMTS Band II	4	0	2.5	4	0
UMTS Band IV	4.5	0	2.5	4	0
UMTS Band V	0	0	2.5	4	0
LTE Band 2	5	0	2.5	4	0
LTE Band 4	4.5	0	2.5	4	0
LTE Band 5	0	0	2.5	4	0
LTE Band 7	5	0	2.5	4	0
LTE Band 12	0	0	2.5	4	0
LTE Band 17	0	0	2.5	4	0
LTE Band 26	0	0	2.5	4	0
LTE Band 38	1	0	2.5	4	0
LTE Band 41	1	0	2.5	4	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 www.tw.sas.com



Rev : 01

Page : 14 of 493

	Power Reduction	on Amount (dB)
Band	Antenna 2 + 2.4G WiFi simultaneous transmission (WiFi station)	Antenna 2 + 5G WiFi simultaneous transmission (WiFi station)
GSM 850	2.5	4
GSM 1900	2.5	4
UMTS Band II	2.5	4
UMTS Band IV	2.5	4
UMTS Band V	2.5	4
LTE Band 2	2.5	4
LTE Band 4	2.5	4
LTE Band 5	2.5	4
LTE Band 7	2.5	4
LTE Band 12	2.5	4
LTE Band 17	2.5	4
LTE Band 26	2.5	4
LTE Band 38	2.5	4
LTE Band 41	2.5	4

	Power Reduc	tion Amount (dB)
Band	Antenna 2 "	held to the ear"
	Left head	Right head
GSM 850	3	3.5
GSM 1900	1	4.5
UMTS Band II	1.5	5.5
UMTS Band IV	5	8
UMTS Band V	4	4
LTE Band 2	3	7.5
LTE Band 4	0	2
LTE Band 5	5	5.5
LTE Band 7	0.5	5
LTE Band 12	2.5	2
LTE Band 17	4	4
LTE Band 26	4.5	5
LTE Band 38	3	8.5
LTE Band 41	3	8
2.4GHz WiFi	2.5	2.5
5GHz WiFi	2	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Rev : 01 Page : 15 of 493

Downlink&Uplink LTE CA additional specification 1.3.4

The device supports downlink and uplink LTE Carrier Aggregation (CA). When carrier aggregation applies, implementation and measurement details for the following are necessary.

- a) Intra-band and inter-band carrier aggregation requirements for both uplink and downlink.
- b) Support of contiguous and non-contiguous component carriers for intra-band aggregation.

The possible downlink and uplink LTE CA combinations supported by this device are as below tables per 3GPP TS 36.101 V13.5.0. The conducted power measurement results of downlink and uplink LTE CA are provided in Section 8 of this report per 3GPP TS 36.521-1 V13.3.0. According to KDB 941225 D05A, the downlink LTE CA SAR test is not required and PAG requirements can be excluded.

SAR test procedure for intra-band contiguous UL LTE CA is as below:

- 1)Maximum output power is measured for each UL CA configuration for the required test channels described in KDB 941225 D05
- UL PCC configuration is determined by the required test channel
- SCC and subsequent CCs are added alternatively to either side of the PCC or within the transmission band for channels at the ends of a frequency band.
- 2)SAR for UL CA is required in each exposure condition and frequency band combination
- 3)For this device, as the maximum output for Intra-band uplink LTE CA is ≤ standalone LTE mode (without CA),
- PCC is configured according to the highest standalone SAR configuration tested.
- SCC and subsequent CCs are configured according to procedures used for power measurement and parameters (BW, RB etc.) similar to that used for the PCC
- 4) When the reported SAR for UL CA configuration, described above, is > 1.2 W/kg, UL CA SAR is also required for all required test channels (PCC based)
- 5)UL CA SAR is also required for standalone SAR configurations > 1.2 W/kg when they are scaled to the UL CA power level.

Intra-band contiguous CA operating bands:

E-UTRA	E-UTRA	Uplink (UL)	оре	rating band	Downlink (D	L) c	perating band	Duplex
CA Band	Band	BS receive) / U	E transmit	BS transı	mit /	UE receive	Mode
		F _{UL_low}	-	F _{UL_high}	F _{DL_lo}	w –	F _{DL_high}	
CA_2	2	1850 MHz	_	1910 MHz	1930 MHz	_	1990 MHz	FDD
CA_7	7	2500 MHz	_	2570 MHz	2620 MHz	-\	2690 MHz	FDD
CA_38	38	2570 MHz	_	2620 MHz	2570 MHz	-	2620 MHz	TDD
CA_41	41	2545 MHz	-	2655 MHz	2545 MHz	_	2655 MHz	TDD

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

SGS Taiwan Ltd.



Rev : 01 Page : 16 of 493

intra-band contiguous CA

		E-UTI	RA CA configura	ation / Bandwic	Ith combination	on set	
	Uplink	Component	carriers in orde		carrier		
E-UTRA CA configurati on	CA configura tions (NOTE 3)	Channel bandwidths for carrier [MHz]	frequen Channel bandwidths for carrier [MHz]	Channel bandwidths for carrier [MHz]	Channel bandwidth s for carrier [MHz]	Maximum aggregated bandwidth [MHz]	Bandwidth combinatio n set
	1	5	20		[IVII IZ]		
		10	15, 20				_
CA_2C	CA_2C	15	10, 15, 20			40	0
		20	5, 10, 15, 20				
04.50		5, 10	10			22	_
CA_5B		10	5			20	0
		15	15			40	0
		20	20			40	0
		10	20				
CA_7C	CA_7C	15	15, 20			40	1
		20	10, 15, 20				
		15	10, 15			40	2
		20	15, 20			40	2
CA_12B		5	5, 10			15	0
CA_38C	CA_38C	15	15			40	0
CA_36C	CA_36C	20	20			40	U
		10	20				
		15	15, 20			40	0
		20	10, 15, 20				
		5, 10	20				
		15	15, 20			40	1
CA_41C	CA_41C	20	5, 10, 15, 20				
		10	15, 20				
		15	10, 15, 20			40	2
		20	10, 15, 20				
		10	20			40	3
		20	20				
		10	20	15			
		10	15, 20	20			1
CA_41D	CA_41C	15	20	10, 15		60	0
	_	15	10, 15, 20	20			
		20	15, 20	10			
		20	10, 15, 20	15, 20			

NOTE 1: The CA configuration refers to an operating band and a CA bandwidth class specified in Table 5.6A-1 (the indexing letter). Absence of a CA bandwidth class for an operating band implies support of all classes.

For the supported CC bandwidth combinations, the CC downlink and uplink bandwidths are equal. NOTE 3: Uplink CA configurations are the configurations supported by the present release of specifications.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



Rev : 01 : 17 of 493 Page

Test frequencies for CA_2C

Range	CC-Combo / N _{RB_agg} [RB]			CC1 Note1					CC2 Note1		
	[]	BW [RB]	NuL	f∪∟ [MHz]	N _{DL}	f _{DL} [MHz]	BW [RB]	NuL	f∪∟ [MHz]	N _{DL}	f _{DL} [MHz]
	25+100	25	18633	1853.3	633	1933.3	100	18750	1865	750	1945
		100	18700	1860	700	1940	25	18817	1871.7	817	1951.7
	50+75	50	18653	1855.3	653	1935.3	75	18773	1867.3	773	1947.3
		75	18675	1857.5	675	1937.5	50	18795	1869.5	795	1949.5
	50+100	50	18655	1855.5	655	1935.5	100	18799	1869.9	799	1949.9
Low		100	18700	1860	700	1940	50	18844	1874.4	844	1954.4
	75+75	75	18675	1857.5	675	1937.5	75	18825	1872.5	825	1952.5
	75+100	75	18678	1857.8	678	1937.8	100	18849	1874.9	849	1954.9
		100	18700	1860	700	1940	75	18871	1877.1	871	1957.
·	100+100	100	18700	1860	700	1940	100	18898	1879.8	898	1959.8
	25+100	25	18808	1870.8	808	1950.8	100	18925	1882.5	925	1962.5
		100	18875	1877.5	875	1957.5	25	18992	1889.2	992	1969.2
	50+75	50	18829	1872.9	829	1952.9	75	18949	1884.9	949	1964.9
		75	18851	1875.1	851	1955.1	50	18971	1887.1	971	1967.
	50+100	50	18806	1870.6	806	1950.6	100	18950	1885	950	1965
Mid		100	18851	1875.1	851	1955.1	50	18995	1889.5	995	1969.5
	75+75	75	18825	1872.5	825	1952.5	75	18975	1887.5	975	1967.5
	75+100	75	18803	1870.3	803	1950.3	100	18974	1887.4	974	1967.4
		100	18826	1872.6	826	1952.6	75	18997	1889.7	997	1969.7
	100+100	100	18801	1870.1	801	1950.1	100	18999	1889.9	999	1969.9
	25+100	25	18983	1888.3	983	1968.3	100	19100	1900	1100	1980
		100	19050	1895	1050	1975	25	19167	1906.7	1167	1986.7
	50+75	50	19005	1890.5	1005	1970.5	75	19125	1902.5	1125	1982.5
		75	19027	1892.7	1027	1972.7	50	19147	1904.7	1147	1984.7
	50+100	50	18956	1885.6	956	1965.6	100	19100	1900	1100	1980
High		100	19001	1890.1	1001	1970.1	50	19145	1904.5	1145	1984.5
	75+75	75	18975	1887.5	975	1967.5	75	19125	1902.5	1125	1982.5
	75+100	75	18929	1882.9	929	1962.9	100	19100	1900	1100	1980
		100	18951	1885.1	951	1965.1	75	19122	1902.2	1122	1982.2
	100+100	100	18902	1880.2	902	1960.2	100	19100	1900	1100	1980

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com



Rev : 01

: 18 of 493 Page

Test frequencies for CA_5B

Range	CC-Combo / N _{RB_agg} [RB]		(CC1 Note1					CC2 Note1		
		BW [RB]	NuL	f∪∟ [MHz]	N _{DL}	f _{DL} [MHz]	BW [RB]	NuL	f∪∟ [MHz]	N _{DL}	f _{DL} [MHz]
Low	25+50	25	20428	826.8	2428	871.8	50	20500	834	2500	879
	50+25	50	20450	829	2450	874	25	20522	836.2	2522	881.2
	50+50	50	20450	829	2450	874	50	20549	838.9	2549	883.9
Mid	25+50	25	20478	831.8	2478	876.8	50	20550	839	2550	884
	50+25	50	20500	834	2500	879	25	20572	841.2	2572	886.2
	50+50	50	20476	831.6	2476	876.6	50	20575	841.5	2575	886.5
High	25+50	25	20528	836.8	2528	881.8	50	20600	844	2600	889
	50+25	50	20550	839	2550	884	25	20622	846.2	2622	891.2
	50+50	50	20501	834.1	2501	879.1	50	20600	844	2600	889
Note 1:	Carriers in inc	reasing f	requency	order.							

Test frequencies for CA_7C

Range	CC-Combo / N _{RB_agg} [RB]			CC1 Note1					CC2 Note1		
		BW [RB]	N _{UL}	f∪∟ [MHz]	N _{DL}	f _{DL} [MHz]	BW [RB]	N _{UL}	f∪∟ [MHz]	N _{DL}	f _{DL} [MHz]
Low	50+100	50	20805	2505.5	2805	2625.5	100	20949	2519.9	2949	2639.9
		100	20850	2510	2850	2630	50	20994	2524.4	2994	2644.4
	75+75	75	20825	2507.5	2825	2627.5	75	20975	2522.5	2975	2642.5
	75+100	75	20828	2507.8	2828	2627.8	100	20999	2524.9	2999	2644.9
		100	20850	2510	2850	2630	75	21021	2527.1	3021	2647.1
	100+100	100	20850	2510	2850	2630	100	21048	2529.8	3048	2649.8
Mid	50+100	50	21006	2525.6	3006	2645.6	100	21150	2540	3150	2660
		100	21051	2530.1	3051	2650.1	50	21195	2544.5	3195	2664.5
	75+75	75	21025	2527.5	3025	2647.5	75	21175	2542.5	3175	2662.5
	75+100	75	21003	2525.3	3003	2645.3	100	21174	2542.4	3174	2662.4
		100	21026	2527.6	3026	2647.6	75	21197	2544.7	3197	[MHz] 2639.9 2644.4 2642.5 2644.9 2647.1 2649.8 2660.5 2662.5 2662.4 2664.5 2680.5 2682.5 2680.5
	100+100	100	21001	2525.1	3001	2645.1	100	21199	2544.9	3199	2664.9
High	50+100	50	21206	2545.6	3206	2665.6	100	21350	2560	3350	2680
		100	21251	2550.1	3251	2670.1	50	21395	2564.5	3395	2684.5
	75+75	75	21225	2547.5	3225	2667.5	75	21375	2562.5	3375	2682.5
	75+100	75	21179	2542.9	3179	2662.9	100	21350	2560	3350	2680
		100	21201	2545.1	3201	2665.1	75	21372	2562.2	3372	2682.2
	100+100	100	21152	2540.2	3152	2660.2	100	21350	2560	3350	2680

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Rev : 01

Page : 19 of 493

Test frequencies for CA_12B

Range	CC-Combo / NRB_agg [RB]		C	CC1 Note1					CC2 Note1		
		BW [RB]	NuL	f _{UL} [MHz]	N _{DL}	f _{DL} [MHz]	BW [RB]	NuL	f∪∟ [MHz]	N _{DL}	f _{DL} [MHz]
Low	25+25	25	23035	701.5	5035	731.5	25	23083	706.3	5083	736.3
	25+50	25	23035	701.5	5035	731.5	50	23107	708.7	5107	738.7
Mid	25+25	25	23070	705	5070	735	25	23118	709.8	5118	739.8
	25+50	25	23045	702.5	5045	732.5	50	23117	709.7	5117	739.7
High	25+25	25	23107	708.7	5107	738.7	25	23155	713.5	5155	743.5
	25+50	25	23058	703.8	5058	733.8	50	23130	711	5130	741
Note 1:	Carriers in inc	creasing	frequency o	rder.							

Test frequencies for CA_38C

Range	CC-Combo / N _{RB_agg} [RB]		CC1 Note1		CC2 Note1				
_		BW [RB]	N _{UL/DL}	ful/bl [MHz]	BW [RB]	N _{UL/DL}	f _{UL/DL} [MHz]		
Low	75+75	75	37825	2577.5	75	37975	2592.5		
	100+100	100	37850	2580	100	38048	2599.8		
Mid	75+75	75	37925	2587.5	75	38075	2602.5		
	100+100	100	37901	2585.1	100	38099	2604.9		
High	75+75	75	38025	2597.5	75	38175	2612.5		
	100+100	100	37952	2590.2	100	38150	2610		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com



Rev : 01 Page : 20 of 493

Test frequencies for CA_41C

Range	CC- Combo / N _{RB_agg} [RB]		CC1 Note1			CC2 Note1	
		BW [RB]	N UL/DL	ful/bl [MHz]	BW [RB]	N UL/DL	ful/dl [MHz]
Low	25+100	25	40165	2547.5	100	40282	2559.2
		100	40240	2555	25	40357	2566.7
	50+100	50	40190	2550	100	40334	2564.4
Mid		100	40240	2555	50	40384	2569.4
	75+75	75	40215	2552.5	75	40365	2567.5
	75+100	75	40215	2552.5	100	40386	2569.6
		100	40240	2555	75	40411	2572.1
	100+100	100	40240	2555	100	40438	2574.8
Mid	25+100	25	40598	2590.8	100	40715	2602.5
		100	40665	2597.5	25	40782	2609.2
	50+100	50	40596	2590.6	100	40740	2565.0
		100	40641	2595.1	50	40785	2609.5
Mid	75+75	75	40615	2592.5	75	40765	2607.5
	75+100	75	40593	2590.3	100	40764	2607.4
		100	40616	2592.6	75	40787	2609.7
	100+100	100	40591	2590.1	100	40789	2609.9
High	25+100	25	41023	2633.3	100	41140	2645
		100	41098	2640.8	25	41215	2652.5
	50+100	50	40996	2630.6	100	41140	2645
		100	41046	2635.6	50	41190	2650
	75+75	75	41014	2632.5	75	41165	2647.5
	75+100	75	40969	2627.9	100	41140	2645
		100	40994	2630.4	75	41165	2647.5
	100+100	100	40942	2625.2	100	41140	2645

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Rev : 01

Page : 21 of 493

Test frequencies for CA_41D

Range	CC-Combo /		CC1 Note1			CC2 Note1		CC3 Note1			
	NRB_agg [RB]	BW [RB]	N _{UL/DL}	f _{UL/DL} [MHz]	BW [RB]	N _{UL/DL}	f _{UL/DL} [MHz]	BW [RB]	N _{UL/DL}	f _{UL/DL} [MHz]	
Low	50+75+100	50	40195	2550.5	75	40315	2562.5	100	40486	2579.6	
		50	40195	2550.5	100	40339	2564.9	75	40510	2582.0	
		75	40218	2552.8	50	40338	2564.8	100	40482	2579.2	
0.4		75	40218	2552.8	100	40389	2569.9	50	40533	2584.3	
		100	40240	2555	50	40384	2569.4	75	40504	2581.4	
100		100	40340	2565	75	40511	2582.1	50	40631	2594.1	
	50+100+100	50	40195	2550.5	100	40339	2564.9	100	40537	2584.7	
		100	40240	2555	50	40384	2569.4	100	40528	2583.8	
		100	40240	2555	100	40438	2574.8	50	40582	2589.2	
•	75+75+100	75	40218	2552.8	75	40368	2567.8	100	40539	2584.9	
		75	40218	2552.8	100	40389	2569.9	75	40560	2587.0	
		100	40240	2555	75	40411	2572.1	75	40561	2587.1	
•	75+100+100	75	40218	2552.8	100	40389	2569.9	100	40587	2589.7	
		100	40240	2555	75	40411	2572.1	100	40582	2589.2	
		100	40240	2555	100	40438	2574.8	75	40609	2591.9	
•	100+100+100	100	40340	2565	100	40538	2584.8	100	40736	2604.6	
Mid	50+75+100	50	40522	2583.2	75	40642	2595.2	100	40813	2612.3	
		50	40521	2583.1	100	40665	2597.5	75	40836	2614.6	
		75	40547	2585.7	50	40667	2597.7	100	40811	2612.1	
		75	40544	2585.4	100	40715	2602.5	50	40859	2616.9	
		100	40569	2587.9	50	40713	2602.3	75	40833	2614.3	
		100	40567	2587.7	75	40738	2604.8	50	40858	2616.8	
	50+100+100	50	40497	2580.7	100	40641	2595.1	100	40839	2614.9	
		100	40546	2585.6	50	40690	2600	100	40834	2614.4	
		100	40542	2585.2	100	40740	2605	50	40894	2619.4	
İ	75+75+100	75	40518	2582.8	75	40668	2597.8	100	40839	2614.9	
		75	40519	2582.9	100	40690	2600	75	40861	2617.1	
		100	40541	2585.1	75	40712	2602.2	75	40862	2617.2	
İ	75+100+100	75	40494	2580.4	100	40665	2597.5	100	40863	2617.3	
		100	40519	2582.9	75	40690	2600	100	40861	2617.1	
		100	40517	2582.7	100	40715	2602.5	75	40886	2619.6	
İ	100+100+100	100	40492	2580.2	100	40690	2600	100	40888	2619.8	
High	50+75+100	50	40849	2615.9	75	40969	2627.9	100	41140	2645	
_		50	40847	2615.7	100	40991	2630.1	75	41162	2647.2	
		75	40876	2618.6	50	40996	2630.6	100	41140	2645	
		75	40870	2618.0	100	41041	2635.1	50	41185	2649.5	
- 0		100	40898	2620.8	50	41042	2635.2	75	41162	2647.2	
		100	40894	2620.4	75	41065	2637.5	50	41185	2649.5	
	50+100+100	50	40798	2610.8	100	40942	2625.2	100	41140	2645	
		100	40852	2616.2	50	40996	2630.6	100	41140	2645	
		100	40843	2615.3	100	41041	2635.1	50	41185	2649.5	
	75+75+100	75	40819	2612.9	75	40969	2627.9	100	41140	2645	
		75	40820	2613.0	100	40991	2630.1	75	41162	2647.2	
		100	40841	2615.1	75	41012	2632.2	75	41162	2647.2	
	75+100+100	75	40771	2608.1	100	40942	2625.2	100	41140	2645	
		100	40798	2610.8	75	40969	2627.9	100	41140	2645	
		100	40793	2610.3	100	40991	2630.1	75	41162	2647.2	
+	100+100+100	100	40744	2605.4	100	40942	2625.2	100	41140	2645	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Rev : 01

: 22 of 493 Page

Range	CC-Combo / NRB_agg [RB]	CC1 Note1				CC2 Note1			CC3 Note1		
		BW [RB]	N _{UL/DL}	f _{UL/DL} [MHz]	BW [RB]	N _{UL/DL}	f _{UL/DL} [MHz]	BW [RB]	N _{UL/DL}	f _{UL/DL} [MHz]	
Low	50+75+100	50	40195	2550.5	75	40315	2562.5	100	40486	2579.6	
		50	40195	2550.5	100	40339	2564.9	75	40510	2582.0	
		75	40218	2552.8	50	40338	2564.8	100	40482	2579.2	
0.4		75	40218	2552.8	100	40389	2569.9	50	40533	2584.3	
		100	40240	2555	50	40384	2569.4	75	40504	2581.4	
		100	40340	2565	75	40511	2582.1	50	40631	2594.1	
	50+100+100	50	40195	2550.5	100	40339	2564.9	100	40537	2584.7	
		100	40240	2555	50	40384	2569.4	100	40528	2583.8	
		100	40240	2555	100	40438	2574.8	50	40582	2589.2	
	75+75+100	75	40218	2552.8	75	40368	2567.8	100	40539	2584.9	
		75	40218	2552.8	100	40389	2569.9	75	40560	2587.0	
		100	40240	2555	75	40411	2572.1	75	40561	2587.1	
	75+100+100	75	40218	2552.8	100	40389	2569.9	100	40587	2589.7	
		100	40240	2555	75	40411	2572.1	100	40582	2589.2	
		100	40240	2555	100	40438	2574.8	75	40609	2591.9	
•	100+100+100	100	40340	2565	100	40538	2584.8	100	40736	2604.6	
Mid	50+75+100	50	40522	2583.2	75	40642	2595.2	100	40813	2612.3	
		50	40521	2583.1	100	40665	2597.5	75	40836	2614.6	
		75	40547	2585.7	50	40667	2597.7	100	40811	2612.1	
		75	40544	2585.4	100	40715	2602.5	50	40859	2616.9	
		100	40569	2587.9	50	40713	2602.3	75	40833	2614.3	
		100	40567	2587.7	75	40738	2604.8	50	40858	2616.8	
	50+100+100	50	40497	2580.7	100	40641	2595.1	100	40839	2614.9	
		100	40546	2585.6	50	40690	2600	100	40834	2614.4	
		100	40542	2585.2	100	40740	2605	50	40894	2619.4	
İ	75+75+100	75	40518	2582.8	75	40668	2597.8	100	40839	2614.9	
		75	40519	2582.9	100	40690	2600	75	40861	2617.1	
		100	40541	2585.1	75	40712	2602.2	75	40862	2617.2	
Í	75+100+100	75	40494	2580.4	100	40665	2597.5	100	40863	2617.3	
		100	40519	2582.9	75	40690	2600	100	40861	2617.1	
		100	40517	2582.7	100	40715	2602.5	75	40886	2619.6	
Í	100+100+100	100	40492	2580.2	100	40690	2600	100	40888	2619.8	
High	50+75+100	50	40849	2615.9	75	40969	2627.9	100	41140	2645	
_		50	40847	2615.7	100	40991	2630.1	75	41162	2647.2	
		75	40876	2618.6	50	40996	2630.6	100	41140	2645	
		75	40870	2618.0	100	41041	2635.1	50	41185	2649.5	
- 0		100	40898	2620.8	50	41042	2635.2	75	41162	2647.2	
		100	40894	2620.4	75	41065	2637.5	50	41185	2649.5	
	50+100+100	50	40798	2610.8	100	40942	2625.2	100	41140	2645	
		100	40852	2616.2	50	40996	2630.6	100	41140	2645	
		100	40843	2615.3	100	41041	2635.1	50	41185	2649.5	
	75+75+100	75	40819	2612.9	75	40969	2627.9	100	41140	2645	
		75	40820	2613.0	100	40991	2630.1	75	41162	2647.2	
		100	40841	2615.1	75	41012	2632.2	75	41162	2647.2	
1	75+100+100	75	40771	2608.1	100	40942	2625.2	100	41140	2645	
		100	40798	2610.8	75	40969	2627.9	100	41140	2645	
		100	40793	2610.3	100	40991	2630.1	75	41162	2647.2	
Ť	100+100+100	100	40744	2605.4	100	40942	2625.2	100	41140	2645	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Rev : 01

Page : 23 of 493

E-UTRA CA Configuration	E-UTRA Bands	1.4 MHz	3 MHz	5 MHz	10 MHz	15 MHz	20 MHz	Maximum aggregated bandwidth [MHz]	Bandwidth combination set
	2			Yes	Yes	Yes	Yes	30	0
CA_2A-5A	5			Yes	Yes			30	O
UA_2A-JA	2			Yes	Yes			20	1
	5			Yes	Yes			20	
	2			Yes	Yes	Yes	Yes	30	0
	12			Yes	Yes			30	U
CA_2A-12A	2			Yes	Yes	Yes	Yes	30	1
UA_2A-12A	12		Yes	Yes	Yes			30	
	2			Yes	Yes			20	2
	12			Yes	Yes			20	2
CA_2A-12B	2			Yes	Yes	Yes	Yes	35	0
CA_2A-12B	12	See CA_12	B Bandwidth C	Combination	Set 0 in	table 5.4.	2A.1-1	33	U
	2			Yes	Yes				
	17			Yes	Yes			20	0
	8			Yes	Yes				
CA_2A-17A	3			Yes	Yes	Yes	Yes	20	2
	8		Yes	Yes	Yes			30	
	3			Yes	Yes	Yes	Yes	30	3
	8			Yes	Yes				
	4			Yes	Yes			00	
04 44 54	5			Yes	Yes			20	0
CA_4A-5A	4			Yes	Yes	Yes	Yes		
	5			Yes	Yes			30	1
	4	Yes	Yes	Yes	Yes			00	
	12			Yes	Yes			20	0
	4	Yes	Yes	Yes	Yes	Yes	Yes		
	12			Yes	Yes			30	1
	4			Yes	Yes	Yes	Yes		2
	12		Yes	Yes	Yes			30	
CA_4A-12A	4			Yes	Yes				
	12			Yes	Yes			20	3
	4	1		Yes	Yes	Yes	Yes		4
	12			Yes	Yes			30	
	4			Yes	Yes	Yes			
	12			Yes	1			20	5
	4			Yes	Yes	Yes	Yes		
CA_4A-12B	12	See CA 12I	B Bandwidth C					35	0
16	4	1		Yes	Yes				
CA_4A-17A	17			Yes	Yes			20	0
	28			Yes	Yes	Yes	Yes		Ĭ
	5	Yes	Yes	Yes	Yes		. 55		
	7		100	100	Yes	Yes	Yes	30	0
CA_5A-7A	5			Yes	Yes	100	100		
	7			163	Yes	Yes	Yes	30	1
	7		76	Yes	Yes	Yes	Yes		
CA_7A-12A	12			Yes	Yes	162	162	30	0

inter-band CA (two bands)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Rev : 01

Page : 24 of 493

1.4 Test Specification

Identity	Document Title			
FCC 47CFR §2.1093	Radiofrequency Radiation Exposure Evaluation: Portable Devices			
IEEE Std C95.1 – 1991	IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz – 300 GHz.			
IEEE 1528-2013	Recommended Practice for Determining the Peak Spatial-Average Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques			
KDB 941225 D01 3G SAR Procedures v03r01	3G SAR Measurement Procedures			
KDB 941225 D05 SAR for LTE Devices v02r05	SAR EVALUATION CONSIDERATIONS FOR LTE DEVICES			
KDB 941225 D05A LTE Rel.10 KDB Inquiry Sheet v01r02	Rel. 10 LTE SAR Test Guidance and KDB Inquiries			
KDB 248227 D01 802.11 Wi-Fi SAR v02r02	SAR GUIDANCE FOR IEEE 802.11 (Wi-Fi) TRANSMITTERS			
KDB 941225 D06 Hotspot Mode SAR v02r01	SAR Evaluation Procedures for Portable Devices with Wireless Router Capabilities			
KDB 648474 D04 Handset SAR v01r03	SAR Evaluation Considerations for Wireless Handsets			
KDB447498 D01 General RF Exposure Guidance v06	Mobile and Portable Devices RF Exposure Procedures and Equipment Authorization Policies			
KDB447498 D03 Supplement C Cross-Reference v01	OET Bulletin 65, Supplement C Cross-Reference			
KDB 865664 D01 SAR Measurement 100 MHz to 6 GHz v01r04	SAR Measurement Requirements for 100 MHz to 6 GHz			
KDB 865664 D02 RF Exposure Reporting v01r02	RF Exposure Compliance Reporting and Documentation Considerations			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Rev : 01 Page : 25 of 493

RF exposure limits

Human Exposure	Uncontrolled Environment General Population	Controlled Environment Occupational	
Spatial Peak SAR* (Brain*Trunk)	1.60 mW/g	8.00 mW/g	
Spatial Average SAR** (Whole Body)	0.08 mW/g	0.40 mW/g	
Spatial Peak SAR*** (Hands/Feet/Ankle/Wrist)	4.00 mW/g	20.00 mW/g	

Notes:

Controlled Environments are defined as locations where there is exposure that may be incurred by persons who are aware of the potential for exposure, (i.e. as a result of employment or occupation.)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sas.com

^{*} The Spatial Peak value of the SAR averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube) and over the appropriate averaging time

^{**} The Spatial Average value of the SAR averaged over the whole body.

^{***} The Spatial Peak value of the SAR averaged over any 10 grams of tissue (defined as a tissue volume in the shape of a cube) and over the appropriate averaging time.

Uncontrolled Environments are defined as locations where there is the exposure of individuals who have no knowledge or control of their exposure.



Rev : 01

Page : 26 of 493

Laboratory Environment

Temperature	Min. = 18°C, Max. = 25 °C			
Relative humidity	Min. = 30%, Max. = 70%			
Ground system resistance	< 0.5 Ω			
Ambient noise is checked and found very low and in compliance with requirement of standards				

Reflection of surrounding objects is minimized and in compliance with requirement of standards.

Table 2: The Ambient Conditions

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com



Rev : 01 Page : 27 of 493

3 SAR Measurements System Configuration

3.1 The SAR Measurement System

This SAR Measurement System uses a Computer-controlled 3-D stepper motor system (SPEAG DASY5 professional system). A E-field probe is used to determine the internal electric fields. The SAR can be obtained from the equation SAR= σ (|Ei|2)/ ρ where σ and ρ are the conductivity and mass density of the tissue-Simulate.


The DASY5 system for performing compliance tests consists of the following items:

A standard high precision 6-axis robot (Stabile RX family) with controller, teach pendant and software .An arm extension for accommodation the data acquisition electronics (DAE).

A dosimetric probe, i.e., an isotropic E-field probe optimized and calibrated for usage in tissue simulating liquid. The probe is equipped with an optical surface detector system.

A data acquisition electronics (DAE) which performs the signal amplification, signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. The unit is battery powered with standard or rechargeable batteries. The signal is optically transmitted to the EOC.

The Electro-optical converter (EOC) performs the conversion between optical and electrical of the signals for the digital communication to DAE and for the analog signal from the optical surface detection. The EOC is connected to the measurement server.



F-1. SAR Measurement System Configuration

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,件超华结甲属影测建文样具色素,同既件样具属星网的子。太超华主领太公司隶面实可,不可如公指制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

www.tw.sas.com



Rev : 01 Page : 28 of 493

- The function of the measurement server is to perform the time critical tasks such as signal filtering, control of the robot operation and fast movement interrupts.
- A probe alignment unit which improves the (absolute) accuracy of the probe positioning.
- A computer operating Windows 7.
- DASY5 software.
- Remote control with teach pendant and additional circuitry for robot safety such as warning lamps, etc.
- The SAM twin phantom enabling testing left-hand, right-hand and Body Worn usage.
- The device holder for handheld mobile phones.
- Tissue simulating liquid mixed according to the given recipes.
- Validation dipole kits allowing to validating the proper functioning of the system.

3.2 Isotropic E-field Probe EX3DV4

	Symmetrical design with triangular core Built-in shielding against static charges PEEK enclosure material (resistant to organic solvents, e.g., DGBE)
Calibration	ISO/IEC 17025 calibration service available.
Frequency	10 MHz to > 6 GHz Linearity: ± 0.2 dB (30 MHz to 6 GHz)
Directivity	± 0.3 dB in TSL (rotation around probe axis) ± 0.5 dB in TSL (rotation normal to probe axis)
Dynamic Range	10 μ W/g to > 100 mW/g Linearity: \pm 0.2 dB (noise: typically < 1 μ W/g)
Dimensions	Overall length: 337 mm (Tip: 20 mm) Tip diameter: 2.5 mm (Body: 12 mm) Typical distance from probe tip to dipole centers: 1 mm
Application	High precision dosimetric measurements in any exposure scenario (e.g., very strong gradient fields); the only probe that enables compliance testing for frequencies up to 6 GHz with precision of better 30%.
Compatibility	DASY3, DASY4, DASY52 SAR and higher, EASY4/MRI

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有论明,此都华结里做影响就之缘是台書,同時什樣是做保留00千。木都华未领太公司事而纯可,不可部份海喇。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Rev : 01 Page : 29 of 493

3.3 Data Acquisition Electronics (DAE)

Model	DAE4			
Construction	Signal amplifier, multiplexer, A/D converter and control logic. Serial optical link for communication with DASY4/5 embedded system (fully remote controlled). Two step probe touch detector for mechanical surface detection and emergency robot stop.			
Measurement Range	-100 to +300 mV (16 bit resolution and two range settings: 4mV,400mV)			
Input Offset Voltage	< 5μV (with auto zero)			
Input Bias Current	< 50 f A			
Dimensions	60 x 60 x 68 mm			



3.4 SAM Twin Phantom

Material	Vinylester, glass fiber reinforced (VE-GF)			
Liquid Compatibility	Compatible with all SPEAG tissue simulating liquids (incl. DGBE type)			
Shell Thickness	2 ± 0.2 mm (6 ± 0.2 mm at ear point)			
Dimensions (incl. Wooden Support)	Length: 1000 mm Width: 500 mm Height: adjustable feet			
Filling Volume	approx. 25 liters			
Wooden Support	SPEAG standard phantom table			



The shell corresponds to the specifications of the Specific Anthropomorphic Mannequin (SAM) phantom defined in IEEE 1528 and IEC 62209-1. It enables the dosimetric evaluation of left and right hand phone usage as well as body mounted usage at the flat phantom region. A cover prevents evaporation of the liquid. Reference markings on the phantom allow the complete setup of all predefined phantom positions and measurement grids by teaching three points with the robot.

Twin SAM V5.0 has the same shell geometry and is manufactured from the same material as Twin SAM V4.0, but has reinforced top structure.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 www.tw.sas.com



Rev : 01 Page : 30 of 493

3.5 ELI Phantom

Material	Vinylester, glass fiber reinforced (VE-GF)	
Liquid	Compatible with all SPEAG tissue	
Compatibility	simulating liquids (incl. DGBE type)	
Shell Thickness	2.0 ± 0.2 mm (bottom plate)	
Dimensions	Major axis: 600 mm	
Dimensions	Minor axis: 400 mm	
Filling Volume	approx. 30 liters	
Wooden Support	SPEAG standard phantom table	



Phantom for compliance testing of handheld and body-mounted wireless devices in the frequency range of 30 MHz to 6 GHz. ELI is fully compatible with the IEC 62209-2 standard and all known tissue simulating liquids. ELI has been optimized regarding its performance and can be integrated into our standard phantom tables. A cover prevents evaporation of the liquid. Reference markings on the phantom allow installation of the complete setup, including all predefined phantom positions and measurement grids, by teaching three points. The phantom is compatible with all SPEAG dosimetric probes and dipoles.

ELI V5.0 has the same shell geometry and is manufactured from the same material as ELI4, but has reinforced top structure.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Rev : 01 : 31 of 493 Page

3.6 Device Holder for Transmitters



F-2. Device Holder for Transmitters

- The DASY device holder is designed to cope with different positions given in the standard. It has two scales for the device rotation (with respect to the body axis) and the device inclination (with respect to the line between the ear reference points). The rotation centres for both scales are the ear reference point (ERP). Thus the device needs no repositioning when changing the angles.
- The DASY device holder has been made out of low-loss POM material having the following dielectric parameters: relative permittivity ε =3 and loss tangent δ =0.02. The amount of dielectric material has been reduced in the closest vicinity of the device, since measurements have suggested that the influence of the clamp on the test results could thus be lowered.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sas.com



Rev : 01 Page : 32 of 493

3.7 Measurement procedure

3.7.1 Scanning procedure

Step 1: Power reference measurement

The "reference" and "drift" measurements are located at the beginning and end of the batch process. They measure the field drift at one single point in the liquid over the complete procedure.

Step 2: Area scan

The SAR distribution at the exposed side of the head was measured at a distance of 4mm from the inner surface of the shell. The area covered the entire dimension of the head and the horizontal grid spacing was 15mm*15mm or 12mm*12mm or 10mm*10mm.Based on the area scan data, the area of the maximum absorption was determined by spline interpolation.

Step 3: Zoom scan

Around this point, a volume of 32mm*32mm*30mm (f≤2GHz), 30mm*30mm*30mm (f for 2-3GHz) and 24mm*24mm*22mm (f for 5-6GHz) was assessed by measuring 5x5x7 points (f≤2GHz), 7x7x7 points (f for 2-3GHz) and 7x7x12 points (f for 5-6GHz). On this basis of this data set, the spatial peak SAR value was evaluated with the following procedure:

The data at the surface was extrapolated, since the centre of the dipoles is 2.0mm away from the tip of the probe and the distance between the surface and the lowest measuring point is 1.2mm. (This can be variable. Refer to the probe specification). The extrapolation was based on a least square algorithm. A polynomial of the fourth order was calculated through the points in z-axes. This polynomial was then used to evaluate the points between the surface and the probe tip. The maximum interpolated value was searched with a straight-forward algorithm. Around this maximum the SAR values averaged over the spatial volumes (1g or 10g) were computed using the 3D-Spline interpolation algorithm. The volume was integrated with the trapezoidal algorithm. One thousand points were interpolated to calculate the average. All neighbouring volumes were evaluated until no neighboring volume with a higher average value was found.

The area and zoom scan resolutions specified in the table below must be applied to the SAR measurements Probe boundary effect error compensation is required for measurements with the probe tip closer than half a probe tip diameter to the phantom surface. Both the probe tip diameter and sensor offset distance must satisfy measurement protocols; to ensure probe boundary effect errors are minimized and the higher fields closest to the phantom surface can be correctly measured and extrapolated to the phantom surface for computing 1-g SAR. Tolerances of the post-processing algorithms must be verified by the test laboratory for the scan resolutions used in the SAR measurements, according to the reference distribution functions specified in IEEE Std. 1528-2013.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,併報告結果僅與10天。木報告表經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Rev : 01 : 33 of 493 Page

			≤3 GHz	≥ 3 GHz
Maximum distance from closest measurement point (geometric center of probe sensors) to phantom surface			5 ± 1 mm	$\frac{1}{2} \cdot \delta \cdot \ln(2) \pm 0.5 \text{ mm}$
Maximum probe angle from probe axis to phantom surface normal at the measurement location			30° ± 1°	20° ± 1°
Maximum area scan spatial resolution: Δx _{Area} , Δy _{Area}			≤ 2 GHz: ≤ 15 mm 2 – 3 GHz: ≤ 12 mm	3 – 4 GHz: ≤ 12 mm 4 – 6 GHz: ≤ 10 mm
			When the x or y dimension of the test device, in the measurement plane orientation, is smaller than the above the measurement resolution must be ≤ the corresponding x or y dimension of the test device with at least one measurement point on the test device.	
Maximum zoom scan spatial resolution: Δx _{Zoom} , Δy _{Zoom}			≤ 2 GHz: ≤ 8 mm 2 - 3 GHz: ≤ 5 mm	3 - 4 GHz: ≤ 5 mm [*] 4 - 6 GHz: ≤ 4 mm [*]
	uniform grid: $\Delta z_{Z_{\infty m}}(n)$		≤ 5 mm	3 – 4 GHz: ≤ 4 mm 4 – 5 GHz: ≤ 3 mm 5 – 6 GHz: ≤ 2 mm
Maximum zoom scan spatial resolution, normal to phantom surface	graded	Δz _{Zoom} (1): between 1 st two points closest to phantom surface	≤ 4 mm	3 – 4 GHz: ≤3 mm 4 – 5 GHz: ≤2.5 mm 5 – 6 GHz: ≤2 mm
	grid Δz _{Zoom} (n>1): between subsequent points		≤1.5·Δz	z _{Zoom} (n-1)
Minimum zoom scan volume	x, y, z		≥ 30 mm	3 – 4 GHz: ≥ 28 mm 4 – 5 GHz: ≥ 25 mm 5 – 6 GHz: ≥ 22 mm

Step 4: Power reference measurement (drift)

The Power Drift Measurement job measures the field at the same location as the most recent power reference measurement job within the same procedure, and with the same settings. The indicated drift is mainly the variation of the DUT's output power and should vary max. ± 5 %

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Rev : 01

Page : 34 of 493

3.7.2 Data Storage

The DASY software stores the acquired data from the data acquisition electronics as raw data (in microvolt readings from the probe sensors), together with all necessary software parameters for the data evaluation (probe calibration data, liquid parameters and device frequency and modulation data) in measurement files with the extension ".DAE4". The software evaluates the desired unit and format for output each time the data is visualized or exported. This allows verification of the complete software setup even after the measurement and allows correction of incorrect parameter settings. For example, if a measurement has been performed with a wrong crest factor parameter in the device setup, the parameter can be corrected afterwards and the data can be re-evaluated. The measured data can be visualized or exported in different units or formats, depending on the selected probe type ([V/m], [A/m], [°C], [m W/q], [m W/cm²], [dBrel], etc.). Some of these units are not available in certain situations or show meaningless results, e.g., a SAR output in a lossless media will always be zero. Raw data can also be exported to perform the evaluation with other software packages.

3.7.3 Data Evaluation by SEMCAD

The SEMCAD software automatically executes the following procedures to calculate the field units from the microvolt readings at the probe connector. The parameters used in the evaluation are stored in the configuration modules of the software:

Probe parameters: - Sensitivity Normi, ai0, ai1, ai2

- Conversion factor ConvFi - Diode compression point Dcpi

Device parameters: - Frequency

- Crest factor

Media parameters: - Conductivity 3

Density

These parameters must be set correctly in the software. They can be found in the component documents or they can be imported into the software from the configuration files issued for the DASY components. In the direct measuring mode of the multimeter option, the parameters of the actual system setup are used. In the scan visualization and export modes, the parameters stored in the corresponding document files are used.

The first step of the evaluation is a linearization of the filtered input signal to account for the compression characteristics of the detector diode. The compensation depends on the input signal, the diode type and the DCtransmission factor from the diode to the evaluation electronics.

If the exciting field is pulsed, the crest factor of the signal must be known to correctly compensate for peak power.

The formula for each channel can be given as:

$$V_t = U_t + U_t^2 \cdot c f / d c p_t$$

With Vi = compensated signal of channel i (i = x, y, z)

Ui = input signal of channel i (i = x, y, z)

cf = crest factor of exciting field (DASY parameter)

dcp i = diode compression point (DASY parameter)

From the compensated input signals the primary field data for each channel can be evaluated:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Rev : 01 Page : 35 of 493

E-field probes:

$$E_i = (V_i / Norm_i \cdot ConvF)^{1/2}$$

H-field probes:

$$H_{i} = (V_{i})^{1/2} \cdot (a_{i0} + a_{i1}f + a_{i2}f^{2})/f$$

With Vi = compensated signal of channel i

Normi = sensor sensitivity of channel I (i = x, y, z)

[mV/(V/m)2] for E-field Probes

ConvF = sensitivity enhancement in solution

aij = sensor sensitivity factors for H-field probes

f = carrier frequency [GHz]

Ei = electric field strength of channel i in V/m

Hi = magnetic field strength of channel i in A/m

The RSS value of the field components gives the total field strength (Hermitian magnitude):

$$E_{tot} = (E_x^2 + E_y^2 + E_z^2)^{1/2}$$

The primary field data are used to calculate the derived field units.

$$SAR = (Etot^2 \cdot \sigma) / (\varepsilon \cdot 1000)$$

with SAR = local specific absorption rate in mW/g

Etot = total field strength in V/m

 σ = conductivity in [mho/m] or [Siemens/m]

ε= equivalent tissue density in g/cm3

Note that the density is normally set to 1 (or 1.06), to account for actual brain density rather than the density of the simulation liquid. The power flow density is calculated assuming the excitation field to be a free space field.

$$P_{pwe} = E_{tot}^2 \frac{2}{3770}$$
 or $P_{pwe} = H_{tot}^2 \cdot 37.7$

with Ppwe = equivalent power density of a plane wave in mW/cm2

Etot = total electric field strength in V/m

Htot = total magnetic field strength in A/m

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有验明,此報件结果做好测试之緣品色書,同時件樣品僅保留00千。木都件未领太公司畫而鈍可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

www.tw.sas.com



Rev : 01 Page : 36 of 493

SAR measurement variability and uncertainty

4.1 SAR measurement variability

Per KDB865664 D01 SAR measurement 100 MHz to 6 GHz v01r04, SAR measurement variability must be assessed for each frequency band, which is determined by the SAR probe calibration point and tissue-equivalent medium used for the device measurements. The additional measurements are repeated after the completion of all measurements requiring the same head or body tissue-equivalent medium in a frequency band. The test device should be returned to ambient conditions (normal room temperature) with the battery fully charged before it is remounted on the device holder for the repeated measurement(s) to minimize any unexpected variations in the repeated results.

- 1) Repeated measurement is not required when the original highest measured SAR is < 0.80 W/kg; steps 2) through
- 4) do not apply.
- 2) When the original highest measured SAR is \geq 0.80 W/kg, repeat that measurement once.
- 3) Perform a second repeated measurement only if the ratio of largest to smallest SAR for the original and first repeated measurements is > 1.20 or when the original or repeated measurement is ≥ 1.45 W/kg (~ 10% from the
- 4) Perform a third repeated measurement only if the original, first or second repeated measurement is ≥1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20.

The same procedures should be adapted for measurements according to extremity and occupational exposure limits by applying a factor of 2.5 for extremity exposure and a factor of 5 for occupational exposure to the corresponding SAR thresholds.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Rev : 01

: 37 of 493 Page

4.2 SAR measurement uncertainty

Per KDB865664 D01 SAR Measurement 100 MHz to 6 GHz, when the highest measured 1-g SAR within a frequency band is < 1.5 W/kg, the extensive SAR measurement uncertainty analysis described in IEEE Std 1528-2013 is not required in SAR reports submitted for equipment approval. The equivalent ratio (1.5/1.6) is applied to extremity and occupational exposure conditions.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01 Page : 38 of 493

5 Description of Test Position

5.1 Head Exposure Condition

5.1.1 SAM Phantom Shape



F-3. Front, back, and side views of SAM (model for the phantom shell). Full-head model is for illustration purposes only-procedures in this recommended practice are intended primarily for the phantom setup.

Note: The centre strip including the nose region has a different thickness tolerance.



F-4. Sagittally bisected phantom with extended perimeter (shown placed on its side as used for SAR measurements)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅享了。木報告未經本公司書面許可,不可部份複製。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司




: 01

: 39 of 493 Page




F-5. Close-up side view of phantom, showing the ear region, N-F and B-M lines, and seven crosssectional plane locations




F-6. Side view of the phantom showing relevant markings and seven cross-sectional plane locations

5.1.2 **EUT constructions**



F-7. Handset vertical and horizontal reference lines-"fixed case"



F-8. Handset vertical and horizontal reference lines-"clam-shell case"

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 40 of 493

5.1.3 Definition of the "cheek" position

a) Position the device with the vertical centre line of the body of the device and the horizontal line crossing the centre of the ear piece in a plane parallel to the sagittal plane of the phantom ("initial position"). While maintaining the device in this plane, align the vertical centre line with the reference plane containing the three ear and mouth reference points (M, RE and LE) and align the centre of the ear piece with the line RE-LE.

b) Translate the mobile phone box towards the phantom with the ear piece aligned with the line LE-RE until telephone touches the ear. While maintaining the device in the reference plane and maintaining the phone contact with the ear, move the bottom of the box until any point on the front side is in contact with the cheek of the phantom or until contact with the ear is lost.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,併報生结果僅對測試之樣具色書,同時什樣具僅保留的主。大報生主經太公司書面許可,不可無份複制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司




: 01

Page : 41 of 493


5.1.4 Definition of the "tilted" position

a) Position the device in the "cheek" position described above;

b) While maintaining the device in the reference plane described above and pivoting against the ear, move it outward away from the mouth by an angle of 15 degrees or until contact with the ear is lost.



F-9. Definition of the reference lines and points, on the phone and on the phantom and initial position



F-10. "Cheek" and "tilt" positions of the mobile phone on the left side

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01 Page : 42 of 493

5.2 Body Exposure Condition


5.2.1 Body-worn accessory exposure conditions

Body-worn operating configurations should be tested with the belt-clips and holsters attached to the device and positioned against a flat phantom in normal use configurations.

Body-worn operating configurations are tested with the belt-clips and holsters attached to the device and positioned against a flat phantom in a normal use configuration. Per FCC KDB Publication 648474 D04, Bodyworn accessory exposure is typically related to voice mode operations when handsets are carried in body-worn accessories. The body-worn accessory procedures in FCC KDB Publication 447498 D01 should be used to test for body-worn accessory SAR compliance, without a headset connected to it. This enables the test results for such configuration to be compatible with that required for hotspot mode when the body-worn accessory test separation distance is greater than or equal to that required for hotspot mode, when applicable. When the reported SAR for a body-worn accessory, measured without a headset connected to the handset, is > 1.2 W/kg, the highest reported SAR configuration for that wireless mode and frequency band should be repeated for that body-worn accessory with a headset attached to the handset.

Accessories for Body-worn operation configurations are divided into two categories: those that do not contain metallic components and those that do contain metallic components. When multiple accessories that do not contain metallic components are supplied with the device, the device is tested with only the accessory that dictates the closest spacing to the body. Then multiple accessories that contain metallic components are tested with the device with each accessory. If multiple accessories share an identical metallic component (i.e. the same metallic belt-clip used with different holsters with no other metallic components) only the accessory that dictates the closest spacing to the body is tested.

Body-worn accessories may not always be supplied or available as options for some devices intended to be authorized for body-worn use. In this case, a test configuration with a separation distance between the back of the device and the flat phantom is used. Test position spacing was documented. Transmitters that are designed to operate in front of a person's face, as in push-to-talk configurations, are tested for SAR compliance with the front of the device positioned to face the flat phantom in head fluid. For devices that are carried next to the body such as a shoulder, waist or chest-worn transmitters, SAR compliance is tested with the accessories, including headsets and microphones, attached to the device and positioned against a flat phantom in a normal use configuration.



F-11. Test positions for body-worn devices

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,件超华结甲属影测建文样具色素,同既件样具属星网的子。太超华主领太公司隶面实可,不可如公指制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Rev : 01 Page : 43 of 493

5.2.2 Wireless Router exposure conditions

Some battery-operated handsets have the capability to transmit and receive user data through simultaneous transmission of WIFI simultaneously with a separate licensed transmitter. The FCC has provided guidance in FCC KDB Publication 941225 D06 where SAR test considerations for handsets (L x W \geq 9 cm x 5 cm) are based on a composite test separation distance of 10 mm from the front, back and edges of the device containing transmitting antennas within 2.5 cm of their edges, determined from general mixed use conditions for this type of devices. For devices with form factors smaller than 9 cm x 5 cm, a test separation distance of 5 mm is required.

5.3 Extremity exposure conditions

Per FCC KDB 648474D04, for smart phones with a display diagonal dimension > 15.0 cm or an overall diagonal dimension > 16.0 cm that provide similar mobile web access and multimedia support found in mini-tablets or UMPC mini-tablets that support voice calls next to the ear, the device is marketed as "Phablet".

The UMPC mini-tablet procedures must also be applied to test the SAR of all surfaces and edges with an antenna located at \leq 25 mm from that surface or edge, in direct contact with a flat phantom, for Product Specific 10-g SAR according to the body-equivalent tissue dielectric parameters in KDB 865664 to address interactive hand use exposure conditions. The UMPC mini-tablet 1-g SAR at 5 mm is not required. When hotspot mode applies, Product Specific 10-g SAR is required only for the surfaces and edges with hotspot mode 1-g reported SAR > 1.2 W/kg; however, when power reduction applies to hotspot mode the measured SAR must be scaled to the maximum output power, including tolerance, allowed for phablet modes to compare with the 1.2 W/kg SAR test reduction threshold.

Due to the SAR result, only the following frequency bands need to test with 0mm for the Product Specific 10-g SAR, the others are not required.

1), GSM1900

					Ant1 Test data	a					
Test position of Hotspot with 10mm	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1- g	Power Drift(dB)	Conducte d Power (dBm)	Tune up Limit (dBm)	Scale d factor	Scaled SAR(W/kg)	Product Specific 10-g SAR SAR Exclusion	
	Test data with Battery 1#										
Front side	GPRS 2TS	661/1880	1:4.15	0.226	0.01	24.58	29	2.767	0.625	yes	
Back side	GPRS 2TS	661/1880	1:4.15	0.241	0.01	24.58	29	2.767	0.667	yes	
Left side	GPRS 2TS	661/1880	1:4.15	0.0472	0.05	24.58	29	2.767	0.131	yes	
Right side	GPRS 2TS	661/1880	1:4.15	0.0604	-0.06	24.58	29	2.767	0.167	yes	
Bottom side	GPRS 2TS	661/1880	1:4.15	0.64	-0.01	24.58	29	2.767	1.771	no	
				Test Data a	t the worst ca	se with SIM2					
Bottom side	GPRS 2TS	661/1880	1:4.15	0.553	-0.11	24.58	29	2.767	1.530	no	
			Т	est Data at th	ne worst case	with Battery 2	:#				
Bottom side	GPRS 2TS	661/1880	1:4.15	0.525	-0.2	24.58	29	2.767	1.453	no	
			Т	est Data at th	ne worst case	with Battery 3	#			1	
Bottom side	GPRS 2TS	661/1880	1:4.15	0.467	-0.18	24.58	29	2.767	1.292	no	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有钤明,此朝华结果做到调动之样品色青,同時此样品做保留的子。木朝华未领木公司惠而举可,不可部份被赖。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 44 of 493 Page

2), WCDMA Band 2

z), WODIVIA	Danu Z									
					Ant1 Test of	lata				
Test position of Hotspot with 10mm	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted Power (dBm)	Tune up Limit (dBm)	Scaled factor	Scaled SAR(W/kg)	Product Specific 10-g SAR Exclusion
				Te	st data with B	attery 1#				
Front side	RMC	9400/188 0	1:1	0.294	0.05	19.69	24	2.698	0.793	yes
Back side	RMC	9400/188 0	1:1	0.284	0.18	19.69	24	2.698	0.766	yes
Left side	RMC	9400/188 0	1:1	0.0607	0.06	19.69	24	2.698	0.164	yes
Right side	RMC	9400/188 0	1:1	0.057	0.01	19.69	24	2.698	0.154	yes
Bottom side	RMC	9400/188 0	1:1	0.662	0.18	19.69	24	2.698	1.786	no
				Test Data at	the worst case	with SIM2(10r	nm)			
Bottom side	RMC	9400/188 0	1:1	0.554	0.12	19.69	24	2.698	1.495	no
				Test Data at the	e worst case w	ith Battery 2#(1	I0mm)			
Bottom side	RMC	9400/188 0	1:1	0.75	0.18	19.69	24	2.698	2.023	no
				Test Data at the	e worst case w	ith Battery 3#(1	I0mm)			
Bottom side	RMC	9400/188 0	1:1	0.538	0.02	19.69	24	2.698	1.451	no

3), WCDMA Band 4

					Ant1 Tes	t data					
Test position of Hotspot with 10mm	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted Power (dBm)	Tune up Limit (dBm)	Scaled factor	Scaled SAR(W/kg)	Product Specific 10-g SAR Exclusion	
Test data with Battery 1#											
Front side	RMC	1412/1732.4	1:1	0.3	0.14	18.92	24	3.221	0.966	yes	
Back side	RMC	1412/1732.4	1:1	0.333	0.03	18.92	24	3.221	1.073	yes	
Left side	RMC	1412/1732.4	1:1	0.0918	0.17	18.92	24	3.221	0.296	yes	
Right side	RMC	1412/1732.4	1:1	0.0467	0.14	18.92	24	3.221	0.150	yes	
Bottom side	RMC	1412/1732.4	1:1	0.6	0.05	18.92	24	3.221	1.933	no	
				Test Data	a at the wor	st case with S	M2				
Bottom side	RMC	1412/1732.4	1:1	0.583	0.07	18.92	24	3.221	1.878	no	
				Test Data a	t the worst	case with Batte	ery 2#				
Bottom side	RMC	1412/1732.4	1:1	0.651	-0.01	18.92	24	3.221	2.097	no	
				Test Data a	t the worst	case with Batte	ery 3#				
Bottom side	RMC	1412/1732.4	1:1	0.607	-0.09	18.92	24	3.221	1.955	no	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 45 of 493

4). LTE Band 2

+), LIL Dan					Ant	Test data						
Test position of Hotspot with 10mm	BW	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit (dBm)	Scaled factor	Scaled SAR(W/kg)	Product Specific 10-g SAR Exclusion	
				Te	st data with Ba	attery 1# (1F	RB_0 offset)					
Front side	20	QPS K	19100/190 0	1:1	0.23	0.16	18.44	24	3.597	0.827	yes	
Back side	20	QPS K	19100/190 0	1:1	0.263	0.05	18.44	24	3.597	0.946	yes	
Left side	20	QPS K	19100/190 0	1:1	0.0486	0.01	18.44	24	3.597	0.175	yes	
Right side	20	QPS K	19100/190 0	1:1	0.0559	-0.2	18.44	24	3.597	0.201	yes	
Bottom side	20	QPS K	19100/190 0	1:1	0.636	-0.01	18.44	24	3.597	2.288	no	
Test data with Battery 1# (50%RB_50 offset)												
Front side	20	QPS K	19100/190 0	1:1	0.232	-0.01	18.22	23	3.006	0.697	yes	
Back side	20	QPS K	19100/190 0	1:1	0.252	0.03	18.22	23	3.006	0.758	yes	
Left side	20	QPS K	19100/190 0	1:1	0.0417	0.01	18.22	23	3.006	0.125	yes	
Right side	20	QPS K	19100/190 0	1:1	0.0551	-0.01	18.22	23	3.006	0.166	yes	
Bottom side	20	QPS K	19100/190 0	1:1	0.61	-0.04	18.22	23	3.006	1.834	no	
				T	est Data at the	worst case	with SIM2					
Bottom side	20	QPS K	19100/190 0	1:1	0.609	-0.02	18.22	23	3.006	1.831	no	
				Test	Data at the w	orst case w	ith Battery 2#					
Bottom side	20	QPS K	19100/190 0	1:1	0.542	-0.03	18.22	23	3.006	1.629	no	
Test Data at the worst case with Battery 3#												
Bottom side	20	QPS K	19100/190 0	1:1	0.494	-0.03	18.22	23	3.006	1.485	no	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sgs.com



Rev : 01 : 46 of 493 Page

5), LTE Band 4

0), LIE Dani	u 4										
					Ant1 Te	est data					
Test position of Hotspot with 10mm	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power (dBm)	Tune up Limit (dBm)	Scaled factor	Scaled SAR(W/kg)	Product Specific 10-g SAR Exclusion
				Test	data with Batter	y 1# (1RB_	99 offset)				
Front side	20	QPSK	20175/1732.5	1:1	0.304	0.03	18.26	24	3.750	1.140	yes
Back side	20	QPSK	20175/1732.5	1:1	0.303	0.07	18.26	24	3.750	1.136	yes
Left side	20	QPSK	20175/1732.5	1:1	0.07	-0.01	18.26	24	3.750	0.262	yes
Right side	20	QPSK	20175/1732.5	1:1	0.0421	0.09	18.26	24	3.750	0.158	yes
Bottom side	20	QPSK	20175/1732.5	1:1	0.626	-0.12	18.26	24	3.750	2.347	no
Bottom side	20	QPSK	20050/1720	1:1	0.61	-0.07	18.19	24	3.808	2.323	no
Bottom side	20	QPSK	20300/1745	1:1	0.629	-0.07	18.22	24	3.786	2.381	no
				Test c	data with Battery	1# (50%RE	5_50 offset)				
Front side	20	QPSK	20175/1732.5	1:1	0.307	-0.06	18.18	23	3.034	0.931	yes
Back side	20	QPSK	20175/1732.5	1:1	0.304	0.07	18.18	23	3.034	0.922	yes
Left side	20	QPSK	20175/1732.5	1:1	0.0707	-0.08	18.18	23	3.034	0.214	yes
Right side	20	QPSK	20175/1732.5	1:1	0.0412	0.07	18.18	23	3.034	0.125	yes
Bottom side	20	QPSK	20175/1732.5	1:1	0.625	-0.07	18.18	23	3.034	1.896	no
Bottom side	20	QPSK	20050/1720	1:1	0.605	-0.07	18.17	23	3.043	1.841	no
Bottom side	20	QPSK	20300/1745	1:1	0.637	0.04	18.17	23	3.039	1.936	no
				Test	data with Battery	1# (100%R	B_0 offset)				
Bottom side	20	QPSK	20175/1732.5	1:1	0.618	-0.08	18.16	23	3.048	1.884	no
				Te	st Data at the wo	orst case wi	th SIM2				
Bottom side	20	QPSK	20300/1745	1:1	0.633	-0.06	18.17	24	3.826	2.422	no
				Test	Data at the wors	t case with	Battery 2#				
Bottom side	20	QPSK	20300/1745	1:1	0.581	-0.07	18.17	24	3.826	2.223	no
				Test	Data at the wors	t case with	Battery 3#				
Bottom side	20	QPSK	20300/1745	1:1	0.565	0.09	18.17	24	3.826	2.162	no

6), LTE Band 7

o), LIL Bain	-				Ant	1 Test data					
Test position of Hotspot with 10mm	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducte d power (dBm)	Tune up Limit (dBm)	Scale d factor	Scaled SAR(W/kg)	Product Specific 10-g SAR Exclusion
				Te	st data with Ba	attery 1# (11	RB_99 offset)				
Front side	20	QPSK	21350/2560	1:1	0.181	0.09	17.92	23.5	3.614	0.654	yes
Back side	20	QPSK	21350/2560	1:1	0.166	0.17	17.92	23.5	3.614	0.600	yes
Left side	20	QPSK	21350/2560	1:1	0.107	-0.01	17.92	23.5	3.614	0.387	yes
Right side	20	QPSK	21350/2560	1:1	0.027	0.17	17.92	23.5	3.614	0.098	yes
Bottom side	20	QPSK	21350/2560	1:1	0.473	-0.02	17.92	23.5	3.614	1.709	no
				Test	data with Bat	tery 1# (50%	6RB_50 offset	t)			
Front side	20	QPSK	21350/2560	1:1	0.181	-0.13	17.76	22.5	2.979	0.539	yes
Back side	20	QPSK	21350/2560	1:1	0.168	-0.03	17.76	22.5	2.979	0.500	yes
Left side	20	QPSK	21350/2560	1:1	0.0702	-0.05	17.76	22.5	2.979	0.209	yes
Right side	20	QPSK	21350/2560	1:1	0.0272	-0.09	17.76	22.5	2.979	0.081	yes
Bottom side	20	QPSK	21350/2560	1:1	0.467	-0.07	17.76	22.5	2.979	1.391	no
				Т	est Data at th	e worst cas	e with SIM2				
Bottom side	20	QPSK	21350/2560	1:1	0.508	-0.02	17.76	23.5	3.750	1.905	no
	•	•	•	Tes	t Data at the v	worst case v	vith Battery 2#	!	•	•	•
Bottom side	20	QPSK	21350/2560	1:1	0.403	-0.05	17.76	23.5	3.750	1.511	no
	•	•		Tes	t Data at the v	worst case v	vith Battery 3#	!	•	•	•
Bottom side	20	QPSK	21350/2560	1:1	0.432	-0.18	17.76	23.5	3.750	1.620	no

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Rev : 01 Page : 47 of 493

5.4 Proximity Sensor Triggering Test

1) Proximity sensor triggering distances

The Proximity sensor triggering was applied to WCDMA Band 2, 4; LTE Band 2, 4,7. Proximity sensor triggering distance testing was performed according to the procedures outlined in KDB 616217 D04 section 6.2, and EUT moving further away from the flat phantom and EUT moving toward the flat phantom were both assessed.



Proximity Sensor Triggering Distance(mm)											
Position	Back	Bottom									
Minimum	4	8									
Required SAR Test	3	7									

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01

Page : 48 of 493

Antonno	Dond	Trigger Condition	Body exposure condition
Antenna	Band	Trigger Condition	Power reduction(dB)
Main Antenna	WCDMA B2	back side: Close to 4mm Bottom side: Close to 7mm;	3
Main Antenna	WCDMA B4	back side: Close to 4mm Bottom side: Close to 7mm;	3
Main Antenna	LTE B2	back side: Close to 4mm Bottom side: Close to 7mm;	2.5
Main Antenna	LTE B4	back side: Close to 4mm Bottom side: Close to 7mm;	2.5
Main Antenna	LTE B7	back side: Close to 4mm Bottom side: Close to 7mm;	1

Note: SAR tests with proximity sensor power reduction are only required for the sides of frequency bands in the table above. For the other sides or other frequency bands of the device, SAR is still tested at the maximum power level with sensor off.

5 101	01.11	Measured	Reduction	
Band/Mode	Ch#	Max. Power	Power back-off	levels(dB)
WCDMA B2 RMC 12.2kbps	9400	23.39	20.6	2.79
WCDMA B4 RMC 12.2kbps	1412	23.19	20.51	2.68
LTE B2(BW20,QPSK 1RB 0Offset)	18900	23.20	20.85	2.35
LTE B4(BW20,QPSK 1RB 0Offset)	20175	23.18	21	2.18
LTE B7(BW20, QPSK 1RB 0Offset)	21100	22.25	21.94	0.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01 Page : 49 of 493

DUT Moving Toward (Trigger) the Phantom





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sas.com



Rev : 01 Page : 50 of 493

DUT Moving Away (Release) from the Phantom





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01 Page : 51 of 493

2) Proximity sensor coverage


If a sensor is spatially offset from the antenna(s), it is necessary to verify sensor triggering for conditions where the antenna is next to the user but the sensor is laterally further away to ensure sensor coverage is sufficient for reducing the power to maintain compliance. For p-sensor coverage testing, the device is moved and "along the direction of maximum antenna and sensor offset".

The proximity sensor and main antenna use same metallic electrode, so there is no spatial offset.

3) Device tilt angle influences to proximity sensor triggering

The influence of device tilt angles to proximity sensor triggering was determined by positioning each tablet edge that contains a transmitting antenna, perpendicular to the flat phantom, at 8 mm separation.

Rotating the tablet around the edge next to the phantom in $\leq 10^{\circ}$ increments until the tablet is $\pm 45^{\circ}$ from the vertical position at 0° , and the maximum output power remains in the reduced mode.



The Sensor Triggeri	ng Distance(mm)
Position	Bottom
Minimum	8
Required SAR Test	7

	Summary of	Tablet Tilt Angle Infl	uence t	o Proxi	mity Se	ensor Tr	iggerii	ng for	Right	Side			
		Minimum trigger	Power Reduction Status										
Band(MHz)	Minimum trigger distance Per KDB616217§6. 2	distance at which power reduction was maintained over $\pm 45^{\circ}$	-45°	-35°	-25°	-15°	-5°	0°	5°	15°	25°	35°	45°
WCDMA B2	8mm	8mm	on	on	on	on	on	on	on	on	on	on	on
WCDMA B4	8mm	8mm	on	on	on	on	on	on	on	on	on	on	on
LTE B2	8mm	8mm	on	on	on	on	on	on	on	on	on	on	on
LTE B4	8mm	8mm	on	on	on	on	on	on	on	on	on	on	on
LTE B7	8mm	8mm	on	on	on	on	on	on	on	on	on	on	on

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有钤明,仲朝华结果做新闻转之样品有青,同時仲撰品做保留00千。木都华未领太公司事而举可,不可部份海剿。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.1. 台灣檢驗科技股份有限公司 t (886



: 01 Page : 52 of 493

SAR System Verification Procedure

Tissue Simulate Liquid

Recipes for Tissue Simulate Liquid

The bellowing tables give the recipes for tissue simulating liquids to be used in different frequency bands:

Ingredients		-		Frequ	iency (MHz	2)			
(% by weight)	4	50	8	35	1800)-2000	2300-2700		
Tissue Type	Head	Body	Head	Body	Body Head Body		Head	Body	
Water	38.56	51.16	40.30	50.75	55.24	70.17	55.00	68.53	
Salt (NaCl)	3.95	1.49	1.38	0.94	0.31	0.39	0.2	0.1	
Sucrose	56.32	46.78	57.90	48.21	0	0	0	0	
HEC	0.98	0.52	0.24	0	0	0	0	0	
Bactericide	0.19	0.05	0.18	0.10	0	0	0	0	
Tween	0	0	0	0	44.45	29.44	44.80	31.37	

Salt: 99+% Pure Sodium Chloride Sucrose: 98+% Pure Sucrose Water: De-ionized, 16 MΩ⁺ resistivity HEC: Hydroxyethyl Cellulose

Tween: Polyoxyethylene (20) sorbitan monolaurate

HSL5GHz is composed of the following ingredients:

Water: 50-65% Mineral oil: 10-30% Emulsifiers: 8-25% Sodium salt: 0-1.5%

MSL5GHz is composed of the following ingredients:

Water: 64-78% Mineral oil: 11-18% Emulsifiers: 9-15% Sodium salt: 2-3%

Table 3: Recipe of Tissue Simulate Liquid

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

> SGS Taiwan Ltd. t (886-2) 2299-3279



Rev : 01 Page : 53 of 493

6.1.2 Measurement for Tissue Simulate Liquid

The dielectric properties for this Tissue Simulate Liquids were measured by using the Agilent Model 85070E Dielectric Probe in conjunction with Agilent E5071C Network Analyzer (300 KHz-8500 MHz). The Conductivity (σ) and Permittivity (ρ) are listed in bellow table. For the SAR measurement given in this report. The temperature variation of the Tissue Simulate Liquids was $22\pm2^{\circ}$ C.

Tissue Type	Measured Frequency (MHz)	Target Tissue (±5%)		Measured	Tissue	Liquid Temp.	Measured
		٤r	σ(S/m)	εr	ε _r σ(S/m) (°C)		Date
1900 Head	1900	40.0 38.00~42.00)	1.40 (1.33~1.47)	40.640	1.372	22.3	2018/8/27
1900 Body	1900	53.3 (50.64~55.97)	1.52 (1.44~1.60)	52.421	1.519	22.3	2018/8/29
2450 Body	2450	52.70 (50.07~55.34)	1.95 (1.85~2.05)	53.809	1.984	22.0	2018/9/7
2600 Head	2600	39.0 (37.05~40.95)	1.96 (1.86~2.06)	37.439	2.028	22.1	2018/9/4
2600 Body	2600	52.50 49.88~55.13)	2.16 (2.05~2.27)	53.353	2.163	22.1	2018/9/5

Table 4: Measurement result of Tissue electric parameters

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01 Page : 54 of 493

6.2 SAR System Check

The microwave circuit arrangement for system check is sketched in bellow figure. The daily system accuracy verification occurs within the flat section of the SAM phantom. A SAR measurement was performed to see if the measured SAR was within +/- 10% from the target SAR values. The tests were conducted on the same days as the measurement of the EUT. The obtained results from the system accuracy verification are displayed in the following table. During the tests, the ambient temperature of the laboratory was in the range 22±2°C, the relative humidity was in the range 60% and the liquid depth above the ear reference points was above 15±0.5 cm in all the cases. It is seen that the system is operating within its specification, as the results are within acceptable tolerance of the reference values.



F-12. the microwave circuit arrangement used for SAR system check

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,件報告結果僅享到關於了樣品負責,同時什樣品僅是留何天。木報告未經木公司惠面許可,不可部份複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01 Page : 55 of 493

6.2.1 Justification for Extended SAR Dipole Calibrations

- 1) Referring to KDB865664 D01 requirements for dipole calibration, instead of the typical annual calibration recommended by measurement standards, longer calibration intervals of up to three years may be considered when it is demonstrated that the SAR target, impedance and return loss of a dipole have remain stable according to the following requirements. Each measured dipole is expected to evaluate with the following criteria at least on annual interval in Appendix C.
- a) There is no physical damage on the dipole;
- b) System check with specific dipole is within 10% of calibrated value;
- c) Return-loss is within 10% of calibrated measurement;
- d) Impedance is within 5Ω from the previous measurement.
- 2) Network analyzer probe calibration against air, distilled water and a shorting block performed before measuring liquid parameters.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01 Page : 56 of 493

6.2.2 Summary System Check Result(s)

Validation Kit		Measured SAR 250mW	Measured SAR 250mW	Measured SAR (normalized to 1W)	Measured SAR ormalized to 1W)	Target SAR (normalized to 1W) (±10%)	Target SAR (normalized to 1W) (±10%)	Liquid Temp.	Measured Date
		1g (W/kg)		1-g(W/kg) 10-g(W/kg)		(℃)			
D1900V2	Head	9.29	4.81	37.16	19.24	40.7 (36.63~44.77)	21.1 (18.99~23.21)	22.3	2018/8/27
D1900V2	Body	11.3	5.74	45.20	22.96	41.6 (37.44~45.76)	21.4 (19.26~23.54)	22.3	2018/8/29
D2450V2	Body	11.8	5.34	47.20	21.36	51.0 (45.9~56.1)	23.5 (21.15~25.85)	22.0	2018/9/7
	Head	14.4	6.32	57.60	25.28	56.6 (50.94~62.26)	25.4 (22.86~27.94)	22.1	2018/9/4
D2600V2	Body	13.5	6.09	54.00	24.36	54.2 (48.78~59.62)	24.3 (21.87~26.73)	22.1	2018/9/5
	Body	9.29	4.81	37.16	19.24	40.7 (36.63~44.77)	21.1 (18.99~23.21)	22.3	2018/8/27

Table 5: SAR System Check Result

6.2.3 Detailed System Check Results

Please see the Appendix A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,什報告結果僅享到到於了樣品負責,同時什樣品僅享到到了。木報告未經太公司事而許可,不可部份複數。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sg.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sg.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 57 of 493

7 Test Configuration

7.1 3G SAR Test Reduction Procedure

According to KDB 941225D01, in the following procedures, the mode tested for SAR is referred to as the primary mode. The equivalent modes considered for SAR test reduction are denoted as secondary modes. Both primary and secondary modes must be in the same frequency band. When the maximum output power and tune-up tolerance specified for production units in a secondary mode is $\leq \frac{1}{4}$ dB higher than the primary mode or when the highest reported SAR of the primary mode is scaled by the ratio of specified maximum output power and tune-up tolerance of secondary to primary mode and the adjusted SAR is ≤ 1.2 W/kg, SAR measurement is not required for the secondary mode. This is referred to as the 3G SAR test reduction procedure in the following SAR test guidance, where the primary mode is identified in the applicable wireless mode test procedures and the secondary mode is wireless mode being considered for SAR test reduction by that procedure. When the 3G SAR test reduction procedure is not satisfied, it is identified as "otherwise" in the applicable procedures; SAR measurement is required for the secondary mode.

7.2 Operation Configurations

7.2.1 GSM Test Configuration

SAR tests for GSM 850 and GSM 1900, a communication link is set up with a base station by air link. Using CMU200 the power lever is set to "5" and "0" in SAR of GSM 850 and GSM 1900. The tests in the band of GSM 850 and GSM 1900 are performed in the mode of GPRS/EGPRS function. Since the GPRS class is 12 for this EUT, it has at most 4 timeslots in uplink and at most 4 timeslots in downlink, the maximum total timeslot is 5. The EGPRS class is 12 for this EUT, it has at most 4 timeslots in uplink, and at most 4 timeslots in downlink, the maximum total timeslot is 5.

SAR test reduction for GPRS and EDGE modes is determined by the source-based time-averaged output power specified for production units, including tune-up tolerance. The data mode with highest specified time-averaged output power should be tested for SAR compliance in the applicable exposure conditions. For modes with the same specified maximum output power and tolerance, the higher number time-slot configuration should be tested.

When SAR tests for EGPRS mode is necessary, GMSK modulation should be used to minimize SAR measurement error due to higher peak-to-average power (PAR) ratios inherent in 8-PSK.

The 3G SAR test reduction procedure is applied to 8-PSK EDGE with GMSK GPRS/EDGE as the primary mode

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,件報告結果僅與10天。木報告表經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01 Page : 58 of 493

7.2.2 WCDMA Test Configuration

1) . Output Power Verification

Maximum output power is verified on the high, middle and low channels according to procedures described in section 5.2 of 3GPP TS 34.121, using the appropriate RMC or AMR with TPC (transmit power control) set to all "1's" for WCDMA/HSDPA or by applying the required inner loop power control procedures to maintain maximum output power while HSUPA is active. Results for all applicable physical channel configurations (DPCCH, DPDCHn and spreading codes, HSDPA, HSPA) are required in the SAR report. All configurations that are not supported by the handset or cannot be measured due to technical or equipment limitations must be clearly identified.

2) . Head SAR

SAR for next to the ear head exposure is measured using a 12.2 kbps RMC with TPC bits configured to all "1's". The 3G SAR test reduction procedure is applied to AMR configurations with 12.2 kbps RMC as the primary mode. Otherwise, SAR is measured for 12.2 kbps AMR in 3.4 kbps SRB (signaling radio bearer) using the highest reported SAR configuration in 12.2 kbps RMC for head exposure

3). Body SAR

SAR for body configurations is measured using a 12.2 kbps RMC with TPC bits configured to all "1's". The 3G SAR test reduction procedure is applied to other spreading codes and multiple DPDCHn configurations supported by the handset with 12.2 kbps RMC as the primary mode. Otherwise, SAR is measured using an applicable RMC configuration with the corresponding spreaing code or DPDCHn, for the highest reported body-worn accessory exposure SAR configuration in 12.2 kbps RMC. When more than 2 DPDCHn are supported by the handset, it may be necessary to configure additional DPDCHn using FTM (Factory Test Mode) or other chipset based test approaches with parameters similar to those used in 384 kbps and 768 kbps RMC.

4) . HSDPA / HSUPA / DC-HSDPA

According to KDB 941225 D01v03, RMC 12.2kbps setting is used to evaluate SAR. If the maximum output power and tune-up tolerance specified for production units in HSDPA / HSUPA / DC-HSDPA is $\leq \frac{1}{4}$ dB higher than RMC 12.2Kbps or when the highest reported SAR of the RMC12.2Kbps is scaled by the ratio of specified maximum output power and tune-up tolerance of HSDPA / HSUPA / DC-HSDPA to RMC12.2Kbps and the adjusted SAR is \leq 1.2 W/kg, SAR measurement is not required for HSDPA / HSUPA / DC-HSDPA

a) <u>HSDPA</u>

HSDPA is configured according to the applicable UE category of a test device. The number of HS-DSCH/HS-PDSCHs, HARQ processes, minimum inter-TTI interval, transport block sizes and RV coding sequence are defined by the H-set. To maintain a consistent test configuration and stable transmission conditions, QPSK is used in the H-set for SAR testing. HS-DPCCH should be configured with a CQI feedback cycle of 4 ms and a CQI repetition factor of 2 to maintain a constant rate of active CQI slots. DPCCH and DPDCH gain factors(β c, β d), and HS-DPCCH power offset parameters (Δ ACK, Δ NACK, Δ CQI) are set according to values indicated in the following table The CQI value is determined by the UE category, transport block size, number of HS-PDSCHs and modulation used in the H-set.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有论明,此据华结里做影测过之缘是台書,同時什樣是做保留00千。木都华未领木公司事而纯可,不可部份複测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



Rev : 01 Page : 59 of 493

Sub-test	βc	Bd	βd(SF)	βc/βd	βhs	CM(dB)	MPR (dB)
1	2/15	15/15	64	2/15	4/15	0.0	0
2	12/15(3)	15/15(3)	64	12/15(3)	24/15	1.0	0
3	15/15	8/15	64	15/8	30/15	1.5	0.5
4	15/15	4/15	64	15/4	30/15	1.5	0.5

Note1: \triangle ACK, \triangle NACK and \triangle CQI= 8 Ahs = β hs/ β c=30/15 β hs=30/15* β c

Note2:For the HS-DPCCH power mask requirement test in clause 5.2C,5.7A,and the Error Vector Magnitude(EVM) with HS-DPCCH test in clause 5.13.1.A, and HSDPA EVM with phase discontinuity in clause 5.13.1AA, ΔACK and ΔNACK= 8 (Ahs=30/15) with βhs=30/15*βc,and △CQI=

7 (Ahs=24/15) with β hs= $24/15*\beta$ c.

Note3: CM=1 forβc/βd =12/15, βhs/βc=24/15. For all other combinations of DPDCH, DPCCH and HS-DPCCH the MPR is based on the relative CM difference. This is applicable for only UEs that support HSDPA in release 6 and later releases.

The measurements were performed with a Fixed Reference Channel (FRC) and H-Set 1 QPSK.

Parameter	Value
Nominal average inf. bit rate	534 kbit/s
Inter-TTI Distance	3 TTI"s
Number of HARQ Processes	2 Processes
Information Bit Payload	3202 Bits
MAC-d PDU size	336 Bits
Number Code Blocks	1 Block
Binary Channel Bits Per TTI	4800 Bits
Total Available SMLs in UE	19200 SMLs
Number of SMLs per HARQ Process	9600 SMLs
Coding Rate	0.67
Number of Physical Channel Codes	5

Table 6: settings of required H-Set 1 QPSK acc. to 3GPP 34.121

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279



Rev : 01 Page : 60 of 493

HS-DSCH Category	Maximum HS-DSCH Codes Received	Minimum Inter- TTI Interval	MaximumH S-DSCH Transport BlockBits/HS- DSCH TTI	Total Soft Channel Bits	
1	5	3	7298	19200	
2	5	3	7298	28800	
3	5	2	7298	28800	
4	5	2	7298	38400	
5	5	1	7298	57600	
6	5	.1	7298	67200	
7	10	1	14411	115200	
8	10	1	14411	134400	
9	15	1	25251	172800	
10	15	1	27952	172800	
11	5	2	3630	14400	
12	5	1	3630	28800	
13	15	1	34800	259200	
14	15	1	42196	259200	
15	15	1	23370	345600	
16	15	1	27952	345600	

Table 7: HSDPA UE category

b) HSUPA

Due to inner loop power control requirements in HSUPA, a commercial communication test set should be used for the output power and SAR tests. The 12.2 kbps RMC, FRC H-set 1 and E-DCH configurations for HSUPA should be configured according to the values indicated below as well as other applicable procedures described in the "WCDMA Handset" and "Release 5 HSUPA Data Device" sections of 3G device.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測試之緣品負責,同時此樣品僅保留00天。木報告表經太公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01 Page : 61 of 493

Sub -test₽	βορ	βd€	β _d (SF) _e	β₀∕β⋴ℴ	β _{hs} (1	β _{ec+} 3	β _{ed} ₽	β _e ₀₄ (SF)+2	βed↔ (code	CM ⁽ 2)↔ (dB)↔	MP R↓ (dB)↓	AG ⁽⁴)+¹ Inde x₄₁	E- TFC I
1₽	11/15(3)+3	15/15(3)	64₽	11/15(3)42	22/15₽	209/22 5↔	1039/225₽	4€	1₽	1.0₽	0.0₽	20₽	75₽
2₽	6/15₽	15/15∉	64₽	6/15₽	12/15₽	12/15	94/75₽	4₽	1₽	3.0₄	2.0₽	12 ₀	67₽
3₽	15/150	9/15₽	64₽	15/9₽	30/15₽	30/15₽	β _{ed1} :47/1 5 ₄ β _{ed2:} 47/1 5 ₄	4.	2₽	2.0₽	1.0₽	15.0	92₽
4₽	2/15₽	15/15₽	64₽	2/15₽	4/15₽	2/15₽	56/75₽	4€	1₽	3.0₽	2.0₽	17₽	71₽
5₽	15/15(4)43	15/15(4)	64₽	15/15(4)43	30/15₽	24/15₽	134/15₽	4₽	1₽	1.0₽	0.0₽	21₽	81₽

 \triangle ACK, \triangle NACK and \triangle CQI = 8 $A_{hs} = \beta_{hs}/\beta_{e} = 30/15$ $\beta_{hs} = 30/15 * \beta_{e4}$

Note 2: CM = 1 for $\beta_c/\beta_d = 12/15$, $\beta_{hs}/\beta_c = 24/15$. For all other combinations of DPDCH, DPCCH, HS-DPCCH, E-DPDCH and E-DPCCH the MPR is based on the relative CM difference

Note 3 : For subtest 1 the β_c/β_d ratio of 11/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signalled gain factors for the reference TFC (TF1, TF1) to $\beta_c = 10/15$ and $\beta_d = 15/15$ μ

Note 4 : For subtest 5 the β_c/β_d ratio of 15/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signalled gain factors for the reference TFC (TF1, TF1) to $\beta_c = 14/15$ and $\beta_d = 15/15$ ψ

Note 5: Testing UE using E-DPDCH Physical Layer category 1 Sub-test 3 is not required according to TS 25.306 Table 5.1g₽

Note 6: βed can not be set directly; it is set by Absolute Grant Value.

Table 8: Subtests for UMTS Release 6 HSUPA

UE E-DCH Category	Maximum E-DCH Codes Transmitted	Number of HARQ Processes	E-DCH TTI(ms)	Minimum Speading Factor	Maximum E-DCH Transport Block Bits	Max Rate (Mbps)	
1	1	4	10	4	7110	0.7296	
2	2	8	2	4	2798	4 4500	
2	2	4	10	4	14484	1.4592	
3	2	4	10	4	14484	1.4592	
4	2	8	2	2	5772	2.9185	
4	2	4	10	2	20000	2.00	
5	2	4	10	2	20000	2.00	
6	4	8	10	2SF2&2SF	11484	5.76	
(No DPDCH)	4	4	2	4	20000	2.00	
7	4	8	2	2SF2&2SF	22996	?	
(No DPDCH)	4	4	10	4	20000	?	

NOTE: When 4 codes are transmitted in parallel, two codes shall be transmitted with SF2 and two with SF4.UE categories 1 to 6 support QPSK only. UE category 7 supports QPSK and 16QAM.(TS25.306-7.3.0).

Table 9: HSUPA UE category

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Rev : 01 : 62 of 493 Page

c) DC-HSDPA

SAR is required for Rel. 8 DC-HSDPA when SAR is required for Rel. 5 HSDPA; otherwise, the 3G SAR test reduction procedure is applied to DC-HSDPA with 12.2 kbps RMC as the primary mode. Power is measured for DC-HSDPA according to the H-Set 12, FRC configuration in Table C.8.1.12 of 3GPP TS 34.121-1 to determine SAR test reduction. A primary and a Second serving HS-DSCH Cell are required to perform the power measurement and for the results to be acceptable.

The following tests were completed according to procedures in section 7.3.13 of 3GPP TS 34.108 v9.5.0.

A summary of these settings are illustrated below:

Downlink Physical Channels are set as per 3GPP TS34.121-1 v9.0.0 E.5.0

Table E.5.0: Levels for HSDPA connection setup

Parameter During Connection setup	Unit	Value	
P-CPICH_Ec/lor	dB	-10	
P-CCPCH and SCH_Ec/lor	dB	-12	
PICH _Ec/lor	dB	-15	
HS-PDSCH	dB	off	
HS-SCCH_1	dB	off	
DPCH_Ec/lor	dB	-5	
OCNS Ec/lor	dB	-3.1	

Call is set up as per 3GPP TS34.108 v9.5.0 sub clause 7.3.13.

The configurations of the fixed reference channels for HSDPA RF tests are described in 3GPP TS 34.121, annex C for FDD and 3GPP TS 34.122.

The measurements were performed with a Fixed Reference Channel (FRC) H-Set 12 with QPSK.

Parameter	Value
Nominal average inf. bit rate	60 kbit/s
Inter-TTI Distance	1 TTI's
Number of HARQ Processes	6 Processes
Information Bit Payload	120 Bits
Number Code Blocks	1 Block
Binary Channel Bits Per TTI	960 Bits
Total Available SMLs in UE	19200 SMLs
Number of SMLs per HARQ Process	3200 SMLs
Coding Rate	0.15
Number of Physical Channel Codes	1

Table 10: settings of required H-Set 12 QPSK acc. to 3GPP 34.121

Note:

- 1. The RMC is intended to be used for DC-HSDPA mode and both cells shall transmit with identical parameters as listed in the table above.
- 2. Maximum number of transmission is limited to 1,i.e., retransmission is not allowed. The redundancy and constellation version 0 shall be used.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01 Page : 63 of 493




Figure C.8.19: Coding rate for Fixed reference Channel H-Set 12 (QPSK)

The following 4 Sub-tests for HSDPA were completed according to Release 5 procedures. A summary of subtest settings are illustrated below:

Sub-teste	βc₽	β _d ω	βd (SF)₽	$\beta_c \cdot / \beta_{d^{e^2}}$	βhs (1)	CM(dB)(2)	MPR (dB)	
10	2/15₽	15/15₽	64	2/15₽	4/15₽	0.0₽	043	
2₽	12/15(3)	15/15(3)	64≠	12/15(3)	24/15₽	1.00	0+3	
3₽	15/15₽	8/15₽	64	15/8₽	30/15₽	1.50	0.5₽	
40	15/15₽	4/15₽	64₽	15/4₽	30/15₽	1.50	0.5₽	

Note: \triangle ACK, \triangle NACK and \triangle CQI=8 $A_{hs} = \beta_{hs}/\beta_c = 30/15$ $\beta_{hs} = 30/15 * \beta_c = 30/15$

Note 2: CM=1 for $\beta_c/\beta_{d=}$ 12/15, $\beta_{hs}/\beta_c=$ 24/15. For all other combinations of DPDCH,DPCCH and HS-DPCCH the MPR is based on the relative CM difference. This is applicable for only UEs that support HSDPA in release 6 and later releases. Note 3: For subtest 2 the β_c/β_d ratio of 12/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signalled gain factors for the reference TFC (TF1,TF1) to $\beta_c=11/15$ and $\beta_d=15/15$.

Up commands are set continuously to set the UE to Max power.

Note:

- 1. The Dual Carriers transmission only applies to HSDPA physical channels
- 2. The Dual Carriers belong to the same Node and are on adjacent carriers.
- 3. The Dual Carriers do not support MIMO to serve UEs configured for dual cell operation
- 4. The Dual Carriers operate in the same frequency band.
- 5. The device doesn't support the modulation of 16QAM in uplink but 64QAM in downlink for DC-HSDPA mode.
- 6. The device doesn't support carrier aggregation for it just can operate in Release 8.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,併報告結果僅聚的計畫,同時什樣品僅保留的天。木報告未經木公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung 台灣檢驗科技股份有限公司 t (886-2) 2299-32

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Rev : 01

Page : 64 of 493


7.2.3 WiFi Test Configuration

A Wi-Fi device must be configured to transmit continuously at the required data rate, channel bandwidth and signal modulation, using the highest transmission duty factor supported by the test mode tools for SAR measurement.

7.2.3.1 Duty cycle

1) 2.4GHz Wi-Fi 802.11b:





-0.05 dB

0.42 dB

Ant2 duty cycle=8.6087/8.6957=99.00%

8.6097 ms

8.7246 ms

D1

M1


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01 Page : 65 of 493





Ant2 duty cycle=1.42754/1.52899=93.36%


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01 Page : 66 of 493



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com



Rev : 01 Page : 67 of 493

7.2.3.2 Initial Test Position SAR Test Reduction Procedure

DSSS and OFDM configurations are considered separately according to the required SAR procedures. SAR is measured in the initial test position using the 802.11 transmission mode configuration required by the DSSS procedure or initial test configuration and subsequent test configuration(s) according to the OFDM procedures. The initial test position procedure is described in the following:

- 1) . When the reported SAR of the initial test position is ≤ 0.4 W/kg, further SAR measurement is not required for the other (remaining) test positions in that exposure configuration and 802.11 transmission mode combinations within the frequency band or aggregated band. SAR is also not required for that exposure configuration in the subsequent test configuration(s).
- 2) . When the reported SAR of the initial test position is > 0.4 W/kg, SAR is repeated for the 802.11 transmission mode configuration tested in the initial test position using subsequent highest extrapolated or estimated 1-g SAR conditions determined by area scans or next closest/smallest test separation distance and maximum RF coupling test positions based on manufacturer justification, on the highest maximum output power channel, until the reported SAR is ≤ 0.8 W/kg or all required test positions (left, right, touch, tilt or subsequent surfaces and edges) are tested.
- 3) . For all positions/configurations tested using the initial test position and subsequent test positions, when the reported SAR is > 0.8 W/kg, SAR is measured for these test positions/configurations on the subsequent next highest measured output power channel(s) until the reported SAR is ≤ 1.2 W/kg or all required channels are tested. a) Additional power measurements may be required for this step, which should be limited to those necessary for identifying the subsequent highest output power channels.

7.2.3.3 Initial Test Configuration Procedures

An initial test configuration is determined for OFDM transmission modes according to the channel bandwidth, modulation and data rate combination(s) with the highest maximum output power specified for production units in each standalone and aggregated frequency band. SAR is measured using the highest measured maximum output power channel. For configurations with the same specified or measured maximum output power, additional transmission mode and test channel selection procedures are required. SAR test reduction for subsequent highest output test channels is determined according to *reported* SAR of the initial test configuration. For next to the ear, hotspot mode and UMC mini-tablet exposure configurations where multiple test positions are required, the initial test position procedure is applied to minimize the number of test positions required for SAR measurement using the initial test configuration transmission mode. For fixed exposure conditions that do not have multiple SAR test positions, SAR is measured in the transmission mode determined by the initial test configuration.

When the *reported* SAR of the initial test configuration is > 0.8 W/kg, SAR measurement is required for subsequent next highest measured output power channel(s) in the initial test configuration until *reported* SAR is ≤ 1.2 W/kg or all required channels are tested.

7.2.3.4 Subsequent Test Configuration Procedures

SAR measurement requirements for the remaining 802.11 transmission mode configurations that have not been tested in the initial test configuration are determined separately for each standalone and aggregated frequency band, in each exposure condition, according to the maximum output power specified for production units. The initial test position procedure is applied to next to the ear, UMPC mini-tablet and hotspot mode configurations. When the same maximum output power is specified for multiple transmission modes, additional power measurements may be required to determine if SAR measurements are required for subsequent highest output power channels in a subsequent test configuration. The subsequent test configuration and SAR measurement procedures are described in the following.

- When SAR test exclusion provisions of KDB Publication 447498 are applicable and SAR measurement is not required for the initial test configuration, SAR is also not required for the next highest maximum output power transmission mode subsequent test configuration(s) in that frequency band or aggregated band and exposure configuration.
- 2) . When the highest reported SAR for the initial test configuration (when applicable, include subsequent

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,件据华廷用属影测建文样具色素,同时件样具属是例如于。大规华主领大公司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 68 of 493

highest output channels), according to the initial test position or fixed exposure position requirements, is adjusted by the ratio of the subsequent test configuration to initial test configuration specified maximum output power and the adjusted SAR is ≤ 1.2 W/kg, SAR is not required for that subsequent test configuration.

- 3) . The number of channels in the initial test configuration and subsequent test configuration can be different due to differences in channel bandwidth. When SAR measurement is required for a subsequent test configuration and the channel bandwidth is smaller than that in the initial test configuration, all channels in the subsequent test configuration that overlap with the larger bandwidth channel tested in the initial test configuration should be used to determine the highest maximum output power channel. This step requires additional power measurement to identify the highest maximum output power channel in the subsequent test configuration to determine SAR test reduction.
 - SAR should first be measured for the channel with highest measured output power in the subsequent test configuration.
 - SAR for subsequent highest measured maximum output power channels in the subsequent b) test configuration is required only when the reported SAR of the preceding higher maximum output power channel(s) in the subsequent test configuration is > 1.2 W/kg or until all required channels are tested. i) For channels with the same measured maximum output power, SAR should be measured using the channel closest to the center frequency of the larger channel bandwidth channel in the initial test configuration.
- 4) . SAR measurements for the remaining highest specified maximum output power OFDM transmission mode configurations that have not been tested in the initial test configuration (highest maximum output) or subsequent test configuration(s) (subsequent next highest maximum output power) is determined by recursively applying the subsequent test configuration procedures in this section to the remaining configurations according to the following:
 - replace "subsequent test configuration" with "next subsequent test configuration" (i.e., subsequent next highest specified maximum output power configuration)
 - replace "initial test configuration" with "all tested higher output power configurations" b)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



Rev : 01 : 69 of 493 Page

7.2.3.5 2.4 GHz WiFi SAR Procedures

Separate SAR procedures are applied to DSSS and OFDM configurations in the 2.4 GHz band to simplify DSSS test requirements. For 802.11b DSSS SAR measurements, DSSS SAR procedure applies to fixed exposure test position and initial test position procedure applies to multiple exposure test positions. When SAR measurement is required for an OFDM configuration, the initial test configuration, subsequent test configuration and initial test position procedures are applied. The SAR test exclusion requirements for 802.11g/n OFDM configurations are described in following.

802.11b DSSS SAR Test Requirements

SAR is measured for 2.4 GHz 802.11b DSSS using either a fixed test position or, when applicable, the initial test position procedure. SAR test reduction is determined according to the following:

- 1) . When the reported SAR of the highest measured maximum output power channel for the exposure configuration is ≤ 0.8 W/kg, no further SAR testing is required for 802.11b DSSS in that exposure configuration.
- 2) . When the reported SAR is > 0.8 W/kg, SAR is required for that exposure configuration using the next highest measured output power channel. When any reported SAR is > 1.2 W/kg, SAR is required for the third channel; i.e., all channels require testing.
- 2.4 GHz 802.11g/n OFDM SAR Test Exclusion Requirements

When SAR measurement is required for 2.4 GHz 802.11g/n OFDM configurations, the measurement and test reduction procedures for OFDM are applied (section 5.3, including sub-sections). SAR is not required for the following 2.4 GHz OFDM conditions.

- 1) . When KDB Publication 447498 SAR test exclusion applies to the OFDM configuration.
- 2) . When the highest reported SAR for DSSS is adjusted by the ratio of OFDM to DSSS specified maximum output power and the adjusted SAR is ≤ 1.2 W/kg.

SAR Test Requirements for OFDM configurations

When SAR measurement is required for 802.11 g/n OFDM configurations, each standalone and frequency aggregated band is considered separately for SAR test reduction. In applying the initial test configuration and subsequent test configuration procedures, the 802.11 transmission configuration with the highest specified maximum output power and the channel within a test configuration with the highest measured maximum output power should be clearly distinguished to apply the procedures.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01 Page : 70 of 493

7.2.3.6 5 GHz WiFi SAR Procedures

U-NII-1 and U-NII-2A Bands

For devices that operate in only one of the U-NII-1 and U-NII-2A bands, the normally required SAR procedures for OFDM configurations are applied. For devices that operate in both U-NII bands using the same transmitter and antenna(s), SAR test reduction is determined according to the following:

- 1) When the same maximum output power is specified for both bands, begin SAR measurement in U-NII-2A band by applying the OFDM SAR requirements. If the highest reported SAR for a test configuration is ≤ 1.2 W/kg, SAR is not required for U-NII-1 band for that configuration (802.11 mode and exposure condition); otherwise, both bands are tested independently for SAR.
- When different maximum output power is specified for the bands, begin SAR measurement in the band with higher specified maximum output power. The highest reported SAR for the tested configuration is adjusted by the ratio of lower to higher specified maximum output power for the two bands. When the adjusted SAR is ≤ 1.2 W/kg, SAR is not required for the band with lower maximum output power in that test configuration; otherwise, both bands are tested independently for SAR.
- 3) The two U-NII bands may be aggregated to support a 160 MHz channel on channel number 50. Without additional testing, the maximum output power for this is limited to the lower of the maximum output power certified for the two bands. When SAR measurement is required for at least one of the bands and the highest reported SAR adjusted by the ratio of specified maximum output power of aggregated to standalone band is > 1.2 W/kg, SAR is required for the 160 MHz channel. This procedure does not apply to an aggregated band with maximum output higher than the standalone band(s); the aggregated band must be tested independently for SAR. SAR is not required when the 160 MHz channel is operating at a reduced maximum power and also qualifies for SAR test exclusion.

U-NII-2C and U-NII-3 Bands

The frequency range covered by these bands is 380 MHz (5.47 - 5.85 GHz), which requires a minimum of at least two SAR probe calibration frequency points to support SAR measurements. when Terminal Doppler Weather Radar (TDWR) restriction applies, all channels that operate at 5.60 - 5.65 GHz must be included to apply the SAR test reduction and measurement procedures.

When the same transmitter and antenna(s) are used for U-NII-2C band and U-NII-3 band or 5.8 GHz band of §15.247, the bands may be aggregated to enable additional channels with 20, 40 or 80 MHz bandwidth to span across the band gap, as illustrated in Appendix B. The maximum output power for the additional band gap channels is limited to the lower of those certified for the bands. Unless band gap channels are permanently disabled, they must be considered for SAR testing. The frequency range covered by these bands is 380 MHz (5.47 – 5.85 GHz), which requires a minimum of at least two SAR probe calibration frequency points to support SAR measurements. To maintain SAR measurement accuracy and to facilitate test reduction, the channels in U-NII-2C band above 5.65 GHz may be grouped with the 5.8 GHz channels in U-NII-3 or §15.247 band to enable two SAR probe calibration frequency points to cover the bands, including the band gap channels. When band gap channels are supported and the bands are not aggregated for SAR testing, band gap channels must be considered independently in each band according to the normally required OFDM SAR measurement and probe calibration frequency points requirements.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有论明,此据华结里做影测过之缘是台書,同時什樣是做保留00千。木都华未领木公司事而纯可,不可部份複测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions.htm and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd. No.134,Wu Kung Road, 台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Rev : 01 : 71 of 493 Page

OFDM Transmission Mode SAR Test Configuration and Channel Selection Requirements

The initial test configuration for 5 GHz OFDM transmission modes is determined by the 802.11 configuration with the highest maximum output power specified for production units, including tune-up tolerance, in each standalone and aggregated frequency band. SAR for the initial test configuration is measured using the highest maximum output power channel determined by the default power measurement procedures. When multiple configurations in a frequency band have the same specified maximum output power, the initial test configuration is determined according to the following steps applied sequentially.

- The largest channel bandwidth configuration is selected among the multiple configurations with the same specified maximum output power.
- If multiple configurations have the same specified maximum output power and largest channel bandwidth, the lowest order modulation among the largest channel bandwidth configurations is selected.
- If multiple configurations have the same specified maximum output power, largest channel bandwidth and lowest order modulation, the lowest data rate configuration among these configurations is selected.
- When multiple transmission modes (802.11a/g/n/ac) have the same specified maximum output power, largest channel bandwidth, lowest order modulation and lowest data rate, the lowest order 802.11 mode is selected; i.e., 802.11a is chosen over 802.11n then 802.11ac or 802.11g is chosen over 802.11n. After an initial test configuration is determined, if multiple test channels have the same measured maximum output power, the channel chosen for SAR measurement is determined according to the following. These channel selection procedures apply to both the initial test configuration and subsequent test configuration(s), with respect to the default power measurement procedures or additional power measurements required for further SAR test reduction. The same procedures also apply to subsequent highest output power channel(s) selection.
 - The channel closest to mid-band frequency is selected for SAR measurement.
 - For channels with equal separation from mid-band frequency; for example, high and low channels b) or two mid-band channels, the higher frequency (number) channel is selected for SAR measurement.

SAR Test Requirements for OFDM configurations

When SAR measurement is required for 802.11 a/n/ac OFDM configurations, each standalone and frequency aggregated band is considered separately for SAR test reduction. When the same transmitter and antenna(s) are used for U-NII-1 and U-NII-2A bands, additional SAR test reduction applies. When band gap channels between U-NII-2C band and 5.8 GHz U-NII-3 or §15.247 band are supported, the highest maximum output power transmission mode configuration and maximum output power channel across the bands must be used to determine SAR test reduction, according to the initial test configuration and subsequent test configuration requirements. In applying the initial test configuration and subsequent test configuration procedures, the 802.11 transmission configuration with the highest specified maximum output power and the channel within a test configuration with the highest measured maximum output power should be clearly distinguished to apply the procedures.

7.2.3.7 WiFi CDD/MIMO SAR Considerations

Per KDB 248227D01v02r02, simultaneous transmission provisions in KDB Publication 447498 should be used to determine simultaneous transmission SAR test exclusion for WiFi MIMO. If the sum of 1-g SAR single transmission SAR measurement is <1.6W/kg, no additional SAR measurements for MIMO are required. Alternatively, SAR for MIMO can be measured with all antennas transmitting simultaneously at the specified maximum output power of MIMO operation.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

www.tw.sas.com



Rev : 01 Page : 72 of 493

7.2.4 LTE Test Configuration

LTE modes were tested according to FCC KDB 941225 D05 publication. Please see notes after the tabulated SAR data for required test configurations. Establishing connections with base station simulators ensure a consistent means for testing SAR and are recommended for evaluating SAR [4]. The R&S CMW500 was used for LTE output power measurements and SAR testing. Max power control was used so the UE transmits with maximum output power during SAR testing. SAR must be measured with the maximum TTI (transmit time interval) supported by the device in each LTE configuration.


TDD LTE test consideration

For Time-Division Duplex (TDD) systems, SAR must be tested using a fixed periodic duty factor according to the highest transmission duty factor implemented for the device and supported by the defined 3GPP LTE TDD configurations.

SAR was tested with the highest transmission duty factor (63.33%) using Uplink-downlink configuration 0 and Special subframe configuration 7.

LTE TDD Band support 3GPP TS 36.211 section 4.2 for Type 2 Frame Structure and Table 4.2-2 for uplink-downlink configurations and Table 4.2-1 for Special subframe configurations.

Frame structure type 2:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,併報坐结果僅對測試之樣是負責,同時什樣是僅是紹介子。木類生去經太公司書面對可,不可解份複制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, and improve the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

www.tw.sas.com



Rev : 01 : 73 of 493 Page

Configuration of special subframe (lengths of DwPTS/GP/UpPTS).

Special	Norr	nal cyclic prefix in	downlink	Extended cyclic prefix in downlink				
subframe	DwPTS	Up	PTS	DwPTS	Up	PTS		
configuration		Normal cyclic prefix in uplink	Extended cyclic prefix in uplink		Normal cyclic prefix in uplink	Extended cyclic prefix in uplink		
0	6592.Ts			7680.Ts				
1	19760.Ts			20480.Ts				
2	21952.Ts	2192.Ts	2560.Ts	23040.Ts	2192.Ts	2560.Ts		
3	24144.Ts	2.02.10	2000110	25600.Ts				
4	26336.Ts			7680.Ts				
5	6592.Ts			20480.Ts				
6	19760.Ts			23040.Ts	4384.Ts	5120.Ts		
7	21952.Ts	4384.Ts	5120.Ts	25600.Ts]			
8	24144.Ts	.551.16	0.23.10	-	-	-		
9	13168.Ts			-	-	-		

Uplink-downlink configurations.

Uplink-downlink	Downlink-to-				Si	ubframe	numb	er			
configuration	Uplink Switch- point periodicity	0	1	2	3	4	5	6	7	8	9
0	5 ms	D	S	U	U	U	D	S	U	U	U
1	5 ms	D	S	U	U	D	D	S	U	U	D
2	5 ms	D	S	U	D	D	D	S	U	D	D
3	10 ms	D	S	U	U	U	D	D	D	D	D
4	10 ms	D	S	U	U	D	D	D	D	D	D
5	10 ms	D	S	U	D	D	D	D	D	D	D
6	5 ms	D	S	U	U	U	D	S	U	U	D

Calculated Duty Cycle=[Extended cyclic prefix in uplink x (Ts) x # of S + # of U]/10ms

	Uplink- Downlink Configurat	Downlink-to- Uplink Switch- point Periodicity		Subframe Number							Calculated Duty Cycle (%)		
	ion		0	1	2	3	4	5	6	7	8	9	(,,,
	0	5 ms	D	S	U	U	U	D	S	J	U	U	63.33
1	1	5 ms	D	S	U	U	D	D	S	U	U	D	43.33
	2	5 ms	D	S	U	D	D	D	S	U	D	D	23.33
	3	10 ms	D	S	J	U	U	D	D	D	D	D	31.67
	4	10 ms	D	S	U	U	D	D	D	D	D	D	21.67
	5	10 ms	D	S	٦	D	D	D	D	D	D	D	11.67
	6	5 ms	D	S	U	U	U	D	S	U	U	D	53.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01 Page : 74 of 493

A) Spectrum Plots for RB Configurations

A properly configured base station simulator was used for SAR tests and power measurements. Therefore, spectrum plots for RB configurations were not required to be included in this report.

B) MPR

MPR is permanently implemented for this device by the manufacturer. The specific manufacturer target MPR is indicated alongside the SAR results. MPR is enabled for this device, according to 3GPP TS36.101 Section 6.2.3 – 6.2.5 under Table 6.2.3-1.

C) A-MPR

A-MPR (Additional MPR) has been disabled for all SAR tests by setting NS=01 on the base station simulator.

D) Largest channel bandwidth standalone SAR test requirements

1) QPSK with 1 RB allocation

Start with the largest channel bandwidth and measure SAR for QPSK with 1 RB allocation, using the RB offset and required test channel combination with the highest maximum output power for RB offsets at the upper edge, middle and lower edge of each required test channel. When the reported SAR is ≤ 0.8 W/kg, testing of the remaining RB offset configurations and required test channels is not required for 1 RB allocation; otherwise, SAR is required for the remaining required test channels and only for the RB offset configuration with the highest output power for that channel. When the reported SAR of a required test channel is > 1.45 W/kg, SAR is required for all three RB offset configurations for that required test channel.

2) QPSK with 50% RB allocation

The procedures required for 1 RB allocation in 1) are applied to measure the SAR for QPSK with 50% RB allocation.

3) QPSK with 100% RB allocation

For QPSK with 100% RB allocation, SAR is not required when the highest maximum output power for 100 % RB allocation is less than the highest maximum output power in 50% and 1 RB allocations and the highest reported SAR for 1 RB and 50% RB allocation in 1) and 2) are ≤ 0.8 W/kg. Otherwise, SAR is measured for the highest output power channel and if the reported SAR is > 1.45 W/kg, the remaining required test channels must also be tested.

4) Higher order modulations

For each modulation besides QPSK; e.g., 16-QAM, 64-QAM, apply the QPSK procedures in above sections to determine the QAM configurations that may need SAR measurement. For each configuration identified as required for testing, SAR is required only when the highest maximum output power for the configuration in the higher order modulation is > ½ dB higher than the same configuration in QPSK or when the reported SAR for the QPSK configuration is > 1.45 W/kg.

E) Other channel bandwidth standalone SAR test requirements

For the other channel bandwidths used by the device in a frequency band, apply all the procedures required for the largest channel bandwidth in section A) to determine the channels and RB configurations that need SAR testing and only measure SAR when the highest maximum output power of a configuration requiring testing in the smaller channel bandwidth is > 1/2 dB higher than the equivalent channel configurations in the largest channel bandwidth configuration or the reported SAR of a configuration for the largest channel bandwidth is > 1.45 W/kg.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. www.tw.sas.com

台灣檢驗科技股份有限公司



Rev : 01 Page : 75 of 493

Test Result

Measurement of RF conducted Power

8.1.1 Conducted Power of Antenna 1

8 1 1 1 Conducted Power Of GSM

6.1.1.1 Collado	tea i owei o	CON									
GSM 850											
	Burst Output Power(dBm)				Tune			Average ower(dBn		Tune	
Chani	nel	128	190	251	up	Factors	128	190	251	up	
GSM(GMSK)	GSM	32.85	33.01	33.25	33.50	-9.19	23.66	23.82	24.06	24.31	
	1 TX Slot	32.88	33.05	33.22	33.50	-9.19	23.69	23.86	24.03	24.31	
GPRS/EGPRS	2 TX Slots	30.31	30.53	30.75	31.50	-6.18	24.13	24.35	24.57	25.32	
(GMSK)	3 TX Slots	28.15	28.23	28.25	29.50	-4.42	23.73	23.81	23.83	25.08	
	4 TX Slots	25.93	26.07	26.14	27.50	-3.17	22.76	22.9	22.97	24.33	
	1 TX Slot	26.28	26.37	26.36	27.50	-9.19	17.09	17.18	17.17	18.31	
ECDDS(0DSK)	2 TX Slots	23.87	23.98	24.01	25.50	-6.18	17.69	17.8	17.83	19.32	
EGPRS(8PSK)	3 TX Slots	21.95	22.03	22.09	23.50	-4.42	17.53	17.61	17.67	19.08	
	4 TX Slots	19.88	19.98	20.08	21.50	-3.17	16.71	16.81	16.91	18.33	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 76 of 493

		GS	M 1900 f	ull powe	r				
Burst Output Po	ower(dBm	1)		Tune	Division		Tune		
nel	512	661	810	up	Factors	512	661	810	up
GSM	30.09	30.11	30.16	31.00	-9.19	20.90	20.92	20.97	21.81
1 TX Slot	30.01	30.05	30.09	31.00	-9.19	20.82	20.86	20.90	21.81
2 TX Slots	27.67	27.76	27.68	29.00	-6.18	21.49	21.58	21.5	22.82
3 TX Slots	25.54	25.58	25.58	27.00	-4.42	21.12	21.16	21.16	22.58
4 TX Slots	23.45	23.49	23.44	25.00	-3.17	20.28	20.32	20.27	21.83
1 TX Slot	25.84	25.93	25.81	27.00	-9.19	16.65	16.74	16.62	17.81
2 TX Slots	23.31	23.25	23.51	25.00	-6.18	17.13	17.07	17.33	18.82
3 TX Slots	21.28	21.29	21.25	22.00	-4.42	16.86	16.87	16.83	17.58
4 TX Slots	19.11	19.14	19.12	20.00	-3.17	15.94	15.97	15.95	16.83
	GSM	1900 ho	tspot acti	ived red	uced powe	er			
Burst Output Po	ower(dBm	n)		Tune	Division			•	Tune
nel	512	661	810	up	raciois	512	661	810	up
GSM	26.63	26.59	26.67	27.50	-9.19	17.44	17.40	17.48	18.31
1 TX Slot	26.72	26.63	26.71	27.50	-9.19	17.53	17.44	17.52	18.31
2 TX Slots	24.63	24.58	24.53	25.50	-6.18	18.45	18.40	18.35	19.32
3 TX Slots	22.54	22.45	22.54	23.50	-4.42	18.12	18.03	18.12	19.08
4 TX Slots	20.38	20.41	20.34	21.50	-3.17	17.21	17.24	17.17	18.33
1 TX Slot	25.87	25.86	25.89	26.00	-9.19	16.68	16.67	16.70	16.81
2 TX Slots	23.47	23.44	23.38	24.00	-6.18	17.29	17.26	17.20	17.82
3 TX Slots	20.89	20.83	20.87	21.00	-4.42	16.47	16.41	16.45	16.58
	GSM 1 TX Slots 2 TX Slots 3 TX Slots 4 TX Slots 1 TX Slots 2 TX Slots 3 TX Slots 4 TX Slots 4 TX Slots 4 TX Slots 4 TX Slots 4 TX Slots 4 TX Slots 5 TX Slots 1 TX Slot 2 TX Slots 2 TX Slots 1 TX Slot 2 TX Slots 4 TX Slots 1 TX Slots 1 TX Slots 2 TX Slots	GSM 30.09 1 TX Slot 30.01 2 TX Slots 27.67 3 TX Slots 25.54 4 TX Slots 23.45 1 TX Slot 25.84 2 TX Slots 23.31 3 TX Slots 21.28 4 TX Slots 19.11 GSM Burst Output Power (dBm el 512 GSM 26.63 1 TX Slot 26.72 2 TX Slots 24.63 3 TX Slots 22.54 4 TX Slots 20.38 1 TX Slot 25.87 2 TX Slots 23.47	Burst Output Power(dBm) nel	Burst Output Power(dBm) See Since Burst Output Power(dBm) Tune up GSM 30.09 30.11 30.16 31.00 1 TX Slot 30.01 30.05 30.09 31.00 2 TX Slots 27.67 27.76 27.68 29.00 3 TX Slots 25.54 25.58 25.58 27.00 4 TX Slots 23.45 23.49 23.44 25.00 1 TX Slot 25.84 25.93 25.81 27.00 2 TX Slots 23.31 23.25 23.51 25.00 3 TX Slots 21.28 21.29 21.25 22.00 4 TX Slots 19.11 19.14 19.12 20.00 GSM 1900 hotspot actived red Burst Output Power(dBm) Tune up GSM 26.63 26.59 26.67 27.50 1 TX Slot 26.72 26.63 26.71 27.50 2 TX Slots 22.54 22.45 22.54 23.50 4 TX Slots 22.54 22.45 22.54 23.50 1 TX Slots 22.54 22.45 22.54 23.50 1 TX Slots 20.38 20.41 20.34 21.50 1 TX Slot 25.87 25.86 25.89 26.00 2 TX Slots 23.47 23.44 23.38 24.00	Rel 512 661 810 up Factors GSM 30.09 30.11 30.16 31.00 -9.19 1 TX Slot 30.01 30.05 30.09 31.00 -9.19 2 TX Slots 27.67 27.76 27.68 29.00 -6.18 3 TX Slots 25.54 25.58 25.58 27.00 -4.42 4 TX Slots 23.45 23.49 23.44 25.00 -3.17 1 TX Slot 25.84 25.93 25.81 27.00 -9.19 2 TX Slots 23.31 23.25 23.51 25.00 -6.18 3 TX Slots 21.28 21.29 21.25 22.00 -4.42 4 TX Slots 19.11 19.14 19.12 20.00 -3.17 GSM 1900 hotspot actived reduced power Burst Output Power(dBm) 1 TX Slot 26.63 26.59 26.67 27.50 -9.19 2 TX Slots 24.63 24.58 24.53 25.50 <td>Burst Output Power(dBm) Solution Soluti</td> <td>Burst Output Power(dBm) Tune Division Factors Frame-Average Power(dBm 512 661 810 512 661 810 512 661 810 512 661 810 512 661 810 512 661 810 512 661 810 512 661 810 512 661 810 512 661 810 512 611 810 8</td> <td> Surst Output Power(dBm) Frame-Average Output Power(dBm) Solution </td>	Burst Output Power(dBm) Solution Soluti	Burst Output Power(dBm) Tune Division Factors Frame-Average Power(dBm 512 661 810 512 661 810 512 661 810 512 661 810 512 661 810 512 661 810 512 661 810 512 661 810 512 661 810 512 661 810 512 611 810 8	Surst Output Power(dBm) Frame-Average Output Power(dBm) Solution	

Table 11: Conducted Power Of GSM Note:

1) . CMU200 measures GSM peak and average output power for active timeslots. For SAR the time based average power is relevant. The difference in between depends on the duty cycle of the TDMA signal:

No. of timeslots	1	2	3	4
Duty Cycle	1:8.3	1:4.15	1:2.77	1:2.075
Time based avg. power compared to slotted avg. power	-9.19	-6.18	-4.42	-3.17

- 2) The frame-averaged power is linearly proportion to the slot number configured and it is linearly scaled the maximum burst-averaged power based on time slots. The calculated method is shown as below: Frame-averaged power = 10 x log (Burst-averaged power mW x Slot used / 8
- 3) . When the maximum output power variation across the required test channels is > ½ dB, instead of the middle channel, the highest output power channel must be used

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的阻,此想些结果做到测量之间,因此此样是虚保例的主。本想些主领大人司事而统可,不可能以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sg.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sg.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01 : 77 of 493 Page

8.1.1.2 Conducted Power Of WCDMA

		CDMA Band II f			
	Avera	age Conducted I	Power(dBm)		
Ch	annel	9262	9400	9538	Tune up
WCDMA	12.2kbps RMC	23.32	23.39	23.24	24.00
WCDIVIA	12.2kbps AMR	23.31	23.35	23.24	24.00
	Subtest 1	22.85	22.71	22.48	24.00
HSDPA	Subtest 2	22.92	22.89	22.67	24.00
HODEA	Subtest 3	21.50	21.60	21.39	23.00
	Subtest 4	21.51	21.58	21.44	23.00
	Subtest 1	20.92	20.76	20.51	22.00
	Subtest 2	18.03	18.12	18.23	20.00
HSUPA	Subtest 3	19.51	19.43	18.53	21.00
	Subtest 4	18.50	18.65	18.61	20.00
	Subtest 5	20.6	20.60	20.50	22.00
	Subtest 1	22.54	22.62	22.36	24.00
DO HODDA	Subtest 2	22.81	22.77	22.47	24.00
DC-HSDPA	Subtest 3	21.45	21.61	21.42	23.00
	Subtest 4	21.50	21.56	21.37	23.00
	WCDMA Ba	nd II hotspot acti	ved reduced pov	wer	
	Avera	age Conducted I	Power(dBm)		
Ch	annel	9262	9400	9538	Tune up
MCDMA	12.2kbps RMC	19.30	19.69	19.31	20.00
WCDMA	12.2kbps AMR	19.25	19.60	19.27	20.00
	Subtest 1	19.09	19.05	19.01	20.00
LICDDA	Subtest 2	19.02	19.04	19.93	20.00
HSDPA	Subtest 3	18.56	18.55	18.48	19.00
	Subtest 4	18.54	18.53	18.51	19.00
	Subtest 1	17.42	17.33	17.28	18.00
	Subtest 2	15.01	15.11	15.32	16.00
HSUPA	Subtest 3	15.98	15.88	15.79	17.00
	Subtest 4	15.28	15.08	15.25	16.00
	Subtest 5	16.73	16.58	16.81	18.00
	Subtest 1	18.89	18.95	18.75	20.00
DO 11000	Subtest 2	18.92	18.84	18.83	20.00
DC-HSDPA	Subtest 3	18.53	18.65	18.78	19.00
	Subtest 4	18.34	18.58	18.55	19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 78 of 493 Page

	WCDMA	Rand II sensor (on reduced powe	r	
			•		
		age Conducted	· ,		
Ch	annel	9262	9400	9538	Tune up
WCDMA	12.2kbps RMC	20.30	20.60	20.28	21.00
VVCDIVIA	12.2kbps AMR	20.28	20.57	20.21	21.00
	Subtest 1	19.11	19.11	19.02	21.00
HCDDA	Subtest 2	19.05	19.03	19.00	21.00
HSDPA	Subtest 3	18.53	18.61	18.49	20.00
	Subtest 4	18.57	18.59	18.50	20.00
	Subtest 1	18.78	18.64	18.69	19.00
	Subtest 2	16.83	16.38	16.05	17.00
HSUPA	Subtest 3	17.59	17.53	17.62	18.00
	Subtest 4	16.64	16.63	16.59	17.00
	Subtest 5	17.70	17.62	17.60	19.00
	Subtest 1	19.20	19.07	18.92	21.00
DC HCDDA	Subtest 2	19.05	18.89	18.91	21.00
DC-HSDPA	Subtest 3	18.51	18.39	18.41	20.00
	Subtest 4	18.72	18.67	18.47	20.00

	W	CDMA Band IV	full power		
	Aver	age Conducted	Power(dBm)		
Ch	annel	1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	23.14	23.19	23.11	24.00
VVCDIVIA	12.2kbps AMR	23.12	23.24	23.11	24.00
	Subtest 1	22.21	22.34	22.35	24.00
HSDPA	Subtest 2	22.14	22.15	22.14	24.00
ПОДРА	Subtest 3	21.54	21.72	21.68	23.00
	Subtest 4	21.22	21.41	21.69	23.00
	Subtest 1	20.78	20.67	20.71	22.00
	Subtest 2	18.82	18.45	18.42	20.00
HSUPA	Subtest 3	19.57	19.32	19.16	21.00
	Subtest 4	18.25	18.36	18.33	20.00
	Subtest 5	20.50	20.60	20.60	21.00
	Subtest 1	22.05	22.18	22.17	24.00
DC-HSDPA	Subtest 2	22.06	22.04	22.05	24.00
DC-HODPA	Subtest 3	21.39	21.55	21.50	23.00
	Subtest 4	21.37	21.47	21.50	23.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 79 of 493 Page

			tived reduced po	wer	
	Avera	age Conducted	Power(dBm)		
Ch	annel	1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	18.76	18.92	18.68	19.50
WODIVIA	12.2kbps AMR	18.75	18.89	18.65	19.50
	Subtest 1	17.85	17.76	17.92	19.50
HSDPA	Subtest 2	17.93	17.89	17.93	19.50
TIODEA	Subtest 3	17.02	17.07	17.04	18.50
	Subtest 4	16.96	17.08	17.13	18.50
	Subtest 1	17.23	17.17	17.32	17.50
	Subtest 2	15.04	15.12	15.22	15.50
HSUPA	Subtest 3	15.78	15.82	15.75	16.50
	Subtest 4	15.08	15.01	15.13	15.50
	Subtest 5	16.38	16.25	16.17	17.50
	Subtest 1	17.55	17.48	17.87	19.50
DC-HSDPA	Subtest 2	17.66	17.59	17.51	19.50
	Subtest 3	16.92	16.97	16.92	18.50
	Subtest 4	16.86	16.88	16.93	18.50
	WCDMA E	Band IV sensor	on reduced powe	r	
	Avera	age Conducted	Power(dBm)		
Ch	annel	1312	1412	1513	Tune up
MODRAA	12.2kbps RMC	20.15	20.51	20.19	21.00
WCDMA	12.2kbps AMR	20.12	20.47	20.18	21.00
	Subtest 1	19.09	19.12	19.08	21.00
110004	Subtest 2	19.11	19.04	19.01	21.00
HSDPA	Subtest 3	18.81	18.96	18.78	20.00
	Subtest 4	18.72	18.69	18.87	20.00
	Subtest 1	18.76	18.61	18.27	19.00
	Subtest 2	16.76	16.51	16.42	17.00
HSUPA	Subtest 3	16.58	16.06	16.14	18.00
	Subtest 4	16.24	16.06	16.28	17.00
	Subtest 5	18.60	18.60	18.60	19.00
	Subtest 1	18.99	18.88	18.94	21.00
	Subtest 2	18.91	18.97	19.81	21.00
DC-HSDPA	Subtest 3	18.41	18.50	18.55	20.00
	Subtest 4	18.41	18.46	18.49	20.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 80 of 493

		WCDMA Bai	nd V		
	Avei	rage Conducted			
Ch	annel	4132	4182	4233	Tune up
MODIAA	12.2kbps RMC	23.88	23.65	23.98	24.50
WCDMA	12.2kbps AMR	23.81	23.64	23.92	24.50
	Subtest 1	23.17	23.12	23.01	23.50
LICDDA	Subtest 2	23.36	23.18	23.36	23.50
HSDPA	Subtest 3	22.99	22.95	22.92	23.00
	Subtest 4	22.94	22.92	22.86	23.00
	Subtest 1	21.96	21.88	21.87	22.00
	Subtest 2	19.45	19.46	19.30	20.00
HSUPA	Subtest 3	20.99	20.97	20.96	21.00
	Subtest 4	19.78	19.88	19.89	20.00
	Subtest 5	21.60	21.60	21.50	22.50
	Subtest 1	23.03	23.09	22.97	23.50
DO HODDA	Subtest 2	23.02	23.07	23.12	23.50
DC-HSDPA	Subtest 3	22.73	22.80	22.79	23.00
	Subtest 4	22.88	22.92	22.73	23.00

Table 12: Conducted Power Of WCDMA

Note:

1) when the maximum output power variation across the required test channels is $> \frac{1}{2}$ dB, instead of the middle channel, the highest output power channel must be used.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,什報告結果僅與個別天。木報告未經木公司書面許可,不可無份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sg.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sg.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01 Page : 81 of 493

8.1.1.3 Conducted Power Of LTE

	LTE Band 2 ful	l power			Conducted	d Power(dBn	1)
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Banawiatii	Woddiation	IND SIZE	ND onset	18607	18900	19193	Tune up
		1	0	22.81	22.84	23.25	24.00
		1	2	22.90	22.89	23.42	24.00
		1	5	22.88	23.00	23.37	24.00
	QPSK	3	0	22.89	22.84	23.35	24.00
		3	2	22.89	22.89	23.39	24.00
		3	3	22.91	22.91	23.42	24.00
		6	0	21.58	21.80	22.34	23.00
		1	0	21.71	21.93	22.46	23.00
		1	2	21.80	22.04	22.43	23.00
		1	5	21.77	22.02	22.42	23.00
1.4MHz	16QAM	3	0	21.56	21.95	22.39	23.00
		3	2	21.72	21.92	22.44	23.00
		3	3	21.61	22.03	22.51	23.00
		6	0	20.87	20.83	21.27	22.00
		1	0	21.05	21.19	21.10	22.50
		1	2	20.66	20.59	20.69	22.50
		1	5	21.02	21.12	21.01	22.50
	64QAM	3	0	20.8	20.85	20.63	21.50
		3	2	20.67	20.73	20.57	21.50
		3	3	20.74	20.84	20.72	21.50
		6	0	19.86	19.86	19.74	21.50
Davis alice d'alich	NA - de de di - c	DD -:	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	18615	18900	19185	Tune up
		1	0	22.83	23.00	22.84	24.00
		1	7	23.37	23.14	23.46	24.00
		1	14	23.25	23.02	23.44	24.00
	QPSK	8	0	21.86	21.99	21.85	23.00
		8	4	21.90	22.01	22.26	23.00
		8	7	22.00	21.92	22.58	23.00
		15	0	21.84	21.87	22.06	23.00
		1	0	21.89	21.99	21.85	23.00
3MHz		1	7	22.14	22.17	22.39	23.00
SIVITIZ		1	14	22.00	21.97	22.49	23.00
	16QAM	8	0	21.01	21.00	21.36	22.00
_		8	4	21.05	21.12	21.53	22.00
		8	7	21.05	21.11	21.67	22.00
		15	0	20.92	20.92	21.41	22.00
		1	0	21.02	21.06	21.00	22.50
	64QAM	1	7	20.58	20.75	20.64	22.50
	U4QAIVI	1	14	20.96	21.13	20.86	22.50
		8	0	19.78	19.76	19.80	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01 : 82 of 493 Page

		8	4	19.78	19.76	19.69	21.50
		8	7	19.78	19.82	19.75	21.50
		15	0	19.78	19.81	19.73	21.50
				Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	18625	18900	19175	Tune up
		1	0	23.07	23.05	22.83	24.00
		1	13	23.34	23.21	23.05	24.00
		1	24	23.11	23.10	23.58	24.00
	QPSK	12	0	21.99	22.11	21.70	23.00
		12	6	22.07	22.05	21.81	23.00
		12	13	21.98	22.01	22.22	23.00
		25	0	22.02	21.96	21.97	23.00
		1	0	22.10	22.10	21.66	23.00
		1	13	22.28	22.22	21.90	23.00
		1	24	22.05	22.06	22.49	23.00
5MHz	16QAM	12	0	21.17	21.44	20.99	22.00
SIVITIZ		12	6	21.25	21.18	21.10	22.00
		12	13	21.23	21.13	21.48	22.00
		25	0	21.15	20.98	21.20	22.00
		1	0	21.05	20.99	20.99	22.50
		1	13	20.99	21.12	20.95	22.50
		1	24	21.03	21.07	20.97	22.50
	64QAM	12	0	19.84	19.88	19.82	21.50
	04QAIVI	12	6	19.78	19.83	19.72	21.50
		12	13	19.86	19.91	19.82	21.50
		25	0	19.78	19.82	19.75	21.50
		20	U				21.00
Bandwidth	Modulation	RB size	RB offset	Channel 18650	Channel 18900	Channel 19150	Tune up
		1	0	23.26	23.28	22.48	24.00
		1	25	23.07	23.14	22.62	24.00
		1	49	22.75	23.14	23.38	24.00
	QPSK	25	0	22.73	21.98	21.71	23.00
	Qi Oit	25	13	22.02	21.94	21.71	23.00
		25	25	21.83	21.89	21.74	23.00
		50	0	22.01	21.99	21.63	23.00
		1	0	22.05	22.00	21.41	23.00
		1	25	22.10	21.98	21.58	23.00
10MHz	3	1	49	21.60	21.85	22.14	23.00
	16QAM	25	0	21.23	21.19	21.07	22.00
	. 5 30 1111	25	13	21.24	20.94	20.82	22.00
		25	25	20.95	20.82	21.10	22.00
		50	0	21.14	20.98	20.92	22.00
		1	0	21.05	21.14	21.12	22.50
	1	'				 	
		1	25	21.06	Z1 U.3	20.85	22.50
	64QAM	1	25 49	21.06 21.11	21.03 21.14	20.85 20.98	22.50 22.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 83 of 493

		25	13	19.81	19.81	19.76	21.50
		25	25	19.80	19.84	19.76	21.50
		50	0	19.78	19.76	19.73	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	
Danuwiulii	iviodulation	KD SIZE	KD Ollset	18675	18900	19125	Tune up
		1	0	23.38	23.25	22.82	24.00
		1	38	23.45	23.12	22.64	24.00
		1	74	22.56	23.56	23.45	24.00
	QPSK	36	0	22.19	21.87	21.59	23.00
		36	18	22.06	22.04	21.60	23.00
		36	39	21.62	22.45	21.58	23.00
		75	0	22.00	22.20	22.08	23.00
		1	0	22.18	22.11	21.67	23.00
		1	38	22.21	22.19	21.66	23.00
		1	74	21.41	22.18	22.22	23.00
15MHz	16QAM	36	0	21.35	21.21	20.73	22.00
		36	18	21.23	21.06	20.70	22.00
		36	39	20.82	21.36	20.93	22.00
		75	0	21.13	21.23	21.09	22.00
		1	0	21.14	21.07	21.06	22.50
		1	38	21.09	21.11	21.00	22.50
		1	74	21.08	21.05	20.94	22.50
	64QAM	36	0	19.85	19.86	19.82	21.50
		36	18	19.84	19.88	19.81	21.50
		36	39	19.85	19.82	19.79	21.50
		75	0	19.78	19.76	19.79	21.50
			"	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	18700	18900	19100	Tune up
		1	0	23.44	23.20	23.76	24.00
		1	50	22.88	23.07	22.45	24.00
		1	99	22.94	23.99	23.74	24.00
	QPSK	50	0	22.35	21.97	22.05	23.00
		50	25	21.85	22.19	21.73	23.00
		50	50	21.82	22.18	21.66	23.00
		100	0	22.17	22.15	21.96	23.00
		1	0	22.37	22.05	22.96	23.00
001411		1	50	21.92	22.14	21.90	23.00
20MHz		1	99	22.26	22.61	22.86	23.00
	16QAM	50	0	21.44	21.34	21.22	22.00
		50	25	21.04	21.19	20.75	22.00
		50	50	20.95	21.09	20.65	22.00
		100	0	21.25	21.24	21.03	22.00
		1	0	21.25	21.19	21.12	22.50
	0.40.11	1	50	20.92	20.95	20.73	22.50
	64QAM	1	99	21.22	21.08	21.04	22.50
	I	50	0	19.81	19.87	19.87	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01 Page : 84 of 493

	50	25	19.81	19.79	19.79	21.50
	50	50	19.79	19.79	19.73	21.50
	100	0	19.82	19.80	19.81	21.50

LTE Band	l 2 hotspot act	ived reduce	d power		Conducted Pov	ver(dBm)	
Danielo del	Madulation	DD -:	DD -#+	Channel	Channel	Channel	т
Bandwidth	Modulation	RB size	RB offset	18607	18900	19193	Tune up
		1	0	18.34	18.39	18.46	19.00
		1	2	18.04	18.09	18.17	19.00
	1	1	5	18.35	18.38	18.43	19.00
	QPSK	3	0	18.27	18.32	18.38	19.00
		3	2	18.04	17.99	18.13	19.00
		3	3	18.21	18.30	18.38	19.00
		6	0	18.24	18.33	18.38	19.00
		1	0	18.56	18.61	18.72	19.00
		1	2	18.43	18.48	18.49	19.00
		1	5	18.56	18.65	18.74	19.00
1.4MHz	16QAM	3	0	18.26	18.24	18.32	19.00
		3	2	18.21	18.38	18.34	19.00
		3	3	18.32	18.38	18.38	19.00
		6	0	18.27	18.29	18.30	19.00
		1	0	17.71	17.87	17.71	19.00
		1	2	17.57	17.44	17.47	19.00
		1	5	17.83	17.73	17.67	19.00
	64QAM	3	0	17.52	17.52	17.51	19.00
	0.00,	3	2	17.45	17.55	17.49	19.00
		3	3	17.47	17.53	17.48	19.00
		6	0	17.48	17.45	17.53	19.00
			- U	Channel	Channel	Channel	13.00
Bandwidth	Modulation	RB size	RB offset	18615CH	18900CH	19185CH	Tune up
		1	0	18.33	18.30	18.42	19.00
		1	7	17.87	18.05	18.02	19.00
		1	14	18.3	18.36	18.37	19.00
	QPSK	8	0	18.27	18.27	18.29	19.00
	QF3N	8	4	18.24	18.29	18.37	19.00
			7		18.35		
		8	0	18.31 18.31	_	18.41	19.00 19.00
		15			18.34	18.44	
		1	0	18.46	18.65	18.58	19.00
		1	7	18.26	18.42	18.46	19.00
2MU-	4000	1	14	18.62	18.67	18.64	19.00
3MHz	16QAM	8	0	18.22	18.29	18.40	19.00
		8	4	18.24	18.25	18.35	19.00
		8	7	18.26	18.31	18.36	19.00
		15	0	18.27	18.29	18.35	19.00
		1	0	17.91	18.04	17.87	19.00
		1	7	17.74	17.58	17.64	19.00
	0.40.4.4	1	14	18.01	17.93	17.84	19.00
	64QAM	8	0	17.67	17.69	17.62	19.00
		8	4	17.64	17.68	17.66	19.00
		8	7	17.65	17.71	17.65	19.00
	1	15	0	17.65	17.66	17.65	19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

: 85 of 493 Page

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
bandwidth	Modulation	RD SIZE	KD Ollset	18625CH	18900CH	19175CH	Tune up
		1	0	18.30	18.34	18.43	19.00
		1	13	18.34	18.35	18.43	19.00
		1	24	18.35	18.35	18.36	19.00
	QPSK	12	0	18.33	18.38	18.49	19.00
		12	6	18.35	18.35	18.43	19.00
		12	13	18.41	18.40	18.47	19.00
		25	0	18.32	18.37	18.42	19.00
		1	0	18.59	18.60	18.70	19.00
		1	13	18.60	18.59	18.75	19.00
		1	24	18.59	18.58	18.66	19.00
5MHz	16QAM	12	0	18.34	18.37	18.47	19.00
		12	6	18.34	18.32	18.41	19.00
		12	13	18.38	18.36	18.46	19.00
		25	0	18.28	18.26	18.37	19.00
		1	0	17.89	18.04	17.87	19.00
		1	13	17.75	17.55	17.63	19.00
		1	24	17.97	17.89	17.85	19.00
	64QAM	12	0	17.65	17.65	17.66	19.00
		12	6	17.63	17.67	17.63	19.00
		12	13	17.62	17.67	17.61	19.00
		25	0	17.61	17.65	17.65	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Banawiani	Woodidion	TED 0120	NB onoot	18650CH	18900CH	19150CH	Turio up
		1	0	18.33	18.32	18.42	19.00
		1	25	17.72	18.25	18.11	19.00
		1	49	17.83	18.31	18.37	19.00
	QPSK	25	0	18.12	18.33	18.43	19.00
		25	13	18.34	18.32	18.43	19.00
		25	25	18.37	18.34	18.44	19.00
		50	0	18.35	18.31	18.45	19.00
		1	0	18.71	18.65	18.63	19.00
		1	25	18.41	18.54	18.47	19.00
10MHz		1	49	18.56	18.59	18.60	19.00
	16QAM	25	0	18.32	18.29	18.42	19.00
		25	13	18.31	18.28	18.39	19.00
		25	25	18.09	18.32	18.36	19.00
		50	0	18.26	18.23	18.35	19.00
		1	0	17.66	17.83	17.65	19.00
		1	25	17.53	17.42	17.42	19.00
	64QAM	1	49	17.76	17.65	17.63	19.00
		25	0	17.43	17.45	17.45	19.00
	04QAW	25	13	17.42	17.47	17.42	19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 86 of 493 Page

		25	25	17.41	17.46	17.45	19.00
		50	0	17.45	17.43	17.47	19.00
Don dwidth	Madulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RD SIZE	Rb oliset	18675CH	18900CH	19125CH	Tune up
		1	0	18.33	18.36	18.42	19.00
		1	38	18.40	18.42	18.47	19.00
		1	74	18.25	18.31	18.40	19.00
	QPSK	36	0	18.41	18.44	18.48	19.00
		36	18	18.40	18.43	18.47	19.00
		36	39	18.38	18.41	18.49	19.00
		75	0	18.35	18.38	18.49	19.00
		1	0	18.57	18.46	18.45	19.00
		1	38	18.62	18.63	18.61	19.00
		1	74	18.45	18.39	18.54	19.00
15MHz	16QAM	36	0	18.34	18.29	18.37	19.00
		36	18	18.34	18.30	18.38	19.00
		36	39	18.28	18.33	18.41	19.00
		75	0	18.25	18.25	18.34	19.00
		1	0	17.69	17.83	17.69	19.00
		1	38	17.55	17.39	17.46	19.00
		1	74	17.75	17.69	17.63	19.00
	64QAM	36	0	17.44	17.45	17.47	19.00
		36	18	17.45	17.56	17.45	19.00
		36	39	17.43	17.53	17.48	19.00
		75	0	17.42	17.47	17.46	19.00
Dan duri déla	NA - de de tiere	DD -:	DD offeet	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	18700CH	18900CH	19100CH	Tune up
		1	0	18.06	18.37	18.44	19.00
		1	50	17.87	18.02	17.88	19.00
		1	99	18.12	18.24	18.28	19.00
	QPSK	50	0	18.04	18.00	18.08	19.00
		50	25	18.04	18.04	18.19	19.00
		50	50	18.04	18.09	18.22	19.00
		100	0	18.03	18.02	18.15	19.00
		1	0	18.02	18.10	18.26	19.00
001411	1	1	50	17.76	17.68	18.29	19.00
20MHz		1	99	18.06	18.15	18.45	19.00
	16QAM	50	0	17.94	17.92	18.03	19.00
		50	25	17.93	17.96	18.04	19.00
		50	50	17.94	18.06	18.16	19.00
		100	0	17.96	17.95	18.07	19.00
		1	0	17.79	17.93	17.79	19.00
		1	50	17.63	17.47	17.53	19.00
	64QAM	1	99	17.89	17.79	17.73	19.00
		50	0	17.56	17.58	17.56	19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01 : 87 of 493 Page

50	25	17.53	17.57	17.55	19.00
50	50	17.53	17.59	17.54	19.00
100	0	17.54	17.55	17.56	19.00

	10	0 0	1	7.54	17.55	17.56	19.00
LTE Ba	and 2 sensor on re	educed powe	r		Conducted	l Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel 18607	Channel 18900	Channel 19193	Tune up
		1	0	20.48	19.99	20.74	21.50
		1	2	20.53	20.06	20.98	21.50
		1	5	20.48	20.22	20.99	21.50
	QPSK	3	0	20.53	20.13	20.92	21.50
		3	2	20.53	20.15	21.09	21.50
		3	3	20.53	20.19	21.12	21.50
		6	0	20.51	20.14	21.06	21.50
		1	0	20.61	20.24	21.11	21.50
		1	2	20.71	20.41	21.27	21.50
		1	5	20.74	20.51	21.3	21.50
1.4MHz	16QAM	3	0	20.57	20.12	21.07	21.50
		3	2	20.54	20.23	21.13	21.50
		3	3	20.52	20.19	21.12	21.50
		6	0	20.49	20.15	21.04	21.50
		1	0	20.51	20.99	21.13	21.50
		1	2	20.37	20.74	20.72	21.50
		1	5	20.58	20.97	21.01	21.50
	64QAM	3	0	19.79	19.83	19.84	21.50
		3	2	19.74	19.75	19.74	21.50
		3	3	19.75	19.83	19.76	21.50
		6	0	19.79	19.76	19.73	21.50
Bandwidth	Modulation	RB size	RB offset	Channel 18615	Channel 18900	Channel 19185	Tune up
		1	0				21.50
		1	7	20.49 20.76	20.39	20.18 21.03	21.50
		1	14	20.78	20.33	21.10	21.50
	QPSK	8	0	20.69	20.12	20.70	21.50
	QI SIX	8	4	20.83	20.24	21.06	21.50
		8	7	20.79	20.4	21.15	21.50
		15	0	20.78	20.24	20.95	21.50
		1	0	20.77	20.70	20.45	21.50
		1	7	20.99	20.65	21.32	21.50
3MHz		1	14	20.82	20.54	21.37	21.50
	16QAM	8	0	20.78	20.23	20.71	21.50
	100/11/1	8	4	20.80	20.23	21.02	21.50
		8	7	20.76	20.38	21.13	21.50
		15	0	20.70	20.30	20.89	21.50
		1	0	20.72	21.09	21.23	21.50
		1	7		1 1		21.50
	64QAM	1	14	20.47	20.84	20.85	21.50
		8	0	20.68	21.07	21.13	21.50
		0	U	19.89	19.93	19.91	21.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01 : 88 of 493 Page

8	4	19.84	19.83	19.84	21.50	
8	7	19.85	19.91	19.86	21.50	
15	0	19.82	19.85	19.83	21.50	

Donato dala	NA - alcel - 45 - a-	DD -i	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	18625	18900	19175	Tune up
		1	0	20.66	20.44	20.10	21.50
		1	13	20.82	20.37	20.51	21.50
FPO		1	24	20.36	20.2	21.06	21.50
	QPSK	12	0	20.79	20.63	20.37	21.50
		12	6	20.91	20.37	20.56	21.50
		12	13	20.71	20.38	20.99	21.50
		25	0	20.84	20.30	20.66	21.50
		1	0	20.93	20.69	20.44	21.50
		1	13	21.04	20.63	20.77	21.50
		1	24	20.65	20.59	21.10	21.50
5MHz	16QAM	12	0	20.78	20.64	20.29	21.50
		12	6	20.87	20.34	20.55	21.50
		12	13	20.67	20.38	20.99	21.50
		25	0	20.77	20.26	20.62	21.50
		1	0	20.62	21.08	21.1	21.50
		1	13	20.49	20.86	20.82	21.50
		1	24	20.74	21.07	21.10	21.50
	64QAM	12	0	19.91	19.95	19.91	21.50
		12	6	19.86	19.85	19.86	21.50
		12	13	19.89	19.95	19.84	21.50
		25	0	19.91	19.82	19.83	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Danuwiuth	Modulation	RD SIZE	RD Ollset	18650	18900	19150	Tune up
		1	0	20.61	20.59	19.55	21.50
		0-1	25	20.41	20.36	20.13	21.50
		1	49	19.37	20.12	20.87	21.50
	QPSK	25	0	20.73	20.42	20.23	21.50
		25	13	20.45	20.34	20.07	21.50
		25	25	20.19	20.21	20.47	21.50
		50	0	20.68	20.40	20.33	21.50
		1	0	21.26	20.90	19.88	21.50
		1	25	20.75	20.65	20.44	21.50
10MHz		1	49	19.68	20.44	21.16	21.50
	16QAM	25	0	20.66	20.48	20.19	21.50
		25	13	20.5	20.29	20.02	21.50
		25	25	20.12	20.16	20.41	21.50
		50	0	20.61	20.34	20.26	21.50
		1	0	20.4	20.89	21.03	21.50
		1	25	20.27	20.64	20.60	21.50
	64QAM	1	49	20.48	20.87	20.91	21.50
		25	0	19.69	19.73	19.71	21.50
		25	13	19.65	19.67	19.64	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



: 01 Rev : 89 of 493 Page

25	25	19.67	19.75	19.67	21.50
50	0	19.69	19.63	19.65	21.50

Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
Danawiath	Modulation	ND SIZE	offset	18675	18900	19125	•
		1	0	20.75	20.62	19.80	21.50
		1	38	20.29	20.38	19.95	21.50
		1	74	19.46	20.31	20.98	21.50
	QPSK	36	0	20.75	20.33	19.77	21.50
		36	18	20.28	20.34	19.93	21.50
		36	39	19.72	20.66	20.21	21.50
		75	0	20.42	20.58	20.38	21.50
		1	0	21.01	20.84	20.16	21.50
		1	38	20.64	20.67	20.33	21.50
		1	74	19.74	20.62	21.28	21.50
15MHz	16QAM	36	0	20.80	20.38	19.71	21.50
		36	18	20.27	20.28	19.87	21.50
		36	39	19.66	20.60	20.21	21.50
		75	0	20.33	20.51	20.31	21.50
		1	0	20.45	20.94	21.05	21.50
		1	38	20.35	20.69	20.65	21.50
		1	74	20.53	20.92	20.96	21.50
	64QAM	36	0	19.74	19.75	19.76	21.50
	2	36	18	19.69	19.68	19.69	21.50
		36	39	19.73	19.75	19.72	21.50
		75	0	19.74	19.73	19.68	21.50
Dan de dalle	Modulation	RB size	RB	Channel	Channel	Channel	T
Bandwidth	Modulation	RB SIZE	offset	18700	18900	19100	Tune up
		1	0	21.12	20.85	20.90	21.50
		1	50	20.21	21.25	20.34	21.50
		1	99	20.38	20.53	21.20	21.50
	QPSK	50	0	20.84	20.53	20.32	21.50
		50	25	20.17	20.44	19.81	21.50
		50	50	20.05	20.34	19.99	21.50
		100	50	20.05 20.57	20.34 20.52	19.99 20.29	21.50 21.50
		100	0	20.57	20.52	20.29	21.50
		100 1	0	20.57 21.09	20.52 21.19	20.29 21.21	21.50 21.50
20MHz	16QAM	100 1 1	0 0 50	20.57 21.09 20.44	20.52 21.19 21.52	20.29 21.21 20.64 21.48	21.50 21.50 21.50
20MHz	16QAM	100 1 1 1	0 0 50 99 0	20.57 21.09 20.44 20.63	20.52 21.19 21.52 20.84	20.29 21.21 20.64	21.50 21.50 21.50 21.50
20MHz	16QAM	100 1 1 1 1 50 50	0 0 50 99	20.57 21.09 20.44 20.63 20.73	20.52 21.19 21.52 20.84 20.40	20.29 21.21 20.64 21.48 20.29 19.77	21.50 21.50 21.50 21.50 21.50
20MHz	16QAM	100 1 1 1 1 50 50 50	0 0 50 99 0 25	20.57 21.09 20.44 20.63 20.73 20.08 19.96	20.52 21.19 21.52 20.84 20.40 20.42 20.32	20.29 21.21 20.64 21.48 20.29 19.77 19.96	21.50 21.50 21.50 21.50 21.50 21.50 21.50
20MHz	16QAM	100 1 1 1 1 50 50	0 0 50 99 0 25 50	20.57 21.09 20.44 20.63 20.73 20.08 19.96 20.44	20.52 21.19 21.52 20.84 20.40 20.42 20.32 20.49	20.29 21.21 20.64 21.48 20.29 19.77	21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50
20MHz	16QAM	100 1 1 1 1 50 50 50 50	0 0 50 99 0 25 50	20.57 21.09 20.44 20.63 20.73 20.08 19.96	20.52 21.19 21.52 20.84 20.40 20.42 20.32 20.49 21.04	20.29 21.21 20.64 21.48 20.29 19.77 19.96 20.16 21.18	21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50
20MHz	16QAM	100 1 1 1 50 50 50 100	0 0 50 99 0 25 50 0	20.57 21.09 20.44 20.63 20.73 20.08 19.96 20.44 20.55 20.42	20.52 21.19 21.52 20.84 20.40 20.42 20.32 20.49 21.04 20.79	20.29 21.21 20.64 21.48 20.29 19.77 19.96 20.16 21.18 20.75	21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50
20MHz		100 1 1 1 50 50 50 100 1 1	0 0 50 99 0 25 50 0	20.57 21.09 20.44 20.63 20.73 20.08 19.96 20.44 20.55 20.42 20.63	20.52 21.19 21.52 20.84 20.40 20.42 20.32 20.49 21.04 20.79 21.02	20.29 21.21 20.64 21.48 20.29 19.77 19.96 20.16 21.18 20.75 21.06	21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50
20MHz	16QAM 64QAM	100 1 1 1 50 50 50 100 1 1 1 50	0 0 50 99 0 25 50 0 0 50 99	20.57 21.09 20.44 20.63 20.73 20.08 19.96 20.44 20.55 20.42 20.63 19.84	20.52 21.19 21.52 20.84 20.40 20.42 20.32 20.49 21.04 20.79 21.02 19.88	20.29 21.21 20.64 21.48 20.29 19.77 19.96 20.16 21.18 20.75 21.06 19.86	21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50
20MHz		100 1 1 1 50 50 50 100 1 1	0 0 50 99 0 25 50 0 0 50 99	20.57 21.09 20.44 20.63 20.73 20.08 19.96 20.44 20.55 20.42 20.63	20.52 21.19 21.52 20.84 20.40 20.42 20.32 20.49 21.04 20.79 21.02	20.29 21.21 20.64 21.48 20.29 19.77 19.96 20.16 21.18 20.75 21.06	21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev Page : 90 of 493

LTE Bar	nd 4 hotspot disa	abled full pov	ver		Conducted	Power(dBm)	
Dan duri dth	Madulation	DD =:==	DD affact	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	19957	20175	20393	Tune up
		1	0	23.18	23.68	23.16	24.00
		1	2	23.24	23.65	23.26	24.00
		1	5	23.09	23.54	23.24	24.00
	QPSK	3	0	23.18	23.56	23.20	24.00
		3	2	23.29	23.51	23.27	24.00
		3	3	23.22	23.48	23.24	24.00
		6	0	22.24	22.72	22.10	23.00
		1	0	22.27	22.66	22.12	23.00
		1	2	22.41	22.70	22.53	23.00
		1	5	22.17	22.60	22.27	23.00
1.4MHz	16QAM	3	0	22.26	22.71	22.04	23.00
	 	3	2	22.42	22.50	22.18	23.00
		3	3	22.26	22.92	22.14	23.00
		6	0	21.40	21.69	21.03	22.00
		1	0	20.59	20.69	20.61	22.50
		1	2	20.56	20.55	20.57	22.50
		1	5	20.6	20.68	20.56	22.50
	64QAM	3	0	20.36	20.35	20.27	21.50
		3	2	20.45	20.14	20.19	21.50
		3	3	20.26	20.37	20.32	21.50
		6	0	19.69	19.62	19.61	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune u
Danuwium	Modulation	KD SIZE	KD Ollset	19965	20175	20385	i une u
		1	0	23.06	23.48	23.05	24.00
		1	7	22.97	23.48	23.10	24.00
		1	14	22.96	23.34	23.11	24.00
	QPSK	8	0	22.39	22.54	22.15	23.00
		8	4	22.07	22.66	21.92	23.00
		8	7	22.44	22.51	21.98	23.00
		15	0	22.02	22.59	21.93	23.00
		1	0	22.31	22.55	22.13	23.00
		1	7	22.23	22.92	22.19	23.00
		1	14	22.36	22.53	22.20	23.00
3MHz	16QAM	8	0	21.43	21.62	20.93	22.00
		8	4	21.23	21.70	21.05	22.00
		8	7	21.33	21.53	20.98	22.00
		15	0	21.11	21.56	21.00	22.00
	[1	0	20.84	20.93	20.81	22.50
	[1	7	20.75	20.74	20.99	22.50
	[1	14	20.81	20.79	20.78	22.50
	64QAM	8	0	19.73	19.69	19.68	21.50
	[8	4	19.67	19.69	19.63	21.50
		8	7	19.65	19.63	19.66	21.50
		15	0	19.62	19.63	19.72	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 91 of 493 Page

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Danuwium	Modulation	KD SIZE	KD Ollset	19975	20175	20375	Tune up
		1	0	23.26	23.94	23.32	24.00
		1	13	23.25	23.77	22.98	24.00
		1	24	23.09	23.51	23.14	24.00
	QPSK	12	0	22.09	22.73	22.35	23.00
		12	6	22.22	22.68	21.91	23.00
		12	13	22.36	22.50	21.87	23.00
		25	0	22.34	22.60	21.91	23.00
		1	0	22.18	22.90	22.57	23.00
		1	13	22.33	22.93	22.07	23.00
		1	24	22.17	22.71	22.20	23.00
5MHz	16QAM	12	0	21.27	21.64	21.39	22.00
		12	6	21.32	21.64	20.99	22.00
		12	13	21.40	21.46	20.93	22.00
		25	0	21.38	21.50	20.94	22.00
		1	0	20.87	20.9	20.74	22.50
		1	13	20.82	20.91	20.86	22.50
		1	24	20.84	20.81	20.82	22.50
64Q <i>i</i>	64QAM	12	0	19.70	19.70	19.64	21.50
	0 . 4	12	6	19.64	19.67	19.60	21.50
	Marie	12	13	19.68	19.70	19.65	21.50
		25	0	19.63	19.63	19.68	21.50
5			DD (()	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	20000	20175	20350	Tune up
		1	0	22.32	22.86	22.85	24.00
		1	25	23.14	23.72	23.35	24.00
		1	49	22.87	23.53	22.83	24.00
	QPSK	25	0	22.31	22.66	22.39	23.00
		25	13	22.18	22.57	22.19	23.00
		25	25	22.07	22.31	21.97	23.00
		50	0	22.10	22.48	22.16	23.00
		1	0	21.33	21.78	21.79	23.00
		1	25	22.27	22.90	22.53	23.00
		1	49	21.99	22.59	21.87	23.00
10MHz	16QAM	25	0	21.35	21.57	21.42	22.00
		25	13	21.22	21.50	21.23	22.00
		25	25	21.03	21.23	21.02	22.00
		50	0	21.05	21.36	21.18	22.00
	-	1	0	20.6	20.65	20.65	22.50
				20.68	20.61	20.67	22.50
		1	/		20.01	20.01	22.50
		1	25 49				22 50
	64OAM	1	49	20.73	20.68	20.60	22.50
	64QAM	1 25	49 0	20.73 19.65	20.68 19.67	20.60 19.61	21.50
	64QAM	1	49	20.73	20.68	20.60	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 92 of 493 Page

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danuwium	Wodulation	ND SIZE	KD Ollset	20025	20175	20325	Turie up
		1	0	22.42	23.00	23.11	24.00
		1	38	23.20	23.80	23.40	24.00
		1	74	23.34	23.53	23.10	24.00
	QPSK	36	0	22.22	22.66	22.73	23.00
		36	18	22.22	22.62	22.69	23.00
		36	39	22.23	22.60	22.11	23.00
		75	0	22.21	22.55	22.37	23.00
		1	0	21.54	22.04	22.20	23.00
		1	38	22.31	22.92	22.53	23.00
		1	74	22.43	22.70	22.08	23.00
15MHz	16QAM	36	0	21.23	21.66	21.77	22.00
		36	18	21.16	21.62	21.51	22.00
		36	39	21.18	21.51	21.07	22.00
		75	0	21.17	21.47	21.39	22.00
		1	0	20.61	20.63	20.68	22.50
		1	38	20.62	20.69	20.64	22.50
		1	74	20.64	20.67	20.65	22.50
	64QAM	36	0	19.60	19.63	19.61	21.50
		36	18	19.65	19.68	19.69	21.50
		36	39	19.73	19.75	19.76	21.50
		75	0	19.63	19.64	19.63	21.50
Danish alak		DD -:	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	20050	20175	20300	Tune up
		1	0	22.71	23.18	23.37	24.00
		1	50	23.36	23.70	23.67	24.00
		1	99	23.37	23.42	22.63	24.00
	QPSK	50	0	22.24	22.63	22.88	23.00
		50	25	22.33	22.54	22.68	23.00
		50	50	22.41	22.72	22.26	23.00
		100	0	22.31	22.62	22.77	23.00
		1	0	21.85	21.95	22.45	23.00
		1	50	22.57	22.48	22.92	23.00
		1	99	22.40	22.10	21.90	23.00
20MHz	16QAM	50	0	21.32	21.54	21.84	22.00
		50	25	21.28	21.49	21.60	22.00
		50	50	21.41	21.68	21.31	22.00
		100	0	21.32	21.57	21.64	22.00
		1	0	20.73	20.73	20.73	22.50
	1	1	50	20.70	20.65	20.69	22.50
			99	20.74	20.74	20.68	22.50
		1					
	64QAM	<u>1</u> 50		19.65	19.68	19.64	21.50
	64QAM	50	0	19.65 19.74	19.68 19.72	19.64 19.77	21.50
	64QAM			19.65 19.74 19.77	19.68 19.72 19.73	19.64 19.77 19.74	21.50 21.50 21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01 : 93 of 493 Page

LTE	Band 4 hotspot	actived reduc	ed power	C	Conducted Pov	wer(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danawiatii	Modulation	IND SIZE	TO Oliset	19957	20175	20393	•
		1	0	18.26	18.33	18.32	19.50
		1	2	17.71	18.06	18.03	19.50
		1	5	18.05	18.34	18.33	19.50
	QPSK	3	0	17.98	18.28	18.24	19.50
		3	2	17.84	18.16	18.05	19.50
		3	3	17.72	18.31	18.33	19.50
		6	0	17.77	18.29	18.29	19.50
		1	0	18.32	18.47	18.47	19.50
		1	2	18.20	18.36	18.45	19.50
		1	5	18.3	18.49	18.46	19.50
1.4MHz	16QAM	3	0	17.98	18.31	18.31	19.50
		3	2	18.08	18.16	18.04	19.50
		3	3	18.02	18.28	18.30	19.50
		6	0	17.90	18.31	18.24	19.50
		1	0	18.14	17.95	18.02	19.50
		1	2	18.08	17.97	17.93	19.50
		1	5	18.11	18.12	17.95	19.50
	64QAM	3	0	17.73	17.85	17.87	19.50
	0.00,	3	2	17.75	17.81	17.76	19.50
		3	3	17.74	17.81	17.78	19.50
		6	0	17.75	17.83	17.74	19.50
		-	•	Channel	Channel	Channel	10.00
Bandwidth							
Danawiatii	Modulation	RB size	RB offset				Tune up
Danawiatii	Modulation			19965	20175	20385	•
Dandwidth	Modulation	1	0	19965 17.78	20175 18.32	20385 18.32	19.50
Banawiath	Modulation	1 1	0 7	19965 17.78 17.97	20175 18.32 18.10	20385 18.32 17.94	19.50 19.50
Bandwidth		1 1 1	0 7 14	19965 17.78 17.97 16.38	20175 18.32 18.10 18.31	20385 18.32 17.94 18.31	19.50 19.50 19.50
Bandwidth	QPSK	1 1 1 8	0 7 14 0	19965 17.78 17.97 16.38 17.96	20175 18.32 18.10 18.31 18.27	20385 18.32 17.94 18.31 18.27	19.50 19.50 19.50 19.50
Dandwidth		1 1 1 8 8	0 7 14 0 4	19965 17.78 17.97 16.38 17.96 17.95	20175 18.32 18.10 18.31 18.27 18.29	20385 18.32 17.94 18.31 18.27 18.25	19.50 19.50 19.50 19.50 19.50
Dandwidth		1 1 1 8 8 8	0 7 14 0 4 7	19965 17.78 17.97 16.38 17.96 17.95	20175 18.32 18.10 18.31 18.27 18.29 18.29	20385 18.32 17.94 18.31 18.27 18.25 18.28	19.50 19.50 19.50 19.50 19.50 19.50
Dandwidth		1 1 1 8 8 8 8	0 7 14 0 4 7	19965 17.78 17.97 16.38 17.96 17.95 18.19	20175 18.32 18.10 18.31 18.27 18.29 18.29 18.30	20385 18.32 17.94 18.31 18.27 18.25 18.28 18.27	19.50 19.50 19.50 19.50 19.50 19.50 19.50
Dandwidth		1 1 1 8 8 8 8 15	0 7 14 0 4 7 0	19965 17.78 17.97 16.38 17.96 17.95 18.19 18.2 18.25	20175 18.32 18.10 18.31 18.27 18.29 18.29 18.30 18.47	20385 18.32 17.94 18.31 18.27 18.25 18.28 18.27 18.45	19.50 19.50 19.50 19.50 19.50 19.50 19.50
Bandwidth		1 1 1 8 8 8 8 15 1	0 7 14 0 4 7 0 0	19965 17.78 17.97 16.38 17.96 17.95 18.19 18.2 18.25 17.56	20175 18.32 18.10 18.31 18.27 18.29 18.29 18.30 18.47 18.32	20385 18.32 17.94 18.31 18.27 18.25 18.28 18.27 18.45 18.12	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
	QPSK	1 1 1 8 8 8 8 15 1 1	0 7 14 0 4 7 0 0 0 7	19965 17.78 17.97 16.38 17.96 17.95 18.19 18.2 18.25 17.56 18.28	20175 18.32 18.10 18.31 18.27 18.29 18.29 18.30 18.47 18.32 18.43	20385 18.32 17.94 18.31 18.27 18.25 18.28 18.27 18.45 18.12 18.46	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
3MHz		1 1 1 8 8 8 8 15 1 1 1	0 7 14 0 4 7 0 0 0 7 14	19965 17.78 17.97 16.38 17.96 17.95 18.19 18.2 18.25 17.56 18.28 17.93	20175 18.32 18.10 18.31 18.27 18.29 18.29 18.30 18.47 18.32 18.43 18.31	20385 18.32 17.94 18.31 18.27 18.25 18.28 18.27 18.45 18.12 18.46 18.27	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
	QPSK	1 1 1 8 8 8 8 15 1 1 1 1 8 8	0 7 14 0 4 7 0 0 0 7 14 0	19965 17.78 17.97 16.38 17.96 17.95 18.19 18.2 18.25 17.56 18.28 17.93 18.18	20175 18.32 18.10 18.31 18.27 18.29 18.29 18.30 18.47 18.32 18.43 18.31 18.30	20385 18.32 17.94 18.31 18.27 18.25 18.28 18.27 18.45 18.12 18.46 18.27 18.28	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
	QPSK	1 1 1 8 8 8 8 15 1 1 1 1 8 8	0 7 14 0 4 7 0 0 0 7 14 0 4 7	19965 17.78 17.97 16.38 17.96 17.95 18.19 18.2 18.25 17.56 18.28 17.93 18.18	20175 18.32 18.10 18.31 18.27 18.29 18.29 18.30 18.47 18.32 18.43 18.31 18.30 18.23	20385 18.32 17.94 18.31 18.27 18.25 18.28 18.27 18.45 18.12 18.46 18.27 18.28 18.23	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
	QPSK	1 1 1 8 8 8 15 1 1 1 1 8 8 8	0 7 14 0 4 7 0 0 7 14 0 4 7	19965 17.78 17.97 16.38 17.96 17.95 18.19 18.2 18.25 17.56 18.28 17.93 18.18 18.15 17.95	20175 18.32 18.10 18.31 18.27 18.29 18.29 18.30 18.47 18.32 18.43 18.31 18.30 18.23 18.26	20385 18.32 17.94 18.31 18.27 18.25 18.28 18.27 18.45 18.12 18.46 18.27 18.28 18.23 18.23	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
	QPSK	1 1 1 8 8 8 15 1 1 1 1 8 8 8	0 7 14 0 4 7 0 0 0 7 14 0 4 7	19965 17.78 17.97 16.38 17.96 17.95 18.19 18.2 18.25 17.56 18.28 17.93 18.18 18.15 17.95 17.91	20175 18.32 18.10 18.31 18.27 18.29 18.29 18.30 18.47 18.32 18.43 18.31 18.30 18.23 18.26 17.76	20385 18.32 17.94 18.31 18.27 18.25 18.28 18.27 18.45 18.12 18.46 18.27 18.28 18.23 17.83	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
	QPSK	1 1 1 8 8 8 15 1 1 1 1 8 8 8	0 7 14 0 4 7 0 0 0 7 14 0 4 7 0	19965 17.78 17.97 16.38 17.96 17.95 18.19 18.2 18.25 17.56 18.28 17.93 18.18 18.15 17.95 17.91 17.89	20175 18.32 18.10 18.31 18.27 18.29 18.29 18.30 18.47 18.32 18.43 18.31 18.30 18.23 18.26 17.76 17.78	20385 18.32 17.94 18.31 18.27 18.25 18.28 18.27 18.45 18.12 18.46 18.27 18.28 18.23 17.83 17.74	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
	QPSK 16QAM	1 1 1 8 8 8 8 15 1 1 1 1 8 8 8 15	0 7 14 0 4 7 0 0 0 7 14 0 4 7 0 0 0 7	19965 17.78 17.97 16.38 17.96 17.95 18.19 18.2 18.25 17.56 18.28 17.93 18.18 18.15 17.95 17.91 17.89 17.86	20175 18.32 18.10 18.31 18.27 18.29 18.29 18.30 18.47 18.32 18.43 18.31 18.30 18.23 18.26 17.76 17.78 17.84	20385 18.32 17.94 18.31 18.27 18.25 18.28 18.27 18.45 18.12 18.46 18.27 18.28 18.23 17.83 17.74 17.77	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
	QPSK	1 1 1 8 8 8 8 15 1 1 1 1 8 8 8 15 1 1 1 1	0 7 14 0 4 7 0 0 0 7 14 0 4 7 0 0 0 7	19965 17.78 17.97 16.38 17.96 17.95 18.19 18.2 18.25 17.56 18.28 17.93 18.18 18.15 17.95 17.91 17.89 17.86 17.69	20175 18.32 18.10 18.31 18.27 18.29 18.29 18.30 18.47 18.32 18.43 18.31 18.30 18.23 18.26 17.76 17.78 17.84 17.71	20385 18.32 17.94 18.31 18.27 18.25 18.28 18.27 18.45 18.12 18.46 18.27 18.28 18.23 17.83 17.74 17.77 17.68	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
	QPSK 16QAM	1 1 1 8 8 8 8 15 1 1 1 1 8 8 8 15	0 7 14 0 4 7 0 0 0 7 14 0 4 7 0 0 0 7	19965 17.78 17.97 16.38 17.96 17.95 18.19 18.2 18.25 17.56 18.28 17.93 18.18 18.15 17.95 17.91 17.89 17.86	20175 18.32 18.10 18.31 18.27 18.29 18.29 18.30 18.47 18.32 18.43 18.31 18.30 18.23 18.26 17.76 17.78 17.84	20385 18.32 17.94 18.31 18.27 18.25 18.28 18.27 18.45 18.12 18.46 18.27 18.28 18.23 17.83 17.74 17.77	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 94 of 493 Page

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tung un
Danawiath	Modulation	RD SIZE	KD OIISEL	19975	20175	20375	Tune up
		1	0	18.26	18.33	18.36	19.50
		1	13	18.29	18.37	18.32	19.50
		1	24	18.08	18.27	18.3	19.50
	QPSK	12	0	18.28	18.34	18.40	19.50
		12	6	18.05	18.37	18.33	19.50
		12	13	18.32	18.38	18.34	19.50
		25	0	18.25	18.34	18.30	19.50
		1	0	18.30	18.43	18.47	19.50
		1	13	18.06	18.47	18.46	19.50
		1	24	18.36	18.45	18.45	19.50
5MHz	16QAM	12	0	18.08	18.32	18.33	19.50
		12	6	18.25	18.29	18.22	19.50
		12	13	18.31	18.32	18.32	19.50
		25	0	17.94	18.25	18.26	19.50
		1	0	17.74	17.65	17.67	19.50
		1	13	17.68	17.67	17.73	19.50
		1	24	17.71	17.73	17.76	19.50
	64QAM	12	0	17.55	17.56	17.57	19.50
	O+Q/ (IVI	12	6	17.58	17.59	17.59	19.50
		12	13	17.57	17.57	17.58	19.50
		25	0	17.58	17.61	17.58	19.50
		2.5		Channel	Channel	Channel	13.50
Bandwidth	Modulation	RB size	RB offset	20000	20175	20350	Tune up
		1	0	18,22	18.29	18.29	19.50
		1	25	18.09	17.97	18.15	19.50
		1	49	18.18	18.19	18.23	19.50
	QPSK	25	0	18.29	18.32	18.35	19.50
	QI OIX	25	13	18.27	18.34	18.36	19.50
		25	25	18.24	18.32	18.32	19.50
		50	0	18.26	18.29	18.34	19.50
		1	0	18.48	18.47	18.47	19.50
		1	25	18.09	18.43	18.43	19.50
		1	49	18.46	18.44	18.44	19.50
10MHz	16QAM	25	0	18.20	18.32	18.27	19.50
IUWINZ	IOQAW	25	13	18.00	18.31	18.28	19.50
		25	25	18.20	18.26	18.28	19.50
		50	0	18.16	18.23	18.23	19.50
		1	0	18.03	17.84	17.91	19.50
		1	25	17.97	17.85	17.82	19.50
		1	49	17.96	18.01	17.83	19.50
	64QAM	25	0	17.75	17.75	17.76	19.50
		25	13	17.71	17.71	17.63	19.50
		25 50	25 0	17.73 17.75	17.75 17.73	17.65 17.67	19.50 19.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01 : 95 of 493 Page

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danawiatii	Modulation	ND 3126	ND 01136t	20025	20175	20325	Turie up
		1	0	18.19	18.28	18.27	19.50
		1	38	18.25	18.32	18.30	19.50
		1	74	18.13	18.15	18.17	19.50
	QPSK	36	0	18.27	18.32	18.32	19.50
		36	18	18.28	18.33	18.31	19.50
		36	39	18.26	18.29	18.28	19.50
		75	0	18.25	18.34	18.27	19.50
		1	0	18.37	18.46	18.42	19.50
		1	38	18.49	18.45	18.43	19.50
		1	74	18.35	18.41	18.42	19.50
15MHz	16QAM	36	0	18.21	18.31	18.29	19.50
		36	18	18.23	18.24	18.25	19.50
		36	39	18.16	18.24	18.25	19.50
		75	0	18.19	18.24	18.24	19.50
		1	0	17.97	17.79	17.86	19.50
		1	38	17.95	17.83	17.77	19.50
		1	74	17.94	17.95	17.82	19.50
	64QAM	36	0	17.73	17.73	17.71	19.50
	·	36	18	17.65	17.67	17.63	19.50
		36	39	17.67	17.68	17.65	19.50
		75	0	17.75	17.71	17.62	19.50
D 1 1 1/1	NA 1 1 1		DD " '	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	20050	20175	20300	Tune up
		1	0	18.06	18.20	18.12	19.50
		1	50	17.76	17.72	17.79	19.50
		1	99	18.19	18.26	18.22	19.50
	QPSK	50	0	18.09	18.10	18.07	19.50
		50	25	18.12	18.12	18.09	19.50
		50	50	18.17	18.18	18.17	19.50
		100	0	18.11	18.16	18.10	19.50
		1	0	18.31	18.22	17.91	19.50
		1	50	18.25	17.69	17.85	19.50
				18.50	18.29	18.00	19.50
		1	99	10.50	10.23		
20MHz	16QAM	·	99				19.50
20MHz	16QAM	50	0	17.99	18.01	18.02	19.50 19.50
20MHz	16QAM	50 50	0 25	17.99 17.97	18.01 18.09	18.02 18.04	19.50
20MHz	16QAM	50 50 50	0 25 50	17.99 17.97 18.07	18.01 18.09 18.12	18.02 18.04 17.97	19.50 19.50
20MHz	16QAM	50 50	0 25 50 0	17.99 17.97 18.07 18.01	18.01 18.09 18.12 18.00	18.02 18.04 17.97 18.05	19.50 19.50 19.50
20MHz	16QAM	50 50 50 100 1	0 25 50 0	17.99 17.97 18.07 18.01 18.08	18.01 18.09 18.12 18.00 17.89	18.02 18.04 17.97 18.05 17.96	19.50 19.50 19.50 19.50
20MHz	16QAM	50 50 50 100 1	0 25 50 0 0 50	17.99 17.97 18.07 18.01 18.08 18.02	18.01 18.09 18.12 18.00 17.89 17.91	18.02 18.04 17.97 18.05 17.96 17.87	19.50 19.50 19.50 19.50 19.50
20MHz		50 50 50 100 1 1 1	0 25 50 0 0 50 99	17.99 17.97 18.07 18.01 18.08 18.02 18.04	18.01 18.09 18.12 18.00 17.89 17.91 18.07	18.02 18.04 17.97 18.05 17.96 17.87 17.90	19.50 19.50 19.50 19.50 19.50 19.50
20MHz	16QAM 64QAM	50 50 50 100 1 1 1 1 50	0 25 50 0 0 50 99	17.99 17.97 18.07 18.01 18.08 18.02 18.04 17.82	18.01 18.09 18.12 18.00 17.89 17.91 18.07 17.83	18.02 18.04 17.97 18.05 17.96 17.87 17.90 17.81	19.50 19.50 19.50 19.50 19.50 19.50 19.50
20MHz		50 50 50 100 1 1 1	0 25 50 0 0 50 99	17.99 17.97 18.07 18.01 18.08 18.02 18.04	18.01 18.09 18.12 18.00 17.89 17.91 18.07	18.02 18.04 17.97 18.05 17.96 17.87 17.90	19.50 19.50 19.50 19.50 19.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 96 of 493 Page

LTE B	and 4 sensor on re	duced power			Conduc	ted Power(dE	Bm)
Bandwidth	Modulation	RB size	RB offset	Channel 19957	Channel 20175	Channel 20393	Tune up
		1	0	20.01	20.27	20393	21.50
	1	1	2	20.01	20.27	20.04	21.50
		1	5	19.82	20.27	20.21	21.50
	QPSK	3	0	20.06	20.13	20.24	21.50
	QI SIX	3	2	20.07	20.35	20.24	21.50
		3	3	20.07	20.26	20.32	21.50
	-	6	0	19.99	20.29	20.25	21.50
		1	0	20.22	20.60	20.50	21.50
		1	2	20.27	20.54	20.63	21.50
	-	1	5	20.15	20.51	20.59	21.50
1.4MHz	16QAM	3	0	20.13	20.39	20.23	21.50
1.401112	TOGAW	3	2	20.05	20.42	20.27	21.50
		3	3	20.00	20.28	20.37	21.50
	-	6	0	19.96	20.29	20.24	21.50
		1	0	21.13	21.06	21.15	21.50
		1	2	20.83	21.03	21.03	21.50
		1	5	20.97	20.98	20.94	21.50
	64QAM	3	0	19.79	19.84	19.87	21.50
	019,111	3	2	19.75	19.76	19.78	21.50
		3	3	19.73	19.75	19.71	21.50
		6	0	19.76	19.79	19.75	21.50
			RB	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	offset	19965	20175	20385	Tune up
		1	0	19.93	20.21	20.01	21.50
		1	7	19.92	20.24	20.09	21.50
		1	14	19.86	19.87	20.13	21.50
	QPSK	8	0	20.06	20.33	20.02	21.50
		8	4	19.92	20.26	20.07	21.50
		8	7	19.94	20.09	20.11	21.50
		15	0	19.87	20.19	20.06	21.50
		1	0	20.18	20.51	20.30	21.50
		1	7	20.23	20.56	20.43	21.50
		1	14	20.23	20.21	20.48	21.50
3MHz	16QAM	8	0	20.05	20.33	20.03	21.50
		8	4	19.91	20.26	20.05	21.50
		8	7	19.93	20.11	20.11	21.50
		15	0	19.82	20.17	20.05	21.50
		1	0	21.12	21.23	21.22	21.50
		1	7	21.02	21.22	21.19	21.50
		1	14	21.16	21.17	21.13	21.50
	64QAM	8	0	19.98	20.03	20.06	21.50
		8	4	19.86	19.92	19.93	21.50
		8	7	19.95	19.95	19.85	21.50
	I -	15	0	19.91	19.95	19.92	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 97 of 493 Page

Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
Danuwium	Modulation	KD SIZE	offset	19975	20175	20375	
		1	0	20.14	20.53	20.43	21.50
		1	13	20.08	20.25	20.11	21.50
		1	24	20.11	19.96	20.17	21.50
	QPSK	12	0	20.03	20.42	20.41	21.50
		12	6	20.10	20.30	20.05	21.50
		12	13	20.26	20.06	20.05	21.50
		25	0	20.20	20.21	20.02	21.50
		1	0	20.35	20.89	20.73	21.50
		1	13	20.42	20.62	20.37	21.50
		1	24	20.39	20.21	20.49	21.50
5MHz	16QAM	12	0	20.05	20.41	20.42	21.50
		12	6	20.11	20.31	20.06	21.50
		12	13	20.28	20.05	20.05	21.50
		25	0	20.18	20.15	19.98	21.50
		1	0	21.16	21.09	21.18	21.50
		1	13	20.86	21.06	21.03	21.50
		1	24	21.02	21.01	20.97	21.50
	64QAM	12	0	19.82	19.87	19.92	21.50
		12	6	19.83	19.75	19.83	21.50
		12	13	19.82	19.79	19.74	21.50
		25	0	19.79	19.82	19.81	21.50
Danish dida	Madulation	DD -:	RB	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	offset	20000	20175	20350	Tune up
		1	0	19.14	19.70	19.38	21.50
		1	25	20.21	20.25	20.38	21.50
		1	49	20.04	19.88	19.88	21.50
	QPSK	25	0	20.32	20.50	20.31	21.50
		25	13	20.27	20.24	20.21	21.50
		25	25	20.16	19.87	20.08	21.50
		50	0	20.13	20.16	20.17	21.50
		1	0	19.50	20.05	19.70	21.50
		1	25	20.55	20.53	20.74	21.50
		1	49	20.45	20.34	20.24	21.50
10MHz	16QAM	25	0	20.25	20.44	20.26	21.50
		25	13	20.22	20.20	20.18	21.50
		25	25	20.13	19.81	20.04	21.50
		50	0	20.06	20.10	20.11	21.50
			0	21.21	21.19	21.20	21.50
		1		00.00	21.16	21.13	21.50
		<u> </u>	25	20.96	21.10		
		1	25 49				
	64QAM	1	25 49 0	21.12	21.10	21.07	21.50
	64QAM	1 1 25	49 0	21.12 19.92	21.10 19.97	21.07 20.02	21.50 21.50
	64QAM	1	49	21.12	21.10	21.07	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 98 of 493 Page

Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
Balluwiutii	Modulation	ND SIZE	offset	20025	20175	20325	
		e-1 L	0	19.36	19.94	19.63	21.50
		1	38	20.38	20.22	20.21	21.50
		1	74	20.46	19.92	19.96	21.50
	QPSK	36	0	20.23	20.53	20.36	21.50
		36	18	20.32	20.26	20.31	21.50
		36	39	20.37	20.08	20.03	21.50
		75	0	20.25	20.22	20.23	21.50
		1	0	19.63	20.26	20.00	21.50
		1	38	20.64	20.51	20.52	21.50
		1	74	20.78	20.21	20.27	21.50
15MHz	16QAM	36	0	20.17	20.5	20.33	21.50
		36	18	20.25	20.22	20.28	21.50
		36	39	20.31	20.05	20.00	21.50
		75	0	20.18	20.17	20.17	21.50
		1 0	0	21.12	21.03	21.12	21.50
		10	38	20.83	21.05	20.97	21.50
		1	74	20.94	20.95	20.91	21.50
	64QAM	36	0	19.76	19.81	19.84	21.50
		36	18	19.75	19.73	19.75	21.50
		36	39	19.77	19.72	19.68	21.50
		75	0	19.73	19.76	19.74	21.50
5 1 1 1 1 1 1			RB	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	offset	20050	20175	20300	Tune up
		1	0	20.33	21.00	20.30	21.50
		1	50	20.58	20.22	20.22	21.50
		1	99	20.47	20.18	20.08	21.50
	QPSK	50	0	20.37	20.54	20.42	21.50
		50	25	20.51	20.2	20.24	21.50
		50	50	20.49	20.14	20.15	21.50
		100	0	20.35	20.26	20.36	21.50
		1	0	20.61	21.21	20.60	21.50
		1	50	20.87	20.51	20.52	21.50
		1	99	20.80	20.48	20.40	21.50
20MHz	16QAM	50	0	20.32	20.50	20.44	21.50
		50	25	20.47	20.16	20.21	21.50
		50	50	20.34	20.10	20.11	21.50
		100	0	20.29	20.22	20.30	21.50
		1	0	21.20	21.13	21.22	21.50
		1	50	20.90	21.10	21.07	21.50
		1	99	21.04	21.05	21.01	21.50
	64QAM	50	0	19.86	19.91	19.94	21.50
	O-TQ/NIVI	50	25	19.84	19.83	19.85	21.50
		50	50	19.86	19.83	19.78	21.50
							21.50
		100	0	19.86	19.83	19.78	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01 : 99 of 493 Page

	LTE Band 5	5		Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
Danawiatii	Wodulation	ND SIZE	IND Offset	20407	20525	20643	Turie up	
		1	0	23.56	23.16	23.02	24.00	
		1	2	23.48	23.11	23.12	24.00	
		1	5	23.14	23.20	23.00	24.00	
	QPSK	3	0	23.18	23.14	23.11	24.00	
		3	2	23.45	23.14	23.10	24.00	
		3	3	23.44	23.17	23.04	24.00	
		6	0	22.42	22.15	22.17	23.00	
		1	0	22.71	22.36	22.20	23.00	
		1	2	22.79	22.38	22.34	23.00	
		1	5	22.63	22.36	22.37	23.00	
1.4MHz	16QAM	3	0	22.41	22.13	22.27	23.00	
		3	2	22.46	22.13	22.23	23.00	
		3	3	22.47	22.10	22.21	23.00	
		6	0	21.61	21.29	21.23	22.00	
		1	0	22.21	22.05	22.05	22.50	
		1	2	22.12	22.07	21.97	22.50	
		1	5	21.73	21.85	21.78	22.50	
	64QAM	3	0	22.23	21.97	22.15	22.50	
		3	2	22.25	22.15	21.95	22.50	
		3	3	21.76	21.89	21.74	22.50	
		6	0	20.63	20.45	20.57	21.50	
			55 (6)	Channel	Channel	Channel		
Bandwidth	Modulation	RB size	RB offset	20415	20525	20635	Tune up	
		1	0	23.57	23.24	22.99	24.00	
		1	7	23.56	23.19	23.15	24.00	
		1	14	23.40	23.23	23.03	24.00	
	QPSK	8	0	22.38	22.28	22.00	23.00	
	<u> </u>	8	4	22.36	22.23	22.20	23.00	
		8	7	22.29	22.17	22.22	23.00	
		15	0	22.34	22.24	22.22	23.00	
		1	0	22.76	22.37	22.10	23.00	
		1	7	22.66	22.29	22.24	23.00	
		1	14	22.52	22.37	22.19	23.00	
3MHz	16QAM	8	0	21.54	21.37	21.11	22.00	
OHII IZ	ΙΟΘΛΙΝΙ	8	4	21.53	21.29	21.10	22.00	
	\	8	7	21.47	21.25	21.12	22.00	
		15	0	21.50	21.30	21.08	22.00	
	-	1	0	22.31	21.95	22.15	22.50	
		1	7	22.17	22.11	21.97	22.50	
		1	14		21.89	21.67	22.50	
	64001			21.85	20.63			
	64QAM	8	0	20.83		20.64	21.50	
	1	8	4	20.35	20.45	20.47	21.50	
		8	7	20.21	20.58	20.33	21.50	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 100 of 493 Page

Madulation	DD size	DD offeet	Channel	Channel	Channel	T
Modulation	RB Size	RB offset	20425	20525	20625	Tune up
	1	0	23.81	23.08	23.00	24.00
	1	13	23.55	23.07	22.98	24.00
	1	24	23.32	23.03	22.91	24.00
QPSK	12	0		22.03	22.21	23.00
	12	6	22.53	22.07	22.14	23.00
	12	13	22.46	22.30	22.07	23.00
	25	0		21.97	22.13	23.00
	1	0	22.85	22.46	22.30	23.00
	1	13	22.70	22.38	22.19	23.00
	1					23.00
16QAM	12	0				22.00
		6				22.00
						22.00
						22.00
						22.50
						22.50
						22.50
64QAM						21.50
0 10, 111						21.50
						21.50
						21.50
		_				
Modulation	RB size	RB offset				Tune up
	1	0				24.00
	1	25				24.00
	1					24.00
QPSK	25					23.00
Q. 0. t						23.00
						23.00
						23.00
						23.00
						23.00
						23.00
16QAM						22.00
						22.00
						22.00
						22.00
						22.50
				-		22.50
		+				22.50
64QAM	25	0	20.89	20.57	20.69	21.50
U+Q/NIVI				20.45	20.49	21.50
	- 76					
	25 25	13 25	20.37	20.43	20.34	21.50
	16QAM 64QAM Modulation QPSK 16QAM	QPSK 12 12 12 12 12 12 12 12 12 12 12 15 11 11 11 11 11 11 11 11 11 11 11 11	1	Modulation RB size RB offset 20425 1	About a color of the color of	Nodulation RB size RB offset 20425 20525 20625 20625

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 101 of 493 Page

	LTE Band 7 full	oower			Conducte	d Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Danawiath	iviodulation	KD SIZE	RD Ollset	20775	21100	21425	Tune up
		1	0	22.46	22.55	22.07	23.50
		1	13	22.18	22.36	21.99	23.50
		1	24	22.10	22.17	22.11	23.50
	QPSK	12	0	21.42	21.64	21.16	22.50
		12	6	21.35	21.61	21.21	22.50
		12	13	21.13	21.39	21.18	22.50
		25	0	21.26	21.45	21.19	22.50
		1	0	21.53	21.62	21.24	22.50
		1	13	21.31	21.53	21.24	22.50
		1	24	21.19	21.34	21.29	22.50
5MHz	16QAM	12	0	20.38	20.54	20.32	21.50
		12	6	20.33	20.53	20.30	21.50
		12	13	20.20	20.46	20.28	21.50
		25	0	20.19	20.46	20.26	21.50
		1	0	20.26	20.42	20.26	22.00
		1	13	20.29	20.28	20.34	22.00
		1	24	20.35	20.24	20.32	22.00
	64QAM	12	0	19.32	19.31	19.32	21.00
	0.107.111	12	6	19.20	19.23	19.27	21.00
		12	13	19.28	19.27	19.32	21.00
		25	0	19.24	19.23	19.29	21.00
				Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	20800	21100	21400	Tune up
		1	0	22.55	22.47	22.19	23.50
		1	25	22.95	23.08	22.67	23.50
		1	49	22.29	22.35	22.30	23.50
	QPSK	25	0	21.34	21.56	21.05	22.50
	α. σ. τ	25	13	21.32	21.39	21.03	22.50
		25	25	21.20	21.39	21.00	22.50
		50	0	21.02	21.51	21.13	22.50
		1	0	21.77	21.80	21.17	22.50
		1	25	22.24	22.49	21.80	22.50
		1	49	21.49	21.80	21.40	22.50
10MHz	16QAM	25	0	20.37	20.47	20.02	21.50
	1000	25	13	20.29	20.44	20.06	21.50
		25	25	20.12	20.32	20.05	21.50
		50	0	20.02	20.39	20.21	21.50
		1	0	20.02	20.39	20.34	22.00
		1	25	20.27	20.22	20.28	22.00
		1	49	20.27	20.25	20.24	22.00
	64QAM	25	0	19.83	19.84	19.86	21.00
	UHQAIVI	25	13	19.65	19.82	19.80	21.00
	1						21.00
		25	25	19.81	19.82	19.79	04 ()()

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 102 of 493 Page

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tung up
Danawiath	Modulation	KD SIZE	Rb oliset	20825	21100	21375	Tune up
		1	0	22.47	22.19	22.12	23.50
		1	38	22.15	22.47	21.77	23.50
		1	74	22.05	22.21	21.99	23.50
	QPSK	36	0	21.27	21.44	21.23	22.50
		36	18	21.39	21.52	21.00	22.50
		36	39	21.41	21.36	21.06	22.50
		75	0	21.19	21.46	21.16	22.50
		1	0	21.47	21.30	21.33	22.50
		1	38	21.31	21.68	21.04	22.50
		1	74	21.22	21.44	21.29	22.50
15MHz	16QAM	36	0	20.19	20.52	20.25	21.50
		36	18	20.32	20.44	20.05	21.50
		36	39	20.36	20.42	20.20	21.50
		75	0	20.20	20.35	20.14	21.50
		1	0	20.72	20.74	20.71	22.00
	64QAM	1	38	20.78	20.78	20.73	22.00
		1	74	20.75	20.75	20.75	22.00
		36	0	20.08	20.11	20.12	21.00
		36	18	20.04	20.09	20.13	21.00
		36	39	19.98	20.01	20.17	21.00
		75	0	20.06	20.03	20.09	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	
Danawiath	iviodulation	KD SIZE	Rb oliset	20850	21100	21350	Tune up
		1	0	22.14	22.25	21.96	23.50
		1	50	22.11	22.35	21.88	23.50
		1	99	22.20	22.46	22.29	23.50
	QPSK	50	0	21.34	21.50	21.26	22.50
		50	25	21.42	21.43	21.18	22.50
		50	50	21.11	21.38	21.10	22.50
		100	0	21.16	21.44	21.11	22.50
		1	0	21.40	21.46	21.17	22.50
		1	50	21.45	21.60	21.21	22.50
		1	99	21.45	21.80	21.51	22.50
20MHz	16QAM	50	0	20.25	20.49	20.36	21.50
		50	25	20.42	20.47	20.23	21.50
	\	50	50	20.06	20.33	20.13	21.50
		100	0	20.09	20.45	20.09	21.50
		1	0	20.84	20.86	20.82	22.00
		1	50	20.89	20.83	20.85	22.00
		1	99	20.87	20.89	20.84	22.00
	64QAM	50	0	20.20	20.23	20.24	21.00
		50	25	20.16	20.14	20.12	21.00
		50	50	20.10	20.13	20.15	21.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 103 of 493 Page

LTE I	Band 7 hotspot	actived reduc	ed power	Conducted Power(dBm)					
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun		
Danawiath	Modulation	RD SIZE	KD Ollset	20775	21100	21425	Tune up		
		1	0	17.94	17.90	17.90	18.50		
		1	13	17.99	17.95	17.93	18.50		
		1	24	17.97	17.96	17.89	18.50		
	QPSK	12	0	17.98	17.94	17.90	18.50		
		12	6	17.94	17.92	17.86	18.50		
		12	13	18.01	17.96	17.93	18.50		
		25	0	17.97	17.95	17.88	18.50		
		1	0	18.16	18.19	18.13	18.50		
		1	13	18.25	18.17	18.20	18.50		
		1	24	18.28	18.14	18.19	18.50		
5MHz	16QAM	12	0	17.94	17.92	17.90	18.50		
		12	6	17.90	17.89	17.90	18.50		
		12	13	18.00	17.97	17.93	18.50		
		25	0	17.92	17.88	17.83	18.50		
		1	0	16.98	17.02	16.95	18.50		
		1	13	17.01	16.75	16.78	18.50		
		1	24	16.89	16.92	16.85	18.50		
	64QAM	12	0	16.75	16.75	16.75	18.50		
	0.00,000	12	6	16.73	16.68	16.67	18.50		
		12	13	16.71	16.73	16.66	18.50		
		25	0	16.75	16.69	16.71	18.50		
			RB offset	Channel	Channel	Channel	Tune up		
Bandwidth	Modulation	RB size		20800	21100	21400			
	<i>y</i>	1	0	17.89	17.87	17.84	18.50		
		1	25	17.69	17.70	17.55	18.50		
		1	49	17.96	17.92	17.86	18.50		
	QPSK	25	0	17.99	17.93	17.92	18.50		
		25	13	17.99	17.90	17.94	18.50		
		25	25	18.03	17.92	17.91	18.50		
		50	0	17.97	17.90	17.88	18.50		
		1	0	18.27	18.25	18.14	18.50		
		1	25	18.22	18.00	18.09	18.50		
		1	49	18.24	18.23	18.19	18.50		
10MHz	16QAM	25	0	17.92	17.87	17.81	18.50		
10111112	100/11/1	25	13	17.94	17.89	17.84	18.50		
		25	25	17.98	17.91	17.88	18.50		
	A CONTRACTOR OF THE PROPERTY O	50	0	17.90	17.84	17.81	18.50		
		1	0	17.90	17.04	17.13	18.50		
		1	25	17.14	16.88	16.92	18.50		
		1	49	17.14	17.05	16.92	18.50		
			43						
	64001		0	16 95	16 99	16 00			
	64QAM	25	0	16.85	16.88	16.88	18.50		
	64QAM		0 13 25	16.85 16.86 16.87	16.88 16.83 16.85	16.88 16.82 16.79	18.50 18.50 18.50		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 104 of 493 Page

Daniel alde	NA - alvel - til - a	DD -:	DD -#	Channel	Channel	Channel	Tues
Bandwidth	Modulation	RB size	RB offset	20825	21100	21375	Tune up
		1	0	17.86	17.87	17.81	18.50
		1	38	17.97	17.92	17.92	18.50
		1	74	17.93	17.94	17.88	18.50
	QPSK	36	0	18.01	17.98	17.90	18.50
		36	18	18.01	17.94	17.93	18.50
		36	39	17.99	17.98	17.93	18.50
		75	0	17.95	17.94	17.93	18.50
		1	0	18.12	18.14	18.08	18.50
		1	38	18.27	18.19	18.18	18.50
		1	74	18.19	18.10	18.20	18.50
15MHz	16QAM	36	0	17.94	17.91	17.85	18.50
		36	18	17.94	17.88	17.87	18.50
		36	39	17.96	17.92	17.91	18.50
		75	0	17.88	17.86	17.87	18.50
		1	0	17.08	17.12	17.07	18.50
		1	38	17.11	16.85	16.88	18.50
	64QAM	1	74	16.99	17.03	16.93	18.50
		36	0	16.85	16.85	16.85	18.50
		36	18	16.83	16.73	16.79	18.50
		36	39	16.82	16.75	16.76	18.50
		75	0	16.83	16.79	16.83	18.50
			•	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	20850	21100	21350	Tune up
		1	0	17.10	17.75	17.76	18.50
		1	50	17.69	17.48	17.14	18.50
	QPSK	1	99	17.85	17.87	17.92	18.50
		50	0	17.74	17.75	17.74	18.50
	Qi Oit	50	25	17.71	17.74	17.70	18.50
		50	50	17.70	17.75	17.75	18.50
		100	0	17.75	17.75	17.70	18.50
		1	0	17.68	18.04	17.84	18.50
		1	50	17.58	17.85	17.41	18.50
		1	99	17.85	18.07	17.91	18.50
20MHz	16QAM	50	0	17.66	17.69	17.68	18.50
20111112	TOQAW	50	25	17.64	17.68	17.64	18.50
		50	50	17.73	17.71	17.70	18.50
		100	0	17.68	17.68	17.70	18.50
		1	0	17.19	17.00	17.07	18.50
		1					
			50 99	17.22	16.96	16.99	18.50
	640044	1		17.10	17.13	17.03	18.50
	64QAM	50	0	16.96	16.96	16.96	18.50
		50	25	16.94	16.89	16.90	18.50
		50 100	50 0	16.91 16.91	16.89 16.90	16.87 16.92	18.50 18.50
	1			16 01		1 (1.)	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 105 of 493 Page

LTE Band 7 sensor on reduced power					Conducted Power(dBm)					
Modulation	RB size	RB	Channel	Channel	Channel	Tune up				
	1					22.50				
T				1		22.50				
-						22.50				
OPSK	•					22.50				
Q OIL						22.50				
						22.50				
						22.50				
						22.50				
						22.50				
	1					22.50				
16QAM	12					21.50				
	12	6	20.59	20.51	20.55	21.50				
	12			20.59		21.50				
		_		1		21.50				
	1	0	20.60	20.55	20.59	22.00				
	1	13	20.24	20.36	20.28	22.00				
64QAM	1	24	20.46	20.39	20.42	22.00				
	12	0	19.37	19.25	19.35	21.00				
	12	6	19.24	19.27	19.24	21.00				
	12	13	19.35	19.29	19.26	21.00				
	25	0	19.35	19.22	19.24	21.00				
Modulation	DP oizo	RB	Channel	Channel	Channel	Tungun				
Modulation	KD SIZE	offset	20800	21100	21400	Tune up				
	1	0		21.83	21.68	22.50				
	1	25	21.45	21.44	21.54	22.50				
	1	49		21.89	21.61	22.50				
QPSK						22.50				
						22.50				
						22.50				
	50	0				22.50				
	1					22.50				
						22.50				
		_				22.50				
16QAM						21.50				
		_				21.50				
						21.50				
						21.50				
						22.00				
1						22.00				
						22.00				
64QAM	25	0	19.43	19.35	19.41	21.00				
I OTGAINI L										
O+QAWI	25 25	13 25	19.34 19.45	19.37 19.39	19.34 19.36	21.00 21.00				
	Modulation QPSK 16QAM	Modulation RB size 1	Modulation RB size Offset	Modulation RB size Offset 20775	Modulation RB size offset offset offset confused Channel channel confused Channel confused Channel confused 1 0 21.62 21.73 1 13 21.65 21.34 1 24 21.74 21.79 12 6 21.62 21.65 12 6 21.62 21.65 12 13 21.64 21.74 25 0 21.63 21.62 1 1 0 21.79 21.62 1 1 13 21.60 21.42 1 24 22.07 21.86 1 1 24 22.07 21.86 1 1 24 22.07 21.86 12 6 20.59 20.51 12 13 20.59 20.51 12 13 20.59 20.59 25 0 20.60 20.55 1 0 20.60	Modulation RB size RB offset Channel 20775 Channel 21100 Channel 21425 1 0 21.62 21.73 21.58 1 1 3 21.65 21.34 21.44 1 1 24 21.74 21.79 21.51 QPSK 12 0 21.63 21.65 21.53 12 6 21.62 21.64 21.90 12 13 21.64 21.90 21.62 21.64 21.90 12 13 21.64 21.79 21.62 21.52 21.61 21.62 21.62 21.61 21.62 21.52 21.52 21.52 21.52 21.52 21.52 21.52 21.52 21.52 21.62 21.62 21.62 21.62 21.62 21.62 21.62 21.62 21.62 21.62 21.62 21.62 21.52 21.33 21.62 21.52 21.33 21.62 21.61 21.52 21.52 21.52 21.5				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 106 of 493 Page

Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tuna
Bandwidth	Modulation	RB SIZE	offset	20825	21100	21375	Tune up
		1	0	21.76	21.87	21.72	22.50
		1	38	21.48	21.53	21.58	22.50
	QPSK	1	74	21.88	21.93	21.75	22.50
		36	0	21.79	21.79	21.73	22.50
		36	18	21.76	21.78	21.75	22.50
		36	39	21.80	21.85	21.76	22.50
		75	0	21.77	21.77	21.75	22.50
		1	0	21.93	21.76	21.66	22.50
		1	38	21.74	21.56	21.47	22.50
		1	74	22.19	21.95	21.62	22.50
15MHz	16QAM	36	0	20.69	20.75	20.65	21.50
		36	18	20.63	20.65	20.67	21.50
		36	39	20.73	20.73	20.67	21.50
		75	0	20.74	20.69	20.68	21.50
		1	0	20.74	20.69	20.73	22.00
	64QAM	1	38	20.38	20.50	20.42	22.00
		1	74	20.60	20.53	20.56	22.00
		36	0	19.47	19.39	19.45	21.00
		36	18	19.38	19.34	19.35	21.00
		36	39	19.49	19.35	19.40	21.00
		75	0	19.45	19.35	19.38	21.00
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tung up
Danuwium	iviodulation	KD SIZE	offset	20850	21100	21350	Tune up
		1	0	21.83	21.94	21.79	22.50
		1	50	21.45	21.60	21.64	22.50
		1	99	21.95	21.98	21.82	22.50
	QPSK	50	0	21.86	21.86	21.80	22.50
		50	25	21.83	21.85	21.82	22.50
		50	50	21.87	21.90	21.83	22.50
		100	0	21.84	21.84	21.82	22.50
		1	0	22.00	21.83	21.73	22.50
		1	50	21.78	21.63	21.49	22.50
		1	99	22.16	22.02	21.69	22.50
20MHz	16QAM	50	0	20.76	20.79	20.72	21.50
		50	25	20.70	20.72	20.74	21.50
		50	50	20.80	20.80	20.74	21.50
		100	0	20.81	20.76	20.75	21.50
		1	0	20.81	20.76	20.77	22.00
	Ţ	1	50	20.45	20.57	20.45	22.00
	Ţ	1	99	20.67	20.60	20.63	22.00
	64QAM	50	0	19.49	19.46	19.51	21.00
	·	50	25	19.45	19.45	19.42	21.00
16		50	50	19.56	19.44	19.47	21.00
		5 0	J JU	10.00	10.77		21.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



: 01 Rev

: 107 of 493 Page

	LTE FDD Band	i 12		Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel 23017	Channel 23095	Channel 23173	Tune up	
		1	0	22.93	23.31	23.38	24.00	
		1	2	22.82	23.34	23.26	24.00	
		1	5	23.32	23.89	23.26	24.00	
	QPSK	3	0	22.92	23.27	23.23	24.00	
	QFSK	3	2	22.80	23.29	23.21	24.00	
	\ \	3	3	22.82	23.45	22.95	24.00	
		6	0	21.74	22.17	22.93	23.00	
		1	0	22.03	22.29	22.57	23.00	
		1	2	21.92	22.29	22.42	23.00	
		1	5	22.38	22.88	22.42	23.00	
1.4MHz	16001							
1.4WITZ	16QAM	3	0 2	21.77	22.19	22.23	23.00	
		3		21.69	22.24	22.17	23.00	
		3	3	21.69	22.29	21.88	23.00	
		6	0	20.72	21.17	21.26	22.00	
		1	0	21.45	21.38	22.35	22.50	
		1	2	21.06	22.15	21.34	22.50	
	64QAM	1	5	22.09	20.89	21.43	22.50	
		3	0	21.42	21.34	22.38	22.50	
		3	2	21.10	22.16	21.35	22.50	
		3	3	22.05	20.85	21.37	22.50	
		6	0	20.16	20.15	20.17	21.50	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				23025	23095	23165	·	
		1	0	23.14	23.29	23.18	24.00	
		1	7	23.33	23.91	23.94	24.00	
	0.7017	1	14	22.96	23.87	23.37	24.00	
	QPSK	8	0	21.65	22.18	22.54	23.00	
		8	4	21.51	22.18	22.37	23.00	
		8	7	21.86	22.98	22.66	23.00	
		15	0	21.38	22.28	22.10	23.00	
		1	0	22.19	22.38	22.27	23.00	
		1	7	22.54	22.94	23.41	23.00	
		1	14	22.15	22.91	22.57	23.00	
3MHz	16QAM	8	0	20.68	21.28	21.71	22.00	
		8	4	20.62	21.27	21.66	22.00	
		8	7	20.96	22.03	21.85	22.00	
		15	0	20.45	21.33	21.24	22.00	
		1	0	21.48	21.41	22.41	22.50	
		1	7	21.05	22.15	21.43	22.50	
		1	14	22.12	20.92	21.57	22.50	
	64QAM	8	0	20.11	20.97	21.05	21.50	
		8	4	20.07	20.89	19.81	21.50	
		8	7	20.17	19.87	20.23	21.50	
		15	0	20.19	20.21	20.18	21.50	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 108 of 493 Page

Dandwidth	Modulation	DP size	RB	Channel	Channel	Channel	Tuna un
Bandwidth	Modulation	RB size	offset	23035	23095	23155	Tune up
		1	0	23.61	23.25	22.96	24.00
		1	13	23.28	23.92	23.90	24.00
		1	24	23.24	23.91	23.63	24.00
	QPSK	12	0	22.23	22.55	22.27	23.00
	α. σ. τ	12	6	22.07	22.97	22.82	23.00
		12	13	22.14	22.94	22.91	23.00
		25	0	22.07	22.94	22.71	23.00
		1	0	22.66	22.15	22.08	23.00
		1	13	22.43	22.95	22.97	23.00
		1	24	22.18	22.94	22.74	23.00
5MHz	16QAM	12	0	21.11	21.47	21.33	22.00
		12	6	20.93	21.87	21.86	22.00
		12	13	21.04	21.88	21.92	22.00
		25	0	20.92	21.85	21.73	22.00
		1	0	21.48	21.41	22.48	22.50
		1	13	21.05	22.15	21.32	22.50
	64QAM	1	24	22.12	20.92	21.81	22.50
		12	0	20.11	20.97	21.22	21.50
		12	6	20.07	20.89	19.75	21.50
		12	13	20.17	19.87	20.24	21.50
		25	0	20.19	20.21	20.22	21.50
			RB	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	offset	23060	23095	23130	Tune up
		1	0	23.30	23.02	23.98	24.00
		1	25	22.99	23.88	22.82	24.00
		1	49	23.70	22.69	23.36	24.00
	QPSK	25	0	21.92	22.66	22.67	23.00
		25	13	21.99	22.25	21.39	23.00
		25	25	21.87	21.59	21.97	23.00
		50	0	21.93	21.86	21.91	23.00
		1	0	22.51	22.30	22.91	23.00
		1	25	22.01	22.90	21.96	23.00
	No.	1	49	22.79	21.70	22.42	23.00
10MHz	16QAM	25	0	20.99	21.67	21.68	22.00
		25	13	21.18	21.29	20.40	22.00
		25	25	21.08	20.55	20.97	22.00
		50	0	21.11	20.94	20.89	22.00
		1	0	21.59	21.43	22.48	22.50
		1	25	21.11	22.18	21.22	22.50
		1	49	22.06	20.86	21.81	22.50
	64QAM	25	0	20.05	20.87	21.18	21.50
	0.50,00	25	13	20.13	20.69	19.69	21.50
					19.82	20.24	21.50
		25	25	20.25	1987	/() /4	/ / / / / /

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 109 of 493 Page

	LTE FDD Band	i 17			Conducted	d Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel 23825	Tune up
		1	0	23755	23790		-
		1	13	22.82	22.85 22.74	22.60	24.00
		1	24	22.82 23.22	23.83	23.65 22.75	24.00
	QPSK	12	0	22.36	22.91	22.83	23.00
	QFSK	12		22.73	22.76	22.84	23.00
		12	6 13	22.79	22.76	22.58	23.00
		25	0	22.44	22.85	22.86	23.00
		+	0		22.86	22.00	
		1	13	22.29 22.49	21.90	22.14	23.00
							_
EMU-	160 4 4 4	1	24	22.87	22.63	22.34	23.00
5MHz	16QAM	12	0	21.38	21.89	21.83	22.00
		12	6	21.59	21.45	21.91	22.00
		12	13	21.65	21.27	21.36	22.00
		25	0	21.68	21.58	21.91	22.00
		1	0	22.39	22.36	22.45	22.50
		1	13	22.40	21.41	21.34	22.50
		1	24	22.41	22.29	22.27	22.50
	64QAM	12	0	22.43	22.24	22.21	22.50
		12	6	22.12	22.17	22.26	22.50
		12	13	22.25	22.24	22.35	22.50
		25	0	21.32	21.34	21.27	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				23780	23790	23800	·
		1	0	23.44	23.42	23.74	24.00
		1	25	23.69	23.18	23.41	24.00
		1	49	23.98	23.84	22.93	24.00
	QPSK	25	0	22.91	22.79	22.69	23.00
		25	13	22.69	22.86	22.91	23.00
		25	25	22.98	22.68	22.92	23.00
		50	0	22.97	22.93	22.96	23.00
		1	0	22.97	22.99	22.92	23.00
		1	25	22.95	22.81	22.97	23.00
		1	49	22.96	22.94	22.65	23.00
10MHz	16QAM	25	0	21.81	21.74	21.91	22.00
		25	13	21.48	21.59	21.83	22.00
		25	25	21.71	21.70	21.83	22.00
	\	50	0	21.70	21.74	21.76	22.00
		1	0	22.41	22.34	22.46	22.50
		1	25	22.42	21.83	22.06	22.50
	1	1	49	22.44	22.41	22.39	22.50
	64QAM	25	0	21.42	21.36	21.33	21.50
		25	13	21.24	21.29	21.38	21.50
		25	25	21.37	21.36	21.37	21.50
		50	0	21.44	21.46	21.39	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 110 of 493 Page

	LTE FDD Band	1 26			Conducte	d Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danuwidin	Modulation	ND SIZE	ND Oliset	26697	26865	27033	Turie up
		1	0	22.61	22.91	22.72	24.00
		1	2	22.78	22.87	22.84	24.00
		1	5	22.83	22.83	22.81	24.00
	QPSK	3	0	22.71	22.90	22.82	24.00
		3	2	22.77	22.89	22.82	24.00
		3	3	22.86	22.87	22.87	24.00
		6	0	21.98	22.01	22.02	23.00
		1	0	22.01	22.20	21.99	23.00
		1	2	22.16	22.20	22.12	23.00
		1	5	22.20	22.17	22.23	23.00
1.4MHz	16QAM	3	0	21.84	22.02	21.87	23.00
		3	2	21.92	21.97	21.88	23.00
		3	3	22.00	21.96	22.08	23.00
		6	0	21.02	20.93	21.12	22.00
		1	0	21.43	21.57	21.25	22.50
		1	2	21.75	21.27	21.20	22.50
		1	5	21.33	21.15	21.25	22.50
	64QAM	3	0	21.45	21.51	21.27	22.50
		3	2	21.67	21.22	21.23	22.50
		3	3	21.31	21.17	21.26	22.50
		6	0	20.15	20.13	20.21	21.50
D. 1.141	NA 116	DD :	DD (()	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	26705	26865	27025	Tune up
		1	0	22.54	22.94	22.53	24.00
		1	7	22.99	22.88	22.81	24.00
		1	14	22.87	22.78	22.70	24.00
	QPSK	8	0	21.99	22.05	21.88	23.00
		8	4	22.15	22.00	21.86	23.00
		8	7	22.16	21.94	21.99	23.00
		15	0	22.08	22.01	21.85	23.00
		1	0	21.90	22.20	21.90	23.00
		1	7	22.39	22.18	22.09	23.00
		1	14	22.29	22.00	22.05	23.00
3MHz	16QAM	8	0	21.11	20.93	20.77	22.00
		8	4	21.27	20.87	20.92	22.00
		8	7	21.17	20.83	21.04	22.00
		15	0	21.05	20.86	20.87	22.00
		1	0	21.36	21.50	21.18	22.50
		1	7	21.69	21.20	21.13	22.50
	\	1	14	21.26	21.08	21.18	22.50
	64QAM	8	0	20.31	20.21	20.25	21.50
	J 1 307 1171	8	4	20.15	20.11	20.17	21.50
		8	7	20.14	20.12	20.15	21.50
		15	0	20.14	20.06	20.18	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 111 of 493

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Danawiath	Modulation	KD SIZE	KD Ollset	26715	26865	27015	Tune up
		1	0	22.65	23.02	22.64	24.00
		1	13	23.04	22.83	22.80	24.00
		1	24	22.92	22.86	22.70	24.00
	QPSK	12	0	22.11	22.12	21.90	23.00
		12	6	22.24	22.02	21.87	23.00
		12	13	22.27	21.98	21.83	23.00
		25	0	22.19	22.15	21.97	23.00
		1	0	22.11	22.42	21.92	23.00
		1	13	22.48	22.23	22.11	23.00
		1	24	22.37	22.24	22.09	23.00
5MHz	16QAM	12	0	21.21	21.11	20.78	22.00
		12	6	21.35	21.02	20.75	22.00
		12	13	21.37	20.86	20.84	22.00
		25	0	21.27	21.01	20.84	22.00
		1	0	21.41	21.55	21.23	22.50
		1	13	21.73	21.25	21.13	22.50
		1	24	21.25	21.13	21.23	22.50
	64QAM	12	0	20.36	20.25	20.30	21.50
		12	6	20.12	20.16	20.22	21.50
		12	13	20.16	20.17	20.15	21.50
		25	0	20.12	20.09	20.17	21.50
Dan decidab	Marabalatian		DD -#+	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	26750	26865	26990	Tune up
		1	0	22.97	23.07	23.08	24.00
		1	25	23.70	23.54	23.57	24.00
		1	49	23.41	23.40	23.03	24.00
	QPSK	25	0	22.19	22.20	22.02	23.00
		25	13	22.03	22.21	22.04	23.00
		25	25	22.05	21.98	22.00	23.00
		50	0	22.24	22.15	22.26	23.00
		1	0	22.36	22.37	22.24	23.00
		1	25	22.86	22.88	22.92	23.00
		1	49	22.77	22.60	22.46	23.00
10MHz	16QAM	25	0	21.22	21.09	21.05	22.00
		25	13	21.19	21.10	20.92	22.00
		25	25	21.07	20.88	20.91	22.00
		50	0	21.29	21.04	21.16	22.00
		1	0	21.57	21.67	21.35	22.50
		1	25	21.84	21.37	21.27	22.50
30		1	49	21.32	21.23	21.35	22.50
	64OAM	25	0	20.50	20.34	20.42	21.50
	64QAM						
	04QAW	25	1 13 I	2027	/U /X	7().34	71.50
	04QAW	25 25	13 25	20.27 20.28	20.28	20.34 20.26	21.50 21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 112 of 493

Don duridth	Madulation	DD size	DD offeet	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RB size	RB offset	26775	26865	26965	Tune up
		1	0	23.25	23.51	23.25	24.00
		1	38	23.33	22.89	23.05	24.00
		1	74	22.84	22.95	22.64	24.00
	QPSK	36	0	22.25	22.26	22.24	23.00
		36	18	22.20	22.26	21.97	23.00
		36	39	22.31	22.22	22.22	23.00
		75	0	22.15	22.27	22.29	23.00
		1	0	22.63	22.75	22.55	23.00
		1	38	22.73	22.26	22.16	23.00
	16QAM	1	74	22.20	22.42	21.95	23.00
15MHz		36	0	21.52	21.22	21.30	22.00
		36	18	21.28	21.09	20.98	22.00
		36	39	21.27	21.07	21.08	22.00
		75	0	21.10	21.11	21.14	22.00
		1	0	21.68	21.78	21.46	22.50
		1	38	21.95	21.28	21.35	22.50
		1	74	21.23	21.34	21.11	22.50
	64QAM	36	0	20.61	20.45	20.53	21.50
		36	18	20.36	20.29	20.15	21.50
		36	39	20.39	20.28	20.27	21.50
		75	0	20.19	20.31	20.35	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 113 of 493

	LTE Band 3	8			Conducte	d Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tung un
bandwidth	Modulation	RD SIZE	KB Ollset	37775	38000	38225	Tune up
		1	0	23.22	23.26	23.13	24.00
		1	13	23.24	23.29	23.08	24.00
		1	24	23.10	23.27	22.89	24.00
	QPSK	12	0	22.57	22.85	22.39	23.00
		12	6	22.27	22.73	22.21	23.00
	-	12	13	22.48	22.58	22.30	23.00
		25	0	22.21	22.63	22.26	23.00
		1	0	22.48	22.85	22.38	23.00
		1	13	22.50	22.75	22.52	23.00
		1	24	22.38	22.59	22.30	23.00
5MHz	16QAM	12	0	21.16	21.73	21.23	22.00
		12	6	21.16	21.70	21.12	22.00
		12	13	21.11	21.53	20.97	22.00
		25	0	21.15	21.46	21.16	22.00
		1	0	21.67	21.76	21.46	22.50
		1	13	21.59	21.42	21.73	22.50
		1	24	21.63	21.56	21.68	22.50
	64QAM	12	0	20.52	20.57	20.52	21.50
	0.0,	12	6	20.45	20.39	20.42	21.50
		12	13	20.43	20.55	20.47	21.50
		25	0	20.51	20.49	20.48	21.50
				Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	37800	38000	38200	Tune up
		1	0	23.13	23.28	23.25	24.00
		1	25	23.25	23.29	23.10	24.00
		1	49	22.99	23.10	22.80	24.00
	QPSK	25	0	22.31	22.75	22.07	23.00
	α. σ. τ	25	13	22.28	22.60	22.17	23.00
		25	25	22.19	22.48	22.09	23.00
		50	0	22.24	22.58	22.29	23.00
		1	0	22.32	22.50	22.27	23.00
		1	25	22.42	22.45	22.08	23.00
		1	49	22.14	21.96	21.85	23.00
10MHz	16QAM	25	0	21.26	21.70	21.10	22.00
		25	13	21.23	21.54	21.01	22.00
		25	25	21.15	21.42	20.95	22.00
		50	0	21.11	21.47	21.16	22.00
		1	0	21.65	21.84	21.62	22.50
		1	25	21.57	21.35	21.75	22.50
	\	1	49	21.57	21.54	21.63	22.50
	64QAM	25	0	20.46	20.55	20.46	21.50
	0 1 3/ (IVI	25	13	20.42	20.36	20.44	21.50
		25	25	20.42	20.51	20.41	21.50
	i			20.40	20.01	∠U. + I	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 114 of 493 Page

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Danawiath	Modulation	KD SIZE	KD Ollset	37825	38000	38175	Tune up
		1	0	23.20	23.29	23.25	24.00
		1	38	23.25	23.26	23.09	24.00
		1	74	23.22	23.15	22.91	24.00
	QPSK	36	0	22.36	22.73	22.11	23.00
		36	18	22.33	22.67	21.99	23.00
		36	39	22.36	22.44	22.18	23.00
		75	0	22.33	22.59	22.31	23.00
		1	0	22.39	22.57	22.22	23.00
	b	1	38	22.52	22.43	21.89	23.00
		1	74	22.47	21.91	21.82	23.00
15MHz	16QAM	36	0	21.26	21.64	21.18	22.00
	·	36	18	21.25	21.59	21.07	22.00
		36	39	21.28	21.35	21.07	22.00
		75	0	21.20	21.50	21.18	22.00
		1	0	21.75	21.87	21.68	22.50
		1	38	21.61	21.32	21.75	22.50
		1	74	21.63	21.58	21.67	22.50
	64QAM	36	0	20.51	20.57	20.53	21.50
	0.2	36	18	20.48	20.43	20.46	21.50
		36	39	20.47	20.55	20.43	21.50
		75	0	20.51	20.53	20.47	21.50
51.214	NA 1.1.0		DD " 1	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	37850	38000	38150	Tune up
		1	0	22.91	23.40	23.27	24.00
		1	50	23.24	23.34	22.86	24.00
		1	99	23.30	22.94	22.79	24.00
	QPSK	50	0	22.27	22.59	22.06	23.00
		50	25	22.24	22.27	21.76	23.00
		50	50	22.24	22.19	21.93	23.00
		100	0	22.33	22.34	22.05	23.00
		1	0	22.02	22.56	22.33	23.00
		1	50	22.24	22.37	21.78	23.00
		1	99	22.34	22.13	21.88	23.00
20MHz	16QAM	50	0	21.14	21.40	21.08	22.00
		50	25	21.10	21.16	20.80	22.00
			50	21.12	21.22	20.97	22.00
		50					22.00
	\	50 100	0	21.17	21.26 I	21.19	
		50 100 1		21.17 21.77	21.26 21.92	21.19 21.72	22.50
		100 1	0	21.77	21.92	21.72	22.50
		100 1 1	0 0 50	21.77 21.66	21.92 21.27	21.72 21.83	22.50 22.50
	64QAM	100 1 1 1	0 0 50 99	21.77 21.66 21.67	21.92 21.27 21.65	21.72 21.83 21.72	22.50 22.50 22.50
	64QAM	100 1 1 1 1 50	0 0 50 99 0	21.77 21.66 21.67 20.54	21.92 21.27 21.65 20.53	21.72 21.83 21.72 20.50	22.50 22.50 22.50 21.50
	64QAM	100 1 1 1	0 0 50 99	21.77 21.66 21.67	21.92 21.27 21.65	21.72 21.83 21.72	22.50 22.50 22.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 115 of 493

LTE Band	38 hotspot act	ived reduce	ed power		Conducted Power	(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				37775	38000	38225	
		1	0	21.39	21.26	21.49	23.00
		1	13	21.44	21.49	21.48	23.00
		1	24	21.46	21.49	21.43	23.00
	QPSK	12	0	21.42	21.46	21.52	23.00
		12	6	21.38	21.17	21.45	23.00
		12	13	21.51	21.48	21.53	23.00
		25	0	21.40	21.45	21.48	23.00
		1	0	21.65	21.53	21.63	23.00
		1	13	21.66	21.61	21.69	23.00
		1	24	21.70	21.57	21.65	23.00
5MHz	16QAM	12	0	20.27	20.44	20.45	22.00
		12	6	20.22	20.37	20.38	22.00
		12	13	20.30	20.40	20.41	22.00
		25	0	20.33	20.13	20.37	22.00
		1	0	21.69	21.72	21.37	22.50
		1	13	21.22	21.37	21.62	22.50
		1	24	21.43	21.51	21.46	22.50
	64QAM	12	0	20.56	20.55	20.45	21.50
		12	6	20.48	20.45	20.43	21.50
		12	13	20.51	20.49	20.51	21.50
		25	0	20.55	20.53	20.45	21.50
Danielo del	NA - aloul - 6 - a	DD -:	DD -#+	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	37800	38000	38200	Tune up
	1	1	0	21.13	21.43	21.46	23.00
		1	25	21.06	21.18	21.21	23.00
		1	49	21.20	20.74	21.40	23.00
	QPSK	25	0	20.98	21.25	21.46	23.00
		25	13	20.71	21.42	21.43	23.00
		25	25	21.22	20.78	21.49	23.00
		50	0	20.99	21.02	21.48	23.00
		1	0	21.22	21.01	21.53	23.00
		1	25	21.00	20.38	21.00	23.00
		1	49	21.41	21.06	21.49	23.00
10MHz	16QAM	25	0	20.10	19.43	20.39	22.00
	100,	25	13	20.35	20.15	20.37	22.00
		25	25	20.16	20.17	20.41	22.00
		50	0	20.32	20.17	20.40	22.00
		1	0	21.67	21.68	21.33	22.50
		1	25	21.23	21.37	21.63	22.50
		1	49	21.47	21.49	21.45	22.50
	64QAM	25	0	20.54	20.53	20.43	21.50
	U4QAIVI	25	13	20.54	20.53	20.43	21.50
	64QAM						
		25	25	20.46	20.43	20.45	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 116 of 493 Page

Dan duvidle	Madulation	DD -:	DD offeet	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	37825	38000	38175	Tune up
		1	0	21.32	20.58	21.36	23.00
		1	38	21.24	21.03	21.53	23.00
		1	74	21.45	21.19	21.44	23.00
	QPSK	36	0	21.25	21.26	21.52	23.00
		36	18	21.44	21.27	21.51	23.00
		36	39	21.52	21.32	21.55	23.00
		75	0	21.46	21.52	21.51	23.00
		1	0	21.47	21.39	21.66	23.00
		1	38	21.52	21.01	21.78	23.00
		1	74	21.46	21.58	21.69	23.00
15MHz	16QAM	36	0	20.41	20.50	20.49	22.00
		36	18	20.42	20.45	20.49	22.00
		36	39	20.49	20.24	20.50	22.00
		75	0	20.41	20.40	20.45	22.00
		1	0	21.63	21.64	21.29	22.50
		1	38	21.19	21.32	21.61	22.50
		1	74	21.43	21.45	21.42	22.50
	64QAM	36	0	20.51	20.49	20.39	21.50
	0+9/11/1	36	18	20.42	20.45	20.35	21.50
		36	39	20.43	20.42	20.45	21.50
		75	0	20.49	20.47	20.43	21.50
		75	U	Channel	Channel	Channel	21.00
Bandwidth	Modulation	RB size	RB offset	37850	38000	38150	Tune up
		1	0	22.23	22.29	22.27	23.00
		1	50	22.12	22.21	21.79	23.00
		1	99	22.29	22.44	22.30	23.00
	QPSK	50	0	22.18	22.21	22.22	23.00
	QI OIL	50	25	22.21	22.25	22.26	23.00
		50	50	22.17	22.31	22.33	23.00
		100	0	22.17	22.19	22.30	23.00
		1	0	22.19	22.45	22.03	23.00
		1	50	21.20	21.70	22.13	23.00
		1	99	22.37	22.56	22.07	23.00
20MHz	16QAM	50	0	21.14	21.23	21.27	22.00
20111112	TOQAW	50	25	21.02	21.28	21.18	22.00
		50	50	21.22	21.33	21.16	22.00
		100	0	21.10	21.20	21.10	22.00
		100	0	21.74	21.75	21.40	22.50
		-			21.42		
		1	50 99	21.30		21.71	22.50
	64001	1 50		21.54	21.56	21.51	22.50
	64QAM	50	0	20.61	20.60	20.50	21.50
		50	25	20.53	20.54	20.46	21.50
	1	50 100	50 0	20.53 20.60	20.54 20.58	20.56 20.54	21.50 21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 117 of 493 Page

	LTE FDD Band	d 41			Conducte	d Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel 40165	Channel 40690	Channel 41215	Tune up
		1	0	23.36	23.70	23.40	24.00
		1	13	23.36	23.65	23.36	24.00
		1	24	22.98	23.09	22.99	24.00
	QPSK	12	0	22.48	22.63	22.49	23.00
	Q. O.t	12	6	22.22	22.41	22.41	23.00
	-	12	13	22.18	22.22	22.25	23.00
		25	0	22.32	22.56	22.14	23.00
		1	0	22.51	22.21	22.49	23.00
		1	13	22.46	22.63	22.42	23.00
		1	24	22.09	22.24	22.20	23.00
5MHz	16QAM	12	0	21.33	21.39	21.39	22.00
VIIII 12	IOQAWI	12	6	21.23	21.12	21.35	22.00
		12	13	20.94	20.93	21.18	22.00
		25	0	21.17	21.28	21.24	22.00
		1	0	21.69	21.86	21.72	22.50
		1	13	21.64	21.42	21.52	22.50
		1	24	21.55	21.63	21.68	22.50
	64QAM	12	0	20.49	20.54	20.50	21.50
	04QAW	12	6	20.49	20.43	20.48	21.50
		12	13	20.52	20.43	20.42	21.50
		25	0	20.32	20.57	20.42	21.50
		25	U	Channel	Channel	Channel	21.50
Bandwidth	Modulation	RB size	RB offset	40190	40690	41190	Tune up
		1	0	23.03	23.15	23.12	24.00
		1	25	23.25	23.19	23.31	24.00
		1	49	22.57	22.65	22.63	24.00
	QPSK	25	0	22.35	22.70	22.44	23.00
	QFSK	25	13	22.26	22.32	22.28	23.00
		25	25	21.94	21.96	22.10	23.00
		50	0	22.22	22.25	22.30	23.00
		1	0	22.15	22.21	22.22	23.00
		1	25	22.13	22.51	22.47	23.00
		1	49	21.72	21.26	21.88	23.00
10MHz	16QAM	25	0	21.72	21.20	21.15	22.00
TUNITIZ	IOQAW	25	13	20.96	20.58	21.15	22.00
		25	25	20.96	21.04	21.06	22.00
		50	0	20.93 21.73	20.73 21.91	21.19	22.00
		1	0			21.75	22.50
	1	1	25	21.65 21.62	21.47	21.57	22.50
		4		/1.6/	21.65	21.73	22.50
	CAOAM	1	49				24.52
	64QAM	25	0	20.54	20.59	20.55	21.50
	64QAM						21.50 21.50 21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 118 of 493 Page

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungum
Danawiath	Modulation	KD SIZE	Rb oliset	40215	40690	41165	Tune up
		1	0	23.32	23.06	23.54	24.00
		1	38	23.26	23.25	23.57	24.00
		1	74	22.91	22.73	22.92	24.00
	QPSK	36	0	22.45	22.78	22.62	23.00
		36	18	22.26	22.41	22.52	23.00
		36	39	22.08	22.09	22.31	23.00
		75	0	22.26	22.53	22.44	23.00
		1	0	22.46	22.73	22.64	23.00
		1	38	22.36	22.71	22.68	23.00
		1	74	22.00	21.76	22.16	23.00
15MHz	16QAM	36	0	20.94	21.47	21.27	22.00
		36	18	20.99	21.11	21.18	22.00
		36	39	20.83	20.81	21.05	22.00
		75	0	20.98	21.02	21.02	22.00
		1	0	21.83	21.97	21.85	22.50
		1	38	21.72	21.53	21.86	22.50
		1	74	21.68	21.72	21.76	22.50
	64QAM	36	0	20.63	20.65	20.61	21.50
		36	18	20.51	20.55	20.57	21.50
		36	39	20.63	20.67	20.55	21.50
		75	0	20.54	20.61	20.64	21.50
Daniel del	Madulation		DD -#+	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	40240	40690	41140	Tune up
		1	0	23.06	23.33	23.19	24.00
		1	50	22.90	23.12	23.20	24.00
		1	99	22.98	22.65	22.78	24.00
	QPSK	50	0	22.09	22.27	22.35	23.00
		50	25	21.96	21.59	22.16	23.00
		50	50	21.98	21.50	22.04	23.00
		100	0	22.04	22.23	22.15	23.00
		1	0	22.15	22.52	22.22	23.00
		1	50	22.01	22.35	22.24	23.00
		1	99	22.20	21.70	21.98	23.00
20MHz	16QAM	50	0	20.82	20.82	21.05	22.00
		50	25	20.73	21.04	20.96	22.00
		50	50	20.69	20.83	20.90	22.00
		100	0	20.78	20.55	21.03	22.00
		1	0	21.97	22.12	21.99	22.50
		1	50	21.89	21.53	22.02	22.50
		1	99	21.85	21.83	21.93	22.50
	64QAM	50	0	20.77	20.74	20.75	21.50
	3 . 3,	50	25	20.65	20.70	20.65	21.50
				_0.00		20.00	21.00
			50	20.73	20.72	20.68	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 119 of 493 Page

LTE FDD Bai	nd 41 hotspot	actived redu	uced power	Conducted Power(dBm)					
Danduridth	Madulation	DD size	DD offeet	Channel	Channel	Channel	Tungum		
Bandwidth	Modulation	RB size	RB offset	40165	40690	41215	Tune up		
		1	0	20.56	20.28	20.59	23.00		
		1	13	20.33	20.28	20.67	23.00		
		1	24	20.54	20.29	20.68	23.00		
	QPSK	12	0	20.73	20.57	20.93	23.00		
		12	6	20.68	20.76	20.86	23.00		
		12	13	20.72	20.84	20.93	23.00		
		25	0	20.72	20.58	20.91	23.00		
		1	0	20.58	20.73	20.89	23.00		
		1	13	20.75	20.13	21.03	23.00		
		1	24	20.76	20.93	21.12	23.00		
5MHz	16QAM	12	0	20.33	20.35	20.46	22.00		
		12	6	20.26	19.85	20.36	22.00		
		12	13	20.34	20.42	20.46	22.00		
		25	0	20.28	20.17	20.43	22.00		
		1	0	21.75	21.87	21.83	22.50		
		1	13	21.56	21.75	21.86	22.50		
		1	24	21.68	21.82	21.83	22.50		
	64QAM	12	0	20.85	20.81	20.94	21.50		
	0 . 0,	12	6	20.73	20.81	20.68	21.50		
		12	13	20.75	20.85	20.93	21.50		
		25	0	20.93	20.96	21.02	21.50		
			-	Channel	Channel	Channel			
Bandwidth	Modulation	RB size	RB offset -	40190	40690	41190	Tune up		
	<i>y</i>	1	0	20.50	20.60	20.62	23.00		
		1	25	20.07	20.17	20.26	23.00		
		1	49	20.43	20.63	20.54	23.00		
	QPSK	25	0	20.68	20.55	20.88	23.00		
	Q. O.t	25	13	20.73	20.53	20.8	23.00		
		25	25	20.73	20.81	20.91	23.00		
		50	0	20.77	20.60	20.71	23.00		
		1	0	20.97	20.87	20.98	23.00		
		1	25	20.68	20.54	20.60	23.00		
		1	49	21.21	20.45	20.80	23.00		
10MHz	16QAM	25	0	20.28	20.31	20.39	22.00		
	1000,1111	25	13	20.22	20.31	20.44	22.00		
		25	25	20.26	20.34	20.41	22.00		
		50	0	20.24	20.37	20.37	22.00		
		1	0	21.64	21.72	21.81	22.50		
		1	25	21.45	21.64	21.73	22.50		
		1	49	21.57	21.71	21.75	22.50		
	64QAM	25	0	20.72	20.74	20.83	21.50		
	U 1 QAIVI	25	13	20.61	20.73	20.63	21.50		
	1								
		25	25	20.64	20.74	20.81	21.50		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



: 01 Rev

Page : 120 of 493

Dan duvidle	Madulation	DD -:	DD offeet	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	40215	40690	41165	Tune up
		1	0	20.50	20.09	20.58	23.00
		1	38	20.45	20.12	20.60	23.00
		1	74	20.62	20.24	20.76	23.00
	QPSK	36	0	20.80	20.84	20.90	23.00
		36	18	20.74	20.84	20.61	23.00
		36	39	20.75	20.68	20.91	23.00
		75	0	20.81	20.86	20.90	23.00
		1	0	21.15	21.30	20.94	23.00
		1	38	21.15	21.19	21.08	23.00
		1	74	21.01	21.26	21.33	23.00
15MHz	16QAM	36	0	20.24	20.31	20.38	22.00
		36	18	20.18	20.32	20.35	22.00
		36	39	20.22	20.33	20.39	22.00
		75	0	20.28	20.16	20.39	22.00
		1	0	21.66	21.75	21.82	22.50
		1	38	21.47	21.63	21.77	22.50
		1	74	21.59	21.73	21.76	22.50
	64QAM	36	0	20.72	20.76	20.85	21.50
0	0+9/11/1	36	18	20.62	20.73	20.59	21.50
		36	39	20.63	20.76	20.82	21.50
		75	0	20.84	20.87	20.95	21.50
		75	U	Channel	Channel	Channel	21.00
Bandwidth	Modulation	RB size	RB offset	40240	40690	41140	Tune up
		1	0	22.39	21.67	21.93	23.00
		1	50	22.13	21.39	21.56	23.00
		1	99	22.40	21.73	22.04	23.00
	QPSK	50	0	21.60	21.65	21.54	23.00
	QI OIX	50	25	21.57	21.62	21.62	23.00
		50	50	21.52	21.69	21.63	23.00
		100	0	21.46	21.60	21.69	23.00
		1	0	22.18	21.27	22.14	23.00
		1	50	22.73	21.05	21.69	23.00
		1	99	22.23	21.32	22.25	23.00
20MHz	16QAM	50	0	21.01	21.19	20.95	22.00
20141112	IOQAIVI	50	25	20.93	21.15	21.01	22.00
		50	50	21.05	21.19	20.95	22.00
				21.06	21.19	21.18	22.00
		100	0				22.50
		-		21.79	21.91	21.95	
		1	50	21.60	21.79	21.90	22.50
	040414	1 50	99	21.72	21.86	21.93	22.50
	64QAM	50	0	20.85	20.89	20.98	21.50
		50	25	20.75	20.85	20.72	21.50
		50	50	20.79	20.89	20.95	21.50
		100	0	20.97	21.00	21.08	21.50

Table 13: Conducted Power Of LTE

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 121 of 493

8.1.2 Conducted Power of Antenna 2

8.1.2.1 Conducted Power Of GSM

Part Part	8.1.2.1 Conduct	ed Fower Or	GSIVI								
Chanter 128 190 251 28 33.47 33.50 -9.19 23.93 24.15 24.28 24.31				G	SM 850 fu	ıll powe	r	_		_	1
Channel 128 190 251 128 190 251 128 190 251 128 190 251 128 190 251 128 190 251 128 128 129 24.31 24.		Burst Output P	ower(dBm	1)							
Carrier Car	Chan	nel	128	190	251	ир	1 actors	128	190	251	αр
Charles Surst Output Power(dBm) Surst Output Power(dBm) Tune Power(dBm) Surst Output	GSM(GMSK)	GSM	33.12	33.34	33.47	33.50	-9.19	23.93	24.15	24.28	24.31
GMSK 3 TX Slots 28.80 28.87 28.92 29.50 -4.42 24.38 24.45 24.5 25.08 4 TX Slots 25.48 25.42 25.44 27.50 -3.17 22.31 22.25 22.27 24.33 24.55 25.08 24.38 24.35 25.25 25.27 24.33 24.55 25.08 24.30 24.48 25.01 25.50 -6.18 18.12 18.30 18.83 19.32 3 TX Slots 22.38 22.50 22.58 23.50 -4.42 17.96 18.08 18.16 19.08 4 TX Slots 19.92 19.91 20.16 21.50 -3.17 16.75 16.74 16.99 18.33 19.32 18.35 19.32 19.31 19.32 19.32 19.31 19.32 19.32 19.31 19.32 19.32 19.31 19.32 19.32 19.31 19.32 19.32 19.32 19.31 19.32 19.33 19.33 19.33 19.32 20.06 20.81 17.52 17.52 17.52 17.52 19.33 19.33 19.32 20.06 20.81 17.52 17.53		1 TX Slot	33.14	33.34	33.48	33.50	-9.19	23.95	24.15	24.29	24.31
Hart Slots 25.48 25.42 25.44 27.50 -3.17 22.31 22.25 22.27 24.33	GPRS/EGPRS	2 TX Slots	30.94	31.05	31.14	31.50	-6.18	24.76	24.87	24.96	25.32
Harmonic Properties and the properties of the p	(GMSK)	3 TX Slots	28.80	28.87	28.92	29.50	-4.42	24.38	24.45	24.5	25.08
Part		4 TX Slots	25.48	25.42	25.44	27.50	-3.17	22.31	22.25	22.27	24.33
STA Slots 22.38 22.50 22.58 23.50 -4.42 17.96 18.08 18.16 19.08 4 TX Slots 19.92 19.91 20.16 21.50 -3.17 16.75 16.74 16.99 18.33		1 TX Slot	26.32	26.35	26.32	27.50	-9.19	17.13	17.16	17.13	18.31
3 TX Slots 22.38 22.50 22.58 23.50 -4.42 17.96 18.08 18.16 19.08 4 TX Slots 19.92 19.91 20.16 21.50 -3.17 16.75 16.74 16.99 18.33	ECDDS(ODSK)	2 TX Slots	24.30	24.48	25.01	25.50	-6.18	18.12	18.30	18.83	19.32
Burst Output Power(dBm)	EGPKS(oPSK)	3 TX Slots	22.38	22.50	22.58	23.50	-4.42	17.96	18.08	18.16	19.08
Burst Output Power(dBm) Tune QSM(GMSK) GSM 29.53 29.64 29.74 30.50 -9.19 20.34 20.45 20.55 21.31		4 TX Slots	19.92	19.91	20.16	21.50	-3.17	16.75	16.74	16.99	18.33
Tune Division Factors Factors Factors Factors Factors Factors Factors Factors Tune Up Factors Factors Factors Tune Up Factors Tune Up Factors Tune Up Factors Tune Up Factors Tune Up Up Tune Up Up Up Up Up Up Up U			G	SM 850	Left Head	d reduce	ed power				
GSM(GMSK) GSM 29.53 29.64 29.74 30.50 -9.19 20.34 20.45 20.55 21.31 GPRS/EGPRS (GMSK) 1 TX Slot 29.57 29.67 29.76 30.50 -9.19 20.38 20.48 20.57 21.31 GPRS/EGPRS (GMSK) 2 TX Slots 27.38 27.46 27.49 28.50 -6.18 21.20 21.28 21.31 22.32 (GMSK) 3 TX Slots 25.14 25.26 25.37 26.50 -4.42 20.72 20.84 20.95 22.08 4 TX Slots 23.15 23.06 23.18 24.50 -3.17 19.98 19.89 20.01 21.33 2 TX Slots 21.38 21.49 21.56 22.50 -6.18 15.20 15.31 15.38 16.32 2 TX Slots 19.28 19.47 19.46 20.50 -4.42 14.86 15.05 15.04 16.08 4 TX Slots 17.16 17.32 17.34 18.50 -3.17		Burst Output P	ower(dBm	1)							
GPRS/EGPRS (GMSK) 1 TX Slot 29.57 29.67 29.76 30.50 -9.19 20.38 20.48 20.57 21.31 GPRS/EGPRS (GMSK) 2 TX Slots 27.38 27.46 27.49 28.50 -6.18 21.20 21.28 21.31 22.32 3 TX Slots 25.14 25.26 25.37 26.50 -4.42 20.72 20.84 20.95 22.08 4 TX Slots 23.15 23.06 23.18 24.50 -3.17 19.98 19.89 20.01 21.33 2 TX Slots 23.32 23.44 23.52 24.50 -9.19 14.13 14.25 14.33 15.31 2 TX Slots 21.38 21.49 21.56 22.50 -6.18 15.20 15.31 15.38 16.32 2 TX Slots 17.16 17.32 17.34 18.50 -3.17 13.99 14.15 14.17 15.33 GSM 850 Right Head reduced power Tune power(dBm) 128 190 251 <td>Chan</td> <td>nel</td> <td>128</td> <td>190</td> <td>251</td> <td>up</td> <td>Factors</td> <td>128</td> <td>190</td> <td>251</td> <td>up</td>	Chan	nel	128	190	251	up	Factors	128	190	251	up
GPRS/EGPRS (GMSK) 2 TX Slots 27.38 27.46 27.49 28.50 -6.18 21.20 21.28 21.31 22.32 (GMSK) 3 TX Slots 25.14 25.26 25.37 26.50 -4.42 20.72 20.84 20.95 22.08 4 TX Slots 23.15 23.06 23.18 24.50 -3.17 19.98 19.89 20.01 21.33 2 TX Slots 23.32 23.44 23.52 24.50 -9.19 14.13 14.25 14.33 15.31 2 TX Slots 21.38 21.49 21.56 22.50 -6.18 15.20 15.31 15.38 16.32 3 TX Slots 19.28 19.47 19.46 20.50 -4.42 14.86 15.05 15.04 16.08 GSM 850 Right Head reduced power Tune 25.00 -6.18 15.05 14.17 15.33 GSM (GMSK) GSM 29.04 29.12 29.25 30.00 -9.19 19.85	GSM(GMSK)	GSM	29.53	29.64	29.74	30.50	-9.19	20.34	20.45	20.55	21.31
(GMSK) 3 TX Slots 25.14 25.26 25.37 26.50 -4.42 20.72 20.84 20.95 22.08 4 TX Slots 23.15 23.06 23.18 24.50 -3.17 19.98 19.89 20.01 21.33 Heart Slot 23.32 23.44 23.52 24.50 -9.19 14.13 14.25 14.33 15.31 17.15 2 TX Slots 21.38 21.49 21.56 22.50 -6.18 15.20 15.31 15.38 16.32 17.16 17.32 17.34 18.50 -3.17 13.99 14.15 14.17 15.33 16.32 17.34 18.50 17.16 17.32 17.34 18.50 17.17 13.99 14.15 14.17 15.33 17.34 18.50 17.16 17.32 17.34 18.50 17.17 13.99 14.15 14.17 15.33 17.34 18.50 17.34		1 TX Slot	29.57	29.67	29.76	30.50	-9.19	20.38	20.48	20.57	21.31
A TX Slots 23.15 23.06 23.18 24.50 -3.17 19.98 19.89 20.01 21.33	GPRS/EGPRS	2 TX Slots	27.38	27.46	27.49	28.50	-6.18	21.20	21.28	21.31	22.32
EGPRS(8PSK) 1 TX Slot 23.32 23.44 23.52 24.50 -9.19 14.13 14.25 14.33 15.31	(GMSK)	3 TX Slots	25.14	25.26	25.37	26.50	-4.42	20.72	20.84	20.95	22.08
EGPRS(8PSK) 2 TX Slots 21.38 21.49 21.56 22.50 -6.18 15.20 15.31 15.38 16.32 3 TX Slots 19.28 19.47 19.46 20.50 -4.42 14.86 15.05 15.04 16.08 4 TX Slots 17.16 17.32 17.34 18.50 -3.17 13.99 14.15 14.17 15.33 Channel		4 TX Slots	23.15	23.06	23.18	24.50	-3.17	19.98	19.89	20.01	21.33
STX Slots 19.28 19.47 19.46 20.50 -4.42 14.86 15.05 15.04 16.08 17.16 17.32 17.34 18.50 -3.17 13.99 14.15 14.17 15.33 17.34 18.50 17.16 17.32 17.34 18.50 17.16 17.32 17.34 18.50 13.99 14.15 14.17 15.33 17.34 18.50 13.99 14.15 14.17 15.33 17.34 18.50 13.99 14.15 14.17 15.33 17.34 18.50 13.99 14.15 14.17 15.33 17.34 18.50 13.99 14.15 14.17 15.33 17.34 18.50		1 TX Slot	23.32	23.44	23.52	24.50	-9.19	14.13	14.25	14.33	15.31
3 1 X Slots 19.28 19.47 19.46 20.50 -4.42 14.86 15.05 15.04 16.08 4 TX Slots 17.16 17.32 17.34 18.50 -3.17 13.99 14.15 14.17 15.33		2 TX Slots	21.38	21.49	21.56	22.50	-6.18	15.20	15.31	15.38	16.32
Burst Output Power(dBm) Tune up Division Factors Tune up Division Fac	EGPRS(oPSR)	3 TX Slots	19.28	19.47	19.46	20.50	-4.42	14.86	15.05	15.04	16.08
Tune up Division Factors Tune up Division Factors Tune up Division Factors Tune up Division Factors Tune up		4 TX Slots	17.16	17.32	17.34	18.50	-3.17	13.99	14.15	14.17	15.33
Tune up Division Factors Tune up Tune			G	SM 850 F	Right Hea	d reduc	ed power				
Channel 128 190 251 128 190 251 GSM(GMSK) GSM 29.04 29.12 29.25 30.00 -9.19 19.85 19.93 20.06 20.81 1 TX Slot 29.02 29.08 29.21 30.00 -9.19 19.83 19.89 20.02 20.81 GPRS/EGPRS (GMSK) 2 TX Slots 26.79 26.85 26.89 28.00 -6.18 20.61 20.67 20.71 21.82 3 TX Slots 24.71 24.74 24.78 26.00 -4.42 20.29 20.32 20.36 21.58	Burst Output Power(dBm)								_	•	
GPRS/EGPRS (GMSK) 1 TX Slot 29.02 29.08 29.21 30.00 -9.19 19.83 19.89 20.02 20.81 2 TX Slots 26.79 26.85 26.89 28.00 -6.18 20.61 20.67 20.71 21.82 3 TX Slots 24.71 24.74 24.78 26.00 -4.42 20.29 20.32 20.36 21.58	Chan	nel	128	190	251	up	ractors	128	190	251	up
GPRS/EGPRS (GMSK) 2 TX Slots 26.79 26.85 26.89 28.00 -6.18 20.61 20.67 20.71 21.82 3 TX Slots 24.71 24.74 24.78 26.00 -4.42 20.29 20.32 20.36 21.58	GSM(GMSK)	GSM	29.04	29.12	29.25	30.00	-9.19	19.85	19.93	20.06	20.81
(GMSK) 3 TX Slots 24.71 24.74 24.78 26.00 -4.42 20.29 20.32 20.36 21.58		1 TX Slot	29.02	29.08	29.21	30.00	-9.19	19.83	19.89	20.02	20.81
	GPRS/EGPRS	2 TX Slots	26.79	26.85	26.89	28.00	-6.18	20.61	20.67	20.71	21.82
4 TX Slots 22.65 22.61 22.63 24.00 -3.17 19.48 19.44 19.46 20.83	(GMSK)	3 TX Slots	24.71	24.74	24.78	26.00	-4.42	20.29	20.32	20.36	21.58
		4 TX Slots	22.65	22.61	22.63	24.00	-3.17	19.48	19.44	19.46	20.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

Page : 122 of 493

	1 TX Slot	22.89	23.04	23.02	24.00	-9.19	13.7	13.85	13.83	14.81
EGPRS(8PSK)	2 TX Slots	20.83	21.03	21.09	22.00	-6.18	14.65	14.85	14.91	15.82
EGPRS(OPSR)	3 TX Slots	18.78	19.01	18.98	20.00	-4.42	14.36	14.59	14.56	15.58
	4 TX Slots	16.64	16.82	16.87	18.00	-3.17	13.47	13.65	13.7	14.83
		GS	M 850 hc	tspot act	tived for	2.4G WIFI				
	Burst Output P	ower(dBm	n)		Tune	Division Factors		Average ower(dBn		Tune
Chani	nel	128	190	251	up	raciois	128	190	251	up
GSM(GMSK)	GSM	30.04	30.14	30.27	31.00	-9.19	20.85	20.95	21.08	21.81
	1 TX Slot	30.08	30.18	30.31	31.00	-9.19	20.89	20.99	21.12	21.81
GPRS/EGPRS	2 TX Slots	27.97	27.96	28.10	29.00	-6.18	21.79	21.78	21.92	22.82
(GMSK)	3 TX Slots	25.81	25.86	25.91	27.00	-4.42	21.39	21.44	21.49	22.58
	4 TX Slots	23.74	23.75	23.82	25.00	-3.17	20.57	20.58	20.65	21.83
	1 TX Slot	23.81	23.90	23.97	25.00	-9.19	14.62	14.71	14.78	15.81
EGPRS(8PSK)	2 TX Slots	21.84	21.94	22.03	23.00	-6.18	15.66	15.76	15.85	16.82
EGPRS(oPSR)	3 TX Slots	19.76	19.92	20.01	21.00	-4.42	15.34	15.5	15.59	16.58
	4 TX Slots	17.73	17.87	17.89	19.00	-3.17	14.56	14.7	14.72	15.83
		GS	SM 850 h	otspot ac	tived fo	r 5G WIFI				
I	Burst Output P	ower(dBm	1)		Tune	Division		Average ower(dBn		Tune
						Contoro		۰۰۰۰ (۵۵۰۰	'/	
Chani	nel	128	190	251	up	Factors	128	190	251	up
Chan	nel GSM	128 28.57	190 28.59	251 28.71	29.50	Factors -9.19		`		up 20.31
					•		128	190	251	
	GSM	28.57	28.59	28.71	29.50	-9.19	128 19.38	190 19.40	251 19.52	20.31
GSM(GMSK)	GSM 1 TX Slot	28.57 28.49	28.59 28.62	28.71 28.74	29.50	-9.19 -9.19	128 19.38 19.30	190 19.40 19.43	251 19.52 19.55	20.31
GSM(GMSK) GPRS/EGPRS	GSM 1 TX Slot 2 TX Slots	28.57 28.49 26.42	28.59 28.62 26.45	28.71 28.74 26.51	29.50 29.50 27.50	-9.19 -9.19 -6.18	128 19.38 19.30 20.24	190 19.40 19.43 20.27	251 19.52 19.55 20.33	20.31 20.31 21.32
GSM(GMSK) GPRS/EGPRS	GSM 1 TX Slot 2 TX Slots 3 TX Slots	28.57 28.49 26.42 24.27	28.59 28.62 26.45 24.31	28.71 28.74 26.51 24.34	29.50 29.50 27.50 25.50	-9.19 -9.19 -6.18 -4.42	128 19.38 19.30 20.24 19.85	190 19.40 19.43 20.27 19.89	251 19.52 19.55 20.33 19.92	20.31 20.31 21.32 21.08
GSM(GMSK) GPRS/EGPRS (GMSK)	GSM 1 TX Slot 2 TX Slots 3 TX Slots 4 TX Slots	28.57 28.49 26.42 24.27 22.21	28.59 28.62 26.45 24.31 22.19	28.71 28.74 26.51 24.34 22.24	29.50 29.50 27.50 25.50 23.50	-9.19 -9.19 -6.18 -4.42 -3.17	128 19.38 19.30 20.24 19.85 19.04	190 19.40 19.43 20.27 19.89 19.02	251 19.52 19.55 20.33 19.92 19.07	20.31 20.31 21.32 21.08 20.33
GSM(GMSK) GPRS/EGPRS	GSM 1 TX Slot 2 TX Slots 3 TX Slots 4 TX Slots 1 TX Slot	28.57 28.49 26.42 24.27 22.21 22.46	28.59 28.62 26.45 24.31 22.19 22.58	28.71 28.74 26.51 24.34 22.24 22.63	29.50 29.50 27.50 25.50 23.50 23.50	-9.19 -9.19 -6.18 -4.42 -3.17 -9.19	128 19.38 19.30 20.24 19.85 19.04 13.27	190 19.40 19.43 20.27 19.89 19.02 13.39	251 19.52 19.55 20.33 19.92 19.07 13.44	20.31 20.31 21.32 21.08 20.33 14.31
GSM(GMSK) GPRS/EGPRS (GMSK)	GSM 1 TX Slot 2 TX Slots 3 TX Slots 4 TX Slots 1 TX Slot 2 TX Slots	28.57 28.49 26.42 24.27 22.21 22.46 20.45	28.59 28.62 26.45 24.31 22.19 22.58 20.54	28.71 28.74 26.51 24.34 22.24 22.63 20.58	29.50 29.50 27.50 25.50 23.50 21.50	-9.19 -9.19 -6.18 -4.42 -3.17 -9.19 -6.18	128 19.38 19.30 20.24 19.85 19.04 13.27	190 19.40 19.43 20.27 19.89 19.02 13.39 14.36	251 19.52 19.55 20.33 19.92 19.07 13.44 14.40	20.31 20.31 21.32 21.08 20.33 14.31 15.32
GSM(GMSK) GPRS/EGPRS (GMSK)	GSM 1 TX Slot 2 TX Slots 3 TX Slots 4 TX Slots 1 TX Slot 2 TX Slots 2 TX Slots 3 TX Slots 4 TX Slots	28.57 28.49 26.42 24.27 22.21 22.46 20.45 18.37 16.15	28.59 28.62 26.45 24.31 22.19 22.58 20.54 18.43 16.32	28.71 28.74 26.51 24.34 22.24 22.63 20.58 18.49 16.39	29.50 29.50 27.50 25.50 23.50 23.50 21.50 19.50	-9.19 -9.19 -6.18 -4.42 -3.17 -9.19 -6.18 -4.42	128 19.38 19.30 20.24 19.85 19.04 13.27 14.27 13.95 12.98	190 19.40 19.43 20.27 19.89 19.02 13.39 14.36 14.01 13.15	251 19.52 19.55 20.33 19.92 19.07 13.44 14.40 14.07	20.31 20.31 21.32 21.08 20.33 14.31 15.32 15.08
GSM(GMSK) GPRS/EGPRS (GMSK) EGPRS(8PSK)	GSM 1 TX Slot 2 TX Slots 3 TX Slots 4 TX Slots 1 TX Slot 2 TX Slots 2 TX Slots 3 TX Slots 4 TX Slots	28.57 28.49 26.42 24.27 22.21 22.46 20.45 18.37 16.15 850 Body	28.59 28.62 26.45 24.31 22.19 22.58 20.54 18.43 16.32 /-worn s	28.71 28.74 26.51 24.34 22.24 22.63 20.58 18.49 16.39	29.50 29.50 27.50 25.50 23.50 23.50 21.50 19.50 17.50 Tune	-9.19 -9.19 -6.18 -4.42 -3.17 -9.19 -6.18 -4.42 -3.17 ansmit with	128 19.38 19.30 20.24 19.85 19.04 13.27 14.27 13.95 12.98 12.4G WIF	190 19.40 19.43 20.27 19.89 19.02 13.39 14.36 14.01 13.15	251 19.52 19.55 20.33 19.92 19.07 13.44 14.40 14.07 13.22	20.31 20.31 21.32 21.08 20.33 14.31 15.32 15.08 14.33
GSM(GMSK) GPRS/EGPRS (GMSK) EGPRS(8PSK)	GSM 1 TX Slot 2 TX Slots 3 TX Slots 4 TX Slots 1 TX Slot 2 TX Slots 3 TX Slots 4 TX Slots 4 TX Slots GSM Burst Output P	28.57 28.49 26.42 24.27 22.21 22.46 20.45 18.37 16.15 850 Body	28.59 28.62 26.45 24.31 22.19 22.58 20.54 18.43 16.32 /-worn s	28.71 28.74 26.51 24.34 22.24 22.63 20.58 18.49 16.39	29.50 29.50 27.50 25.50 23.50 23.50 21.50 19.50 17.50	-9.19 -9.19 -6.18 -4.42 -3.17 -9.19 -6.18 -4.42 -3.17 ansmit with	128 19.38 19.30 20.24 19.85 19.04 13.27 14.27 13.95 12.98 12.4G WIF	190 19.40 19.43 20.27 19.89 19.02 13.39 14.36 14.01 13.15	251 19.52 19.55 20.33 19.92 19.07 13.44 14.40 14.07 13.22	20.31 20.31 21.32 21.08 20.33 14.31 15.32 15.08 14.33
GSM(GMSK) GPRS/EGPRS (GMSK) EGPRS(8PSK)	GSM 1 TX Slot 2 TX Slots 3 TX Slots 4 TX Slots 1 TX Slot 2 TX Slots 3 TX Slots 4 TX Slots 4 TX Slots GSM Burst Output P	28.57 28.49 26.42 24.27 22.21 22.46 20.45 18.37 16.15 850 Body ower(dBm	28.59 28.62 26.45 24.31 22.19 22.58 20.54 18.43 16.32 /-worn s	28.71 28.74 26.51 24.34 22.24 22.63 20.58 18.49 16.39 imultaneo	29.50 29.50 27.50 25.50 23.50 23.50 21.50 19.50 17.50 Tune	-9.19 -9.19 -6.18 -4.42 -3.17 -9.19 -6.18 -4.42 -3.17 ansmit with	128 19.38 19.30 20.24 19.85 19.04 13.27 14.27 13.95 12.98 12.4G WIF	190 19.40 19.43 20.27 19.89 19.02 13.39 14.36 14.01 13.15 FI Average ower(dBn	251 19.52 19.55 20.33 19.92 19.07 13.44 14.40 14.07 13.22	20.31 20.31 21.32 21.08 20.33 14.31 15.32 15.08 14.33
GSM(GMSK) GPRS/EGPRS (GMSK) EGPRS(8PSK)	GSM 1 TX Slot 2 TX Slots 3 TX Slots 4 TX Slots 1 TX Slot 2 TX Slots 3 TX Slots 4 TX Slots 4 TX Slots GSM Burst Output Panel	28.57 28.49 26.42 24.27 22.21 22.46 20.45 18.37 16.15 850 Body ower(dBm	28.59 28.62 26.45 24.31 22.19 22.58 20.54 18.43 16.32 /-worn s	28.71 28.74 26.51 24.34 22.24 22.63 20.58 18.49 16.39 imultane	29.50 29.50 27.50 25.50 23.50 21.50 19.50 17.50 Tune up	-9.19 -9.19 -6.18 -4.42 -3.17 -9.19 -6.18 -4.42 -3.17 ansmit with	128 19.38 19.30 20.24 19.85 19.04 13.27 14.27 13.95 12.98 12.4G WIF	190 19.40 19.43 20.27 19.89 19.02 13.39 14.36 14.01 13.15 FI Average ower(dBn 190	251 19.52 19.55 20.33 19.92 19.07 13.44 14.40 14.07 13.22 Output	20.31 20.31 21.32 21.08 20.33 14.31 15.32 15.08 14.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 123 of 493

	3 TX Slots	26.14	26.11	26.16	27.00	-4.42	21.72	21.69	21.74	21.72
	4 TX Slots	24.01	24.07	24.10	25.00	-3.17	20.84	20.90	20.93	20.84
	1 TX Slot	23.79	23.93	23.96	25.00	-9.19	14.60	14.74	14.77	14.6
EGPRS(8PSK)	2 TX Slots	21.85	21.98	22.01	23.00	-6.18	15.67	15.80	15.83	15.67
EGPKS(OPSK)	3 TX Slots	19.82	19.93	19.95	21.00	-4.42	15.40	15.51	15.53	15.4
	4 TX Slots	17.68	17.85	17.92	19.00	-3.17	14.51	14.68	14.75	14.51

	GSN	850 Bod	y-worn s	simultane	ously tr	ansmit wit	h 5G WIFI			
	Burst Output P	ower(dBm	1)		Tune	Division Factors		Average ower(dBn		Tune
Chan	nel	128	190	251	up	Faciois	128	190	251	up
GSM(GMSK)	GSM	28.87	28.98	29.09	29.50	-9.19	19.68	19.79	19.90	19.90
	1 TX Slot	28.95	28.97	29.07	29.50	-9.19	19.76	19.78	19.88	19.88
GPRS/EGPRS	2 TX Slots	26.81	26.90	26.91	27.50	-6.18	20.63	20.72	20.73	20.73
(GMSK)	3 TX Slots	24.64	24.69	24.74	25.50	-4.42	20.22	20.27	20.32	20.32
	4 TX Slots	22.58	22.58	22.65	23.50	-3.17	19.41	19.41	19.48	19.48
	1 TX Slot	22.47	22.58	22.63	23.50	-9.19	13.28	13.39	13.44	13.44
EGPRS(8PSK)	2 TX Slots	20.42	20.55	20.58	21.50	-6.18	14.24	14.37	14.40	14.40
EGPRS(oPSR)	3 TX Slots	18.32	18.45	18.50	19.50	-4.42	13.90	14.03	14.08	14.08
	4 TX Slots	16.17	16.31	16.35	17.50	-3.17	13.00	13.14	13.18	13.18
	GSM	850 Left	Head si	multaneo	usly trai	nsmit with	2.4G WIF			
	Burst Output P	ower(dBm	1)		Tune	Division		Average ower(dBn		Tune
Chan	nel	128	190	251	up	Factors	128	190	251	up
GSM(GMSK)	GSM	27.38	27.48	27.58	28.00	-9.19	18.19	18.29	18.39	18.81
	1 TX Slot	27.42	27.55	27.66	28.00	-9.19	18.23	18.36	18.47	18.81
GPRS/EGPRS	2 TX Slots	25.22	25.28	25.32	26.00	-6.18	19.04	19.10	19.14	19.82
(GMSK)	3 TX Slots	23.12	23.16	23.25	24.00	-4.42	18.70	18.74	18.83	19.58
	4 TX Slots	20.77	20.94	21.09	22.00	-3.17	17.60	17.77	17.92	18.83
7	1 TX Slot	21.03	21.18	21.25	22.00	-9.19	11.84	11.99	12.06	12.81
EGPRS(8PSK)	2 TX Slots	18.98	19.15	19.23	20.00	-6.18	12.80	12.97	13.05	13.82
EGFK3(oF3K)	3 TX Slots	16.83	17.00	17.05	18.00	-4.42	12.41	12.58	12.63	13.58
	4 TX Slots	15.25	15.35	15.36	16.00	-3.17	12.08	12.18	12.19	12.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 124 of 493

GSM 850 Left Head simultaneously transmit with 5G WIFI														
	Burst Output P	ower(dBm	1)		Tune	Division		Average ower(dBm		Tune				
Chani	nel 128 190 25 ²				up	Factors	128	190	251	up				
GSM(GMSK)	GSM	25.93	26.01	26.1	26.50	-9.19	16.74	16.82	16.91	17.31				
	1 TX Slot	25.96	25.94	26.02	26.50	-9.19	16.77	16.75	16.83	17.31				
GPRS/EGPRS	2 TX Slots	23.76	23.86	23.92	24.50	-6.18	17.58	17.68	17.74	18.32				
(GMSK)	3 TX Slots	21.38	21.57	21.62	22.50	-4.42	16.96	17.15	17.20	18.08				
	4 TX Slots	19.58	19.57	19.60	20.50	-3.17	16.41	16.40	16.43	17.33				
	1 TX Slot	19.65	19.81	19.82	20.50	-9.19	10.46	10.62	10.63	11.31				
EGPRS(8PSK)	2 TX Slots	17.51	17.69	17.73	18.50	-6.18	11.33	11.51	11.55	12.32				
LGFNS(OFSN)	3 TX Slots	15.71	15.84	15.85	16.50	-4.42	11.29	11.42	11.43	12.08				
	4 TX Slots	13.32	13.45	13.49	14.50	-3.17	10.15	10.28	10.32	11.33				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 125 of 493

					<u> </u>					
	GSM	850 Right	t Head s	imultaned	ously tra	nsmit with	2.4G WIF	·I		
	Burst Output P	ower(dBm	1)		Tune	Division Factors		Average ower(dBm		Tune
Chani	nel	128	190	251	up	raciois	128	190	251	up
GSM(GMSK)	GSM	26.92	27.00	27.08	27.50	-9.19	17.73	17.81	17.89	18.31
	1 TX Slot	26.95	27.00	27.10	27.50	-9.19	17.76	17.81	17.91	18.31
GPRS/EGPRS	2 TX Slots	24.79	24.86	24.94	25.50	-6.18	18.61	18.68	18.76	19.32
(GMSK)	3 TX Slots	22.70	22.72	22.78	23.50	-4.42	18.28	18.3	18.36	19.08
	4 TX Slots	20.35	20.48	20.52	21.50	-3.17	17.18	17.31	17.35	18.33
	1 TX Slot	20.58	20.72	20.75	21.50	-9.19	11.39	11.53	11.56	12.31
ECDDC(0DCK)	2 TX Slots	18.47	18.65	18.70	19.50	-6.18	12.29	12.47	12.52	13.32
EGPRS(8PSK)	3 TX Slots	16.34	16.48	16.52	17.50	-4.42	11.92	12.06	12.10	13.08
	4 TX Slots	14.25	14.97	14.92	15.50	-3.17	11.08	11.80	11.75	12.33
	GS	M 850 Ri	ght Head	simultane	ously tra	ansmit with	5G WIFI			
	Burst Output P	ower(dBm	1)		Tune	Division		Average ower(dBn		Tune
Chani	nel	128	190	251	up	Factors	128	190	251	up
GSM(GMSK)	GSM	25.41	25.48	25.52	26.00	-9.19	16.22	16.29	16.33	16.81
	1 TX Slot	25.39	25.45	25.52	26.00	-9.19	16.20	16.26	16.33	16.81
GPRS/EGPRS	2 TX Slots	23.34	23.38	23.43	24.00	-6.18	17.16	17.20	17.25	17.82
(GMSK)	3 TX Slots	20.86	20.98	21.06	22.00	-4.42	16.44	16.56	16.64	17.58
	4 TX Slots	19.16	19.24	19.29	20.00	-3.17	15.99	16.07	16.12	16.83
	1 TX Slot	19.09	19.32	19.33	20.00	-9.19	9.90	10.13	10.14	10.81
	2 TX Slots	16.99	17.11	17.17	18.00	-6.18	10.81	10.93	10.99	11.82
EGPRS(8PSK)	3 TX Slots	15.37	15.48	15.36	16.00	-4.42	10.95	11.06	10.94	11.58
	4 TX Slots	12.86	13	13.03	14.00	-3.17	9.69	9.83	9.86	10.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 126 of 493

			GS	SM 1900 f	ull powe	er				
	Burst Output P	ower(dBm	1)		Tune	Division Factors		-Average ower(dBr		Tune
Chan	nel	512	661	810	ир	1 actors	512	661	810	up
GSM(GMSK)	GSM	30.63	30.66	30.67	31.00	-9.19	21.44	21.47	21.48	21.81
	1 TX Slot	30.69	30.68	30.65	31.00	-9.19	21.50	21.49	21.46	21.81
GPRS/EGPRS	2 TX Slots	28.04	28.11	28.04	29.00	-6.18	21.86	21.93	21.86	22.82
(GMSK)	3 TX Slots	25.84	26.02	25.93	27.00	-4.42	21.42	21.60	21.51	22.58
	4 TX Slots	23.76	23.93	23.86	25.00	-3.17	20.59	20.76	20.69	21.83
	1 TX Slot	26.20	26.18	26.35	27.00	-9.19	17.01	16.99	17.16	17.81
EGPRS(8PSK)	2 TX Slots	23.82	23.8	23.92	25.00	-6.18	17.64	17.62	17.74	18.82
EGFK3(6F3K)	3 TX Slots	21.45	21.52	21.54	23.00	-4.42	17.03	17.10	17.12	18.58
	4 TX Slots	19.19	19.21	19.28	20.00	-3.17	16.02	16.04	16.11	16.83
		G	SM 1900	Left Hea	d reduc	ed power				
	Burst Output P	ower(dBm	n)		Tune	Division		-Average ower(dBr		Tune
Chan	nel	512	661	810	up	Factors	512	661	810	up
GSM(GMSK)	GSM	29.00	29.15	29.09	30.00	-9.19	19.81	19.96	19.9	20.81
	1 TX Slot	29.11	29.24	29.18	30.00	-9.19	19.92	20.05	19.99	20.81
GPRS/EGPRS	2 TX Slots	27.34	27.36	27.42	28.00	-6.18	21.16	21.18	21.24	21.82
(GMSK)	3 TX Slots	25.23	25.25	25.21	26.00	-4.42	20.81	20.83	20.79	21.58
	4 TX Slots	23.06	23.10	23.13	24.00	-3.17	19.89	19.93	19.96	20.83
	1 TX Slot	24.80	24.88	24.95	26.00	-9.19	15.61	15.69	15.76	16.81
EGPRS(8PSK)	2 TX Slots	22.61	22.59	22.71	24.00	-6.18	16.43	16.41	16.53	17.82
EGPKS(OPSK)	3 TX Slots	20.57	20.56	20.71	22.00	-4.42	16.15	16.14	16.29	17.58
	4 TX Slots	18.46	18.45	18.56	19.00	-3.17	15.29	15.28	15.39	15.83
		GS	M 1900	Right Hea	ad reduc	ed power				
	Burst Output P	ower(dBm	n)		Tune	Division		-Average ower(dBr		Tune
Chan	nel	512	661	810	up	Factors	512	661	810	up
GSM(GMSK)	GSM	25.45	25.55	25.50	26.50	-9.19	16.26	16.36	16.31	17.31
	1 TX Slot	25.56	25.62	25.69	26.50	-9.19	16.37	16.43	16.50	17.31
GPRS/EGPRS	2 TX Slots	23.80	23.77	23.77	24.50	-6.18	17.62	17.59	17.59	18.32
(GMSK)	3 TX Slots	21.70	21.65	21.71	22.50	-4.42	17.28	17.23	17.29	18.08
	4 TX Slots	19.97	19.96	19.93	20.50	-3.17	16.80	16.79	16.76	17.33
EGPRS(8PSK)	1 TX Slot	21.28	21.3	21.43	22.50	-9.19	12.09	12.11	12.24	13.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 127 of 493

2 TX Slots	19.29	19.28	19.34	20.50	-6.18	13.11	13.10	13.16	14.32
3 TX Slots	17.18	17.19	17.31	18.50	-4.42	12.76	12.77	12.89	14.08
4 TX Slots	15.10	15.08	15.24	15.50	-3.17	11.93	11.91	12.07	12.33

		GSN	1900 h	otspot ac	tived fo	r 2.4G WIF	ı			
	Burst Output P	ower(dBm	1)		Tune	Division Factors		-Average ower(dBn		Tune
Chan	nel	512	661	810	up	Faciois	512	661	810	up
GSM(GMSK)	GSM	27.71	27.72	27.74	28.50	-9.19	18.52	18.53	18.55	19.31
	1 TX Slot	27.71	27.69	27.70	28.50	-9.19	18.52	18.50	18.51	19.31
GPRS/EGPRS	2 TX Slots	25.59	25.64	25.68	26.50	-6.18	19.41	19.46	19.5	20.32
(GMSK)	3 TX Slots	23.46	23.52	23.57	24.50	-4.42	19.04	19.10	19.15	20.08
	4 TX Slots	21.37	21.54	21.47	22.50	-3.17	18.20	18.37	18.30	19.33
	1 TX Slot	23.78	24.02	24.12	24.50	-9.19	14.59	14.83	14.93	15.31
EGPRS(8PSK)	2 TX Slots 21.51 21.62 21.74				22.50	-6.18	15.33	15.44	15.56	16.32
LOI NO(01 SIX)	3 TX Slots	19.39	19.45	19.58	20.50	-4.42	14.97	15.03	15.16	16.08
	4 TX Slots	17.20	17.31	17.38	17.50	-3.17	14.03	14.14	14.21	14.33
	GSM 1900 hotspot				ctived fo	or 5G WIFI				
	Burst Output P	ower(dBm	1)		Tune	Division Factors		-Average ower(dBn		Tune
Chan	nel	512	661	810	up	Faciois	512	661	810	up
GSM(GMSK)	GSM	26.17	26.16	26.22	27.00	-9.19	16.98	16.97	17.03	17.81
	1 TX Slot	26.11	26.23	26.19	27.00	-9.19	16.92	17.04	17.00	17.81
GPRS/EGPRS	2 TX Slots	23.93	24.01	24.02	25.00	-6.18	17.75	17.83	17.84	18.82
(GMSK)	3 TX Slots	21.81	21.86	21.85	23.00	-4.42	17.39	17.44	17.43	18.58
	4 TX Slots	19.95	19.83	19.93	21.00	-3.17	16.78	16.66	16.76	17.83
	1 TX Slot	21.82	21.8	21.92	23.00	-9.19	12.63	12.61	12.73	13.81
EGPRS(8PSK)	2 TX Slots	19.71	19.79	19.82	21.00	-6.18	13.53	13.61	13.64	14.82
LOI 1(0(0) 5(t)	3 TX Slots	17.64	17.61	17.73	19.00	-4.42	13.22	13.19	13.31	14.58
7 8-0-1	4 TX Slots	15.44	15.5	15.59	16.00	-3.17	12.27	12.33	12.42	12.83
	GSM	1900 Bod	y-worn s	imultane	ously tr	ansmit wit	h 2.4G WI	FI		
	Burst Output Power(dBm)					Division		-Average ower(dBr		Tune
Chan	nel	512	661	810	up	Factors	512	661	810	up
GSM(GMSK)	GSM	27.87	27.86	27.94	28.50	-9.19	18.68	18.67	18.75	19.31
0000/50000	1 TX Slot	27.93	27.92	27.87	28.50	-9.19	18.74	18.73	18.68	19.31
GPRS/EGPRS (GMSK)	2 TX Slots	25.73	25.71	25.79	26.50	-6.18	19.55	19.53	19.61	20.32
(,	3 TX Slots	23.61	23.59	23.66	24.50	-4.42	19.19	19.17	19.24	20.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

Page : 128 of 493

	4 TX Slots	21.58	21.57	21.68	22.50	-3.17	18.41	18.40	18.51	19.33
	1 TX Slot	23.16	23.19	23.33	24.50	-9.19	13.97	14.00	14.14	15.31
FCDDC(0DCK)	2 TX Slots	21.63	21.66	21.82	22.50	-6.18	15.45	15.48	15.64	16.32
EGPRS(8PSK)	3 TX Slots	19.55	19.62	19.77	20.50	-4.42	15.13	15.20	15.35	16.08
	4 TX Slots	16.96	16.97	17.11	17.50	-3.17	13.79	13.8	13.94	14.33

	GSM	1900 Boo	dy-worn	simultan	eously t	ransmit wi	th 5G WIF	71		
1	Burst Output P	ower(dBm	1)		Tune	Division Factors		-Average ower(dBr		Tune
Chanı	nel	512	661	810	up	1 aciois	512	661	810	up
GSM(GMSK)	GSM	26.41	26.39	26.42	27.00	-9.19	17.22	17.20	17.23	17.81
	1 TX Slot	26.43	26.39	26.43	27.00	-9.19	17.24	17.20	17.24	17.81
GPRS/EGPRS	2 TX Slots	24.40	24.41	24.37	25.00	-6.18	18.22	18.23	18.19	18.82
(GMSK)	3 TX Slots	22.22	22.27	22.28	23.00	-4.42	17.80	17.85	17.86	18.58
	4 TX Slots	20.19	20.25	20.27	21.00	-3.17	17.02	17.08	17.10	17.83
	1 TX Slot	21.81	21.80	21.93	23.00	-9.19	12.62	12.61	12.74	13.81
EGPRS(8PSK)	2 TX Slots	20.20	20.19	20.28	21.00	-6.18	14.02	14.01	14.10	14.82
LGF ((or or)	3 TX Slots	18.13	18.15	18.25	19.00	-4.42	13.71	13.73	13.83	14.58
	4 TX Slots	15.64	15.60	15.75	16.00	-3.17	12.47	12.43	12.58	12.83
	GSM	1900 Left	t Head si	imultaned	ously tra	ansmit with	2.4G WII	=1		
1	Burst Output P	ower(dBm	n)		Tune	Division		-Average ower(dBr		Tune
Chani	nel	512	661	810	up	Factors	512	661	810	up
GSM(GMSK)	GSM	26.92	26.97	26.99	27.50	-9.19	17.73	17.78	17.80	18.31
	1 TX Slot	26.95	26.96	26.93	27.50	-9.19	17.76	17.77	17.74	18.31
GPRS/EGPRS	2 TX Slots	24.88	24.85	24.82	25.50	-6.18	18.70	18.67	18.64	19.32
(GMSK)	3 TX Slots	22.75	22.74	22.77	23.50	-4.42	18.33	18.32	18.35	19.08
	4 TX Slots	20.67	20.69	20.71	21.50	-3.17	17.50	17.52	17.54	18.33
	1 TX Slot	22.20	22.20	22.32	23.50	-9.19	13.01	13.01	13.13	14.31
EGPRS(8PSK)	2 TX Slots	20.13	20.15	20.33	21.50	-6.18	13.95	13.97	14.15	15.32
LGF K3(6F3K)	3 TX Slots	18.14	18.18	18.28	19.50	-4.42	13.72	13.76	13.86	15.08
	4 TX Slots	16.01	15.98	16.08	16.50	-3.17	12.84	12.81	12.91	13.33
	GSN	1 1900 Le	ft Head s	simultane	ously tr	ansmit wit	h 5G WIF			
1	Burst Output P	ower(dBm	1)		Tune	Division Factors		-Average ower(dBr		Tune
Chanı	nel	512	661	810	up	1 aciois	512	661	810	up
GSM(GMSK)	GSM	25.51	25.48	25.53	26.00	-9.19	16.32	16.29	16.34	16.81
	1 TX Slot	25.47	25.46	25.5	26.00	-9.19	16.28	16.27	16.31	16.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Frame-Average Output

Rev : 01

Page : 129 of 493

0000/50000	2 TX Slots	23.30	23.29	23.41	24.00	-6.18	17.12	17.11	17.23	17.82
GPRS/EGPRS (GMSK)	3 TX Slots	21.21	21.19	21.28	22.00	-4.42	16.79	16.77	16.86	17.58
(Gillort)	4 TX Slots	19.30	19.35	19.42	20.00	-3.17	16.13	16.18	16.25	16.83
	1 TX Slot	20.84	20.82	20.96	22.00	-9.19	11.65	11.63	11.77	12.81
EGPRS(8PSK)	2 TX Slots	18.79	18.75	18.90	20.00	-6.18	12.61	12.57	12.72	13.82
EGPRS(OPSR)	3 TX Slots	16.65	16.62	16.81	18.00	-4.42	12.23	12.20	12.39	13.58
	4 TX Slots	14.66	14.65	14.72	15.00	-3.17	11.49	11.48	11.55	11.83

GSM 1900 Right Head simultaneously transmit with 2.4G WIFI

E	Burst Output P	ower(dBm	n)		Tune	Division		Average ower(dBr		Tune
Chani	nel	512	661	810	up	Factors	512	661	810	up
GSM(GMSK)	GSM	23.47	23.45	23.54	24.00	-9.19	14.28	14.26	14.35	14.81
	1 TX Slot	23.45	23.42	23.50	24.00	-9.19	14.26	14.23	14.31	14.81
GPRS/EGPRS	2 TX Slots	21.28	21.25	21.37	22.00	-6.18	15.10	15.07	15.19	15.82
(GMSK)	3 TX Slots	19.51	19.42	19.51	20.00	-4.42	15.09	15.00	15.09	15.58
	4 TX Slots	17.56	17.54	17.84	18.00	-3.17	14.39	14.37	14.67	14.83
	1 TX Slot	18.88	18.91	19.02	20.00	-9.19	9.69	9.72	9.83	10.81
EGPRS(8PSK)	2 TX Slots	16.83	16.81	16.94	18.00	-6.18	10.65	10.63	10.76	11.82
EGFK3(6F3K)	3 TX Slots	14.79	14.81	14.91	16.00	-4.42	10.37	10.39	10.49	11.58
	4 TX Slots	12.10	12.54	12.31	13.00	-3.17	10.83	10.81	11.03	9.83
	GSM ⁻	1900 Righ	nt Head	simultane	ously t	ransmit wi	th 5G WIF	7		
E	Burst Output Po	ower(dBm	n)		Tune	Division		Average ower(dBr	•	Tune
Chani	nel	512	661	810	up	Factors	512	661	810	up
GSM(GMSK)	GSM	21.90	21.91	21.89	22.50	-9.19	12.71	12.72	12.70	13.31
	1 TX Slot	21.90	21.87	21.93	22.50	-9.19	12.71	12.68	12.74	13.31
GPRS/EGPRS	2 TX Slots	20.10	20.08	20.19	20.50	-6.18	13.92	13.9	14.01	14.32
(GMSK)	3 TX Slots	18.03	18.00	18.06	18.50	-4.42	13.61	13.58	13.64	14.08
	4 TX Slots	15.84	15.75	15.93	16.50	-3.17	12.67	12.58	12.76	13.33
	1 TX Slot	17.43	17.48	17.58	18.50	-9.19	8.24	8.29	8.39	9.31
EGPRS(8PSK)	2 TX Slots	15.49	15.47	15.52	16.50	-6.18	9.31	9.29	9.34	10.32
EGFKS(OFSK)	3 TX Slots	12.96	12.9	13.06	14.50	-4.42	8.54	8.48	8.64	10.08
	4 TX Slots	10.24	11.05	11.18	11.50	-3.17	8.52	9.27	9.53	8.33

Table 14: Conducted Power Of GSM

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 130 of 493

Note:

1) . CMU200 measures GSM peak and average output power for active timeslots. For SAR the time based average power is relevant. The difference in between depends on the duty cycle of the TDMA signal:

No. of timeslots	1	2	3	4
Duty Cycle	1:8.3	1:4.15	1:2.77	1:2.075
Time based avg. power compared to slotted avg. power	-9.19	-6.18	-4.42	-3.17

2). The frame-averaged power is linearly proportion to the slot number configured and it is linearly scaled the maximum burst-averaged power based on time slots. The calculated method is shown as below: Frame-averaged power = 10 x log (Burst-averaged power mW x Slot used / 8

3) . When the maximum output power variation across the required test channels is > ½ dB, instead of the middle channel, the highest output power channel must be used

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 131 of 493

8.1.2.2 Conducted Power Of WCDMA

	W	CDMA Band II t	ull power		
	Avera	age Conducted	Power(dBm)		
Ch	annel	9262	9400	9538	Tune up
WCDMA	12.2kbps RMC	23.43	23.49	23.46	23.50
VVCDIVIA	12.2kbps AMR	23.41	23.46	23.44	23.50
	Subtest 1	23.15	23.21	23.20	23.50
HSDPA	Subtest 2	22.82	22.93	22.89	23.50
ПЭДРА	Subtest 3	21.57	21.63	21.59	22.50
	Subtest 4	21.71	21.88	21.84	22.50
	Subtest 1	21.01	21.06	21.11	22.00
	Subtest 2	18.23	18.18	18.25	19.50
HSUPA	Subtest 3	19.21	19.13	18.93	20.50
	Subtest 4	18.12	18.23	18.97	19.50
	Subtest 5	20.88	20.79	20.82	22.00
DC-HSDPA	Subtest 1	22.84	22.92	22.96	23.50
	Subtest 2	22.79	22.97	22.94	23.50
	Subtest 3	21.47	21.51	21.32	22.50
	Subtest 4	21.37	21.4	21.37	22.50
	WCDMA I	Band II Left Hea	d reduced powe	r	
	Avera	age Conducted	Power(dBm)		
Ch	annel	9262	9400	9538	Tune up
MCDMA	12.2kbps RMC	21.80	21.72	21.70	22.00
WCDMA	12.2kbps AMR	21.78	21.70	21.68	22.00
	Subtest 1	21.79	21.68	21.65	22.00
LICDDA	Subtest 2	21.71	21.53	21.68	22.00
HSDPA	Subtest 3	20.66	20.65	20.48	21.00
	Subtest 4	20.62	20.66	20.51	21.00
	Subtest 1	20.42	20.33	20.28	20.50
	Subtest 2	17.31	17.41	17.32	18.00
HSUPA	Subtest 3	18.98	18.88	18.79	19.00
	Subtest 4	17.28	17.08	17.25	18.00
	Subtest 5	19.73	19.58	19.81	20.50
	Subtest 1	21.39	21.30	21.25	22.00
DO 110554	Subtest 2	21.33	21.38	21.30	22.00
DC-HSDPA	Subtest 3	20.91	20.85	20.77	21.00
	Subtest 4	20.29	20.09	20.26	21.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



: 01 Rev

Page : 132 of 493

			ad reduced powe	er	
	Avera	age Conducted	Power(dBm)		
Ch	annel	9262	9400	9538	Tune up
WCDMA	12.2kbps RMC	17.70	17.84	17.65	18.00
WCDIVIA	12.2kbps AMR	17.67	17.81	17.63	18.00
	Subtest 1	17.63	17.71	17.54	18.00
HSDPA	Subtest 2	17.79	17.73	17.67	18.00
ПОДРА	Subtest 3	16.59	16.43	16.56	17.00
	Subtest 4	16.82	16.44	16.45	17.00
	Subtest 1	15.78	15.64	15.69	16.50
	Subtest 2	13.83	13.38	13.05	14.00
HSUPA	Subtest 3	14.59	14.53	14.62	15.00
	Subtest 4	13.64	13.63	13.59	14.00
	Subtest 5	16.27	16.12	16.06	16.50
	Subtest 1	17.53	17.73	17.41	18.00
DC HCDDA	Subtest 2	17.89	17.68	17.76	18.00
DC-HSDPA	Subtest 3	16.58	16.56	16.32	17.00
	Subtest 4	16.22	16.48	16.19	17.00
	WCDMA Ba	and II hotspot ac	tived for 2.4G W	IFI	
	Avera	age Conducted	Power(dBm)		
Ch	annel	9262	9400	9538	Tune up
MODIMA	12.2kbps RMC	20.94	20.94	20.98	21.00
WCDMA	12.2kbps AMR	20.91	20.92	20.97	21.00
	Subtest 1	20.46	20.43	20.39	21.00
LICDDA	Subtest 2	20.52	20.49	20.31	21.00
HSDPA	Subtest 3	19.14	19.07	19.09	20.00
	Subtest 4	19.15	19.03	19.06	20.00
	Subtest 1	18.53	18.61	18.49	19.50
	Subtest 2	16.57	16.59	16.50	17.00
HSUPA	Subtest 3	17.78	17.64	17.69	18.00
	Subtest 4	16.83	16.38	16.05	17.00
	Subtest 5	17.79	17.83	17.62	19.50
	Subtest 1	20.52	20.55	20.43	21.00
DO 110554	Subtest 2	20.47	20.4	20.36	21.00
DC-HSDPA	Subtest 3	19.03	19.02	19.05	20.00
	Subtest 4	19.12	18.93	18.96	20.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 133 of 493

		•	ctived for 5G WII	=1	
	Aver	age Conducted	Power(dBm)		
Ch	annel	9262	9400	9538	Tune up
WCDMA	12.2kbps RMC	19.44	19.48	19.49	19.50
WCDIVIA	12.2kbps AMR	19.42	19.47	19.47	19.50
	Subtest 1	19.41	19.36	19.48	19.50
HSDPA	Subtest 2	19.38	19.42	19.46	19.50
ПЭДРА	Subtest 3	18.36	18.31	18.37	18.50
	Subtest 4	18.16	18.31	18.07	18.50
	Subtest 1	17.76	17.61	17.27	18.00
	Subtest 2	14.96	15.01	15.42	15.50
HSUPA	Subtest 3	16.38	16.46	16.14	16.50
	Subtest 4	14.84	14.96	14.98	15.50
	Subtest 5	17.69	17.93	17.83	18.00
	Subtest 1	19.43	19.46	19.40	19.50
DO LICDDA	Subtest 2	19.40	19.21	19.37	19.50
DC-HSDPA	Subtest 3	18.13	18.46	18.32	18.50
	Subtest 4	17.93	18.02	18.18	18.50
	WCDMA Band II Body	v-worn simultane	ously transmit w	ith 2.4G WIFI	
	Aver	age Conducted	Power(dBm)		
Ch	annel	9262	9400	9538	Tune up
MCDMA	12.2kbps RMC	20.96	20.89	20.81	21.00
WCDMA	12.2kbps AMR	20.93	20.88	20.80	21.00
	Subtest 1	20.61	20.76	20.52	21.00
LICDDA	Subtest 2	20.23	20.80	20.57	21.00
HSDPA	Subtest 3	19.59	19.62	19.48	20.00
	Subtest 4	19.38	19.13	19.32	20.00
	Subtest 1	19.33	19.39	19.28	19.50
	Subtest 2	16.86	16.78	16.90	17.00
HSUPA	Subtest 3	17.53	17.73	17.41	18.00
	Subtest 4	16.90	16.77	16.59	17.00
	Subtest 5	18.34	18.38	18.34	19.50
	Subtest 1	20.68	20.88	20.19	21.00
DO HODDA	Subtest 2	20.47	20.51	20.69	21.00
DC-HSDPA	Subtest 3	19.63	19.62	19.48	20.00
	Subtest 4	19.85	19.33	19.31	20.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 134 of 493 Page

	WCDMA Band II Bod	y-worn simultan	eously transmit v	vith 5G WIFI	
	Aver	age Conducted	Power(dBm)		
Ch	annel	9262	9400	9538	Tune up
MCDMA	12.2kbps RMC	19.41	19.32	19.37	19.50
WCDMA	12.2kbps AMR	19.40	19.29	19.34	19.50
	Subtest 1	19.31	19.43	19.42	19.50
HSDPA	Subtest 2	19.44	19.18	19.25	19.50
HSDPA	Subtest 3	18.49	18.33	18.47	18.50
	Subtest 4	18.49	18.42	18.13	18.50
	Subtest 1	17.45	17.31	17.82	18.00
	Subtest 2	15.21	15.31	15.34	15.50
HSUPA	Subtest 3	16.33	16.17	16.01	16.50
	Subtest 4	15.29	15.32	15.37	15.50
	Subtest 5	17.56	17.50	17.66	18.00
DC-HSDPA	Subtest 1	19.28	19.24	19.11	19.50
	Subtest 2	19.13	19.31	19.22	19.50
	Subtest 3	18.18	18.22	18.17	18.50
	Subtest 4	18.04	18.06	18.15	18.50
	WCDMA Band II Left	Head simultane	ously transmit wi	th 2.4G WIFI	
	Aver	age Conducted	Power(dBm)		
Ch	annel	9262	9400	9538	Tune up
MODIMA	12.2kbps RMC	19.27	19.22	19.20	19.50
WCDMA	12.2kbps AMR	19.26	19.21	19.17	19.50
	Subtest 1	18.95	19.05	19.09	19.50
LICDDA	Subtest 2	18.82	18.99	18.95	19.50
HSDPA	Subtest 3	18.03	18.43	18.40	18.50
	Subtest 4	18.06	18.04	18.02	18.50
	Subtest 1	17.38	17.14	17.41	18.00
	Subtest 2	15.23	15.19	14.52	15.50
HSUPA	Subtest 3	16.43	16.47	16.40	16.50
	Subtest 4	15.25	15.20	15.19	15.50
	Subtest 5	17.21	17.16	17.10	18.00
	Subtest 1	18.85	19.13	19.13	19.50
DO 11000	Subtest 2	18.50	19.04	18.90	19.50
DC-HSDPA	Subtest 3	18.32	18.18	18.04	18.50
	Subtest 4	18.39	18.01	18.23	18.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 135 of 493

	WCDMA Band II Left	t Head simultane	eously transmit w	ith 5G WIFI	
	Aver	age Conducted	Power(dBm)		
Ch	annel	9262	9400	9538	Tune up
WCDMA	12.2kbps RMC	17.91	17.83	17.82	18.00
WCDIVIA	12.2kbps AMR	17.88	17.82	17.79	18.00
	Subtest 1	17.85	17.53	17.55	18.00
HSDPA	Subtest 2	17.42	17.52	17.92	18.00
ПЗДРА	Subtest 3	16.47	16.64	16.11	17.00
	Subtest 4	16.41	16.56	16.62	17.00
	Subtest 1	16.36	16.18	16.34	16.50
	Subtest 2	13.82	13.81	13.33	14.00
HSUPA	Subtest 3	14.47	14.33	14.45	15.00
	Subtest 4	13.52	13.36	13.31	14.00
	Subtest 5	16.28	16.33	16.23	16.50
	Subtest 1	17.60	17.80	17.33	18.00
DO HODDA	Subtest 2	17.66	17.79	17.43	18.00
DC-HSDPA	Subtest 3	16.38	16.92	16.50	17.00
	Subtest 4	16.24	16.40	16.89	17.00
	WCDMA Band II Right	Head simultane	ously transmit w	ith 2.4G WIFI	
	Aver	age Conducted	Power(dBm)		
Ch	annel	9262	9400	9538	Tune up
MCDMA	12.2kbps RMC	15.21	15.25	15.23	15.50
WCDMA	12.2kbps AMR	15.19	15.23	15.22	15.50
	Subtest 1	15.25	15.25	15.38	15.50
LICDDA	Subtest 2	15.23	15.27	15.37	15.50
HSDPA	Subtest 3	14.30	14.25	14.13	14.50
	Subtest 4	14.13	14.16	14.13	14.50
	Subtest 1	13.55	13.55	13.53	14.00
	Subtest 2	10.62	10.56	10.56	11.50
HSUPA	Subtest 3	11.62	11.54	11.54	12.50
	Subtest 4	10.63	10.58	10.55	11.50
	Subtest 5	13.57	13.54	13.53	14.00
	Subtest 1	15.13	15.24	15.34	15.50
DO 110000	Subtest 2	15.41	15.38	15.16	15.50
DC-HSDPA	Subtest 3	14.39	14.34	14.32	14.50
	Subtest 4	14.19	14.33	14.31	14.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 136 of 493 Page

	WCDMA Band II Righ	nt Head simultan	eously transmit v	with 5G WIFI			
		age Conducted		WILLIOO WILL			
Channel 9262 9400 9538 Tune up							
14/00144	12.2kbps RMC	13.86	13.68	13.66	14.00		
WCDMA	12.2kbps AMR	13.83	13.67	13.65	14.00		
	Subtest 1	13.98	13.87	13.94	14.00		
HCDDA	Subtest 2	13.12	13.06	13.01	14.00		
HSDPA	Subtest 3	12.08	12.07	12.01	13.00		
	Subtest 4	12.08	12.05	12.05	13.00		
	Subtest 1	12.11	12.07	12.07	12.50		
	Subtest 2	9.14	9.09	9.07	10.00		
HSUPA	Subtest 3	10.10	10.03	10.05	11.00		
	Subtest 4	9.29	9.24	9.23	10.00		
	Subtest 5	12.41	12.39	12.35	12.50		
	Subtest 1	13.37	13.24	13.26	14.00		
DC HCDDA	Subtest 2	13.11	13.29	13.04	14.00		
DC-HSDPA	Subtest 3	12.10	12.01	12.03	13.00		
	Subtest 4	12.08	12.09	12.08	13.00		

	WCDMA Band IV full power								
	Average Conducted Power(dBm)								
Ch	Channel 1312 1412 1513 Tune up								
WCDMA	12.2kbps RMC	23.72	23.70	23.82	24.00				
VVCDIVIA	12.2kbps AMR	23.69	23.69	23.80	24.00				
	Subtest 1	23.21	23.35	23.29	24.00				
HSDPA	Subtest 2	23.21	23.35	23.28	24.00				
ПОДРА	Subtest 3	22.70	22.85	22.75	23.00				
	Subtest 4	22.71	22.85	22.75	23.00				
	Subtest 1	22.01	22.32	21.96	22.50				
	Subtest 2	19.09	19.27	18.97	20.00				
HSUPA	Subtest 3	19.92	20.12	20.70	21.00				
	Subtest 4	19.09	19.26	19.44	20.00				
	Subtest 5	21.80	21.90	21.80	22.50				
	Subtest 1	23.06	23.13	23.18	24.00				
DC-HSDPA	Subtest 2	23.28	23.39	23.37	24.00				
DC-HSDPA	Subtest 3	22.85	22.64	22.52	23.00				
	Subtest 4	22.76	22.45	22.82	23.00				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 137 of 493 Page

	WCDMA E	Band IV Left Hea	ad reduced powe	r	
		age Conducted			
Ch	annel	1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	18.53	18.52	18.51	19.00
WCDIVIA	12.2kbps AMR	18.52	18.49	18.48	19.00
	Subtest 1	18.32	18.38	18.38	19.00
LICDDA	Subtest 2	18.27	18.29	18.30	19.00
HSDPA	Subtest 3	17.71	17.87	17.71	18.00
	Subtest 4	17.57	17.44	17.47	18.00
	Subtest 1	16.83	16.84	16.81	17.00
	Subtest 2	14.42	14.33	14.33	15.00
HSUPA	Subtest 3	15.32	15.31	15.48	16.00
	Subtest 4	14.19	14.33	14.31	15.00
	Subtest 5	15.95	15.80	15.77	16.50
	Subtest 1	18.35	18.38	18.43	19.00
DC-HSDPA	Subtest 2	18.27	18.32	18.38	19.00
	Subtest 3	17.52	17.52	17.51	18.00
	Subtest 4	17.45	17.55	17.49	18.00

	WWCDMA	Band IV Right H	ead reduced pov	ver	
	Aver	age Conducted	Power(dBm)		
Ch	annel	1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	16.06	16.25	16.36	16.50
VVCDIVIA	12.2kbps AMR	16.03	16.22	16.35	16.50
	Subtest 1	16.16	16.24	16.05	16.50
HSDPA	Subtest 2	16.21	16.17	16.24	16.50
ПОДРА	Subtest 3	15.04	15.07	15.03	15.50
	Subtest 4	14.97	14.91	15.05	15.50
	Subtest 1	14.92	14.96	14.88	15
	Subtest 2	11.72	11.86	11.91	12.50
HSUPA	Subtest 3	13.10	12.99	12.96	13.50
7 6-60	Subtest 4	11.91	11.96	11.89	12.50
	Subtest 5	14.91	14.88	14.83	15
	Subtest 1	16.14	16.18	16.02	16.50
DC-HSDPA	Subtest 2	16.09	16.16	16.14	16.50
DO-HODPA	Subtest 3	14.99	14.89	14.93	15.50
	Subtest 4	15.07	15.10	15.15	15.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 138 of 493 Page

WCDMA Band IV hotspot actived for 2.4G WIFI							
		•		/11 1			
		rage Conducted	, ,	T	T		
Ch	annel	1312	1412	1513	Tune up		
WCDMA	12.2kbps RMC	21.04	21.05	21.07	21.50		
VVCDIVIA	12.2kbps AMR	21.02	21.02	21.05	21.50		
	Subtest 1	21.19	21.34	21.12	21.50		
HSDPA	Subtest 2	21.21	21.26	21.23	21.50		
ПОДРА	Subtest 3	20.25	20.12	20.15	20.50		
	Subtest 4	20.19	20.06	20.16	20.50		
	Subtest 1	19.57	19.64	19.55	20.00		
	Subtest 2	17.30	17.27	17.32	17.50		
HSUPA	Subtest 3	18.32	18.26	18.14	18.50		
	Subtest 4	17.28	17.28	17.25	17.50		
	Subtest 5	19.61	19.57	19.56	20.00		
	Subtest 1	21.08	21.05	21.05	21.50		
DC HCDDA	Subtest 2	21.12	21.01	21.14	21.50		
DC-HSDPA	Subtest 3	20.21	20.18	20.33	20.50		
	Subtest 4	20.05	20.16	20.12	20.50		

	WCDMA B	and IV hotspot a	actived for 5G WI	FI	
	Aver	age Conducted	Power(dBm)		
Ch	annel	1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	19.54	19.52	19.50	20.00
VVCDIVIA	12.2kbps AMR	19.51	19.51	19.49	20.00
	Subtest 1	19.34	19.22	19.16	20.00
HSDPA	Subtest 2	19.39	19.21	19.13	20.00
ПОДРА	Subtest 3	18.78	18.79	18.52	19.00
	Subtest 4	18.60	18.43	18.61	19.00
	Subtest 1	18.25	18.29	18.27	18.50
	Subtest 2	15.61	15.60	15.53	16.00
HSUPA	Subtest 3	16.42	16.33	16.33	17.00
7 8-00 8	Subtest 4	15.77	15.81	15.78	16.00
	Subtest 5	18.22	18.05	18.28	18.50
	Subtest 1	19.31	19.30	19.54	20.00
DC-HSDPA	Subtest 2	19.33	19.26	19.59	20.00
DC-HSDPA	Subtest 3	18.72	18.54	18.50	19.00
	Subtest 4	18.73	18.64	18.43	19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 139 of 493 Page

	WCDMA Band IV Bod	y-worn simultan	eously transmit w	rith 2.4G WIFI	
	Ave	rage Conducted	Power(dBm)		
Ch	annel	1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	21.03	21.05	21.02	21.50
VVCDIVIA	12.2kbps AMR	21.00	21.04	20.99	21.50
	Subtest 1	20.72	21.04	20.83	21.50
ПСДВУ	Subtest 2	20.64	21.02	20.98	21.50
HSDPA	Subtest 3	19.96	20.09	19.85	20.50
	Subtest 4	19.75	20.14	19.89	20.50
	Subtest 1	19.05	19.16	19.29	20.00
	Subtest 2	16.51	16.52	16.54	17.50
HSUPA	Subtest 3	17.48	17.46	17.44	18.50
	Subtest 4	17.18	17.13	17.12	17.50
	Subtest 5	17.32	17.30	17.31	19.00
	Subtest 1	20.78	20.68	20.73	21.50
DC-HSDPA	Subtest 2	20.89	20.83	20.81	21.50
DC-HODPA	Subtest 3	19.00	19.89	19.92	20.50
	Subtest 4	19.98	19.92	19.92	20.50

	WCDMA Band IV Boo	ly-worn simultar	neously transmit	with 5G WIFI	
	Aver	age Conducted	Power(dBm)		
Ch	annel	1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	19.53	19.49	19.48	20.00
VVCDIVIA	12.2kbps AMR	19.52	19.48	19.45	20.00
	Subtest 1	19.25	19.16	19.14	20.00
HSDPA	Subtest 2	19.25	19.28	19.24	20.00
HODEA	Subtest 3	18.68	18.64	18.57	19.00
	Subtest 4	18.26	18.35	18.22	19.00
	Subtest 1	17.95	17.81	17.96	18.50
	Subtest 2	15.30	15.61	15.44	16.00
HSUPA	Subtest 3	16.38	16.07	16.21	17.00
7800	Subtest 4	15.58	15.48	15.39	16.00
	Subtest 5	17.56	17.50	17.66	18.50
	Subtest 1	19.38	19.14	19.41	20.00
DC-HSDPA	Subtest 2	19.53	19.39	19.52	20.00
DO-HODEA	Subtest 3	18.28	18.25	18.28	19.00
	Subtest 4	18.25	18.21	18.25	19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 140 of 493 Page

	WCDMA Band IV Left	Head simultane	ously transmit w	ith 2 4G WIFI	
		age Conducted	-		
Ch	annel	1312	1412	1513	Tune up
MODMA	12.2kbps RMC	16.41	15.48	16.33	16.50
WCDMA	12.2kbps AMR	16.40	15.47	16.00	16.50
	Subtest 1	15.84	15.68	15.27	16.50
LICDDA	Subtest 2	15.04	15.00	15.06	16.50
HSDPA	Subtest 3	14.66	14.67	14.75	15.50
	Subtest 4	14.34	14.75	14.57	15.50
	Subtest 1	14.56	14.92	14.92	15.00
	Subtest 2	11.86	12.18	11.98	12.50
HSUPA	Subtest 3	12.82	12.83	12.70	13.50
	Subtest 4	11.06	11.73	12.12	12.50
	Subtest 5	14.53	14.62	14.54	15.00
	Subtest 1	15.24	15.81	15.46	16.50
DC HCDD4	Subtest 2	15.24	15.91	15.55	16.50
DC-HSDPA	Subtest 3	14.83	14.89	14.62	15.50
	Subtest 4	14.83	14.92	14.94	15.50

	WCDMA Band IV Le	ft Head simultan	eously transmit v	vith 5G WIFI	
	Aver	age Conducted	Power(dBm)		
Ch	annel	1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	14.97	14.22	14.91	15.00
VVCDIVIA	12.2kbps AMR	14.95	14.19	14.90	15.00
	Subtest 1	14.41	14.31	14.44	15.00
ПСОВУ	Subtest 2	14.70	14.53	14.33	15.00
HSDPA	Subtest 3	13.29	13.27	13.28	14.00
	Subtest 4	13.26	13.28	13.44	14.00
	Subtest 1	12.76	12.84	12.64	13.50
	Subtest 2	10.62	10.76	10.56	11.00
HSUPA	Subtest 3	11.18	11.37	11.54	12.00
7 6-60 6	Subtest 4	10.62	10.72	10.38	11.00
	Subtest 5	12.86	12.81	12.74	13.50
	Subtest 1	14.46	14.39	14.48	15.00
DC-HSDPA	Subtest 2	14.38	14.41	14.33	15.00
DC-HODPA	Subtest 3	13.30	13.25	13.25	14.00
	Subtest 4	13.29	13.43	13.30	14.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 141 of 493 Page

\	NCDMA Band IV Righ	nt Head simultan	eously transmit v	vith 2.4G WIFI	
	Ave	rage Conducted	Power(dBm)		
Ch	annel	1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	13.85	13.06	13.87	14.00
WCDIVIA	12.2kbps AMR	13.84	13.03	13.84	14.00
	Subtest 1	13.39	13.44	13.78	14.00
HSDPA	Subtest 2	13.35	13.56	13.63	14.00
ПОДРА	Subtest 3	12.25	12.31	12.71	13.00
	Subtest 4	12.32	12.3	12.70	13.00
	Subtest 1	11.21	11.79	11.74	12.50
	Subtest 2	9.53	9.48	9.06	10.00
HSUPA	Subtest 3	10.55	10.77	10.44	11.00
	Subtest 4	9.39	9.22	9.16	10.00
	Subtest 5	11.55	11.63	11.34	12.50
	Subtest 1	13.33	13.51	13.65	14.00
DC-HSDPA	Subtest 2	13.42	13.41	13.79	14.00
DC-HODFA	Subtest 3	12.37	12.39	12.73	13.00
	Subtest 4	12.28	12.23	12.69	13.00

	WCDMA Band IV Rig	ht Head simultar	neously transmit	with 5G WIFI	
	Avei	rage Conducted	Power(dBm)		
Ch	annel	1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	12.47	11.76	12.42	12.50
VVCDIVIA	12.2kbps AMR	12.45	11.75	12.39	12.50
	Subtest 1	11.49	11.47	11.74	12.50
HSDPA	Subtest 2	11.21	11.38	11.82	12.50
ПОДРА	Subtest 3	10.13	10.06	10.55	11.50
	Subtest 4	10.16	10.12	10.53	11.50
	Subtest 1	10.46	10.47	10.51	11.00
	Subtest 2	8.05	8.15	8.41	8.50
HSUPA	Subtest 3	8.46	8.52	8.59	9.50
7800	Subtest 4	7.33	7.75	7.96	8.50
	Subtest 5	10.53	10.92	10.89	11.00
	Subtest 1	11.54	11.38	11.65	12.50
DC-HSDPA	Subtest 2	11.11	11.24	11.35	12.50
DC-113DPA	Subtest 3	10.20	10.25	10.15	11.50
	Subtest 4	10.06	10.02	10.23	11.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 142 of 493 Page

	W	/CDMA Band V fu	ıll power		
	Aver	age Conducted P	ower(dBm)		
Ch	annel	4132	4182	4233	Tune up
WCDMA	12.2kbps RMC	23.74	23.84	23.66	24.00
	12.2kbps AMR	23.73	23.82	23.64	24.00
	Subtest 1	22.42	22.21	22.24	23.00
LICDDA	Subtest 2	22.41	22.10	22.24	23.00
HSDPA	Subtest 3	22.43	22.01	22.27	22.50
	Subtest 4	22.40	21.98	22.20	22.50
	Subtest 1	21.25	21.48	21.23	21.50
	Subtest 2	19.04	19.25	19.32	19.50
HSUPA	Subtest 3	20.24	20.06	20.23	20.50
	Subtest 4	18.45	18.32	18.30	19.50
	Subtest 5	21.47	21.16	21.31	22.00
	Subtest 1	22.35	22.22	21.98	23.00
DO 110DDA	Subtest 2	22.19	21.91	22.09	23.00
DC-HSDPA	Subtest 3	22.05	21.96	22.02	22.50
	Subtest 4	22.02	22.02	22.05	22.50
	WCDMA	Band V Left Head	d reduced power	r	
	Aver	age Conducted P	ower(dBm)		
Ch	annel	4132	4182	4233	Tune up
	12.2kbps RMC	19.71	19.20	19.90	20.00
WCDMA	12.2kbps AMR	19.68	19.17	19.88	20.00
	Subtest 1	18.32	18.51	18.48	19.00
	Subtest 2	18.57	18.53	18.51	19.00
HSDPA	Subtest 3	17.48	17.54	17.50	18.50
	Subtest 4	17.55	17.59	17.51	18.50
	Subtest 1	16.55	16.54	16.48	17.50
	Subtest 2	15.31	15.26	15.33	15.50
HSUPA	Subtest 3	15.48	15.53	15.48	16.50
	Subtest 4	15.09	15.14	15.11	15.50
	Subtest 5	17.95	17.80	17.77	18.00
	Subtest 1	18.77	18.81	18.78	19.00
	Subtest 2	18.46	18.53	18.48	19.00
DC-HSDPA	Subtest 3	17.47	17.11	17.40	18.50
	04510010	17.77	17.11	17.40	10.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 143 of 493 Page

	WCDMA E	Band V Right Hea	d reduced power	er	
	Aver	age Conducted P	ower(dBm)		
Ch	annel	4132	4182	4233	Tune up
14/00144	12.2kbps RMC	19.14	18.75	19.35	19.50
WCDMA	12.2kbps AMR	19.11	18.72	19.34	19.50
	Subtest 1	17.56	17.51	17.33	18.50
HODDA	Subtest 2	17.48	17.59	17.49	18.50
HSDPA	Subtest 3	17.50	17.45	17.52	18.00
	Subtest 4	17.51	17.51	17.52	18.00
	Subtest 1	16.57	16.52	16.51	17.00
	Subtest 2	14.44	14.53	14.55	15.00
HSUPA	Subtest 3	15.60	15.47	15.50	16.00
	Subtest 4	14.78	14.53	14.86	15.00
	Subtest 5	16.40	16.97	16.43	17.50
	Subtest 1	17.57	17.61	17.75	18.50
DC-HSDPA	Subtest 2	17.51	17.46	17.44	18.50
DC-HSDPA	Subtest 3	17.52	17.46	17.42	18.00
	Subtest 4	17.42	17.48	16.47	18.00
	WCDMA Ba	and V hotspot acti	ved for 2.4G W	IFI	
	Aver	age Conducted P	ower(dBm)		
Ch	annel	4132	4182	4233	Tune up
WCDMA	12.2kbps RMC	21.20	20.70	21.28	21.50
VVCDIVIA	12.2kbps AMR	21.17	20.68	21.26	21.50
	Subtest 1	19.24	19.43	19.10	20.50
HSDPA	Subtest 2	19.25	19.22	19.30	20.50
ПЭДРА	Subtest 3	18.92	19.14	19.39	20.00
	Subtest 4	19.33	19.39	19.28	20.00
	Subtest 1	18.23	18.34	18.09	19.00
	Subtest 2	16.60	16.96	16.77	17.00
HSUPA	Subtest 3	17.48	17.43	17.41	17.50
	Subtest 4	16.91	16.41	16.04	17.00
	Subtest 5	19.19	19.38	18.83	19.50
	Subtest 1	19.06	19.22	19.39	20.50
DC HCDDA	Subtest 2	19.21	19.11	19.36	20.50
DC-HSDPA	Subtest 3	19.13	19.12	19.35	20.00
	Subtest 4	19.05	19.05	19.36	20.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

: 144 of 493 Page

	WCDMA E	Band V hotspot ac	tived for 5G WI	FI	
Ch	annel	4132	4182	4233	Tune up
MODMA	12.2kbps RMC	19.74	19.32	19.86	20.00
WCDMA	12.2kbps AMR	19.71	19.29	19.84	20.00
	Subtest 1	18.56	18.39	18.20	19.00
LICDDA	Subtest 2	18.64	18.04	18.12	19.00
HSDPA	Subtest 3	17.95	17.15	17.09	18.50
	Subtest 4	18.16	18.13	17.56	18.50
	Subtest 1	17.22	17.49	17.21	17.50
	Subtest 2	14.57	14.47	14.16	15.50
HSUPA	Subtest 3	15.87	16.02	15.89	16.50
	Subtest 4	14.91	15.40	14.87	15.50
	Subtest 5	17.63	17.89	17.94	18.00
	Subtest 1	18.88	18.89	18.47	19.00
DC-HSDPA	Subtest 2	18.77	18.78	18.82	19.00
DC-HSDPA	Subtest 3	17.92	17.46	17.81	18.50
	Subtest 4	17.58	17.92	17.77	18.50
	WCDMA Band V Body	/-worn simultaned	ously transmit w	ith 2.4G WIFI	
	Aver	age Conducted F	Power(dBm)		
Ch	annel	4132	4182	4233	Tune up
MODMA	12.2kbps RMC	21.05	21.14	21.11	21.50
WCDMA	12.2kbps AMR	21.04	21.12	21.09	21.50
	Subtest 1	19.19	19.57	19.92	20.50
HSDPA	Subtest 2	19.35	19.58	19.24	20.50
порра	Subtest 3	19.66	19.80	19.73	20.00
	Subtest 4	19.47	19.71	19.80	20.00
	Subtest 1	18.02	18.37	18.44	19.00
	Subtest 2	16.58	16.77	16.79	17.00
HSUPA	Subtest 3	17.47	17.46	17.48	17.50
	Subtest 4	16.17	16.64	16.58	17.00
	Subtest 5	19.43	19.35	19.45	19.50
FPOL	Subtest 1	19.11	19.57	19.55	20.50
DC HCDDA	Subtest 2	19.32	19.35	19.14	20.50
DC-HSDPA	Subtest 3	19.23	19.53	19.42	20.00
					•

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 145 of 493 Page

	WCDMA Band V Boo	ly-worn simultane	eously transmit v	vith 5G WIFI	
Ch	nannel	4132	4182	4233	Tune up
WCDMA	12.2kbps RMC	19.52	19.64	19.62	20.00
WCDIVIA	12.2kbps AMR	19.51	19.61	19.61	20.00
	Subtest 1	18.56	18.32	18.26	19.00
LICDDA	Subtest 2	18.93	18.55	18.54	19.00
HSDPA	Subtest 3	17.59	17.63	17.29	18.50
	Subtest 4	18.15	17.77	17.46	18.50
	Subtest 1	17.13	16.63	17.09	17.50
	Subtest 2	14.58	15.46	15.31	15.50
HSUPA	Subtest 3	16.19	16.05	16.33	16.50
	Subtest 4	14.75	15.38	15.20	15.50
	Subtest 5	17.28	17.44	17.41	18.00
	Subtest 1	18.96	18.57	18.03	19.00
DC-HSDPA	Subtest 2	18.65	18.41	18.15	19.00
DC-HSDPA	Subtest 3	17.65	18.18	17.34	18.50
	Subtest 4	17.95	17.24	17.31	18.50
	WCDMA Band V Left	Head simultaneo	ously transmit wi	th 2.4G WIFI	
	Aver	age Conducted F	Power(dBm)		
Ch	nannel	4132	4182	4233	Tune up
MCDMA	12.2kbps RMC	17.01	17.13	17.07	17.50
WCDMA	12.2kbps AMR	16.99	17.1	17.05	17.50
	Subtest 1	16.27	16.11	16.15	16.50
HSDPA	Subtest 2	16.23	16.06	16.14	16.50
ПЭПРА	Subtest 3	15.29	15.45	15.27	16.00
	Subtest 4	15.33	15.36	15.29	16.00
	Subtest 1	14.46	14.40	14.72	15.00
	Subtest 2	12.21	12.40	12.32	13.00
HSUPA	Subtest 3	13.35	13.06	13.73	14.00
	Subtest 4	12.25	12.34	12.66	13.00
	Subtest 5	15.30	15.36	15.13	15.50
FROM	Subtest 1	16.22	16.31	16.16	16.50
	Subtest 2	16.00	16.42	16.41	16.50
DC HCDDA	Sublest 2				
DC-HSDPA	Subtest 3	15.55	15.07	15.55	16.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 146 of 493 Page

	WCDMA Band V Lef	t Head simultane	ously transmit w	ith 5G WIFI	
Ch	annel	4132	4182	4233	Tune up
WCDMA	12.2kbps RMC	15.75	15.36	15.56	16.00
VVCDIVIA	12.2kbps AMR	15.74	15.35	15.54	16.00
	Subtest 1	14.66	14.63	14.76	15.00
HSDPA	Subtest 2	14.59	14.76	14.38	15.00
ПОДРА	Subtest 3	14.22	14.36	14.11	14.50
	Subtest 4	14.12	14.17	14.14	14.50
	Subtest 1	13.16	13.21	13.41	13.50
	Subtest 2	11.02	11.02	11.23	11.50
HSUPA	Subtest 3	11.95	12.06	11.97	12.50
	Subtest 4	10.83	10.93	11.06	11.50
	Subtest 5	13.60	13.15	13.12	14.00
	Subtest 1	14.70	14.15	14.26	15.00
DC-HSDPA	Subtest 2	14.79	14.14	14.20	15.00
DC-HSDPA	Subtest 3	13.88	14.04	14.25	14.50
	Subtest 4	13.76	14.08	14.14	14.50
	WCDMA Band V Righ	t Head simultane	ously transmit w	ith 2.4G WIFI	
	Aver	age Conducted F	Power(dBm)		
Ch	annel	4132	4182	4233	Tune up
WCDMA	12.2kbps RMC	16.53	16.61	16.59	17.50
VVCDIVIA	12.2kbps AMR	16.51	16.58	16.56	17.50
	Subtest 1	15.63	15.86	15.95	16.50
HSDPA	Subtest 2	15.69	15.88	15.57	16.50
ПОДРА	Subtest 3	14.87	14.55	14.72	16.00
	Subtest 4	14.45	14.56	14.31	16.00
	Subtest 1	13.51	13.57	13.56	14.50
	Subtest 2	11.55	11.34	11.51	12.50
HSUPA	Subtest 3	13.24	13.23	13.10	13.50
	Subtest 4	12.02	12.03	12.07	12.50
	Subtest 5	14.09	14.54	14.46	15.50
FPO	Subtest 1	15.56	15.73	15.68	16.50
DC-HSDPA	Subtest 2	15.86	15.70	15.96	16.50
DO-1 IODEA	Subtest 3	15.08	15.19	15.13	16.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 147 of 493

	WCDMA Band V Righ	nt Head simultar	eously transmit	with 5G WIFI	
Ch	annel	4132	4182	4233	Tune up
WCDMA	12.2kbps RMC	15.24	14.86	15.49	15.50
VVCDIVIA	12.2kbps AMR	15.22	14.83	15.46	15.50
	Subtest 1	14.02	14.30	14.23	14.50
HSDPA	Subtest 2	14.14	14.05	14.22	14.50
ПОДРА	Subtest 3	13.91	13.97	13.07	14.00
	Subtest 4	13.88	13.86	13.04	14.00
	Subtest 1	12.77	12.91	12.61	13.00
	Subtest 2	10.96	10.74	10.63	11.00
HSUPA	Subtest 3	11.42	11.3	11.11	12.00
	Subtest 4	10.13	10.67	10.99	11.00
	Subtest 5	12.92	13.34	12.95	13.50
	Subtest 1	13.98	13.77	13.76	14.50
DC-HSDPA	Subtest 2	14.01	13.90	13.80	14.50
DC-USDFA	Subtest 3	13.95	13.71	13.83	14.00
	Subtest 4	13.79	13.9	13.08	14.00

Table 15: Conducted Power Of WCDMA

Note:

1) when the maximum output power variation across the required test channels is > ½ dB, instead of the middle channel, the highest output power channel must be used.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此數告結果僅對測試之樣品負責,同時此樣品僅保留仍天。本數告未經本公司惠面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com



Rev : 01

Page : 148 of 493

8.1.2.3 Conducted Power Of LTE

	LTE Band 2 full	power		Conducted Power(dBm)				
Don devidéb	Madulation	DD size	DD effect	Channel	Channel	Channel	Tuna	
Bandwidth	Modulation	RB size	RB offset	18607	18900	19193	Tune up	
		1	0	23.05	23.12	23.46	24.50	
		1	2	23.32	23.26	23.67	24.50	
		1	5	23.25	23.26	23.65	24.50	
	QPSK	3	0	23.39	23.18	23.52	24.50	
		3	2	23.38	23.29	23.61	24.50	
		3	3	23.37	23.33	23.62	24.50	
		6	0	22.04	22.25	22.53	23.50	
		1	0	21.86	22.35	22.38	23.50	
		1	2	22.06	22.29	22.59	23.50	
		1	5	22.01	22.27	22.61	23.50	
1.4MHz	16QAM	3	0	22.08	22.29	22.48	23.50	
		3	2	22.10	22.42	22.55	23.50	
		3	3	22.08	22.43	22.63	23.50	
		6	0	21.29	21.29	21.39	22.50	
		1	0	21.71	22.68	21.75	23.00	
		1	2	21.47	22.08	21.42	23.00	
		1	5	21.67	22.61	21.95	23.00	
	64QAM	3	0	20.49	21.43	20.52	23.00	
		3	2	20.46	21.43	20.59	23.00	
		3	3	20.45	21.47	20.58	23.00	
		6	0	20.50	20.77	20.60	22.00	
		DD size		Channel	Channel	Channel		
Bandwidth	Modulation	RB size	RB offset	18615	18900	19185	Tune up	
		1	0	23.63	23.28	23.05	24.50	
		1	7	23.77	23.49	23.74	24.50	
		1	14	23.61	23.27	23.88	24.50	
	QPSK	8	0	22.39	22.43	21.81	23.50	
		8	4	22.33	22.39	22.39	23.50	
		8	7	22.41	22.33	22.56	23.50	
		15	0	22.28	22.25	22.33	23.50	
		1	0	22.37	22.45	21.82	23.50	
		1	7	22.48	22.58	22.45	23.50	
		1	14	22.42	22.36	22.56	23.50	
3MHz	16QAM	8	0	21.55	21.44	21.46	22.50	
		8	4	21.53	21.55	21.70	22.50	
		8	7	21.57	21.61	21.81	22.50	
		15	0	21.46	21.33	21.56	22.50	
		1	0	21.67	22.64	21.71	23.00	
		1	7	21.44	22.05	21.36	23.00	
		1	14	21.66	22.58	21.93	23.00	
	64QAM	8	0	21.69	21.41	21.71	22.00	
		8	4	21.47	21.39	21.37	22.00	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 149 of 493

		15	0	20.44	20.9	20.54	22
Donalusiath	Modulation	DD size	RB offset	Channel	Channel	Channel	Tungum
Bandwidth	Modulation	RB size	KD Ollset	18625	18900	19175	Tune up
		1	0	23.78	23.50	22.97	24.50
		1	13	23.85	23.51	23.10	24.50
		1	24	23.32	23.33	23.81	24.50
	QPSK	12	0	22.48	22.47	21.89	23.50
		12	6	22.51	22.53	21.96	23.50
		12	13	22.36	22.47	22.35	23.50
		25	0	22.48	22.43	22.14	23.50
		1	0	22.49	22.44	21.91	23.50
		1	13	22.62	22.53	22.07	23.50
		1	24	22.26	22.32	22.67	23.50
5MHz	16QAM	12	0	21.56	21.80	21.23	22.50
		12	6	21.59	21.52	21.30	22.50
		12	13	21.52	21.52	21.67	22.50
		25	0	21.56	21.45	21.41	22.50
		1	0	21.67	22.72	21.73	23.00
		1	13	21.48	22.11	21.41	23.00
		1	24	21.70	22.58	21.95	23.00
	64QAM	12	0	20.52	21.43	20.52	22.00
		12	6	20.50	21.41	20.55	22.00
		12	13	20.47	21.47	20.59	22.00
		25	0	20.47	20.79	20.61	24.50
			55 "	Channel	Channel	Channel	_
Bandwidth	Modulation		RB offset	18650	18900	19150	Tune up
		1	0	23.86	23.67	22.87	24.50
		1	25	23.36	23.45	23.01	24.50
		4	40		00.04	00.50	24.50
		1	49	22.94	23.34	23.58	24.50
	QPSK	25	0	22.94 22.42	23.34	23.58	23.50
	QPSK				+		_
	QPSK	25	0	22.42	22.38	22.03	23.50
	QPSK	25 25	0 13	22.42 22.25	22.38 22.44	22.03 21.78	23.50 23.50
	QPSK	25 25 25	0 13 25	22.42 22.25 21.98	22.38 22.44 22.29	22.03 21.78 21.92	23.50 23.50 23.50
	QPSK	25 25 25 50	0 13 25 0	22.42 22.25 21.98 22.38 22.62	22.38 22.44 22.29 22.48 22.62	22.03 21.78 21.92 21.89 21.86	23.50 23.50 23.50 23.50 23.50
	QPSK	25 25 25 50 1	0 13 25 0 0 25	22.42 22.25 21.98 22.38 22.62 22.38	22.38 22.44 22.29 22.48 22.62 22.67	22.03 21.78 21.92 21.89 21.86 21.79	23.50 23.50 23.50 23.50 23.50 23.50
10MHz		25 25 25 50 1 1	0 13 25 0	22.42 22.25 21.98 22.38 22.62 22.38 21.83	22.38 22.44 22.29 22.48 22.62 22.67 22.44	22.03 21.78 21.92 21.89 21.86	23.50 23.50 23.50 23.50 23.50 23.50 23.50
10MHz	QPSK 16QAM	25 25 25 50 1	0 13 25 0 0 25 49	22.42 22.25 21.98 22.38 22.62 22.38 21.83 21.58	22.38 22.44 22.29 22.48 22.62 22.67 22.44 21.69	22.03 21.78 21.92 21.89 21.86 21.79 22.25 21.37	23.50 23.50 23.50 23.50 23.50 23.50 23.50 22.50
10MHz		25 25 25 50 1 1 1 25	0 13 25 0 0 25 49	22.42 22.25 21.98 22.38 22.62 22.38 21.83	22.38 22.44 22.29 22.48 22.62 22.67 22.44	22.03 21.78 21.92 21.89 21.86 21.79 22.25	23.50 23.50 23.50 23.50 23.50 23.50 23.50
10MHz		25 25 25 50 1 1 1 25 25 25	0 13 25 0 0 25 49 0 13 25	22.42 22.25 21.98 22.38 22.62 22.38 21.83 21.58 21.47 21.22	22.38 22.44 22.29 22.48 22.62 22.67 22.44 21.69 21.48 21.32	22.03 21.78 21.92 21.89 21.86 21.79 22.25 21.37 21.06 21.26	23.50 23.50 23.50 23.50 23.50 23.50 23.50 22.50 22.50
10MHz		25 25 25 50 1 1 1 25 25 25 50	0 13 25 0 0 25 49 0 13 25 0	22.42 22.25 21.98 22.38 22.62 22.38 21.83 21.58 21.47 21.22 21.47	22.38 22.44 22.29 22.48 22.62 22.67 22.44 21.69 21.48 21.32 21.49	22.03 21.78 21.92 21.89 21.86 21.79 22.25 21.37 21.06 21.26 21.21	23.50 23.50 23.50 23.50 23.50 23.50 23.50 22.50 22.50 22.50
10MHz		25 25 25 50 1 1 1 25 25 25 50 1	0 13 25 0 0 25 49 0 13 25 0	22.42 22.25 21.98 22.38 22.62 22.38 21.83 21.58 21.47 21.22 21.47 21.68	22.38 22.44 22.29 22.48 22.62 22.67 22.44 21.69 21.48 21.32 21.49 22.65	22.03 21.78 21.92 21.89 21.86 21.79 22.25 21.37 21.06 21.26 21.21	23.50 23.50 23.50 23.50 23.50 23.50 23.50 22.50 22.50 22.50 23.00
10MHz		25 25 25 50 1 1 1 25 25 25 50 1	0 13 25 0 0 25 49 0 13 25 0 0	22.42 22.25 21.98 22.38 22.62 22.38 21.83 21.58 21.47 21.22 21.47 21.68 21.46	22.38 22.44 22.29 22.48 22.62 22.67 22.44 21.69 21.48 21.32 21.49 22.65 22.06	22.03 21.78 21.92 21.89 21.86 21.79 22.25 21.37 21.06 21.26 21.21 21.69 21.36	23.50 23.50 23.50 23.50 23.50 23.50 22.50 22.50 22.50 22.50 23.00 23.00
10MHz	16QAM	25 25 25 50 1 1 1 25 25 25 50 1 1	0 13 25 0 0 25 49 0 13 25 0 0 0 25	22.42 22.25 21.98 22.38 22.62 22.38 21.83 21.58 21.47 21.22 21.47 21.68 21.68	22.38 22.44 22.29 22.48 22.62 22.67 22.44 21.69 21.48 21.32 21.49 22.65 22.06 22.56	22.03 21.78 21.92 21.89 21.86 21.79 22.25 21.37 21.06 21.26 21.21 21.69 21.36 21.94	23.50 23.50 23.50 23.50 23.50 23.50 22.50 22.50 22.50 23.00 23.00 23.00
10MHz		25 25 25 50 1 1 1 25 25 25 50 1 1 1 25	0 13 25 0 0 25 49 0 13 25 0 0 25 49 0	22.42 22.25 21.98 22.38 22.62 22.38 21.83 21.58 21.47 21.22 21.47 21.68 21.68 21.68	22.38 22.44 22.29 22.48 22.62 22.67 22.44 21.69 21.48 21.32 21.49 22.65 22.06 22.56 21.42	22.03 21.78 21.92 21.89 21.86 21.79 22.25 21.37 21.06 21.26 21.21 21.69 21.36 21.94 20.50	23.50 23.50 23.50 23.50 23.50 23.50 23.50 22.50 22.50 22.50 23.00 23.00 23.00 22.00
10MHz	16QAM	25 25 25 50 1 1 1 25 25 25 50 1 1	0 13 25 0 0 25 49 0 13 25 0 0 0 25	22.42 22.25 21.98 22.38 22.62 22.38 21.83 21.58 21.47 21.22 21.47 21.68 21.68	22.38 22.44 22.29 22.48 22.62 22.67 22.44 21.69 21.48 21.32 21.49 22.65 22.06 22.56	22.03 21.78 21.92 21.89 21.86 21.79 22.25 21.37 21.06 21.26 21.21 21.69 21.36 21.94	23.50 23.50 23.50 23.50 23.50 23.50 22.50 22.50 22.50 23.00 23.00 23.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 150 of 493

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungura
bandwidth	iviodulation	RD SIZE	Rb oliset	18675	18900	19125	Tune up
		1	0	23.85	23.55	23.16	24.50
		1	38	23.62	23.46	22.98	24.50
		1	74	22.80	23.72	23.59	24.50
	QPSK	36	0	22.47	22.27	22.03	23.50
		36	18	22.22	22.42	21.95	23.50
		36	39	21.76	22.76	21.81	23.50
	A	75	0	22.22	22.68	22.40	23.50
		1	0	22.64	22.60	22.25	23.50
		1	38	22.36	22.71	22.16	23.50
		1	74	21.65	22.53	22.54	23.50
15MHz	16QAM	36	0	21.65	21.57	21.16	22.50
		36	18	21.43	21.42	21.04	22.50
		36	39	20.98	21.76	21.14	22.50
		75	0	21.37	21.67	21.38	22.50
		1	0	21.71	22.69	21.74	23.00
		1	38	21.49	22.08	21.39	23.00
		1	74	21.70	22.61	21.98	23.00
	64QAM	36	0	20.49	21.44	20.53	22.00
		36	18	20.48	21.42	20.59	22.00
	Modulation	36	39	20.46	21.44	20.58	22.00
		75	0	20.49	20.92	20.57	24.50
Donalissialth		DD -:	DD affact	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	18700	18900	19100	Tune up
		1	0	23.71	23.52	24.12	24.50
		1	50	23.18	23.49	22.86	24.50
		1	99	23.14	24.27	23.87	24.50
	QPSK	50	0	22.60	22.39	22.37	23.50
		50	25	22.17	22.54	22.15	23.50
		50	50	22.32	22.43	21.89	23.50
		100	0	22.36	22.57	22.56	23.50
		1	0	22.65	22.46	22.99	23.50
		1	50	21.96	22.58	22.15	23.50
		1	99	22.31	22.85	22.78	23.50
20MHz	16QAM	50	0	21.76	21.70	21.57	22.50
		50	25	21.17	21.53	21.12	22.50
		50	50	21.13	21.48	20.89	22.50
		100	0	21.50	21.57	21.52	22.50
			1 +	21.76	22.77	21.80	23.00
		1	0	21.70			
			0 50	21.55	22.17	21.48	23.00
		1			22.17 22.66	21.48 22.04	23.00 23.00
	64QAM	1	50	21.55 21.76	22.66	22.04	23.00
	64QAM	1 1 1 50	50 99 0	21.55 21.76 20.57	22.66 21.52	22.04 20.61	23.00 22.00
	64QAM	1 1 1	50 99	21.55 21.76	22.66	22.04	23.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

Page : 151 of 493

LTE	Band 2 Left H	ead reduced p	oower		Conducted P	ower(dBm)	
Dan davidub	M 11 c	DD :	DD " .	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	18607	18900	19193	Tune up
		1	0	20.45	20.49	20.33	21.50
		1	2	20.28	20.39	19.97	21.50
		1	5	20.46	20.54	20.59	21.50
	QPSK	3	0	20.43	20.33	20.47	21.50
		3	2	20.39	20.33	20.52	21.50
		3	3	20.37	20.41	20.46	21.50
		6	0	20.36	20.43	20.45	21.50
		1	0	20.49	20.52	20.40	21.50
		1	2	20.26	20.41	20.20	21.50
		1	5	20.66	20.58	20.54	21.50
1.4MHz	16QAM	3	0	20.25	20.32	20.31	21.50
		3	2	20.22	20.29	20.44	21.50
		3	3	20.28	20.44	20.40	21.50
		6	0	20.39	20.31	20.31	21.50
		1	0	20.82	20.76	20.65	21.50
		1	2	20.31	20.25	20.26	21.50
		1	5	20.83	20.67	20.81	21.50
	64QAM	3	0	20.57	20.47	20.55	21.50
	Modulation	3	2	20.45	20.45	20.60	21.50
		3	3	20.46	20.47	20.59	21.50
		6	0	20.49	20.46	20.53	21.50
Bandwidth		tion RB size		Channel	Channel	Channel	Tune up
Banawiatii	Modulation			18615	18900	19185	Tune up
		1	0	20.38	20.47	20.43	21.50
		1	7	20.26	20.36	19.95	21.50
		1	14	20.50	20.55	20.57	21.50
	QPSK	8	0	20.35	20.44	20.49	21.50
		8	4	20.30	20.26	20.48	21.50
		8	7	20.35	20.45	20.57	21.50
		15	0	20.34	20.40	20.46	21.50
		1	0	20.48	20.53	20.31	21.50
		1	7	20.41	20.38	20.15	21.50
3MHz		1	14	20.54	20.51	20.42	21.50
JIIIIZ	16QAM	8	0	20.26	20.33	20.40	21.50
	<u> </u>	8	4	20.26	20.26	20.35	21.50
	[8	7	20.33	20.36	20.42	21.50
		15	0	20.37	20.29	20.29	21.50
		1	0	20.82	20.71	20.67	21.50
	[1	7	20.34	20.27	20.27	21.50
	64QAM	1	14	20.81	20.67	20.82	21.50
	UTQ/IVI	8	0	20.55	20.51	20.56	21.50
	<u> </u>	8	4	20.45	20.47	20.55	21.50
	L	8	7	20.43	20.71	20.55	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 152 of 493

		15	0	20.48	20.44	20.54	21.50
			"	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	18625	18900	19175	Tune up
		1	0	20.37	20.43	20.36	21.50
		1	13	20.19	20.37	19.95	21.50
		1	24	20.48	20.58	20.51	21.50
	QPSK	12	0	20.46	20.33	20.39	21.50
		12	6	20.41	20.28	20.40	21.50
		12	13	20.45	20.42	20.56	21.50
		25	0	20.42	20.44	20.40	21.50
		1	0	20.46	20.52	20.30	21.50
		1	13	20.30	20.32	20.27	21.50
		1	24	20.54	20.56	20.52	21.50
5MHz	16QAM	12	0	20.27	20.30	20.45	21.50
		12	6	20.27	20.36	20.45	21.50
		12	13	20.29	20.44	20.41	21.50
		25	0	20.29	20.27	20.34	21.50
		1	0	20.82	20.76	20.66	21.50
		1	13	20.32	20.26	20.25	21.50
		1	24	20.78	20.68	20.81	21.50
	64QAM	12	0	20.55	20.50	20.54	21.50
		12	6	20.43	20.44	20.57	21.50
		12	13	20.44	20.48	20.57	21.50
		25	0	20.50	20.47	20.57	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Bandwidth	Modulation	ND SIZE	ND onset	18650	18900	19150	i dile up
		1	0	20.35	20.48	20.43	21.50
		1	25	20.32	20.40	19.96	21.50
		1	49	20.50	20.49	20.47	21.50
	QPSK	25	0	20.43	20.33	20.43	21.50
		25	13	20.29	20.30	20.44	21.50
		25	25	20.48	20.37	20.49	21.50
		50	0	20.39	20.34	20.46	21.50
		1	0	20.35	20.55	20.32	21.50
						00.40	21.50
		1	25	20.34	20.45	20.16	21.00
		1	25 49	20.34 20.63	20.45 20.49	20.16	21.50
10MHz	16QAM			•	20.49 20.35		
10MHz	16QAM	1	49	20.63	20.49	20.47	21.50
10MHz	16QAM	1 25	49 0	20.63 20.34	20.49 20.35	20.47 20.42	21.50 21.50
10MHz	16QAM	1 25 25	49 0 13	20.63 20.34 20.36 20.36 20.37	20.49 20.35 20.23 20.39 20.25	20.47 20.42 20.46 20.49 20.32	21.50 21.50 21.50
10MHz	16QAM	1 25 25 25 25	49 0 13 25	20.63 20.34 20.36 20.36	20.49 20.35 20.23 20.39	20.47 20.42 20.46 20.49	21.50 21.50 21.50 21.50
10MHz	16QAM	1 25 25 25 25 50	49 0 13 25 0	20.63 20.34 20.36 20.36 20.37	20.49 20.35 20.23 20.39 20.25	20.47 20.42 20.46 20.49 20.32	21.50 21.50 21.50 21.50 21.50
10MHz	16QAM	1 25 25 25 25 50	49 0 13 25 0	20.63 20.34 20.36 20.36 20.37 20.82	20.49 20.35 20.23 20.39 20.25 20.71	20.47 20.42 20.46 20.49 20.32 20.64	21.50 21.50 21.50 21.50 21.50 21.50
10MHz	16QAM	1 25 25 25 25 50 1	49 0 13 25 0 0 25	20.63 20.34 20.36 20.36 20.37 20.82 20.35	20.49 20.35 20.23 20.39 20.25 20.71 20.25	20.47 20.42 20.46 20.49 20.32 20.64 20.23	21.50 21.50 21.50 21.50 21.50 21.50 21.50
10MHz		1 25 25 25 50 1 1	49 0 13 25 0 0 25 49	20.63 20.34 20.36 20.36 20.37 20.82 20.35 20.78	20.49 20.35 20.23 20.39 20.25 20.71 20.25 20.68	20.47 20.42 20.46 20.49 20.32 20.64 20.23 20.81	21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50
10MHz		1 25 25 25 25 50 1 1 1 25	49 0 13 25 0 0 25 49	20.63 20.34 20.36 20.36 20.37 20.82 20.35 20.78 20.53	20.49 20.35 20.23 20.39 20.25 20.71 20.25 20.68 20.46	20.47 20.42 20.46 20.49 20.32 20.64 20.23 20.81 20.53	21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 153 of 493

Dan desidik	Madulation	DD size	DD affact	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	18675	18900	19125	Tune up
		1	0	20.41	20.39	20.41	21.50
		1	38	20.20	20.39	19.93	21.50
		1	74	20.56	20.59	20.51	21.50
	QPSK	36	0	20.42	20.40	20.41	21.50
		36	18	20.28	20.25	20.51	21.50
		36	39	20.46	20.43	20.55	21.50
		75	0	20.33	20.39	20.42	21.50
		1	0	20.37	20.54	20.37	21.50
		1	38	20.29	20.40	20.22	21.50
		1	74	20.67	20.59	20.44	21.50
15MHz	16QAM	36	0	20.36	20.31	20.40	21.50
		36	18	20.32	20.35	20.34	21.50
		36	39	20.37	20.45	20.38	21.50
		75	0	20.36	20.24	20.30	21.50
		1 0	0	20.82	20.75	20.65	21.50
		1	38	20.31	20.28	20.25	21.50
	64QAM	1	74	20.81	20.68	20.80	21.50
		36	0	20.56	20.47	20.54	21.50
	Ī	36	18	20.43	20.47	20.58	21.50
	Ī	36	39	20.47	20.46	20.57	21.50
	Ī	75	0	20.49	20.46	20.53	21.50
5	Modulation	DD :	DD " '	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	18700	18900	19100	Tune up
		1	0	20.47	20.53	20.46	21.50
		1	50	20.34	20.47	20.03	21.50
		1	99	20.60	20.60	20.61	21.50
	QPSK	50	0	20.49	20.46	20.52	21.50
		50	25	20.43	20.37	20.55	21.50
		50	50	20.48	20.50	20.60	21.50
		100	0	20.47	20.44	20.52	21.50
		1	0	20.50	20.56	20.42	21.50
		1	50	20.41	20.46	20.29	21.50
		1	99	20.69	20.60	20.56	21.50
20MHz	16QAM	50	0	20.38	20.38	20.45	21.50
		50	25	20.36	20.36	20.49	21.50
		50	50	20.39	20.49	20.52	21.50
		100	0	20.43	20.34	20.37	21.50
		1	0	20.83	20.83	20.76	21.50
		1	50	20.43	20.35	20.34	21.50
		1	99	20.79	20.76	20.84	21.50
	64QAM	50	0	20.64	20.58	20.65	21.50
	UTQ/\IVI						-
	0+Q/IVI	50	25	20.55	20.56	20.67	21.50
	OTQ/IVI	50 50	25 50	20.55 20.56	20.56 20.56	20.67	21.50 21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



: 01 Rev

Page : 154 of 493

LTE E	Band 2 Right Head	I reduced pow	er		Conducte	ed Power(dBm)	
Bandwidth	Modulation	RB size	RB effect	Channel	Channel	Channel	Tune up
			offset	18607	18900	19193	
		1	0	15.98	15.91	15.86	17.00
		1	2	15.80	15.24	15.38	17.00
		1	5	16.03	16.04	15.98	17.00
	QPSK	3	0	15.99	15.89	15.88	17.00
		3	2	15.90	15.84	15.95	17.00
		3	3	15.88	15.99	15.95	17.00
		6	0	15.94	15.84	15.91	17.00
		1	0	15.92	15.96	15.83	17.00
		1	2	15.57	15.46	15.77	17.00
		1	5	16.05	15.99	15.97	17.00
1.4MHz	16QAM	3	0	15.89	15.86	15.83	17.00
		3	2	15.9	15.78	15.84	17.00
		3	3	15.8	15.83	15.97	17.00
		6	0	15.87	15.73	15.94	17.00
		1	0	16.28	16.31	16.23	17.00
		1	2	15.99	15.44	16.16	17.00
		1	5	16.21	16.12	16.30	17.00
	64QAM	3	0	16.07	16.02	16.12	17.00
		3	2	16.03	16.01	16.10	17.00
		3	3	16.01	15.98	16.11	17.00
		6	0	16.01	15.99	16.08	17.00
			RB	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	offset	18615	18900	19185	Tune up
		1	0	15.97	15.93	15.93	17.00
		1	7	15.84	15.35	15.46	17.00
		1	14	16.03	15.95	15.96	17.00
	QPSK	8	0	15.90	15.82	15.82	17.00
		8	4	15.88	15.90	15.93	17.00
		8	7	15.94	15.90	16.01	17.00
		15	0	15.95	15.85	15.88	17.00
		1	0	15.94	15.91	15.81	17.00
		1	7	15.51	15.42	15.72	17.00
		1	14	15.98	16.03	15.98	17.00
3MHz	16QAM	8	0	15.92	15.92	15.84	17.00
	10301111	8	4	15.92	15.87	15.88	17.00
		8	7	15.81	15.82	15.96	17.00
		15	0	15.81	15.62	15.85	17.00
		1	0	16.26	16.31	16.18	17.00
		1	7				
				15.98	15.46	16.11	17.00
	640084	1	14	16.18	16.08	16.30	17.00
	64QAM	8	0	16.08	15.98	16.13	17.00
		8	4	16.05	15.99	16.05	17.00
		8	7	16.03	16.00	16.08	17.00
		15	0	16.03	16.01	16.10	17.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Rev : 01

Page : 155 of 493

Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
Bandwidth	Modulation	ND SIZE	offset	18625	18900	19175	Turie up
		1	0	15.93	15.93	15.82	17.00
		1	13	15.79	15.28	15.46	17.00
		1	24	15.99	16.00	15.96	17.00
	QPSK	12	0	15.96	15.89	15.87	17.00
		12	6	15.87	15.89	15.96	17.00
		12	13	15.84	15.95	16.03	17.00
		25	0	15.95	15.81	15.97	17.00
		1	0	15.98	16.02	15.88	17.00
		1	13	15.55	15.43	15.69	17.00
		1	24	16.07	16.01	15.97	17.00
5MHz	16QAM	12	0	15.92	15.88	15.8	17.00
		12	6	15.86	15.79	15.92	17.00
		12	13	15.88	15.90	16.00	17.00
		25	0	15.83	15.85	15.92	17.00
-		1	0	16.26	16.31	16.22	17.00
		1	13	16.02	15.41	16.15	17.00
		1	24	16.19	16.11	16.30	17.00
	64QAM	12	0	16.04	16.02	16.12	17.00
		12	6	16.02	16.01	16.07	17.00
		12	13	16.00	16.01	16.07	17.00
		25	0	16.02	16.01	16.11	17.00
			RB	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	offset	18650	18900	19150	Tune up
		1	0	15.95	15.85	15.95	17.00
		1	25	15.82	15.36	15.43	17.00
		1	49	15.98	16.00	16.02	17.00
	QPSK	25	0	15.99	15.9	15.86	17.00
		25	13	15.84	15.81	16.02	17.00
		25	25	15.93	15.98	16.00	17.00
		50	0	15.98	15.85	15.98	17.00
-		1	0	15.94	16.03	15.78	17.00
		1	25	15.48	15.49	15.69	17.00
		1	49	16.04	16.07	16.02	17.00
10MHz	16QAM	25	0	15.90	15.94	15.83	17.00
		25	13	15.92	15.82	15.95	17.00
	(6)		25	15.84	15.85	16.00	17.00
		25				15.92	17.00
		25 50	0	15.88	15.76	10.02	
		50	0				
		50 1	0	16.31	16.30	16.23	17.00
		50 1 1	0 0 25	16.31 15.99	16.30 15.43	16.23 16.16	17.00 17.00
	64QAM	50 1 1 1	0 0 25 49	16.31 15.99 16.17	16.30 15.43 16.12	16.23 16.16 16.31	17.00 17.00 17.00
	64QAM	50 1 1 1 1 25	0 0 25 49 0	16.31 15.99 16.17 16.03	16.30 15.43 16.12 16.02	16.23 16.16 16.31 16.08	17.00 17.00 17.00 17.00
	64QAM	50 1 1 1	0 0 25 49	16.31 15.99 16.17	16.30 15.43 16.12	16.23 16.16 16.31	17.00 17.00 17.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Rev : 01

Page : 156 of 493

Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tungun
bandwidth	Modulation	RD SIZE	offset	18675	18900	19125	Tune up
		1	0	15.94	15.96	15.95	17.00
		1	38	15.85	15.33	15.43	17.00
		1	74	16.09	16.00	15.97	17.00
	QPSK	36	0	15.98	15.91	15.93	17.00
		36	18	15.96	15.82	15.98	17.00
7 00		36	39	15.85	15.95	16.07	17.00
		75	0	15.86	15.79	15.94	17.00
		1	0	15.98	15.92	15.82	17.00
		1	38	15.58	15.41	15.67	17.00
		1	74	16.04	16.04	15.94	17.00
15MHz	16QAM	36	0	15.97	15.88	15.84	17.00
		36	18	15.89	15.75	15.91	17.00
		36	39	15.80	15.85	16.02	17.00
		75	0	15.82	15.82	15.93	17.00
		1	0	16.24	16.31	16.19	17.00
		1	38	15.99	15.43	16.11	17.00
		1	74	16.19	16.08	16.30	17.00
	64QAM	36	0	16.07	16.02	16.11	17.00
		36	18	16.00	16.00	16.09	17.00
		36	39	15.99	16.02	16.10	17.00
		75	0	16.03	16.03	16.08	17.00
	Mandadatian	DD -:	RB	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	offset	18700	18900	19100	Tune up
		1	0	16.04	16.00	15.97	17.00
		1	50	15.86	15.38	15.51	17.00
		1	99	16.09	16.07	16.06	17.00
	QPSK	50	0	16.00	15.95	15.97	17.00
		50	25	15.98	15.92	16.06	17.00
		50	50	15.95	15.99	16.07	17.00
		100	0	16.01	15.94	15.99	17.00
Ţ		1	0	16.01	16.06	15.92	17.00
		1	50	15.59	15.54	15.80	17.00
		1	99	16.12	16.13	16.07	17.00
	16QAM	50	0	16.00	15.95	15.95	17.00
20MHz	16QAM		1	15.95	15.88	15.98	17.00
20MHz		50	25	10.00			
20MHz		50 50	25 50	15.91	15.94	16.02	17.00
20MHz						16.02 15.95	17.00 17.00
20MHz		50	50	15.91 15.89	15.94 15.86		
20MHz		50 100	50 0	15.91 15.89 16.31	15.94 15.86 16.31	15.95	17.00
20MHz		50 100 1	50 0 0 50	15.91 15.89 16.31 16.05	15.94 15.86 16.31 15.48	15.95 16.25 16.18	17.00 17.00 17.00
20MHz	64QAM	50 100 1 1 1	50 0 0 50 99	15.91 15.89 16.31 16.05 16.23	15.94 15.86 16.31 15.48 16.14	15.95 16.25 16.18 16.32	17.00 17.00 17.00 17.00
20MHz	64QAM	50 100 1 1 1 1 50	50 0 0 50 99 0	15.91 15.89 16.31 16.05 16.23 16.10	15.94 15.86 16.31 15.48 16.14 16.04	15.95 16.25 16.18 16.32 16.15	17.00 17.00 17.00 17.00 17.00
20MHz	64QAM	50 100 1 1 1	50 0 0 50 99	15.91 15.89 16.31 16.05 16.23	15.94 15.86 16.31 15.48 16.14	15.95 16.25 16.18 16.32	17.00 17.00 17.00 17.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 157 of 493

LTE Band	2 hotspot active	ed for 2.4G	WIFI		Conducted	l Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel 18607	Channel 18900	Channel 19193	Tune up
		1	0	20.69	21.21	21.43	22.00
		1	2	20.85	21.33	21.70	22.00
		1	5	20.92	21.40	21.93	22.00
	QPSK	3	0	20.95	21.33	21.69	22.00
	QI SIX	3	2	20.95	21.34	21.78	22.00
		3	3	20.94	21.43	21.89	22.00
		6	0	20.92	21.43	21.76	22.00
		1	0	20.92	21.56	21.75	22.00
		1	2	21.23	21.69	21.75	22.00
4 45011-	400 4 4	1	5	21.20	21.65	21.96	22.00
1.4MHz	16QAM	3	0	20.95	21.39	21.74	22.00
		3	2	20.95	21.41	21.84	22.00
		3	3	20.95	21.45	21.92	22.00
		6	0	20.89	21.40	21.76	22.00
		1	0	21.16	21.04	21.25	22.00
		1	2	21.16	21.25	21.30	22.00
		1	5	21.06	21.10	21.33	22.00
	64QAM	3	0	20.58	20.62	20.64	22.00
		3	2	20.58	20.52	20.67	22.00
		3	3	20.59	20.57	20.69	22.00
		6	0	20.48	20.53	20.59	22.00
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
Bandwidth	Modulation	IND SIZE	offset	18615	18900	19185	Turie up
		1	0	20.89	21.52	21.05	22.00
		1	7	21.32	21.67	21.67	22.00
		1	14	21.42	21.37	21.96	22.00
	QPSK	8	0	21.20	21.60	21.41	22.00
		8	4	21.26	21.71	21.67	22.00
		8	7	21.35	21.72	21.95	22.00
			7	21.35 21.26	21.72 21.51	21.95 21.73	22.00
		8					
		8 15	0	21.26	21.51	21.73	22.00
		8 15 1	0	21.26 21.23 21.57	21.51 21.96 21.96	21.73 21.33 21.96	22.00 22.00 22.00
3MHz	16QAM	8 15 1 1 1	0 0 7 14	21.26 21.23 21.57 21.67	21.51 21.96 21.96 21.71	21.73 21.33 21.96 21.95	22.00 22.00 22.00 22.00
3MHz	16QAM	8 15 1 1 1 8	0 0 7 14 0	21.26 21.23 21.57 21.67 21.21	21.51 21.96 21.96 21.71 21.58	21.73 21.33 21.96 21.95 21.40	22.00 22.00 22.00 22.00 22.00
ЗМН	16QAM	8 15 1 1 1 8 8	0 0 7 14 0 4	21.26 21.23 21.57 21.67 21.21 21.25	21.51 21.96 21.96 21.71 21.58 21.68	21.73 21.33 21.96 21.95 21.40 21.76	22.00 22.00 22.00 22.00 22.00 22.00
3MHz	16QAM	8 15 1 1 1 1 8 8	0 0 7 14 0 4 7	21.26 21.23 21.57 21.67 21.21 21.25 21.45	21.51 21.96 21.96 21.71 21.58 21.68 21.69	21.73 21.33 21.96 21.95 21.40 21.76 21.96	22.00 22.00 22.00 22.00 22.00 22.00 22.00
ЗМН	16QAM	8 15 1 1 1 8 8 8	0 0 7 14 0 4 7	21.26 21.23 21.57 21.67 21.21 21.25 21.45 21.20	21.51 21.96 21.96 21.71 21.58 21.68 21.69 21.47	21.73 21.33 21.96 21.95 21.40 21.76 21.96 21.67	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
3MHz	16QAM	8 15 1 1 1 8 8 8 8 15	0 0 7 14 0 4 7 0	21.26 21.23 21.57 21.67 21.21 21.25 21.45 21.20 21.16	21.51 21.96 21.96 21.71 21.58 21.68 21.69 21.47 21.12	21.73 21.33 21.96 21.95 21.40 21.76 21.96 21.67 21.25	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
ЗМНZ	16QAM	8 15 1 1 1 8 8 8 15 1	0 0 7 14 0 4 7 0 0	21.26 21.23 21.57 21.67 21.21 21.25 21.45 21.20 21.16 21.18	21.51 21.96 21.96 21.71 21.58 21.68 21.69 21.47 21.12 21.24	21.73 21.33 21.96 21.95 21.40 21.76 21.96 21.67 21.25 21.37	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
3MHz		8 15 1 1 1 8 8 8 15 1 1	0 0 7 14 0 4 7 0 0 0 7	21.26 21.23 21.57 21.67 21.21 21.25 21.45 21.20 21.16 21.18 21.03	21.51 21.96 21.96 21.71 21.58 21.68 21.69 21.47 21.12 21.24 21.14	21.73 21.33 21.96 21.95 21.40 21.76 21.96 21.67 21.25 21.37 21.28	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
3MHz	16QAM 64QAM	8 15 1 1 1 8 8 8 15 1 1	0 0 7 14 0 4 7 0 0 0 7	21.26 21.23 21.57 21.67 21.21 21.25 21.45 21.20 21.16 21.18 21.03 20.58	21.51 21.96 21.96 21.71 21.58 21.68 21.69 21.47 21.12 21.24 21.14 20.57	21.73 21.33 21.96 21.95 21.40 21.76 21.96 21.67 21.25 21.37 21.28 20.62	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
ЗМН		8 15 1 1 1 8 8 8 15 1 1	0 0 7 14 0 4 7 0 0 0 7	21.26 21.23 21.57 21.67 21.21 21.25 21.45 21.20 21.16 21.18 21.03	21.51 21.96 21.96 21.71 21.58 21.68 21.69 21.47 21.12 21.24 21.14	21.73 21.33 21.96 21.95 21.40 21.76 21.96 21.67 21.25 21.37 21.28	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 158 of 493 Page

Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
Bandwidth	Wodulation	ND SIZE	offset	18625	18900	19175	rune up
		1	0	21.17	21.62	21.15	22.00
		1	13	21.55	21.72	21.33	22.00
		1	24	21.67	21.41	21.94	22.00
	QPSK	12	0	21.38	21.79	21.21	22.00
		12	6	21.68	21.64	21.27	22.00
		12	13	21.80	21.55	21.68	22.00
		25	0	21.62	21.61	21.44	22.00
		1	0	21.36	21.91	21.39	22.00
		1	13	21.89	21.96	21.63	22.00
		1	24	21.86	21.68	21.95	22.00
5MHz	16QAM	12	0	21.29	21.86	21.16	22.00
		12	6	21.67	21.72	21.22	22.00
		12	13	21.85	21.49	21.78	22.00
		25	0	21.66	21.55	21.49	22.00
		1	0	21.22	21.08	21.21	22.00
		1	13	21.16	21.23	21.34	22.00
		1	24	21.03	21.17	21.26	22.00
	64QAM	12	0	20.62	20.59	20.66	22.00
		12	6	20.56	20.54	20.63	22.00
		12	13	20.57	20.61	20.68	22.00
		25	0	20.54	20.48	20.61	22.00
5	Madulatian	DD :	RB	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	offset	18650	18900	19150	Tune up
		1	0	21.21	21.91	21.08	22.00
		1	25	21.65	21.61	21.09	22.00
		1	49	21.25	21.38	21.70	22.00
	QPSK	25	0	21.73	21.73	21.46	22.00
		25	13	21.83	21.46	21.00	22.00
		25	25	21.63	21.36	21.26	22.00
		50	0	21.82	21.49	21.25	22.00
		1	0	21.49	21.89	21.33	22.00
		1	25	21.96	21.81	21.35	22.00
		1	49	21.67	21.82	21.84	22.00
10MHz	16QAM	25	0	21.74	21.65	21.41	22.00
	1	25	13	21.73	21.38	20.96	22.00
		25	25	21.55	21.30	21.21	22.00
		50	0	21.72	21.41	21.19	22.00
		1	0	21.20	21.09	21.20	22.00
		1	25	21.14	21.32	21.32	22.00
		1	49	21.05	21.12	21.25	22.00
	64QAM	25	0	20.53	20.58	20.59	22.00
		25	13	20.57	20.54	20.62	22.00
			25	20.52	20.53	20.76	22.00
		25	23	20.02		20.70	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 159 of 493

Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
Danuwidin	Modulation	ND SIZE	offset	18675	18900	19125	rune up
		1	0	21.83	21.86	21.76	22.00
		1	38	21.89	21.81	21.12	22.00
		1	74	21.18	21.94	21.81	22.00
	QPSK	36	0	21.91	21.70	21.40	22.00
		36	18	21.90	21.61	21.07	22.00
		36	39	21.59	21.95	21.13	22.00
		75	0	21.95	21.89	21.69	22.00
		1	0	21.76	21.96	21.82	22.00
		1	38	21.94	21.95	21.39	22.00
		1	74	21.29	21.95	21.89	22.00
15MHz	16QAM	36	0	21.96	21.67	21.36	22.00
		36	18	21.90	21.56	21.06	22.00
		36	39	21.50	21.88	21.08	22.00
		75	0	21.77	21.81	21.66	22.00
		1 0	0	21.25	21.14	21.29	22.00
		1	38	21.24	21.33	21.40	22.00
		1	74	21.07	21.20	21.34	22.00
	64QAM	36	0	20.63	20.63	20.68	22.00
		36	18	20.62	20.57	20.68	22.00
		36	39	20.60	20.62	20.76	22.00
		75	0	20.57	20.57	20.67	22.00
D 1 141	Maril Inflan	DD -: -	RB	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	offset	18700	18900	19100	Tune up
		1	0	21.91	21.94	21.97	22.00
		1	50	21.73	21.71	21.11	22.00
		1	99	20.94	21.14	21.43	22.00
	QPSK	50	0	21.75	21.13	21.35	22.00
		50	25	21.93	21.74	21.37	22.00
		50	50	21.78	21.67	20.97	22.00
		100	0	21.93	21.82	21.83	22.00
		1	0	21.89	21.96	21.95	22.00
		1	50	21.97	21.85	21.39	22.00
		1	99	21.14	21.42	21.72	22.00
20MHz	16QAM	50	0	21.57	21.07	21.28	22.00
		50	25	21.79	21.67	21.33	22.00
		50	50	21.59	21.56	20.96	22.00
		100	0	21.89	21.73	21.68	22.00
		1	0	21.32	20.58	20.65	22.00
		1	50	21.42	20.55	20.65	22.00
	I	1	99	21.33	21.42	21.24	22.00
							22.00
	64QAM		0	20.91	20.89	20.09	22.00
	64QAM	50	0 25	20.91	20.89 21.59	20.69	
	64QAM		0 25 50	20.91 21.24 20.58	20.89 21.59 20.68	20.79	22.00 22.00 22.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 160 of 493 Page

LTE Bar	nd 2 hotspot act	ived for 5G \	WIFI		Conducted	Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel 18607	Channel 18900	Channel 19193	Tune up
		1	0	19.40	19.89	19.89	20.50
		1	2	19.55	20.05	20.17	20.50
		1	5	19.53	20.07	20.31	20.50
	QPSK	3	0	19.56	20.03	20.07	20.50
	Qi Oit	3	2	19.58	20.05	20.17	20.50
		3	3	19.56	20.08	20.28	20.50
		6	0	19.56	20.03	20.16	20.50
		1	0	19.27	20.18	20.22	20.50
		1	2	19.70	20.33	20.43	20.50
		1	5	19.59	20.36	20.48	20.50
1.4MHz	1.4MHz 16QAM	3	0	19.44	20.04	20.20	20.50
100,111	3	2	19.43	20.08	20.26	20.50	
		3	3	19.41	20.09	20.38	20.50
		6	0	19.39	20.07	20.21	20.50
		1	0	19.72	20.37	20.23	20.50
		1	2	20.38	20.38	20.46	20.50
		1	5	20.19	20.33	20.45	20.50
	64QAM	3	0	20.45	20.43	20.44	20.50
	0.2	3	2	20.44	20.41	20.34	20.50
		3	3	20.43	20.41	20.44	20.50
	\ \	6	0	20.47	20.48	20.45	20.50
			RB	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	offset	18615	18900	19185	Tune up
		1	0	19.37	20.13	19.59	20.50
		1	7	19.66	20.21	20.02	20.50
		1	14	19.80	19.90	20.35	20.50
	QPSK	8	0	19.62	20.16	19.81	20.50
		8	4	19.74	20.25	20.06	20.50
		8	7	19.85	20.29	20.29	20.50
		15	0	19.69	20.08	20.09	20.50
		1	0	19.61	20.41	19.86	20.50
		1	7	19.91	20.44	20.30	20.50
		1	14	19.99	20.29	20.47	20.50
3MHz	16QAM	8	0	19.66	20.18	19.81	20.50
		8	4	19.73	20.23	20.15	20.50
		8	7	19.84	20.32	20.29	20.50
		15	0	19.64	20.07	20.06	20.50
		1	0	19.72	20.33	20.25	20.50
		1	7	20.39	20.41	20.49	20.50
		1	14	20.22	20.32	20.43	20.50
	64QAM	8	0	20.45	20.44	20.45	20.50
		8	4	20.45	20.48	20.43	20.50
		8	7	20.44	20.44	20.47	20.50
	1	15	0	20.43	20.47	20.45	20.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



: 01 Rev

Page : 161 of 493

Donalis dila	Madulation	DD ains	RB	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	offset	18625	18900	19175	Tune up
		1	0	19.75	20.10	19.62	20.50
		1	13	20.14	20.26	19.68	20.50
		1	24	20.09	20.07	20.37	20.50
	QPSK	12	0	19.94	20.28	19.70	20.50
		12	6	20.24	20.20	19.76	20.50
		12	13	20.25	20.17	20.15	20.50
		25	0	20.19	20.14	19.93	20.50
		1	0	19.95	20.49	19.86	20.50
		1	13	20.35	20.42	20.05	20.50
		1	24	20.28	20.27	20.48	20.50
5MHz	16QAM	12	0	19.73	20.22	19.62	20.50
		12	6	20.02	20.26	19.68	20.50
		12	13	20.28	20.19	20.06	20.50
		25	0	20.06	20.17	19.82	20.50
		1	0	19.74	20.34	20.25	20.50
		1	13	20.39	20.49	20.39	20.50
		1	24	20.42	20.31	20.49	20.50
	64QAM	12	0	20.44	20.41	20.43	20.50
		12	6	20.44	20.49	20.43	20.50
		12	13	20.42	20.42	20.45	20.50
		25	0	20.43	20.45	20.41	20.50
5 I ¹ - I (I)	NA - I I - C	DD .:	RB	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	offset	18650	18900	19150	Tune up
		1	0	19.69	20.48	19.87	20.50
					20.20	10.01	00.50
		1	25	20.20	20.30	19.61	20.50
		1	25 49	20.20 19.79	20.30	20.10	20.50
	QPSK					20.10	
	QPSK	1	49	19.79	20.04 20.21	20.10 19.95	20.50
	QPSK	1 25	49 0 13	19.79 20.22	20.04	20.10	20.50 20.50
	QPSK	1 25 25	49 0	19.79 20.22 20.24	20.04 20.21 20.15	20.10 19.95 19.46	20.50 20.50 20.50
	QPSK	1 25 25 25	49 0 13 25	19.79 20.22 20.24 20.06	20.04 20.21 20.15 19.96	20.10 19.95 19.46 19.70	20.50 20.50 20.50 20.50
	QPSK	1 25 25 25 25 50	49 0 13 25 0	19.79 20.22 20.24 20.06 20.23	20.04 20.21 20.15 19.96 20.19	20.10 19.95 19.46 19.70 19.72	20.50 20.50 20.50 20.50 20.50
	QPSK	1 25 25 25 25 50	49 0 13 25 0	19.79 20.22 20.24 20.06 20.23 20.05 20.49	20.04 20.21 20.15 19.96 20.19 20.46	20.10 19.95 19.46 19.70 19.72 20.09 19.92	20.50 20.50 20.50 20.50 20.50 20.50
10MHz	QPSK 16QAM	1 25 25 25 25 50 1	49 0 13 25 0 0 25	19.79 20.22 20.24 20.06 20.23 20.05	20.04 20.21 20.15 19.96 20.19 20.46 20.39	20.10 19.95 19.46 19.70 19.72 20.09	20.50 20.50 20.50 20.50 20.50 20.50 20.50
10MHz		1 25 25 25 25 50 1 1	49 0 13 25 0 0 25 49	19.79 20.22 20.24 20.06 20.23 20.05 20.49 20.00	20.04 20.21 20.15 19.96 20.19 20.46 20.39 20.33	20.10 19.95 19.46 19.70 19.72 20.09 19.92 20.38	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
10MHz		1 25 25 25 50 1 1 1 25	49 0 13 25 0 0 25 49	19.79 20.22 20.24 20.06 20.23 20.05 20.49 20.00 20.12	20.04 20.21 20.15 19.96 20.19 20.46 20.39 20.33 20.14	20.10 19.95 19.46 19.70 19.72 20.09 19.92 20.38 19.88	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
10MHz		1 25 25 25 50 1 1 1 25 25	49 0 13 25 0 0 25 49 0	19.79 20.22 20.24 20.06 20.23 20.05 20.49 20.00 20.12 20.16	20.04 20.21 20.15 19.96 20.19 20.46 20.39 20.33 20.14 20.10	20.10 19.95 19.46 19.70 19.72 20.09 19.92 20.38 19.88 19.39	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
10MHz		1 25 25 25 50 1 1 1 25 25 25	49 0 13 25 0 0 25 49 0 13 25	19.79 20.22 20.24 20.06 20.23 20.05 20.49 20.00 20.12 20.16 19.97	20.04 20.21 20.15 19.96 20.19 20.46 20.39 20.33 20.14 20.10 19.91	20.10 19.95 19.46 19.70 19.72 20.09 19.92 20.38 19.88 19.39 19.65	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
10MHz		1 25 25 25 50 1 1 1 25 25 25 50	49 0 13 25 0 0 25 49 0 13 25 0	19.79 20.22 20.24 20.06 20.23 20.05 20.49 20.00 20.12 20.16 19.97 20.13	20.04 20.21 20.15 19.96 20.19 20.46 20.39 20.33 20.14 20.10 19.91 20.12	20.10 19.95 19.46 19.70 19.72 20.09 19.92 20.38 19.88 19.39 19.65 19.64	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
10MHz		1 25 25 25 50 1 1 1 25 25 25 50 1	49 0 13 25 0 0 25 49 0 13 25 0	19.79 20.22 20.24 20.06 20.23 20.05 20.49 20.00 20.12 20.16 19.97 20.13 19.71	20.04 20.21 20.15 19.96 20.19 20.46 20.39 20.33 20.14 20.10 19.91 20.12 20.33 20.48	20.10 19.95 19.46 19.70 19.72 20.09 19.92 20.38 19.88 19.39 19.65 19.64 20.37 20.46	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
10MHz		1 25 25 25 50 1 1 1 25 25 25 50 1 1	49 0 13 25 0 0 25 49 0 13 25 0 0 25	19.79 20.22 20.24 20.06 20.23 20.05 20.49 20.00 20.12 20.16 19.97 20.13 19.71 20.42 20.43	20.04 20.21 20.15 19.96 20.19 20.46 20.39 20.33 20.14 20.10 19.91 20.12 20.33 20.48 20.32	20.10 19.95 19.46 19.70 19.72 20.09 19.92 20.38 19.88 19.39 19.65 19.64 20.37 20.46 20.49	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
10MHz	16QAM	1 25 25 25 50 1 1 1 25 25 25 50 1 1 1 25	49 0 13 25 0 0 25 49 0 13 25 0 0 0 25 49 0	19.79 20.22 20.24 20.06 20.23 20.05 20.49 20.00 20.12 20.16 19.97 20.13 19.71 20.42 20.43 20.45	20.04 20.21 20.15 19.96 20.19 20.46 20.39 20.33 20.14 20.10 19.91 20.12 20.33 20.48 20.32 20.45	20.10 19.95 19.46 19.70 19.72 20.09 19.92 20.38 19.88 19.39 19.65 19.64 20.37 20.46 20.49 20.43	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
10MHz	16QAM	1 25 25 25 50 1 1 1 25 25 25 50 1 1	49 0 13 25 0 0 25 49 0 13 25 0 0 0 25 49	19.79 20.22 20.24 20.06 20.23 20.05 20.49 20.00 20.12 20.16 19.97 20.13 19.71 20.42 20.43	20.04 20.21 20.15 19.96 20.19 20.46 20.39 20.33 20.14 20.10 19.91 20.12 20.33 20.48 20.32	20.10 19.95 19.46 19.70 19.72 20.09 19.92 20.38 19.88 19.39 19.65 19.64 20.37 20.46 20.49	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



: 01 Rev

Page : 162 of 493

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tuna
bandwidth	Modulation	RD SIZE	KD Ollset	18675	18900	19125	Tune up
		1	0	20.04	20.41	20.25	20.50
		1	38	20.37	20.30	19.66	20.50
		1	74	19.78	20.35	20.16	20.50
	QPSK	36	0	20.48	20.21	20.09	20.50
		36	18	20.33	20.21	19.79	20.50
		36	39	20.14	20.33	19.58	20.50
		75	0	20.30	20.49	20.25	20.50
		1	0	20.12	20.49	20.41	20.50
		1	38	20.42	20.39	20.05	20.50
		1	74	19.97	20.26	20.43	20.50
15MHz	16QAM	36	0	20.32	20.18	20.10	20.50
		36	18	20.30	20.17	19.75	20.50
		36	39	19.81	20.44	19.50	20.50
		75	0	20.16	20.41	20.22	20.50
		1	0	19.75	20.36	20.47	20.50
		1	38	20.42	20.49	20.46	20.50
		1	74	20.19	20.43	20.43	20.50
	64QAM	36	0	20.44	20.45	20.45	20.50
		36	18	20.46	20.45	20.44	20.50
		36	39	20.41	20.41	20.46	20.50
		75	0	20.44	20.47	20.43	20.50
Danish of diffe	Mandadatian	DD -:	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	18700	18900	19100	Tune up
		1	0	20.15	20.46	20.27	20.50
		1	50	20.23	20.25	19.80	20.50
		1	99	19.35	19.24	19.79	20.50
	QPSK	50	0	19.97	19.75	19.83	20.50
		50	25	20.43	20.21	20.11	20.50
		50	50	20.37	20.23	19.57	20.50
		100	0	20.47	20.41	20.43	20.50
		1	0	20.22	20.48	20.49	20.50
		1	50	20.18	20.41	20.08	20.50
		1	99	19.60	19.40	20.00	20.50
20MHz	16QAM	50	0	19.88	19.69	19.75	20.50
		50	25	20.35	20.22	19.94	20.50
		50	50	20.23	20.12	19.50	20.50
		100	0	20.45	20.32	20.46	20.50
		1	0	19.77	19.56	19.65	20.50
		1	50	19.56	19.53	19.64	20.50
		1	99	19.76	19.91	19.13	20.50
	64QAM	50	0	19.37	19.36	19.19	20.50
		50	25	19.74	19.98	19.11	20.50
		50	50	19.55	19.66	19.22	20.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 163 of 493

LTE Band 2	2 Body-worn si with 2.40		sly transmit		Conducted	d Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Bandwidth	Modulation	ND SIZE	KD Ollset	18607	18900	19193	rune up
		1	0	20.64	20.83	20.85	22.00
		1	2	20.49	20.57	20.53	22.00
		1	5	20.77	20.81	20.75	22.00
	QPSK	3	0	20.65	20.77	20.89	22.00
		3	2	20.63	20.70	20.74	22.00
	1	3	3	20.70	20.77	20.84	22.00
		6	0	20.74	20.79	20.78	22.00
		1	0	20.92	20.99	21.10	22.00
		1	2	20.79	20.93	20.90	22.00
		1	5	21.01	20.82	21.07	22.00
1.4MHz	16QAM	3	0	20.58	20.50	20.78	22.00
		3	2	20.61	20.69	20.67	22.00
		3	3	20.62	20.64	20.79	22.00
		6	0	20.69	20.69	20.78	22.00
		1	0	21.28	21.35	21.26	22.00
		1	2	20.91	20.82	21.08	22.00
		1	5	21.23	21.33	21.34	22.00
	64QAM	3	0	21.26	21.34	21.24	22.00
		3	2	20.90	20.81	21.08	22.00
		3	3	21.21	21.32	21.33	22.00
		6	0	20.56	20.50	20.63	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Bandwidth	Modulation	ND SIZE	KD Ollset	18615	18900	19185	rune up
		1	0	20.64	20.82	20.78	22.00
		1	7	20.55	20.60	20.66	22.00
		1	14	20.83	20.79	20.85	22.00
	QPSK	8	0	20.63	20.85	20.87	22.00
		8	4	20.63	20.79	20.74	22.00
		8	7	20.80	20.83	20.80	22.00
		15	0	20.74	20.81	20.87	22.00
		1	0	20.96	21.08	21.10	22.00
		1	7	20.87	20.90	20.93	22.00
		1	14	21.03	20.82	21.10	22.00
3MHz	16QAM	8	0	20.59	20.51	20.72	22.00
		8	4	20.60	20.63	20.72	22.00
		8	7	20.62	20.70	20.73	22.00
		15	0	20.63	20.65	20.76	22.00
		1	0	21.26	21.35	21.24	22.00
		1	7	20.89	20.78	21.05	22.00
		1	14	21.23	21.32	21.34	22.00
	64QAM	8	0	20.56	20.51	20.63	22.00
		8	4	20.57	20.51	20.61	22.00
		8	7	20.52	20.51	20.63	22.00
	1	15	0	20.56	20.49	20.61	22.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

Page : 164 of 493

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
	เพอนนเลเเอก	KD SIZE	KD Ollset	18625	18900	19175	Tune up
		1	0	20.68	20.80	20.88	22.00
		1	13	20.47	20.65	20.62	22.00
		1	24	20.81	20.73	20.73	22.00
	QPSK	12	0	20.66	20.80	20.83	22.00
		12	6	20.77	20.78	20.83	22.00
		12	13	20.72	20.71	20.91	22.00
		25	0	20.78	20.80	20.82	22.00
		1	0	20.99	21.03	21.08	22.00
		1	13	20.75	20.95	20.86	22.00
		1	24	20.90	20.71	21.12	22.00
5MHz	16QAM	12	0	20.69	20.54	20.70	22.00
		12	6	20.68	20.73	20.75	22.00
		12	13	20.64	20.65	20.73	22.00
		25	0	20.65	20.74	20.79	22.00
		1	0	21.27	21.34	21.26	22.00
		1	13	20.92	20.81	21.07	22.00
		1	24	21.20	21.33	21.35	22.00
	64QAM	12	0	20.57	20.51	20.63	22.00
		12	6	20.53	20.48	20.62	22.00
		12	13	20.52	20.52	20.67	22.00
		25	0	20.53	20.51	20.62	22.00
Danadani dela	Madulatian	DD -:	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	18650	18900	19150	Tune up
		1	0	20.75	20.86	20.77	22.00
		1	25	20.50	20.57	20.60	22.00
		l l	23	20.50	_0.0.		
		1	49	20.78	20.77	20.77	22.00
	QPSK						
	QPSK	1	49	20.78	20.77	20.77	22.00
	QPSK	1 25	49 0	20.78 20.71	20.77 20.71	20.77 20.78	22.00 22.00
	QPSK	1 25 25	49 0 13	20.78 20.71 20.68	20.77 20.71 20.76	20.77 20.78 20.84	22.00 22.00 22.00
	QPSK	1 25 25 25	49 0 13 25	20.78 20.71 20.68 20.77	20.77 20.71 20.76 20.79	20.77 20.78 20.84 20.85	22.00 22.00 22.00 22.00
	QPSK	1 25 25 25 25 50	49 0 13 25 0	20.78 20.71 20.68 20.77 20.76	20.77 20.71 20.76 20.79 20.79	20.77 20.78 20.84 20.85 20.90	22.00 22.00 22.00 22.00 22.00
	QPSK	1 25 25 25 25 50 1	49 0 13 25 0	20.78 20.71 20.68 20.77 20.76 21.03	20.77 20.71 20.76 20.79 20.79 21.02	20.77 20.78 20.84 20.85 20.90 21.03	22.00 22.00 22.00 22.00 22.00 22.00
10MHz	QPSK 16QAM	1 25 25 25 25 50 1	49 0 13 25 0 0 25	20.78 20.71 20.68 20.77 20.76 21.03 20.84	20.77 20.71 20.76 20.79 20.79 21.02 21.03	20.77 20.78 20.84 20.85 20.90 21.03 20.87	22.00 22.00 22.00 22.00 22.00 22.00 22.00
10MHz		1 25 25 25 25 50 1 1	49 0 13 25 0 0 25 49	20.78 20.71 20.68 20.77 20.76 21.03 20.84 20.90	20.77 20.71 20.76 20.79 20.79 21.02 21.03 20.83	20.77 20.78 20.84 20.85 20.90 21.03 20.87 20.99	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
10MHz		1 25 25 25 50 1 1 1 25	49 0 13 25 0 0 25 49	20.78 20.71 20.68 20.77 20.76 21.03 20.84 20.90 20.67	20.77 20.71 20.76 20.79 20.79 21.02 21.03 20.83 20.48	20.77 20.78 20.84 20.85 20.90 21.03 20.87 20.99 20.67	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
10MHz		1 25 25 25 50 1 1 1 25 25	49 0 13 25 0 0 25 49 0	20.78 20.71 20.68 20.77 20.76 21.03 20.84 20.90 20.67 20.65	20.77 20.71 20.76 20.79 20.79 21.02 21.03 20.83 20.48 20.74	20.77 20.78 20.84 20.85 20.90 21.03 20.87 20.99 20.67 20.70	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
10MHz		1 25 25 25 50 1 1 1 25 25 25	49 0 13 25 0 0 25 49 0 13 25	20.78 20.71 20.68 20.77 20.76 21.03 20.84 20.90 20.67 20.65 20.74	20.77 20.71 20.76 20.79 20.79 21.02 21.03 20.83 20.48 20.74 20.73	20.77 20.78 20.84 20.85 20.90 21.03 20.87 20.99 20.67 20.70 20.75	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
10MHz		1 25 25 25 50 1 1 1 25 25 25 50	49 0 13 25 0 0 25 49 0 13 25 0	20.78 20.71 20.68 20.77 20.76 21.03 20.84 20.90 20.67 20.65 20.74 20.66 21.37	20.77 20.71 20.76 20.79 20.79 21.02 21.03 20.83 20.48 20.74 20.73 20.75	20.77 20.78 20.84 20.85 20.90 21.03 20.87 20.99 20.67 20.70 20.75 20.74 21.25	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
10MHz		1 25 25 25 50 1 1 1 25 25 25 50 1	49 0 13 25 0 0 25 49 0 13 25 0	20.78 20.71 20.68 20.77 20.76 21.03 20.84 20.90 20.67 20.65 20.74 20.66	20.77 20.71 20.76 20.79 20.79 21.02 21.03 20.83 20.48 20.74 20.73 20.75 21.36	20.77 20.78 20.84 20.85 20.90 21.03 20.87 20.99 20.67 20.70 20.75 20.74 21.25 21.09	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
10MHz		1 25 25 25 50 1 1 1 25 25 25 50 1	49 0 13 25 0 0 25 49 0 13 25 0 0 25	20.78 20.71 20.68 20.77 20.76 21.03 20.84 20.90 20.67 20.65 20.74 20.66 21.37 20.91 21.21	20.77 20.71 20.76 20.79 20.79 21.02 21.03 20.83 20.48 20.74 20.73 20.75 21.36 20.80 21.32	20.77 20.78 20.84 20.85 20.90 21.03 20.87 20.99 20.67 20.70 20.75 20.74 21.25 21.09 21.33	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
10MHz	16QAM	1 25 25 25 50 1 1 1 25 25 25 50 1 1 1 25	49 0 13 25 0 0 25 49 0 13 25 0 0 0 25 49	20.78 20.71 20.68 20.77 20.76 21.03 20.84 20.90 20.67 20.65 20.74 20.66 21.37 20.91 21.21 20.56	20.77 20.71 20.76 20.79 20.79 21.02 21.03 20.83 20.48 20.74 20.73 20.75 21.36 20.80 21.32 20.54	20.77 20.78 20.84 20.85 20.90 21.03 20.87 20.99 20.67 20.70 20.75 20.74 21.25 21.09 21.33 20.65	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
10MHz	16QAM	1 25 25 25 50 1 1 1 25 25 25 50 1 1	49 0 13 25 0 0 25 49 0 13 25 0 0 0 25 49 0	20.78 20.71 20.68 20.77 20.76 21.03 20.84 20.90 20.67 20.65 20.74 20.66 21.37 20.91 21.21	20.77 20.71 20.76 20.79 20.79 21.02 21.03 20.83 20.48 20.74 20.73 20.75 21.36 20.80 21.32	20.77 20.78 20.84 20.85 20.90 21.03 20.87 20.99 20.67 20.70 20.75 20.74 21.25 21.09 21.33	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 165 of 493

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tuna
bandwidth	Modulation	RD SIZE	KD Ollset	18675	18900	19125	Tune up
		1	0	20.72	20.75	20.78	22.00
		1	38	20.56	20.65	20.67	22.00
		1	74	20.84	20.72	20.83	22.00
	QPSK	36	0	20.63	20.83	20.80	22.00
		36	18	20.70	20.79	20.76	22.00
		36	39	20.79	20.81	20.89	22.00
		75	0	20.77	20.76	20.87	22.00
		1	0	20.92	21.01	21.05	22.00
		1	38	20.79	20.91	20.86	22.00
		1	74	20.95	20.72	20.98	22.00
15MHz	16QAM	36	0	20.64	20.49	20.74	22.00
		36	18	20.72	20.65	20.72	22.00
		36	39	20.64	20.75	20.70	22.00
		75	0	20.69	20.76	20.73	22.00
		1 0	0	21.28	21.37	21.26	22.00
		1	38	20.92	20.81	21.08	22.00
		1	74	21.22	21.32	21.36	22.00
	64QAM	36	0	20.55	20.54	20.64	22.00
		36	18	20.57	20.50	20.65	22.00
	36	39	20.53	20.53	20.66	22.00	
		75	0	20.55	20.50	20.64	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Danuwium	Modulation	KD SIZE	KD Ollset	18700	18900	19100	Tune up
		1	0	20.79	20.89	20.90	22.00
		1	50	20.59	20.67	20.68	22.00
		1	99	20.88	20.86	20.86	22.00
	QPSK	50	0	20.78	20.85	20.9	22.00
		50	25	20.77	20.84	20.88	22.00
		50	50	20.84	20.85	20.91	22.00
		100	0	20.81	20.84	20.91	22.00
		1	0	21.05	21.09	21.12	22.00
		1	50	20.89	21.05	20.94	22.00
		1	99	21.04	20.84	21.12	22.00
20MHz	16QAM	50	0	20.70	20.56	20.80	22.00
		50	25	20.72	20.78	20.82	22.00
		50	50	20.75	20.76	20.82	22.00
		100	0	20.72	20.79	20.79	22.00
		1	0	21.32	21.39	21.29	22.00
	[1	50	20.94	20.84	21.11	22.00
		1	99	21.25	21.36	21.39	22.00
	64QAM	50	0	20.59	20.56	20.67	22.00
		50	25	20.59	20.54	20.67	22.00
	1 -	F0		20.57	20.56	20.69	22.00
		50	50	20.57	20.50	20.09	22.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 166 of 493 Page

_TE Band 2 E	Body-worn simulta 5G WIFI	neously tran	smit with		Conducte	d Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
		112 0.20		18607	18900	19193	
		1	0	19.41	19.57	19.50	20.50
		1	2	19.26	19.43	19.36	20.50
		1	5	19.43	19.54	19.55	20.50
	QPSK	3	0	19.34	19.51	19.43	20.50
		3	2	19.27	19.34	19.32	20.50
		3	3	19.32	19.52	19.43	20.50
		6	0	19.34	19.48	19.39	20.50
		1	0	19.67	19.81	19.75	20.50
		1	2	19.27	19.49	19.59	20.50
		1	5	19.61	19.82	19.80	20.50
1.4MHz	16QAM	3	0	19.31	19.47	19.31	20.50
		3	2	19.18	19.34	19.31	20.50
		3	3	19.35	19.43	19.44	20.50
		6	0	19.22	19.38	19.29	20.50
-		1	0	19.78	19.49	19.60	20.50
		1	2	19.04	19.53	19.58	20.50
		1	5	19.25	19.52	19.62	20.50
	64QAM	3	0	19.91	19.84	19.08	20.50
		3	2	19.21	19.8	18.99	20.50
		3	3	19.84	20.05	18.83	20.50
		6	0	19.52	19.62	19.20	20.50
				Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	18615	18900	19185	Tune up
		1	0	19.44	19.57	19.49	20.50
		1	7	19.18	19.29	19.19	20.50
		1	14	19.43	19.54	19.53	20.50
	QPSK	8	0	19.38	19.52	19.43	20.50
	QIOIN	8	4	19.34	19.50	19.43	20.50
		8	7	19.34	19.50	19.43	20.50
		15	0	19.30	19.52	19.43	20.50
-		1	0	19.42	19.75	19.47	20.50
		1	7	19.67	19.75	19.78	20.50
		1	14	19.24	19.33	19.27	20.50
3MHz	160 4 14		+			19.81	
SIVITIZ	16QAM	8	0	19.32	19.45		20.50
		8	4	19.30	19.51	19.38	20.50
		8	7	19.34	19.49	19.44	20.50
		15	0	19.33	19.49	19.38	20.50
		1	0	19.77	19.47	19.60	20.50
		1	7	19.03	19.53	19.60	20.50
		1	14	19.22	19.50	19.59	20.50
	64QAM	8	0	19.93	19.88	19.10	20.50
		8	4	19.25	19.78	19.01	20.50
		8	7	19.85	20.06	18.87	20.50
		15	0	19.52	19.63	19.24	20.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



: 01 Rev

Page : 167 of 493

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Balluwiutii	iviodulation	KD SIZE	KD Ollset	18625	18900	19175	Tune up
		1	0	19.42	19.60	19.53	20.50
		1	13	19.42	19.56	19.52	20.50
		1	24	19.38	19.53	19.55	20.50
	QPSK	12	0	19.43	19.59	19.53	20.50
		12	6	19.39	19.51	19.44	20.50
		12	13	19.45	19.56	19.51	20.50
		25	0	19.41	19.51	19.47	20.50
		1	0	19.69	19.88	19.78	20.50
		1	13	19.70	19.92	19.77	20.50
		1	24	19.68	19.84	19.86	20.50
5MHz	16QAM	12	0	19.40	19.55	19.51	20.50
		12	6	19.26	19.45	19.39	20.50
		12	13	19.38	19.52	19.45	20.50
		25	0	19.31	19.49	19.43	20.50
		1	0	19.82	19.49	19.59	20.50
		1	13	19.05	19.50	19.59	20.50
		1	24	19.25	19.51	19.63	20.50
	64QAM	12	0	19.90	19.84	19.10	20.50
		12	6	19.26	19.80	18.99	20.50
		12	13	19.85	20.05	18.82	20.50
		25	0	19.51	19.60	19.22	20.50
Danish dalah	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Bandwidth	Mindiliation	I RB SIZE	I KR Offset i				I I I I I I I I I I I I I I I I I I I
	Modulation	112 0.20	TAB OHOOL	18650	18900	19150	ranc ap
	Woodiation	1	0	18650 19.63	18900 19.63	19150 19.55	20.50
	Modulation						
	Woodnation	1	0	19.63	19.63	19.55	20.50
	QPSK	1 1	0 25	19.63 19.35	19.63 19.48	19.55 19.32	20.50 20.50
		1 1 1	0 25 49	19.63 19.35 19.49	19.63 19.48 19.58	19.55 19.32 19.48	20.50 20.50 20.50
		1 1 1 25	0 25 49 0	19.63 19.35 19.49 19.65	19.63 19.48 19.58 19.63	19.55 19.32 19.48 19.62	20.50 20.50 20.50 20.50
		1 1 1 25 25	0 25 49 0 13	19.63 19.35 19.49 19.65 19.57	19.63 19.48 19.58 19.63 19.68	19.55 19.32 19.48 19.62 19.59	20.50 20.50 20.50 20.50 20.50
		1 1 1 25 25 25	0 25 49 0 13 25	19.63 19.35 19.49 19.65 19.57 19.56	19.63 19.48 19.58 19.63 19.68 19.65	19.55 19.32 19.48 19.62 19.59 19.58	20.50 20.50 20.50 20.50 20.50 20.50
		1 1 1 25 25 25 25 50	0 25 49 0 13 25 0	19.63 19.35 19.49 19.65 19.57 19.56 19.58	19.63 19.48 19.58 19.63 19.68 19.65 19.62	19.55 19.32 19.48 19.62 19.59 19.58 19.57	20.50 20.50 20.50 20.50 20.50 20.50 20.50
		1 1 1 25 25 25 25 50	0 25 49 0 13 25 0	19.63 19.35 19.49 19.65 19.57 19.56 19.58 19.77	19.63 19.48 19.58 19.63 19.68 19.65 19.62 19.94	19.55 19.32 19.48 19.62 19.59 19.58 19.57 19.88	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
10MHz		1 1 1 25 25 25 25 50 1	0 25 49 0 13 25 0 0	19.63 19.35 19.49 19.65 19.57 19.56 19.58 19.77 19.24	19.63 19.48 19.58 19.63 19.68 19.65 19.62 19.94 19.48	19.55 19.32 19.48 19.62 19.59 19.58 19.57 19.88 19.58	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
10MHz	QPSK	1 1 1 25 25 25 50 1 1	0 25 49 0 13 25 0 0 25 49	19.63 19.35 19.49 19.65 19.57 19.56 19.58 19.77 19.24 19.65	19.63 19.48 19.58 19.63 19.68 19.65 19.62 19.94 19.48 19.74	19.55 19.32 19.48 19.62 19.59 19.58 19.57 19.88 19.58 19.58	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
10MHz	QPSK	1 1 25 25 25 25 50 1 1 1 25	0 25 49 0 13 25 0 0 25 49	19.63 19.35 19.49 19.65 19.57 19.56 19.58 19.77 19.24 19.65 19.35	19.63 19.48 19.58 19.63 19.65 19.65 19.62 19.94 19.48 19.74 19.49	19.55 19.32 19.48 19.62 19.59 19.58 19.57 19.88 19.58 19.58 19.80 19.49	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
10MHz	QPSK	1 1 25 25 25 25 50 1 1 1 25 25	0 25 49 0 13 25 0 0 25 49 0	19.63 19.35 19.49 19.65 19.57 19.56 19.58 19.77 19.24 19.65 19.35	19.63 19.48 19.58 19.63 19.65 19.65 19.62 19.94 19.48 19.74 19.49	19.55 19.32 19.48 19.62 19.59 19.58 19.57 19.88 19.58 19.49 19.47	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
10MHz	QPSK	1 1 1 25 25 25 25 50 1 1 1 25 25 25	0 25 49 0 13 25 0 0 25 49 0	19.63 19.35 19.49 19.65 19.57 19.56 19.58 19.77 19.24 19.65 19.35 19.31	19.63 19.48 19.58 19.63 19.68 19.65 19.62 19.94 19.48 19.74 19.49 19.50	19.55 19.32 19.48 19.62 19.59 19.58 19.57 19.88 19.58 19.49 19.47 19.38	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
10MHz	QPSK	1 1 1 25 25 25 50 1 1 1 25 25 25 50	0 25 49 0 13 25 0 0 25 49 0 13 25 0	19.63 19.35 19.49 19.65 19.57 19.56 19.58 19.77 19.24 19.65 19.35 19.31 19.33 19.30	19.63 19.48 19.58 19.63 19.65 19.65 19.62 19.94 19.48 19.74 19.49 19.50 19.46	19.55 19.32 19.48 19.62 19.59 19.58 19.57 19.88 19.58 19.49 19.47 19.38 19.45	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
10MHz	QPSK	1 1 1 25 25 25 50 1 1 1 25 25 25 50 1 1	0 25 49 0 13 25 0 0 25 49 0 13 25 0 0	19.63 19.35 19.49 19.65 19.57 19.56 19.58 19.77 19.24 19.65 19.35 19.31 19.33 19.30 19.80 19.07	19.63 19.48 19.58 19.63 19.65 19.65 19.62 19.94 19.48 19.74 19.49 19.50 19.46 19.46 19.48	19.55 19.32 19.48 19.62 19.59 19.58 19.57 19.88 19.58 19.49 19.47 19.38 19.45 19.60 19.59	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
10MHz	QPSK 16QAM	1 1 1 25 25 25 25 50 1 1 1 25 25 25 25 25 1 1 1 1 1 1 1 1 1	0 25 49 0 13 25 0 0 25 49 0 13 25 0 0 0 25 49	19.63 19.35 19.49 19.65 19.57 19.56 19.58 19.77 19.24 19.65 19.35 19.31 19.33 19.30 19.80 19.07	19.63 19.48 19.58 19.63 19.65 19.62 19.94 19.48 19.74 19.49 19.50 19.46 19.46 19.48 19.49	19.55 19.32 19.48 19.62 19.59 19.58 19.57 19.88 19.58 19.49 19.47 19.38 19.45 19.60 19.59 19.64	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
10MHz	QPSK	1 1 1 25 25 25 50 1 1 1 25 25 50 1 1 1 25 25 25 25 25 25 25 25 25 25 25 25 25	0 25 49 0 13 25 0 0 25 49 0 13 25 0 0 25 49 0 25	19.63 19.35 19.49 19.65 19.57 19.56 19.58 19.77 19.24 19.65 19.35 19.31 19.33 19.30 19.80 19.07 19.23 20.05	19.63 19.48 19.58 19.63 19.68 19.65 19.62 19.94 19.48 19.74 19.49 19.50 19.46 19.46 19.48 19.49 19.49 19.49 19.49	19.55 19.32 19.48 19.62 19.59 19.58 19.57 19.88 19.58 19.49 19.47 19.38 19.45 19.60 19.59 19.64 19.06	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
10MHz	QPSK 16QAM	1 1 1 25 25 25 25 50 1 1 1 25 25 25 25 25 1 1 1 1 1 1 1 1 1	0 25 49 0 13 25 0 0 25 49 0 13 25 0 0 0 25 49	19.63 19.35 19.49 19.65 19.57 19.56 19.58 19.77 19.24 19.65 19.35 19.31 19.33 19.30 19.80 19.07	19.63 19.48 19.58 19.63 19.65 19.62 19.94 19.48 19.74 19.49 19.50 19.46 19.46 19.48 19.49	19.55 19.32 19.48 19.62 19.59 19.58 19.57 19.88 19.58 19.49 19.47 19.38 19.45 19.60 19.59 19.64	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



: 01 Rev

: 168 of 493 Page

Pandwidth	Modulation	DD circ	DD offeet	Channel	Channel	Channel	Tuna
Bandwidth	Modulation	RB size	RB offset	18675	18900	19125	Tune up
		1	0	19.75	20.47	20.24	20.50
		1	38	20.32	20.25	19.85	20.50
		1	74	19.69	20.03	20.09	20.50
	QPSK	36	0	20.18	20.23	20.11	20.50
		36	18	20.20	20.17	19.85	20.50
Cal		36	39	19.99	20.44	19.65	20.50
		75	0	20.20	20.44	20.36	20.50
		1	0	19.98	20.48	20.40	20.50
		1	38	20.37	20.39	20.12	20.50
		1	74	19.93	20.27	20.37	20.50
15MHz	16QAM	36	0	20.22	20.19	20.08	20.50
		36	18	20.21	20.10	19.85	20.50
		36	39	19.87	20.38	19.60	20.50
		75	0	20.07	20.33	20.36	20.50
		1	0	19.79	19.5	19.58	20.50
		1	38	19.03	19.51	19.59	20.50
		1	74	19.22	19.54	19.6	20.50
	64QAM	36	0	19.88	19.89	19.06	20.50
		36	18	19.24	19.81	19.04	20.50
		36	39	19.83	20.05	18.86	20.50
		75	0	19.52	19.63	19.20	20.50
		55.	55 %	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	18700	18900	19100	Tune up
		1	0	19.73	20.42	20.35	20.50
		1	50	19.94	20.24	19.87	20.50
		1	99	20.05	19.80	20.19	20.50
	QPSK	50	0	20.47	20.33	20.24	20.50
		50	25	20.12	20.22	19.94	20.50
		50	50	20.16	20.04	19.76	20.50
		100	0	20.41	20.29	20.41	20.50
		1	0	19.82	20.49	20.37	20.50
		1	50	20.11	20.47	20.05	20.50
		1	99	20.33	19.88	20.49	20.50
20MHz	16QAM	50	0	20.25	20.28	20.26	20.50
		50	25	19.96	20.16	19.88	20.50
		50	50	20.03	19.61	19.65	20.50
		100	0	20.39	20.24	20.38	20.50
		1	0	19.84	19.52	19.63	20.50
		1	50	19.10	19.56	19.65	20.50
		1	99	19.28	19.56	19.66	20.50
	64QAM	50	0	19.95	19.91	19.12	20.50
		50	25	19.28	19.84	19.06	20.50
I							
		50	50	19.89	20.09	18.89	20.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 169 of 493 Page

LTE Band 2 L	eft Head simulta. 2.4G WII	_	nsmit with		Conducted P	ower(dBm)	Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun				
Bandwidth	Modulation	KD Size	KB oliset	18607	18900	19193	Tune up				
		1	0	17.66	17.76	17.85	19.00				
		1	2	17.55	17.51	17.55	19.00				
		1	5	17.72	17.72	17.79	19.00				
7 64	QPSK	3	0	17.60	17.80	17.77	19.00				
		3	2	17.68	17.71	17.86	19.00				
		3	3	17.80	17.80	17.86	19.00				
		6	0	17.73	17.78	17.74	19.00				
		1	0	17.83	18.20	17.99	19.00				
		1	2	17.73	17.74	17.64	19.00				
		1	5	18.04	17.96	17.95	19.00				
1.4MHz	16QAM	3	0	17.69	17.67	17.71	19.00				
		3	2	17.60	17.80	17.74	19.00				
		3	3	17.66	17.70	17.78	19.00				
		6	0	17.66	17.74	17.78	19.00				
		1	0	18.05	18.16	18.05	19.00				
		1	2	17.67	17.86	17.59	19.00				
		1	5	18.05	18.22	18.01	19.00				
	64QAM	3	0	18.03	17.94	18.04	19.00				
		3	2	17.93	17.99	18.09	19.00				
		3	3	17.99	18.01	18.07	19.00				
		6	0	17.96	17.93	18.03	19.00				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungur				
Sandwidth	Modulation	KD SIZE	KD Ollset	18615	18900	19185	Tune up				
		1	0	17.70	17.79	17.73	19.00				
		1	7	17.54	17.60	17.48	19.00				
		1	14	17.78	17.81	17.77	19.00				
	QPSK	8	0	17.74	17.78	17.74	19.00				
		8	4	17.73	17.78	17.77	19.00				
		8	7	17.73	17.77	17.81	19.00				
		15	0	17.64	17.85	17.79	19.00				
		1	0	17.85	18.14	18.05	19.00				
		1	7	17.70	17.75	17.59	19.00				
		1	14	18.01	17.95	17.97	19.00				
3MHz	16QAM	8	0	17.57	17.70	17.68	19.00				
		8	4	17.66	17.72	17.64	19.00				
		8	7	17.74	17.76	17.72	19.00				
		15	0	17.61	17.73	17.70	19.00				
		1	0	18.00	17.96	18.03	19.00				
		1	7	17.61	17.43	17.71	19.00				
		1	14	18.09	17.89	17.98	19.00				
	64QAM	8	0	17.88	17.94	17.97	19.00				
		8	4	17.83	17.89	18.00	19.00				
		8	7	17.93	17.95	18.04	19.00				
		15	0	17.93	17.92	18.01	10.00				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 170 of 493 Page

Dondwidth	Madulation	RB size	RB	Channel	Channel	Channel	Tuna un
Bandwidth	Modulation	RD SIZE	offset	18625	18900	19175	Tune up
		1	0	17.66	17.80	17.77	19.00
		1	13	17.55	17.55	17.58	19.00
		1	24	17.79	17.83	17.76	19.00
	QPSK	12	0	17.72	17.81	17.82	19.00
		12	6	17.75	17.72	17.81	19.00
		12	13	17.69	17.69	17.74	19.00
		25	0	17.72	17.76	17.73	19.00
		1	0	17.92	18.08	18.03	19.00
		1	13	17.74	17.77	17.59	19.00
		1	24	18.01	18.02	18.07	19.00
5MHz	16QAM	12	0	17.65	17.75	17.75	19.00
		12	6	17.65	17.70	17.70	19.00
		12	13	17.61	17.67	17.75	19.00
		25	0	17.64	17.75	17.73	19.00
		1	0	18.06	18.11	18.08	19.00
		1	13	17.63	17.86	17.55	19.00
		1	24	18.04	18.16	18.03	19.00
	64QAM	12	0	17.97	17.95	18.04	19.00
Cal		12	6	17.98	17.94	18.09	19.00
		12	13	17.96	18.04	18.05	19.00
		25	0	18.00	17.95	18.02	19.00
	Madulatian	DD -:	RB	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	offset	18650	18900	19150	Tune up
		1	0	17.74	17.73	17.84	19.00
		1	25	17.41	17.55	17.55	19.00
		1	49	17.74	17.80	17.75	19.00
	QPSK	25	0	17.70	17.80	17.74	19.00
		25	13	17.62	17.76	17.82	19.00
		25	25	17.69	17.82	17.83	19.00
		50	0	17.71	17.79	17.73	19.00
-		1	0	17.93	18.08	18.08	19.00
		1	25	17.69	17.74	17.63	19.00
		1	49	18.16	17.99	17.94	19.00
10MHz	16QAM	25	0	17.61	17.75	17.66	19.00
		25	13	17.70	17.73	17.65	19.00
		25	25	17.72	17.72	17.78	19.00
		50	0	17.67	17.65	17.71	19.00
		1	0	18.00	17.92	18.02	19.00
		1	25	17.62	17.40	17.72	19.00
		1	49	18.06	17.96	17.98	19.00
	64QAM	25	0	17.93	17.92	17.98	19.00
	64QAM		40		17.93	17.99	19.00
		25	13	17.84	17.33	17.33	13.00
		25 25	13 25	17.84	17.95	18.02	19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



: 01 Rev

Page : 171 of 493

Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tungun
bandwidth	Modulation	KD SIZE	offset	18675	18900	19125	Tune up
		1	0	17.65	17.85	17.81	19.00
		1	38	17.49	17.51	17.55	19.00
		1	74	17.78	17.81	17.78	19.00
	QPSK	36	0	17.68	17.73	17.75	19.00
		36	18	17.63	17.77	17.72	19.00
- Ca		36	39	17.78	17.67	17.78	19.00
		75	0	17.68	17.81	17.85	19.00
		1	0	17.94	18.09	18.07	19.00
		1	38	17.67	17.64	17.62	19.00
		1	74	18.02	17.95	18.03	19.00
15MHz	16QAM	36	0	17.69	17.73	17.75	19.00
		36	18	17.59	17.66	17.71	19.00
		36	39	17.60	17.77	17.82	19.00
		75	0	17.64	17.74	17.75	19.00
		1	0	18.12	18.05	18.17	19.00
		1	38	17.75	17.55	17.86	19.00
		1	74	18.17	18.04	18.13	19.00
	64QAM	36	0	18.03	18.03	18.12	19.00
		36	18	17.98	18.02	18.10	19.00
		36	39	18.02	18.08	18.12	19.00
		75	0	18.03	18.04	18.12	19.00
			RB	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	offset	18700	18900	19100	Tune up
		1	0	17.78	17.88	17.86	19.00
		1	50	17.56	17.62	17.63	19.00
		1	99	17.84	17.83	17.86	19.00
	QPSK	50	0	17.74	17.87	17.87	19.00
		50	25	17.76	17.81	17.86	19.00
		50	50	17.80	17.82	17.88	19.00
		100	0	17.78	17.87	17.87	19.00
		1	0	17.95	18.22	18.09	19.00
		1	50	17.74	17.78	17.66	19.00
		1	99	18.11	18.07	18.08	19.00
20MHz	16QAM	50	0	17.70	17.80	17.80	19.00
		50	25	17.71	17.80	17.79	19.00
		50	50	17.75	17.79	17.84	19.00
		100	0	17.68	17.77	17.79	19.00
	7	1	0	18.15	18.23	18.30	19.00
		+	50	17.74	17.93	17.65	19.00
		1 1			1		
		1		18.14	18.29	18.14	19.00
	640AM	1	99	18.14 18.10	18.29 18.06	18.14 18.15	19.00 19.00
	64QAM	1 50	99 0	18.10	18.06	18.15	19.00
	64QAM	1	99		1		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 172 of 493

LTE Band	2 Left Head sin with 5G		y transmit	Conducted Power(dBm)					
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up		
Danuwiutii	Modulation	ND SIZE	KD 011561	18607	18900	19193	Turie up		
		1	0	16.19	16.21	16.34	17.50		
		1	2	16.03	15.20	16.17	17.50		
		1	5	16.20	16.19	16.31	17.50		
	QPSK	3	0	16.21	16.34	16.26	17.50		
		3	2	16.23	16.24	16.25	17.50		
		3	3	16.14	16.22	16.27	17.50		
		6	0	16.22	16.37	16.24	17.50		
		1	0	16.49	16.53	16.56	17.50		
		1	2	14.88	14.87	16.37	17.50		
		1	5	16.50	16.48	16.56	17.50		
1.4MHz	16QAM	3	0	16.07	16.31	16.27	17.50		
		3	2	16.16	16.20	16.22	17.50		
		3	3	16.22	16.20	16.32	17.50		
		6	0	16.23	16.20	16.15	17.50		
		1	0	16.40	16.85	16.82	17.50		
		1	2	15.79	15.41	15.71	17.50		
		1	5	16.66	16.79	16.04	17.50		
	64QAM	3	0	16.49	16.49	16.57	17.50		
	0+Q/IVI	3	2	16.47	16.44	16.58	17.50		
		3	3	16.50	16.52	16.58	17.50		
		6	0	16.47	16.46	16.59	17.50		
		O	U	Channel	Channel	Channel	17.50		
Bandwidth	Modulation	RB size	RB offset	18615	18900	19185	Tune up		
		1	0	16.24	16.32	16.22	17.50		
		1	7	15.97					
		1			15.22	16.02	17.50		
	ODOK	1	14	16.30	16.26	16.33 16.37	17.50		
	QPSK	8	0	16.14	16.28		17.50		
		8	4	16.19	16.35	16.24	17.50		
		8	7	16.18	16.31	16.33	17.50		
		15	0	16.21	16.36	16.25	17.50		
		1	0	16.48	16.56	16.59	17.50		
		1	7	14.97	14.88	16.38	17.50		
		1	14	16.46	16.46	16.58	17.50		
3MHz	16QAM	8	0	16.14	16.28	16.29	17.50		
		8	4	16.13	16.15	16.23	17.50		
		8	7	16.10	16.22	16.25	17.50		
		15	0	16.13	16.18	16.26	17.50		
		1	0	16.35	16.05	16.63	17.50		
		1	7	14.87	15.54	16.11	17.50		
		1	14	16.58	16.51	16.57	17.50		
	64QAM	8	0	16.45	16.40	16.47	17.50		
		8	4	16.39	16.37	16.50	17.50		
		8	7	16.45	16.43	16.51	17.50		
		15	0	16.47	16.37	16.50	17.50		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 173 of 493

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tuna
Bandwidth	Modulation	RB SIZE	KB offset	18625	18900	19175	Tune up
		1	0	16.22	16.24	16.27	17.50
		1	13	15.96	15.22	16.08	17.50
		1	24	16.27	16.25	16.31	17.50
	QPSK	12	0	16.26	16.25	16.25	17.50
		12	6	16.17	16.32	16.23	17.50
		12	13	16.16	16.21	16.28	17.50
		25	0	16.20	16.27	16.30	17.50
		1	0	16.51	16.47	16.49	17.50
		1	13	14.99	14.94	16.36	17.50
		1	24	16.54	16.52	16.56	17.50
5MHz	16QAM	12	0	16.10	16.31	16.25	17.50
		12	6	16.08	16.15	16.20	17.50
		12	13	16.11	16.27	16.20	17.50
		25	0	16.14	16.24	16.18	17.50
		1	0	16.37	16.00	16.63	17.50
		1	13	14.86	15.50	16.11	17.50
		1	24	16.58	16.50	16.59	17.50
	64QAM	12	0	16.42	16.43	16.47	17.50
	0.2	12	6	16.40	16.38	16.48	17.50
		12	13	16.41	16.48	16.48	17.50
		25	0	16.45	16.38	16.50	17.50
				Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	18650	18900	19150	Tune up
		1	0	16.18	16.33	16.32	17.50
		1	25	15.98	15.22	16.06	17.50
		1	49	16.21	16.24	16.35	17.50
	QPSK	25	0	16.26	16.24	16.37	17.50
		25	13	16.19	16.28	16.26	17.50
		25	25	16.28	16.28	16.36	17.50
					. 0.20		-
		50	0	16.27	16.24	16.25	17.50
		50 1	0	16.27 16.43	16.24 16.59	16.25 16.44	17.50 17.50
		1	0	16.43	16.59	16.44	17.50
		1	0 25	16.43 14.94	16.59 14.84	16.44 16.38	17.50 17.50
10MHz	16QAM	1 1 1	0 25 49	16.43 14.94 16.47	16.59 14.84 16.50	16.44 16.38 16.58	17.50 17.50 17.50
10MHz	16QAM	1 1 1 25	0 25 49 0	16.43 14.94 16.47 16.16	16.59 14.84 16.50 16.27	16.44 16.38 16.58 16.20	17.50 17.50 17.50 17.50
10MHz	16QAM	1 1 1 25 25	0 25 49 0 13	16.43 14.94 16.47 16.16 16.05	16.59 14.84 16.50 16.27 16.22	16.44 16.38 16.58 16.20 16.20	17.50 17.50 17.50 17.50 17.50
10MHz	16QAM	1 1 1 25 25 25	0 25 49 0 13 25	16.43 14.94 16.47 16.16 16.05 16.09	16.59 14.84 16.50 16.27 16.22 16.17	16.44 16.38 16.58 16.20 16.20	17.50 17.50 17.50 17.50 17.50 17.50
10MHz	16QAM	1 1 25 25 25 25 50	0 25 49 0 13 25 0	16.43 14.94 16.47 16.16 16.05 16.09 16.15	16.59 14.84 16.50 16.27 16.22 16.17 16.25	16.44 16.38 16.58 16.20 16.20 16.20 16.14	17.50 17.50 17.50 17.50 17.50 17.50 17.50
10MHz	16QAM	1 1 25 25 25 25 50	0 25 49 0 13 25 0	16.43 14.94 16.47 16.16 16.05 16.09 16.15 16.39	16.59 14.84 16.50 16.27 16.22 16.17 16.25 16.85	16.44 16.38 16.58 16.20 16.20 16.20 16.14 16.78	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50
10MHz	16QAM	1 1 25 25 25 25 50 1	0 25 49 0 13 25 0 0	16.43 14.94 16.47 16.16 16.05 16.09 16.15 16.39 15.83	16.59 14.84 16.50 16.27 16.22 16.17 16.25 16.85 15.37	16.44 16.38 16.58 16.20 16.20 16.20 16.14 16.78 15.71	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50
10MHz		1 1 25 25 25 25 50 1 1	0 25 49 0 13 25 0 0 25 49	16.43 14.94 16.47 16.16 16.05 16.09 16.15 16.39 15.83 16.87	16.59 14.84 16.50 16.27 16.22 16.17 16.25 16.85 15.37 16.82	16.44 16.38 16.58 16.20 16.20 16.20 16.14 16.78 15.71 16.00	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50
10MHz	16QAM 64QAM	1 1 25 25 25 50 1 1 1 25	0 25 49 0 13 25 0 0 25 49	16.43 14.94 16.47 16.16 16.05 16.09 16.15 16.39 15.83 16.87 16.48	16.59 14.84 16.50 16.27 16.22 16.17 16.25 16.85 15.37 16.82 16.49	16.44 16.38 16.58 16.20 16.20 16.20 16.14 16.78 15.71 16.00 16.56	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50
10MHz		1 1 25 25 25 25 50 1 1	0 25 49 0 13 25 0 0 25 49	16.43 14.94 16.47 16.16 16.05 16.09 16.15 16.39 15.83 16.87	16.59 14.84 16.50 16.27 16.22 16.17 16.25 16.85 15.37 16.82	16.44 16.38 16.58 16.20 16.20 16.20 16.14 16.78 15.71 16.00	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

: 174 of 493 Page

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tuna
bandwidth	iviodulation	KD SIZE	KD Ollset	18675	18900	19125	Tune up
		1	0	16.18	16.25	16.23	17.50
		1	38	16.01	15.28	16.16	17.50
		1	74	16.19	16.22	16.37	17.50
	QPSK	36	0	16.24	16.23	16.35	17.50
		36	18	16.16	16.25	16.27	17.50
		36	39	16.15	16.19	16.30	17.50
		75	0	16.25	16.35	16.37	17.50
		1	0	16.57	16.58	16.44	17.50
		1	38	14.92	14.85	16.48	17.50
		1	74	16.53	16.46	16.6	17.50
15MHz	16QAM	36	0	16.10	16.20	16.26	17.50
		36	18	16.11	16.16	16.19	17.50
		36	39	16.21	16.17	16.24	17.50
		75	0	16.14	16.16	16.18	17.50
		1	0	16.46	16.13	16.70	17.50
		1	38	14.99	15.61	16.20	17.50
		1	74	16.69	16.6	16.70	17.50
	64QAM	36	0	16.54	16.52	16.58	17.50
		36	18	16.51	16.49	16.59	17.50
		36	39	16.52	16.55	16.60	17.50
		75	0	16.55	16.48	16.60	17.50
N	Marabalatian	DD -:	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	18700	18900	19100	Tune up
		1	0	16.28	16.34	16.36	17.50
		1	50	16.04	15.99	16.17	17.50
		1	99	16.31	16.31	16.42	17.50
	QPSK	50	0	16.27	16.37	16.37	17.50
		50	25	16.26	16.36	16.34	17.50
		50	50	16.29	16.33	16.40	17.50
		100	0	16.28	16.37	16.37	17.50
		1	0	16.57	16.61	16.59	17.50
		1	50	15.56	15.97	16.48	17.50
		1	99	16.59	16.59	16.60	17.50
20MHz	16QAM	50	0	16.2	16.32	16.29	17.50
		50	25	16.18	16.28	16.29	17.50
		50	50	16.23	16.28	16.33	17.50
		100	0	16.24	16.29	16.27	17.50
		1	0	16.49	16.88	16.89	17.50
		1	50	15.89	15.57	15.78	17.50
		1	99	16.77	16.89	16.11	17.50
	64QAM	50	0	16.57	16.57	16.64	17.50
		50	25	16.57	16.54	16.65	17.50
			50	16.58	16.58	16.66	17.50
		50	30	10.56	10.00	10.00	17.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

Page : 175 of 493

LTE Band 2	Right Head sin		sly transmit	Conducted Power(dBm)					
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tung un		
anuwium	Modulation	KD SIZE	KD Ollset	18607	18900	19193	Tune up		
		1	0	13.21	13.37	13.72	14.50		
		1	2	12.91	13.33	12.67	14.50		
		1	5	12.85	13.52	13.37	14.50		
	QPSK	3	0	13.44	13.21	13.44	14.50		
		3	2	13.11	13.19	12.94	14.50		
		3	3	12.91	13.08	12.71	14.50		
		6	0	13.29	13.19	13.33	14.50		
		1	0	13.33	13.35	13.64	14.50		
		1	2	12.99	13.48	12.76	14.50		
		1	5	13.07	13.59	13.33	14.50		
1.4MHz	16QAM	3	0	13.11	12.92	13.10	14.50		
		3	2	12.79	12.89	12.59	14.50		
		3	3	12.68	12.81	12.63	14.50		
		6	0	12.95	12.95	12.99	14.50		
		1	0	13.76	13.46	13.71	14.50		
		1	2	13.14	13.72	12.80	14.50		
		1	5	13.00	13.81	13.84	14.50		
	64QAM	3	0	13.67	13.36	13.34	14.50		
		3	2	13.10	13.28	12.81	14.50		
		3	3	12.87	13.21	12.94	14.50		
		6	0	13.29	13.35	13.23	14.50		
andwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune u		
anuwium	Modulation	ND SIZE	KD Ollset	18615	18900	19185	i une u		
		1	0	13.19	13.32	13.64	14.50		
		1	7	12.94	13.30	12.74	14.50		
		1	14	12.89	13.64	13.32	14.50		
	QPSK	8	0	13.40	13.18	13.48	14.50		
		8	4	13.02	13.26	12.94	14.50		
		8	7	12.94	13.05	12.75	14.50		
		15	0	13.24	13.2	13.38	14.50		
		1	0	13.34	13.34	13.70	14.50		
		1	7	13.11	13.49	12.78	14.50		
		1	14	13.09	13.54	13.25	14.50		
3MHz	16QAM	8	0	13.22	12.98	13.09	14.50		
		8	4	12.84	12.99	12.57	14.50		
		8	7	12.56	12.85	12.65	14.50		
		15	0	13.02	13.03	13.07	14.50		
		1	0	13.82	13.69	13.83	14.50		
		1	7	13.28	13.76	12.85	14.50		
		1	14	13.20	13.97	13.91	14.50		
	64QAM	8	0	13.79	13.49	13.41	14.50		
		8	4	13.19	13.42	13.04	14.50		
		8	7	12.96	13.39	13.06	14.50		
		15	0	13.45	13.55	13.49	14.50		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 176 of 493

Dandy: ! dtl:	Modulation	DD -:	DD c#sst	Channel	Channel	Channel	T,
Bandwidth	Modulation	RB size	RB offset	18625	18900	19175	Tune up
		1	0	13.21	13.32	13.61	14.50
		1	13	12.94	13.30	12.67	14.50
		1	24	12.89	13.63	13.35	14.50
	QPSK	12	0	13.52	13.20	13.49	14.50
		12	6	13.11	13.22	12.83	14.50
		12	13	12.88	13.14	12.76	14.50
		25	0	13.23	13.13	13.31	14.50
		1	0	13.20	13.34	13.63	14.50
		1	13	13.11	13.41	12.72	14.50
		1	24	13.04	13.53	13.23	14.50
5MHz	16QAM	12	0	13.18	12.96	12.98	14.50
		12	6	12.80	12.91	12.58	14.50
		12	13	12.69	12.82	12.61	14.50
		25	0	12.94	12.98	13.00	14.50
		1	0	13.76	13.52	13.77	14.50
		1	13	13.15	13.69	12.83	14.50
		1	24	12.98	13.83	13.82	14.50
	64QAM	12	0	13.66	13.33	13.30	14.50
		12	6	13.12	13.30	12.83	14.50
		12	13	12.85	13.21	12.96	14.50
		25	0	13.28	13.39	13.28	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungur
Sandwidth	Modulation	KD SIZE	KD Ollset	18650	18900	19150	Tune up
		1	0	13.24	13.35	13.61	14.50
		1	25	13.02	13.34	12.67	14.50
		1	49	12.98	13.55	13.33	14.50
	QPSK	25	0	13.51	13.20	13.45	14.50
		25	13	13.03	13.20	12.96	14.50
		25	25	12.95	13.13	12.75	14.50
		50	0	13.31	13.15	13.40	14.50
		1	0	13.30	13.40	13.69	14.50
		1	25	12.98	13.45	12.75	14.50
		1	49	13.06	13.51	13.29	14.50
10MHz	16QAM	25	0	13.12	12.92	12.99	14.50
		25	13	12.76	12.87	12.62	14.50
		25	25	12.67	12.78	12.59	14.50
		50	0	13.01	13.05	13.01	14.50
		1	0	13.96	13.69	13.85	14.50
		1	25	13.31	13.76	12.89	14.50
		1	49	13.20	13.95	13.90	14.50
	64QAM	25	0	13.78	13.46	13.39	14.50
	[25	13	13.18	13.42	13.04	14.50
	[25	25	12.98	13.37	13.08	14.50
					1		+

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 177 of 493 Page

Dondy: dth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tuna
Bandwidth	Modulation	KD SIZE	KD Ollset	18675	18900	19125	Tune up
		1	0	13.21	13.29	13.62	14.50
		1	38	12.93	13.25	12.72	14.50
		1	74	12.87	13.55	13.31	14.50
	QPSK	36	0	13.47	13.14	13.44	14.50
		36	18	12.99	13.23	12.96	14.50
		36	39	12.91	13.17	12.77	14.50
		75	0	13.19	13.13	13.40	14.50
		1	0	13.29	13.43	13.73	14.50
		1	38	12.99	13.47	12.64	14.50
		1	74	13.08	13.51	13.24	14.50
15MHz	16QAM	36	0	13.21	12.97	13.06	14.50
		36	18	12.73	12.94	12.59	14.50
		36	39	12.68	12.85	12.60	14.50
		75	0	12.89	13.05	12.94	14.50
		1 (0	13.83	13.59	13.84	14.50
		1	38	13.23	13.79	12.92	14.50
		1	74	13.09	13.94	13.94	14.50
	64QAM	36	0	13.76	13.44	13.42	14.50
		36	18	13.19	13.38	12.91	14.50
		36	39	12.96	13.32	13.03	14.50
		75	0	13.40	13.48	13.36	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danuwium	Modulation	KD Size	KB onset	18700	18900	19100	Turie up
		1	0	13.30	13.43	13.74	14.50
		1	50	13.03	13.35	12.76	14.50
		1	99	12.98	13.66	13.38	14.50
	QPSK	50	0	13.53	13.28	13.49	14.50
		50	25	13.14	13.27	12.97	14.50
		50	50	12.97	13.18	12.80	14.50
		100	0	13.33	13.26	13.44	14.50
		1	0	13.34	13.44	13.75	14.50
		1	50	13.12	13.55	12.78	14.50
		1	99	13.15	13.60	13.37	14.50
20MHz	16QAM	50	0	13.24	13.06	13.12	14.50
		50	25	12.88	13.02	12.63	14.50
		50	50	12.57	12.91	12.65	14.50
		100	0	13.03	13.06	13.09	14.50
		1	0	13.92	13.76	13.93	14.50
		1	50	13.38	13.87	12.95	14.50
		1	99	13.26	14.06	14.06	14.50
	64QAM	50	0	13.88	13.56	13.50	14.50
		50	25	13.29	13.49	13.10	14.50
	[50	50	13.07	13.45	13.15	14.50
		100	0	13.51	13.61	13.59	14.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 178 of 493

LTE Band 2	2 Right Head si with 5G		/ transmit	Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
Danawiatii	Woddiation	IVD SIZE	IND Ollset	18607	18900	19193	rune up	
		1	0	11.89	11.95	12.33	13.00	
		1	2	11.54	11.66	11.37	13.00	
		1	5	11.44	12.05	11.75	13.00	
	QPSK	3	0	12.08	11.85	12.05	13.00	
		3	2	11.62	11.52	11.60	13.00	
	1	3	3	11.54	11.56	11.16	13.00	
		6	0	11.89	11.82	11.92	13.00	
		1	0	11.90	11.96	12.48	13.00	
		1	2	11.61	11.80	11.49	13.00	
		1	5	11.60	12.18	12.03	13.00	
1.4MHz	16QAM	3	0	11.80	11.56	11.77	13.00	
		3	2	11.51	11.52	11.38	13.00	
		3	3	11.30	11.42	11.06	13.00	
		6	0	11.66	11.67	11.85	13.00	
		1	0	12.22	12.14	12.09	13.00	
		1	2	11.96	12.24	11.57	13.00	
		1	5	11.68	12.71	12.26	13.00	
	64QAM	3	0	12.08	11.96	12.08	13.00	
		3	2	11.87	11.93	11.54	13.00	
		3	3	11.60	11.96	11.59	13.00	
		6	0	12.10	12.03	12.03	13.00	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun	
Danuwium	Wodulation	KD SIZE	KD Ollset	18615	18900	19185	Tune up	
		1	0	11.81	11.93	12.34	13.00	
		1	7	11.57	11.65	11.36	13.00	
		1	14	11.54	12.09	11.77	13.00	
	QPSK	8	0	11.97	11.85	12.11	13.00	
		8	4	11.59	11.58	11.54	13.00	
		8	7	11.47	11.59	11.14	13.00	
		15	0	11.99	11.78	12.00	13.00	
		1	0	11.96	11.88	12.47	13.00	
		1	7	11.58	11.90	11.56	13.00	
		1	14	11.56	12.24	11.96	13.00	
3MHz	16QAM	8	0	11.80	11.68	11.90	13.00	
		8	4	11.44	11.46	11.49	13.00	
		8	7	11.30	11.38	11.02	13.00	
		15	0	11.62	11.61	11.85	13.00	
		1	0	12.21	11.75	12.22	13.00	
		1	7	11.80	12.22	11.49	13.00	
		1	14	11.55	12.23	12.22	13.00	
	64QAM	8	0	12.12	11.86	11.93	13.00	
		8	4	11.67	11.87	11.45	13.00	
		8	7	11.45	11.81	11.40	13.00	
	i	-		•	1			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

Page : 179 of 493

Pandy idth	Modulation	DP size	DD offeet	Channel	Channel	Channel	Tuna
Bandwidth	Modulation	RB size	RB offset	18625	18900	19175	Tune up
		1	0	11.84	11.95	12.35	13.00
		1	13	11.45	11.62	11.27	13.00
		1	24	11.42	12.01	11.74	13.00
	QPSK	12	0	11.97	11.75	12.09	13.00
		12	6	11.68	11.52	11.48	13.00
		12	13	11.57	11.54	11.13	13.00
		25	0	11.99	11.69	11.96	13.00
		1	0	11.90	11.93	12.44	13.00
		1	13	11.61	11.78	11.56	13.00
		1	24	11.67	12.18	11.97	13.00
5MHz	16QAM	12	0	11.82	11.60	11.77	13.00
		12	6	11.43	11.47	11.51	13.00
		12	13	11.25	11.37	11.07	13.00
		25	0	11.64	11.64	11.89	13.00
		1	0	12.17	11.82	12.21	13.00
		1	13	11.81	12.20	11.47	13.00
		1	24	11.53	12.24	12.18	13.00
	64QAM	12	0	12.13	11.85	11.99	13.00
		12	6	11.65	11.86	11.47	13.00
		12	13	11.50	11.84	11.39	13.00
		25	0	11.94	11.90	11.92	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tuno ur
Danuwium	Modulation	KD SIZE	KD Ollset	18650	18900	19150	Tune up
		1	0	11.75	11.94	12.35	13.00
		1	25	11.57	11.62	11.27	13.00
		1	49	11.47	12.08	11.83	13.00
	QPSK	25	0	12.10	11.85	12.02	13.00
		25	13	11.70	11.50	11.54	13.00
		25	25	11.57	11.58	11.11	13.00
		50	0	11.93	11.74	12.02	13.00
		1	0	11.90	11.87	12.43	13.00
		1	25	11.51	11.83	11.47	13.00
		1	49	11.54	12.16	12.09	13.00
10MHz	16QAM	25	0	11.80	11.67	11.91	13.00
		25	13	11.39	11.45	11.42	13.00
		25	25	11.35	11.48	11.11	13.00
	[50	0	11.65	11.63	11.81	13.00
		1	0	12.66	12.18	12.11	13.00
	[1	25	11.95	12.22	11.60	13.00
	[1	49	11.64	12.65	12.24	13.00
	64QAM	25	0	12.05	11.96	12.07	13.00
	[25	13	11.82	11.95	11.56	13.00
	-	25	25	11.64	11.97	11.58	13.00
		25	23	11.04	11.37	11.50	13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 180 of 493 Page

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tuna
bandwidth	Modulation	RD SIZE	RB ollset	18675	18900	19125	Tune up
		1	0	11.78	11.98	12.46	13.00
		1	38	11.49	11.58	11.40	13.00
		1	74	11.47	12.10	11.88	13.00
	QPSK	36	0	12.01	11.81	12.08	13.00
		36	18	11.70	11.50	11.50	13.00
		36	39	11.50	11.51	11.06	13.00
		75	0	11.94	11.77	11.93	13.00
		1	0	12.02	11.85	12.41	13.00
		1	38	11.49	11.82	11.49	13.00
		1	74	11.63	12.12	12.02	13.00
15MHz	16QAM	36	0	11.87	11.66	11.81	13.00
		36	18	11.42	11.54	11.45	13.00
		36	39	11.33	11.47	11.10	13.00
		75	0	11.71	11.60	11.84	13.00
		1 (0	12.32	11.90	12.34	13.00
		1	38	11.92	12.31	11.59	13.00
		1	74	11.63	12.38	12.31	13.00
	64QAM	36	0	12.22	11.95	12.08	13.00
		36	18	11.80	11.95	11.55	13.00
		36	39	11.58	11.96	11.54	13.00
		75	0	12.04	12.03	12.00	13.00
	NA - ded - G	DD -:	DD -#t	Channel	Channel	Channel	T
andwidth	Modulation	RB size	RB offset	18700	18900	19100	Tune up
		1	0	11.89	11.98	12.47	13.00
		1	50	11.6.00	11.70	11.41	13.00
		1	99	11.56	12.14	11.88	13.00
	QPSK	50	0	12.12	11.87	12.12	13.00
		50	25	11.73	11.65	11.60	13.00
		50	50	11.58	11.60	11.20	13.00
		100	0	12.00	11.82	12.03	13.00
		1	0	12.04	11.99	12.53	13.00
		1	50	11.64	11.92	11.61	13.00
		1	99	11.68	12.25	12.10	13.00
20MHz	16QAM	50	0	11.88	11.68	11.92	13.00
		50	25	11.52	11.54	11.52	13.00
		50	50	11.37	11.50	11.11	13.00
		100	0	11.76	11.71	11.93	13.00
		1	0	12.27	12.24	12.17	13.00
		1	50	12.03	12.32	11.65	13.00
		1	99	11.75	12.76	12.76	13.00
	64QAM	50	0	12.15	12.03	12.18	13.00
		50	25	11.93	12.04	11.65	13.00
		50	50	11.71	12.06	11.65	13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 181 of 493

	LTE Band 4 full	oower			Conducte	d Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
		1	0	19957 21.22	20175 21.17	20393	24.50
		1	0 2	21.22	21.17	21.03	21.50 21.50
		1	5	20.86	20.95	21.25	21.50
	QPSK	3	0	20.83	21.03	21.10	21.50
	QFSK	3	2	21.04	20.96	21.10	21.50
		3	3	20.84	20.96	21.23	21.50
		6	0	20.84	20.97	20.99	21.50
		1	0	21.18	21.13	21.17	21.50
		1	2	20.97	21.13	21.37	21.50
		1	5	21.08	21.24	21.35	21.50
1.4MHz	16QAM	3	0	21.03	21.00	21.09	21.50
I . TIVITIZ	IOQAW	3	2	21.03	21.22	21.19	21.50
		3	3	20.94	21.22	21.19	21.50
		6	0	20.94	20.87	21.04	21.50
		1	0	20.08	20.87	20.24	21.50
		1	2	19.91	20.27	19.92	21.50
		1	5	20.32	20.03	20.22	21.50
	64QAM	3	0	20.06	20.21	19.99	21.50
	04QAW	3	2	19.99	19.98	19.95	21.50
		3	3	19.99	19.97	20.00	21.50
		6	0	20.04	20.06	19.98	21.50
		- 0	0	Channel	Channel	Channel	21.50
Bandwidth	Modulation	RB size	RB offset	19965	20175	20385	Tune up
		1	0	20.99	21.06	20.80	21.50
		1	7	21.04	20.97	21.05	21.50
		1	14	20.97	20.47	21.13	21.50
	QPSK	8	0	21.29	21.27	20.72	21.50
	QI OIL	8	4	20.85	20.98	20.92	21.50
		8	7	20.96	20.82	21.11	21.50
		15	0	20.75	21.06	20.84	21.50
		1	0	21.30	21.29	21.12	21.50
		1	7	21.21	21.21	21.14	21.50
		1	14	21.01	20.81	20.93	21.50
3MHz	16QAM	8	0	20.89	21.24	20.71	21.50
		8	4	20.91	21.02	20.87	21.50
		8	7	20.75	20.87	20.84	21.50
		15	0	20.79	20.97	20.73	21.50
		1	0	20.07	20.26	20.26	21.50
		1	7	19.90	20.00	19.94	21.50
		1	14	20.33	20.21	20.24	21.50
	64QAM	8	0	20.08	20.04	19.99	21.50
		8	4	20.02	19.99	19.96	21.50
		8	7	19.99	19.98	19.99	21.50
	i				. 5.55	. 5.55	00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 182 of 493

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Danawiath	iviodulation	RD SIZE	KD Ollset	19975	20175	20375	Tune up
		1	0	21.13	21.44	21.20	21.50
		1	13	21.02	21.03	20.94	21.50
		1	24	21.08	20.62	20.98	21.50
	QPSK	12	0	20.93	21.08	21.00	21.50
		12	6	21.08	20.91	20.74	21.50
		12	13	21.17	20.68	20.85	21.50
	16QAM	25	0	21.18	20.89	20.76	21.50
		1	0	21.10	21.42	21.09	21.50
		1	13	21.18	21.19	20.75	21.50
		1	24	21.04	20.79	20.94	21.50
5MHz	16QAM	12	0	21.05	21.23	21.16	21.50
		12	6	20.97	21.02	20.69	21.50
		12	13	21.14	20.77	20.84	21.50
		25	0	21.00	20.97	20.71	21.50
		1	0	20.09	20.25	20.26	21.50
		1	13	19.88	20.02	19.94	21.50
		1	24	20.33	20.23	20.25	21.50
	64QAM	12	0	20.06	20.04	20.01	21.50
		12	6	20.02	19.97	19.96	21.50
		12	13	19.99	19.95	19.99	21.50
		25	0	20.03	20.05	19.97	21.50
		·	DD " .	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	20000	20175	20350	Tune up
	Modulation	1	0	20.21	20.69	19.83	21.50
		1	25	21.24	21.05	20.94	21.50
		1	49	21.07	20.37	20.72	21.50
	QPSK	25	0	21.24	21.31	20.86	21.50
		25	13	21.18	20.87	20.85	21.50
		25	25	21.18	20.41	20.71	21.50
	\ \	50	0	20.96	20.91	20.74	21.50
		1	0	20.45	20.62	20.07	21.50
		1	25	21.45	21.23	21.26	21.50
		1	49	21.43	20.58	20.92	21.50
	16QAM	25	0	21.11	21.19	20.83	21.50
10MHz			 	21.02	20.77	20.68	21.50
10MHz		25	13	21.02			
10MHz		25 25	13 25	20.98	20.35	20.78	21.50
10MHz			1		20.35 20.87	20.78 20.66	21.50 21.50
10MHz		25	25	20.98			
10MHz		25 50	25 0	20.98 20.90	20.87 20.24	20.66	21.50
10MHz		25 50 1	25 0 0 25	20.98 20.90 20.07 19.90	20.87 20.24 20.03	20.66 20.26 19.92	21.50 21.50 21.50
10MHz		25 50 1 1	25 0 0 25 49	20.98 20.90 20.07 19.90 20.30	20.87 20.24 20.03 20.22	20.66 20.26 19.92 20.24	21.50 21.50 21.50 21.50
10MHz	64QAM	25 50 1 1 1 25	25 0 0 25 49	20.98 20.90 20.07 19.90 20.30 20.08	20.87 20.24 20.03 20.22 20.02	20.66 20.26 19.92 20.24 19.98	21.50 21.50 21.50 21.50 21.50
10MHz		25 50 1 1	25 0 0 25 49	20.98 20.90 20.07 19.90 20.30	20.87 20.24 20.03 20.22	20.66 20.26 19.92 20.24	21.50 21.50 21.50 21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 183 of 493

Donahuidth	Modulation	DD size	DD offeet	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RB size	RB offset	20025	20175	20325	Tune up
		1	0	20.39	20.83	20.06	21.50
		1	38	21.19	20.98	20.79	21.50
		1	74	21.37	20.38	20.73	21.50
	QPSK	36	0	20.99	21.37	20.75	21.50
		36	18	21.12	20.97	20.85	21.50
		36	39	21.18	20.61	20.92	21.50
	A	75	0	21.15	20.96	20.86	21.50
		1	0	20.60	20.95	20.17	21.50
		1	38	21.41	21.09	20.81	21.50
		1	74	21.43	20.56	20.99	21.50
15MHz	16QAM	36	0	21.04	21.30	20.91	21.50
		36	18	21.14	21.04	20.79	21.50
		36	39	21.11	20.73	20.87	21.50
		75	0	20.96	20.89	20.71	21.50
		1	0	20.11	20.29	20.28	21.50
		1	38	19.93	20.05	19.97	21.50
		1	74	20.35	20.26	20.27	21.50
	64QAM	36	0	20.10	20.07	20.03	21.50
		36	18	20.04	20.02	20.00	21.50
		36	39	20.03	20.00	20.02	21.50
		75	0	20.08	20.08	20.01	21.50
Don duridth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RD SIZE	KB oliset	20050	20175	20300	Tune up
		1	0	20.73	21.34	20.11	21.50
		1	50	21.46	21.16	20.88	21.50
		1	99	21.04	20.49	20.57	21.50
	QPSK	50	0	21.09	21.43	20.80	21.50
		50	25	21.37	20.98	20.69	21.50
		50	50	21.32	20.82	20.93	21.50
		100	0	21.37	20.96	20.82	21.50
		1	0	20.75	21.37	20.56	21.50
		1	50	21.47	21.16	21.07	21.50
		1	99	21.30	20.53	20.80	21.50
20MHz	16QAM	50	0	21.15	21.34	20.72	21.50
		50	25	21.18	20.96	20.75	21.50
		50	50	21.37	20.70	20.93	21.50
		100	0	21.23	21.07	20.80	21.50
		1	0	20.14	20.33	20.31	21.50
		1	50	19.98	20.10	20.01	21.50
		1	99	20.38	20.29	20.30	21.50
	64QAM	50	0	20.14	20.10	20.06	21.50
		50	25	20.07	20.07	20.04	21.50
					1		1
		50	50	20.08	20.04	20.05	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 184 of 493

LTE	Band 4 Left Hea	ad reduced p	ower		Conducted P	ower(dBm)	
				Channel	Channel	Channel	T_
Bandwidth	Modulation	RB size	RB offset	19957	20175	20393	Tune up
		1	0	20.92	20.95	20.74	21.50
		1	2	20.83	20.89	20.96	21.50
		1	5	20.61	20.76	20.99	21.50
	QPSK	3	0	20.73	20.83	20.82	21.50
		3	2	20.81	20.80	20.94	21.50
		3	3	20.69	20.73	20.98	21.50
		6	0	20.71	20.78	20.87	21.50
		1	0	20.94	21.01	20.95	21.50
		1	2	20.79	20.98	21.18	21.50
		1	5	20.84	20.86	21.19	21.50
1.4MHz	16QAM	3	0	20.77	21.10	20.87	21.50
		3	2	20.87	21.00	21.00	21.50
		3	3	20.74	21.00	21.02	21.50
		6	0	20.73	20.75	20.88	21.50
		1	0	20.58	20.29	20.26	21.50
		1	2	19.85	19.75	19.78	21.50
		1	5	20.46	20.22	20.23	21.50
	64QAM	3	0	20.12	20.11	20.03	21.50
		3	2	20.06	20.09	20.01	21.50
		3	3	20.09	20.03	19.98	21.50
		6	0	20.04	20.11	20.04	21.50
		55 .	55 " .	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	19965	20175	20385	Tune up
		1	0	20.88	20.88	20.61	21.50
		1	7	20.78	20.83	20.75	21.50
		1	14	20.71	20.35	20.91	21.50
	QPSK	8	0	21.03	21.05	20.61	21.50
		8	4	20.69	20.74	20.66	21.50
		8	7	20.83	20.55	20.82	21.50
		15	0	20.63	20.78	20.66	21.50
		1	0	21.02	21.06	20.97	21.50
		1	7	20.95	21.04	21.02	21.50
		1	14	20.88	20.56	20.81	21.50
3MHz	16QAM	8	0	20.77	20.95	20.60	21.50
967		8	4	20.63	20.81	20.68	21.50
		8	7	20.62	20.73	20.69	21.50
		15	0	20.58	20.78	20.60	21.50
		1	0	20.52	20.28	20.22	21.50
	[1	7	19.82	19.71	19.73	21.50
		1	14	20.42	20.16	20.20	21.50
Ì	64QAM	8	0	20.11	20.08	20.02	21.50
			1 4	00 00	20.04	10.07	24.50
		8	4	20.03	20.04	19.97	21.50
		8 8	7	20.03	20.04	19.97	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 185 of 493 Page

Dan dudidih	Madulation	DD ains	DD offeet	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	19975	20175	20375	Tune up
		1	0	20.88	21.22	20.92	21.50
		1	13	20.88	20.84	20.67	21.50
		1	24	20.89	20.39	20.79	21.50
	QPSK	12	0	20.82	20.95	20.88	21.50
		12	6	20.82	20.80	20.58	21.50
		12	13	20.96	20.51	20.59	21.50
		25	0	20.88	20.69	20.51	21.50
		1	0	20.95	21.29	20.81	21.50
		1	13	20.95	20.97	20.59	21.50
		1	24	20.90	20.55	20.71	21.50
5MHz	16QAM	12	0	20.79	20.97	20.87	21.50
		12	6	20.79	20.85	20.55	21.50
		12	13	20.95	20.55	20.59	21.50
		25	0	20.85	20.68	20.51	21.50
		1	0	20.57	20.31	20.27	21.50
		1	13	19.86	19.75	19.77	21.50
		1	24	20.46	20.21	20.22	21.50
	64QAM	12	0	20.14	20.13	20.03	21.50
		12	6	20.07	20.08	19.99	21.50
		12	13	20.11	20.03	20.00	21.50
		25	0	20.05	20.11	20.04	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Banawiath	Modulation	110 3126	IND Offset	20000	20175	20350	Tune up
		1	0	20.04	20.44	19.71	21.50
		1	25	21.01	20.87	20.84	21.50
		1	49	20.85	20.24	20.51	21.50
	QPSK	25	0	21.01	21.02	20.59	21.50
		25	13	20.94	20.71	20.59	21.50
		25	25	20.90	20.27	20.59	21.50
		50	0	20.75	20.63	20.55	21.50
		1	0	20.18	20.51	19.89	21.50
		1	25	21.30	20.99	21.02	21.50
		1	49	21.20	20.32	20.70	21.50
10MHz	16QAM	25	0	20.92	20.97	20.56	21.50
		25	13	20.88	20.66	20.57	21.50
		25	25	20.84	20.22	20.58	21.50
		50	0	20.70	20.61	20.52	21.50
		1	0	20.52	20.27	20.23	21.50
		1	25	19.81	19.71	19.73	21.50
		1	49	20.41	20.15	20.20	21.50
	64QAM	25	0	20.10	20.10	20.00	21.50
		25	13	20.03	20.03	19.95	21.50
		25	25	20.05	20.01	19.96	21.50
	I L						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 186 of 493

Pandwidth	Modulation	DD circ	DD offeet	Channel	Channel	Channel	Tuna
Bandwidth	Modulation	RB size	RB offset	20025	20175	20325	Tune up
		1	0	20.19	20.68	19.88	21.50
		1	38	21.06	20.81	20.51	21.50
		1	74	21.18	20.19	20.60	21.50
	QPSK	36	0	20.89	21.12	20.52	21.50
		36	18	20.96	20.77	20.56	21.50
		36	39	21.03	20.47	20.63	21.50
		75	0	20.89	20.70	20.65	21.50
		1	0	20.46	20.79	20.06	21.50
		1	38	21.43	20.92	20.69	21.50
		1	74	21.44	20.29	20.78	21.50
15MHz	16QAM	36	0	20.81	21.09	20.61	21.50
		36	18	20.90	20.75	20.67	21.50
		36	39	20.98	20.45	20.60	21.50
		75	0	20.82	20.67	20.61	21.50
		1 (0	20.57	20.31	20.26	21.50
		1	38	19.86	19.75	19.77	21.50
		1	74	20.45	20.20	20.24	21.50
	64QAM	36	0	20.14	20.13	20.05	21.50
		36	18	20.07	20.08	20.00	21.50
		36	39	20.09	20.04	19.99	21.50
		75	0	20.03	20.10	20.05	21.50
Bandwidth	Modulation	DD size	DD offeet	Channel	Channel	Channel	Tungun
bandwidth	Modulation	RB size	RB offset	20050	20175	20300	Tune up
		1	0	20.47	21.14	19.97	21.50
		1	50	21.25	20.95	20.61	21.50
		1	99	20.80	20.32	20.32	21.50
	QPSK	50	0	20.99	21.21	20.65	21.50
		50	25	21.12	20.76	20.51	21.50
		50	50	21.13	20.62	20.65	21.50
		100	0	21.07	20.86	20.69	21.50
		1	0	20.55	21.19	20.45	21.50
		1	50	21.46	20.98	20.92	21.50
		1	99	21.00	20.35	20.66	21.50
20MHz	16QAM	50	0	20.89	21.18	20.61	21.50
		50	25	21.05	20.75	20.47	21.50
		50	50	21.19	20.60	20.63	21.50
		100	0	21.03	20.82	20.65	21.50
		1	0	20.62	20.34	20.31	21.50
		1	50	19.89	19.80	19.82	21.50
		1	99	20.50	20.25	20.27	21.50
	64QAM	50	0	20.17	20.16	20.08	21.50
		50	25	20.11	20.13	20.04	21.50
		00					
		50	50	20.14	20.07	20.03	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 187 of 493 Page

LTE E	Band 4 Right Head	reduced pow	er		Conduc	ted Power(dBn	1)
	-	<u>'</u>	1	Channal			<u>, </u>
Bandwidth	Modulation	RB size	RB offset	Channel 19957	Channel 20175	Channel 20393	Tune up
		1	0	18.88	18.77	18.52	19.00
		1	2	18.89	18.78	18.57	19.00
	\	1	5	18.72	18.68	18.65	19.00
	QPSK	3	0	18.94	18.70	18.52	19.00
	QFSK	3	2	18.94	18.68	18.63	19.00
		3	3	18.82	18.63	18.68	19.00
		6	0	18.88	18.76	18.59	19.00
		1	0	18.86	18.84	18.46	19.00
		1	2	18.91	18.86	18.53	19.00
4 48411-	400 414	1	5	18.75	18.91	18.60	19.00
1.4MHz	16QAM	3	0	18.98	18.77	18.58	19.00
		3	2	18.90	18.73	18.64	19.00
		3	3	18.94	18.82	18.74	19.00
		6	0	18.91	18.67	18.58	19.00
		1	0	17.97	17.70	17.90	19.00
		1	2	17.93	17.65	17.30	19.00
		1	5	17.83	17.74	17.62	19.00
-	64QAM	3	0	17.62	17.57	17.54	19.00
	64QAM	3	2	17.55	17.57	17.49	19.00
		3	3	17.52	17.50	17.51	19.00
		6	0	17.58	17.58	17.52	19.00
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
Bandwidth	Modulation	IND SIZE	offset	19965	20175	20385	rune up
		1	0	18.89	18.84	18.43	19.00
		1	7	18.78	18.79	18.52	19.00
		1	14	18.60	18.43	18.61	19.00
	QPSK	8	0	18.79	18.74	18.53	19.00
		8	4	18.78	18.73	18.47	19.00
		8	7	18.76	18.57	18.72	19.00
		15	0	18.78	18.67	18.47	19.00
		1	0	18.86	18.98	18.53	19.00
		1	7	18.98	18.94	18.61	19.00
		1	14	18.97	18.35	18.69	19.00
3MHz	16QAM	8	0	18.84	18.72	18.52	19.00
		8	4	18.88	18.72	18.46	19.00
		8	7	18.93	18.54	18.50	19.00
		15	0	18.73	18.64	18.43	19.00
		1	0	17.98	17.70	17.90	19.00
		1	7	17.94	17.65	17.30	19.00
		1	14	17.82	17.74	17.63	19.00
	64QAM	8	0	17.63	17.74	17.56	19.00
	OTQAIVI	8	4	17.54	17.59	17.50	19.00
	04QAW		. 4	17.34	17.37	17.50	19.00
		8	7	17.52	17.51	17.50	19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



: 01 Rev

: 188 of 493 Page

Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
bandwidth	Modulation	RD SIZE	offset	19975	20175	20375	Tune up
		1	0	18.79	18.87	18.81	19.00
		1	13	18.86	18.81	18.60	19.00
		1	24	18.90	18.30	18.58	19.00
	QPSK	12	0	18.87	18.89	18.72	19.00
		12	6	18.86	18.77	18.45	19.00
		12	13	18.74	18.51	18.45	19.00
		25	0	18.77	18.67	18.37	19.00
		1	0	18.89	18.88	18.94	19.00
		1	13	18.76	18.95	18.70	19.00
		1	24	18.90	18.46	18.70	19.00
5MHz	16QAM	12	0	18.88	18.94	18.68	19.00
		12	6	18.78	18.81	18.41	19.00
		12	13	18.89	18.55	18.41	19.00
		25	0	18.86	18.64	18.32	19.00
		1	0	17.99	17.69	17.90	19.00
		1	13	16.94	17.64	17.30	19.00
		1	24	17.82	17.76	17.64	19.00
	64QAM	12	0	17.62	17.58	17.56	19.00
- Ca		12	6	17.53	17.55	17.51	19.00
		12	13	17.52	17.49	17.52	19.00
		25	0	17.60	17.57	17.52	19.00
N =lo! -l (lo	NA - de de dise	DD -:	RB	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	offset	20000	20175	20350	Tune up
		1	0	18.14	18.32	17.56	19.00
		1	25	18.84	18.80	18.61	19.00
		1	49	18.97	18.25	18.17	19.00
	QPSK	25	0	18.89	18.96	18.49	19.00
		25	13	18.87	18.70	18.38	19.00
		25	25	18.77	18.30	18.40	19.00
		50	0	18.76	18.65	18.37	19.00
		1	0	18.85	18.24	17.75	19.00
		1	25	18.86	18.88	18.81	19.00
		1	49	18.81	18.28	18.37	19.00
10MHz	16QAM	25	0	18.84	18.97	18.47	19.00
		25	13	18.80	18.67	18.37	19.00
		25	25	18.79	18.28	18.39	19.00
		50	0	18.78	18.62	18.32	19.00
		1	0	17.98	17.70	17.90	19.00
		1	25	17.94	17.64	17.30	19.00
		1	49	17.81	17.75	17.61	19.00
	64QAM	25	0	17.62	17.58	17.55	19.00
		25	13	17.52	17.56	17.51	19.00
		25	25	17.52	17.48	17.51	19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 189 of 493

Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tungun
Danawiath	Modulation	RD SIZE	offset	20025	20175	20325	Tune up
		1	0	18.16	18.53	17.76	19.00
		1	38	18.84	18.80	18.42	19.00
		1	74	18.85	18.52	18.26	19.00
	QPSK	36	0	18.82	18.87	18.50	19.00
		36	18	18.81	18.76	18.56	19.00
- Cal		36	39	18.87	18.64	18.45	19.00
		75	0	18.85	18.71	18.63	19.00
		1	0	18.30	18.70	17.67	19.00
		1	38	18.94	18.85	18.44	19.00
		1	74	18.86	18.76	18.23	19.00
15MHz	16QAM	36	0	18.81	18.77	18.59	19.00
		36	18	18.82	18.75	18.62	19.00
		36	39	18.88	18.63	18.42	19.00
		75	0	18.79	18.64	18.57	19.00
		10	0	17.97	17.68	17.88	19.00
		1	38	17.91	17.64	17.29	19.00
		1	74	17.8	17.74	17.61	19.00
	64QAM	36	0	17.63	17.57	17.53	19.00
		36	18	17.53	17.55	17.48	19.00
		36	39	17.51	17.48	17.50	19.00
		75	0	17.59	17.58	17.53	19.00
		·	RB	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	offset	20050	20175	20300	Tune up
	Modulation	1	0	18.47	18.84	17.99	19.00
		1	50	18.97	18.84	18.55	19.00
		1	99	18.67	18.12	18.06	19.00
	QPSK	50	0	18.83	18.87	18.60	19.00
		50	25	18.89	18.69	18.52	19.00
		50	50	18.96	18.71	18.51	19.00
		100	0	18.81	18.72	18.70	19.00
Ī		1	0	18.72	18.94	18.28	19.00
		1	50	18.98	18.98	18.85	19.00
		1	99	18.87	18.25	18.34	19.00
20MHz	16QAM	50	0	18.89	18.89	18.77	19.00
		50	25	18.88	18.64	18.44	19.00
8		50	50	18.87	18.68	18.43	19.00
		100	0	18.82	18.66	18.64	19.00
		1	0	18.02	17.74	17.93	19.00
		1	50	17.97	17.68	17.35	19.00
		1	99	17.86	17.79	17.67	19.00
	64QAM	50	0	17.66	17.62	17.59	19.00
		50	25	17.58	17.6	17.54	19.00
				17.55	17.54	17.55	19.00
		50	50	66.11	17,07	17.00	19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



: 01 Rev

: 190 of 493 Page

LTE Bar	nd 4 hotspot activ	ed for 2.4G V	/IFI		Conducte	d Power(dBm)
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
Sandwidth	Woddiation	KD Size	offset	19957	20175	20393	Turie up
		1	0	17.20	17.62	17.51	19.00
		1	2	17.65	17.39	17.31	19.00
		1	5	17.47	17.58	17.50	19.00
	QPSK	3	0	17.11	17.52	17.43	19.00
		3	2	17.25	17.57	17.21	19.00
		3	3	17.14	17.38	17.41	19.00
		6	0	17.58	17.5	17.33	19.00
		1	0	17.01	17.88	17.71	19.00
		1	2	17.61	17.67	17.54	19.00
		1	5	17.42	17.86	17.74	19.00
1.4MHz	16QAM	3	0	17.04	17.56	17.49	19.00
		3	2	17.48	17.56	17.50	19.00
		3	3	17.30	17.59	17.49	19.00
		6	0	17.12	17.48	17.44	19.00
		1	0	17.56	17.51	17.50	19.00
		1	2	17.58	17.58	17.52	19.00
		1	5	17.80	17.82	17.69	19.00
	64QAM	3	0	17.45	17.33	17.71	19.00
		3	2	17.76	17.82	17.65	19.00
		3	3	17.62	17.54	17.58	19.00
		6	0	17.55	17.48	17.55	19.00
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
Bandwidth	Woddiation	IND SIZE	offset	19965	20175	20385	rune up
		1	0	17.59	17.6	17.52	19.00
		1	7	17.01	17.17	17.15	19.00
		1	14	17.60	17.57	17.46	19.00
	QPSK	8	0	17.61	17.57	17.51	19.00
		8	4	17.54	17.54	17.45	19.00
		8	7	17.46	17.54	17.50	19.00
		15	0	17.56	17.55	17.45	19.00
		1	0	17.87	17.89	17.87	19.00
		1	7	17.24	17.08	17.19	19.00
3MHz		1	14	17.79	17.89	17.80	19.00
	16QAM	8	0	17.56	17.56	17.42	19.00
		8	4	17.58	17.59	17.47	19.00
		8	7	17.49	17.47	17.48	19.00
		15	0	17.54	17.56	17.46	19.00
Γ		1	0	17.75	17.65	17.66	19.00
		1	7	17.79	17.79	17.76	19.00
	64QAM	1	14	17.71	17.6	17.59	19.00
		8	0	17.65	17.64	17.59	19.00
		8	4	17.55	17.55	17.57	19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 191 of 493

		8	7	17.58	17.6	17.59	19.00
		15	0	17.58	17.58	17.53	19.00
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tungun
Sandwidth	Modulation	RD SIZE	offset	19975	20175	20375	Tune up
		1	0	17.44	17.59	17.55	19.00
		1	13	17.12	17.59	17.52	19.00
		1	24	17.59	17.53	17.49	19.00
	QPSK	12	0	17.44	17.65	17.55	19.00
		12	6	17.09	17.56	17.47	19.00
		12	13	17.39	17.64	17.50	19.00
		25	0	17.43	17.56	17.50	19.00
		1	0	17.86	17.87	17.78	19.00
		1	13	17.88	17.80	17.74	19.00
		1	24	17.82	17.80	17.74	19.00
5MHz	16QAM	12	0	17.61	17.61	17.49	19.00
		12	6	17.56	17.51	17.43	19.00
		12	13	17.55	17.58	17.48	19.00
		25	0	17.34	17.55	17.45	19.00
		1	0	17.76	17.66	17.65	19.00
		1	13	17.80	17.79	17.78	19.00
		1	24	17.72	17.59	17.60	19.00
	64QAM	12	0	17.63	17.64	17.60	19.00
		12	6	17.57	17.54	17.56	19.00
		12	13	17.59	17.61	17.6	19.00
		25	0	17.59	17.56	17.51	19.00
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
Sandwidth	Modulation	ND SIZE	offset	20000	20175	20350	Turie up
		1	0	17.16	17.61	17.55	19.00
		1	25	17.12	17.46	17.33	19.00
		1	49	17.50	17.50	17.43	19.00
	QPSK	25	0	17.41	17.62	17.60	19.00
		25	13	17.55	17.57	17.49	19.00
		25	25	17.57	17.53	17.51	19.00
		50	0	17.12	17.58	17.51	19.00
		1	0	17.80	17.85	17.80	19.00
		1	25	17.55	17.62	17.63	19.00
AC		1	49	17.89	17.83	17.70	19.00
10MHz	16QAM	25	0	17.57	17.51	17.50	19.00
		25	13	17.49	17.46	17.43	19.00
		25	25	17.49	17.48	17.41	19.00
		50	0	17.29	17.50	17.45	19.00
		1	0	17.57	17.51	17.53	19.00
		1	25	17.57	17.6	17.54	19.00
		1	49	17.80	17.81	17.64	19.00
	64QAM	25	0	17.45	17.32	17.67	19.00
		25	13	17.76	17.80	17.66	19.00
		25	25	17.62	17.54	17.56	19.00
1							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 192 of 493

Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tungun
Danuwium	Modulation	KD SIZE	offset	20025	20175	20325	Tune up
		1	0	17.58	17.51	17.52	19.00
		1	38	17.57	17.57	17.56	19.00
		1	74	17.41	17.46	17.32	19.00
	QPSK	36	0	17.64	17.62	17.59	19.00
		36	18	17.59	17.61	17.59	19.00
		36	39	17.58	17.59	17.55	19.00
		75	0	17.6	17.57	17.53	19.00
		1	0	17.83	17.84	17.83	19.00
		1	38	17.87	17.84	17.94	19.00
		1	74	17.66	17.69	17.64	19.00
15MHz	16QAM	36	0	17.55	17.57	17.52	19.00
		36	18	17.54	17.53	17.54	19.00
		36	39	17.51	17.52	17.44	19.00
		75	0	17.5	17.48	17.45	19.00
		1	0	17.82	17.7	17.71	19.00
		1	38	17.84	17.85	17.82	19.00
		1	74	17.77	17.64	17.65	19.00
	64QAM	36	0	17.69	17.68	17.66	19.00
Cal		36	18	17.62	17.6	17.61	19.00
		36	39	17.65	17.65	17.66	19.00
		75	0	17.63	17.63	17.57	19.00
		·	RB	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	offset	20050	20175	20300	Tune up
	Modulation						
		1	0	17.22	17.64	17.67	19.00
		1 1	0 50		17.64 17.35	17.67 17.38	19.00 19.00
				17.72	17.35	17.38	
	QPSK	1	50	17.72 17.51		17.38 17.41	19.00
	QPSK	1	50 99	17.72 17.51 17.63	17.35 17.46 17.55	17.38 17.41 17.61	19.00 19.00
	QPSK	1 1 50	50 99 0	17.72 17.51 17.63 17.54	17.35 17.46 17.55 17.55	17.38 17.41 17.61 17.51	19.00 19.00 19.00
	QPSK	1 1 50 50	50 99 0 25	17.72 17.51 17.63 17.54 17.49	17.35 17.46 17.55 17.55	17.38 17.41 17.61 17.51 17.50	19.00 19.00 19.00 19.00
	QPSK	1 1 50 50 50	50 99 0 25 50	17.72 17.51 17.63 17.54 17.49 17.56	17.35 17.46 17.55 17.55 17.51 17.54	17.38 17.41 17.61 17.51 17.50 17.50	19.00 19.00 19.00 19.00
	QPSK	1 1 50 50 50 50 100	50 99 0 25 50	17.72 17.51 17.63 17.54 17.49 17.56 17.92	17.35 17.46 17.55 17.55 17.51 17.54 17.91	17.38 17.41 17.61 17.51 17.50 17.50 17.97	19.00 19.00 19.00 19.00 19.00
	QPSK	1 1 50 50 50 100	50 99 0 25 50 0	17.72 17.51 17.63 17.54 17.49 17.56 17.92 17.62	17.35 17.46 17.55 17.55 17.51 17.54	17.38 17.41 17.61 17.51 17.50 17.50	19.00 19.00 19.00 19.00 19.00 19.00
20MHz	QPSK 16QAM	1 1 50 50 50 100 1	50 99 0 25 50 0 0	17.72 17.51 17.63 17.54 17.49 17.56 17.92 17.62 17.80	17.35 17.46 17.55 17.55 17.51 17.54 17.91 17.64 17.77	17.38 17.41 17.61 17.51 17.50 17.50 17.97 17.57 17.73	19.00 19.00 19.00 19.00 19.00 19.00 19.00
20MHz		1 50 50 50 100 1 1	50 99 0 25 50 0 0 50 99	17.72 17.51 17.63 17.54 17.49 17.56 17.92 17.62 17.80 17.52	17.35 17.46 17.55 17.55 17.51 17.54 17.91 17.64 17.77	17.38 17.41 17.61 17.51 17.50 17.50 17.97 17.57 17.73 17.52	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
20MHz		1 50 50 50 100 1 1 1 1 50	50 99 0 25 50 0 0 50 99	17.72 17.51 17.63 17.54 17.49 17.56 17.92 17.62 17.80 17.52 17.49	17.35 17.46 17.55 17.55 17.51 17.54 17.91 17.64 17.77	17.38 17.41 17.61 17.51 17.50 17.50 17.97 17.57 17.57 17.73 17.52 17.45	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
20MHz		1 1 50 50 50 100 1 1 1 1 50	50 99 0 25 50 0 0 50 99 0 25	17.72 17.51 17.63 17.54 17.49 17.56 17.92 17.62 17.80 17.52 17.49 17.42	17.35 17.46 17.55 17.55 17.51 17.54 17.91 17.64 17.77 17.54 17.51 17.43	17.38 17.41 17.61 17.51 17.50 17.50 17.50 17.57 17.57 17.57 17.73 17.52 17.45 17.43	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
20MHz		1 50 50 50 100 1 1 1 50 50	50 99 0 25 50 0 0 50 99 0 25 50	17.72 17.51 17.63 17.54 17.49 17.56 17.92 17.62 17.80 17.52 17.49 17.42	17.35 17.46 17.55 17.55 17.51 17.54 17.91 17.64 17.77 17.54 17.51 17.43	17.38 17.41 17.61 17.51 17.50 17.50 17.50 17.57 17.57 17.57 17.73 17.52 17.45 17.43	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
20MHz		1 50 50 50 100 1 1 1 50 50 50 100	50 99 0 25 50 0 0 50 99 0 25 50 0	17.72 17.51 17.63 17.54 17.49 17.56 17.92 17.62 17.80 17.52 17.49 17.42 17.49	17.35 17.46 17.55 17.55 17.51 17.54 17.91 17.64 17.77 17.54 17.51 17.43 17.48	17.38 17.41 17.61 17.51 17.50 17.50 17.57 17.57 17.73 17.52 17.45 17.43 17.47	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
20MHz		1 50 50 50 100 1 1 1 1 50 50 50	50 99 0 25 50 0 0 50 99 0 25 50 0 0 25	17.72 17.51 17.63 17.54 17.49 17.56 17.92 17.62 17.80 17.52 17.49 17.42 17.49 17.62	17.35 17.46 17.55 17.55 17.51 17.54 17.91 17.64 17.77 17.54 17.51 17.43 17.48 17.56 17.63	17.38 17.41 17.61 17.51 17.50 17.50 17.57 17.57 17.57 17.52 17.45 17.43 17.47 17.56 17.57	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
20MHz	16QAM	1 1 50 50 50 100 1 1 1 50 50 50 100 1 1	50 99 0 25 50 0 0 50 99 0 25 50 0 0 0 25	17.72 17.51 17.63 17.54 17.56 17.92 17.62 17.80 17.52 17.49 17.42 17.49 17.62 17.61	17.35 17.46 17.55 17.55 17.51 17.54 17.91 17.64 17.77 17.54 17.51 17.43 17.48 17.56 17.63 17.87	17.38 17.41 17.61 17.51 17.50 17.50 17.57 17.57 17.57 17.52 17.45 17.43 17.47 17.56 17.57 17.57	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
20MHz		1 1 50 50 50 100 1 1 1 50 50 100 1 1 1 1	50 99 0 25 50 0 0 50 99 0 25 50 0 0 0 50 99	17.72 17.51 17.63 17.54 17.49 17.56 17.92 17.62 17.80 17.52 17.49 17.42 17.49 17.62 17.62 17.61 17.86	17.35 17.46 17.55 17.55 17.51 17.54 17.91 17.64 17.77 17.54 17.51 17.43 17.48 17.56 17.63 17.87	17.38 17.41 17.61 17.51 17.50 17.50 17.50 17.57 17.57 17.57 17.45 17.45 17.43 17.47 17.56 17.57 17.75 17.68	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
20MHz	16QAM	1 1 50 50 50 100 1 1 1 50 50 50 100 1 1	50 99 0 25 50 0 0 50 99 0 25 50 0 0 0 25	17.72 17.51 17.63 17.54 17.56 17.92 17.62 17.80 17.52 17.49 17.42 17.49 17.62 17.61	17.35 17.46 17.55 17.55 17.51 17.54 17.91 17.64 17.77 17.54 17.51 17.43 17.48 17.56 17.63 17.87	17.38 17.41 17.61 17.51 17.50 17.50 17.57 17.57 17.57 17.52 17.45 17.43 17.47 17.56 17.57 17.57	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

Page : 193 of 493

LTE B	and 4 hotspot	actived for 50	S WIFI		Conducte	ed Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danuwium	Modulation	ND SIZE	KB oliset	19957	20175	20393	rune up
		1	0	16.31	17.08	16.45	17.50
		1	2	16.38	17.10	16.43	17.50
		1	5	16.6	17.01	16.47	17.50
	QPSK	3	0	16.59	17.12	16.39	17.50
	1	3	2	16.17	17.13	16.43	17.50
		3	3	15.80	17.08	16.48	17.50
		6	0	16.10	17.09	16.42	17.50
		1	0	16.17	17.17	16.63	17.50
		1	2	16.38	16.98	16.63	17.50
	16QAM	1	5	15.80	17.15	16.64	17.50
1.4MHz		3	0	16.03	17.02	16.37	17.50
		3	2	15.46	16.79	16.31	17.50
		3	3	16.18	16.94	16.31	17.50
		6	0	16.44	16.94	16.27	17.50
		1	0	16.05	16.01	15.99	17.50
		1	2	16.09	16.02	16.01	17.50
		1	5	16.09	16.35	16.05	17.50
	64QAM	3	0	16.11	16.05	15.91	17.50
	04QAW	3	2	16.16	15.93	16.23	17.50
		3	3	16.08	16.04	16.38	17.50
		6	0	16.06	16.01	16.68	17.50
				Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	19965	20175	20385	Tune up
		1	0	16.08	16.95	16.26	17.50
		1	7	16.67	17.01	16.28	17.50
		1 0	14	16.4	16.64	16.17	17.50
	QPSK	8	0	16.36	16.97	16.26	17.50
		8	4	16.36	16.94	16.26	17.50
		8	7	16.45	16.84	16.16	17.50
		15	0	16.83	16.67	16.27	17.50
		1	0	16.32	17.24	16.51	17.50
		1	7	16.72	17.26	16.5	17.50
		1	14	16.6	16.95	16.37	17.50
3MHz	16QAM	8	0	16.86	16.97	16.23	17.50
		8	4	16.46	16.89	16.2	17.50
		8	7	16.83	16.85	16.14	17.50
		15	0	16.67	16.84	16.21	17.50
		1	0	16.05	16.01	15.98	17.50
		1	7	16.09	16.03	16.03	17.50
		1	14	16.1	16.36	16.06	17.50
	64QAM	8	0	16.11	16.06	15.93	17.50
		8	4	16.17	15.92	16.22	17.50
	i -	8	7	16.09	16.03	16.39	17.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 194 of 493

17.50 15 16.03 16.03 0 16.69

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Balluwiutii	Modulation	KD Size	KD Ollset	19975	20175	20375	rune up
		1	0	16.88	17.37	16.88	17.50
		1	13	17.05	17.07	16.40	17.50
		1	24	16.87	16.74	16.31	17.50
	QPSK	12	0	17.00	17.17	16.88	17.50
		12	6	16.86	17.07	16.40	17.50
		12	13	16.88	16.87	16.34	17.50
		25	0	17.05	17.00	16.33	17.50
		1	0	16.67	17.46	17.14	17.50
		1	13	17.08	17.34	16.69	17.50
		1	24	17.22	17.04	16.52	17.50
5MHz	16QAM	12	0	16.96	17.15	16.85	17.50
		12	6	16.17	17.07	16.37	17.50
		12	13	16.83	16.76	16.33	17.50
		25	0	16.48	16.84	16.19	17.50
		1	0	16.05	16.01	16.01	17.50
		1	13	16.07	16.02	16.03	17.50
		1	24	16.08	16.35	16.07	17.50
	64QAM	12	0	16.10	16.05	15.91	17.50
		12	6	16.17	15.91	16.24	17.50
		12	13	16.07	16.04	16.40	17.50
		25	0	16.05	16.01	16.69	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
bandwidth	Modulation	RD SIZE	RD Ollset	20000	20175	20350	Tune up
		1	0	16.09	16.20	15.93	17.50
		1	25	17.36	16.99	16.76	17.50
		1	49	16.86	16.50	15.88	17.50
		25	0	17.41	17.11	16.83	17.50
	QPSK						
	QPSK	25	13	17.47	16.90	16.32	17.50
	QPSK		13 25	17.47 17.25	16.90 16.56	16.32 16.15	
	QPSK	25					17.50
	QPSK	25 25	25	17.25	16.56	16.15	17.50 17.50
	QPSK	25 25 50	25 0	17.25 17.31	16.56 16.82	16.15 16.33	17.50 17.50 17.50
	QPSK	25 25 50 1	25 0 0	17.25 17.31 15.90	16.56 16.82 16.49	16.15 16.33 16.15	17.50 17.50 17.50 17.50
10MHz	QPSK 16QAM	25 25 50 1 1	25 0 0 25	17.25 17.31 15.90 17.39	16.56 16.82 16.49 17.31	16.15 16.33 16.15 17.09	17.50 17.50 17.50 17.50 17.50
10MHz		25 25 50 1 1 1	25 0 0 25 49	17.25 17.31 15.90 17.39 17.04	16.56 16.82 16.49 17.31 16.86	16.15 16.33 16.15 17.09 16.24	17.50 17.50 17.50 17.50 17.50 17.50
10MHz		25 25 50 1 1 1 1 25	25 0 0 25 49	17.25 17.31 15.90 17.39 17.04 17.42	16.56 16.82 16.49 17.31 16.86 17.02	16.15 16.33 16.15 17.09 16.24 16.74	17.50 17.50 17.50 17.50 17.50 17.50 17.50
10MHz		25 25 50 1 1 1 25 25	25 0 0 25 49 0	17.25 17.31 15.90 17.39 17.04 17.42 17.21	16.56 16.82 16.49 17.31 16.86 17.02 16.82	16.15 16.33 16.15 17.09 16.24 16.74 16.23	17.50 17.50 17.50 17.50 17.50 17.50 17.50
10MHz		25 25 50 1 1 1 25 25 25	25 0 0 25 49 0 13 25	17.25 17.31 15.90 17.39 17.04 17.42 17.21 16.99	16.56 16.82 16.49 17.31 16.86 17.02 16.82 16.50	16.15 16.33 16.15 17.09 16.24 16.74 16.23 16.07	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50
10MHz		25 25 50 1 1 1 25 25 25 25	25 0 0 25 49 0 13 25 0	17.25 17.31 15.90 17.39 17.04 17.42 17.21 16.99 17.23	16.56 16.82 16.49 17.31 16.86 17.02 16.82 16.50 16.73	16.15 16.33 16.15 17.09 16.24 16.74 16.23 16.07 16.25	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50
10MHz		25 25 50 1 1 1 25 25 25 25 50	25 0 0 25 49 0 13 25 0	17.25 17.31 15.90 17.39 17.04 17.42 17.21 16.99 17.23 16.02	16.56 16.82 16.49 17.31 16.86 17.02 16.82 16.50 16.73 16.04	16.15 16.33 16.15 17.09 16.24 16.74 16.23 16.07 16.25 15.98	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50
10MHz		25 25 50 1 1 1 25 25 25 50 1	25 0 0 25 49 0 13 25 0 0 25	17.25 17.31 15.90 17.39 17.04 17.42 17.21 16.99 17.23 16.02	16.56 16.82 16.49 17.31 16.86 17.02 16.82 16.50 16.73 16.04 16.02	16.15 16.33 16.15 17.09 16.24 16.74 16.23 16.07 16.25 15.98 16.03	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50
10MHz	16QAM	25 25 50 1 1 1 25 25 25 50 1 1	25 0 0 25 49 0 13 25 0 0 25 49	17.25 17.31 15.90 17.39 17.04 17.42 17.21 16.99 17.23 16.02 16.06	16.56 16.82 16.49 17.31 16.86 17.02 16.82 16.50 16.73 16.04 16.02 16.37	16.15 16.33 16.15 17.09 16.24 16.74 16.23 16.07 16.25 15.98 16.03 16.05	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50
10MHz	16QAM	25 25 50 1 1 1 25 25 25 50 1 1 1 25	25 0 0 25 49 0 13 25 0 0 0 25 49	17.25 17.31 15.90 17.39 17.04 17.42 17.21 16.99 17.23 16.02 16.06 16.09	16.56 16.82 16.49 17.31 16.86 17.02 16.82 16.50 16.73 16.04 16.02 16.37 16.07	16.15 16.33 16.15 17.09 16.24 16.74 16.23 16.07 16.25 15.98 16.03 16.05 15.91	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 195 of 493

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tuna
bandwidth	iviodulation	RD SIZE	KD Ollset	20025	20175	20325	Tune up
		1	0	16.34	16.53	16.05	17.50
		1	38	17.07	16.97	16.67	17.50
		1	74	16.96	16.49	16.01	17.50
	QPSK	36	0	17.14	17.31	16.95	17.50
		36	18	17.23	16.93	16.76	17.50
		36	39	17.18	16.78	16.17	17.50
		75	0	16.97	16.89	16.46	17.50
		1	0	16.35	16.67	16.18	17.50
		1	38	17.47	17.28	16.95	17.50
		1	74	17.45	17.03	16.30	17.50
15MHz	16QAM	36	0	17.30	17.13	16.89	17.50
		36	18	16.79	16.77	16.71	17.50
		36	39	17.18	16.60	16.12	17.50
		75	0	17.14	16.24	16.37	17.50
		1	0	16.03	16.01	15.99	17.50
		1	38	16.08	16.04	16.02	17.50
		1	74	16.09	16.34	16.08	17.50
	64QAM	36	0	16.10	16.07	15.91	17.50
		36	18	16.14	15.92	16.21	17.50
		36	39	16.08	16.04	16.4	17.50
		75	0	16.03	16.02	16.68	17.50
Donalis dala	Madulatian	DD size	DD a#aat	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	20050	20175	20300	Tune up
		1	0	16.78	17.48	16.46	17.50
		1	50	17.44	17.44	17.20	17.50
		1	99	17.24	16.76	16.09	17.50
	QPSK	50	0	17.41	17.45	17.21	17.50
		50	25	17.39	17.18	17.07	17.50
		50	50	17.44	17.13	16.67	17.50
		100	0	17.41	17.24	17.00	17.50
		1	0	16.70	17.42	16.73	17.50
			<u> </u>	17.48	17.43	17.45	17.50
		1	50	17.70			47.50
		1	99	17.37	16.94	16.35	17.50
20MHz	16QAM				16.94 17.42	16.35 17.14	17.50
20MHz	16QAM	1	99	17.37			
20MHz	16QAM	1 50	99 0	17.37 17.43	17.42	17.14	17.50
20MHz	16QAM	1 50 50	99 0 25	17.37 17.43 17.44	17.42 17.09	17.14 17.00	17.50 17.50
20MHz	16QAM	1 50 50 50	99 0 25 50	17.37 17.43 17.44 17.33	17.42 17.09 16.97	17.14 17.00 16.61	17.50 17.50 17.50
20MHz	16QAM	1 50 50 50 50 100	99 0 25 50 0	17.37 17.43 17.44 17.33 17.32	17.42 17.09 16.97 17.16	17.14 17.00 16.61 16.94	17.50 17.50 17.50 17.50
20MHz	16QAM	1 50 50 50 100	99 0 25 50 0	17.37 17.43 17.44 17.33 17.32 16.07	17.42 17.09 16.97 17.16 16.06	17.14 17.00 16.61 16.94 16.03	17.50 17.50 17.50 17.50 17.50
20MHz	16QAM 64QAM	1 50 50 50 100 1	99 0 25 50 0 0 50	17.37 17.43 17.44 17.33 17.32 16.07 16.11	17.42 17.09 16.97 17.16 16.06	17.14 17.00 16.61 16.94 16.03 16.06	17.50 17.50 17.50 17.50 17.50 17.50
20MHz		1 50 50 50 100 1 1 1	99 0 25 50 0 0 50 99	17.37 17.43 17.44 17.33 17.32 16.07 16.11	17.42 17.09 16.97 17.16 16.06 16.06 16.39	17.14 17.00 16.61 16.94 16.03 16.06 16.10	17.50 17.50 17.50 17.50 17.50 17.50 17.50
20MHz		1 50 50 50 100 1 1 1 1 50	99 0 25 50 0 0 50 99	17.37 17.43 17.44 17.33 17.32 16.07 16.11 16.12 16.14	17.42 17.09 16.97 17.16 16.06 16.06 16.39 16.10	17.14 17.00 16.61 16.94 16.03 16.06 16.10 15.95	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 196 of 493

IE Band 4 B	Body-worn sim with 2.4G		y transmit		Conducted	l Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel 19957	Channel 20175	Channel 20393	Tune up
		1	0	17.58	17.40	17.44	19.00
		1	0	16.36	17.40		19.00
		1	2 5	17.28	17.10	17.07 17.22	19.00
	QPSK	3	0	17.26	17.32	17.45	19.00
	QFSK	3	2	17.34	17.35	17.43	19.00
		3	3	17.34	17.37	17.36	19.00
		6	0	17.27	17.35	17.24	19.00
		1	0	17.58	17.73	17.67	19.00
		1	2	16.00	17.53	17.50	19.00
		1	5	17.63	17.55	17.56	19.00
1.4MHz	16QAM	3	0	17.03	17.27	17.26	19.00
1.4111172	IOQAW	3	2	17.20	17.27	17.20	19.00
		3	3	17.29	17.28	17.21	19.00
		6	0	17.27	17.31	17.16	19.00
		1	0	17.47	17.76	17.78	19.00
		1	2	17.55	17.81	17.75	19.00
		1	5	17.33	17.69	17.76	19.00
	64QAM	3	0	17.59	17.57	17.48	19.00
	04QAIVI	3	2	17.59	17.53	17.50	19.00
		3	3	17.54	17.50	17.54	19.00
		6	0	17.54	17.52	17.48	19.00
			U	Channel	Channel	Channel	13.00
Bandwidth	Modulation	RB size	RB offset	19965	20175	20385	Tune up
		1	0	17.54	17.41	17.44	19.00
		1	7	16.37	17.16	17.13	19.00
		1	14	17.31	17.25	17.13	19.00
	QPSK	8	0	17.37	17.38	17.45	19.00
	Q. O.	8	4	17.26	17.39	17.30	19.00
		8	7	17.25	17.30	17.29	19.00
		15	0	17.27	17.38	17.31	19.00
		1	0	17.72	17.73	17.64	19.00
3MHz		1	7	16.02	17.53	17.59	19.00
		1	14	17.68	17.58	17.47	19.00
	16QAM	8	0	17.38	17.20	17.24	19.00
		8	4	17.33	17.18	17.25	19.00
		8	7	17.21	17.27	17.19	19.00
		15	0	17.22	17.23	17.24	19.00
		1	0	17.48	17.79	17.81	19.00
	64QAM	1	7	17.58	17.81	17.51	19.00
		1	14	17.88	17.70	17.79	19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 197 of 493

		8	0	17.62	17.59	17.49	19.00
		8	4	17.49	17.53	17.48	19.00
		8	7	17.55	17.53	17.51	19.00
		15	0	17.56	17.52	17.46	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Balluwiutii	Modulation	ND SIZE	KD Ollser	19975	20175	20375	Turie up
		1	0	17.46	17.39	17.43	19.00
		1	13	16.25	17.12	17.17	19.00
		1	24	17.27	17.30	17.27	19.00
	QPSK	12	0	17.38	17.36	17.47	19.00
		12	6	17.28	17.35	17.34	19.00
		12	13	17.38	17.31	17.35	19.00
		25	0	17.24	17.26	17.33	19.00
		1	0	17.72	17.79	17.73	19.00
		1	13	16.07	17.42	17.49	19.00
		1	24	17.64	17.47	17.55	19.00
5MHz	16QAM	12	0	17.33	17.24	17.29	19.00
		12	6	17.33	17.21	17.21	19.00
		12	13	17.23	17.24	17.16	19.00
		25	0	17.25	17.25	17.18	19.00
		1	0	17.45	17.77	17.81	19.00
		1	13	17.59	17.79	17.52	19.00
		1	24	17.87	17.71	17.77	19.00
	64QAM	12	0	17.6	17.58	17.49	19.00
		12	6	17.51	17.53	17.5	19.00
		12	13	17.56	17.53	17.53	19.00
		25	0	17.54	17.54	17.46	19.00
			"	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	20000	20175	20350	Tune up
Bandwidth	Modulation	RB size	RB offset 0	20000 17.58	20175 17.47	20350 17.4	19.00
Bandwidth	Modulation						·
Bandwidth	Modulation	1	0	17.58	17.47	17.4	19.00
Bandwidth	Modulation QPSK	1	0 25	17.58 16.31	17.47 17.18	17.4 17.19	19.00 19.00
Bandwidth		1 1 1	0 25 49	17.58 16.31 17.37	17.47 17.18 17.34	17.4 17.19 17.23	19.00 19.00 19.00
Bandwidth		1 1 1 25 25	0 25 49 0 13	17.58 16.31 17.37 17.46 17.31	17.47 17.18 17.34 17.43 17.39	17.4 17.19 17.23 17.45 17.25	19.00 19.00 19.00 19.00 19.00
Bandwidth		1 1 1 25	0 25 49	17.58 16.31 17.37 17.46 17.31 17.38	17.47 17.18 17.34 17.43	17.4 17.19 17.23 17.45	19.00 19.00 19.00 19.00 19.00
Bandwidth		1 1 1 25 25 25	0 25 49 0 13 25	17.58 16.31 17.37 17.46 17.31 17.38 17.36	17.47 17.18 17.34 17.43 17.39 17.29 17.32	17.4 17.19 17.23 17.45 17.25 17.32	19.00 19.00 19.00 19.00 19.00 19.00
Bandwidth		1 1 1 25 25 25 25 50	0 25 49 0 13 25 0	17.58 16.31 17.37 17.46 17.31 17.38 17.36 17.64	17.47 17.18 17.34 17.43 17.39 17.29 17.32 17.70	17.4 17.19 17.23 17.45 17.25 17.32 17.26 17.61	19.00 19.00 19.00 19.00 19.00 19.00 19.00
RS		1 1 1 25 25 25 25 50	0 25 49 0 13 25	17.58 16.31 17.37 17.46 17.31 17.38 17.36 17.64 16.04	17.47 17.18 17.34 17.43 17.39 17.29 17.32 17.70	17.4 17.19 17.23 17.45 17.25 17.32 17.26 17.61 17.47	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
Bandwidth 10MHz	QPSK	1 1 25 25 25 25 50 1 1	0 25 49 0 13 25 0 0 25 49	17.58 16.31 17.37 17.46 17.31 17.38 17.36 17.64 16.04 17.59	17.47 17.18 17.34 17.43 17.39 17.29 17.32 17.70 17.44	17.4 17.19 17.23 17.45 17.25 17.32 17.26 17.61 17.47	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
RS		1 1 25 25 25 50 1 1 1 25	0 25 49 0 13 25 0 0 25 49	17.58 16.31 17.37 17.46 17.31 17.38 17.36 17.64 16.04 17.59 17.37	17.47 17.18 17.34 17.43 17.39 17.29 17.32 17.70 17.44 17.58	17.4 17.19 17.23 17.45 17.25 17.32 17.26 17.61 17.47 17.43 17.35	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
RS	QPSK	1 1 25 25 25 50 1 1 1 25 25	0 25 49 0 13 25 0 0 25 49 0	17.58 16.31 17.37 17.46 17.31 17.38 17.36 17.64 16.04 17.59 17.37	17.47 17.18 17.34 17.43 17.39 17.29 17.32 17.70 17.44 17.58 17.23	17.4 17.19 17.23 17.45 17.25 17.32 17.26 17.61 17.47 17.43 17.35 17.15	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
RS	QPSK	1 1 25 25 25 25 50 1 1 1 25 25 25	0 25 49 0 13 25 0 0 25 49 0	17.58 16.31 17.37 17.46 17.31 17.38 17.36 17.64 16.04 17.59 17.37 17.20	17.47 17.18 17.34 17.43 17.39 17.29 17.32 17.70 17.44 17.58 17.23 17.32 17.18	17.4 17.19 17.23 17.45 17.25 17.32 17.26 17.61 17.47 17.43 17.35 17.15	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
RS	QPSK	1 1 25 25 25 25 50 1 1 1 25 25 25 50	0 25 49 0 13 25 0 0 25 49 0 13 25	17.58 16.31 17.37 17.46 17.31 17.38 17.36 17.64 16.04 17.59 17.37 17.20 17.35	17.47 17.18 17.34 17.43 17.39 17.29 17.32 17.70 17.44 17.58 17.23 17.32 17.18 17.34	17.4 17.19 17.23 17.45 17.25 17.32 17.26 17.61 17.47 17.43 17.35 17.15 17.20	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
RS	QPSK	1 1 25 25 25 50 1 1 1 25 25 25 25 50	0 25 49 0 13 25 0 0 25 49 0 13 25 0	17.58 16.31 17.37 17.46 17.31 17.38 17.36 17.64 16.04 17.59 17.37 17.20 17.35 17.22	17.47 17.18 17.34 17.43 17.39 17.29 17.32 17.70 17.44 17.58 17.23 17.32 17.18 17.34 17.78	17.4 17.19 17.23 17.45 17.25 17.32 17.26 17.61 17.47 17.43 17.35 17.15 17.20 17.17	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
RS	QPSK 16QAM	1 1 25 25 25 50 1 1 1 25 25 25 25 25 25 1 1	0 25 49 0 13 25 0 0 25 49 0 13 25 0	17.58 16.31 17.37 17.46 17.31 17.38 17.36 17.64 16.04 17.59 17.37 17.20 17.35 17.22 17.47	17.47 17.18 17.34 17.43 17.39 17.29 17.32 17.70 17.44 17.58 17.23 17.32 17.18 17.34 17.78	17.4 17.19 17.23 17.45 17.25 17.32 17.26 17.61 17.47 17.43 17.35 17.15 17.20 17.17 17.79 17.50	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
RS	QPSK	1 1 25 25 25 25 50 1 1 1 25 25 25 25 25 25 1 1 1 1	0 25 49 0 13 25 0 0 25 49 0 13 25 0 0	17.58 16.31 17.37 17.46 17.31 17.38 17.36 17.64 16.04 17.59 17.37 17.20 17.35 17.22 17.47 17.59 17.88	17.47 17.18 17.34 17.43 17.39 17.29 17.32 17.70 17.44 17.58 17.23 17.32 17.18 17.34 17.78 17.80 17.71	17.4 17.19 17.23 17.45 17.25 17.32 17.26 17.61 17.47 17.43 17.35 17.15 17.20 17.17 17.79 17.50 17.77	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
Bandwidth 10MHz	QPSK 16QAM	1 1 25 25 25 50 1 1 1 25 25 25 25 25 25 1 1	0 25 49 0 13 25 0 0 25 49 0 13 25 0	17.58 16.31 17.37 17.46 17.31 17.38 17.36 17.64 16.04 17.59 17.37 17.20 17.35 17.22 17.47	17.47 17.18 17.34 17.43 17.39 17.29 17.32 17.70 17.44 17.58 17.23 17.32 17.18 17.34 17.78	17.4 17.19 17.23 17.45 17.25 17.32 17.26 17.61 17.47 17.43 17.35 17.15 17.20 17.17 17.79 17.50	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 198 of 493 Page

50	0	17.55	17.53	17.49	19.00

Don duri déh	Modulation	DD size	DD offeet	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RB size	RB offset	20025	20175	20325	Tune up
		1	0	17.47	17.35	17.52	19.00
		1	38	16.31	17.21	17.08	19.00
		1	74	17.32	17.27	17.24	19.00
	QPSK	36	0	17.49	17.35	17.32	19.00
		36	18	17.28	17.28	17.34	19.00
		36	39	17.32	17.3	17.32	19.00
		75	0	17.32	17.38	17.33	19.00
		1	0	17.70	17.80	17.73	19.00
		1	38	16.08	17.55	17.47	19.00
		1	74	17.68	17.59	17.45	19.00
15MHz	16QAM	36	0	17.33	17.28	17.24	19.00
		36	18	17.34	17.25	17.17	19.00
		36	39	17.27	17.17	17.20	19.00
		75	0	17.24	17.37	17.24	19.00
		1	0	17.48	17.79	17.80	19.00
		1	38	17.56	17.82	17.53	19.00
		1	74	17.89	17.71	17.76	19.00
	64QAM	36	0	17.62	17.59	17.48	19.00
		36	18	17.52	17.56	17.49	19.00
		36	39	17.54	17.50	17.53	19.00
		75	0	17.56	17.52	17.47	19.00
			55 "	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	20050	20175	20300	Tune up
		1	0	17.59	17.49	17.55	19.00
		1	50	17.38	17.24	17.22	19.00
		1	99	17.40	17.35	17.35	19.00
	QPSK	50	0	17.50	17.46	17.47	19.00
		00	•	17.50	17.70		15.00
		50	25	17.41	17.41	17.39	19.00
		50	25	17.41	17.41	17.39	19.00
		50 50	25 50	17.41 17.40	17.41 17.40	17.39 17.36	19.00 19.00
		50 50 100	25 50 0	17.41 17.40 17.38	17.41 17.40 17.41	17.39 17.36 17.37	19.00 19.00 19.00
		50 50 100 1	25 50 0 0	17.41 17.40 17.38 17.73 16.09	17.41 17.40 17.41 17.83 17.57	17.39 17.36 17.37 17.76 17.60	19.00 19.00 19.00 19.00
20MHz	16QAM	50 50 100 1	25 50 0 0 50	17.41 17.40 17.38 17.73	17.41 17.40 17.41 17.83	17.39 17.36 17.37 17.76	19.00 19.00 19.00 19.00
20MHz	16QAM	50 50 100 1 1 1	25 50 0 0 50 99	17.41 17.40 17.38 17.73 16.09 17.69	17.41 17.40 17.41 17.83 17.57 17.60	17.39 17.36 17.37 17.76 17.60 17.58	19.00 19.00 19.00 19.00 19.00
20MHz	16QAM	50 50 100 1 1 1 50	25 50 0 0 50 99	17.41 17.40 17.38 17.73 16.09 17.69	17.41 17.40 17.41 17.83 17.57 17.60 17.34	17.39 17.36 17.37 17.76 17.60 17.58 17.36	19.00 19.00 19.00 19.00 19.00 19.00
20MHz	16QAM	50 50 100 1 1 1 1 50 50	25 50 0 0 50 99 0 25	17.41 17.40 17.38 17.73 16.09 17.69 17.41 17.34	17.41 17.40 17.41 17.83 17.57 17.60 17.34 17.33	17.39 17.36 17.37 17.76 17.60 17.58 17.36 17.28	19.00 19.00 19.00 19.00 19.00 19.00 19.00
20MHz	16QAM	50 50 100 1 1 1 50 50	25 50 0 0 50 99 0 25 50	17.41 17.40 17.38 17.73 16.09 17.69 17.41 17.34	17.41 17.40 17.41 17.83 17.57 17.60 17.34 17.33 17.3	17.39 17.36 17.37 17.76 17.60 17.58 17.36 17.28	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
20MHz	16QAM	50 50 100 1 1 1 50 50 50	25 50 0 0 50 99 0 25 50 0	17.41 17.40 17.38 17.73 16.09 17.69 17.41 17.34 17.36 17.34	17.41 17.40 17.41 17.83 17.57 17.60 17.34 17.33 17.3 17.37	17.39 17.36 17.37 17.76 17.60 17.58 17.36 17.28 17.28 17.28	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
20MHz	16QAM	50 50 100 1 1 1 50 50 50 100 1	25 50 0 0 50 99 0 25 50 0	17.41 17.40 17.38 17.73 16.09 17.69 17.41 17.34 17.36 17.34 17.53 17.64	17.41 17.40 17.41 17.83 17.57 17.60 17.34 17.33 17.3 17.37 17.85	17.39 17.36 17.37 17.76 17.60 17.58 17.36 17.28 17.28 17.30 17.87	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
20MHz		50 50 100 1 1 1 50 50 50 100 1 1	25 50 0 0 50 99 0 25 50 0 0 50	17.41 17.40 17.38 17.73 16.09 17.69 17.41 17.34 17.36 17.34 17.53 17.64 17.94	17.41 17.40 17.41 17.83 17.57 17.60 17.34 17.33 17.3 17.37 17.85 17.87	17.39 17.36 17.37 17.76 17.60 17.58 17.36 17.28 17.28 17.28 17.30 17.87	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
20MHz	16QAM 64QAM	50 50 100 1 1 1 50 50 100 1 1 1 50	25 50 0 0 50 99 0 25 50 0 0 50 99	17.41 17.40 17.38 17.73 16.09 17.69 17.41 17.34 17.36 17.34 17.53 17.64 17.94	17.41 17.40 17.41 17.83 17.57 17.60 17.34 17.33 17.37 17.85 17.85 17.87 17.78	17.39 17.36 17.37 17.76 17.60 17.58 17.36 17.28 17.28 17.30 17.87 17.58 17.84	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
20MHz		50 50 100 1 1 1 50 50 50 100 1 1	25 50 0 0 50 99 0 25 50 0 0 50	17.41 17.40 17.38 17.73 16.09 17.69 17.41 17.34 17.36 17.34 17.53 17.64 17.94	17.41 17.40 17.41 17.83 17.57 17.60 17.34 17.33 17.3 17.37 17.85 17.87	17.39 17.36 17.37 17.76 17.60 17.58 17.36 17.28 17.28 17.28 17.30 17.87	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



: 01 Rev

: 199 of 493 Page

LTE Band 4 B	ody-worn simulta 5G WIFI	neously tran	smit with		Conducted	Power(dBm)	
Dan duri dila	Madulatian	DD size	RB offset	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	19957	20175	20393	Tune up
		1	0	14.65	16.06	15.99	17.50
		1	2	15.68	15.22	15.16	17.50
		1	5	15.20	16.02	15.97	17.50
	QPSK	3	0	14.94	16.02	15.94	17.50
		3	2	15.92	15.64	15.43	17.50
		3	3	15.22	15.65	15.88	17.50
		6	0	14.58	15.62	15.53	17.50
		1	0	15.71	16.33	16.22	17.50
		1	2	15.27	15.89	15.88	17.50
		1	5	15.72	16.29	16.17	17.50
1.4MHz	16QAM	3	0	14.73	15.75	15.68	17.50
		3	2	15.09	15.75	15.62	17.50
		3	3	15.91	15.51	15.13	17.50
		6	0	15.46	15.01	15.58	17.50
		1	0	16.12	16.09	16.00	17.50
		1	2	16.00	16.02	16.00	17.50
		1	5	16.05	16.04	15.97	17.50
	64QAM	3	0	16.13	16.38	16.05	17.50
		3	2	15.10	15.81	15.92	17.50
		3	3	16.32	16.21	16.27	17.50
		6	0	16.10	15.97	16.34	17.50
				Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	19965	20175	20385	Tune u
		1	0	16.23	16.07	16.01	17.50
		1	7	15.97	15.07	14.89	17.50
		1	14	15.71	16.05	15.98	17.50
	QPSK	8	0	15.49	15.70	15.55	17.50
		8	4	15.66	15.47	15.16	17.50
		8	7	15.99	16.07	15.56	17.50
		15	0	16.05	16.01	15.95	17.50
		1	0	16.23	16.34	16.27	17.50
		1	7	15.75	15.76	15.68	17.50
3MHz		1	14	16.29	16.34	16.23	17.50
	16QAM	8	0	16.14	15.66	15.89	17.50
		8	4	15.56	15.47	15.96	17.50
		8	7	16.19	15.95	15.90	17.50
		15	0	15.94	15.97	15.73	17.50
		1	0	16.10	16.06	16.04	17.50
		1	7	16.04	16.02	15.99	17.50
	64QAM	1	14	16.03	16.03	15.96	17.50
	-	8	0	16.13	16.37	16.02	17.50
		8	4	15.13	15.80	15.93	17.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 200 of 493 Page

8	7	16.33	16.22	16.27	17.50
15	0	16.07	15.98	16.36	17.50

Donalusi dili	Modulatian	DD sins	DD c#sst	Channel	Channel	Channel	T.,,,,
Bandwidth	Modulation	RB size	RB offset	19975	20175	20375	Tune up
		1	0	16.06	16.18	15.97	17.50
		1	13	16.12	16.09	16.03	17.50
		1	24	15.62	16.02	15.95	17.50
	QPSK	12	0	15.88	16.12	16.00	17.50
		12	6	15.06	16.02	15.96	17.50
		12	13	15.77	16.10	16.03	17.50
		25	0	15.60	16.06	16.00	17.50
		1	0	16.17	16.28	16.3	17.50
		1	13	16.51	16.37	16.31	17.50
		1	24	16.27	16.29	16.27	17.50
5MHz	16QAM	12	0	15.70	15.84	15.94	17.50
		12	6	15.92	15.97	15.57	17.50
		12	13	15.78	16.03	15.95	17.50
		25	0	15.65	16.00	15.72	17.50
		1	0	16.11	16.09	16.03	17.50
		1	13	16.02	16.02	15.97	17.50
-		1	24	16.06	16.06	15.97	17.50
	64QAM	12	0	16.12	16.38	16.04	17.50
		12	6	15.12	15.81	15.90	17.50
		12	13	16.31	16.20	16.25	17.50
		25	0	16.11	15.98	16.37	17.50
	NA 1 1 4	55 ·	DD " 1	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	20000	20175	20350	Tune up
		1	0	16.28	15.89	16.14	17.50
		1	25	15.73	15.59	15.79	17.50
		1	49	15.76	16.21	16.10	17.50
	QPSK	25	0	16.09	16.29	15.98	17.50
		25	13	15.58	16.21	16.17	17.50
		25	25	16.17	16.18	16.17	17.50
		50	0	15.77	16.21	16.17	17.50
		1	0	16.55	16.54	16.40	17.50
		1	25	14.69	16.01	15.71	17.50
400411-	1	1	49	15.46	16.30	15.59	17.50
10MHz	16QAM	25	0	15.96	15.85	16.00	17.50
		25	13	15.91	16.02	15.95	17.50
		25	25	15.71	15.99	15.93	17.50
			0	16.13	15.98	15.95	17.50
		50			+		17.50
		1	0	16.10	16.09	16.04	17.50
				16.10 16.04	16.09 16.00	16.04 15.99	17.50
	040	1	0		+		
	64QAM	1 1 1	0 25	16.04	16.00	15.99	17.50
	64QAM	1	0 25 49	16.04 16.05	16.00 16.04	15.99 15.96	17.50 17.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 201 of 493 Page

	50	0	16.11	15.98	16.33	17.50
		FPO				

Dan deside	Marakalasia.	DD -:	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	20025	20175	20325	Tune up
		1	0	17.12	17.28	16.99	17.50
		1	38	17.10	16.58	16.41	17.50
		1	74	17.11	16.56	15.87	17.50
	QPSK	36	0	17.35	16.90	16.66	17.50
		36	18	17.10	16.23	16.50	17.50
		36	39	16.96	16.20	15.95	17.50
		75	0	17.07	16.39	16.30	17.50
		1	0	17.40	17.48	17.26	17.50
		1	38	17.41	17.31	16.74	17.50
		1	74	16.63	16.92	16.27	17.50
15MHz	16QAM	36	0	17.20	17.03	16.56	17.50
		36	18	17.17	15.98	16.41	17.50
		36	39	17.04	16.50	16.01	17.50
		75	0	16.61	16.37	16.34	17.50
		1	0	16.12	16.06	16.03	17.50
		1	38	16.03	16.03	16.00	17.50
		1	74	16.03	16.07	15.98	17.50
	64QAM	36	0	16.15	16.37	16.01	17.50
		36	18	15.10	15.78	15.91	17.50
		36	39	16.35	16.20	16.25	17.50
		75	0	16.10	16.00	16.35	17.50
		55.	DD " .	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	20050	20175	20300	Tune up
		1	0	16.31	16.53	16.00	17.50
		1	50	17.02	16.28	16.43	17.50
		4	00				
		1	99	16.70	16.43	15.93	17.50
	QPSK	50	0	16.70 17.14	16.43 16.61	15.93 16.55	17.50 17.50
	QPSK				1		
	QPSK	50	0	17.14	16.61	16.55	17.50
	QPSK	50 50	0 25	17.14 16.71	16.61 16.15	16.55 16.25	17.50 17.50
	QPSK	50 50 50	0 25 50	17.14 16.71 16.39	16.61 16.15 16.11	16.55 16.25 15.94	17.50 17.50 17.50
	QPSK	50 50 50 100	0 25 50 0	17.14 16.71 16.39 16.46	16.61 16.15 16.11 16.20	16.55 16.25 15.94 16.19	17.50 17.50 17.50 17.50
	QPSK	50 50 50 100	0 25 50 0	17.14 16.71 16.39 16.46 16.71	16.61 16.15 16.11 16.20 17.07	16.55 16.25 15.94 16.19 16.29	17.50 17.50 17.50 17.50 17.50
20MHz	QPSK 16QAM	50 50 50 100 1	0 25 50 0 0 50	17.14 16.71 16.39 16.46 16.71 17.49 17.38	16.61 16.15 16.11 16.20 17.07 16.85 16.81	16.55 16.25 15.94 16.19 16.29 16.75 16.16	17.50 17.50 17.50 17.50 17.50 17.50 17.50
20MHz		50 50 50 100 1 1 1	0 25 50 0 0 50 99	17.14 16.71 16.39 16.46 16.71 17.49	16.61 16.15 16.11 16.20 17.07 16.85	16.55 16.25 15.94 16.19 16.29 16.75	17.50 17.50 17.50 17.50 17.50 17.50
20MHz		50 50 50 100 1 1 1 1 50	0 25 50 0 0 50 99	17.14 16.71 16.39 16.46 16.71 17.49 17.38 17.25	16.61 16.15 16.11 16.20 17.07 16.85 16.81 16.67	16.55 16.25 15.94 16.19 16.29 16.75 16.16	17.50 17.50 17.50 17.50 17.50 17.50 17.50
20MHz		50 50 50 100 1 1 1 50 50	0 25 50 0 0 50 99 0 25	17.14 16.71 16.39 16.46 16.71 17.49 17.38 17.25 16.94	16.61 16.15 16.11 16.20 17.07 16.85 16.81 16.67 16.21	16.55 16.25 15.94 16.19 16.29 16.75 16.16 16.54 16.32	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50
20MHz		50 50 50 100 1 1 1 1 50 50	0 25 50 0 0 50 99 0 25 50	17.14 16.71 16.39 16.46 16.71 17.49 17.38 17.25 16.94 16.86	16.61 16.15 16.11 16.20 17.07 16.85 16.81 16.67 16.21 16.16	16.55 16.25 15.94 16.19 16.29 16.75 16.16 16.54 16.32 15.96	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50
20MHz		50 50 100 1 1 1 1 50 50 50	0 25 50 0 0 50 99 0 25 50 0	17.14 16.71 16.39 16.46 16.71 17.49 17.38 17.25 16.94 16.86 16.94	16.61 16.15 16.11 16.20 17.07 16.85 16.81 16.67 16.21 16.16	16.55 16.25 15.94 16.19 16.29 16.75 16.16 16.54 16.32 15.96 16.27	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50
20MHz		50 50 100 1 1 1 50 50 50 100	0 25 50 0 0 50 99 0 25 50	17.14 16.71 16.39 16.46 16.71 17.49 17.38 17.25 16.94 16.86 16.94 16.16	16.61 16.15 16.11 16.20 17.07 16.85 16.81 16.67 16.21 16.16 16.27 16.13 16.08	16.55 16.25 15.94 16.19 16.29 16.75 16.16 16.54 16.32 15.96 16.27 16.08	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50
20MHz	16QAM	50 50 50 100 1 1 1 50 50 50 100 1	0 25 50 0 0 50 99 0 25 50 0 0	17.14 16.71 16.39 16.46 16.71 17.49 17.38 17.25 16.94 16.86 16.94 16.16	16.61 16.15 16.11 16.20 17.07 16.85 16.81 16.67 16.21 16.16 16.27 16.13 16.08 16.11	16.55 16.25 15.94 16.19 16.29 16.75 16.16 16.54 16.32 15.96 16.27 16.08 16.05	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50
20MHz		50 50 100 1 1 1 50 50 100 1 1 1 50	0 25 50 0 0 50 99 0 25 50 0 0 50 99	17.14 16.71 16.39 16.46 16.71 17.49 17.38 17.25 16.94 16.86 16.94 16.16 16.08 16.10	16.61 16.15 16.11 16.20 17.07 16.85 16.81 16.67 16.21 16.16 16.27 16.13 16.08 16.11	16.55 16.25 15.94 16.19 16.29 16.75 16.16 16.54 16.32 15.96 16.27 16.08 16.05 16.04 16.09	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50
20MHz	16QAM	50 50 50 100 1 1 1 50 50 50 100 1	0 25 50 0 0 50 99 0 25 50 0 0	17.14 16.71 16.39 16.46 16.71 17.49 17.38 17.25 16.94 16.86 16.94 16.16	16.61 16.15 16.11 16.20 17.07 16.85 16.81 16.67 16.21 16.16 16.27 16.13 16.08 16.11	16.55 16.25 15.94 16.19 16.29 16.75 16.16 16.54 16.32 15.96 16.27 16.08 16.05	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 202 of 493

LIE Band 2	4 Left Head simu with 2.4G V		ransmit		Conducted Po	ower(dBm)	
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
			offset	19957	20175	20393	
		1	0	17.49	17.49	17.43	19.00
		1	2	16.23	17.14	17.16	19.00
		1	5	17.23	17.24	17.26	19.00
	QPSK	3	0	17.39	17.28	17.40	19.00
		3	2	17.27	17.31	17.24	19.00
		3	3	17.26	17.26	17.26	19.00
		6	0	17.45	17.32	17.21	19.00
		1	0	17.75	17.55	17.70	19.00
		1	2	16.14	17.29	17.41	19.00
		1	5	17.57	17.57	17.44	19.00
1.4MHz	16QAM	3	0	17.37	17.36	17.34	19.00
		3	2	17.25	17.31	17.15	19.00
		3	3	17.18	17.23	17.24	19.00
		6	0	17.29	17.22	17.18	19.00
		1	0	17.74	17.65	17.62	19.00
		1	2	17.39	17.11	17.33	19.00
-		1	5	17.67	17.49	17.56	19.00
	64QAM	3	0	17.53	17.48	17.38	19.00
		3	2	17.44	17.47	17.44	19.00
		3	3	17.48	17.44	17.47	19.00
		6	0	17.48	17.47	17.40	19.00
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tuno ur
Danuwium	iviodulation	KD SIZE	offset	19965	20175	20385	Tune up
		1	0	17.43	17.42	17.44	19.00
		1	7	16.20	17.07	17.18	19.00
		1	14	17.26	17.27	17.25	19.00
	QPSK	8	0	17.35	17.25	17.35	19.00
		8	4	17.27	17.37	17.3	19.00
		8	7	17.29	17.22	17.27	19.00
		U			11.22		
		15	0	17.43	17.33	17.30	19.00
				17.43	17.33		
ac		15	0			17.30 17.67 17.45	19.00 19.00 19.00
cS		15 1	0	17.43 17.78	17.33 17.62	17.67	19.00
3MHz	16QAM	15 1 1	0 0 7	17.43 17.78 16.15	17.33 17.62 17.25	17.67 17.45	19.00 19.00
3MHz	16QAM	15 1 1 1	0 0 7 14	17.43 17.78 16.15 17.63	17.33 17.62 17.25 17.49	17.67 17.45 17.49	19.00 19.00 19.00
3MHz	16QAM	15 1 1 1 1 8	0 0 7 14 0	17.43 17.78 16.15 17.63 17.28	17.33 17.62 17.25 17.49 17.35	17.67 17.45 17.49 17.33	19.00 19.00 19.00 19.00
3MHz	16QAM	15 1 1 1 8 8 8	0 0 7 14 0 4 7	17.43 17.78 16.15 17.63 17.28 17.25 17.29	17.33 17.62 17.25 17.49 17.35 17.26 17.21	17.67 17.45 17.49 17.33 17.18	19.00 19.00 19.00 19.00 19.00
ЗМН	16QAM	15 1 1 1 8 8	0 0 7 14 0 4 7	17.43 17.78 16.15 17.63 17.28 17.25 17.29	17.33 17.62 17.25 17.49 17.35 17.26 17.21	17.67 17.45 17.49 17.33 17.18 17.18	19.00 19.00 19.00 19.00 19.00 19.00
ЗМН	16QAM	15 1 1 1 8 8 8 8	0 0 7 14 0 4 7 0	17.43 17.78 16.15 17.63 17.28 17.25 17.29 17.21	17.33 17.62 17.25 17.49 17.35 17.26 17.21 17.33 17.69	17.67 17.45 17.49 17.33 17.18 17.18 17.23	19.00 19.00 19.00 19.00 19.00 19.00 19.00
ЗМН		15 1 1 1 8 8 8 8 15 1	0 0 7 14 0 4 7 0 0 7	17.43 17.78 16.15 17.63 17.28 17.25 17.29 17.21 17.78 17.42	17.33 17.62 17.25 17.49 17.35 17.26 17.21 17.33 17.69 17.10	17.67 17.45 17.49 17.33 17.18 17.18 17.23 17.59 17.30	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
3MHz	16QAM 64QAM	15 1 1 1 8 8 8 15 1 1	0 0 7 14 0 4 7 0 0 0 7	17.43 17.78 16.15 17.63 17.28 17.25 17.29 17.21 17.78 17.42 17.67	17.33 17.62 17.25 17.49 17.35 17.26 17.21 17.33 17.69 17.10	17.67 17.45 17.49 17.33 17.18 17.18 17.23 17.59 17.30 17.58	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
3MHz		15 1 1 1 8 8 8 8 15 1	0 0 7 14 0 4 7 0 0 7	17.43 17.78 16.15 17.63 17.28 17.25 17.29 17.21 17.78 17.42	17.33 17.62 17.25 17.49 17.35 17.26 17.21 17.33 17.69 17.10	17.67 17.45 17.49 17.33 17.18 17.18 17.23 17.59 17.30	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 203 of 493

17.5 17.48 17.37 19.00

Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
Balluwiutii	Modulation	ND SIZE	offset	19975	20175	20375	Turie up
		1	0	17.48	17.45	17.42	19.00
		1	13	16.23	17.17	17.10	19.00
		1	24	17.31	17.24	17.31	19.00
	QPSK	12	0	17.41	17.34	17.32	19.00
F FO		12	6	17.28	17.25	17.27	19.00
		12	13	17.31	17.26	17.23	19.00
		25	0	17.36	17.38	17.32	19.00
		1	0	17.65	17.55	17.77	19.00
		1	13	16.09	17.27	17.34	19.00
		1	24	17.62	17.56	17.44	19.00
5MHz	16QAM	12	0	17.40	17.23	17.37	19.00
		12	6	17.21	17.31	17.23	19.00
		12	13	17.26	17.23	17.25	19.00
		25	0	17.23	17.24	17.22	19.00
		1	0	17.80	17.77	17.69	19.00
		1	13	17.29	17.23	17.28	19.00
		1	24	17.81	17.80	17.70	19.00
- 04	64QAM	12	0	17.57	17.55	17.49	19.00
		12	6	17.52	17.51	17.46	19.00
		12	13	17.52	17.51	17.50	19.00
		25	0	17.52	17.49	17.46	19.00
D	M LLC	DD :	RB	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	offset	20000	20175	20350	Tune up
		1	0	17.48	17.47	17.49	19.00
		1	0 25	17.48 16.28	17.47 17.12		19.00 19.00
		—				17.49	1
	QPSK	1	25	16.28	17.12	17.49 17.18	19.00
	QPSK	1	25 49	16.28 17.32	17.12 17.29	17.49 17.18 17.29	19.00 19.00
	QPSK	1 1 25	25 49 0	16.28 17.32 17.43	17.12 17.29 17.38	17.49 17.18 17.29 17.40	19.00 19.00 19.00
	QPSK	1 1 25 25	25 49 0 13	16.28 17.32 17.43 17.40	17.12 17.29 17.38 17.31	17.49 17.18 17.29 17.40 17.28	19.00 19.00 19.00 19.00
	QPSK	1 1 25 25 25 25	25 49 0 13 25	16.28 17.32 17.43 17.40 17.33	17.12 17.29 17.38 17.31 17.30	17.49 17.18 17.29 17.40 17.28 17.27	19.00 19.00 19.00 19.00 19.00
	QPSK	1 1 25 25 25 25 50	25 49 0 13 25 0	16.28 17.32 17.43 17.40 17.33 17.44	17.12 17.29 17.38 17.31 17.30 17.32	17.49 17.18 17.29 17.40 17.28 17.27	19.00 19.00 19.00 19.00 19.00 19.00
C	QPSK	1 1 25 25 25 25 50	25 49 0 13 25 0	16.28 17.32 17.43 17.40 17.33 17.44 17.72	17.12 17.29 17.38 17.31 17.30 17.32 17.61 17.37	17.49 17.18 17.29 17.40 17.28 17.27 17.27 17.69 17.45	19.00 19.00 19.00 19.00 19.00 19.00 19.00
10MHz		1 1 25 25 25 25 50 1	25 49 0 13 25 0 0 25	16.28 17.32 17.43 17.40 17.33 17.44 17.72 16.14 17.57	17.12 17.29 17.38 17.31 17.30 17.32 17.61 17.37 17.54	17.49 17.18 17.29 17.40 17.28 17.27 17.27 17.69 17.45	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
10MHz	QPSK 16QAM	1 1 25 25 25 50 1 1 1 25	25 49 0 13 25 0 0 25 49	16.28 17.32 17.43 17.40 17.33 17.44 17.72 16.14 17.57 17.41	17.12 17.29 17.38 17.31 17.30 17.32 17.61 17.37 17.54 17.28	17.49 17.18 17.29 17.40 17.28 17.27 17.27 17.69 17.45 17.52	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
10MHz		1 1 25 25 25 50 1 1 1 1 25 25	25 49 0 13 25 0 0 25 49 0	16.28 17.32 17.43 17.40 17.33 17.44 17.72 16.14 17.57 17.41 17.22	17.12 17.29 17.38 17.31 17.30 17.32 17.61 17.37 17.54 17.28	17.49 17.18 17.29 17.40 17.28 17.27 17.27 17.69 17.45 17.52 17.29	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
10MHz		1 1 25 25 25 50 1 1 1 25 25 25	25 49 0 13 25 0 0 25 49 0 13 25	16.28 17.32 17.43 17.40 17.33 17.44 17.72 16.14 17.57 17.41 17.22 17.30	17.12 17.29 17.38 17.31 17.30 17.32 17.61 17.37 17.54 17.28 17.27	17.49 17.18 17.29 17.40 17.28 17.27 17.27 17.69 17.45 17.52 17.29 17.14	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
10MHz		1 1 25 25 25 50 1 1 1 1 25 25	25 49 0 13 25 0 0 25 49 0	16.28 17.32 17.43 17.40 17.33 17.44 17.72 16.14 17.57 17.41 17.22 17.30 17.32	17.12 17.29 17.38 17.31 17.30 17.32 17.61 17.37 17.54 17.28 17.27 17.29	17.49 17.18 17.29 17.40 17.28 17.27 17.27 17.69 17.45 17.52 17.29 17.14 17.19	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
10MHz		1 1 25 25 25 50 1 1 1 25 25 25 25 50	25 49 0 13 25 0 0 25 49 0 13 25 0	16.28 17.32 17.43 17.40 17.33 17.44 17.72 16.14 17.57 17.41 17.22 17.30 17.32 17.82	17.12 17.29 17.38 17.31 17.30 17.32 17.61 17.37 17.54 17.28 17.27 17.29 17.35 17.79	17.49 17.18 17.29 17.40 17.28 17.27 17.27 17.69 17.45 17.52 17.52 17.14 17.19 17.31	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
10MHz		1 1 25 25 25 50 1 1 1 25 25 25 25 50 1 1 1	25 49 0 13 25 0 0 25 49 0 13 25 0 0 25 25	16.28 17.32 17.43 17.40 17.33 17.44 17.72 16.14 17.57 17.41 17.22 17.30 17.32 17.82 17.89	17.12 17.29 17.38 17.31 17.30 17.32 17.61 17.37 17.54 17.28 17.27 17.29 17.35 17.79 17.23	17.49 17.18 17.29 17.40 17.28 17.27 17.27 17.69 17.45 17.52 17.29 17.14 17.19 17.31 17.66 17.30	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
10MHz	16QAM	1 1 25 25 25 50 1 1 1 25 25 25 50 1 1 1 1 1 1 25 25 25 25 25 25 25 25 25 25 25 25 25	25 49 0 13 25 0 0 25 49 0 13 25 0 0 13 25 49 0 13 25 49	16.28 17.32 17.43 17.40 17.33 17.44 17.72 16.14 17.57 17.41 17.22 17.30 17.32 17.82 17.89 17.82	17.12 17.29 17.38 17.31 17.30 17.32 17.61 17.37 17.54 17.28 17.27 17.29 17.35 17.79 17.23 17.79	17.49 17.18 17.29 17.40 17.28 17.27 17.69 17.45 17.52 17.29 17.14 17.19 17.31 17.66 17.30 17.73	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
10MHz		1 1 25 25 25 50 1 1 1 25 25 25 50 1 1 1 25 25	25 49 0 13 25 0 0 25 49 0 13 25 0 0 25 49 0 25 49 0	16.28 17.32 17.43 17.40 17.33 17.44 17.72 16.14 17.57 17.41 17.22 17.30 17.32 17.82 17.82 17.89 17.82 17.82	17.12 17.29 17.38 17.31 17.30 17.32 17.61 17.37 17.54 17.28 17.27 17.29 17.35 17.79 17.23 17.79 17.57	17.49 17.18 17.29 17.40 17.28 17.27 17.27 17.69 17.45 17.52 17.14 17.19 17.31 17.66 17.30 17.73 17.50	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
10MHz	16QAM	1 1 25 25 25 50 1 1 1 25 25 25 50 1 1 1 1 1 1 25 25 25 25 25 25 25 25 25 25 25 25 25	25 49 0 13 25 0 0 25 49 0 13 25 0 0 13 25 49 0 13 25 49	16.28 17.32 17.43 17.40 17.33 17.44 17.72 16.14 17.57 17.41 17.22 17.30 17.32 17.82 17.89 17.82	17.12 17.29 17.38 17.31 17.30 17.32 17.61 17.37 17.54 17.28 17.27 17.29 17.35 17.79 17.23 17.79	17.49 17.18 17.29 17.40 17.28 17.27 17.69 17.45 17.52 17.29 17.14 17.19 17.31 17.66 17.30 17.73	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 204 of 493 Page

Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RB Size	offset	20025	20175	20325	Tune up
		1	0	17.42	17.37	17.38	19.00
		1	38	16.18	17.17	17.11	19.00
		1	74	17.34	17.34	17.33	19.00
	QPSK	36	0	17.37	17.39	17.39	19.00
		36	18	17.33	17.32	17.21	19.00
F FO		36	39	17.34	17.32	17.32	19.00
		75	0	17.37	17.29	17.35	19.00
		1	0	17.69	17.60	17.69	19.00
		1	38	16.05	17.30	17.43	19.00
		1	74	17.55	17.47	17.44	19.00
15MHz	16QAM	36	0	17.35	17.25	17.36	19.00
		36	18	17.26	17.34	17.14	19.00
		36	39	17.26	17.21	17.18	19.00
		75	0	17.33	17.25	17.21	19.00
		1	0	17.87	17.77	17.72	19.00
		1	38	17.52	17.19	17.43	19.00
		1	74	17.78	17.59	17.68	19.00
	64QAM	36	0	17.61	17.57	17.51	19.00
		36	18	17.56	17.56	17.54	19.00
		36	39	17.56	17.54	17.55	19.00
		75	0	17.60	17.60	17.50	19.00
Danish dalah	Madulatian	DD -:	RB	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	offset	20050	20175	20300	Tune up
		1	0	17.50	17.49	17.52	19.00
		1	50	16.28	17.19	17.19	19.00
		1	99	17.38	17.36	17.33	19.00
	QPSK	50	0	17.48	17.39	17.43	19.00
		50	25	17.41	17.38	17.33	19.00
		50	50	17.35	17.34	17.37	19.00
		100	0	17.46	17.38	17.36	19.00
		1	0	17.78	17.67	17.79	19.00
						47.47	19.00
		1	50	16.17	17.38	17.47	13.00
		1	50 99	16.17 17.69	17.38 17.58	17.47	19.00
20MHz	16QAM						
20MHz	16QAM	1	99	17.69	17.58	17.56	19.00
20MHz	16QAM	1 50	99 0	17.69 17.42	17.58 17.37	17.56 17.37	19.00 19.00
20MHz	16QAM	1 50 50	99 0 25	17.69 17.42 17.36	17.58 17.37 17.37	17.56 17.37 17.28	19.00 19.00 19.00
20MHz	16QAM	1 50 50 50	99 0 25 50	17.69 17.42 17.36 17.32	17.58 17.37 17.37 17.35	17.56 17.37 17.28 17.29	19.00 19.00 19.00 19.00
20MHz	16QAM	1 50 50 50 100	99 0 25 50 0	17.69 17.42 17.36 17.32 17.33	17.58 17.37 17.37 17.35 17.35	17.56 17.37 17.28 17.29 17.33	19.00 19.00 19.00 19.00 19.00
20MHz	16QAM	1 50 50 50 100	99 0 25 50 0	17.69 17.42 17.36 17.32 17.33 17.90	17.58 17.37 17.37 17.35 17.35 17.86	17.56 17.37 17.28 17.29 17.33 17.75	19.00 19.00 19.00 19.00 19.00 19.00
20MHz		1 50 50 50 100 1	99 0 25 50 0 0 50	17.69 17.42 17.36 17.32 17.33 17.90 17.95 17.89	17.58 17.37 17.37 17.35 17.35 17.86 17.30 17.86	17.56 17.37 17.28 17.29 17.33 17.75 17.38 17.80	19.00 19.00 19.00 19.00 19.00 19.00
20MHz	16QAM 64QAM	1 50 50 50 100 1 1 1 1 50	99 0 25 50 0 0 50 99	17.69 17.42 17.36 17.32 17.33 17.90 17.95 17.89 17.66	17.58 17.37 17.37 17.35 17.35 17.86 17.86 17.86 17.64	17.56 17.37 17.28 17.29 17.33 17.75 17.38 17.80 17.58	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
20MHz		1 50 50 50 100 1 1	99 0 25 50 0 0 50 99	17.69 17.42 17.36 17.32 17.33 17.90 17.95 17.89	17.58 17.37 17.37 17.35 17.35 17.86 17.30 17.86	17.56 17.37 17.28 17.29 17.33 17.75 17.38 17.80	19.00 19.00 19.00 19.00 19.00 19.00 19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 205 of 493 Page

LTE Band 4	Left Head sim with 5G \		transmit		Conducted	Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danawiath	Modulation	ND SIZE	IND Ollset	19957	20175	20393	rune up
		1	0	15.75	15.69	15.89	17.50
		1	2	15.99	15.13	15.20	17.50
		1	5	15.72	15.68	15.45	17.50
	QPSK	3	0	15.88	15.74	15.86	17.50
		3	2	15.77	15.89	15.85	17.50
	\	3	3	15.75	15.77	15.81	17.50
		6	0	15.86	15.80	15.85	17.50
		1	0	15.99	16.26	16.24	17.50
		1	2	15.71	15.13	14.59	17.50
		1	5	15.98	15.97	15.76	17.50
1.4MHz	16QAM	3	0	16.00	15.72	15.81	17.50
		3	2	15.79	15.70	15.74	17.50
		3	3	15.78	15.67	15.69	17.50
		6	0	15.80	15.75	15.79	17.50
		1	0	16.05	15.60	16.19	17.50
		1	2	16.08	14.82	14.88	17.50
		1	5	16.35	16.14	15.90	17.50
	64QAM	3	0	16.10	16.05	15.97	17.50
		3	2	16.02	16.00	15.96	17.50
		3	3	16.04	15.99	15.94	17.50
		6	0	16.02	16.05	15.97	17.50
N =	NA - ded - di - di	DD -:	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	19965	20175	20385	Tune up
		1	0	15.72	15.82	15.93	17.50
		1	7	15.90	15.16	15.27	17.50
		1	14	15.76	15.75	15.51	17.50
	QPSK	8	0	15.97	15.87	15.84	17.50
		8	4	15.84	15.79	15.75	17.50
		8	7	15.83	15.88	15.82	17.50
		15	0	15.92	15.85	15.76	17.50
		1	0	15.91	16.24	16.15	17.50
		1	7	15.66	15.15	14.62	17.50
		1	14	15.92	16.06	15.79	17.50
3MHz	16QAM	8	0	15.95	15.75	15.76	17.50
		8	4	15.82	15.72	15.77	17.50
		8	7	15.81	15.75	15.79	17.50
		15	0	15.79	15.81	15.75	17.50
		1	0	15.95	15.76	16.11	17.50
		1	7	15.78	14.64	14.93	17.50
		1	14	16.09	16.09	15.67	17.50
	64QAM	8	0	15.88	16.04	15.95	17.50
		8	4	15.97	15.99	15.93	17.50
		8	7	15.97	16.00	15.92	17.50
		15	0	15.98	15.98	15.92	17.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 206 of 493 Page

Pandwildth	Modulation	RB	RB offset	Channel	Channel	Channel	Tuna
Bandwidth	Modulation	size	RB ollset	19975	20175	20375	Tune up
		1	0	15.63	15.80	15.92	17.50
		1	13	15.86	15.16	15.17	17.50
		1	24	15.71	15.64	15.49	17.50
	QPSK	12	0	15.98	15.82	15.87	17.50
		12	6	15.80	15.78	15.80	17.50
		12	13	15.74	15.77	15.72	17.50
		25	0	15.89	15.75	15.81	17.50
		1	0	15.86	16.22	16.20	17.50
		1	13	15.71	15.14	14.59	17.50
		1	24	16.00	16.05	15.69	17.50
5MHz	16QAM	12	0	16.07	15.79	15.78	17.50
		12	6	15.81	15.80	15.74	17.50
		12	13	15.77	15.70	15.67	17.50
		25	0	15.81	15.81	15.76	17.50
		1	0	15.95	15.79	16.14	17.50
		1	13	15.76	14.64	14.90	17.50
		1	24	16.11	16.07	15.66	17.50
	64QAM	12	0	15.85	16.02	15.91	17.50
		12	6	15.97	15.98	15.93	17.50
		12	13	15.98	15.99	15.96	17.50
		25	0	15.98	15.99	15.95	17.50
\l! -l(l-	Modulation	RB	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	size	RB offset	20000	20175	20350	Tune up
		1	0	15.73	15.82	15.92	17.50
		1	25	15.98	15.16	15.23	17.50
		1	49	15.81	15.70	15.55	17.50
	QPSK	25	0	15.86	15.73	15.98	17.50
		25	13	15.79	15.75	15.83	17.50
		25	25	15.80	15.78	15.72	17.50
		50	0	15.94	15.85	15.76	17.50
		1	0	15.97	16.23	16.29	17.50
		1	0 25	15.97 15.74	16.23 15.14	16.29 14.58	17.50 17.50
10MHz	16QAM	1	25	15.74	15.14	14.58	17.50
10MHz	16QAM	1	25 49	15.74 15.99	15.14 16.03	14.58 15.73	17.50 17.50
10MHz	16QAM	1 1 25	25 49 0	15.74 15.99 15.96	15.14 16.03 15.71	14.58 15.73 15.79	17.50 17.50 17.50
10MHz	16QAM	1 1 25 25	25 49 0 13	15.74 15.99 15.96 15.77	15.14 16.03 15.71 15.83	14.58 15.73 15.79 15.77	17.50 17.50 17.50 17.50
10MHz	16QAM	1 1 25 25 25	25 49 0 13 25	15.74 15.99 15.96 15.77 15.80	15.14 16.03 15.71 15.83 15.71	14.58 15.73 15.79 15.77 15.77	17.50 17.50 17.50 17.50 17.50
10MHz	16QAM	1 1 25 25 25 25 50	25 49 0 13 25	15.74 15.99 15.96 15.77 15.80 15.79	15.14 16.03 15.71 15.83 15.71 15.84	14.58 15.73 15.79 15.77 15.71 15.70	17.50 17.50 17.50 17.50 17.50 17.50
10MHz	16QAM	1 1 25 25 25 25 50	25 49 0 13 25 0	15.74 15.99 15.96 15.77 15.80 15.79 16.06	15.14 16.03 15.71 15.83 15.71 15.84 15.60	14.58 15.73 15.79 15.77 15.71 15.70 16.17	17.50 17.50 17.50 17.50 17.50 17.50 17.50
10MHz	16QAM 64QAM	1 1 25 25 25 50 1	25 49 0 13 25 0 0 25	15.74 15.99 15.96 15.77 15.80 15.79 16.06	15.14 16.03 15.71 15.83 15.71 15.84 15.60 14.84	14.58 15.73 15.79 15.77 15.71 15.70 16.17 14.90	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50
10MHz		1 1 25 25 25 25 50 1 1	25 49 0 13 25 0 0 25 49	15.74 15.99 15.96 15.77 15.80 15.79 16.06 16.06 16.38	15.14 16.03 15.71 15.83 15.71 15.84 15.60 14.84 16.14	14.58 15.73 15.79 15.77 15.71 15.70 16.17 14.90 15.89	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50
10MHz		1 25 25 25 50 1 1 1 25	25 49 0 13 25 0 0 25 49	15.74 15.99 15.96 15.77 15.80 15.79 16.06 16.06 16.38 16.12	15.14 16.03 15.71 15.83 15.71 15.84 15.60 14.84 16.14 16.05	14.58 15.73 15.79 15.77 15.71 15.70 16.17 14.90 15.89 15.96	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



: 01 Rev

Page : 207 of 493

Randwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tunguin
Bandwidth	Modulation	KD SIZE	KD Ollser	20025	20175	20325	Tune up
		1	0	15.64	15.69	16.02	17.50
		1	38	15.91	15.18	15.27	17.50
		1	74	15.71	15.75	15.56	17.50
	QPSK	36	0	15.94	15.74	15.85	17.50
		36	18	15.88	15.79	15.84	17.50
		36	39	15.78	15.81	15.84	17.50
		75	0	15.94	15.84	15.85	17.50
		1	0	15.90	16.22	16.23	17.50
		1	38	15.63	15.16	14.66	17.50
		1	74	16.04	16.05	15.68	17.50
15MHz	16QAM	36	0	15.97	15.69	15.73	17.50
		36	18	15.84	15.81	15.79	17.50
		36	39	15.81	15.66	15.68	17.50
		75	0	15.85	15.77	15.77	17.50
		1	0	16.05	15.85	16.21	17.50
		1	38	15.86	14.72	14.99	17.50
		1	74	16.17	16.15	15.75	17.50
	64QAM	36	0	15.94	16.12	16.01	17.50
		36	18	16.03	16.08	16.01	17.50
		36	39	16.04	16.06	16.02	17.50
		75	0	16.08	16.07	16.01	17.50
S	Mandadatian	DD -:	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	20050	20175	20300	Tune up
		1	0	15.76	15.83	16.03	17.50
		1	50	16.01	15.63	15.58	17.50
		1	99	15.83	15.79	15.59	17.50
	ı	55					
	QPSK	50	0	16.00	15.88	15.99	17.50
	QPSK			16.00 15.89	15.88 15.89	15.99 15.88	17.50 17.50
	QPSK	50	0			+	
	QPSK	50 50	0 25	15.89	15.89	15.88	17.50
	QPSK	50 50 50	0 25 50	15.89 15.84	15.89 15.89	15.88 15.85	17.50 17.50
	QPSK	50 50 50 100	0 25 50 0	15.89 15.84 15.96	15.89 15.89 15.9	15.88 15.85 15.90	17.50 17.50 17.50
	QPSK	50 50 50 100	0 25 50 0	15.89 15.84 15.96 16.01	15.89 15.89 15.9 16.33	15.88 15.85 15.90 16.29	17.50 17.50 17.50 17.50
20MHz	QPSK 16QAM	50 50 50 100 1	0 25 50 0 0 50	15.89 15.84 15.96 16.01 15.75	15.89 15.89 15.9 16.33 15.27	15.88 15.85 15.90 16.29 14.67	17.50 17.50 17.50 17.50 17.50
20MHz		50 50 50 100 1 1	0 25 50 0 0 50 99	15.89 15.84 15.96 16.01 15.75 16.04	15.89 15.89 15.9 16.33 15.27 16.10	15.88 15.85 15.90 16.29 14.67 15.83	17.50 17.50 17.50 17.50 17.50 17.50
20MHz		50 50 50 100 1 1 1 50	0 25 50 0 0 50 99	15.89 15.84 15.96 16.01 15.75 16.04 16.09	15.89 15.89 15.9 16.33 15.27 16.10 15.83	15.88 15.85 15.90 16.29 14.67 15.83 15.86	17.50 17.50 17.50 17.50 17.50 17.50 17.50
20MHz		50 50 50 100 1 1 1 50 50	0 25 50 0 0 50 99 0 25	15.89 15.84 15.96 16.01 15.75 16.04 16.09 15.88	15.89 15.89 15.9 16.33 15.27 16.10 15.83 15.84	15.88 15.85 15.90 16.29 14.67 15.83 15.86 15.84	17.50 17.50 17.50 17.50 17.50 17.50 17.50
20MHz		50 50 100 1 1 1 1 50 50	0 25 50 0 0 50 99 0 25 50	15.89 15.84 15.96 16.01 15.75 16.04 16.09 15.88 15.82	15.89 15.89 15.9 16.33 15.27 16.10 15.83 15.84 15.78	15.88 15.85 15.90 16.29 14.67 15.83 15.86 15.84 15.81	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50
20MHz		50 50 100 1 1 1 50 50 50 100	0 25 50 0 0 50 99 0 25 50	15.89 15.84 15.96 16.01 15.75 16.04 16.09 15.88 15.82 15.91	15.89 15.89 15.9 16.33 15.27 16.10 15.83 15.84 15.78	15.88 15.85 15.90 16.29 14.67 15.83 15.86 15.84 15.81	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50
20MHz		50 50 100 1 1 1 50 50 50 100 1	0 25 50 0 0 50 99 0 25 50 0	15.89 15.84 15.96 16.01 15.75 16.04 16.09 15.88 15.82 15.91 16.12 16.13	15.89 15.89 15.9 16.33 15.27 16.10 15.83 15.84 15.78 15.86 15.66 14.89	15.88 15.85 15.90 16.29 14.67 15.83 15.86 15.84 15.81 15.84 16.24 14.95	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50
20MHz	16QAM	50 50 100 1 1 1 50 50 50 100 1	0 25 50 0 0 50 99 0 25 50 0 0 0 50	15.89 15.84 15.96 16.01 15.75 16.04 16.09 15.88 15.82 15.91 16.12 16.13 16.43	15.89 15.89 15.9 16.33 15.27 16.10 15.83 15.84 15.78 15.86 15.66 14.89 16.19	15.88 15.85 15.90 16.29 14.67 15.83 15.86 15.84 15.81 15.84 16.24 14.95 15.97	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50
20MHz		50 50 100 1 1 1 50 50 100 1 1 1 50	0 25 50 0 0 0 50 99 0 25 50 0 0 50 99	15.89 15.84 15.96 16.01 15.75 16.04 16.09 15.88 15.82 15.91 16.12 16.13 16.43 16.17	15.89 15.89 15.9 16.33 15.27 16.10 15.83 15.84 15.78 15.86 15.66 14.89 16.19	15.88 15.85 15.90 16.29 14.67 15.83 15.86 15.84 15.81 15.84 16.24 14.95 15.97 16.04	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50
20MHz	16QAM	50 50 100 1 1 1 50 50 50 100 1	0 25 50 0 0 50 99 0 25 50 0 0 0 50	15.89 15.84 15.96 16.01 15.75 16.04 16.09 15.88 15.82 15.91 16.12 16.13 16.43	15.89 15.89 15.9 16.33 15.27 16.10 15.83 15.84 15.78 15.86 15.66 14.89 16.19	15.88 15.85 15.90 16.29 14.67 15.83 15.86 15.84 15.81 15.84 16.24 14.95 15.97	17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50 17.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 208 of 493 Page

LTE Band 4	Right Head sin with 2.4G		transmit	Conducted Power(dBm)				
Dan skralatila	NA - ded - di - c	DD -:	RB	Channel	Channel	Channel	T	
Bandwidth	Modulation	RB size	offset	19957	20175	20393	Tune up	
		1	0	15.32	15.34	14.42	16.50	
		1	2	15.49	14.91	14.81	16.50	
		1	5	15.50	14.74	15.00	16.50	
	QPSK	3	0	15.69	15.34	14.86	16.50	
		3	2	15.32	14.74	14.62	16.50	
		3	3	15.35	14.71	14.66	16.50	
		6	0	15.39	14.93	14.80	16.50	
		1	0	15.32	15.46	14.43	16.50	
		1	2	15.58	14.96	15.02	16.50	
		1	5	15.66	14.93	14.97	16.50	
1.4MHz 16QAM	16QAM	3	0	15.42	15.08	14.67	16.50	
		3	2	15.14	14.62	14.39	16.50	
		3	3	15.18	14.42	14.41	16.50	
		6	0	15.24	14.78	14.64	16.50	
		1	0	15.45	15.43	14.68	16.50	
		1	2	15.51	14.88	14.89	16.50	
	64QAM	1	5	15.38	14.63	15.59	16.50	
		3	0	15.42	15.04	14.57	16.50	
		3	2	15.43	14.56	14.55	16.50	
		3	3	15.15	14.43	15.09	16.50	
		6	0	15.27	14.73	14.64	16.50	
Dan alvei altia	Madulation	DD size	RB	Channel	Channel	Channel	T	
Bandwidth	Modulation	RB size	offset	19965	20175	20385	Tune up	
		1	0	15.28	15.33	14.40	16.50	
		1	7	15.50	14.84	14.72	16.50	
		1	14	15.51	14.80	14.93	16.50	
	QPSK	8	0	15.59	15.33	14.89	16.50	
		8	4	15.31	14.84	14.70	16.50	
		8	7	15.28	14.63	14.77	16.50	
		15	0	15.47	15.00	14.84	16.50	
		1	0	15.27	15.40	14.40	16.50	
		1	7	15.59	14.95	15.02	16.50	
3MHz		1	14	15.67	14.85	15.02	16.50	
	16QAM	8	0	15.50	15.08	14.63	16.50	
		8	4	15.18	14.66	14.43	16.50	
	 	8	7	15.21	14.53	14.42	16.50	
		15	0	15.26	14.70	14.52	16.50	
		1	0	15.40	15.39	14.51	16.50	
		1	7	15.11	14.64	14.62	16.50	
	64QAM	1	14	15.32	14.45	15.36	16.50	
		8	0	15.37	14.95	14.44	16.50	
		8	4	15.17	14.38	14.40	16.50	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 209 of 493 Page

		8	7	14.98	14.25	14.96	16.50
		15	0	15.14	14.54	14.59	16.50
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	KD SIZE	offset	19975	20175	20375	Tune up
		1	0	15.34	15.29	14.34	16.50
		1	13	15.42	14.91	14.82	16.50
		1	24	15.55	14.81	14.87	16.50
	QPSK	12	0	15.62	15.29	14.88	16.50
		12	6	15.33	14.74	14.67	16.50
		12	13	15.42	14.63	14.78	16.50
		25	0	15.38	14.98	14.83	16.50
		1	0	15.31	15.40	14.43	16.50
	<u> </u>	1	13	15.50	14.96	14.97	16.50
		1	24	15.54	14.95	15.04	16.50
5MHz	16QAM	12	0	15.40	15.01	14.73	16.50
		12	6	15.15	14.64	14.50	16.50
		12	13	15.23	14.46	14.39	16.50
		25	0	15.31	14.68	14.57	16.50
	[1	0	15.40	15.39	14.50	16.50
		1	13	15.11	14.60	14.64	16.50
	<u> </u>	1	24	15.31	14.44	15.36	16.50
	64QAM	12	0	15.39	14.95	14.45	16.50
		12	6	15.14	14.39	14.42	16.50
		12	13	14.98	14.25	14.97	16.50
		25	0	15.14	14.54	14.56	16.50
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
Banawiani	Modulation	110 0120	offset	20000	20175	20350	
	_	1	0	15.34	15.36	14.46	16.50
	<u> </u>	1	25	15.43	14.87	14.78	16.50
	<u> </u>	1	49	15.51	14.70	14.95	16.50
	QPSK	25	0	15.67	15.33	14.99	16.50
		25	13	15.27	14.86	14.65	16.50
	[25	25	15.36	14.69	14.70	16.50
		50	0	15.37	14.94	14.87	16.50
		1	0	15.30	15.48	14.43	16.50
		1	25	15.49	15.08	14.91	16.50
		1	49	15.66	14.89	15.07	16.50
10MHz	16QAM	25	0	15.39	14.97	14.64	16.50
		25	13	15.12	14.53	14.40	16.50
		25	25	15.22	14.52	14.41	16.50
		50	0	15.25	14.71	14.53	16.50
	<u> </u>	1	0	15.48	15.39	14.70	16.50
		1	25	15.49	14.88	14.89	16.50
	[1	49	15.38	14.64	15.62	16.50
	64QAM	25	0	15.40	15.03	14.56	16.50
		25	13	15.42	14.60	14.52	16.50
		25	25	15.13	14.42	15.07	16.50
	L						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 210 of 493

Bandwidth	Madulation	DD size	RB	Channel	Channel	Channel	T
bandwidth	Modulation	RB size	offset	20025	20175	20325	Tune up
		1	0	15.31	15.29	14.46	16.50
		1	38	15.48	14.87	14.84	16.50
		1	74	15.54	14.72	14.95	16.50
	QPSK	36	0	15.58	15.34	14.84	16.50
		36	18	15.26	14.78	14.66	16.50
		36	39	15.40	14.69	14.72	16.50
		75	0	15.33	14.93	14.87	16.50
		1	0	15.21	15.45	14.40	16.50
		1	38	15.55	14.93	14.89	16.50
		1	74	15.58	14.83	15.03	16.50
15MHz	16QAM	36	0	15.54	15.10	14.63	16.50
		36	18	15.13	14.54	14.43	16.50
		36	39	15.21	14.5	14.30	16.50
		75	0	15.31	14.74	14.62	16.50
		1	0	15.48	15.48	14.60	16.50
		1	38	15.18	14.70	14.70	16.50
		1	74	15.40	14.53	15.44	16.50
	64QAM	36	0	15.45	15.01	14.53	16.50
	36	18	15.23	14.48	14.50	16.50	
		36	39	15.07	14.33	15.04	16.50
		75	0	15.20	14.64	14.65	16.50
Bandwidth	Modulation	dulation RB size	RB	Channel	Channel	Channel	Tune up
Bandwidth	Woddiation		offset	20050	20175	20300	rune up
		1	0	15.35	15.39	14.59	16.50
		1	50	15.54	14.94	14.85	16.50
		1	99	15.62	14.83	15.02	16.50
	QPSK	50	0	15.70	15.35	14.99	16.50
		50	25	15.37	14.88	14.74	16.50
		50	50	15.42	14.76	14.79	16.50
		100	0	15.48	15.04	14.90	16.50
		1	0	15.33	15.52	14.54	16.50
		1	50	15.63	15.08	15.03	16.50
		1	99	15.67	14.96	15.08	16.50
20MHz	16QAM	50	0	15.54	15.12	14.77	16.50
		50	25	15.23	14.68	14.53	16.50
		50	50	15.26	14.55	14.42	16.50
		100	0	15.37	14.82	14.67	16.50
		1	0	15.53	15.47	14.75	16.50
		1	50	15.56	14.93	14.94	16.50
		1	99	15.45	14.69	15.66	16.50
	64QAM	50	0	15.46	15.09	14.62	16.50
		50	25	15.50	14.64	14.59	16.50
		50	50	15.20	14.49	15.15	16.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 211 of 493

ight Head sin with 5G V Modulation		RB offset	Channel 19957	Conducted I	Channel	Tuno un
	1					Tungun
OBSK		0	19957		20202	Tune up
OBSK		U		20175	20393	45.00
OBSK	1		14.31	13.81	12.95	15.00
OBSK		2	13.96	13.29	13.12	15.00
LIDGR	1	5	14.00	12.97	13.54	15.00
QFSK	3	0	14.12	13.63	13.15	15.00
	3	2	13.79	13.14	13.08	15.00
	3	3	13.59	13.08	13.19	15.00
	6	0	13.79	13.35	13.21	15.00
	1	0	14.27	13.93	13.25	15.00
	1	2	14.10	13.52	13.34	15.00
						15.00
16QAM		0	14.02	13.48		15.00
		2			12.81	15.00
			13.56	12.97	13.05	15.00
	6	0	13.69	13.26	13.15	15.00
	1	0	14.28	14.20	13.26	15.00
	1	2	14.23	13.49	13.41	15.00
	1	5	13.98	13.18	14.30	15.00
64QAM	3	0	14.16	13.69	13.07	15.00
	3	2	13.77	13.14	13.13	15.00
	3	3	13.59	12.99	13.74	15.00
	6	0	13.69	13.28	13.21	15.00
NA	DD -:	DD -#+	Channel	Channel	Channel	T
Modulation	RB SIZE	RB offset	19965	20175	20385	Tune up
	1	0	14.25	13.78	12.97	15.00
	1	7	13.96	13.32	13.13	15.00
	1	14	14.00	13.05	13.54	15.00
QPSK	8	0			<u> </u>	15.00
		4		13.23		15.00
	-	7		13.05	+ +	15.00
	-					15.00
					13.25	15.00
						15.00
						15.00
16QAM						15.00
						15.00
						15.00
						15.00
						15.00
					1	
					+ +	15.00 15.00
640414					+	
64QAM	8	0	14.16	13.54	13.09	15.00
	8	4	13.79	12.95	13.17	15.00
	8	7	13.58	12.88	13.68	15.00
	64QAM Modulation QPSK 16QAM	3 3 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16QAM 3 0 3 2 3 3 6 0 0 1 0 0 1 2 1 5 0 0 1 0 0 1 1 7 1 1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1	16QAM 3 0 14.02 3 2 13.66 3 3 3 13.56 6 0 13.69 14.28 1 2 14.23 1 5 13.98 6 1 14.16 3 2 13.77 3 3 3 13.59 6 0 13.69	16QAM 3 0 14.02 13.48 3 0 14.02 13.48 3 2 13.66 13.03 3 13.56 12.97 6 0 13.69 13.26 14.20 14.28 14.20 1 2 14.23 13.49 1 5 13.98 13.18 13.18 15 13.98 13.18 13.19 1 5 13.98 13.14 13.59 12.99 6 0 13.69 13.28 12.99 6 0 13.69 13.28 12.99 13.28 14.25 13.78 14.25 13.78 1 7 13.96 13.32 1 14 14 14.00 13.05 15 0 13.86 13.40 14.21 13.72 13.86 13.40 14.22 13.86 14.20 13.48 14.20 13.48 14.20 13.48 15 10 14.25 13.78 1 14 14.06 13.54 1 14 14.20 13.48 15 15 0 13.95 13.48 15 15 0 13.65 13.10 15 0 13.65 13.10 15 0 13.65 13.16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16QAM 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 212 of 493

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Balluwiutii	Woddiation	ND SIZE	ND oliset	19975	20175	20375	rune up
		1	0	14.19	13.77	12.91	15.00
		1	13	13.93	13.23	13.03	15.00
		1	24	13.94	13.03	13.58	15.00
	QPSK	12	0	14.12	13.66	13.20	15.00
		12	6	13.75	13.27	13.04	15.00
		12	13	13.69	13.08	13.16	15.00
		25	0	13.78	13.41	13.16	15.00
		1	0	14.21	13.94	13.27	15.00
		1	13	14.03	13.47	13.31	15.00
		1	24	14.09	13.42	13.76	15.00
5MHz	16QAM	12	0	14.04	13.51	13.20	15.00
		12	6	13.66	12.96	12.84	15.00
		12	13	13.55	12.98	13.01	15.00
		25	0	13.62	13.19	13.12	15.00
		1	0	14.26	13.02	13.29	15.00
		1	13	14.23	13.16	13.43	15.00
		1	24	14.03	13.17	14.04	15.00
	64QAM	12	0	14.21	13.57	13.13	15.00
		12	6	13.82	13.00	13.09	15.00
		12	13	13.51	12.9	13.66	15.00
		25	0	13.71	13.14	13.17	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tung up
Danawidin	Modulation	KD SIZE	KD Ollset	20000	20175	20350	Tune up
		1	0	14.20	13.76	12.90	15.00
		1	25	13.90	13.31	13.15	15.00
		1	49	14.01	12.96	13.55	15.00
	QPSK	25	0	14.15	13.75	13.20	15.00
		25	13	13.75	13.28	13.00	15.00
		25	25	13.69	13.17	13.13	15.00
		50	0	13.73	13.40	13.17	15.00
		1	0	14.22	13.89	13.20	15.00
		1	25	14.12	13.55	13.32	15.00
		1	49	14.18	13.44	13.71	15.00
10MHz	16QAM	25	0	13.93	13.46	13.10	15.00
		25	13	13.59	12.98	12.9	15.00
		25	25	13.55	12.95	13.01	15.00
		50	0	13.57	13.23	13.17	15.00
		1	0	14.25	14.18	13.23	15.00
			25	14.22	13.47	13.35	15.00
		1	25				
		1	49	13.93	13.19	14.27	15.00
	64QAM				13.19 13.67	14.27 13.08	15.00 15.00
	64QAM	1	49	13.93		+ +	
	64QAM	1 25	49 0	13.93 14.18	13.67	13.08	15.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 213 of 493

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tuna
Bandwidth	Modulation	RB SIZE	RB offset	20025	20175	20325	Tune up
		1	0	14.30	13.71	12.94	15.00
		1	38	13.85	13.31	13.11	15.00
		1	74	13.91	13.03	13.49	15.00
	QPSK	36	0	14.14	13.68	13.20	15.00
		36	18	13.74	13.28	13.02	15.00
		36	39	13.72	13.16	13.21	15.00
		75	0	13.72	13.40	13.26	15.00
		1	0	14.21	13.97	13.15	15.00
		1	38	14.00	13.50	13.39	15.00
		1	74	14.07	13.41	13.82	15.00
15MHz	16QAM	36	0	13.99	13.52	13.17	15.00
		36	18	13.63	13.00	12.83	15.00
		36	39	13.56	12.93	13.09	15.00
		75	0	13.68	13.17	13.22	15.00
		1	0	14.32	13.10	13.37	15.00
		1	38	14.29	13.31	13.50	15.00
		1	74	14.12	13.25	14.12	15.00
	64QAM	36	0	14.31	13.64	13.21	15.00
		36	18	13.88	13.10	13.23	15.00
		36	39	13.66	13.02	13.79	15.00
		75	0	13.81	13.28	13.32	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Bandwidth	Modulation	VD SIZE	KD Ollset	20050	20175	20300	rune up
		1	0	14.32	13.81	13.04	15.00
		1	50	13.99	13.35	13.17	15.00
		1	99	14.03	13.11	13.59	15.00
	QPSK	50	0	14.21	13.78	13.27	15.00
		50	25	13.84	13.29	13.09	15.00
		50	50	13.73	13.18	13.23	15.00
		100	0	13.87	13.46	13.27	15.00
		1	0	14.35	13.99	13.30	15.00
		1	50	14.14	13.58	13.44	15.00
		1	99	14.22	13.48	13.84	15.00
20MHz	16QAM	50	0	14.05	13.57	13.21	15.00
		50	25	13.69	13.11	12.95	15.00
		50	50	13.64	13.05	13.09	15.00
		100	0	13.71	13.31	13.24	15.00
		1	0	14.33	14.26	13.34	15.00
		1	50	14.29	13.57	13.47	15.00
		1	99	14.05	13.27	14.38	15.00
	64QAM	50	0	14.28	13.76	13.16	15.00
		50	25	13.86	13.20	13.18	15.00
		50	50	13.66	13.08	13.80	15.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 214 of 493 Page

LTE Band 5 full power				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Banawian	Modulation		KD 011561	20407	20525	20643	
		1	0	23.19	22.99	23.12	24.00
	QPSK	1	2	23.26	22.96	23.17	24.00
		1	5	23.39	23.01	23.12	24.00
		3	0	23.36	22.97	23.30	24.00
		3	2	23.4	22.96	23.28	24.00
		3	3	23.41	22.97	23.17	24.00
		6	0	22.32	21.96	22.34	23.00
		1	0	22.45	22.17	22.41	23.00
		1	2	22.55	22.14	22.47	23.00
	16QAM	1	5	22.32	22.16	22.28	23.00
1.4MHz		3	0	22.28	21.99	22.21	23.00
		3	2	22.29	21.93	22.32	23.00
		3	3	21.85	21.69	22.21	23.00
		6	0	21.38	21.13	21.32	22.00
	64QAM Modulation	1	0	21.25	21.20	21.17	22.50
		1	2	20.94	20.86	20.87	22.50
		1	5	21.14	21.06	21.03	22.50
		3	0	20.04	19.94	19.94	22.50
		3	2	19.94	19.90	19.96	22.50
		3	3	19.92	19.84	19.93	22.50
		6	0	19.89	19.92	19.93	21.50
Donadoui dila		RB size	RB offset	Channel	Channel	Channel	Tune up
Bandwidth				20415	20525	20635	
	QPSK	1	0	23.33	22.96	23.12	24.00
		1	7	23.48	23.07	23.30	24.00
		1	14	23.39	22.78	23.05	24.00
		8	0	22.35	22.19	22.16	23.00
		8	4	22.36	22.09	22.35	23.00
		8	7	22.34	21.99	22.34	23.00
		15	0	22.34	22.10	22.35	23.00
		1	0	22.46	22.32	22.26	23.00
3MHz	16QAM	1	7	22.61	22.15	22.55	23.00
		1	14	22.55	22.12	22.27	23.00
		8	0	21.41	21.25	21.25	22.00
3MHz	I UQ/AIVI		1	21.44	21.18	21.25	22.00
3MHz	TOQAM	8	4				
3MHz	TOQAIN	8	7	21.40	21.06	21.20	22.00
3MHz	TOQAIVI				21.06 21.14	21.20 21.21	22.00 22.00
ЗМН	TOQAIVI	8	7 0	21.40			
ЗМН	TOQAIVI	8 15 1	7 0 0	21.40 21.36 21.30	21.14 21.26	21.21 21.23	22.00 22.50
ЗМН		8 15 1	7 0 0 7	21.40 21.36 21.30 21.03	21.14 21.26 20.95	21.21 21.23 20.95	22.00 22.50 22.50
ЗМН	64QAM	8 15 1 1	7 0 0 7 14	21.40 21.36 21.30 21.03 21.20	21.14 21.26 20.95 21.13	21.21 21.23 20.95 21.09	22.00 22.50 22.50 22.50
ЗМН		8 15 1	7 0 0 7	21.40 21.36 21.30 21.03	21.14 21.26 20.95	21.21 21.23 20.95	22.00 22.50 22.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 215 of 493

		15	0	19.99	19.99	19.99	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20425	20525	20625	
	QPSK	1	0	23.43	23.09	23.11	24.00
		1	13	23.50	23.06	23.21	24.00
		1	24	23.28	22.85	23.02	24.00
		12	0	22.42	22.21	22.24	23.00
-		12	6	22.41	22.10	22.24	23.00
		12	13	22.43	22.01	22.27	23.00
		25	0	22.40	21.98	22.20	23.00
		1	0	22.50	22.48	22.23	23.00
		1	13	22.64	22.25	22.32	23.00
		1	24	22.44	22.06	22.23	23.00
5MHz	16QAM	12	0	21.45	21.32	21.30	22.00
		12	6	21.47	21.16	21.31	22.00
		12	13	21.48	21.05	21.15	22.00
		25	0	21.42	21.01	21.24	22.00
	64QAM	1	0	21.37	21.34	21.32	22.50
		1	13	21.09	21.01	21.02	22.50
		1	24	21.28	21.22	21.18	22.50
		12	0	20.15	20.08	20.12	21.50
		12	6	20.10	20.08	20.09	21.50
		12	13	20.07	20.01	20.07	21.50
FFO		25	0	20.07	20.08	20.07	21.50
Dan dadd		DD ::	DD 6#554	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	20450	20525	20600	Tune up
	QPSK	1	0	23.58	23.37	23.20	24.00
		1	25	23.82	23.55	23.57	24.00
		1	49	23.47	23.01	23.38	24.00
		25	0	22.35	22.22	21.98	23.00
		25	40				22.00
		25	13	22.19	21.91	22.09	23.00
		25	13 25	22.19 22.01	21.91 21.85	22.09 22.08	23.00
					+		
		25	25	22.01	21.85	22.08	23.00
		25 50	25 0	22.01 22.25	21.85 21.86	22.08 22.22	23.00 23.00
		25 50 1	25 0 0	22.01 22.25 22.72	21.85 21.86 22.62	22.08 22.22 22.45	23.00 23.00 23.00
10MHz	16QAM	25 50 1	25 0 0 25	22.01 22.25 22.72 22.98	21.85 21.86 22.62 22.77	22.08 22.22 22.45 22.79	23.00 23.00 23.00 23.00
10MHz	16QAM	25 50 1 1	25 0 0 25 49	22.01 22.25 22.72 22.98 22.76	21.85 21.86 22.62 22.77 22.20	22.08 22.22 22.45 22.79 22.75	23.00 23.00 23.00 23.00 23.00
10MHz	16QAM	25 50 1 1 1 25	25 0 0 25 49 0	22.01 22.25 22.72 22.98 22.76 21.49	21.85 21.86 22.62 22.77 22.20 21.34	22.08 22.22 22.45 22.79 22.75 21.12	23.00 23.00 23.00 23.00 23.00 23.00 22.00
10MHz	16QAM	25 50 1 1 1 25 25	25 0 0 25 49 0 13	22.01 22.25 22.72 22.98 22.76 21.49 21.31	21.85 21.86 22.62 22.77 22.20 21.34 21.06	22.08 22.22 22.45 22.79 22.75 21.12 21.23	23.00 23.00 23.00 23.00 23.00 22.00 22.00
10MHz	16QAM	25 50 1 1 1 25 25 25	25 0 0 25 49 0 13 25	22.01 22.25 22.72 22.98 22.76 21.49 21.31 21.15	21.85 21.86 22.62 22.77 22.20 21.34 21.06 20.99	22.08 22.22 22.45 22.79 22.75 21.12 21.23 21.22	23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00
10MHz	16QAM	25 50 1 1 1 25 25 25 25 50	25 0 0 25 49 0 13 25 0	22.01 22.25 22.72 22.98 22.76 21.49 21.31 21.15 21.38	21.85 21.86 22.62 22.77 22.20 21.34 21.06 20.99 20.99	22.08 22.22 22.45 22.79 22.75 21.12 21.23 21.22 21.35	23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00 22.00
10MHz	16QAM	25 50 1 1 1 25 25 25 50 1	25 0 0 25 49 0 13 25 0	22.01 22.25 22.72 22.98 22.76 21.49 21.31 21.15 21.38 21.46	21.85 21.86 22.62 22.77 22.20 21.34 21.06 20.99 20.99 21.41	22.08 22.22 22.45 22.79 22.75 21.12 21.23 21.22 21.35 21.38	23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00 22.00 22.50
10MHz		25 50 1 1 1 25 25 25 50 1 1	25 0 0 25 49 0 13 25 0 0 25 49	22.01 22.25 22.72 22.98 22.76 21.49 21.31 21.15 21.38 21.46 21.19 21.35	21.85 21.86 22.62 22.77 22.20 21.34 21.06 20.99 20.99 21.41 21.10 21.32	22.08 22.22 22.45 22.79 22.75 21.12 21.23 21.22 21.35 21.38 21.09 21.27	23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00 22.50 22.50 22.50
10MHz	16QAM 64QAM	25 50 1 1 1 25 25 25 50 1 1 1 25	25 0 0 25 49 0 13 25 0 0 0 25 49	22.01 22.25 22.72 22.98 22.76 21.49 21.31 21.15 21.38 21.46 21.19 21.35 20.22	21.85 21.86 22.62 22.77 22.20 21.34 21.06 20.99 20.99 21.41 21.10 21.32 20.16	22.08 22.22 22.45 22.79 22.75 21.12 21.23 21.22 21.35 21.38 21.09 21.27 20.19	23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00 22.50 22.50 22.50 21.50
10MHz		25 50 1 1 1 25 25 25 50 1 1	25 0 0 25 49 0 13 25 0 0 25 49	22.01 22.25 22.72 22.98 22.76 21.49 21.31 21.15 21.38 21.46 21.19 21.35	21.85 21.86 22.62 22.77 22.20 21.34 21.06 20.99 20.99 21.41 21.10 21.32	22.08 22.22 22.45 22.79 22.75 21.12 21.23 21.22 21.35 21.38 21.09 21.27	23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00 22.50 22.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 216 of 493 Page

LTE Band 5 Left Head reduced power				Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
	Modulation			20407	20525	20643		
		1	0	17.73	17.81	17.78	19.00	
		1	2	17.59	17.46	17.50	19.00	
	QPSK	1	5	17.74	17.77	17.78	19.00	
		3	0	17.44	17.72	17.74	19.00	
		3	2	17.51	17.59	17.47	19.00	
		3	3	17.70	17.67	17.65	19.00	
		6	0	17.43	17.70	17.66	19.00	
		1	0	17.91	17.92	17.91	19.00	
1.4MHz		1	2	17.77	17.73	17.77	19.00	
		1	5	17.93	17.9	17.92	19.00	
	16QAM	3	0	17.69	17.68	17.68	19.00	
		3	2	17.58	17.73	17.66	19.00	
		3	3	17.70	17.63	17.73	19.00	
		6	0	17.49	17.66	17.60	19.00	
		1	0	17.58	17.56	17.58	19.00	
		1	2	16.46	17.10	17.09	19.00	
		1	5	17.30	17.42	17.48	19.00	
	64QAM Modulation	3	0	17.22	16.97	17.29	19.00	
		3	2	17.27	17.22	17.20	19.00	
		3	3	17.23	17.21	17.24	19.00	
		6	0	17.24	17.18	17.24	19.00	
5 1 1 1 1 1 1		RB size	RB offset	Channel	Channel	Channel	Tune up	
Bandwidth				20415	20525	20635		
		1	0	17.69	17.73	17.83	19.00	
		1	7	17.25	17.30	17.38	19.00	
	QPSK	1	14	17.75	17.73	17.75	19.00	
		8	0	17.49	17.70	17.71	19.00	
		8	4	17.76	17.74	17.78	19.00	
		8	7	17.65	17.68	17.66	19.00	
		15	0	17.75	17.75	17.77	19.00	
		1	0	17.92	17.92	17.93	19.00	
		1	7	17.45	17.58	17.65	19.00	
		I	· / ·					
3MHz	16QAM	1	14	17.93	17.94	17.94	19.00	
3MHz	16QAM	1 8	14 0	17.93 17.68	17.94 17.65	17.94 17.67	19.00 19.00	
3MHz	16QAM	1 8 8	14 0 4	17.93 17.68 17.71	17.94 17.65 17.74	17.94 17.67 17.73	19.00 19.00 19.00	
ЗМН	16QAM	1 8 8 8	14 0 4 7	17.93 17.68 17.71 17.72	17.94 17.65 17.74 17.67	17.94 17.67 17.73 17.65	19.00 19.00 19.00 19.00	
3MHz	16QAM	1 8 8 8 8	14 0 4 7 0	17.93 17.68 17.71 17.72 17.69	17.94 17.65 17.74 17.67 17.69	17.94 17.67 17.73 17.65 17.69	19.00 19.00 19.00 19.00 19.00	
3MHz	16QAM	1 8 8 8 8 15	14 0 4 7 0 0	17.93 17.68 17.71 17.72 17.69 17.63	17.94 17.65 17.74 17.67 17.69 17.65	17.94 17.67 17.73 17.65 17.69 17.64	19.00 19.00 19.00 19.00 19.00 19.00	
3MHz	16QAM	1 8 8 8 15 1	14 0 4 7 0 0 0	17.93 17.68 17.71 17.72 17.69 17.63 16.54	17.94 17.65 17.74 17.67 17.69 17.65 17.16	17.94 17.67 17.73 17.65 17.69 17.64 17.17	19.00 19.00 19.00 19.00 19.00 19.00	
3MHz		1 8 8 8 15 1 1	14 0 4 7 0 0 0 7	17.93 17.68 17.71 17.72 17.69 17.63 16.54 17.38	17.94 17.65 17.74 17.67 17.69 17.65 17.16	17.94 17.67 17.73 17.65 17.69 17.64 17.17	19.00 19.00 19.00 19.00 19.00 19.00 19.00	
3MHz	16QAM	1 8 8 8 15 1 1 1 1 8	14 0 4 7 0 0 0 7 14	17.93 17.68 17.71 17.72 17.69 17.63 16.54 17.38	17.94 17.65 17.74 17.67 17.69 17.65 17.16 17.48 17.05	17.94 17.67 17.73 17.65 17.69 17.64 17.17 17.55	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00	
3MHz		1 8 8 8 15 1 1	14 0 4 7 0 0 0 7	17.93 17.68 17.71 17.72 17.69 17.63 16.54 17.38	17.94 17.65 17.74 17.67 17.69 17.65 17.16	17.94 17.67 17.73 17.65 17.69 17.64 17.17	19.00 19.00 19.00 19.00 19.00 19.00 19.00	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 217 of 493

Donalusialth	Modulation	DD size	DD offeet	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RB size	RB offset	20425	20525	20625	Tune up
		1	0	17.70	17.75	17.77	19.00
		1	13	17.77	17.54	17.77	19.00
		1	24	17.75	17.51	17.75	19.00
	QPSK	12	0	17.78	17.54	17.85	19.00
		12	6	17.73	17.68	17.71	19.00
		12	13	17.79	17.81	17.77	19.00
		25	0	17.72	17.74	17.73	19.00
		1	0	17.95	17.68	17.95	19.00
		1	13	17.92	17.51	17.96	19.00
		1	24	17.82	17.70	17.92	19.00
5MHz	16QAM	12	0	17.77	17.50	17.81	19.00
		12	6	17.69	17.69	17.73	19.00
		12	13	17.70	17.55	17.75	19.00
		25	0	17.71	17.45	17.69	19.00
		1	0	17.68	17.72	17.69	19.00
		1	13	16.59	17.21	17.26	19.00
		1	24	17.46	17.55	17.62	19.00
	64QAM	12	0	17.38	17.14	17.41	19.00
		12	6	17.40	17.36	17.37	19.00
		12	13	17.38	17.36	17.40	19.00
		25	0	17.41	17.37	17.37	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Bandwidth	Wodulation	ND SIZE	IND Offset	20450	20525	20600	Tune up
		1	0	17.73	17.30	17.28	19.00
		1	25	17.58	17.33	17.82	19.00
		1	49	17.74	17.73	17.72	19.00
	QPSK	25	0	17.82	17.79	17.80	19.00
		25	13	17.82	17.84	17.80	19.00
		25	25	17.81	17.81	17.88	19.00
		50	0	17.81	17.85	17.84	19.00
		1	0	17.81	17.68	17.97	19.00
		1	25	17.69	17.72	17.69	19.00
		1	49	17.81	17.87	17.92	19.00
10MHz	16QAM	25	0	17.76	17.79	17.74	19.00
		25	13	17.80	17.81	17.76	19.00
		25	25	17.80	17.82	17.81	19.00
		50	0	17.78	17.78	17.76	19.00
		1	0	17.74	17.78	17.77	19.00
		1	25	16.66	17.31	17.33	19.00
		1	49	17.56	17.62	17.70	19.00
	64QAM	25	0	17.48	17.24	17.47	19.00
		25	13	17.47	17.45	17.45	19.00
		25	25	17.44	17.46	17.48	19.00
	1	50	0	17.48	17.44	17.46	19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 218 of 493

LTE	Band 5 Right Head	d reduced power	er		Conducte	ed Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel 20407	Channel 20525	Channel 20643	Tune up
		1	0	17.25	17.29	17.27	18.50
		1	2	16.81	17.18	17.05	18.50
		1	5	17.22	17.09	17.28	18.50
CA	QPSK	3	0	16.70	17.20	17.16	18.50
	α. σ. ι	3	2	16.84	17.00	16.98	18.50
		3	3	17.17	16.94	17.14	18.50
		6	0	16.91	17.10	17.13	18.50
		1	0	17.42	17.41	17.43	18.50
		1	2	17.26	17.26	17.02	18.50
		1	5	17.43	17.42	17.41	18.50
1.4MHz	16QAM	3	0	17.16	17.18	17.16	18.50
		3	2	17.18	17.21	17.14	18.50
		3	3	17.20	17.16	17.20	18.50
		6	0	17.06	17.11	17.12	18.50
-		1	0	17.07	16.68	16.78	18.50
		1	2	16.19	15.54	15.82	18.50
		1	5	16.86	16.87	16.90	18.50
	64QAM	3	0	16.76	16.77	16.79	18.50
200	5 / Q/ III	3	2	16.74	16.75	16.75	18.50
-1-0		3	3	16.73	16.72	16.73	18.50
		6	0	16.76	16.48	16.75	18.50
			RB	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	offset	20415	20525	20635	Tune up
		1	0	17.22	17.26	17.28	18.50
		1	7	16.80	17.04	17.20	18.50
		1	14	17.23	17.24	17.24	18.50
	QPSK	8	0	17.16	17.20	17.24	18.50
		8	4	17.20	17.24	17.27	18.50
		8	7	17.14	17.17	17.18	18.50
		15	0	17.25	17.24	17.25	18.50
		1	0	17.41	17.43	17.42	18.50
		1	7	17.36	17.14	17.03	18.50
		1	14	17.42	17.41	17.39	18.50
3MHz	16QAM	8	0	17.19	17.18	17.17	18.50
		8	4	17.24	17.27	17.27	18.50
		8	7	17.18	17.11	17.16	18.50
		15	0	17.24	17.22	17.24	18.50
-		1	0	17.13	16.77	16.85	18.50
		1	7	16.26	15.61	15.89	18.50
		1	14	16.92	16.95	16.98	18.50
	64QAM	8	0	16.85	16.83	16.84	18.50
		8	4	16.81	16.85	16.81	18.50
		8	7	16.81	16.8	16.82	18.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 219 of 493

Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
Danuwium	Modulation	RD SIZE	offset	20425	20525	20625	rune up
		1	0	17.22	17.26	17.31	18.50
		1	13	17.26	17.23	17.28	18.50
		1	24	17.25	17.23	17.29	18.50
	QPSK	12	0	17.29	17.05	17.32	18.50
		12	6	17.26	17.24	17.27	18.50
		12	13	17.29	17.30	17.31	18.50
		25	0	17.24	17.24	17.27	18.50
		1	0	17.4	17.21	17.43	18.50
		1	13	17.42	17.40	17.40	18.50
		1	24	17.41	17.25	17.41	18.50
5MHz	16QAM	12	0	17.28	17.02	17.30	18.50
		12	6	17.16	16.92	17.22	18.50
		12	13	17.22	17.05	17.28	18.50
		25	0	17.17	17.17	17.22	18.50
		1	0	17.21	16.84	16.91	18.50
		1	13	16.35	15.67	15.95	18.50
		1	24	17.00	17.05	17.05	18.50
	64QAM	12	0	16.93	16.91	16.92	18.50
- 0		12	6	16.88	16.91	16.89	18.50
		12	13	16.91	16.89	16.9	18.50
		25	0	16.91	16.66	16.87	18.50
			RB	Channel	Channel	Channel	
A management of the	N A = = loot = 4! =	DD -:	KD	Onamici	Onamici	Onamici	T
Bandwidth	Modulation	RB size	offset	20450	20525	20600	Tune up
Bandwidth	Modulation	RB size					Tune up 18.50
Bandwidth	Modulation		offset	20450	20525	20600	•
3andwidth	Modulation	1	offset 0	20450 17.17	20525 17.23	20600 17.30	18.50
3andwidth	Modulation QPSK	1 1	offset 0 25	20450 17.17 17.20	20525 17.23 17.19	20600 17.30 17.06	18.50 18.50
3andwidth		1 1	offset 0 25 49	20450 17.17 17.20 17.27	20525 17.23 17.19 17.33	20600 17.30 17.06 17.30	18.50 18.50 18.50
3andwidth		1 1 1 25	offset 0 25 49	20450 17.17 17.20 17.27 17.32	20525 17.23 17.19 17.33 17.30	20600 17.30 17.06 17.30 17.31	18.50 18.50 18.50 18.50
3andwidth		1 1 1 25 25	0 25 49 0 13	20450 17.17 17.20 17.27 17.32 17.37	20525 17.23 17.19 17.33 17.30 17.36	20600 17.30 17.06 17.30 17.31 17.25	18.50 18.50 18.50 18.50 18.50
3andwidth		1 1 1 25 25 25	0 25 49 0 13 25	20450 17.17 17.20 17.27 17.32 17.37 17.34	20525 17.23 17.19 17.33 17.30 17.36 17.37	20600 17.30 17.06 17.30 17.31 17.25 17.37	18.50 18.50 18.50 18.50 18.50 18.50
3andwidth		1 1 1 25 25 25 25 50	0 25 49 0 13 25 0	20450 17.17 17.20 17.27 17.32 17.37 17.34 17.30	20525 17.23 17.19 17.33 17.30 17.36 17.37	20600 17.30 17.06 17.30 17.31 17.25 17.37 17.21	18.50 18.50 18.50 18.50 18.50 18.50
3andwidth		1 1 1 25 25 25 25 50	0 25 49 0 13 25 0 0	20450 17.17 17.20 17.27 17.32 17.37 17.34 17.30 17.35	20525 17.23 17.19 17.33 17.30 17.36 17.37 17.32 17.27	20600 17.30 17.06 17.30 17.31 17.25 17.37 17.21 17.33	18.50 18.50 18.50 18.50 18.50 18.50 18.50
3andwidth		1 1 1 25 25 25 25 50 1	0 25 49 0 13 25 0 0 25	20450 17.17 17.20 17.27 17.32 17.37 17.34 17.30 17.35 16.00	20525 17.23 17.19 17.33 17.30 17.36 17.37 17.32 17.27 17.41	20600 17.30 17.06 17.30 17.31 17.25 17.37 17.21 17.33 17.44	18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50
	QPSK	1 1 1 25 25 25 50 1 1	0 25 49 0 13 25 0 0 25 49	20450 17.17 17.20 17.27 17.32 17.37 17.34 17.30 17.35 16.00 17.41	20525 17.23 17.19 17.33 17.30 17.36 17.37 17.32 17.27 17.41 17.37	20600 17.30 17.06 17.30 17.31 17.25 17.37 17.21 17.33 17.44 17.39	18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50
	QPSK	1 1 1 25 25 25 50 1 1 1 25	0 cffset 0 25 49 0 13 25 0 0 0 25 49 0 0	20450 17.17 17.20 17.27 17.32 17.37 17.34 17.30 17.35 16.00 17.41 17.33	20525 17.23 17.19 17.33 17.30 17.36 17.37 17.32 17.27 17.41 17.37 17.25	20600 17.30 17.06 17.30 17.31 17.25 17.37 17.21 17.33 17.44 17.39 17.25	18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50
	QPSK	1 1 25 25 25 50 1 1 1 25 25	0 offset 0 25 49 0 13 25 0 0 25 49 0 13 13 13 13 13 13 13	20450 17.17 17.20 17.27 17.32 17.37 17.34 17.30 17.35 16.00 17.41 17.33 17.28	20525 17.23 17.19 17.33 17.30 17.36 17.37 17.32 17.27 17.41 17.37 17.25 17.30	20600 17.30 17.06 17.30 17.31 17.25 17.37 17.21 17.33 17.44 17.39 17.25 17.31	18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50
	QPSK	1 1 25 25 25 50 1 1 1 25 25	offset 0 25 49 0 13 25 0 0 25 49 13 25 0 13 25 49 0 13 25	20450 17.17 17.20 17.27 17.32 17.37 17.34 17.30 17.35 16.00 17.41 17.33 17.28	20525 17.23 17.19 17.33 17.30 17.36 17.37 17.32 17.27 17.41 17.37 17.25 17.30 17.27	20600 17.30 17.06 17.30 17.31 17.25 17.37 17.21 17.33 17.44 17.39 17.25 17.31 17.32 17.25	18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50
	QPSK	1 1 1 25 25 25 50 1 1 1 25 25 25 25	0 offset 0 25 49 0 13 25 0 0 25 49 0 13 25 0 0 0 25 49 0 0 13 25 0 0	20450 17.17 17.20 17.27 17.32 17.37 17.34 17.30 17.35 16.00 17.41 17.33 17.28 17.30	20525 17.23 17.19 17.33 17.30 17.36 17.37 17.32 17.27 17.41 17.37 17.25 17.30 17.27 17.28	20600 17.30 17.06 17.30 17.31 17.25 17.37 17.21 17.33 17.44 17.39 17.25 17.31 17.32	18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50
	QPSK	1 1 1 25 25 25 50 1 1 1 25 25 25 25 50 1	0 offset 0 25 49 0 13 25 0 0 25 49 0 13 25 0 0 25 49 0 0 25 25 25 25 25 25 25 25 25 25 25 25 25	20450 17.17 17.20 17.27 17.32 17.37 17.34 17.30 17.35 16.00 17.41 17.33 17.28 17.28 17.27 16.45	20525 17.23 17.19 17.33 17.30 17.36 17.37 17.32 17.27 17.41 17.37 17.25 17.30 17.27 17.28 16.93 15.77	20600 17.30 17.06 17.30 17.31 17.25 17.37 17.21 17.33 17.44 17.39 17.25 17.31 17.32 17.25 16.98 16.03	18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50
	QPSK	1 1 25 25 25 50 1 1 1 25 25 25 50 1 1 1 1 1 25 25 25 25 25 25 25 25 1 1 1 1	offset 0 25 49 0 13 25 0 0 25 49 0 13 25 0 0 13 25 49 0 13 25 49 0 49	20450 17.17 17.20 17.27 17.32 17.37 17.34 17.30 17.35 16.00 17.41 17.33 17.28 17.30 17.28 17.30 17.28	20525 17.23 17.19 17.33 17.30 17.36 17.37 17.32 17.27 17.41 17.37 17.25 17.30 17.27 17.28 16.93 15.77	20600 17.30 17.06 17.30 17.31 17.25 17.37 17.21 17.33 17.44 17.39 17.25 17.31 17.32 17.25 16.98 16.03 17.11	18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50
	QPSK	1 1 1 25 25 25 25 50 1 1 1 25 25 25 50 1 1 1 25 25 25 25 25 25 1 1 1 25 25 25 25 25 25 25 25 25 25 25 25 25	offset 0 25 49 0 13 25 0 0 25 49 0 13 25 0 0 25 49 0 13 25 0 0 25 49 0 0 0 25	20450 17.17 17.20 17.27 17.32 17.37 17.34 17.30 17.35 16.00 17.41 17.33 17.28 17.28 17.29 17.27 16.45 17.09 17.01	20525 17.23 17.19 17.33 17.30 17.36 17.37 17.32 17.27 17.41 17.37 17.25 17.30 17.27 17.28 16.93 15.77 17.12	20600 17.30 17.06 17.30 17.31 17.25 17.37 17.21 17.33 17.44 17.39 17.25 17.31 17.32 17.25 16.98 16.03 17.11 16.99	18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50
10MHz	QPSK	1 1 25 25 25 50 1 1 1 25 25 25 50 1 1 1 1 1 25 25 25 25 25 25 25 25 1 1 1 1	offset 0 25 49 0 13 25 0 0 25 49 0 13 25 0 0 13 25 49 0 13 25 49 0 49	20450 17.17 17.20 17.27 17.32 17.37 17.34 17.30 17.35 16.00 17.41 17.33 17.28 17.30 17.28 17.30 17.28	20525 17.23 17.19 17.33 17.30 17.36 17.37 17.32 17.27 17.41 17.37 17.25 17.30 17.27 17.28 16.93 15.77	20600 17.30 17.06 17.30 17.31 17.25 17.37 17.21 17.33 17.44 17.39 17.25 17.31 17.32 17.25 16.98 16.03 17.11	18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 220 of 493 Page

LTE Band 5	hotspot active	d for 2.4G \	WIFI		Conducted	d Power(dBm)	
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune u
	Modulation	TE OILO	offset	20407	20525	20643	
		1	0	21.12	20.89	21.25	21.50
		1	2	21.16	20.81	21.35	21.50
		1	5	21.27	20.91	21.16	21.50
	QPSK	3	0	21.20	20.98	21.32	21.50
		3	2	21.23	20.95	21.28	21.50
		3	3	21.25	20.92	21.18	21.50
		6	0	21.20	20.93	21.21	21.50
		1	0	21.39	21.04	21.42	21.50
		1	2	21.40	21.11	21.43	21.50
		1	5	21.40	21.06	21.30	21.50
1.4MHz	16QAM	3	0	21.03	21.03	21.34	21.50
		3	2	21.06	21.01	21.28	21.50
		3	3	21.27	20.99	21.17	21.50
		6	0	21.20	20.91	21.16	21.50
		1	0	20.67	20.35	20.57	21.50
		1	2	20.19	20.29	20.17	21.50
		1	5	20.55	20.51	20.54	21.50
	64QAM	3	0	19.93	19.83	19.81	21.50
		3	2	19.86	19.82	19.78	21.50
		3	3	19.83	19.85	19.75	21.50
		6	0	19.86	19.84	19.85	21.50
Donalis i alth	Madulation	RB size	RB	Channel	Channel	Channel	T
Bandwidth	Modulation	KD SIZE	offset	20415	20525	20635	Tune u
		1	0	21.21	21.05	21.12	21.50
		1	7	21.37	20.87	21.38	21.50
		1	14	21.27	20.78	21.09	21.50
	QPSK	8	0	21.31	21.09	21.19	21.50
		8	4	21.33	20.95	21.26	21.50
		8	7	21.29	20.83	21.22	21.50
		15	0	21.26	20.95	21.25	21.50
		1	0	21.39	21.23	21.42	21.50
		1	7	21.43	21.25	21.47	21.50
		1	14	21.47	21.12	21.30	21.50
3MHz	16QAM	8	0	21.20	21.03	21.14	21.50
		8	4	21.25	20.91	21.23	21.50
		8	7	21.21	20.79	21.18	21.50
		15	0	21.18	20.86	21.14	21.50
		1	0	20.63	20.32	20.54	21.50
		1	7	20.17	20.26	20.15	21.50
		1	14	20.52	20.47	20.51	21.50
	64QAM	8	0	19.87	19.81	19.78	21.50
		8	4	19.83	19.78	19.76	21.50
				19.79	19.83	19.72	21.50
		8	7	1979	1983	1977	7 1 30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 221 of 493 Page

Pandwidth	Modulation	DD circ	RB	Channel	Channel	Channel	Tuna
Bandwidth	Modulation	RB size	offset	20425	20525	20625	Tune up
		1	0	21.21	21.24	21.15	21.50
		1	13	21.31	20.87	21.22	21.50
		1	24	21.31	20.65	21.06	21.50
	QPSK	12	0	21.36	21.11	21.22	21.50
		12	6	21.37	20.97	21.22	21.50
		12	13	21.41	20.84	21.14	21.50
		25	0	21.33	20.82	21.16	21.50
		1	0	21.46	21.45	21.48	21.50
		1	13	21.42	21.26	21.47	21.50
		1	24	21.45	21.07	21.37	21.50
5MHz	16QAM	12	0	21.35	21.04	21.16	21.50
		12	6	21.35	20.91	21.16	21.50
		12	13	21.17	20.77	21.08	21.50
		25	0	21.26	20.75	21.08	21.50
		1	0	20.84	20.53	20.73	21.50
		1	13	20.35	20.47	20.32	21.50
		1	24	20.73	20.68	20.71	21.50
	64QAM	12	0	20.11	20.01	19.97	21.50
		12	6	20.04	20.01	19.95	21.50
		12	13	19.97	20.04	19.93	21.50
		25	0	20.04	20.02	20.07	21.50
			RB	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	offset	20450	20525	20600	Tune up
		1	0	21.46	21.47	21.11	21.50
		1	25	21.49	21.48	21.47	21.50
		1	49	21.45	20.94	21.36	21.50
	QPSK	25	0	21.34	21.22	20.98	21.50
		25	13	21.22	20.84	21.14	21.50
		25	25	21.04	20.76	21.18	21.50
		50	0	21.25	20.82	21.24	21.50
		1	0	21.48	21.44	21.39	21.50
		1	25	21.44	21.45	21.44	21.50
		1	49	21.47	21.10	21.49	21.50
10MHz	16QAM	25	0	21.27	21.08	20.79	21.50
FFO		25	13	21.14	20.69	20.95	21.50
		25	25	20.95	20.6	20.98	21.50
		50	0	21.14	20.66	21.05	21.50
	1	1	0	20.74	20.43	20.65	21.50
					20.37	20.23	21.50
			25	20,20			5
		1	25 49	20.26 20.63		20.61	21.50
	64QAM	1	49	20.63	20.58	20.61 19.89	21.50 21.50
	64QAM	1 1 25	49 0	20.63 19.99	20.58 19.91	19.89	21.50
	64QAM	1	49	20.63	20.58		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 222 of 493 Page

J TF Ran	nd 5 hotspot act	ived for 5G V	VIFI		Conducted Po	wer(dBm)	
LIL Bai	id 5 flotspot act		VII 1			. ,	•
Bandwidth	Modulation	RB size	RB offset	Channel 20407	Channel 20525	Channel 20643	Tune up
		1	0	19.76	19.62	19.92	20.00
		1	2	19.90	19.56	19.95	20.00
		1	5	19.90	19.52	19.77	20.00
	QPSK	3	0	19.78	19.59	19.96	20.00
	Q. O.	3	2	19.56	19.56	19.92	20.00
		3	3	19.63	19.52	19.82	20.00
		6	0	19.79	19.51	19.85	20.00
		1	0	19.89	19.89	19.87	20.00
		1	2	19.89	19.82	19.92	20.00
		1	5	19.87	19.79	19.96	20.00
1.4MHz	16QAM	3	0	19.79	19.58	19.93	20.00
		3	2	19.61	19.57	19.84	20.00
		3	3	19.87	19.53	19.73	20.00
		6	0	19.71	19.44	19.83	20.00
		1	0	19.71	19.44	19.66	20.00
		1	2	19.28	19.37	19.24	20.00
		1	5	19.66	19.59	19.62	20.00
	64QAM	3	0	19.05	18.92	18.91	20.00
		3	2	18.95	18.91	18.88	20.00
		3	3	18.91	18.95	18.84	20.00
		6	0	18.95	18.97	18.95	20.00
5			RB	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	offset	20415	20525	20635	Tune up
		1	0	19.84	19.71	19.78	20.00
		1	7	19.87	19.53	19.93	20.00
		1	14	19.92	19.45	19.65	20.00
	QPSK	8	0	19.83	19.64	19.77	20.00
		8	4	19.86	19.50	19.86	20.00
		8	7	19.83	19.38	19.94	20.00
		15	0	19.79	19.50	19.95	20.00
		1	0	19.87	19.94	19.89	20.00
		1	7	19.89	19.76	19.92	20.00
		1	14	19.91	19.69	19.95	20.00
3MHz	16QAM	8	0	19.78	19.58	19.70	20.00
		8	4	19.77	19.43	19.79	20.00
		8	7	19.76	19.31	19.76	20.00
		15	0	19.73	19.44	19.76	20.00
		1	0	19.64	19.33	19.55	20.00
		1	7	19.19	19.27	19.17	20.00
		1	14	19.55	19.49	19.53	20.00
	64QAM	8	0	18.91	18.81	18.79	20.00
		8	4	18.84	18.83	18.78	20.00
		8	7	18.79	18.84	18.75	20.00
		15	0	18.84	18.82	18.87	20.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 223 of 493 Page

Randwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	KD SIZE	offset	20425	20525	20625	Tune up
		1	0	19.83	19.91	19.83	20.00
		1	13	19.92	19.57	19.88	20.00
		1	24	19.94	18.97	19.71	20.00
	QPSK	12	0	19.97	19.52	19.87	20.00
		12	6	19.96	19.58	19.85	20.00
		12	13	19.89	18.74	19.79	20.00
		25	0	19.95	19.44	19.80	20.00
		1	0	19.97	19.94	19.87	20.00
		1	13	19.97	19.66	19.94	20.00
		1	24	19.92	19.47	19.84	20.00
5MHz	16QAM	12	0	19.91	19.66	19.79	20.00
		12	6	19.91	19.49	19.77	20.00
		12	13	19.96	19.37	19.72	20.00
		25	0	19.87	19.34	19.81	20.00
		1	0	19.62	19.31	19.53	20.00
		1	13	19.21	19.25	19.23	20.00
		1	24	19.53	19.46	19.49	20.00
	64QAM	12	0	18.85	18.79	18.77	20.00
		12	6	18.82	18.75	18.75	20.00
		12	13	18.77	18.82	18.71	20.00
		25	0	18.82	18.81	18.85	20.00
			RB	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	offset	20450	20525	20600	Tune up
		1	0	19.89	19.91	19.55	20.00
		1	25	19.98	19.92	19.95	20.00
		1	49	19.87	19.48	19.93	20.00
	QPSK	25	0	19.86	19.77	19.45	20.00
		25	13	19.85	19.21	19.65	20.00
		25	25	19.71	19.12	19.71	20.00
		50	0	19.92	19.17	19.77	20.00
		1	0	19.91	19.97	19.91	20.00
		1	25	19.97	19.94	19.95	20.00
		1	49	19.92	19.73	19.93	20.00
10MHz	16QAM	25	0	19.89	19.80	19.36	20.00
	1000	25	13	19.86	19.38	19.68	20.00
		25	25	19.67	19.29	19.73	20.00
		50	0	19.87	19.34	19.77	20.00
		1	0	19.72	19.41	19.63	20.00
		1	25	19.25	19.35	19.03	20.00
		1	49	19.63	19.56	19.59	20.00
	0.40.44	25	0	18.99	18.89	18.87	20.00
	6/(1/1/1/				10.05	10.07	
	64QAM		-			1	
	64QAM	25	13	18.92	18.88	18.85	20.00
	64QAM		-			1	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 224 of 493 Page

LTE Band 5 E	Body-worn sime 2.4G V		transmit with		Conducted Po	ower(dBm)	
Donalis idéla	NA - ded - di - di	DD -:	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	20407	20525	20643	Tune up
		1	0	20.80	20.53	20.74	21.50
		1	2	20.81	20.47	20.75	21.50
		1	5	20.87	20.45	20.58	21.50
	QPSK	3	0	20.80	20.45	20.82	21.50
		3	2	20.88	20.43	20.75	21.50
		3	3	20.89	20.40	20.68	21.50
		6	0	20.76	20.40	20.69	21.50
		1	0	20.97	20.76	20.82	21.50
		1	2	21.00	20.71	20.80	21.50
		1	5	20.90	20.72	20.57	21.50
1.4MHz	16QAM	3	0	20.75	20.55	20.81	21.50
		3	2	20.94	20.47	20.64	21.50
		3	3	20.85	20.50	20.68	21.50
		6	0	20.85	20.35	20.50	21.50
		1	0	20.91	20.67	20.82	21.50
		1	2	20.75	20.64	20.72	21.50
		1	5	20.82	20.73	20.76	21.50
	64QAM	3	0	20.18	20.08	20.06	21.50
		3	2	20.12	20.07	20.04	21.50
		3	3	20.08	20.13	20.02	21.50
		6	0	20.11	20.07	20.14	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	
bandwidth	iviodulation	RD SIZE	KD Ollset	20415	20525	20635	Tune up
		1	0	20.74	20.72	20.88	21.50
		1	7	20.98	20.53	20.87	21.50
		1	14	20.95	20.47	20.65	21.50
	QPSK	8	0	20.74	20.71	20.85	21.50
		8	4	20.88	20.50	20.83	21.50
		8	7	21.11	20.50	20.72	21.50
		15	0	20.91	20.50	20.83	21.50
		1	0	20.83	20.73	20.86	21.50
		1	7	21.02	20.55	20.88	21.50
		1	14	20.98	20.50	20.67	21.50
3MHz	16QAM	8	0	20.79	20.63	20.74	21.50
		8	4	20.89	20.49	20.75	21.50
		8	7	20.83	20.38	20.69	21.50
		15	0	20.82	20.43	20.74	21.50
		1	0	20.85	20.67	20.82	21.50
		1	7	20.74	20.64	20.70	21.50
		1	14	20.82	20.45	20.78	21.50
	64QAM	8	0	20.18	20.08	20.10	21.50
		8	4	20.11	20.07	20.04	21.50
		8	7	20.08	20.12	20.03	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 225 of 493 Page

Dandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tuna
Bandwidth	Modulation	KB SIZE	RB offset	20425	20525	20625	Tune up
		1	0	20.86	20.88	20.94	21.50
		1	13	21.09	20.53	20.93	21.50
		1	24	21.03	20.31	20.71	21.50
	QPSK	12	0	21.06	20.70	20.93	21.50
		12	6	21.11	20.57	20.88	21.50
		12	13	21.16	20.44	20.76	21.50
		25	0	21.04	20.43	20.82	21.50
		1	0	21.03	20.84	20.94	21.50
		1	13	21.31	20.55	20.97	21.50
		1	24	21.23	20.35	20.77	21.50
5MHz	16QAM	12	0	20.97	20.63	20.93	21.50
		12	6	21.02	20.49	20.86	21.50
		12	13	21.08	20.37	20.75	21.50
		25	0	20.96	20.30	20.75	21.50
		1	0	21.02	20.88	21.03	21.50
		1	13	20.95	20.87	20.87	21.50
		1	24	21.04	20.96	20.95	21.50
	64QAM	12	0	20.39	20.29	20.27	21.50
		12	6	20.32	20.25	20.25	21.50
		12	13	20.25	20.32	20.21	21.50
		25	0	20.32	20.31	20.35	21.50
Dan duvidala	Madulation	DD a:	DD affact	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	20450	20525	20600	Tune up
		1	0	21.46	21.12	20.76	21.50
		1	25	21.48	21.11	21.38	21.50
		1	49	21.15	20.69	21.05	21.50
				24.02	20.04	20.57	21.50
	QPSK	25	0	21.03	20.81	_0.0.	21.00
	QPSK	25 25	13	21.03	20.40	20.75	21.50
	QPSK					+	
	QPSK	25	13	21.01	20.40	20.75	21.50
	QPSK	25 25	13 25	21.01 20.80	20.40 20.36	20.75 20.77	21.50 21.50
	QPSK	25 25 50	13 25 0	21.01 20.80 20.95	20.40 20.36 20.39	20.75 20.77 20.83	21.50 21.50 21.50
	QPSK	25 25 50 1	13 25 0 0	21.01 20.80 20.95 21.22	20.40 20.36 20.39 21.20	20.75 20.77 20.83 20.63	21.50 21.50 21.50 21.50
10MHz	QPSK 16QAM	25 25 50 1	13 25 0 0 25	21.01 20.80 20.95 21.22 21.45	20.40 20.36 20.39 21.20 21.22	20.75 20.77 20.83 20.63 21.30	21.50 21.50 21.50 21.50 21.50
10MHz		25 25 50 1 1	13 25 0 0 25 49	21.01 20.80 20.95 21.22 21.45 21.25	20.40 20.36 20.39 21.20 21.22 20.83	20.75 20.77 20.83 20.63 21.30 21.01	21.50 21.50 21.50 21.50 21.50 21.50
10MHz		25 25 50 1 1 1 25	13 25 0 0 0 25 49	21.01 20.80 20.95 21.22 21.45 21.25 21.04	20.40 20.36 20.39 21.20 21.22 20.83 20.73	20.75 20.77 20.83 20.63 21.30 21.01 20.49	21.50 21.50 21.50 21.50 21.50 21.50 21.50
10MHz		25 25 50 1 1 1 25 25	13 25 0 0 25 49 0	21.01 20.80 20.95 21.22 21.45 21.25 21.04 20.91	20.40 20.36 20.39 21.20 21.22 20.83 20.73 20.33	20.75 20.77 20.83 20.63 21.30 21.01 20.49 20.67	21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50
10MHz		25 25 50 1 1 1 25 25 25	13 25 0 0 25 49 0 13 25	21.01 20.80 20.95 21.22 21.45 21.25 21.04 20.91 20.71	20.40 20.36 20.39 21.20 21.22 20.83 20.73 20.33 20.30	20.75 20.77 20.83 20.63 21.30 21.01 20.49 20.67 20.68	21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50
10MHz		25 25 50 1 1 1 25 25 25 25	13 25 0 0 25 49 0 13 25 0	21.01 20.80 20.95 21.22 21.45 21.25 21.04 20.91 20.71 20.86	20.40 20.36 20.39 21.20 21.22 20.83 20.73 20.33 20.30 20.32	20.75 20.77 20.83 20.63 21.30 21.01 20.49 20.67 20.68 20.75	21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50
10MHz		25 25 50 1 1 1 25 25 25 25 50	13 25 0 0 25 49 0 13 25 0	21.01 20.80 20.95 21.22 21.45 21.25 21.04 20.91 20.71 20.86 21.02	20.40 20.36 20.39 21.20 21.22 20.83 20.73 20.33 20.30 20.32 20.78	20.75 20.77 20.83 20.63 21.30 21.01 20.49 20.67 20.68 20.75 20.93	21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50
10MHz		25 25 50 1 1 1 25 25 25 50 1	13 25 0 0 25 49 0 13 25 0 0	21.01 20.80 20.95 21.22 21.45 21.25 21.04 20.91 20.71 20.86 21.02 20.85	20.40 20.36 20.39 21.20 21.22 20.83 20.73 20.33 20.30 20.32 20.78 20.75	20.75 20.77 20.83 20.63 21.30 21.01 20.49 20.67 20.68 20.75 20.93 20.81	21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50
10MHz	16QAM	25 25 50 1 1 1 25 25 25 50 1 1	13 25 0 0 25 49 0 13 25 0 0 0 25 49	21.01 20.80 20.95 21.22 21.45 21.25 21.04 20.91 20.71 20.86 21.02 20.85 20.93	20.40 20.36 20.39 21.20 21.22 20.83 20.73 20.33 20.30 20.32 20.78 20.75 20.86	20.75 20.77 20.83 20.63 21.30 21.01 20.49 20.67 20.68 20.75 20.93 20.81 20.89	21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50
10MHz	16QAM	25 25 50 1 1 1 25 25 25 50 1 1 1 25	13 25 0 0 25 49 0 13 25 0 0 25 49 0	21.01 20.80 20.95 21.22 21.45 21.25 21.04 20.91 20.71 20.86 21.02 20.85 20.93 20.29	20.40 20.36 20.39 21.20 21.22 20.83 20.73 20.30 20.32 20.78 20.75 20.86 20.19	20.75 20.77 20.83 20.63 21.30 21.01 20.49 20.67 20.68 20.75 20.93 20.81 20.89 20.17	21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 226 of 493 Page

LTE Band 5 B	ody-worn simulta 5G WIFI	neously tran	smit with		Conducted	Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	KD SIZE	KD Ollset	20407	20525	20643	Tune up
		1	0	19.54	19.11	19.50	20.00
		1	2	19.65	19.05	19.53	20.00
		1	5	19.65	19.03	19.39	20.00
	QPSK	3	0	19.39	19.08	19.58	20.00
		3	2	19.49	19.07	19.52	20.00
		3	3	19.48	19.02	19.47	20.00
		6	0	19.37	19.14	19.47	20.00
		1	0	19.44	19.28	19.61	20.00
		1	2	19.58	19.23	19.67	20.00
		1	5	19.60	19.21	19.53	20.00
1.4MHz	16QAM	3	0	19.21	19.20	19.62	20.00
		3	2	19.45	19.12	19.56	20.00
		3	3	19.46	19.15	19.54	20.00
		6	0	19.40	19.04	19.47	20.00
		1	0	19.29	19.12	19.30	20.00
		1	2	19.52	19.07	19.28	20.00
		1	5	19.53	19.13	19.26	20.00
	64QAM	3	0	19.06	18.96	18.94	20.00
		3	2	18.99	18.94	18.91	20.00
		3	3	18.96	19.01	18.95	20.00
		6	0	18.98	18.98	19.03	20.00
Danish dida	Marakaladian	DD -:	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	20415	20525	20635	Tune up
		1	0	19.42	19.30	19.49	20.00
		1	7	19.65	19.11	19.48	20.00
		1	14	19.62	19.04	19.30	20.00
	QPSK	8	0	19.41	19.48	19.40	20.00
		8	4	19.54	19.09	19.44	20.00
		8	7	19.60	19.24	19.30	20.00
		15	0	19.47	19.10	19.44	20.00
		1	0	19.43	19.17	19.43	20.00
		1	7	19.67	18.99	19.46	20.00
		1	14	19.62	19.25	19.30	20.00
3MHz	16QAM	8	0	19.41	19.23	19.37	20.00
		8	4	19.50	19.11	19.39	20.00
		8	7	19.47	18.99	19.40	20.00
		15	0	19.35	19.04	19.39	20.00
Ī		1	0	19.34	19.23	19.35	20.00
		1	7	19.57	19.17	19.33	20.00
		1	14	19.55	19.18	19.31	20.00
	64QAM	8	0	19.11	19.01	18.99	20.00
		8	4	19.04	18.99	18.95	20.00
		8	7	19.01	19.05	18.95	20.00
		15	0	19.03	19.03	19.05	20.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 227 of 493 Page

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungur
bandwidth	iviodulation	RD SIZE	RB ollset	20425	20525	20625	Tune up
		1	0	19.51	19.50	19.52	20.00
		1	13	19.70	19.14	19.50	20.00
		1	24	19.67	18.81	19.32	20.00
	QPSK	12	0	19.61	19.32	19.56	20.00
		12	6	19.72	19.16	19.50	20.00
		12	13	19.77	19.03	19.37	20.00
		25	0	19.64	19.01	19.43	20.00
		1	0	19.62	19.46	19.55	20.00
		1	13	19.84	19.14	19.54	20.00
		1	24	19.80	18.78	19.38	20.00
5MHz	16QAM	12	0	19.57	19.26	19.48	20.00
		12	6	19.59	19.10	19.41	20.00
		12	13	19.67	18.97	19.30	20.00
		25	0	19.57	18.98	19.35	20.00
		1	0	19.61	19.37	19.52	20.00
		1	13	19.45	19.34	19.43	20.00
		1	24	19.52	19.45	19.48	20.00
	64QAM	12	0	18.91	18.79	18.76	20.00
		12	6	18.83	18.76	18.74	20.00
		12	13	18.78	18.82	18.78	20.00
		25	0	18.81	18.84	18.85	20.00
		55.	55 "	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	20450	20525	20600	Tune up
		1	0	19.78	19.76	19.40	20.00
		1	25	19.96	19.64	19.88	20.00
		1	49	19.69	19.23	19.81	20.00
	QPSK	25	0	19.64	19.46	19.08	20.00
		25	13	19.62	19.04	19.40	20.00
		25	25	19.43	18.99	19.42	20.00
							00.00
		50	0	19.60	19.02	19.50	20.00
		50	0	19.60 19.85	19.02 19.76	19.50 19.36	20.00
				19.85	19.76	19.36	
		1	0		19.76 19.73		20.00
10MHz	16QAM	1	0 25	19.85 19.97	19.76	19.36 19.90	20.00 20.00
10MHz	16QAM	1 1 1	0 25 49	19.85 19.97 19.89	19.76 19.73 19.36	19.36 19.90 19.78	20.00 20.00 20.00
10MHz	16QAM	1 1 1 25	0 25 49 0	19.85 19.97 19.89 19.66	19.76 19.73 19.36 19.37	19.36 19.90 19.78 18.98	20.00 20.00 20.00 20.00
10MHz	16QAM	1 1 1 25 25	0 25 49 0 13	19.85 19.97 19.89 19.66 19.52 19.33	19.76 19.73 19.36 19.37 18.95	19.36 19.90 19.78 18.98 19.31 19.32	20.00 20.00 20.00 20.00 20.00
10MHz	16QAM	1 1 1 25 25 25	0 25 49 0 13 25 0	19.85 19.97 19.89 19.66 19.52 19.33 19.50	19.76 19.73 19.36 19.37 18.95 18.91 18.94	19.36 19.90 19.78 18.98 19.31 19.32 19.43	20.00 20.00 20.00 20.00 20.00 20.00 20.00
10MHz	16QAM	1 1 1 25 25 25 25 50	0 25 49 0 13 25 0	19.85 19.97 19.89 19.66 19.52 19.33 19.50	19.76 19.73 19.36 19.37 18.95 18.91 18.94 19.48	19.36 19.90 19.78 18.98 19.31 19.32 19.43 19.63	20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00
10MHz	16QAM	1 1 1 25 25 25 25 50	0 25 49 0 13 25 0 0	19.85 19.97 19.89 19.66 19.52 19.33 19.50 19.72 19.55	19.76 19.73 19.36 19.37 18.95 18.91 18.94 19.48	19.36 19.90 19.78 18.98 19.31 19.32 19.43 19.63 19.51	20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00
10MHz		1 1 25 25 25 25 50 1 1	0 25 49 0 13 25 0 0 25 49	19.85 19.97 19.89 19.66 19.52 19.33 19.50 19.72 19.55 19.63	19.76 19.73 19.36 19.37 18.95 18.91 18.94 19.48 19.45	19.36 19.90 19.78 18.98 19.31 19.32 19.43 19.63 19.51 19.59	20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00
10MHz	16QAM 64QAM	1 1 25 25 25 50 1 1 1 25	0 25 49 0 13 25 0 0 25 49	19.85 19.97 19.89 19.66 19.52 19.33 19.50 19.72 19.55 19.63 19.02	19.76 19.73 19.36 19.37 18.95 18.91 18.94 19.48 19.45 19.56 18.89	19.36 19.90 19.78 18.98 19.31 19.32 19.43 19.63 19.51 19.59 18.87	20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00
10MHz		1 1 25 25 25 25 50 1 1	0 25 49 0 13 25 0 0 25 49	19.85 19.97 19.89 19.66 19.52 19.33 19.50 19.72 19.55 19.63	19.76 19.73 19.36 19.37 18.95 18.91 18.94 19.48 19.45	19.36 19.90 19.78 18.98 19.31 19.32 19.43 19.63 19.51 19.59	20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 228 of 493 Page

LTE Band 5	5 Left Head simu with 2.4G V		ransmit		Conducted P	ower(dBm)	
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
		112 0120	offset	20407	20525	20643	·
		1	0	15.44	15.21	14.76	16.50
		1	2	15.98	15.12	15.34	16.50
		1	5	15.20	14.62	15.30	16.50
	QPSK	3	0	15.09	14.83	14.57	16.50
		3	2	15.13	14.15	14.82	16.50
		3	3	14.92	14.28	14.87	16.50
		6	0	15.04	14.11	14.94	16.50
		1	0	15.63	15.65	15.11	16.50
		1	2	16.12	15.53	15.54	16.50
		1	5	15.33	14.90	15.68	16.50
1.4MHz	16QAM	3	0	15.15	14.55	14.52	16.50
		3	2	15.04	14.22	14.80	16.50
		3	3	14.80	14.38	14.82	16.50
		6	0	15.02	14.37	14.92	16.50
		1	0	15.62	15.37	14.92	16.50
		1	2	16.15	15.36	15.54	16.50
		1	5	15.36	14.77	15.48	16.50
	64QAM	3	0	15.20	14.81	14.64	16.50
	·	3	2	15.10	14.45	14.80	16.50
		3	3	14.86	14.24	14.89	16.50
		6	0	15.04	14.24	14.93	16.50
			RB	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	offset	20415	20525	20635	Tune up
		1	0	15.52	15.31	14.83	16.50
		1	7	16.07	15.18	15.42	16.50
		1	14	15.27	14.68	15.37	16.50
	QPSK	8	0	15.19	14.89	14.65	16.50
		8	4	15.23	14.21	14.87	16.50
		8	7	14.99	14.37	14.94	16.50
		15	0	15.12	14.19	15.01	16.50
		1	0	15.69	15.73	15.20	16.50
		1	7	16.17	15.62	15.63	16.50
		1	14	15.39	14.99	15.74	16.50
3MHz	16QAM	8	0	15.21	14.63	14.61	16.50
OMITIZ	10071111	8	4	15.11	14.27	14.89	16.50
		8	7	14.87	14.44	14.87	16.50
		15	0	15.11	14.44	14.97	16.50
		1	0	15.72	15.46	15.01	16.50
		1	7	16.20	15.43	15.60	16.50
		-		15.44	1	15.53	
	6404	1	14		14.87		16.50
	64QAM	8	0	15.26	14.91	14.74	16.50
		8	4	15.16	14.52	14.90	16.50
		8	7	14.95	14.30	14.97	16.50
		15	0	15.14	14.34	15.00	16.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 229 of 493 Page

Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
Danuwium	iviodulation	KD Size	offset	20425	20525	20625	Turie up
		1	0	15.60	15.38	14.90	16.50
		1	13	16.13	15.28	15.50	16.50
		1	24	15.36	14.75	15.45	16.50
	QPSK	12	0	15.29	14.96	14.73	16.50
		12	6	15.28	14.27	14.93	16.50
		12	13	15.07	14.43	15.03	16.50
		25	0	15.18	14.28	15.08	16.50
		1	0	15.78	15.79	15.29	16.50
		1	13	16.27	15.69	15.71	16.50
		1	24	15.44	15.07	15.82	16.50
5MHz	16QAM	12	0	15.28	14.71	14.71	16.50
		12	6	15.16	14.33	14.95	16.50
		12	13	14.95	14.49	14.92	16.50
		25	0	15.18	14.53	15.06	16.50
		1	0	15.82	15.55	15.06	16.50
		1	13	16.26	15.52	15.68	16.50
		1	24	15.50	14.97	15.61	16.50
	64QAM	12	0	15.34	14.97	14.79	16.50
7 04		12	6	15.21	14.60	14.95	16.50
		12	13	15.00	14.36	15.06	16.50
		25	0	15.21	14.44	15.09	16.50
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tungur
Danuwium	Modulation	KD SIZE	offset	20450	20525	20600	Tune up
		1	0	15.68	15.45	14.99	16.50
		1	25	16.22	15.34	15.59	16.50
		1	49	15.42	14.84	15.54	16.50
	QPSK	25	0	15.35	15.02	14.81	16.50
		25	13	15.36	14.37	15.03	16.50
		25	7	15.16	14.53	15.09	16.50
		25	25	15.10	1 1.00		
		50	0	15.16	14.36	15.13	16.50
							_
		50	0	15.26	14.36	15.13	16.50
		50 1	0	15.26 15.86	14.36 15.85	15.13 15.35	16.50 16.50
10MHz	16QAM	50 1 1	0 0 25	15.26 15.86 16.37	14.36 15.85 15.76	15.13 15.35 15.78	16.50 16.50 16.50
10MHz	16QAM	50 1 1 1	0 0 25 49	15.26 15.86 16.37 15.52	14.36 15.85 15.76 15.14	15.13 15.35 15.78 15.90	16.50 16.50 16.50 16.50
10MHz	16QAM	50 1 1 1 1 25	0 0 25 49 0	15.26 15.86 16.37 15.52 15.35	14.36 15.85 15.76 15.14 14.8	15.13 15.35 15.78 15.90 14.80	16.50 16.50 16.50 16.50
10MHz	16QAM	50 1 1 1 1 25 25	0 0 25 49 0 13	15.26 15.86 16.37 15.52 15.35	14.36 15.85 15.76 15.14 14.8 14.39	15.13 15.35 15.78 15.90 14.80 15.01	16.50 16.50 16.50 16.50 16.50
10MHz	16QAM	50 1 1 1 1 25 25 25	0 0 25 49 0 13 25	15.26 15.86 16.37 15.52 15.35 15.25 15.04	14.36 15.85 15.76 15.14 14.8 14.39 14.55	15.13 15.35 15.78 15.90 14.80 15.01 14.97	16.50 16.50 16.50 16.50 16.50 16.50
10MHz	16QAM	50 1 1 1 25 25 25 25 50	0 0 25 49 0 13 25 0	15.26 15.86 16.37 15.52 15.35 15.25 15.04 15.24	14.36 15.85 15.76 15.14 14.8 14.39 14.55 14.59	15.13 15.35 15.78 15.90 14.80 15.01 14.97	16.50 16.50 16.50 16.50 16.50 16.50 16.50
10MHz	16QAM	50 1 1 1 25 25 25 25 50	0 0 25 49 0 13 25 0	15.26 15.86 16.37 15.52 15.35 15.25 15.04 15.24 15.89	14.36 15.85 15.76 15.14 14.8 14.39 14.55 14.59 15.61	15.13 15.35 15.78 15.90 14.80 15.01 14.97 15.12 15.13	16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50
10MHz	16QAM 64QAM	50 1 1 1 25 25 25 25 50 1	0 0 25 49 0 13 25 0 0	15.26 15.86 16.37 15.52 15.35 15.25 15.04 15.24 15.89 16.33	14.36 15.85 15.76 15.14 14.8 14.39 14.55 14.59 15.61	15.13 15.35 15.78 15.90 14.80 15.01 14.97 15.12 15.13 15.74	16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50
10MHz		50 1 1 1 25 25 25 50 1 1	0 0 25 49 0 13 25 0 0 25 49	15.26 15.86 16.37 15.52 15.35 15.25 15.04 15.24 15.89 16.33 15.57	14.36 15.85 15.76 15.14 14.8 14.39 14.55 14.59 15.61 15.61	15.13 15.35 15.78 15.90 14.80 15.01 14.97 15.12 15.13 15.74 15.67	16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50
10MHz		50 1 1 1 25 25 25 50 1 1 1 25	0 0 25 49 0 13 25 0 0 25 49	15.26 15.86 16.37 15.52 15.35 15.25 15.04 15.24 15.89 16.33 15.57	14.36 15.85 15.76 15.14 14.8 14.39 14.55 14.59 15.61 15.61 15.06	15.13 15.35 15.78 15.90 14.80 15.01 14.97 15.12 15.13 15.74 15.67 14.84	16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 230 of 493 Page

LTE Band	5 Left Head sim		transmit	Conducted Power(dBm)					
Bandwidth	Modulation	RB size	RB offset	Channel 20407	Channel 20525	Channel 20643	Tune up		
		1	0	14.62	14.07	13.54	15.00		
		1	2	14.74	14.07	14.12	15.00		
		1	5	14.50	13.46	14.26	15.00		
	QPSK	3	0	14.52	13.49	13.26	15.00		
	Q. O.	3	2	14.36	12.96	13.43	15.00		
		3	3	14.02	12.82	13.52	15.00		
		6	0	14.24	13.07	13.44	15.00		
		1	0	14.58	14.06	13.44	15.00		
		1	2	14.79	14.04	14.02	15.00		
		1	5	14.44	13.36	14.17	15.00		
1.4MHz	16QAM	3	0	14.50	13.41	13.30	15.00		
		3	2	14.37	13.01	13.36	15.00		
		3	3	14.01	12.74	13.49	15.00		
		6	0	14.18	13.00	13.35	15.00		
		1	0	14.54	14.03	13.39	15.00		
		1	2	14.77	13.97	14.06	15.00		
		1	5	14.43	13.36	14.19	15.00		
	64QAM	3	0	14.42	13.43	13.23	15.00		
		3	2	14.27	12.94	13.35	15.00		
			3	13.97	12.72	13.42	15.00		
		6	0	14.13	12.88	13.35	15.00		
			DD (()	Channel	Channel	Channel	-		
Bandwidth	Modulation	RB size	RB offset	20415	20525	20635	Tune up		
		1	0	14.72	14.15	13.63	15.00		
		1	7	14.83	14.16	14.22	15.00		
		1	14	14.59	13.52	14.32	15.00		
	QPSK	8	0	14.60	13.57	13.34	15.00		
		8	4	14.43	13.05	13.50	15.00		
		8	7	14.08	12.89	13.57	15.00		
		15	0	14.32	13.14	13.49	15.00		
		1	0	14.65	14.11	13.50	15.00		
		1	7	14.85	14.12	14.11	15.00		
		1	14	14.54	13.44	14.26	15.00		
3MHz	16QAM	8	0	14.57	13.50	13.37	15.00		
		8	4	14.46	13.07	13.45	15.00		
		8	7	14.08	12.82	13.55	15.00		
		15	0	14.27	13.06	13.45	15.00		
		1	0	14.64	14.11	13.48	15.00		
		1	7	14.82	14.06	14.14	15.00		
		1	14	14.50	13.45	14.26	15.00		
	64QAM	8	0	14.51	13.49	13.33	15.00		
		8	4	14.37	13.00	13.44	15.00		
		8	7	14.05	12.79	13.48	15.00		
		15	0	14.21	12.97	13.40	15.00		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Rev : 01

: 231 of 493 Page

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Bandwidth	Modulation	ND SIZE	KB oliset	20425	20525	20625	rune up
		1	0	14.8	14.22	13.71	15.00
		1	13	14.89	14.24	14.28	15.00
		1	24	14.64	13.62	14.41	15.00
	QPSK	12	0	14.66	13.64	13.44	15.00
		12	6	14.48	13.14	13.55	15.00
		12	13	14.15	12.98	13.64	15.00
		25	0	14.40	13.20	13.55	15.00
		1	0	14.72	14.20	13.60	15.00
		1	13	14.93	14.17	14.20	15.00
		1	24	14.61	13.54	14.34	15.00
5MHz	16QAM	12	0	14.67	13.60	13.44	15.00
		12	6	14.51	13.16	13.51	15.00
		12	13	14.15	12.92	13.63	15.00
		25	0	14.37	13.15	13.51	15.00
		1	0	14.71	14.17	13.57	15.00
		1	13	14.91	14.13	14.20	15.00
		1	24	14.56	13.54	14.34	15.00
	64QAM	12	0	14.60	13.56	13.41	15.00
		12	6	14.45	13.09	13.50	15.00
		12	13	14.13	12.87	13.56	15.00
		25	0	14.30	13.06	13.49	15.00
N		DD -:	DD -#	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	20450	20525	20600	Tune up
		1	0	14.85	14.30	13.76	15.00
		1	25	14.98	14.29	14.34	15.00
		1	49	14.73	13.68	14.48	15.00
	QPSK	25	0	14.72	13.73	13.53	15.00
		25	13	14.58	13.23	13.61	15.00
		25	25	14.25	13.05	13.71	15.00
		50	0	14.49	13.25	13.6	15.00
		1	0	14.82	14.27	13.70	15.00
		1	25	14.99	14.26	14.30	15.00
		1	49	14.68	13.63	14.43	15.00
10MHz	16QAM	25	0	14.74	13.69	13.53	15.00
		25	13	14.58	13.23	13.58	15.00
		25	25	14.21	13.00	13.69	15.00
		50	0	14.44	13.23	13.60	15.00
		1	0	14.80	14.23	13.67	15.00
		1	25	14.96	14.21	14.27	15.00
		1	49	14.63	13.61	14.41	15.00
	1	25	0	14.67	13.65	13.47	15.00
	64QAM	20		i e		1	
	64QAM	25		14.51	13.16	13.55	15.00
	64QAM		13 25	14.51 14.18	13.16 12.97	13.55 13.64	15.00 15.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 232 of 493 Page

LTE Band 5	Right Head sin		ly transmit		Conducted F	Power(dBm)	Conducted Power(dBm)					
				Channel	Channel	Channel						
Bandwidth	Modulation	RB size	RB offset	20407	20525	20643	Tune up					
		1	0	15.44	15.41	14.94	16.00					
		1	2	15.64	15.35	15.54	16.00					
		1	5	15.25	14.88	15.54	16.00					
	QPSK	3	0	15.19	14.82	14.62	16.00					
	G. 5.1	3	2	15.03	14.43	14.82	16.00					
		3	3	14.89	14.41	14.86	16.00					
		6	0	15.02	14.41	14.99	16.00					
		1	0	15.40	15.39	14.92	16.00					
		1	2	15.6	15.30	15.58	16.00					
		1	5	15.27	14.80	15.55	16.00					
1.4MHz	16QAM	3	0	15.16	14.83	14.59	16.00					
		3	2	15.00	14.43	14.79	16.00					
		3	3	14.78	14.29	14.94	16.00					
		6	0	15.02	14.40	14.92	16.00					
		1	0	15.39	15.31	14.88	16.00					
		1	2	15.52	15.21	15.46	16.00					
		1	5	15.16	14.79	15.46	16.00					
	64QAM	3	0	15.14	14.75	14.50	16.00					
	O TQ/ (IV)	3	2	14.96	14.37	14.72	16.00					
			3	3	14.80	14.30	14.83	16.00				
		6	0	14.97	14.33	14.87	16.00					
				Channel	Channel	Channel						
Bandwidth	Modulation	RB size	RB offset	20415	20525	20635	Tune up					
		1	0	15.50	15.46	15.03	16.00					
		1	7	15.72	15.44	15.61	16.00					
		1	14	15.33	14.97	15.61	16.00					
	QPSK	8	0	15.25	14.90	14.71	16.00					
	<u> </u>	8	4	15.11	14.51	14.90	16.00					
		8	7	14.95	14.46	14.95	16.00					
		15	0	15.09	14.47	15.08	16.00					
		1	0	15.47	15.46	14.99	16.00					
		1	7	15.69	15.38	15.63	16.00					
		1	14	15.33	14.87	15.62	16.00					
3MHz	16QAM	8	0	15.25	14.89	14.66	16.00					
		8	4	15.09	14.49	14.87	16.00					
		8	7	14.87	14.38	15.01	16.00					
		15	0	15.11	14.45	14.98	16.00					
		1	0	15.48	15.39	14.96	16.00					
		1	7	15.58	15.30	15.54	16.00					
		1	14	15.26	14.86	15.54	16.00					
	64QAM	8	0	15.20	14.84	14.58	16.00					
	O-TQ/ \ivi	8	4	15.04	14.45	14.82	16.00					
					17.70	17.04						
		8	7	14.87	14.37	14.90	16.00					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 233 of 493

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danuwiath	Modulation	KD SIZE	KD Ollset	20425	20525	20625	i une up
		1	0	15.59	15.51	15.13	16.00
		1	13	15.82	15.5	15.68	16.00
		1	24	15.42	15.06	15.66	16.00
	QPSK	12	0	15.34	15.00	14.77	16.00
		12	6	15.21	14.57	15.00	16.00
		12	13	15.02	14.52	15.05	16.00
		25	0	15.18	14.54	15.13	16.00
		1	0	15.56	15.53	15.08	16.00
		1	13	15.75	15.43	15.69	16.00
		1	24	15.40	14.97	15.69	16.00
5MHz	16QAM	12	0	15.34	14.98	14.74	16.00
		12	6	15.18	14.56	14.97	16.00
		12	13	14.96	14.46	15.07	16.00
		25	0	15.18	14.52	15.04	16.00
		1	0	15.56	15.46	15.05	16.00
		1	13	15.67	15.39	15.59	16.00
		1	24	15.35	14.95	15.60	16.00
	64QAM	12	0	15.26	14.93	14.67	16.00
		12	6	15.12	14.50	14.89	16.00
		12	13	14.93	14.45	14.99	16.00
		25	0	15.12	14.50	15.04	16.00
Donaliui déh	Madulation	DD oizo	DD offeet	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RB size	RB offset	20450	20525	20600	Tune up
		1	0	15.67	15.59	15.21	16.00
		1	25	15.87	15.57	15.75	16.00
		1	49	15.49	15.12	15.75	16.00
	QPSK	25	0	15.43	15.06	14.82	16.00
		25	13	15.27	14.66	15.06	16.00
		25	25	15.09	14.57	15.13	16.00
		50	0	15.28	14.64	15.18	16.00
		1	0	15.65	15.61	15.18	16.00
		1	25	15.82	15.50	15.75	16.00
		1	49	15.48	15.05	15.74	16.00
10MHz	16QAM	25	0	15.40	15.04	14.80	16.00
	A	25	13	15.24	14.63	15.04	16.00
		25	25	15.05	14.54	15.14	16.00
		50	0	15.24	14.59	15.11	16.00
			0	15.61	15.54	15.12	16.00
		1					16.00
		1	25	15.77	15.47	15.69	10.00
				15.77 15.43	15.47 15.03	15.69 15.69	16.00
	64QAM	1	25		+		
	64QAM	1	25 49	15.43	15.03	15.69	16.00
	64QAM	1 1 25	25 49 0	15.43 15.33	15.03 14.98	15.69 14.76	16.00 16.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 234 of 493 Page

LTE Band 5	Right Head sin with 5G V		ly transmit		Conducted F	Power(dBm)		
Bandwidth	Modulation	RB size	RB offset	Channel 20407	Channel 20525	Channel 20643	Tune up	
		1	0	14.20	14.17	13.68	14.50	
		1	2		1	14.24		
				14.26	14.21		14.50	
	ODCK	1	5	14.31	13.48	14.04	14.50	
	QPSK	3	0	14.01	13.49	13.29	14.50	
		3	2	13.62	12.84	13.41	14.50	
		3	3	13.32	12.80	13.60	14.50	
		6	0	13.79	13.13	13.35	14.50	
		1	0	14.11	14.20	13.70	14.50	
		1	2	14.29	14.08	14.23	14.50	
		1	5	14.20	13.41	14.06	14.50	
1.4MHz	16QAM	3	0	13.95	13.56	13.28	14.50	
		3	2	13.59	12.83	13.32	14.50	
		3	3	13.29	12.82	13.58	14.50	
		6	0	13.79	13.03	13.29	14.50	
		1	0	14.13	14.09	13.58	14.50	
		1	2	14.18	14.08	14.27	14.50	
		1	5	14.15	13.36	14.03	14.50	
64QAM	64QAM	3	0	13.98	13.46	13.19	14.50	
	3	2	13.54	12.81	13.29	14.50		
			3	3	13.28	12.77	13.53	14.50
		6	0	13.74	13.00	13.28	14.50	
ما المارية المارية المارية المارية المارية المارية المارية المارية المارية المارية المارية المارية ا	NA - ded - di	DD -:	DD -#+	Channel	Channel	Channel	т	
Bandwidth	Modulation	RB size	RB offset	20415	20525	20635	Tune up	
		1	0	14.29	14.25	13.73	14.50	
		1	7	14.34	14.29	14.30	14.50	
		1	14	14.37	13.57	14.13	14.50	
	QPSK	8	0	14.09	13.58	13.35	14.50	
		8	4	13.72	12.91	13.48	14.50	
		8	7	13.40	12.88	13.67	14.50	
		15	0	13.87	13.19	13.42	14.50	
		1	0	14.18	14.28	13.75	14.50	
		1	7	14.36	14.18	14.32	14.50	
		1	14	14.28	13.50	14.12	14.50	
3MHz	16QAM	8	0	14.02	13.61	13.33	14.50	
VIII.	100,	8	4	13.65	12.88	13.41	14.50	
		8	7	13.37	12.91	13.63	14.50	
		15	0	13.84	13.12	13.37	14.50	
		1	0	14.23	14.19	13.66	14.50	
		1	7	14.27	14.19	14.33	14.50	
		1	14					
	640014			14.22	13.45	14.11	14.50	
	64QAM	8	0	14.04	13.55	13.26	14.50	
		8	4	13.62	12.87	13.36	14.50	
		8	7	13.34	12.85	13.61	14.50	
		15	0	13.8	13.09	13.35	14.50	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 235 of 493

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tunguen
Danuwium	Modulation	VD SIZE	ND Ollset	20425	20525	20625	Tune up
		1	0	14.35	14.34	13.82	14.50
		1	13	14.40	14.35	14.38	14.50
		1	24	14.42	13.62	14.21	14.50
	QPSK	12	0	14.15	13.66	13.43	14.50
		12	6	13.79	13.00	13.54	14.50
		12	13	13.50	12.98	13.72	14.50
		25	0	13.94	13.25	13.51	14.50
		1	0	14.28	14.37	13.81	14.50
		1	13	14.42	14.28	14.39	14.50
		1	24	14.36	13.58	14.18	14.50
5MHz	16QAM	12	0	14.10	13.67	13.41	14.50
		12	6	13.75	12.97	13.48	14.50
		12	13	13.45	12.99	13.72	14.50
		25	0	13.92	13.21	13.46	14.50
		1	0	14.28	14.27	13.74	14.50
		1	13	14.36	14.23	14.40	14.50
		1	24	14.30	13.53	14.16	14.50
	64QAM	12	0	14.12	13.63	13.36	14.50
		12	6	13.71	12.93	13.43	14.50
		12	13	13.42	12.93	13.68	14.50
		25	0	13.86	13.15	13.45	14.50
S = - - - - - -	Mandadatina	DD -:	DD -#	Channel	Channel	Channel	т
Bandwidth	Modulation	ation RB size	RB offset	20450	20525	20600	Tune up
		1	0	14.42	14.43	13.89	14.50
		1	25	14.48	14.41	14.47	14.50
		1	49	14.47	13.70	14.30	14.50
	QPSK	25	0	14.23	13.75	13.50	14.50
		25	13	13.87	13.10	13.62	14.50
		25	25	13.57	13.07	13.82	14.50
		50	0	14.02	13.32	13.60	14.50
		1	0	14.36	14.42	13.87	14.50
		1	25	14.47	14.36	14.47	14.50
			49	14.45	13.65	14.28	14.50
		1	49	14.45	13.03		
10MHz	16QAM	25	0	14.49	13.75	13.48	14.50
10MHz	16QAM						14.50 14.50
10MHz	16QAM	25	0	14.19	13.75	13.48	
10MHz	16QAM	25 25	0 13	14.19 13.83	13.75 13.04	13.48 13.55	14.50
10MHz	16QAM	25 25 25	0 13 25	14.19 13.83 13.54	13.75 13.04 13.08	13.48 13.55 13.77	14.50 14.50
10MHz	16QAM	25 25 25 50	0 13 25 0	14.19 13.83 13.54 14.01	13.75 13.04 13.08 13.27	13.48 13.55 13.77 13.54	14.50 14.50 14.50
10MHz	16QAM	25 25 25 25 50 1	0 13 25 0	14.19 13.83 13.54 14.01 14.33	13.75 13.04 13.08 13.27 14.37	13.48 13.55 13.77 13.54 13.81	14.50 14.50 14.50 14.50
10MHz	16QAM 64QAM	25 25 25 50 1 1	0 13 25 0 0 25	14.19 13.83 13.54 14.01 14.33 14.45 14.39	13.75 13.04 13.08 13.27 14.37 14.31 13.63	13.48 13.55 13.77 13.54 13.81 14.48 14.22	14.50 14.50 14.50 14.50 14.50 14.50
10MHz		25 25 25 50 1 1 1 25	0 13 25 0 0 25 49	14.19 13.83 13.54 14.01 14.33 14.45 14.39 14.17	13.75 13.04 13.08 13.27 14.37 14.31 13.63 13.69	13.48 13.55 13.77 13.54 13.81 14.48 14.22 13.42	14.50 14.50 14.50 14.50 14.50 14.50 14.50
10MHz		25 25 25 50 1 1	0 13 25 0 0 25 49	14.19 13.83 13.54 14.01 14.33 14.45 14.39	13.75 13.04 13.08 13.27 14.37 14.31 13.63	13.48 13.55 13.77 13.54 13.81 14.48 14.22	14.50 14.50 14.50 14.50 14.50 14.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 236 of 493 Page

	LTE Band 7 full	oower			Conducted	Power(dBm)	
Pandwidth	Modulation	DD size	DD offeet	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RB size	RB offset	20775	21100	21425	Tune up
		1	0	16.04	16.02	16.14	17.00
		1	13	15.95	16.09	16.12	17.00
		1	24	16.01	16.06	16.12	17.00
E PO	QPSK	12	0	16.10	16.13	16.13	17.00
		12	6	15.76	16.03	16.10	17.00
		12	13	16.08	16.08	16.10	17.00
		25	0	15.71	16.05	16.05	17.00
		1	0	16.36	16.33	16.41	17.00
		1	13	16.25	16.42	16.49	17.00
		1	24	16.32	16.43	16.41	17.00
5MHz	16QAM	12	0	16.03	16.07	16.06	17.00
		12	6	15.93	16.04	16.03	17.00
		12	13	15.97	16.05	16.10	17.00
		25	0	15.84	16.03	16.01	17.00
		1	0	16.25	16.28	16.22	17.00
		1	13	16.32	15.72	15.81	17.00
		1	24	16.42	16.27	16.37	17.00
	64QAM	12	0	16.24	16.17	16.11	17.00
		12	6	16.09	16.07	16.09	17.00
		12	13	16.19	16.08	16.11	17.00
		25	0	16.17	16.18	16.08	17.00
Don dwidth	Madulation	DD size	DD offeet	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RB size	RB offset	20800	21100	21400	Tune up
		1	0	15.81	15.99	16.07	17.00
		1	25	16.05	15.74	15.30	17.00
		1	49	15.93	16.10	16.13	17.00
	QPSK	25	0	16.04	16.05	16.14	17.00
		25	13	15.88	16.05	16.10	17.00
		25	25	16.07	16.06	16.12	17.00
		50	0	16.06	16.08	16.09	17.00
		1	0	16.27	16.29	16.48	17.00
		1	25	16.34	15.89	15.64	17.00
40141		1	49	16.21	16.32	16.42	17.00
10MHz	16QAM	25	0	15.79	15.99	16.04	17.00
		25	13	15.96	16.08	16.05	17.00
		25	25	16.04	16.02	16.06	17.00
		50	0	16.00	16.02	16.04	17.00
		1	0	16.25	16.26	16.21	17.00
		1	25	16.31	15.70	15.81	17.00
	0.40	1	49	16.37	16.27	16.37	17.00
	64QAM	25	0	16.21	16.17	16.12	17.00
		25	13	16.05	16.07	16.07	17.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 237 of 493 Page

		50	0	16.17	16.20	16.09	17.00
Donalissialth	Madulatian	DD size	RB offset	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	20825	21100	21375	Tune up
		1	0	15.85	15.94	16.02	17.00
		1	38	16.09	16.07	16.13	17.00
		1	74	16.08	16.06	16.09	17.00
	QPSK	36	0	16.08	16.04	16.12	17.00
		36	18	15.98	16.09	16.14	17.00
	A	36	39	16.00	16.12	16.15	17.00
		75	0	16.08	16.06	16.13	17.00
		1	0	16.12	16.17	16.37	17.00
		1	38	16.42	16.35	16.46	17.00
		1	74	16.43	16.31	16.34	17.00
15MHz	16QAM	36	0	16.01	15.99	16.06	17.00
		36	18	15.91	16.04	16.10	17.00
		36	39	15.93	16.09	16.12	17.00
		75	0	16.03	15.98	16.08	17.00
		1	0	16.38	16.36	16.34	17.00
		1	38	16.39	15.79	15.94	17.00
		1	74	16.50	16.39	16.44	17.00
	64QAM	36	0	16.33	16.29	16.22	17.00
		36	18	16.16	16.20	16.20	17.00
		36	39	16.31	16.21	16.23	17.00
To be		75	0	16.25	16.27	16.21	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungur
Danuwidin	Wodulation	ND Size	KB oliset	20850	21100	21350	Tune up
		1	0	16.04	15.98	16.09	17.00
		1	50	15.84	15.85	16.00	17.00
		1	99	16.21	16.03	16.19	17.00
	QPSK	50	0	15.98	16.02	16.10	17.00
		50	25	15.97	16.08	16.14	17.00
		50	50	16.15	16.10	16.13	17.00
		100	0	15.91	16.07	16.12	17.00
		1	0	40.00	16.37	16.36	17.00
			U	16.32	10.37		
		1	50	16.32	14.59	15.25	17.00
			1			15.25 16.60	17.00 17.00
20MHz	16QAM	1	50	16.31	14.59		
20MHz	16QAM	1	50 99	16.31 16.53	14.59 16.17	16.60	17.00
20MHz	16QAM	1 1 50	50 99 0	16.31 16.53 16.08	14.59 16.17 15.99	16.60 16.04	17.00 17.00
20MHz	16QAM	1 1 50 50	50 99 0 25	16.31 16.53 16.08 15.99	14.59 16.17 15.99 16.01	16.60 16.04 16.08	17.00 17.00 17.00
20MHz	16QAM	1 1 50 50 50	50 99 0 25 50	16.31 16.53 16.08 15.99 16.11	14.59 16.17 15.99 16.01 16.05	16.60 16.04 16.08 16.13	17.00 17.00 17.00 17.00
20MHz	16QAM	1 1 50 50 50 50	50 99 0 25 50	16.31 16.53 16.08 15.99 16.11 15.92	14.59 16.17 15.99 16.01 16.05 16.00	16.60 16.04 16.08 16.13 16.11	17.00 17.00 17.00 17.00 17.00
20MHz	16QAM	1 1 50 50 50 100	50 99 0 25 50 0	16.31 16.53 16.08 15.99 16.11 15.92 16.51	14.59 16.17 15.99 16.01 16.05 16.00 16.46	16.60 16.04 16.08 16.13 16.11 16.47	17.00 17.00 17.00 17.00 17.00 17.00
20MHz	16QAM 64QAM	1 50 50 50 50 100 1	50 99 0 25 50 0 0 50	16.31 16.53 16.08 15.99 16.11 15.92 16.51 16.49	14.59 16.17 15.99 16.01 16.05 16.00 16.46 15.92	16.60 16.04 16.08 16.13 16.11 16.47 16.03	17.00 17.00 17.00 17.00 17.00 17.00 17.00
20MHz		1 50 50 50 100 1 1	50 99 0 25 50 0 0 50 99	16.31 16.53 16.08 15.99 16.11 15.92 16.51 16.49 16.63	14.59 16.17 15.99 16.01 16.05 16.00 16.46 15.92 16.52	16.60 16.04 16.08 16.13 16.11 16.47 16.03 16.56	17.00 17.00 17.00 17.00 17.00 17.00 17.00 17.00
20MHz		1 50 50 50 100 1 1 1 1 50	50 99 0 25 50 0 0 50 99	16.31 16.53 16.08 15.99 16.11 15.92 16.51 16.49 16.63 16.44	14.59 16.17 15.99 16.01 16.05 16.00 16.46 15.92 16.52 16.38	16.60 16.04 16.08 16.13 16.11 16.47 16.03 16.56 16.34	17.00 17.00 17.00 17.00 17.00 17.00 17.00 17.00 17.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 238 of 493 Page

LTE	Band 7 Left He	ad reduced p	ower		Conducted P	ower(dBm)	
Dan de date	M 116		DD " .	Channel	Channel	Channel	Τ_
Bandwidth	Modulation	RB size	RB offset	20775	21100	21425	Tune up
		1	0	15.59	15.67	15.64	16.50
		1	13	15.48	15.65	15.69	16.50
		1	24	15.69	15.64	15.71	16.50
	QPSK	12	0	15.64	15.70	15.69	16.50
		12	6	15.32	15.63	15.64	16.50
		12	13	15.67	15.67	15.72	16.50
		25	0	15.44	15.6	15.66	16.50
		1	0	15.75	15.89	15.89	16.50
		1	13	15.66	15.91	15.9	16.50
		1	24	15.84	15.90	15.91	16.50
5MHz	16QAM	12	0	15.60	15.63	15.70	16.50
		12	6	15.45	15.57	15.63	16.50
		12	13	15.54	15.62	15.65	16.50
		25	0	15.40	15.57	15.61	16.50
		1	0	15.96	15.98	15.75	16.50
		1	13	15.99	14.82	14.55	16.50
		1	24	15.95	15.92	15.91	16.50
	64QAM	12	0	15.98	15.76	15.59	16.50
		12	6	15.74	15.68	15.66	16.50
		12	13	15.64	15.68	15.66	16.50
		25	0	15.54	15.74	15.74	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Banawiatii	Modulation	ND SIZE	IND Ollset	20800	21100	21400	Tune up
		1	0	15.65	15.58	15.60	16.50
		1	25	15.05	15.11	15.09	16.50
		1	49	15.64	15.65	15.67	16.50
	QPSK	25	0	15.63	15.60	15.66	16.50
		25	13	15.64	15.63	15.66	16.50
		25	25	15.77	15.67	15.71	16.50
		50	0	15.50	15.63	15.67	16.50
		1	0	16.02	15.86	15.90	16.50
		1	25	14.45	15.86	14.14	16.50
		1	49	15.92	15.93	15.97	16.50
10MHz	16QAM	25	0	15.58	15.59	15.61	16.50
		25	13	15.85	15.57	15.63	16.50
		25	25	15.71	15.61	15.67	16.50
		50	0	15.43	15.57	15.60	16.50
		1	0	15.99	16.01	15.78	16.50
		1	25	15.98	14.80	14.58	16.50
		1	49	15.92	15.89	15.93	16.50
	64QAM	25	0	15.97	15.76	15.57	16.50
		25	13	15.75	15.68	15.68	16.50
		25	25	15.64	15.67	15.64	16.50
		50	0	15.55	15.7	15.72	16.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 239 of 493

Don duridth	Modulation	DD size	DD offeet	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RB size	RB offset	20825	21100	21375	Tune up
		1	0	15.60	15.50	15.51	16.50
		1	38	15.75	15.64	15.68	16.50
		1	74	15.72	15.63	15.68	16.50
	QPSK	36	0	15.71	15.61	15.67	16.50
		36	18	15.71	15.64	15.70	16.50
		36	39	15.79	15.71	15.74	16.50
		75	0	15.82	15.65	15.66	16.50
		1	0	15.75	15.81	15.75	16.50
		1	38	15.98	15.90	15.99	16.50
		1	74	16.00	15.90	15.90	16.50
15MHz	16QAM	36	0	15.64	15.57	15.58	16.50
		36	18	15.63	15.60	15.63	16.50
		36	39	15.72	15.64	15.68	16.50
		75	0	15.75	15.6	15.63	16.50
		1	0	16.06	16.07	15.85	16.50
		1	38	16.08	14.90	14.64	16.50
		1	74	16.02	15.99	16.00	16.50
	64QAM	36	0	16.05	15.86	15.66	16.50
		36	18	15.81	15.75	15.74	16.50
		36	39	15.71	15.75	15.74	16.50
		75	0	15.61	15.80	15.80	16.50
Dan du dalah	Modulation	DD ains	DD 2#224	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	20850	21100	21350	Tune up
		1	0	15.61	15.61	15.60	16.50
		1	50	15.54	14.76	14.77	16.50
		1	99	15.82	15.79	15.80	16.50
	QPSK	50	0	15.75	15.61	15.52	16.50
		50	25	15.73	15.62	15.67	16.50
		50	50	15.76	15.71	15.58	16.50
		100	0	15.71	15.68	15.69	16.50
		1	0	15.80	15.85	15.83	16.50
		1	50	15.57	14.27	14.31	16.50
		1	99	16.06	15.87	16.12	16.50
20MHz	16QAM	50	0	15.71	15.57	15.46	16.50
		50	25	15.61	15.55	15.62	16.50
		50	50	15.55	15.64	15.71	16.50
		100	0	15.63	15.61	15.65	16.50
		1	0	16.09	16.08	15.92	16.50
		1	50	16.07	14.99	14.72	16.50
		1	99	15.98	16.05	16.09	16.50
	64QAM	50	0	16.04	15.93	15.73	16.50
		50	25	15.81	15.84	15.83	16.50
		50	50	15.72	15.81	15.83	16.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 240 of 493

LTE I	Band 7 Right Head	d reduced pow	er		Conducted	Power(dBm)	
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tung un
Bandwidth	Modulation	ND Size	offset	20775	21100	21425	Tune up
		1	0	11.56	10.69	10.39	12.00
		1	13	11.74	10.64	10.25	12.00
		1	24	11.91	10.62	10.16	12.00
	QPSK	12	0	11.55	10.59	10.36	12.00
		12	6	11.75	10.61	10.24	12.00
		12	13	11.73	10.62	10.11	12.00
		25	0	11.69	10.58	10.21	12.00
		1	0	11.92	11.13	10.82	12.00
		1	13	11.85	11.09	10.63	12.00
		1	24	11.59	11.07	10.62	12.00
5MHz	16QAM	12	0	11.60	10.65	10.41	12.00
		12	6	11.78	10.66	10.33	12.00
		12	13	11.75	10.68	10.17	12.00
		25	0	11.71	10.61	10.24	12.00
		1	0	11.18	11.43	11.12	12.00
		1	13	11.33	10.98	11.32	12.00
		1	24	11.19	11.38	11.01	12.00
	64QAM	12	0	11.25	10.95	11.69	12.00
		12	6	11.57	10.69	10.93	12.00
		12	13	11.49	11.17	10.72	12.00
		25	0	11.56	11.04	11.08	12.00
Domain di di	Madulatian	DD size	RB	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	offset	20800	21100	21400	Tune up
		1	0	11.88	10.62	10.88	12.00
		1	25	11.85	11.60	11.30	12.00
		1	49	11.69	11.12	10.41	12.00
	QPSK	25	0	11.84	10.67	10.33	12.00
		25	13	11.85	10.54	10.21	12.00
		25	25	11.96	10.74	10.98	12.00
		50	0	11.68	10.54	10.34	12.00
		1	0	11.89	11.13	11.34	12.00
		1	25	11.87	11.95	11.75	12.00
		1	49	11.76	11.56	10.90	12.00
10MHz	16QAM	25	0	11.86	10.71	10.37	12.00
		25	13	11.98	10.56	10.24	12.00
		25	25	11.96	10.76	10.03	12.00
		50	0	11.70	10.57	10.38	12.00
		1	0	11.21	11.46	11.15	12.00
		1	25	11.36	11.12	11.35	12.00
		1	49	11.22	11.46	11.07	12.00
	64QAM	25	0	11.28	10.98	11.73	12.00
	•	25	13	11.60	10.72	10.96	12.00
		25	25	11.52	11.25	10.75	12.00
		50	0	11.66	11.07	11.13	12.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 241 of 493

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tuna un
Danawiath	Modulation	RD SIZE	RB ollset	20825	21100	21375	Tune up
		1	0	11.72	10.57	11.49	12.00
		1	38	11.96	10.55	10.32	12.00
		1	74	11.92	11.14	10.28	12.00
	QPSK	36	0	11.89	10.60	10.98	12.00
		36	18	11.89	10.51	10.40	12.00
		36	39	11.86	10.82	10.32	12.00
		75	0	11.92	10.76	10.55	12.00
		1	0	11.89	11.07	11.85	12.00
		1	38	11.95	11.02	10.78	12.00
		1	74	11.93	11.46	10.75	12.00
15MHz	16QAM	36	0	11.88	10.63	11.00	12.00
		36	18	11.75	10.53	10.42	12.00
		36	39	11.86	10.83	10.37	12.00
		75	0	11.95	10.77	10.56	12.00
		1	0	11.28	11.53	11.22	12.00
		1	38	11.43	11.08	11.42	12.00
		1	74	11.29	11.53	11.14	12.00
	64QAM	36	0	11.35	11.05	11.79	12.00
Cal		36	18	11.67	10.79	11.03	12.00
		36	39	11.59	11.27	10.82	12.00
		75	0	11.73	11.14	11.18	12.00
		55 :	55 "	Channel	Channel	Channel	-
Bandwidth	Modulation	RB size	RB offset	20850	21100	21350	Tune u
		1	0	11.64	10.62	11.47	12.00
		1	50	11.98	10.68	10.68	12.00
		1	99	11.99	11.98	10.59	12.00
	QPSK	50	0	11.89	10.63	11.45	12.00
		50	25	11.87	10.66	10.59	12.00
		50	50	11.89	11.14	10.35	12.00
		100	0	10.89	11.93	10.76	12.00
Ī		1	0	11.88	11.07	11.68	12.00
		1	50	11.89	11.10	11.09	12.00
		1	99	11.98	11.89	11.03	12.00
20MHz	16QAM	50	0	11.86	10.67	11.46	12.00
		50	25	11.87	10.69	10.62	12.00
		50	50	11.78	11.17	10.39	12.00
		100	0	11.80	10.91	10.76	12.00
		1	0	11.33	11.36	11.37	12.00
		1	50	11.28	11.13	11.47	12.00
		1	99	11.34	11.68	11.19	12.00
	64QAM	50	0	11.40	11.10	11.54	12.00
	64QAM				10.84	11.06	12.00
		50	25	11.72	10.04	11.00	12.00
		50 50	25 50	11.72 11.64	11.32	10.85	12.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 242 of 493

LTE Band 7	hotspot actived	l for 2.4G W	/IFI	Conducted Power(dBm)					
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up		
Danawiatii	Woddiation	ND 3iZe	offset	20775	21100	21425	Turie up		
		1	0	13.63	13.63	13.70	14.50		
		1	13	13.64	13.68	13.70	14.50		
		1	24	13.69	13.67	13.70	14.50		
	QPSK	12	0	13.66	13.70	13.69	14.50		
		12	6	13.63	13.66	13.61	14.50		
		12	13	13.71	13.68	13.68	14.50		
		25	0	13.63	13.64	13.65	14.50		
		1	0	13.91	13.89	14.02	14.50		
		1	13	13.91	13.97	14.01	14.50		
		1	24	14.04	13.95	13.98	14.50		
5MHz	16QAM	12	0	13.60	13.62	13.67	14.50		
		12	6	13.53	13.58	13.58	14.50		
		12	13	13.63	13.63	13.66	14.50		
		25	0	13.56	13.56	13.61	14.50		
		1	0	13.65	13.63	13.65	14.50		
		1	13	13.85	13.84	13.86	14.50		
		1	24	13.76	13.75	13.85	14.50		
	64QAM	12	0	13.48	13.42	13.47	14.50		
		12	6	13.46	13.46	13.54	14.50		
		12	13	13.51	13.51	13.56	14.50		
		25	0	13.42	13.46	13.51	14.50		
5 1 1 1 1 1 1			RB	Channel	Channel	Channel			
Bandwidth	Modulation	RB size	offset	20800	21100	21400	Tune up		
		1	0	13.62	13.58	13.60	14.50		
		1	25	13.50	13.28	13.34	14.50		
		1	49	13.68	13.67	13.67	14.50		
	QPSK	25	0	13.62	13.61	13.61	14.50		
		25	13	13.64	13.64	13.66	14.50		
		25	25	13.66	13.68	13.66	14.50		
		50	0	13.63	13.64	13.63	14.50		
		1	0	13.79	13.84	13.83	14.50		
		1	25	12.33	13.69	13.66	14.50		
		1	49	13.99	13.89	14.01	14.50		
10MHz	16QAM	25	0	13.57	13.57	13.59	14.50		
		25	13	13.60	13.56	13.59	14.50		
		25	25	13.63	13.60	13.63	14.50		
		50	0	13.58	13.56	13.60	14.50		
		1	0	13.69	13.67	13.67	14.50		
		1	25	13.85	13.84	13.83	14.50		
		1	49	13.76	13.74	13.85	14.50		
	64QAM	25	0	13.47	13.45	13.48	14.50		
		25	13	13.46	13.46	13.54	14.50		
						10.01			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 243 of 493

		50	0	13.43	13.46	13.52	14.50
Pandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RD SIZE	offset	20825	21100	21375	Tune up
		1	0	13.56	13.52	13.53	14.50
		1	38	13.66	13.67	13.69	14.50
		1	74	13.62	13.66	13.69	14.50
	QPSK	36	0	13.68	13.65	13.63	14.50
		36	18	13.72	13.65	13.68	14.50
		36	39	13.75	13.76	13.76	14.50
		75	0	13.72	13.68	13.72	14.50
		1	0	13.85	13.83	13.83	14.50
		1	38	14.01	14.00	14.04	14.50
		1	74	14.05	13.92	14.01	14.50
15MHz	16QAM	36	0	13.64	13.59	13.64	14.50
		36	18	13.62	13.62	13.67	14.50
		36	39	13.67	13.67	13.72	14.50
		75	0	13.59	13.63	13.66	14.50
		1	0	13.75	13.73	13.73	14.50
		1	38	13.95	13.78	13.87	14.50
		1	74	13.82	13.78	13.91	14.50
	64QAM	36	0	13.54	13.49	13.54	14.50
		36	18	13.52	13.52	13.61	14.50
		36	39	13.57	13.55	13.62	14.50
		75	0	13.49	13.52	13.58	14.50
Daniel del	Mandadatian	DD -:	RB	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	offset	20850	21100	21350	Tune up
		1	0	13.58	13.65	13.58	14.50
		1	50	13.48	13.52	13.41	14.50
		1	99	13.81	13.72	13.80	14.50
	QPSK	50	0	13.66	13.67	13.65	14.50
		50	25	13.70	13.62	13.67	14.50
		50	50	13.78	13.79	13.77	14.50
		100	0	13.74	13.71	13.72	14.50
		1	0	13.88	13.99	13.89	14.50
		1	50	13.68	13.70	13.80	14.50
		1	99	14.04	14.08	14.20	14.50
20MHz	16QAM	50	0	13.59	13.56	13.63	14.50
		50	25	13.59	13.59	13.60	14.50
		50	50	13.69	13.68	13.68	14.50
		100	0	13.61	13.6	13.63	14.50
		1	0	13.80	13.78	13.78	14.50
		1	50	13.96	13.95	13.97	14.50
		1	99	13.87	13.85	13.96	14.50
	64QAM	50	0	13.59	13.54	13.59	14.50
		50	25	13.57	13.57	13.65	14.50
		50	50	13.62	13.62	13.67	14.50
		ວບ	30				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 244 of 493 Page

LTE Ban	d 7 hotspot ac	tived for 5G	WIFI		Conducted Po	wer(dBm)	
		55 .	RB	Channel	Channel	Channel	1_
Bandwidth	Modulation	RB size	offset	20775	21100	21425	Tune up
		1	0	12.1	12.11	12.11	13.00
		1	13	12.13	12.13	12.14	13.00
		1	24	12.14	12.14	12.14	13.00
	QPSK	12	0	12.13	12.17	12.20	13.00
		12	6	12.09	12.14	12.14	13.00
		12	13	12.16	12.19	12.19	13.00
		25	0	12.11	12.17	12.14	13.00
		1	0	12.21	12.15	12.05	13.00
		1	13	12.25	12.21	12.11	13.00
		1	24	12.15	12.11	12.12	13.00
5MHz	16QAM	12	0	12.10	12.12	12.13	13.00
		12	6	12.08	12.13	12.12	13.00
		12	13	12.05	12.12	12.15	13.00
		25	0	12.07	12.15	12.14	13.00
		0	0	11.96	12.03	12.11	13.00
		1	13	11.92	11.93	12.06	13.00
		1	24	12.11	12.06	12.07	13.00
	64QAM	12	0	12.05	12.07	12.08	13.00
		12	6	12.05	12.08	12.07	13.00
		12	13	12.10	12.07	12.12	13.00
		25	0	12.02	12.12	12.09	13.00
5. 1.144	M 116		RB	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	offset	20800	21100	21400	Tune up
		1	0	12.10	12.04	12.12	13.00
		1	25	11.89	12.01	11.81	13.00
		1	49	12.19	12.13	12.25	13.00
	QPSK	25	0	12.11	12.15	12.17	13.00
		25	13	12.13	12.14	12.16	13.00
		25	25	12.14	12.17	12.16	13.00
		50	0	12.13	12.13	12.14	13.00
		1	0	12.52	12.46	12.42	13.00
400411-		1	25	11.98	11.98	12.42	13.00
10MHz		1	49	12.51	12.48	12.51	13.00
	16QAM	25	0	12.07	12.06	12.08	13.00
		25	13	12.05	12.05	12.05	13.00
		25	25	12.10	12.10	12.12	13.00
		50	0	12.05	12.04	12.06	13.00
		1	0	12.01	12.06	12.05	13.00
	0.40.11	1	25	11.97	11.98	12.13	13.00
	64QAM	1	49	12.12	12.11	12.12	13.00
		25	0	12.10	12.15	12.13	13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 245 of 493

		25	13	12.08	12.13	12.12	13.00
		25	25	12.05	12.14	12.12	13.00
		50	0	12.09	12.14	12.17	13.00
		30		Channel	Channel	Channel	13.00
Bandwidth	Modulation	RB size	RB offset	20825	21100	21375	Tune up
		1	0	11.99	12.04	12.01	13.00
		1	38	12.16	12.13	12.15	13.00
		1	74	12.17	12.12	12.15	13.00
	QPSK	36	0	12.16	12.17	12.14	13.00
		36	18	12.15	12.17	12.16	13.00
		36	39	12.20	12.20	12.21	13.00
		75	0	12.15	12.13	12.14	13.00
		1	0	12.36	12.39	12.37	13.00
		1	38	12.50	12.49	12.51	13.00
		1	74	12.51	12.49	12.52	13.00
15MHz	16QAM	36	0	12.11	12.06	12.09	13.00
		36	18	12.11	12.10	12.11	13.00
		36	39	12.17	12.17	12.17	13.00
		75	0	12.11	12.08	12.12	13.00
		1	0	11.98	12.03	12.02	13.00
		1	38	11.95	11.95	12.08	13.00
		1	74	12.13	12.08	12.09	13.00
	64QAM	36	0	12.07	12.09	12.05	13.00
		36	18	12.07	12.12	12.09	13.00
		36	39	12.02	12.09	12.12	13.00
		75	0	12.04	12.12	12.07	13.00
			RB	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	offset	20850	21100	21350	Tune up
		1	0	12.09	12.09	12.10	13.00
		1	50	11.87	11.94	11.92	13.00
		1	99	12.29	12.22	12.28	13.00
	QPSK	50	0	12.12	12.12	12.11	13.00
		50	25	12.24	12.15	12.13	13.00
		50	50	12.15	12.18	12.17	13.00
		100	0	12.18	12.17	12.16	13.00
		1	0	12.48	12.50	12.49	13.00
000411-		1	50	11.67	12.39	12.23	13.00
20MHz		1	99	12.53	12.52	12.51	13.00
	16QAM	50	0	12.07	12.06	12.06	13.00
		50	25	12.11	12.09	12.05	13.00
		50	50	12.18	12.10	12.16	13.00
		100	0	12.06	12.11	12.10	13.00
		1	0	12.06	12.11	12.10	13.00
	040444	1	50	12.02	12.03	12.16	13.00
	64QAM	1	99	12.21	12.16	12.17	13.00
		50	0	12.15	12.17	12.18	13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 246 of 493

	50	25	12.13	12.18	12.17	13.00
	50	50	12.10	12.17	12.20	13.00
	100	0	12.12	12.20	12.19	13.00

LTE Band 7 Bo	ody-worn simult 2.4G WIF		ansmit with		Conducted Po	ower(dBm)	
Dan duri déla	Madulation	DD size	DD affect	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	20775	21100	21425	Tune up
		1	0	13.63	13.68	13.67	14.50
		1	13	13.64	13.69	13.68	14.50
		1	24	13.65	13.70	13.70	14.50
	QPSK	12	0	13.67	13.72	13.70	14.50
		12	6	13.66	13.66	13.64	14.50
		12	13	13.73	13.73	13.75	14.50
		25	0	13.62	13.67	13.70	14.50
		1	0	13.88	13.94	13.82	14.50
		1	13	13.96	13.90	13.71	14.50
		1	24	13.97	13.95	13.90	14.50
5MHz	16QAM	12	0	13.64	13.70	13.59	14.50
		12	6	13.60	13.65	13.58	14.50
		12	13	13.68	13.69	13.64	14.50
		25	0	13.58	13.65	13.62	14.50
		0	0	13.53	13.06	13.52	14.50
		1	13	13.28	13.38	13.32	14.50
		1	24	13.77	13.48	13.56	14.50
	64QAM	12	0	13.82	13.62	13.14	14.50
		12	6	12.96	13.28	13.51	14.50
		12	13	13.67	13.66	13.10	14.50
		25	0	13.60	13.39	13.47	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Balluwiutii	IVIOGGIATIOTI	ND SIZE	KD oliset	20800	21100	21400	Tune up
		1	0	13.61	13.62	13.63	14.50
		1	25	13.40	13.51	13.46	14.50
		1	49	13.69	13.68	13.70	14.50
	QPSK	25	0	13.66	13.67	13.66	14.50
96		25	13	13.66	13.65	13.69	14.50
		25	25	13.75	13.69	13.69	14.50
10MHz		50	0	13.64	13.71	13.68	14.50
IOWINZ		1	0	13.89	13.89	13.84	14.50
		1	25	13.78	13.76	13.75	14.50
		1	49	13.98	13.87	13.96	14.50
	16QAM	25	0	13.59	13.62	13.61	14.50
		25	13	13.60	13.64	13.61	14.50
		25	25	13.66	13.69	13.65	14.50
		50	0	13.57	13.61	13.62	14.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 247 of 493 Page

		1	0	13.56	13.12	13.50	14.50
		1	25	13.27	13.34	13.31	14.50
		1	49	13.77	13.45	13.52	14.50
10MHz	64QAM	25	0	13.81	13.57	13.15	14.50
		25	13	12.96	13.27	13.50	14.50
		25	25	13.67	13.66	13.12	14.50
		50	0	13.56	13.40	13.47	14.50

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
		0.20	2 311000	20825	21100	21375	. со ар
		1	0	13.57	13.55	13.55	14.50
		1	38	13.72	13.66	13.71	14.50
		1	74	13.65	13.64	13.68	14.50
	QPSK	36	0	13.66	13.67	13.68	14.50
		36	18	13.72	13.71	13.74	14.50
		36	39	13.75	13.73	13.73	14.50
		75	0	13.67	13.67	13.70	14.50
		1	0	13.80	13.85	13.89	14.50
CAL		1	38	14.03	13.91	14.02	14.50
		1	74	14.01	13.86	14.00	14.50
15MHz	16QAM	36	0	13.63	13.64	13.61	14.50
		36	18	13.65	13.63	13.65	14.50
		36	39	13.68	13.66	13.68	14.50
		75	0	13.63	13.63	13.64	14.50
		1	0	13.53	13.06	13.51	14.50
		1	38	13.22	13.36	13.27	14.50
	64QAM	1	74	13.73	13.49	13.54	14.50
		36	0	13.80	13.60	13.18	14.50
		36	18	12.95	13.32	13.47	14.50
		36	39	13.63	13.65	13.07	14.50
		75	0	13.58	13.39	13.49	14.50
		·	55 %	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	20850	21100	21350	Tune up
A F PO		1	0	13.60	13.67	13.58	14.50
		1	50	13.42	13.42	13.45	14.50
		1	99	13.78	13.72	13.79	14.50
	QPSK	50	0	13.65	13.70	13.64	14.50
		50	25	13.69	13.68	13.67	14.50
20MHz		50	50	13.81	13.74	13.75	14.50
		100	0	13.69	13.70	13.67	14.50
		1	0	13.83	13.86	13.80	14.50
	16QAM	1	50	13.61	13.64	13.68	14.50
		1	99	14.05	14.04	14.03	14.50
<u> </u>			00	1 1.00	1 1.07	1 1.00	1 1.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 248 of 493

		50	0	13.58	13.59	13.57	14.50
		50	25	13.63	13.59	13.58	14.50
		50	50	13.69	13.65	13.68	14.50
		100	0	13.60	13.64	13.65	14.50
		1	0	13.59	13.15	13.56	14.50
		1	50	13.31	13.41	13.35	14.50
		1	99	13.81	13.53	13.59	14.50
	64QAM	50	0	13.85	13.65	13.23	14.50
E FO		50	25	13.01	13.36	13.56	14.50
		50	50	13.71	13.70	13.15	14.50
		100	0	13.64	13.48	13.52	14.50

LTE Band 7	Body-worn simultar 5G WIFI	neously trans	smit with		Conducted	Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Bandwidth	Modulation	KD Size	KD 011861	20775	21100	21425	rune up
		1	0	12.11	12.09	12.10	13.00
	\	1	13	12.14	12.17	12.15	13.00
		1	24	12.13	12.15	12.14	13.00
	QPSK	12	0	12.11	12.16	12.20	13.00
		12	6	12.09	12.14	12.09	13.00
		12	13	12.14	12.19	12.20	13.00
		25	0	12.12	12.13	12.13	13.00
		1	0	12.42	12.51	12.52	13.00
		1	13	12.46	12.55	12.61	13.00
		1	24	12.47	12.55	12.57	13.00
5MHz	16QAM	12	0	12.11	12.12	12.11	13.00
		12	6	12.04	12.05	12.07	13.00
		12	13	12.11	12.12	12.12	13.00
		25	0	12.05	12.09	12.08	13.00
		0	0	12.00	11.81	11.95	13.00
		1	13	12.18	12.34	11.82	13.00
		1	24	12.07	12.17	12.26	13.00
	64QAM	12	0	12.18	12.04	12.06	13.00
		12	6	12.05	12.33	12.09	13.00
		12	13	12.29	12.13	12.09	13.00
7 600		25	0	12.02	12.01	11.94	13.00
Dan decidate	Marshalatian	DD -:	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	20800	21100	21400	Tune up
		1	0	12.12	12.06	12.07	13.00
		1	25	11.93	11.43	12.06	13.00
		1	49	12.18	12.19	12.23	13.00
10MHz	QPSK	25	0	12.09	12.14	12.11	13.00
TUIVITIZ		25	13	12.14	12.16	12.17	13.00
		25	25	12.15	12.15	12.17	13.00
		50	0	12.12	12.17	12.18	13.00
	16QAM	1	0	12.34	12.38	12.33	13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 249 of 493

	1	25	11.36	10.45	10.92	13.00
	1	49	12.41	12.48	12.56	13.00
	25	0	12.03	12.09	12.08	13.00
	25	13	12.09	12.08	12.10	13.00
	25	25	12.13	12.12	12.12	13.00
	50	0	12.04	12.07	12.03	13.00
	1	0	11.98	11.79	11.95	13.00
	1	25	12.16	12.30	11.80	13.00
	1	49	12.10	12.19	12.28	13.00
64QAM	25	0	12.18	12.02	12.06	13.00
	25	13	12.03	12.29	12.11	13.00
	25	25	12.33	12.16	12.06	13.00
	50	0	12.02	11.95	11.93	13.00

Don dooi dib	Marakaladian	DD -:	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	20825	21100	21375	Tune up
		1	0	12.00	12.02	12.03	13.00
		1	38	12.16	12.14	12.16	13.00
		1	74	12.18	12.13	12.17	13.00
	QPSK	36	0	12.14	12.13	12.14	13.00
		36	18	12.18	12.14	12.20	13.00
		36	39	12.19	12.21	12.20	13.00
		75	0	12.15	12.15	12.17	13.00
		1	0	12.37	12.38	12.30	13.00
		1	38	12.54	12.50	12.49	13.00
		1	74	12.49	12.45	12.53	13.00
15MHz	16QAM	36	0	12.13	12.05	12.05	13.00
		36	18	12.10	12.10	12.13	13.00
			39	12.15	12.13	12.14	13.00
		75	0	12.09	12.07	12.12	13.00 13.00
		1	0	12.01	11.84	11.93	13.00
	64QAM	1	38	12.18	12.35	11.85	13.00
		1	74	12.12	12.19	12.26	13.00
		36	0	12.23	12.02	12.09	13.00
		36	18	12.09	12.33	12.11	13.00
		36	39	12.32	12.17	12.11	13.00
		75	0	12.01	11.97	11.96	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tung up
Bandwidth	Modulation	KD Size	KD Ollset	20850	21100	21350	rune up
		1	0	12.14	12.14	12.13	13.00
		1	50	11.12	11.89	11.82	13.00
		1	99	12.32	12.20	12.31	13.00
	QPSK	50	0	12.18	12.16	12.15	13.00
20MHz		50	25	12.14	12.18	12.14	13.00
		50	50	12.27	12.22	12.25	13.00
		100	0	12.20	12.19	12.16	13.00
	16QAM	1	0	12.42	12.50	12.40	13.00
	IOQAIVI	1	50	11.46	12.42	12.43	13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 250 of 493 Page

	1	99	12.59	12.57	12.69	13.00
	50	0	12.08	12.07	12.07	13.00
	50	25	12.09	12.09	12.08	13.00
	50	50	12.16	12.11	12.16	13.00
	100	0	12.07	12.11	12.11	13.00
	1	0	12.04	11.88	12.02	13.00
	1	50	12.23	12.38	11.89	13.00
	1	99	12.16	12.23	12.33	13.00
64QAM	50	0	12.27	12.09	12.13	13.00
	50	25	12.12	12.38	12.16	13.00
	50	50	12.37	12.22	12.15	13.00
	100	0	12.07	12.04	12.02	13.00

LTE Band 7	Left Head simu		ransmit		Conducted P	ower(dBm)	
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
Balluwiulli	Modulation	KD Size	offset	20775	21100	21425	Turie up
		1	0	12.95	12.93	13.00	14.00
		1	13	13.35	13.29	13.35	14.00
		1	24	13.34	13.25	13.31	14.00
	QPSK	12	0	13.41	13.33	13.41	14.00
		12	6	13.36	13.25	13.37	14.00
		12	13	13.41	13.33	13.35	14.00
		25	0	13.35	13.28	13.32	14.00
		1	0	13.43	12.88	13.44	14.00
		1	13	13.63	13.48	13.55	14.00
		1	24	13.55	13.49	13.63	14.00
5MHz	16QAM	12	0	13.37	13.29	13.34	14.00
		12	6	13.32	13.25	13.33	14.00
		12	13	13.40	13.28	13.34	14.00
		25	0	13.31	13.17	13.23	14.00
		0	0	13.49	13.58	13.63	14.00
		1	13	13.61	13.41	13.64	14.00
		1	24	13.59	13.33	13.56	14.00
	64QAM	12	0	13.37	13.33	13.36	14.00
100		12	6	13.38	13.24	13.3	14.00
		12	13	13.38	13.27	13.35	14.00
		25	0	13.35	13.25	13.32	14.00
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tung up
Danuwium	Modulation	KD Size	offset	20800	21100	21400	Tune up
		1	0	13.39	13.30	13.24	14.00
		1	25	13.11	12.95	12.94	14.00
		1	49	13.34	13.22	13.21	14.00
10MHz	QPSK	25	0	13.39	13.32	13.35	14.00
		25	13	13.36	13.29	13.34	14.00
		25	25	13.38	13.27	13.34	14.00
		50	0	13.38	13.24	13.33	14.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 251 of 493 Page

		1	0	13.59	13.63	13.63	14.00
		1	25	12.91	13.35	13.14	14.00
		1	49	13.57	13.45	13.62	14.00
		25	0	13.31	13.22	13.27	14.00
		25	13	13.29	13.22	13.28	14.00
		25	25	13.30	13.17	13.25	14.00
		50	0	13.27	13.18	13.23	14.00
0.4		1	0	13.47	13.45	13.49	14.00
		1	25	13.14	13.33	13.17	14.00
		1	49	13.36	13.37	13.52	14.00
	64QAM	25	0	13.39	13.29	13.33	14.00
		25	13	13.30	13.24	13.23	14.00
		25	25	13.36	13.23	13.27	14.00
		50	0	13.29	13.21	13.25	14.00

Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tungun
bandwidth	Modulation	KD SIZE	offset	20825	21100	21375	Tune up
		1	0	13.30	13.26	13.21	14.00
		1	38	13.37	13.24	13.31	14.00
		1	74	13.23	13.15	13.20	14.00
	QPSK	36	0	13.41	13.29	13.35	14.00
		36	18	13.37	13.27	13.30	14.00
		36	39	13.37	13.27	13.30	14.00
		75	0	13.36	13.28	13.33	14.00
		1	0	13.57	13.61	13.37	14.00
		1	38	13.67	13.71	13.54	14.00
		1	74	13.51	13.49	13.37	14.00
15MHz	16QAM	36	0	13.32	13.25	13.21	14.00
		36	18	13.28	13.23	13.23	14.00
		36	39	13.29	13.19	13.21	14.00
		75	0	13.24	13.22	13.24	14.00
	64QAM	1	0	13.45	13.45	13.44	14.00
		1	38	13.56	13.51	13.56	14.00
		1	74	13.44	13.37	13.44	14.00
		36	0	13.37	13.28	13.28	14.00
		36	18	13.32	13.24	13.30	14.00
		36	39	13.33	13.24	13.28	14.00
		75	0	13.28	13.22	13.29	14.00
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tung up
bandwidth	iviodulation	KD SIZE	offset	20850	21100	21350	Tune up
		1	0	13.38	13.41	13.32	14.00
		1	50	13.14	13.00	12.93	14.00
		1	99	13.30	13.24	13.28	14.00
20MHz	QPSK	50	0	13.41	13.34	13.31	14.00
ZUIVITZ		50	25	13.35	13.30	13.24	14.00
		50	50	13.34	13.26	13.27	14.00
		100	0	13.34	13.30	13.31	14.00
	16QAM	1	0	13.65	13.62	13.49	14.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 252 of 493

		1	50	13.31	13.24	13.29	14.00
		1	99	13.64	13.58	13.63	14.00
		50	0	13.34	13.25	13.24	14.00
		50	25	13.26	13.21	13.19	14.00
		50	50	13.26	13.15	13.21	14.00
		100	0	13.28	13.21	13.23	14.00
		1	0	13.60	13.62	13.44	14.00
		1	50	13.46	12.96	12.86	14.00
		1	99	13.55	13.50	13.45	14.00
	64QAM	50	0	13.33	13.27	13.29	14.00
		50	25	13.29	13.23	13.21	14.00
		50	50	13.25	13.16	13.21	14.00
		100	0	13.34	13.24	13.27	14.00

LTE Band	7 Left Head si with 5G		sly transmit		Conducted Power(dBm)			
Dan desidab	Madulatic	RB size	RB offset	Channel	Channel	Channel	T	
Bandwidth N	Modulation	RB SIZE	RB offset	20775	21100	21425	Tune up 12.50	
		1	0	11.81	11.71	11.78	12.50	
		1	13	11.85	11.76	11.75	12.50	
		1	24	11.83	11.72	11.71	12.50	
	QPSK	12	0	11.89	11.79	11.85	12.50	
		12	6	11.83	11.74	11.83	12.50	
		12	13	11.85	11.79	11.87	12.50	
		25	0	11.82	11.75	11.77	12.50	
		1	0	12.11	12.01	12.10	12.50	
		1	13	12.08	11.96	12.08	12.50	
		1	24	12.11	12.10	12.09	12.50 12.50 12.50	
5MHz	16QAM	12	0	11.82	11.76	11.79	12.50	
		12	6	11.82	11.73	11.71	12.50	
		12	13	11.84	11.72	11.75	12.50	
		25	0	11.78	11.68	11.74	12.50	
	64QAM	1	0	11.95	11.81	11.96	12.50	
		1	13	12.04	11.99	11.95	12.50	
		1	24	12.02	11.94	11.96	12.50	
		12	0	11.87	11.82	11.85	12.50	
		12	6	11.79	11.72	11.78	12.50	
		12	13	11.84	11.76	11.76	12.50	
		25	0	11.77	11.7	11.75	12.50	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tung un	
bandwidth	iviodulation	KD SIZE	KD Ollset	20800	21100	21400	Tune up	
		1	0	11.81	11.73	11.69	12.50	
		1	25	11.86	10.25	10.22	12.50	
10MHz	QPSK	1	49	11.78	11.69	11.70	12.50	
IUIVINZ	UFSN	25	0	11.84	11.77	11.81	12.50	
		25	13	11.83	11.73	11.78	12.50	
		25	25	11.84	11.76	11.77	12.50	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 253 of 493 Page

	50	0	11.82	11.75	11.78	12.50
	1	0	12.04	12.10	12.03	12.50
	1	25	11.83	10.16	10.62	12.50
	1	49	11.68	11.98	12.10	12.50
16QAM	25	0	11.80	11.73	11.73	12.50
	25	13	11.78	11.73	11.74	12.50
	25	25	11.74	11.64	11.71	12.50
	50	0	11.76	11.73	11.72	12.50
	1	0	12.03	11.98	11.98	12.50
	1	25	11.65	10.72	10.73	12.50
	1	49	11.69	11.93	12.10	12.50
64QAM	25	0	11.84	11.76	11.76	12.50
	25	13	11.79	11.76	11.75	12.50
	25	25	11.77	11.71	11.73	12.50
	50	0	11.74	11.69	11.72	12.50

Bandwidth	Madulatian	DD size	DD effect	Channel	Channel	Channel	T
Dandwidth	Modulation	RB size	RB offset	20825	21100	21375	Tune up
		1	0	11.80	11.71	11.71	12.50
		1	38	11.84	11.76	11.76	12.50
		1	74	11.73	11.60	11.68	12.50
	QPSK	36	0	11.84	11.79	11.82	12.50
		36	18	11.89	11.76	11.75	12.50
		36	39	11.84	11.76	11.76	12.50
		75	0	11.81	11.78	11.79	12.50
		1	0	12.10	12.08	12.08	12.50
		1	38	12.06	12.11	12.00	12.50
		1	74	12.07	11.99	12.11	12.50
15MHz	16QAM	36	0	11.82	11.74	11.71	12.50
		36	18	11.75	11.73	11.75	12.50
		36	39	11.78	11.68	11.67	12.50
		75	0	11.75	11.65	11.69	12.50
		1	0	11.99	11.83	11.99	12.50
	64QAM	1	38	12.05	11.98	11.92	12.50
		1	74	11.86	11.82	11.84	12.50
		36	0	11.84	11.76	11.72	12.50
		36	18	11.80	11.71	11.77	12.50
		36	39	11.77	11.71	11.74	12.50
		75	0	11.76	11.68	11.74	12.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danuwium	Modulation	KD SIZE	KD Ollset	20850	21100	21350	Turie up
		1	0	11.89	11.87	11.82	12.50
		1	50	11.41	11.37	11.40	12.50
		1	99	11.83	11.70	11.71	12.50
20MHz	QPSK	50	0	11.89	11.86	11.81	12.50
		50	25	11.87	11.77	11.76	12.50
		50	50	11.81	11.77	11.78	12.50
		100	0	11.81	11.76	11.83	12.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 254 of 493 Page

	1	0	12.12	12.09	11.98	12.50
	1	50	11.19	11.87	11.68	12.50
	1	99	12.09	11.98	12.00	12.50
16QAM	50	0	11.83	11.74	11.72	12.50
	50	25	11.76	11.71	11.67	12.50
	50	50	11.78	11.66	11.69	12.50
	100	0	11.76	11.66	11.73	12.50
	1	0	12.06	12.06	11.95	12.50
	1	50	10.93	11.32	11.52	12.50
	1	99	11.94	11.92	12.10	12.50
64QAM	50	0	11.86	11.77	11.72	12.50
	50	25	11.76	11.73	11.69	12.50
	50	50	11.78	11.69	11.75	12.50
	100	0	11.77	11.69	11.77	12.50
		50 50 100 1 1 1 1 1 64QAM 50 50 50	1 50 1 99 50 0 50 25 50 50 100 0 1 0 1 50 1 99 64QAM 50 0 50 25 50 50	1 50 11.19 1 99 12.09 16QAM 50 0 11.83 50 25 11.76 50 50 11.78 100 0 11.76 1 0 12.06 1 50 10.93 1 99 11.94 64QAM 50 0 11.86 50 25 11.76 50 50 11.78	1 50 11.19 11.87 1 99 12.09 11.98 50 0 11.83 11.74 50 25 11.76 11.71 50 50 11.78 11.66 100 0 11.76 11.66 1 0 12.06 12.06 1 50 10.93 11.32 1 99 11.94 11.92 64QAM 50 0 11.86 11.77 50 25 11.76 11.73 50 50 11.78 11.69	1 50 11.19 11.87 11.68 1 99 12.09 11.98 12.00 50 0 11.83 11.74 11.72 50 25 11.76 11.71 11.67 50 50 11.78 11.66 11.69 100 0 11.76 11.66 11.73 1 0 12.06 12.06 11.95 1 50 10.93 11.32 11.52 1 99 11.94 11.92 12.10 64QAM 50 0 11.86 11.77 11.72 50 25 11.76 11.73 11.69 50 50 11.78 11.69 11.75

LTE Band 7	Right Head s with 2.40		sly transmit		Conducted	Power(dBm)	
Donalis dala	Madulatian	RB size	DD offeet	Channel	Channel	Channel	T
Bandwidth	Modulation	RB SIZE	RB offset	20775	21100	21425	Tune up
		1	0	9.19	8.59	8.07	9.50
		1	13	9.16	8.59	8.08	9.50
		1	24	9.30	8.59	7.98	9.50
	QPSK	12	0	9.14	8.54	8.25	9.50
		12	6	9.18	8.58	8.13	9.50
		12	13	9.20	8.46	7.99	9.50
		25	0	9.16	8.41	8.10	9.50
		1	0	9.31	8.81	8.32	9.50
		1	13	9.18	8.69	8.38	9.50
		1	24	9.40	8.71	8.27	9.50
5MHz	16QAM	12	0	9.15	8.43	8.20	9.50
		12	6	9.22	8.46	8.10	9.50
		12	13	9.28	8.49	7.96	9.50
		25	0	9.17	8.38	8.02	9.50
		1	0	9.41	8.96	8.49	9.50
		1	13	9.40	8.69	8.54	9.50
		1	24	9.28	8.81	8.37	9.50
	64QAM	12	0	9.25	8.51	8.27	9.50
		12	6	9.32	8.57	8.17	9.50
		12	13	9.31	8.61	7.99	9.50
		25	0	9.18	8.50	8.06	9.50
Danish dida	NA - skul - ti - s	DD -:	DD -#4	Channel	Channel	Channel	т
Bandwidth	Modulation	RB size	RB offset	20800	21100	21400	Tune up
		1	0	9.21	8.73	8.84	9.50
		1	25	9.18	9.29	9.04	9.50
40844-	ODSK	1 (49	9.30	8.94	8.28	9.50
10MHz	QPSK	25	0	9.11	8.75	8.28	9.50
		25	13	9.20	8.52	8.06	9.50
		25	25	9.20	8.72	7.85	9.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



: 01 Rev

: 255 of 493 Page

		50	0	9.18	8.51	8.2	9.50
		1	0	9.31	9.05	9.14	9.50
		1	25	9.19	9.48	9.40	9.50
		1	49	9.39	9.20	8.59	9.50
	16QAM	25	0	9.16	8.69	8.25	9.50
		25	13	9.23	8.46	8.04	9.50
		25	25	9.28	8.66	7.83	9.50
		50	0	9.17	8.45	8.18	9.50
		1	0	9.39	9.01	9.24	9.50
		1	25	9.39	9.36	9.33	9.50
		1	49	9.28	9.36	8.72	9.50
	64QAM	25	0	9.26	8.68	8.33	9.50
	0 . 4	25	13	9.31	8.44	8.12	9.50
		25	25	9.31	8.64	7.91	9.50
		50	0	9.20	8.39	8.25	9.50
				Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	20825	21100	21375	Tune up
		1	0	9.20	8.52	9.20	9.50
		1	38	9.18	8.53	8.00	9.50
		1	74	9.29	9.09	7.89	9.50
	QPSK	36	0	9.13	8.51	8.80	9.50
	QI OIX	36	18	9.21	8.44	8.10	9.50
		36	39	9.23	8.75	7.99	9.50
		75	0	9.25	8.67	8.26	9.50
	1	1	0	9.30	8.86	9.41	9.50
		1	38	9.16	8.76	8.38	9.50
	16QAM	1	74	9.40	9.38	8.20	9.50
15MHz		36	0	9.13	8.44	8.76	9.50
1 JIVII 12		36	18	9.13	8.38	8.07	9.50
		36	39	9.24	8.69	7.98	9.50
		75	0	9.23	8.60	8.22	9.50
		1	0	9.19	9.06	9.38	9.50
		1	38	9.42	8.80	8.75	9.50
		1	74	9.37	9.42	8.44	9.50
	64001	36	0	9.29	1	9.33	9.50
	64QAM				8.80		+
		36	18	9.30	8.52	8.58 8.25	9.50
		36	39	9.30	8.99		9.50
		75	0	9.21	8.82	8.78	9.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
		4	0	20850	21100	21350	0.50
		1	0 50	9.27	8.58	9.48	9.50
		1		9.23	8.45 9.39	8.39 8.17	9.50 9.50
	OBSK		99	9.36			
201411-	QPSK	50	0	9.19	8.59	9.24	9.50
20MHz		50	25	9.27	8.55	8.33	9.50
		50	50	9.29	9.10	8.17	9.50
		100	0	9.23	8.84	8.69	9.50
	16QAM	1	0	9.36	9.08	9.43	9.50
		1	50	9.25	8.81	8.87	9.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 256 of 493 Page

		1	99	9.47	9.47	8.47	9.50
		50	0	9.22	8.66	9.20	9.50
		50	25	9.30	8.50	8.44	9.50
		50	50	9.34	9.02	8.17	9.50
		100	0	9.24	8.75	8.64	9.50
		1	0	9.48	9.24	9.38	9.50
		1	50	9.45	8.99	8.78	9.50
- Cal		1	99	9.35	9.45	8.65	9.50
	64QAM	50	0	9.32	8.82	9.33	9.50
		50	25	9.39	8.53	8.56	9.50
		50	50	9.37	8.99	8.24	9.50
		100	0	9.27	8.80	8.89	9.50

LTE Band 7	Right Head si with 5G		sly transmit	Conducted Power(dBm)					
Pandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun		
Bandwidth	Modulation	RB SIZE	RB ollset	20775	21100	21425	Tune up		
		1	0	7.76	6.82	6.75	8.00		
		1	13	7.76	6.70	6.76	8.00		
		1	24	7.93	6.72	6.64	8.00		
	QPSK	12	0	7.71	6.66	6.9	8.00		
		12	6	7.77	6.69	6.79	8.00		
	1	12	13	7.72	6.70	6.66	8.00		
		25	0	7.71	6.64	6.75	8.00		
		1	0	7.89	7.03	7.24	8.00		
		1	13	7.92	6.90	7.09	8.00		
5MHz		1	24	7.93	6.99	6.87	8.00		
	16QAM	12	0	7.68	6.61	6.87	8.00		
		12	6	7.76	6.66	6.76	8.00		
		12	13	7.71	6.65	6.62	8.00		
		25	0	7.67	6.59	6.71	8.00		
		0	0	7.91	7.11	7.23	8.00		
	64QAM	1	13	7.94	7.14	7.08	8.00		
		1	24	7.93	7.02	6.81	8.00		
		12	0	7.73	6.77	6.93	8.00		
		12	6	7.82	6.81	6.83	8.00		
		12	13	7.75	6.82	6.72	8.00		
		25	0	7.71	6.76	6.73	8.00		
Danish dalah	Mandadatian	DD -:	DD -#+	Channel	Channel	Channel	T		
Bandwidth	Modulation	RB size	RB offset	20800	21100	21400	Tune up		
		1	0	7.94	6.81	7.33	8.00		
		1	25	7.93	7.77	7.38	8.00		
		1	49	7.85	7.31	6.58	8.00		
10MHz	QPSK	25	0	7.92	6.82	6.76	8.00		
		25	13	7.86	6.66	6.62	8.00		
		25	25	7.89	6.88	6.45	8.00		
		50	0	7.76	6.67	6.81	8.00		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 257 of 493

I	1	1 4		7.00	1 740	7.00	1 000
		1	0	7.93	7.12	7.62	8.00
		1	25	7.88	7.94	7.90	8.00
	400414	1	49	7.92	7.53	7.00	8.00
	16QAM	25	0	7.85	6.77	6.71	8.00
		25	13	7.82	6.59	6.56	8.00
		25	25	7.81	6.80	6.42	8.00
		50	0	7.71	6.60	6.78	8.00
		1	0	7.87	6.98	7.57	8.00
		1	25	7.94	7.92	7.61	8.00
		1	49	7.77	7.59	6.89	8.00
	64QAM	25	0	7.88	6.82	6.79	8.00
		25	13	7.84	6.65	6.64	8.00
		25	25	7.85	6.86	6.49	8.00
		50	0	7.73	6.64	6.80	8.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20825	21100	21375	-
		1	0	7.52	6.71	7.85	8.00
		1	38	7.53	6.66	6.59	8.00
		1	74	7.53	7.31	6.46	8.00
	QPSK	36	0	7.64	6.68	7.28	8.00
		36	18	7.51	6.61	6.67	8.00
		36	39	7.83	6.95	6.56	8.00
		75	0	7.88	6.86	6.79	8.00
		1	0	7.92	6.98	7.85	8.00
		1	38	7.81	6.96	6.85	8.00
		1	74	7.91	7.51	6.70	8.00
15MHz	16QAM	36	0	7.82	6.63	7.23	8.00
		36	18	7.68	6.56	6.60	8.00
		36	39	7.82	6.91	6.50	8.00
		75	0	7.85	6.80	6.72	8.00
		1	0	7.39	7.01	7.84	8.00
		1	38	7.38	6.99	6.82	8.00
		1	74	7.34	7.59	6.70	8.00
	64QAM	36	0	7.20	6.69	7.26	8.00
		36	18	7.29	6.62	6.64	8.00
		36	39	7.58	6.97	6.53	8.00
		75	0	7.76	6.86	6.75	8.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
		112 0.20	112 011001	20850	21100	21350	
		1	0	7.56	6.89	7.83	8.00
		1	50	7.58	6.70	6.97	8.00
		1	99	7.57	7.81	6.74	8.00
	QPSK	50	0	7.68	6.83	7.73	8.00
20MHz		50	25	7.54	6.71	6.90	8.00
-V:#!! !£		50	50	7.86	7.28	6.73	8.00
		100	0	7.93	7.01	7.22	8.00
		1	0	7.95	7.19	7.83	8.00
	16QAM	1	50	7.84	7.05	7.30	8.00
		1	99	7.94	7.83	6.93	8.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 258 of 493 Page

,							
		50	0	7.85	6.75	7.68	8.00
		50	25	7.73	6.63	6.86	8.00
		50	50	7.86	7.21	6.57	8.00
		100	0	7.90	6.94	7.03	8.00
		1	0	7.43	7.12	7.94	8.00
		1	50	7.41	7.01	7.16	8.00
		1	99	7.39	7.82	7.00	8.00
-	64QAM	50	0	7.24	6.78	7.73	8.00
		50	25	7.34	6.80	6.88	8.00
		50	50	7.62	7.30	6.73	8.00
		100	0	7.81	7.04	7.19	8.00

1	LTE Band 12 full	power			Conducted	d Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tung up
Dangwigth	Modulation	RD SIZE	KD Ollset	23017	23095	23173	Tune up
		1	0	22.52	22.99	22.66	24.00
		1	2	22.33	23.22	22.67	24.00
		1	5	22.80	22.68	22.76	24.00
	QPSK	3	0	22.49	23.14	22.67	24.00
		3	2	22.34	23.21	22.65	24.00
		3	3	22.34	23.41	22.44	24.00
		6	0	21.26	22.04	21.45	23.00
		1	0	21.75	22.19	21.96	23.00
		1	2	21.56	22.31	21.89	23.00
		1	5	22.05	22.91	22.10	23.00
1.4MHz	16QAM	3	0	21.42	21.88	21.70	23.00
		3	2	21.27	21.96	21.66	23.00
		3	3	21.27	22.16	21.45	23.00
		6	0	20.34	21.07	20.77	22.00
		1	0	21.36	21.31	21.34	22.5
		1	2	21.25	21.06	20.92	22.5
	64QAM	1	5	21.16	21.22	21.19	22.5
		3	0	20.03	20.07	20.08	22.5
Calc.		3	2	20.08	20.08	20.08	22.5
		3	3	20.04	20.10	20.04	22.5
		6	0	20.02	20.03	20.06	21.5
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danuwidin	Modulation	ND Size	KB oliset	23025	23095	23165	Turie up
		1	0	22.89	22.99	22.55	24.00
		1	7	22.99	23.93	23.76	24.00
		1	14	22.55	23.89	22.94	24.00
3MHz	QPSK	8	0	21.24	22.03	21.83	23.00
SIVITIZ		8	4	21.08	22.00	21.76	23.00
		8	7	21.40	22.88	22.04	23.00
		15	0	20.95	22.11	21.42	23.00
	16QAM	1	0	21.67	21.93	21.58	23.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 259 of 493 Page

		1	7	21.82	22.96	22.8	23.00
		1	14	21.38	22.83	22.00	23.00
		8	0	20.18	21.16	21.01	22.00
		8	4	20.05	21.15	21.02	22.00
		8	7	20.44	22.00	21.30	22.00
		15	0	19.93	21.16	20.53	22.00
		1	0	21.42	21.37	21.40	22.50
		1	7	21.31	21.13	21.02	22.50
		1	14	21.22	21.29	21.27	22.50
	64QAM	8	0	20.12	20.16	20.14	21.50
	0.10,	8	4	20.16	20.17	20.18	21.50
		8	7	20.13	20.15	20.10	21.50
		15	0	20.10	20.13	20.13	21.50
		10		Channel	Channel	Channel	21.00
Bandwidth	Modulation	RB size	RB offset	23035	23095	23155	Tune up
		1	0	23.26	22.85	22.98	24.00
		1	13	22.79	23.58	23.23	24.00
		1	24	22.77	23.61	23.21	24.00
	QPSK	12	0	21.76	22.29	21.86	23.00
	QI OIX	12	6	21.75	22.89	22.16	23.00
		12	13	21.62	22.88	22.43	23.00
		25	0	21.56	22.73	22.21	23.00
		+	0	22.31	21.95		23.00
		1	13	21.90	21.93	22.05 22.31	23.00
			1				
5MHz	400 AM	1	24	21.86	22.57	22.05	23.00
SIVITIZ	16QAM	12 12	0	20.75	21.32	20.93 21.27	22.00
			6	20.55	21.90		22.00
		12	13	20.63	21.95	21.64	22.00
+		25	0	20.51	21.75	21.20	22.00
		1	0	21.51	21.42	21.47	22.50
		1	13	21.37	21.21	21.09	22.50
	0.400.414	1	24	21.30	21.36	21.33	22.50
	64QAM	12	0	20.18	20.22	20.22	21.50
		12	6	20.23	20.24	20.23	21.50
		12	13	20.20	20.23	20.18	21.50
		25	0	20.18	20.19	20.21	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				23060	23095	23130	·
		1	0	22.94	22.65	23.95	24.00
		1	25	22.53	23.82	22.90	24.00
		1	49	23.53	22.42	22.90	24.00
	QPSK	25	0	21.53	22.25	22.62	23.00
		25	13	21.66	22.12	21.15	23.00
10MHz		25	25	21.69	21.53	21.42	23.00
		50	0	21.64	21.67	21.57	23.00
		1	0	21.76	21.45	22.81	23.00
	16QAM	1	25	21.30	22.56	21.99	23.00
	IOQAIVI	1	49	22.25	21.27	22.01	23.00
		25	0	20.41	21.23	21.70	22.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 260 of 493 Page

		25	13	20.64	21.14	20.22	22.00
		25	25	20.68	20.51	20.45	22.00
		50	0	20.64	20.66	20.51	22.00
Ì		1	0	21.56	21.51	21.54	22.50
		1	25	21.43	21.27	21.15	22.50
		1	49	21.38	21.41	21.39	22.50
	64QAM	25	0	20.25	20.31	20.31	21.50
		25	13	20.29	20.29	20.30	21.50
		25	25	20.27	20.30	20.27	21.50
		50	0	20.24	20.28	20.28	21.50

LT	E Band 12 Left H	lead reduced p	ower		Conducted Power(dBm)					
				Channel	Channel	Channel	T_			
Bandwidth	Modulation	RB size	RB offset	23017	23095	23173	Tune up			
		1	0	19.65	20.23	20.12	21.50			
		1	2	19.54	20.35	20.07	21.50			
		1	5	20.05	20.95	20.23	21.50			
	QPSK	3	0	19.69	20.26	20.07	21.50			
		3	2	19.52	20.31	20.05	21.50			
		3	3	19.55	20.41	19.83	21.50			
	1	6	0	19.53	20.20	19.95	21.50			
		1	0	20.03	20.45	20.35	21.50			
		1	2	19.77	20.54	20.28	21.50			
		1	5	20.21	21.16	20.43	21.50			
1.4MHz	16QAM	3	0	19.71	20.24	20.05	21.50			
		3	2	19.52	20.33	20.05	21.50			
		3	3	19.56	20.39	19.85	21.50			
		6	0	19.50	20.14	19.89	21.50			
		1	0	19.96	20.00	20.11	21.50			
		1	2	19.73	19.70	19.70	21.50			
		1	5	20.10	19.96	19.86	21.50			
	64QAM	3	0	19.79	19.93	19.81	21.50			
		3	2	19.82	19.87	19.91	21.50			
		3	3	19.86	19.87	19.81	21.50			
		6	0	19.85	19.94	19.87	21.50			
Danadu si altha	Madulatian	DD size	DD effect	Channel	Channel	Channel	T			
Bandwidth	Modulation	RB size	RB offset	23025	23095	23165	Tune up			
		1	0	20.05	20.21	19.78	21.50			
		1	7	20.08	21.06	21.21	21.50			
		1	14	19.73	20.87	20.5	21.50			
	QPSK	8	0	19.45	20.32	20.32	21.50			
3MHz		8	4	19.28	20.27	20.34	21.50			
		8	7	19.65	21.13	20.69	21.50			
		15	0	19.15	20.34	19.87	21.50			
	16OAM	1	0	20.27	20.39	20.07	21.50			
	16QAM	1	7	20.35	21.20	21.22	21.50			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 261 of 493

		1	14	20.01	21.06	20.7	21.50
	-	8	0	19.41	20.27	20.28	21.50
	-	8	4	19.26	20.24	20.32	21.50
	-	8	7	19.60	21.06	20.65	21.50
	-	15	0	19.10	20.26	19.83	21.50
		1	0	20.06	20.08	20.18	21.50
	-	1	7	19.81	19.79	19.79	21.50
Cal	-	1	14	20.15	20.02	19.94	21.50
	64QAM	8	0	19.87	19.99	19.91	21.50
	-	8	4	19.92	19.95	19.98	21.50
	-	8	7	19.93	19.94	19.88	21.50
	-	15	0	19.93	20.01	19.93	21.50
				Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	23035	23095	23155	Tune up
		1	0	20.37	20.12	20.14	21.50
	-	1	13	19.90	21.17	20.55	21.50
	-	10	24	20.02	21.19	20.70	21.50
	QPSK	12	0	19.96	20.53	20.08	21.50
	Q. 0.1	12	6	19.82	21.04	20.50	21.50
	-	12	13	19.87	21.02	20.90	21.50
	-	25	0	19.77	20.91	20.45	21.50
		1	0	20.67	20.32	20.40	21.50
	-	<u>.</u> 1	13	20.20	21.21	20.84	21.50
		<u>.</u> 1	24	20.22	21.22	20.95	21.50
5MHz	16QAM	12	0	19.86	20.53	20.10	21.50
OWN 12	1000/11/1	12	6	19.73	21.06	20.51	21.50
	-	12	13	19.8	21.03	20.91	21.50
	-	25	0	19.65	20.89	20.44	21.50
		1	0	20.14	20.18	20.25	21.50
	-	1	13	19.87	19.85	19.86	21.50
	-	1	24	20.22	20.08	20.02	21.50
	64QAM	12	0	19.95	20.05	20.01	21.50
	04Q/IVI	12	6	19.99	20.04	20.04	21.50
	-	12	13	20.00	20.04	19.97	21.50
	-	25	0	20.00	20.02	19.99	21.50
		25	0	Channel	Channel	Channel	21.50
Bandwidth	Modulation	RB size	RB offset	23060	23095	23130	Tune up
		1	0	19.97	19.83	21.01	21.50
		1	25	19.73	20.87	19.88	21.50
	-	1	49	20.64	19.38	20.16	21.50
	QPSK		0				
	QPSK	25		19.62	20.49	20.88	21.50
		25 25	13	19.84	20.24	19.33	21.50
10MHz			25	19.81	19.64	19.71	21.50
		50	0	19.78	19.89	19.75	21.50
		1	0	20.27	20.11	21.23	21.50
	160 4 14	1	25	19.89	21.18	20.15	21.50
	16QAM	1	49	20.84	19.66	20.49	21.50
		25	0	19.63	20.47	20.75	21.50
		25	13	19.84	20.21	19.27	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 262 of 493

	25	25	19.8	19.57	19.64	21.50
	50	0	19.75	19.75	19.69	21.50
	1	0	20.23	20.25	20.35	21.50
	1	25	19.92	19.9	19.95	21.50
	1	49	20.31	20.15	20.08	21.50
64QAM	25	0	20.03	20.13	20.10	21.50
	25	13	20.08	20.10	20.12	21.50
	25	25	20.05	20.07	20.06	21.50
	50	0	20.07	20.12	20.06	21.50

LTE B	and 12 Right Hea	d reduced pow	ver		Conducted P	ower(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danawiani	Modulation	110 0120	TED OHOOT	23017	23095	23173	Tano ap
		1	0	20.31	20.75	20.67	22.00
		1	2	20.02	20.81	20.52	22.00
		1	5	20.51	21.33	20.71	22.00
	QPSK	3	0	20.16	20.70	20.60	22.00
		3	2	19.95	20.86	20.54	22.00
		3	3	19.94	20.95	20.32	22.00
		6	0	19.95	20.72	20.42	22.00
		1	0	20.47	20.95	20.96	22.00
		1	2	20.22	21.04	20.83	22.00
		1	5	20.64	21.60	20.98	22.00
1.4MHz	16QAM	3	0	20.09	20.76	20.63	22.00
		3	2	19.93	20.84	20.57	22.00
		3	3	19.94	20.91	20.30	22.00
		6	0	20.00	20.65	20.38	22.00
		1	0	20.56	20.55	20.74	22.00
		1	2	20.14	20.29	20.34	22.00
	64QAM	1	5	20.56	20.60	20.37	22.00
		3	0	19.89	19.92	19.90	22.00
		3	2	19.93	19.86	19.87	22.00
		3	3	19.86	19.89	19.83	22.00
		6	0	19.82	19.87	19.87	22.00
		55 :	DD "	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	23025	23095	23165	Tune up
		1	0	20.54	20.65	20.34	22.00
		1	7	20.55	21.48	21.60	22.00
		1	14	20.17	21.29	20.96	22.00
	QPSK	8	0	19.86	20.76	20.80	22.00
	•	8	4	19.76	20.70	20.81	22.00
3MHz		8	7	20.07	21.55	21.15	22.00
		15	0	19.62	20.77	20.35	22.00
		1	0	20.81	20.90	20.54	22.00
	16QAM	1	7	20.78	21.58	21.58	22.00
		1	14	20.39	21.60	21.18	22.00
			17	20.00	21.00	21.10	22.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 263 of 493

		8	0	19.85	20.69	20.78	22.00
		8	4	19.71	20.66	20.81	22.00
		8	7	20.03	21.51	21.13	22.00
		15	0	19.55	20.71	20.29	22.00
		1	0	20.63	20.61	20.82	22.00
		1	7	20.22	20.35	20.41	22.00
		1	14	20.64	20.68	20.45	22.00
Cal	64QAM	8	0	19.95	20.00	19.98	22.00
		8	4	19.99	19.95	19.97	22.00
		8	7	19.94	19.98	19.92	22.00
		15	0	19.90	19.94	19.93	22.00
				Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	23035	23095	23155	Tune up
		1	0	20.85	20.53	20.55	22.00
		1	13	20.42	21.52	20.92	22.00
		1	24	20.47	21.60	21.11	22.00
	QPSK	12	0	20.41	20.96	20.62	22.00
	Q. 010	12	6	20.21	21.51	20.95	22.00
		12	13	20.32	21.57	21.35	22.00
		25	0	20.2	21.39	20.96	22.00
		1	0	21.10	20.75	20.82	22.00
		1	13	20.60	21.58	21.33	22.00
		1	24	20.66	21.59	21.43	22.00
5MHz	16QAM	12	0	20.38	20.92	20.50	22.00
JIVII IZ	TOQAM	12	6	20.24	21.40	20.89	22.00
		12	13	20.24	21.40	21.36	22.00
		25	0	20.22	21.37	20.86	22.00
		1	0	20.72	20.68	20.88	22.00
		1	13	20.72	20.40	20.66	22.00
							ł
	6404M	1 12	24	20.72	20.74	20.53	22.00
	64QAM		0	20.01	20.09	20.03	22.00
		12	6	20.05	20.01	20.05	22.00
		12	13	20.01	20.05	19.99	22.00
		25	0	20.00	20.04	20.02	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
		4		23060	23095	23130	00.00
		1	0	20.43	20.20	21.37	22.00
		1	25	20.07	21.29	20.37	22.00
	0.001	1	49	21.06	19.83	20.62	22.00
	QPSK	25	0	20.14	20.99	21.29	22.00
		25	13	20.34	20.76	19.76	22.00
		25	25	20.34	20.07	20.07	22.00
10MHz		50	0	20.30	20.31	20.17	22.00
		1	0	20.65	20.38	21.61	22.00
		1	25	20.34	21.45	20.58	22.00
	16QAM	1	49	21.24	20.08	20.96	22.00
	. 5 47 1171	25	0	20.01	20.87	21.24	22.00
		25	13	20.23	20.73	19.75	22.00
		25	25	20.20	20.06	20.06	22.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



: 01 Rev

Page : 264 of 493

	50	0	20.15	20.28	20.16	22.00
	1	0	20.81	20.74	20.96	22.00
	1	25	20.39	20.47	20.55	22.00
	1	49	20.80	20.81	20.61	22.00
64QAM	25	0	20.07	20.15	20.12	22.00
	25	13	20.10	20.11	20.13	22.00
	25	25	20.11	20.11	20.09	22.00
	50	0	20.07	20.11	20.10	22.00

LTE Band 12	hotspot actived f	or 2.4G WIF	1		Conducted	Power(dBm)	
Bandwidth	Modulation	RB size	RB "	Channel	Channel	Channel	Tune up
			offset	23017	23095	23173	,
		1	0	20.09	20.69	20.56	21.50
		1	2	19.94	20.77	20.40	21.50
		1	5	20.50	21.39	20.50	21.50
	QPSK	3	0	20.14	20.76	20.48	21.50
		3	2	19.99	20.82	20.44	21.50
		3	3	19.97	20.99	20.23	21.50
		6	0	20.00	20.82	20.33	21.50
		1	0	20.57	20.98	20.87	21.50
		1	2	20.23	21.00	20.76	21.50
		1	5	20.69	21.43	20.80	21.50
1.4MHz	16QAM	3	0	20.17	20.74	20.50	21.50
		3	2	20.05	20.83	20.45	21.50
		3	3	19.99	21.01	20.26	21.50
		6	0	20.00	20.78	20.30	21.50
		1	0	20.32	20.15	20.69	21.50
		1	2	20.48	20.53	20.47	21.50
		1	5	20.65	20.51	20.51	21.50
	64QAM	3	0	19.92	19.97	19.98	21.50
		3	2	19.95	19.97	19.97	21.50
		3	3	19.97	19.94	19.93	21.50
		6	0	19.91	19.97	19.95	21.50
			RB	Channel	Channel	Channel	+
Bandwidth	Modulation	RB size	offset	23025	23095	23165	Tune up
		1	0	20.30	20.45	19.97	21.50
		1	7	20.40	21.45	21.37	21.50
		1	14	19.94	21.33	20.52	21.50
	QPSK	8	0	19.74	20.69	20.49	21.50
		8	4	19.57	20.67	20.47	21.50
3MHz		8	7	19.90	21.43	20.83	21.50
		15	0	19.45	20.54	20.04	21.50
	Value of the second	1	0	20.64	20.76	20.33	21.50
		1	7	20.79	21.45	21.42	21.50
	16QAM	1	14	20.36	21.44	20.89	21.50
		8	0	19.75	20.66	20.46	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 265 of 493

		8	4	19.56	20.64	20.44	21.50
		8	7	19.90	21.43	20.79	21.50
		15	0	19.39	20.68	20.01	21.50
		1	0	20.34	20.17	20.71	21.50
		1	7	20.31	20.55	20.49	21.50
		1	14	20.53	20.53	20.53	21.50
	64QAM	8	0	19.94	19.99	20.05	21.50
	·	8	4	19.97	19.95	19.95	21.50
		8	7	19.99	19.96	19.95	21.50
		15	0	19.93	19.93	19.97	21.50
			RB	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	offset	23035	23095	23155	Tune up
		1	0	20.69	20.37	20.52	21.50
		1	13	20.17	21.45	20.73	21.50
		1	24	20.22	21.43	20.80	21.50
	QPSK	12	0	20.22	20.88	20.39	21.50
	Qi Oit	12	6	20.28	21.42	20.73	21.50
		12	13	20.23	21.46	21.10	21.50
		25	0	20.23	21.40	20.75	21.50
				21.09			
		1	0		20.61	20.73	21.50
		1	13	20.58	21.43	21.12	21.50 21.50
Canal I	400414	1	24	20.62	21.42	21.14	
5MHz	16QAM	12	0	20.27	20.87	20.36	21.50
		12	6	20.04	21.38	20.71	21.50
		12	13	20.09	21.40	21.08	21.50
		25	0	20.02	21.28	20.73	21.50
		1	0	20.32	20.15	20.68	21.50
		1	13	20.47	20.52	20.46	21.50
		1	24	20.65	20.51	20.53	21.50
	64QAM	12	0	19.91	19.96	19.97	21.50
		12	6	19.95	19.95	19.95	21.50
		12	13	19.97	19.93	19.92	21.50
		25	0	19.92	19.96	19.93	21.50
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
Danawiatii	Woddiation	ND 3iZe	offset	23060	23095	23130	типе ир
		1	0	20.38	20.00	21.27	21.50
		1	25	19.98	21.30	20.30	21.50
		1	49	20.99	19.77	20.45	21.50
	QPSK	25	0	19.98	20.86	21.35	21.50
		25	13	20.17	20.82	19.79	21.50
		25	25	20.23	20.14	20.00	21.50
10MHz		50	0	20.16	20.34	20.19	21.50
IUWITZ		1	0	20.65	20.45	21.46	21.50
		1	25	20.25	21.45	20.67	21.50
		1	49	21.44	20.12	20.80	21.50
	16QAM	25	0	20.00	20.86	21.23	21.50
		25	13	20.19	20.69	19.73	21.50
		25	25	20.24	20.02	19.92	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 266 of 493 Page

1					i	
	1	0	20.41	20.24	20.78	21.50
	1	25	20.57	20.62	20.56	21.50
	1	49	20.74	20.60	20.60	21.50
64QAM	25	0	20.01	20.06	20.07	21.50
	25	13	20.04	20.06	20.06	21.50
	25	25	20.06	20.03	20.02	21.50
	50	0	20.00	20.06	20.04	21.50

LTE Ba	nd 12 hotspot a	actived for 50	WIFI	Conducted Power(dBm)					
		·	55 "	Channel	Channel	Channel	_		
Bandwidth	Modulation	RB size	RB offset	23017	23095	23173	Tune up		
		1	0	18.79	19.30	19.37	20.00		
		1	2	18.58	19.35	19.24	20.00		
		1	5	19.09	19.95	19.38	20.00		
	QPSK	3	0	18.77	19.36	19.21	20.00		
		3	2	18.59	19.42	19.18	20.00		
		3	3	18.57	19.52	18.96	20.00		
		6	0	18.61	19.32	19.06	20.00		
		1	0	19.10	19.56	19.57	20.00		
		1	2	18.98	19.6	19.43	20.00		
		1	5	19.39	19.97	19.56	20.00		
1.4MHz	16QAM	3	0	18.77	19.38	19.26	20.00		
		3	2	18.66	19.43	19.17	20.00		
		3	3	18.63	19.54	19.07	20.00		
	6	0	18.62	19.26	19.14	20.00			
		1	0	19.13	19.16	19.18	20.00		
		1	2	18.93	19.06	18.82	20.00		
		1	5	19.16	19.13	18.97	20.00		
	64QAM	3	0	18.93	19.03	19.02	20.00		
		3	2	18.97	19.02	18.98	20.00		
		3	3	18.95	18.96	18.95	20.00		
		6	0	18.83	18.77	18.69	20.00		
		55 :	55 "	Channel	Channel	Channel	_		
Bandwidth	Modulation	RB size	RB offset	23025	23095	23165	Tune up		
		1	0	19.14	19.34	18.81	20.00		
		1	7	19.16	19.97	19.98	20.00		
		1	14	18.80	19.96	19.49	20.00		
	QPSK	8	0	18.52	19.33	19.42	20.00		
		8	4	18.42	19.26	19.46	20.00		
		8	7	18.80	19.96	19.80	20.00		
3MHz		15	0	18.27	19.46	18.99	20.00		
		1	0	19.36	19.48	19.14	20.00		
		1	7	19.49	19.97	19.97	20.00		
	400444	1	14	19.17	19.95	19.82	20.00		
	16QAM	8	0	18.55	19.35	19.35	20.00		
		8	4	18.33	19.26	19.39	20.00		
		8	7	18.72	19.97	19.72	20.00		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 267 of 493

	1 1	45		40.40	10.00	1 40.00 1	00.00
		15	0	18.13	19.36	18.86	20.00
		1	0	19.11	19.13	19.17	20.00
		1	7	18.98	19.05	18.75	20.00
		1	14	19.13	19.07	18.96	20.00
	64QAM	8	0	18.88	19.02	18.99	20.00
		8	4	18.94	18.99	18.95	20.00
		8	7	18.94	18.93	18.92	20.00
		15	0	18.80	18.75	18.66	20.00
Bandwidth	Modulation	RB size	RB offset	Channel 23035	Channel 23095	Channel 23155	Tune up
		1	0	19.52	19.15	19.25	20.00
		<u>.</u> 1	13	19.05	19.96	19.69	20.00
		<u>·</u> 1	24	19.06	19.98	19.84	20.00
	QPSK	12	0	19.08	19.61	19.19	20.00
	QI OIX	12	6	18.92	19.98	19.58	20.00
		12	13	18.98	19.98	19.56	20.00
			0	18.86	19.98	19.95	20.00
		25					
		1	0	19.80	19.43	19.37	20.00
		1	13	19.33	19.95	19.87	20.00
		1	24	19.36	19.96	19.93	20.00
5MHz	16QAM	12	0	19.06	19.54	19.15	20.00
		12	6	18.91	19.91	19.58	20.00
		12	13	18.97	19.92	19.93	20.00
		25	0	18.84	19.91	19.56	20.00
	\	1	0	19.08	19.11	19.13	20.00
		1	13	18.88	19.01	18.75	20.00
		1	24	19.13	19.05	18.94	20.00
	64QAM	12	0	18.86	18.97	18.97	20.00
		12	6	18.92	18.95	18.93	20.00
		12	13	18.92	18.91	18.91	20.00
		25	0	18.78	18.75	18.64	20.00
			-	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	23060	23095	23130	Tune up
		1	0	19.16	18.91	19.98	20.00
		1	25	18.78	19.97	19.08	20.00
		1	49	19.69	18.37	19.34	20.00
	QPSK	25	0	18.76	19.56	19.97	20.00
	QI OIL	25	13	18.92	19.45	18.38	20.00
		25	25	18.91	18.75	18.77	20.00
		50	0	18.90	19.00	18.83	20.00
10MHz		1	0	19.33	19.22	19.97	20.00
		1	25	19.15	19.96	19.24	20.00
	10011	1	49	19.93	18.72	19.56	20.00
	16QAM	25	0	18.70	19.55	19.78	20.00
		25	13	18.99	19.28	18.28	20.00
		25	25	18.91	18.65	18.63	20.00
		50	0	18.89	18.86	18.75	20.00
	64QAM	1	0	19.19	19.22	19.24	20.00
	04QAIVI	1	25	18.99	19.12	18.88	20.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

Page : 268 of 493

1	49	19.22	19.16	19.05	20.00
25	0	18.97	19.09	19.08	20.00
25	13	19.03	19.08	19.04	20.00
25	25	19.03	19.02	19.01	20.00
50	0	18.89	18.83	18.75	20.00

LTE Band 12	P. Body-worn sin 2.4G		transmit with		Conducted	Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel 23017	Channel 23095	Channel 23173	Tune up
		1	0	20.42	20.51	20.24	21.50
	-	1	2	20.42	21.20	20.49	21.50
	-	1	5	20.55	21.28	20.49	21.50
	QPSK	3	0	20.33	20.43	20.23	21.50
	QI SIX	3	2	20.20	20.73	20.10	21.50
	-	3	3	20.02	20.79	19.85	21.50
	-	6	0	20.02	20.57	19.96	21.50
		1	0	20.03	20.43	20.26	21.50
	-	1	2	20.55	21.21	20.53	21.50
	-	1	5	20.62	21.30	20.33	21.50
1.4MHz	16QAM	3	0	20.02	20.60	19.89	21.50
11.1.1.2	TOQAW	3	2	19.97	20.86	20.02	21.50
	-	3	3	19.97	20.87	19.85	21.50
	-	6	0	19.97	20.56	19.88	21.50
		1	0	20.16	20.05	20.43	21.50
		1	2	19.88	20.22	20.29	21.50
		<u>.</u>	5	20.49	20.05	20.15	21.50
	64QAM	3	0	19.76	19.81	19.82	21.50
	0+Q/(IVI	3	2	19.79	19.83	19.79	21.50
	-	3	3	19.81	19.78	19.83	21.50
	-	6	0	19.75	19.81	19.75	21.50
		-	-	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	23025	23095	23165	Tune up
		1	0	20.66	20.40	19.99	21.50
	-	 1	7	20.62	21.32	21.21	21.50
		<u>.</u>	14	20.01	21.31	20.42	21.50
	QPSK	8	0	20.83	20.29	20.12	21.50
		8	4	19.76	20.57	20.34	21.50
		8	7	20.21	21.34	20.54	21.50
		15	0	19.60	20.62	19.91	21.50
3MHz		1	0	20.75	20.32	20.05	21.50
		1	7	20.73	21.33	21.21	21.50
		1	14	20.15	21.31	20.54	21.50
	16QAM	8	0	19.89	20.41	20.44	21.50
		8	4	19.71	20.47	20.36	21.50
		8	7	19.90	21.33	20.68	21.50
		15	0	19.52	20.63	19.86	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 269 of 493

		1	0	20.18	20.01	20.45	21.50
		1	7	19.92	20.24	20.31	21.50
		1	14	20.51	20.07	20.15	21.50
	64QAM	8	0	19.78	19.83	19.84	21.50
		8	4	19.82	19.82	19.81	21.50
		8	7	19.83	19.85	19.82	21.50
		15	0	19.77	19.83	19.81	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Banawiath	Woddiation	ND 3120	TO Oliset	23035	23095	23155	тапс ар
		1	0	20.52	20.24	20.69	21.50
		1	13	20.79	21.34	20.74	21.50
		1	24	20.20	21.33	20.69	21.50
	QPSK	12	0	20.45	20.61	20.52	21.50
		12	6	20.07	21.21	20.70	21.50
		12	13	19.98	21.33	20.96	21.50
		25	0	20.12	21.20	20.75	21.50
		1	0	21.16	19.87	20.78	21.50
		1	13	20.41	21.28	20.88	21.50
		1	24	20.28	21.31	20.85	21.50
5MHz	16QAM	12	0	20.34	20.52	20.47	21.50
	ŀ	12	6	20.12	21.13	20.66	21.50
		12	13	20.01	21.35	20.89	21.50
		25	0	20.06	21.21	20.69	21.50
		1	0	20.24	20.07	20.50	21.50
		1	13	19.95	20.32	20.35	21.50
		1	24	20.57	20.13	20.23	21.50
	64QAM	12	0	19.84	19.89	19.81	21.50
		12	6	19.87	19.85	19.85	21.50
		12	13	19.89	19.86	19.83	21.50
		25	0	19.83	19.85	19.87	21.50
			-	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	23060	23095	23130	Tune up
		1	0	20.38	19.91	21.22	21.50
		1	25	19.93	21.18	20.49	21.50
		1	49	21.06	19.86	20.18	21.50
	QPSK	25	0	19.91	20.59	21.35	21.50
		25	13	20.03	20.63	19.76	21.50
		25	25	20.04	20.08	19.91	21.50
		50	0	20.02	20.26	20.11	21.50
		1	0	20.70	19.96	21.24	21.50
10MHz		<u>.</u> 1	25	19.85	21.20	20.53	21.50
		1	49	21.09	19.94	20.20	21.50
	16QAM	25	0	19.93	20.44	21.27	21.50
	100/11/1	25	13	19.93	20.51	19.71	21.50
		25	25	19.93	20.07	19.71	21.50
		50	0	19.97	20.07	20.00	21.50
		1	0	20.29	20.19	20.00	21.50
	64QAM	1 1	25	20.29	20.12	20.56	21.50
	U4QAIVI					+	
		1	49	20.62	20.18	20.28	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 270 of 493 Page

25	0	19.89	19.94	19.95	21.50
25	13	19.92	19.93	19.92	21.50
25	25	19.94	19.91	19.93	21.50
50	0	19.88	19.94	19.92	21.50

LTE Band 12	Body-worn simulta WIFI	aneously transi	mit with 5G		Conducted	d Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Sandwidth	Modulation	RD SIZE	KD Ollset	23017	23095	23173	Tune up
		1	0	18.80	19.10	18.95	20.00
		1	2	19.01	19.88	19.27	20.00
		1	5	19.10	19.96	19.00	20.00
	QPSK	3	0	18.84	19.01	18.84	20.00
		3	2	18.65	19.27	18.75	20.00
		3	3	18.63	19.32	18.60	20.00
		6	0	18.63	19.05	18.69	20.00
		1	0	18.99	18.90	18.96	20.00
		1	2	19.00	19.71	19.24	20.00
		1	5	19.02	19.81	18.99	20.00
1.4MHz	16QAM	3	0	18.91	19.03	18.81	20.00
T COL		3	2	18.55	19.34	18.70	20.00
		3	3	18.67	19.37	18.57	20.00
		6	0	18.58	19.06	18.56	20.00
		1	0	19.09	19.05	19.23	20.00
		1	2	18.29	18.89	18.65	20.00
		1	5	19.09	18.44	18.69	20.00
	64QAM	3	0	18.49	18.89	18.62	20.00
		3	2	18.30	18.71	18.31	20.00
		3	3	18.58	18.49	18.51	20.00
		6	0	18.49	18.63	18.52	20.00
1 141			DD (()	Channel	Channel	Channel	_
andwidth	Modulation	RB size	RB offset	23025	23095	23165	Tune up
		1	0	19.11	18.96	18.61	20.00
		1	7	19.14	19.97	19.79	20.00
- 0		1	14	18.60	19.96	19.05	20.00
	QPSK	8	0	19.31	18.82	18.60	20.00
		8	4	18.31	19.11	18.94	20.00
		8	7	18.68	19.95	19.10	20.00
		15	0	18.15	19.28	18.54	20.00
3MHz		1	0	19.46	18.89	18.60	20.00
		1	7	19.35	19.96	19.80	20.00
		1	14	18.74	19.64	19.09	20.00
	16QAM	8	0	18.46	19.10	19.00	20.00
		8	4	18.24	19.24	18.92	20.00
		8	7	18.48	19.96	19.27	20.00
		15	0	18.08	19.17	18.50	20.00
ŀ	64QAM	1	0	19.36	19.28	19.51	20.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 271 of 493 Page

		1	7	18.56	19.16	18.91	20.00
		1	14	19.32	18.73	18.96	20.00
		8	0	18.76	19.16	18.89	20.00
		8	4	18.57	18.95	18.58	20.00
		8	7	18.85	18.76	18.75	20.00
		15	0	18.73	18.85	18.76	20.00
D 1 : 101	BA 110	DD :	DD " .	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	23035	23095	23155	Tune up
		1	0	19.40	18.76	19.21	20.00
		1	13	18.81	19.89	19.27	20.00
		1	24	18.71	19.96	19.33	20.00
	QPSK	12	0	18.99	19.31	19.09	20.00
		12	6	18.63	19.92	19.28	20.00
		12	13	18.56	19.94	19.53	20.00
		25	0	18.60	19.90	19.35	20.00
		1	0	19.71	18.77	19.17	20.00
		1	13	18.99	19.87	19.31	20.00
		1	24	18.82	19.91	19.34	20.00
5MHz	16QAM	12	0	18.95	19.26	19.13	20.00
		12	6	18.59	19.87	19.31	20.00
		12	13	18.52	19.90	19.56	20.00
		25	0	18.55	19.86	19.28	20.00
		1	0	19.13	19.05	19.26	20.00
		1	13	18.32	18.92	18.68	20.00
		1	24	19.12	18.45	18.73	20.00
	64QAM	12	0	18.52	18.92	18.65	20.00
	o . Q	12	6	18.33	18.74	18.34	20.00
		12	13	18.61	18.52	18.52	20.00
		25	0	18.52	18.63	18.55	20.00
				Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	23060	23095	23130	Tune up
		1	0	19.56	18.47	19.90	20.00
		1	25	18.46	19.79	19.09	20.00
		1	49	19.69	18.36	18.89	20.00
	QPSK	25	0	18.56	19.15	19.90	20.00
	QI OIX	25	13	18.55	19.18	18.33	20.00
		25	25	18.59	18.68	18.51	20.00
		50	0	18.56	18.80	18.70	20.00
		1	0	19.34	18.45	19.97	20.00
		1	25	18.55	19.80	19.37	20.00
10MHz		1	49	19.77		19.22	20.00
	16QAM	25	0	18.46	18.36 19.13	1	20.00
	IOWAWI	25	13	18.45		19.89	
					19.19	18.32	20.00
		25	25	18.51	18.65	18.49	20.00
-		50	0	18.47	18.74	18.61	20.00
		1	0	19.23	19.15	19.37	20.00
	64QAM	1	25	18.43	19.03	18.79	20.00
		1	49	19.23	18.58	18.83	20.00
		25	0	18.63	19.03	18.76	20.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 272 of 493

25	13	18.44	18.85	18.45	20.00
25	25	18.72	18.63	18.65	20.00
50	0	18.63	18.74	18.66	20.00

LTE Band 12	Left Head simu 2.4G V		ransmit with		Conducted	Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danawiatii	Modulation	ND 3ize	ND onset	23017	23095	23173	Tune up
		1	0	17.13	17.57	17.92	19.00
		1	2	16.87	17.65	17.85	19.00
		1	5	17.35	18.32	17.96	19.00
	QPSK	3	0	17.04	17.67	17.80	19.00
		3	2	16.84	17.71	17.80	19.00
		3	3	16.81	17.80	17.57	19.00
		6	0	16.84	17.58	17.69	19.00
		1	0	17.40	17.88	18.14	19.00
		1	2	17.16	17.96	17.97	19.00
		1	5	17.68	18.48	18.24	19.00
1.4MHz	16QAM	3	0	17.07	17.64	17.83	19.00
		3	2	16.95	17.80	17.87	19.00
		3	3	16.88	17.85	17.65	19.00
		6	0	16.9	17.62	17.74	19.00
		1	0	17.76	17.47	18.12	19.00
		1	2	17.33	18.25	17.56	19.00
		1	5	18.22	17.02	18.13	19.00
	64QAM	3	0	17.95	17.86	18.24	19.00
		3	2	17.18	17.65	17.73	19.00
		3	3	17.21	17.02	17.22	19.00
		6	0	17.11	17.22	17.21	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
bandwidth	Modulation	ND SIZE	KD Ollset	23025	23095	23165	
		1	0	17.33	17.65	17.18	19.00
		1	7	17.54	18.51	18.64	19.00
		1	14	17.12	18.37	17.91	19.00
	QPSK	8	0	16.85	17.67	17.69	19.00
		8	4	16.67	17.62	17.70	19.00
		8	7	17.03	18.45	18.09	19.00
		15	0	16.54	17.70	17.27	19.00
		1	0	17.62	17.81	17.43	19.00
		1	7	17.72	18.65	18.67	19.00
3MHz		1	14	17.33	18.66	18.20	19.00
	16QAM	8	0	16.74	17.70	17.70	19.00
		8	4	16.63	17.64	17.72	19.00
		8	7	16.93	18.47	18.13	19.00
		15	0	16.50	17.68	17.29	19.00
Ī		1	0	17.82	17.53	18.17	19.00
		1	7	17.39	18.34	17.62	19.00
	64QAM	1	14	18.28	17.08	18.17	19.00
		8	0	18.05	17.92	18.23	19.00
		8	4	17.24	17.71	17.79	19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 273 of 493

		8	7	17.27	17.08	17.28	19.00
		15	0	17.17	17.28	17.26	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Bandwidth	Modulation	KD Size	KD Ollset	23035	23095	23155	r une up
		1	0	17.75	17.53	17.55	19.00
		11	13	17.38	18.55	18.05	19.00
		1	24	17.42	18.54	18.26	19.00
	QPSK	12	0	17.37	17.94	17.50	19.00
		12	6	17.18	18.44	17.91	19.00
		12	13	17.31	18.39	18.46	19.00
		25	0	17.20	18.31	17.94	19.00
		1	0	17.95	17.78	17.76	19.00
		1	13	17.64	18.65	18.28	19.00
		1	24	17.67	18.66	18.52	19.00
5MHz	16QAM	12	0	17.33	17.89	17.48	19.00
		12	6	17.17	18.42	17.91	19.00
		12	13	17.28	18.36	18.45	19.00
		25	0	17.14	18.25	17.88	19.00
		1	0	17.78	17.52	18.18	19.00
		1	13	17.38	18.33	17.56	19.00
		1	24	18.21	17.07	18.16	19.00
	64QAM	12	0	18.04	17.91	18.29	19.00
		12	6	17.23	17.70	17.78	19.00
		12	13	17.26	17.11	17.27	19.00
		25	0	17.16	17.27	17.25	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Sandwidth	Modulation	ND SIZE	IVD Ollset	23060	23095	23130	<u> </u>
		1	0	17.38	17.11	18.37	19.00
		1	25	17.05	18.27	17.45	19.00
		1	49	18.02	16.86	17.81	19.00
	QPSK	25	0	16.99	18.00	18.28	19.00
		25	13	17.18	17.72	17.76	19.00
		25	25	17.30	17.04	17.13	19.00
		50	0	17.25	17.26	17.20	19.00
		1	0	17.74	17.45	18.68	19.00
		1	25	17.31	18.49	17.54	19.00
		1	49	18.28	17.00	18.09	19.00
10MHz	16QAM	25	0	17.97	17.84	18.22	19.00
		25	13	17.16	17.63	17.71	19.00
		25	25	17.19	17.00	17.17	19.00
		50	0	17.09	17.20	17.15	19.00
		1	0	17.79	17.50	18.23	19.00
		1	25	17.36	18.31	17.59	19.00
		1	49	18.25	17.05	18.14	19.00
	64QAM	25	0	18.02	17.89	18.27	19.00
		25	13	17.21	17.68	17.76	19.00
1				47.04	47.05	47.05	40.00
		25	25	17.24	17.05	17.25	19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 274 of 493 Page

LTE Band 12	Left Head sim 5G W	_	transmit with		Conducted	Power(dBm)	er(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun	
Danuwium	iviodulation	RD SIZE	KD Ollset	23017	23095	23173	Tune up	
		1	0	15.71	16.14	16.58	17.50	
		1	2	15.47	16.25	16.48	17.50	
		1	5	15.95	16.88	16.63	17.50	
	QPSK	3	0	15.64	16.24	16.51	17.50	
		3	2	15.44	16.29	16.48	17.50	
		3	3	15.40	16.38	16.20	17.50	
		6	0	15.57	16.16	16.37	17.50	
		1	0	15.98	16.33	16.83	17.50	
		1	2	15.66	16.56	16.76	17.50	
		1	5	16.12	17.10	16.87	17.50	
1.4MHz	16QAM	3	0	15.79	16.20	16.51	17.50	
		3	2	15.63	16.31	16.49	17.50	
		3	3	15.54	16.40	16.19	17.50	
		6	0	15.58	16.16	16.37	17.50	
		1	0	16.41	16.24	16.92	17.50	
		1	2	16.17	16.98	16.42	17.50	
		1	5	16.17	15.87	16.99	17.50	
	64001	3	0	15.78	16.53	16.79	17.50	
	64QAM	04QAIVI		2				
		3		15.96	16.29	15.46	17.50	
		3	3	15.87	15.73	15.9	17.50	
		6	0	15.85	15.89	15.89	17.50	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
		4	0	23025	23095	23165	47.50	
		1	0	15.99	16.17	16.00	17.50	
		1	7	16.05	17.00	17.35	17.50	
		1	14	15.74	16.82	16.81	17.50	
	QPSK	8	0	15.40	16.20	16.55	17.50	
		8	4	15.32	16.24	16.61	17.50	
		8	7	15.63	17.07	17.01	17.50	
		15	0	15.20	16.33	16.17	17.50	
		1	0	16.23	16.47	16.13	17.50	
		1	7	16.31	17.23	17.33	17.50	
3MHz		1	14	16.00	17.06	17.07	17.50	
SIVIIIZ	16QAM	8	0	15.39	16.28	16.50	17.50	
		8	4	15.29	16.22	16.57	17.50	
		8	7	15.62	17.06	16.99	17.50	
		15	0	15.14	16.29	16.10	17.50	
		1	0	16.42	16.24	16.92	17.50	
		1	7	16.19	16.98	16.45	17.50	
		1	14	16.92	15.87	16.99	17.50	
	0.40 ***							
	64QAM	8	0	15.83	16.57	16.79	17.50	
	64QAM				1			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 275 of 493

		15	0	15.93	15.89	15.89	17.50
Dan duvidth	Madulatian	DD sins	RB offset	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	23035	23095	23155	Tune up
		1	0	16.36	15.99	16.25	17.50
		1	13	15.93	17.12	16.76	17.50
		1	24	15.99	17.15	16.98	17.50
	QPSK	12	0	15.92	16.60	16.23	17.50
		12	6	15.74	17.03	16.62	17.50
		12	13	15.84	17.01	17.17	17.50
		25	0	15.88	16.89	16.62	17.50
		1	0	16.58	16.34	16.43	17.50
		1	13	16.17	17.34	16.98	17.50
		1	24	16.28	17.32	17.21	17.50
5MHz	16QAM	12	0	16.00	16.56	16.16	17.50
		12	6	15.84	17.00	16.56	17.50
		12	13	15.94	16.97	17.12	17.50
		25	0	15.82	16.83	16.56	17.50
		1	0	16.36	16.25	16.79	17.50
		1	13	16.15	16.93	16.35	17.50
		1	24	16.87	15.82	16.94	17.50
	64QAM	12	0	15.73	16.52	16.74	17.50
		12	6	15.93	16.24	15.58	17.50
		12	13	15.82	15.61	15.85	17.50
		25	0	15.85	15.84	15.84	17.50
Dona alvest al tila	Madulatian	DD sins	DD a#aat	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	23060	23095	23130	Tune up
		1	0	16.04	15.83	17.04	17.50
		1	25	15.72	16.75	15.98	17.50
		1	49	16.57	15.48	16.45	17.50
	QPSK	25	0	15.67	16.52	16.84	17.50
		25	13	15.87	16.20	15.50	17.50
		25	25	15.80	15.69	15.82	17.50
		50	0	15.80	15.84	15.76	17.50
		1	0	16.31	16.12	17.36	17.50
		1	25	16.07	17.06	16.28	17.50
		1	49	16.89	15.75	16.87	17.50
					16.50	16.70	17.50
10MHz	16QAM	25	0	15.66	16.50	10.70	
10MHz	16QAM	25 25	0 13	15.66 15.84	16.17	15.58	17.50
10MHz	16QAM	L					
10MHz	16QAM	25	13	15.84	16.17	15.58	17.50
10MHz	16QAM	25 25	13 25	15.84 15.77	16.17 15.54	15.58 15.78	17.50 17.50
10MHz	16QAM	25 25 50	13 25 0	15.84 15.77 15.78	16.17 15.54 15.77	15.58 15.78 15.74	17.50 17.50 17.50
10MHz	16QAM	25 25 50 1	13 25 0	15.84 15.77 15.78 16.47	16.17 15.54 15.77 16.30	15.58 15.78 15.74 16.98	17.50 17.50 17.50 17.50
10MHz	16QAM 64QAM	25 25 50 1	13 25 0 0 25	15.84 15.77 15.78 16.47 16.25	16.17 15.54 15.77 16.30 17.04	15.58 15.78 15.74 16.98 16.46	17.50 17.50 17.50 17.50 17.50
10MHz		25 25 50 1 1	13 25 0 0 25 49	15.84 15.77 15.78 16.47 16.25 16.98	16.17 15.54 15.77 16.30 17.04 15.93	15.58 15.78 15.74 16.98 16.46 17.05	17.50 17.50 17.50 17.50 17.50 17.50
10MHz		25 25 50 1 1 1 25	13 25 0 0 25 49	15.84 15.77 15.78 16.47 16.25 16.98 15.84	16.17 15.54 15.77 16.30 17.04 15.93 16.63	15.58 15.78 15.74 16.98 16.46 17.05 16.85	17.50 17.50 17.50 17.50 17.50 17.50 17.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 276 of 493

LTE Band 12 I	Right Head sin with 2.4G		ly transmit		Conducted F	ower(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Bandwidth	Wodulation	ND SIZE	KD Ollset	23017	23095	23173	Turie up
		1	0	17.65	18.10	18.44	19.50
		1	2	17.42	18.16	18.27	19.50
		1	5	17.85	18.70	18.42	19.50
	QPSK	3	0	17.56	18.16	18.29	19.50
		3	2	17.37	18.21	18.19	19.50
		3	3	17.34	18.30	17.96	19.50
		6	0	17.37	18.08	18.07	19.50
		1	0	17.84	18.35	18.69	19.50
		1	2	17.69	18.38	18.52	19.50
		1	5	18.02	18.99	18.66	19.50
1.4MHz	16QAM	3	0	17.55	18.20	18.33	19.50
		3	2	17.37	18.22	18.24	19.50
		3	3	17.35	18.33	17.97	19.50
		6	0	17.38	18.04	18.05	19.50
		1	0	17.76	18.27	18.61	19.50
		1	2	17.65	18.33	18.45	19.50
		1	5	17.94	18.87	18.63	19.50
	64QAM	3	0	17.66	18.12	18.25	19.50
		3	2	17.73	18.14	18.14	19.50
		3	3	17.65	18.25	17.89	19.50
		6	0	17.71	17.96	17.83	19.50
Dan de delle	Marabalatian	DD -:	DD -#+	Channel	Channel	Channel	т
Bandwidth	Modulation	RB size	RB offset	23025	23095	23165	Tune up
		1	0	17.86	18.03	17.73	19.50
		1	7	17.92	18.80	19.15	19.50
		1	14	17.57	18.77	18.55	19.50
	QPSK	8	0	17.27	18.16	18.34	19.50
		8	4	17.10	18.09	18.37	19.50
		8	7	17.48	18.89	18.76	19.50
		15	0	16.98	18.17	17.93	19.50
		1	0	18.18	18.30	17.94	19.50
		1	7	18.11	19.05	19.16	19.50
3MHz		1	14	17.86	19.04	18.79	19.50
JIVII IZ	16QAM	8	0	17.20	18.10	18.28	19.50
		8	4	17.05	18.06	18.33	19.50
		8	7	17.45	18.87	18.72	19.50
		15	0	16.91	18.10	17.87	19.50
		1	0	17.79	18.30	18.64	19.50
		1	7	17.68	18.33	18.47	19.50
	640014	1	14	17.97	18.94	18.63	19.50
	64QAM	8	0	17.69	18.15	18.28	19.50
		8	4	17.73	18.17	18.17	19.50
		8	7	17.67	18.28	17.92	19.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

Page : 277 of 493

		15	0	17.74	17.99	17.86	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Danuwium	Modulation	KD SIZE	KD Ollset	23035	23095	23155	Tune up
		1	0	18.29	17.88	18.01	19.50
		1	13	17.83	18.93	18.59	19.50
		1	24	17.68	19.03	18.74	19.50
	QPSK	12	0	17.79	18.44	17.96	19.50
		12	6	17.62	18.87	18.44	19.50
		12	13	17.71	18.87	18.96	19.50
		25	0	17.74	18.73	18.42	19.50
		1	0	18.56	18.10	18.23	19.50
		1	13	18.08	19.10	18.86	19.50
		1	24	18.09	19.16	19.00	19.50
5MHz	16QAM	12	0	17.74	18.40	17.93	19.50
		12	6	17.59	18.85	18.42	19.50
		12	13	17.68	18.83	18.94	19.50
		25	0	17.57	18.69	18.37	19.50
		1	0	17.67	18.18	18.52	19.50
		1	13	17.52	18.23	18.35	19.50
		1	24	17.85	18.82	18.47	19.50
	64QAM	12	0	17.57	18.11	18.16	19.50
		12	6	17.58	18.05	18.07	19.50
		12	13	17.59	18.16	17.83	19.50
		25	0	17.62	17.87	17.88	19.50
D		DD :	DD (()	Channel	Channel	Channel	-
Bandwidth	Modulation	RB size	RB offset	Channel 23060	Channel 23095	Channel 23130	Tune up
Bandwidth	Modulation	RB size	RB offset				Tune up
Bandwidth	Modulation			23060	23095	23130	
Bandwidth	Modulation	1	0	23060 17.84	23095 17.73	23130 18.88	19.50
Bandwidth	Modulation QPSK	1 1	0 25	23060 17.84 17.58	23095 17.73 18.68	23130 18.88 17.78	19.50 19.50
Bandwidth		1 1 1	0 25 49	23060 17.84 17.58 18.52	23095 17.73 18.68 17.58	23130 18.88 17.78 18.52	19.50 19.50 19.50
Bandwidth		1 1 1 25	0 25 49 0	23060 17.84 17.58 18.52 17.59	23095 17.73 18.68 17.58 18.43	23130 18.88 17.78 18.52 18.63	19.50 19.50 19.50 19.50
Bandwidth		1 1 1 25 25	0 25 49 0 13	23060 17.84 17.58 18.52 17.59 17.81	23095 17.73 18.68 17.58 18.43 18.10	23130 18.88 17.78 18.52 18.63 17.56	19.50 19.50 19.50 19.50 19.50
Bandwidth		1 1 1 25 25 25	0 25 49 0 13 25	23060 17.84 17.58 18.52 17.59 17.81 17.72	23095 17.73 18.68 17.58 18.43 18.10 17.53	23130 18.88 17.78 18.52 18.63 17.56 17.59	19.50 19.50 19.50 19.50 19.50
Bandwidth		1 1 1 25 25 25 25 50	0 25 49 0 13 25	23060 17.84 17.58 18.52 17.59 17.81 17.72	23095 17.73 18.68 17.58 18.43 18.10 17.53 17.67	23130 18.88 17.78 18.52 18.63 17.56 17.59	19.50 19.50 19.50 19.50 19.50 19.50
Bandwidth		1 1 1 25 25 25 25 50	0 25 49 0 13 25 0	23060 17.84 17.58 18.52 17.59 17.81 17.72 17.73 18.09	23095 17.73 18.68 17.58 18.43 18.10 17.53 17.67 17.97	23130 18.88 17.78 18.52 18.63 17.56 17.59 17.62 19.17	19.50 19.50 19.50 19.50 19.50 19.50 19.50
Bandwidth 10MHz	QPSK	1 1 25 25 25 25 50 1 1	0 25 49 0 13 25 0 0 25	23060 17.84 17.58 18.52 17.59 17.81 17.72 17.73 18.09 17.81 18.78	23095 17.73 18.68 17.58 18.43 18.10 17.53 17.67 17.97 18.93 17.54	23130 18.88 17.78 18.52 18.63 17.56 17.59 17.62 19.17 18.05 18.62	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
		1 1 25 25 25 50 1 1 1 25	0 25 49 0 13 25 0 0 25 49	23060 17.84 17.58 18.52 17.59 17.81 17.72 17.73 18.09 17.81 18.78 17.53	23095 17.73 18.68 17.58 18.43 18.10 17.53 17.67 17.97 18.93 17.54 18.38	23130 18.88 17.78 18.52 18.63 17.56 17.59 17.62 19.17 18.05 18.62 18.60	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
	QPSK	1 1 25 25 25 50 1 1 1 25 25	0 25 49 0 13 25 0 0 25 49 0	23060 17.84 17.58 18.52 17.59 17.81 17.72 17.73 18.09 17.81 18.78	23095 17.73 18.68 17.58 18.43 18.10 17.53 17.67 17.97 18.93 17.54 18.38 18.05	23130 18.88 17.78 18.52 18.63 17.56 17.59 17.62 19.17 18.05 18.62 18.60 17.52	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
	QPSK	1 1 25 25 25 25 50 1 1 1 25 25 25	0 25 49 0 13 25 0 0 25 49	23060 17.84 17.58 18.52 17.59 17.81 17.72 17.73 18.09 17.81 18.78 17.53 17.76	23095 17.73 18.68 17.58 18.43 18.10 17.53 17.67 17.97 18.93 17.54 18.38 18.05 17.59	23130 18.88 17.78 18.52 18.63 17.56 17.59 17.62 19.17 18.05 18.62 18.60 17.52 17.55	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
	QPSK	1 1 25 25 25 50 1 1 1 25 25	0 25 49 0 13 25 0 0 25 49 0 13 25 0	23060 17.84 17.58 18.52 17.59 17.81 17.72 17.73 18.09 17.81 18.78 17.53 17.66 17.67	23095 17.73 18.68 17.58 18.43 18.10 17.53 17.67 17.97 18.93 17.54 18.38 18.05 17.59 17.63	23130 18.88 17.78 18.52 18.63 17.56 17.59 17.62 19.17 18.05 18.62 18.60 17.52 17.55 17.57	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
	QPSK	1 1 25 25 25 50 1 1 1 25 25 25 25 50 1	0 25 49 0 13 25 0 0 25 49 0 13 25 0	23060 17.84 17.58 18.52 17.59 17.81 17.72 17.73 18.09 17.81 18.78 17.53 17.66 17.67 17.67	23095 17.73 18.68 17.58 18.43 18.10 17.53 17.67 17.97 18.93 17.54 18.38 18.05 17.59 17.63 18.23	23130 18.88 17.78 18.52 18.63 17.56 17.59 17.62 19.17 18.05 18.62 18.60 17.52 17.55 17.57 18.57	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
	QPSK	1 1 25 25 25 50 1 1 1 25 25 25 25 25 25 1 1	0 25 49 0 13 25 0 0 25 49 0 13 25 0 0	23060 17.84 17.58 18.52 17.59 17.81 17.72 17.73 18.09 17.81 18.78 17.53 17.66 17.67 17.67 17.67 17.67	23095 17.73 18.68 17.58 18.43 18.10 17.53 17.67 17.97 18.93 17.54 18.38 18.05 17.59 17.63 18.23 18.26	23130 18.88 17.78 18.52 18.63 17.56 17.59 17.62 19.17 18.05 18.62 18.60 17.52 17.55 17.57 18.57 18.40	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
	QPSK	1 1 25 25 25 25 50 1 1 1 25 25 25 25 25 25 1 1 1 1	0 25 49 0 13 25 0 0 25 49 0 13 25 0 0 0 25 49	23060 17.84 17.58 18.52 17.59 17.81 17.72 17.73 18.09 17.81 18.78 17.53 17.66 17.67 17.67 17.67 17.72 17.57 17.90	23095 17.73 18.68 17.58 18.43 18.10 17.53 17.67 17.97 18.93 17.54 18.38 18.05 17.59 17.63 18.23 18.26 18.87	23130 18.88 17.78 18.52 18.63 17.56 17.59 17.62 19.17 18.05 18.62 18.60 17.52 17.55 17.57 18.57 18.57	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
	QPSK	1 1 25 25 25 25 50 1 1 1 25 25 25 50 1 1 1 25 25	0 25 49 0 13 25 0 0 25 49 0 13 25 0 0 0 25 49	23060 17.84 17.58 18.52 17.59 17.81 17.72 17.73 18.09 17.81 18.78 17.53 17.76 17.67 17.67 17.67 17.72 17.57 17.90 17.58	23095 17.73 18.68 17.58 18.43 18.10 17.53 17.67 17.97 18.93 17.54 18.38 18.05 17.59 17.63 18.23 18.26 18.87 18.08	23130 18.88 17.78 18.52 18.63 17.56 17.59 17.62 19.17 18.05 18.62 18.60 17.52 17.55 17.57 18.57 18.57 18.40 18.54 18.21	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
	QPSK	1 1 25 25 25 25 50 1 1 1 25 25 25 25 25 25 1 1 1 1	0 25 49 0 13 25 0 0 25 49 0 13 25 0 0 0 25 49	23060 17.84 17.58 18.52 17.59 17.81 17.72 17.73 18.09 17.81 18.78 17.53 17.66 17.67 17.67 17.67 17.72 17.57 17.90	23095 17.73 18.68 17.58 18.43 18.10 17.53 17.67 17.97 18.93 17.54 18.38 18.05 17.59 17.63 18.23 18.26 18.87	23130 18.88 17.78 18.52 18.63 17.56 17.59 17.62 19.17 18.05 18.62 18.60 17.52 17.55 17.57 18.57 18.57	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 278 of 493

LTE Band 1	2 Right Head s with 5G		sly transmit		Conducted	Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danawiatii	Modulation	ND 3126	ND onset	23017	23095	23173	Tune up
		1	0	16.23	16.69	17.10	18.00
		1	2	16.35	16.74	17.00	18.00
		1	5	16.42	17.30	17.11	18.00
	QPSK	3	0	16.13	16.67	16.99	18.00
		3	2	16.28	16.71	16.96	18.00
		3	3	16.24	16.87	16.73	18.00
		6	0	16.32	16.71	16.85	18.00
		1	0	16.52	16.91	17.37	18.00
		1	2	16.25	16.99	17.22	18.00
		1	5	16.74	17.54	17.34	18.00
1.4MHz	16QAM	3	0	16.16	16.69	17.02	18.00
		3	2	16.56	16.77	17.00	18.00
		3	3	16.01	16.90	16.80	18.00
		6	0	16.38	16.71	16.83	18.00
		1	0	16.33	16.75	17.18	18.00
		1	2	16.28	16.79	17.07	18.00
		1	5	16.55	17.35	17.15	18.00
	64QAM	3	0	16.15	16.57	16.83	18.00
	0+971111	3	2	16.37	16.58	16.85	18.00
		3	3	16.15	16.71	16.57	18.00
	ŀ	6	0	16.19	16.52	16.64	18.00
		U	0	Channel	Channel	Channel	10.00
Bandwidth	Modulation	RB size	RB offset	23025	23095	23165	Tune up
		1	0	16.46	16.60	16.42	18.00
		1	7	16.48	17.51	17.81	18.00
		1	14	16.18	17.31	17.01	18.00
	QPSK	8	0	16.35	16.70		
	QPSK					17.02	18.00
		8	4	16.31	16.66	17.18	18.00
		8	7	16.09	17.52	17.57	18.00
		15	0	16.27	16.75	16.69	18.00
		1	0	16.77	16.92	16.66	18.00
		1	7	16.78	17.76	17.83	18.00
3MHz	4604::	1	14	16.43	17.57	17.49	18.00
	16QAM	8	0	16.24	16.70	16.96	18.00
		8	4	16.35	16.67	17.06	18.00
		8	7	16.09	17.54	17.46	18.00
		15	0	16.23	16.73	16.68	18.00
		1	0	16.37	16.79	17.22	18.00
		1	7	16.35	16.83	17.15	18.00
	64QAM	1	14	16.59	17.39	17.17	18.00
	0 130/1111	8	0	16.21	16.54	16.83	18.00
		8	4	16.38	16.54	16.85	18.00
		8	7	16.19	16.75	16.63	18.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 279 of 493

		15	0	16.23	16.56	16.68	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
bandwidth	Modulation	KD SIZE	KD Ollset	23035	23095	23155	Tune up
		1	0	16.87	16.55	16.72	18.00
		1	13	16.45	17.56	17.31	18.00
		1	24	16.51	17.57	17.56	18.00
	QPSK	12	0	16.42	16.96	16.68	18.00
		12	6	16.24	17.47	17.14	18.00
		12	13	16.39	17.43	17.73	18.00
		25	0	16.27	17.46	17.17	18.00
		1	0	17.03	16.86	16.95	18.00
		1	13	16.69	17.82	17.57	18.00
		1	24	16.77	17.84	17.82	18.00
5MHz	16QAM	12	0	16.42	16.97	16.63	18.00
		12	6	16.26	17.48	17.14	18.00
		12	13	16.40	17.36	17.72	18.00
		25	0	16.23	17.27	17.13	18.00
		1	0	16.36	16.75	17.21	18.00
		1	13	16.31	16.82	17.13	18.00
		1	24	16.58	17.38	17.18	18.00
	64QAM	12	0	16.23	16.53	16.86	18.00
		12	6	16.41	16.61	16.85	18.00
		12	13	16.25	16.74	16.62	18.00
		25	0	16.22	16.55	16.67	18.00
		DD size	55 %	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	23060	23095	23130	Tune up
		1	0	16.55	16.34	17.51	18.00
		1	25	16.24	17.23	16.50	18.00
		1	49	17.02	16.03	17.07	18.00
	QPSK						
	QI SIN	25	0	16.12	16.94	17.31	18.00
	QFSK	25 25		16.12 16.31	16.94 16.78	17.31 15.91	
	QISK		0				18.00
	QI SIX	25	0 13	16.31	16.78	15.91	18.00 18.00
	QI SIX	25 25	0 13 25	16.31 16.27	16.78 16.10	15.91 16.33	18.00 18.00 18.00
	QI SIN	25 25 50	0 13 25 0	16.31 16.27 16.30	16.78 16.10 16.39	15.91 16.33 16.30	18.00 18.00 18.00 18.00
	QI SIN	25 25 50 1	0 13 25 0	16.31 16.27 16.30 16.76	16.78 16.10 16.39 16.58	15.91 16.33 16.30 17.85	18.00 18.00 18.00 18.00 18.00
10MHz	16QAM	25 25 50 1	0 13 25 0 0 25	16.31 16.27 16.30 16.76 16.49	16.78 16.10 16.39 16.58 17.42	15.91 16.33 16.30 17.85 16.77	18.00 18.00 18.00 18.00 18.00
10MHz		25 25 50 1 1 1 25	0 13 25 0 0 25 49	16.31 16.27 16.30 16.76 16.49 17.28	16.78 16.10 16.39 16.58 17.42 16.28	15.91 16.33 16.30 17.85 16.77 17.33	18.00 18.00 18.00 18.00 18.00 18.00
10MHz		25 25 50 1 1 1 25 25	0 13 25 0 0 25 49 0	16.31 16.27 16.30 16.76 16.49 17.28 16.08	16.78 16.10 16.39 16.58 17.42 16.28 16.90	15.91 16.33 16.30 17.85 16.77 17.33 17.13	18.00 18.00 18.00 18.00 18.00 18.00 18.00
10MHz		25 25 50 1 1 1 25	0 13 25 0 0 25 49	16.31 16.27 16.30 16.76 16.49 17.28 16.08	16.78 16.10 16.39 16.58 17.42 16.28 16.90 16.63	15.91 16.33 16.30 17.85 16.77 17.33 17.13	18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00
10MHz		25 25 50 1 1 1 25 25 25	0 13 25 0 0 25 49 0 13 25 0	16.31 16.27 16.30 16.76 16.49 17.28 16.08 16.28 16.22 16.26	16.78 16.10 16.39 16.58 17.42 16.28 16.90 16.63 16.27 16.21	15.91 16.33 16.30 17.85 16.77 17.33 17.13 16.53 16.28 16.25	18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00
10MHz		25 25 50 1 1 1 25 25 25 25	0 13 25 0 0 25 49 0 13 25 0	16.31 16.27 16.30 16.76 16.49 17.28 16.08 16.28 16.22 16.26 16.41	16.78 16.10 16.39 16.58 17.42 16.28 16.90 16.63 16.27 16.21 16.83	15.91 16.33 16.30 17.85 16.77 17.33 17.13 16.53 16.28 16.25 17.26	18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00
10MHz		25 25 50 1 1 1 25 25 25 25 50	0 13 25 0 0 25 49 0 13 25 0 0	16.31 16.27 16.30 16.76 16.49 17.28 16.08 16.28 16.22 16.26 16.41	16.78 16.10 16.39 16.58 17.42 16.28 16.90 16.63 16.27 16.21 16.83 16.87	15.91 16.33 16.30 17.85 16.77 17.33 17.13 16.53 16.28 16.25 17.26	18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00
10MHz	16QAM	25 25 50 1 1 1 25 25 25 50 1 1	0 13 25 0 0 25 49 0 13 25 0 0 25	16.31 16.27 16.30 16.76 16.49 17.28 16.08 16.28 16.22 16.26 16.41 16.36 16.63	16.78 16.10 16.39 16.58 17.42 16.28 16.90 16.63 16.27 16.21 16.83 16.87 17.43	15.91 16.33 16.30 17.85 16.77 17.33 17.13 16.53 16.28 16.25 17.26 17.15	18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00
10MHz		25 25 50 1 1 1 25 25 25 50 1 1 1 25	0 13 25 0 0 25 49 0 13 25 0 0 25 49 0	16.31 16.27 16.30 16.76 16.49 17.28 16.08 16.28 16.22 16.26 16.41 16.36 16.63 16.25	16.78 16.10 16.39 16.58 17.42 16.28 16.90 16.63 16.27 16.21 16.83 16.87 17.43 16.58	15.91 16.33 16.30 17.85 16.77 17.33 17.13 16.53 16.28 16.25 17.26 17.15 17.23 16.91	18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00
10MHz	16QAM	25 25 50 1 1 1 25 25 25 50 1 1	0 13 25 0 0 25 49 0 13 25 0 0 25	16.31 16.27 16.30 16.76 16.49 17.28 16.08 16.28 16.22 16.26 16.41 16.36 16.63	16.78 16.10 16.39 16.58 17.42 16.28 16.90 16.63 16.27 16.21 16.83 16.87 17.43	15.91 16.33 16.30 17.85 16.77 17.33 17.13 16.53 16.28 16.25 17.26 17.15	18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00 18.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 280 of 493 Page

ı	LTE Band 17 full	power			Conducte	ed Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Balluwiutii	Modulation	KD Size	KB oliset	23755	23790	23825	rune up
		1	0	22.48	22.70	22.55	24.00
		1	13	22.59	22.74	22.89	24.00
		1	24	23.26	23.70	22.29	24.00
	QPSK	12	0	21.93	22.87	22.42	23.00
		12	6	22.44	22.74	22.19	23.00
		12	13	22.69	22.24	21.94	23.00
		25	0	22.60	22.81	22.67	23.00
		1	0	21.62	22.55	22.19	23.00
		1	13	22.39	21.76	22.28	23.00
		1	24	22.63	22.57	22.45	23.00
5MHz	16QAM	12	0	21.08	21.97	21.47	22.00
		12	6	21.39	21.6	21.27	22.00
		12	13	21.62	21.32	20.82	22.00
		25	0	21.48	21.56	21.46	22.00
		1	0	20.93	20.91	20.98	22.50
		1	13	19.79	20.45	20.59	22.50
		1	24	20.84	20.90	20.98	22.50
	64QAM	12	0	19.69	19.69	19.67	21.50
5134		12	6	19.70	19.73	19.71	21.50
		12	13	19.66	19.72	19.73	21.50
		25	0	19.73	19.69	19.71	21.50
				Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	23780	23790	23800	Tune up
		1	0	23.07	22.88	23.52	24.00
		1	25	23.74	23.25	23.47	24.00
		1	49	23.54	23.24	22.48	24.00
	QPSK	25	0	22.72	22.75	22.73	23.00
		25	13	22.64	22.88	22.91	23.00
		25	25	22.35	22.39	22.67	23.00
		50	0	22.64	22.72	22.71	23.00
		1	0	22.69	22.62	22.87	23.00
		1	25	23.36	22.88	22.68	23.00
		1	49	23.08	22.71	22.22	23.00
10MHz	16QAM	25	0	21.62	21.69	21.40	22.00
		25	13	21.53	21.63	21.61	22.00
		25	25	21.54	21.4	21.37	22.00
		50	0	21.51	21.49	21.49	22.00
		1	0	21.02	21.00	21.04	22.50
		1	25	19.87	20.51	20.69	22.50
		1	49	20.92	21.00	21.05	22.50
	64QAM	25	0	19.75	19.77	19.76	21.50
	2 : 20	25	13	19.79	19.79	19.78	21.50
		25	25	19.73	19.79	19.81	21.50
		50	0	19.78	19.74	19.80	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 281 of 493

LTE	Band 17 Left He	ead reduced p	oower		Conducted F	Power(dBm)	
Donahui déb	Madulation	DD ains	DD affact	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	23755	23790	23825	Tune up
		1	0	18.60	18.70	18.64	20.00
		1	13	18.76	18.70	18.68	20.00
		1	24	18.69	18.69	18.67	20.00
	QPSK	12	0	18.75	18.72	18.73	20.00
		12	6	18.71	18.63	18.65	20.00
		12	13	18.78	18.74	18.70	20.00
		25	0	18.73	18.67	18.68	20.00
		1	0	18.80	18.92	18.88	20.00
		1	13	19.00	18.89	18.92	20.00
		1	24	18.98	18.92	18.92	20.00
5MHz	16QAM	12	0	18.76	18.70	18.69	20.00
		12	6	18.75	18.60	18.62	20.00
		12	13	18.75	18.70	18.73	20.00
		25	0	18.65	18.57	18.63	20.00
		1	0	18.51	18.51	18.57	20.00
		1	13	18.14	17.58	18.13	20.00
		11	24	18.13	18.13	18.36	20.00
	64QAM	12	0	18.48	17.82	18.08	20.00
		12	6	18.11	17.91	17.92	20.00
	-	12	13	18.13	18.09	17.88	20.00
		25	0	17.85	17.94	17.94	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danawian	Wioddialion	112 0120		23780	23790	23800	
	_	1	0	18.46	18.52	18.51	20.00
	<u> </u>	1	25	18.20	18.13	18.13	20.00
	_	1	49	18.54	18.52	18.49	20.00
	QPSK	25	0	18.57	18.52	18.53	20.00
	_	25	13	18.55	18.47	18.48	20.00
		25	25	18.54	18.54	18.55	20.00
		50	0	18.57	18.46	18.53	20.00
		1	0	18.62	18.65	18.57	20.00
		1	25	18.26	18.35	18.22	20.00
		1	49	18.68	18.64	18.57	20.00
10MHz	16QAM	25	0	18.51	18.47	18.49	20.00
		25	13	18.42	18.39	18.48	20.00
	<u> </u>	25	25	18.44	18.49	18.51	20.00
		50	0	18.45	18.44	18.45	20.00
		1	0	18.61	18.59	18.63	20.00
		1	25	18.23	17.67	18.22	20.00
		1	49	18.19	18.21	18.44	20.00
	64QAM	25	0	18.55	17.91	18.18	20.00
		25	13	18.18	17.98	18.00	20.00
		25	25	18.18	18.15	17.94	20.00
		50	0	17.91	18.02	18.00	20.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 282 of 493 Page

LTE B	Band 17 Right Hea	d reduced pov	ver	Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up	
Barrawiatir	Modulation	ND 3120	offset	23755	23790	23825	ranc ap	
		1	0	19.38	19.14	19.41	20.00	
		1	13	19.53	19.39	19.52	20.00	
		1	24	19.43	19.47	19.40	20.00	
	QPSK	12	0	19.25	19.20	19.19	20.00	
		12	6	19.21	19.16	19.10	20.00	
		12	13	19.27	19.17	19.21	20.00	
		25	0	19.17	19.12	19.16	20.00	
		1	0	19.13	19.22	19.19	20.00	
		1	13	19.30	19.20	19.20	20.00	
		1	24	19.21	19.22	19.22	20.00	
5MHz	16QAM	12	0	19.30	19.21	19.21	20.00	
		12	6	19.25	19.16	19.14	20.00	
64QAM		12	13	19.25	19.28	19.24	20.00	
		25	0	19.21	19.17	19.18	20.00	
		1	0	18.67	18.82	19.40	20.00	
		1	13	18.28	18.04	18.08	20.00	
		1	24	18.72	18.67	18.39	20.00	
	64QAM	12	0	18.73	18.81	18.12	20.00	
		12	6	18.05	18.43	18.56	20.00	
		12	13	18.52	18.53	18.52	20.00	
		25	0	18.04	18.07	18.18	20.00	
	NA - ded - di		RB	Channel	Channel	Channel	T	
Bandwidth	Modulation	RB size	offset	23780	23790	23800	Tune up	
		1	0	18.95	19.05	19.09	20.00	
		1	25	18.82	18.99	18.95	20.00	
		1	49	18.91	19.01	19.03	20.00	
	QPSK	25	0	19.06	19.04	19.02	20.00	
		25	13	19.03	19.09	19.05	20.00	
		25	25	19.02	19.02	19.09	20.00	
		50	0	19.01	19.05	19.02	20.00	
		1	0	18.85	19.13	19.13	20.00	
		1	25	18.50	19.04	18.90	20.00	
		1	49	18.92	19.18	19.04	20.00	
10MHz	16QAM	25	0	18.99	19.01	18.98	20.00	
		25	13	18.97	18.99	18.95	20.00	
		25	25	19.00	18.97	19.06	20.00	
		50	0	18.91	18.92	18.93	20.00	
ŀ		1	0	18.76	18.91	19.46	20.00	
		1	25	18.37	18.09	18.17	20.00	
		1	49	18.80	18.76	18.48	20.00	
	64QAM	25	0	18.79	18.88	18.20	20.00	
	€ 1 SQ 1141	25	13	18.13	18.49	18.63	20.00	
		25	25	18.59	18.61	18.58	20.00	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 283 of 493 Page

LTE Band 1	7 hotspot active	ed for 2.4G \	WIFI		Conducted	d Power(dBm)	
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
Banawiath	Modulation	ND 3ize	offset	23755	23790	23825	Turie up
		1	0	20.14	21.32	20.67	21.50
		1	13	21.12	20.52	20.69	21.50
		1	24	21.43	21.42	20.91	21.50
	QPSK	12	0	20.42	21.33	21.10	21.50
		12	6	21.11	21.33	20.87	21.50
		12	13	21.34	21.00	20.32	21.50
		25	0	21.26	21.34	21.02	21.50
		1	0	20.43	21.48	21.03	21.50
		1	13	21.42	20.81	21.15	21.50
		1	24	21.47	21.42	21.31	21.50
5MHz	16QAM	12	0	20.27	21.26	21.08	21.50
		12	6	21.01	21.24	20.87	21.50
		12	13	21.24	20.92	20.34	21.50
		25	0	21.18	21.19	21.03	21.50
		1	0	21.13	21.21	21.25	21.50
		1	13	20.77	20.73	20.68	21.50
		1	24	21.06	21.11	21.03	21.50
	64QAM	12	0	20.51	20.51	20.57	21.50
		12	6	20.47	20.49	20.52	21.50
		12	13	20.45	20.45	20.48	21.50
		25	0	20.50	20.53	20.52	21.50
			RB	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	offset	23780	23790	23800	Tune up
		1	0	21.45	21.44	21.41	21.50
		1	25	21.49	21.16	21.31	21.50
		1	49	21.35	20.95	21.05	21.50
	QPSK	25	0	21.32	21.43	21.16	21.50
	QI OIL	25	13	21.21	21.29	21.21	21.50
	\ \	25	25	21.14	21.02	20.93	21.50
		50	0	21.20	21.18	21.11	21.50
		1	0	21.42	21.47	21.48	21.50
		1	25	21.49	21.40	21.47	21.50
		1	49	21.49	21.40	21.35	21.50
10MHz	16QAM	25	0	21.42	21.39	21.11	21.50
TOWINZ	TOQAW	25	13	21.19	21.39		21.50
						21.18	
		25	25	21.13	21.01	20.90	21.50
		50	0	21.18	21.16	21.06	21.50
		1	0	21.18	21.26	21.28	21.50
		1	25	20.82	20.78	20.73	21.50
		1	49	21.11	21.19	21.08	21.50
	64QAM	25	0	20.56	20.56	20.58	21.50
		25	13	20.52	20.54	20.57	21.50
		25	25	20.49	20.49	20.53	21.50
	1	50	0	20.55	20.58	20.57	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 284 of 493 Page

LTE Ba	and 17 hotspot a	actived for 50	3 WIFI		Conducted	Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Bandwidth	Modulation	ND SIZE	IND Offset	23755	23790	23825	Turie up
		1	0	18.94	18.89	18.87	20.00
		1	13	18.91	18.90	18.91	20.00
		1	24	18.93	18.90	18.89	20.00
	QPSK	12	0	18.90	18.94	18.91	20.00
		12	6	18.90	18.91	18.87	20.00
		12	13	18.93	18.93	18.92	20.00
		25	0	18.86	18.88	18.89	20.00
		1	0	19.16	19.10	19.08	20.00
		1	13	19.13	19.20	19.14	20.00
		1	24	19.17	19.20	19.08	20.00
5MHz	16QAM	12	0	18.88	18.91	18.88	20.00
		12	6	18.84	18.82	18.79	20.00
		12	13	18.90	18.9	18.87	20.00
		25	0	18.81	18.82	18.83	20.00
		1	0	18.51	18.74	18.72	20.00
		1	13	18.24	18.31	18.56	20.00
		1	24	18.46	18.49	18.38	20.00
	64QAM	12	0	18.51	18.43	18.39	20.00
610		12	6	18.28	18.26	18.43	20.00
		12	13	18.41	18.37	18.37	20.00
		25	0	18.34	18.12	18.15	20.00
		DD :	55 "	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	23780	23790	23800	Tune up
		1	0	18.83	18.78	18.83	20.00
		1	25	18.64	18.58	18.94	20.00
		1	49	18.63	18.90	18.89	20.00
	QPSK	25	0	18.87	18.86	18.86	20.00
		25	13	18.89	18.85	18.90	20.00
		25	25	18.90	18.88	18.88	20.00
		50	0	18.89	18.90	18.86	20.00
		1	0	19.08	18.98	19.04	20.00
		1	25	18.89	18.82	18.73	20.00
		1	49	19.21	19.18	19.13	20.00
10MHz	16QAM	25	0	18.78	18.81	18.78	20.00
		25	13	18.84	18.82	18.84	20.00
		25	25	18.85	18.83	18.85	20.00
		50	0	18.81	18.84	18.81	20.00
		1	0	18.63	18.86	18.82	20.00
		 1	25	18.17	18.18	18.68	20.00
		<u>.</u> 1	49	18.58	18.61	18.50	20.00
	64QAM	25	0	18.63	18.52	18.09	20.00
	0.50,	25	13	18.06	18.38	18.55	20.00
	1		1				
		25	25	18.53	18.49	18.49	20.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 285 of 493 Page

LTE Band 17	Body-worn sin with 2.4G		ly transmit		Conducted I	Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danawiatii	Woddiation	IND SIZE	ND onset	23755	23790	23825	Tune up
		1	0	20.03	20.90	20.97	21.50
		1	13	20.99	20.65	20.81	21.50
		1	24	21.48	21.47	20.94	21.50
	QPSK	12	0	20.19	21.29	21.22	21.50
		12	6	20.47	21.28	20.95	21.50
		12	13	20.74	21.07	20.25	21.50
		25	0	21.16	21.36	21.04	21.50
		1	0	20.14	20.42	20.94	21.50
		1	13	21.12	20.39	20.85	21.50
		1	24	21.46	21.48	20.99	21.50
5MHz	16QAM	12	0	20.13	21.27	21.19	21.50
		12	6	20.98	21.24	20.96	21.50
		12	13	21.25	21.05	20.24	21.50
		25	0	21.09	21.24	21.02	21.50
		1	0	20.18	20.46	20.98	21.50
		1	13	21.16	20.47	20.89	21.50
64Q.		1	24	21.20	21.14	21.06	21.50
	64QAM	12	0	20.17	21.31	21.23	21.50
	Δ.	12	6	21.02	21.28	21.00	21.50
		12	13	21.29	21.09	20.28	21.50
		25	0	21.18	21.30	21.06	21.50
				Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	23780	23790	23800	Tune up
		1	0	21.37	21.36	21.49	21.50
		1	25	21.45	21.28	21.49	21.50
		1	49	21.43	21.09	20.99	21.50
	QPSK	25	0	21.35	20.98	21.11	21.50
		25	13	21.23	21.37	21.30	21.50
		25	25	21.26	21.12	20.97	21.50
		50	0	21.17	21.20	21.13	21.50
		1	0	21.35	21.33	21.42	21.50
		1	25	21.47	21.33	21.47	21.50
		1	49	21.40	21.21	21.03	21.50
10MHz	16QAM	25	0	21.24	20.91	21.02	21.50
1.400.0		25	13	21.13	21.31	21.20	21.50
		25	25	21.17	21.08	20.93	21.50
		50	0	21.06	21.12	21.00	21.50
		1	0	20.25	20.53	21.05	21.50
		1	25	21.23	20.50	20.96	21.50
		1	49	21.27	21.19	21.13	21.50
	64QAM	25	0	20.24	21.19	21.13	21.50
	U4QAW	25	13	21.09	21.35	21.30	21.50
		25	25	21.36	21.16	20.35	21.50
		50	0	21.25	21.37	21.13	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 286 of 493 Page

LTE Band 17	Body-worn simu 5G WI		ansmit with		Conducted	Power(dBm)	
Bandwidth	Modulation	DD oizo	DD offeet	Channel	Channel	Channel	Tunguin
Bandwidth	Modulation	RB size	RB offset	23755	23790	23825	Tune up
		1	0	18.92	18.86	18.86	20.00
		1	13	18.88	18.91	18.89	20.00
		1	24	18.92	18.91	18.82	20.00
	QPSK	12	0	18.89	18.93	18.93	20.00
		12	6	18.87	18.90	18.91	20.00
		12	13	18.96	18.95	18.89	20.00
		25	0	18.87	18.88	18.88	20.00
		1	0	19.18	19.11	19.16	20.00
		1	13	19.16	19.13	19.19	20.00
		1	24	19.17	19.20	19.13	20.00
5MHz	16QAM	12	0	18.89	18.93	18.87	20.00
		12	6	18.87	18.85	18.83	20.00
		12	13	18.89	18.90	18.92	20.00
	-	25	0	18.79	18.79	18.82	20.00
		1	0	18.72	18.65	18.71	20.00
	-	1	13	18.75	18.69	18.73	20.00
		1	24	18.73	18.75	18.67	20.00
	64QAM	12	0	18.45	18.51	18.41	20.00
		12	6	18.41	18.39	18.43	20.00
		12	13	18.45	18.47	18.55	20.00
		25	0	18.32	18.33	18.39	20.00
			55 "	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	23780	23790	23800	Tune up
		1	0	18.82	18.75	18.79	20.00
		1	25	18.67	18.69	18.69	20.00
		1	49	18.90	18.92	18.87	20.00
	QPSK	25	0	18.85	18.85	18.86	20.00
		25	13	18.88	18.89	18.87	20.00
	-	25	25	18.92	18.92	18.88	20.00
		50	0	18.87	18.85	18.85	20.00
		1	0	19.02	18.99	19.02	20.00
		1	25	19.07	18.90	18.79	20.00
		1	49	19.07	19.11	19.08	20.00
10MHz	16QAM	25	0	18.78	18.78	18.79	20.00
		25	13	18.79	18.80	18.78	20.00
		25	25	18.83	18.86	18.83	20.00
		50	0	18.81	18.85	18.80	20.00
		1	0	18.86	18.79	18.85	20.00
		1	25	18.89	18.83	18.92	20.00
		1	49	18.87	18.88	18.81	20.00
	64QAM	25	0	18.57	18.65	18.55	20.00
		25	13	18.55	18.53	18.57	20.00
		25	25	18.59	18.58	18.65	20.00
	I -			18.47	18.47		20.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 287 of 493 Page

LTE Band 1	7 Left Head simu with 2.4G V		transmit		Conducted	Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel 23755	Channel 23790	Channel 23825	Tune up
		1	0	15.87	15.79	15.81	17.50
		1	13	15.80	15.81	15.81	17.50
		1	24	15.85	15.82	15.79	17.50
	QPSK	12	0	15.78	15.87	15.84	17.50
		12	6	15.77	15.59	15.76	17.50
		12	13	15.86	15.87	15.84	17.50
		25	0	15.76	15.78	15.81	17.50
		1	0	16.11	16.02	16.04	17.50
		1	13	16.05	15.82	16.1	17.50
		1	24	16.10	16.13	16.06	17.50
5MHz	16QAM	12	0	15.79	15.81	15.81	17.50
		12	6	15.71	15.56	15.76	17.50
		12	13	15.81	15.85	15.80	17.50
		25	0	15.71	15.75	15.75	17.50
		1	0	16.09	16.19	16.26	17.50
		1	13	15.92	16.68	16.09	17.50
		1	24	16.77	16.46	16.32	17.50
	64QAM	12	0	15.47	15.85	15.87	17.50
		12	6	16.11	15.95	16.01	17.50
		12	13	16.43	16.99	16.83	17.50
		25	0	15.63	15.85	15.85	17.50
		RB size	RB	Channel	Channel	Channel	_
Bandwidth	Modulation		offset	23780	23790	23800	Tune up
		1	0	15.75	15.69	15.72	17.50
		1	25	15.21	15.95	16.08	17.50
		1	49	15.80	15.82	15.83	17.50
	QPSK	25	0	15.73	15.79	15.79	17.50
		25	13	15.81	15.78	15.80	17.50
		25	25	15.83	15.84	15.84	17.50
		50	0	15.83	15.83	15.78	17.50
		1	0	16.06	16.03	16.04	17.50
		1	25	15.33	15.28	15.24	17.50
		1	49	16.04	16.11	16.11	17.50
10MHz	16QAM	25	0	15.69	15.71	15.74	17.50
		25	13	15.80	15.74	15.76	17.50
		25	25	15.78	15.79	15.77	17.50
		50	0	15.77	15.75	15.72	17.50
		1	0	16.18	16.28	16.34	17.50
		1	25	15.98	16.77	16.16	17.50
		1	49	16.83	16.53	16.42	17.50
	64QAM	25	0	15.55	15.91	15.93	17.50
		25	13	16.19	16.04	16.09	17.50
		25	25	16.50	17.06	16.91	17.50
		50	0	15.72	15.92	15.93	17.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 288 of 493 Page

LTE Band 1	7 Left Head sin with 5G		sly transmit		Conducted	Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel 23755	Channel 23790	Channel 23825	Tune up
		1	0	14.07	14.87	14.83	16.00
		1	13	14.61	15.07	14.33	16.00
		1	24	14.94	14.45	14.52	16.00
	QPSK	12	0	14.50	15.10	14.60	16.00
		12	6	14.61	15.27	14.52	16.00
		12	13	14.79	14.64	14.31	16.00
		25	0	14.67	14.87	14.39	16.00
		1	0	14.33	15.14	15.10	16.00
		1	13	14.90	15.35	14.59	16.00
		1	24	15.22	14.70	14.74	16.00
5MHz	16QAM	12	0	14.45	15.07	14.55	16.00
V 12	10001111	12	6	14.57	15.21	14.45	16.00
		12	13	14.74	14.59	14.25	16.00
		25	0	14.59	14.79	14.30	16.00
		1	0	14.86	14.91	15.05	16.00
		1	13	15.51	15.77	15.86	16.00
		1	24	15.25	14.78	14.11	16.00
	64QAM	12	0	14.80	15.13	15.29	16.00
	0+QAIVI	12	6	15.24	15.68	15.55	16.00
		12	13	15.50	15.33	15.16	16.00
		25	0	15.08	15.12	15.12	16.00
		23	0	Channel	Channel	Channel	10.00
Bandwidth	Modulation	RB size	RB offset	23780	23790	23800	Tune up
		1	0	14.5	14.51	15.03	16.00
		1	25	14.67	15.89	15.64	16.00
		1	49	15.90	14.51	14.67	16.00
	QPSK	25	0	14.66	14.78	15.01	16.00
	QI SIX	25	13	15.00	14.70	14.80	16.00
		25	25	14.65	14.61	14.43	16.00
		50	0	14.56	14.66	14.62	16.00
		1	0	14.70	14.71	15.37	16.00
		1	25	15.97	15.94	15.90	16.00
		1	49	14.96	14.67	14.96	16.00
10MHz	16QAM	25	0	14.58	14.71	14.95	16.00
10111112	IOQAW	25	13	14.93	14.71	14.74	16.00
		25	25	14.57	14.55	14.74	16.00
		50	0	14.49	14.60	14.56	16.00
		1	0	14.49	14.00	15.14	16.00
			25	15.60	15.81	15.14	16.00
		1	49	15.32		14.19	16.00
	64001	1			14.88		
	64QAM	25	0	14.89	15.20	15.34	16.00
		25	13	15.34	15.75	15.63	16.00
		25	25	15.56	15.41	15.26	16.00
	1	50	0	15.16	15.18	15.18	16.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 289 of 493 Page

TE Band 17	Right Head si with 2.4G		sly transmit		Conducted	Power(dBm)		
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
Janawiath	Woddiation	IND SIZE	NB onset	23755	23790	23825	<u> </u>	
		1	0	16.35	16.32	16.27	17.50	
		1	13	16.33	16.35	16.34	17.50	
		1	24	16.36	16.38	16.29	17.50	
	QPSK	12	0	16.34	16.36	16.33	17.50	
		12	6	16.26	16.29	16.31	17.50	
		12	13	16.37	16.38	16.32	17.50	
		25	0	16.28	16.31	16.31	17.50	
		1	0	16.61	16.57	16.57	17.50	
		1	13	16.56	16.61	16.63	17.50	
		1	24	16.63	16.61	16.59	17.50	
5MHz	16QAM	12	0	16.23	16.32	16.27	17.50	
		12	6	16.22	16.21	16.26	17.50	
		12	13	16.31	16.35	16.32	17.50	
	25	0	16.23	16.26	16.26	17.50		
	1	0	16.17	16.36	15.58	17.50		
		1	13	16.11	16.41	16.47	17.50	
		1	24	16.93	16.56	16.52	17.50	
	64QAM	12	0	15.59	15.70	16.24	17.50	
			12	6	15.99	16.10	16.44	17.50
			12	13	16.59	16.99	16.88	17.50
			25	0	15.71	15.75	15.71	17.50
	NA LLC	DD :	DD " .	Channel	Channel	Channel	-	
Bandwidth	Modulation	RB size	RB offset	23780	23790	23800	Tune up	
		1	0	16.24	16.21	16.19	17.50	
		1	25	16.12	15.97	15.99	17.50	
		1	49	16.30	16.35	16.32	17.50	
	QPSK	25	0	16.26	16.28	16.27	17.50	
		25	13	16.30	16.29	16.34	17.50	
		25	25	16.35	16.33	16.34	17.50	
		50	0	16.32	16.34	16.30	17.50	
		1	0	16.45	16.46	16.53	17.50	
		1	25	15.94	16.59	15.97	17.50	
		1	49	16.63	16.58	16.54	17.50	
10MHz	16QAM	25	0	16.21	16.19	16.23	17.50	
		25	13	16.25	16.22	16.27	17.50	
		25	25	16.29	16.26	16.26	17.50	
		50	0	16.25	16.24	16.23	17.50	
		1	0	16.26	16.42	15.66	17.50	
		1	25	16.17	16.35	16.37	17.50	
		1	49	16.67	16.64	16.58	17.50	
	64QAM	25	0	15.64	15.80	16.31	17.50	
	0 1 S/ 11VI	25	13	16.07	16.20	16.51	17.50	
		25	25	16.66	17.05	16.98	17.50	
		50	0	15.78	15.83	15.80	17.50	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 290 of 493 Page

TE Band 17	Right Head sir with 5G V		ly transmit		Conducte	d Power(dBm)	
Bandwidth		RB size	RB offset	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RB Size	RB oliset	23755	23790	23825	Tune up
		1	0	14.8	14.68	14.86	16.00
		1	13	14.73	14.80	14.68	16.00
		1	24	14.75	14.86	14.83	16.00
	QPSK	12	0	14.69	14.87	15.00	16.00
		12	6	14.29	14.84	14.30	16.00
		12	13	14.72	14.94	14.64	16.00
		25	0	14.60	14.68	14.76	16.00
		1	0	15.14	14.88	15.12	16.00
		1	13	15.01	15.08	15.00	16.00
		1	24	15.05	15.14	15.11	16.00
5MHz	16QAM	12	0	14.43	14.83	14.83	16.00
		12	6	14.68	14.56	14.59	16.00
		12	13	14.67	14.77	14.59	16.00
64QAM	25	0	14.52	14.62	14.70	16.00	
	1	0	14.22	14.10	14.26	16.00	
	1	13	14.38	14.67	14.77	16.00	
		1	24	14.39	14.13	14.44	16.00
	64QAM	12	0	14.14	14.42	14.63	16.00
		12	6	14.61	14.85	14.91	16.00
		12	13	14.72	14.62	14.37	16.00
		25	0	14.34	14.57	14.56	16.00
		55.	55 "	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	23780	23790	23800	Tune up
		1	0	14.60	14.59	14.45	16.00
		1	25	14.63	14.46	14.49	16.00
		1	49	14.88	14.71	14.93	16.00
	QPSK	25	0	14.62	14.67	15.04	16.00
		25	13	14.98	14.67	14.82	16.00
		25	25	14.93	14.91	14.73	16.00
		50	0	14.71	14.73	14.75	16.00
		1	0	14.67	14.65	14.74	16.00
		1	25	15.21	15.09	14.34	16.00
		1	49	15.16	15.12	15.17	16.00
10MHz	16QAM	25	0	14.64	14.63	15.00	16.00
		25	13	14.97	14.65	14.78	16.00
		25	25	14.86	14.77	14.70	16.00
		50	0	14.71	14.71	14.72	16.00
		1	0	14.23	14.11	14.26	16.00
		1	25	14.39	14.69	14.78	16.00
		1	49	14.39	14.13	14.45	16.00
	64QAM	25	0	14.15	14.43	14.64	16.00
		25	13	14.61	14.86	14.92	16.00
		25	25	14.73	14.63	14.39	16.00
		50	0	14.35	14.59	14.56	16.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 291 of 493 Page

LTE Ban	d 26 hotspot disa	bled full pov	ver		Conducted	Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danawidin	Modulation	IVD SIZE	IVD Olloet	26697	26865	27033	
		1	0	22.62	23.06	22.78	24.00
		1	2	22.75	22.95	22.88	24.00
		1	5	22.77	22.89	22.80	24.00
	QPSK	3	0	22.72	22.99	22.88	24.00
		3	2	22.77	22.98	22.86	24.00
		3	3	22.82	22.95	22.87	24.00
		6	0	21.99	22.06	22.09	23.00
		1	0	22.11	22.46	22.15	23.00
		1	2	22.24	22.43	22.40	23.00
		1	5	22.27	22.35	22.35	23.00
1.4MHz	16QAM	3	0	21.86	22.14	22.18	23.00
		3	2	21.92	22.11	22.18	23.00
		3	3	21.95	22.09	22.18	23.00
		6	0	20.98	21.09	21.24	22.00
		1	0	21.10	21.16	20.89	22.50
		1	2	20.98	20.90	20.60	22.50
		1	5	20.78	20.60	20.76	22.50
	64QAM	3	0	19.65	19.97	19.57	22.50
		3	2	19.55	19.96	19.55	22.50
		3	3	19.83	19.54	19.82	22.50
		6	0	19.50	19.82	19.69	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Banawiani	Modulation	TO SIZE	NB onset	26705	26865	27025	Turio up
		1	0	22.55	23.08	22.79	24.00
		1	7	22.90	23.04	23.01	24.00
		1	14	22.58	22.86	22.73	24.00
	QPSK	8	0	21.92	22.16	21.97	23.00
		8	4	22.01	22.10	21.99	23.00
		8	7	21.95	22.03	21.96	23.00
		15	0	21.94	22.10	21.97	23.00
		1	0	21.85	22.43	22.18	23.00
		1	7	22.23	22.38	22.32	23.00
		1	14	21.97	22.20	22.24	23.00
3MHz	16QAM	8	0	20.98	21.12	20.94	22.00
		8	4	21.06	21.05	21.06	22.00
		8	7	21.00	20.99	21.18	22.00
		15	0	21.00	21.06	21.06	22.00
		1	0	21.16	21.25	20.94	22.50
		1	7	21.04	20.98	20.69	22.50
		1	14	20.87	20.69	20.82	22.50
	64QAM	8	0	19.75	20.06	19.67	21.50
		8	4	19.63	20.05	19.41	21.50
		8	7	19.90	19.50	19.89	21.50
		15	0	19.56	19.90	19.77	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 292 of 493 Page

Don duri déh	Modulation	DD size	RB offset	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RB size	RB offset	26715	26865	27015	Tune up
		1	0	22.66	23.19	22.61	24.00
		1	13	22.76	23.04	22.99	24.00
		1	24	22.44	22.97	22.82	24.00
	QPSK	12	0	22.05	22.28	22.00	23.00
		12	6	22.03	22.18	22.04	23.00
		12	13	21.90	22.10	21.99	23.00
		25	0	21.98	22.30	22.11	23.00
		1	0	22.07	22.44	21.83	23.00
		1	13	22.21	22.32	22.21	23.00
	16QAM	1	24	21.91	22.22	22.07	23.00
5MHz		12	0	21.11	21.20	20.86	22.00
		12	6	21.12	21.03	20.9.00	22.00
		12	13	20.98	20.97	20.97	22.00
		25	0	20.99	21.11	20.94	22.00
		1	0	21.26	21.34	21.04	22.50
		1	13	21.13	21.06	20.76	22.50
		1	24	20.93	20.77	20.89	22.50
	64QAM	12	0	19.82	20.15	19.77	21.50
700		12	6	19.69	20.12	19.47	21.50
	Madulation	12	13	19.99	19.60	19.96	21.50
		25	0	19.66	20.00	19.85	21.50
Donalis i altia		tion RB size	DD affact	Channel	Channel	Channel	T
Bandwidth	Modulation	RB Size	RB offset	26750	26865	26990	Tune up
		1	0	22.91	22.94	22.56	24.00
		1	25	23.15	23.65	23.47	24.00
		1	49	22.50	23.12	23.09	24.00
	QPSK	25	0	21.77	22.21	21.58	23.00
		25	13	21.40	22.24	21.71	23.00
		25	25	21.53	21.89	21.99	23.00
	\	50	0	21.60	22.10	22.02	23.00
		1	0	22.35	22.34	21.93	23.00
	\	1	25	22.64	23.20	22.90	23.00
		1	49	22.50	22.51	22.63	23.00
10MHz	16QAM	25	0	20.85	21.10	20.66	22.00
10MHz	16QAM	25	13	20.44	21.13	20.68	22.00
1011112					00.70	20.01	22.00
		25	25	20.43	20.79	20.91	22.00
				20.43	20.79	20.91	22.00
		25	25				
		25 50	25 0	20.74	21.01	20.92	22.00
		25 50 1	25 0 0	20.74 21.33	21.01 21.42	20.92 21.09	22.00 22.50
	64QAM	25 50 1 1	25 0 0 25	20.74 21.33 21.20	21.01 21.42 21.15	20.92 21.09 20.82	22.00 22.50 22.50
	64QAM	25 50 1 1	25 0 0 25 49	20.74 21.33 21.20 20.98	21.01 21.42 21.15 20.84	20.92 21.09 20.82 20.98	22.00 22.50 22.50 22.50
	64QAM	25 50 1 1 1 25	25 0 0 25 49 0	20.74 21.33 21.20 20.98 19.87	21.01 21.42 21.15 20.84 20.21	20.92 21.09 20.82 20.98 19.86	22.00 22.50 22.50 22.50 21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 293 of 493 Page

Bandwidth	Modulation	RB size	DD offeet	Channel	Channel	Channel	Tungun
banawiatn	Modulation	RD SIZE	RB offset	26775	26865	26965	Tune up
		1	0	22.90	23.12	23.09	24.00
		1	38	22.81	22.95	22.58	24.00
		1	74	22.79	22.49	22.80	24.00
	QPSK	36	0	21.78	22.18	21.93	23.00
		36	18	21.73	22.29	21.56	23.00
		36	39	22.03	22.05	22.11	23.00
	A	75	0	21.73	22.15	22.05	23.00
	16QAM	1	0	22.48	22.51	22.25	23.00
		1	38	22.27	22.43	21.64	23.00
		1	74	22.22	21.88	22.07	23.00
15MHz		36	0	20.98	21.12	20.93	22.00
		36	18	20.69	21.22	20.69	22.00
		36	39	20.98	21.00	21.05	22.00
		75	0	20.66	21.07	20.95	22.00
		1	0	21.40	21.47	21.16	22.50
		1	38	21.26	21.22	20.87	22.50
		1	74	21.07	20.90	21.05	22.50
	64QAM	36	0	19.97	20.28	19.94	21.50
		36	18	19.84	20.26	19.59	21.50
		36	39	20.17	19.76	20.13	21.50
		75	0	19.84	20.15	20.03	21.50

LTE	Band 26 Left H	ead reduced p	oower	Conducted Power(dBm)					
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up		
Danawiath	Wodulation	KD SIZE	KD Ollset	26697	26865	27033	Turie up		
		1	0	18.29	18.27	18.31	19.50		
		1	2	18.01	17.84	17.78	19.50		
		1	5	18.28	18.25	18.28	19.50		
	QPSK	3	0	18.25	18.21	18.25	19.50		
		3	2	18.12	17.97	17.98	19.50		
		3	3	18.17	18.17	18.13	19.50		
		6	0	18.24	18.18	18.18	19.50		
		1	0	18.54	18.47	18.5	19.50		
10		1	2	18.29	18.26	18.29	19.50		
1.4MHz		1	5	18.5	18.49	18.52	19.50		
1.4111112	16QAM	3	0	18.20	18.15	18.18	19.50		
		3	2	18.10	18.23	18.11	19.50		
		3	3	18.25	18.13	18.25	19.50		
		6	0	18.16	18.16	18.15	19.50		
		1	0	18.06	18.05	17.84	19.50		
		1	2	17.35	18.11	17.10	19.50		
	64QAM	1	5	17.95	17.70	17.24	19.50		
	04QAW	3	0	17.43	17.75	17.45	19.50		
		3	2	17.02	17.72	16.83	19.50		
		3	3	17.41	17.75	16.99	19.50		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



: 01 Rev

Page : 294 of 493

		6	0	17.43	17.82	17.29	19.50
Dan destable	Maduletter		DD 6#5-1	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	26705	26865	27025	Tune up
		1	0	18.28	18.24	18.30	19.50
		1	7	17.78	17.70	17.79	19.50
		1	14	18.24	18.28	18.22	19.50
	QPSK	8	0	18.20	18.14	18.20	19.50
		8	4	18.24	18.21	18.26	19.50
		8	7	18.16	18.20	18.21	19.50
		15	0	18.25	18.20	18.27	19.50
		1	0	18.49	18.52	18.54	19.50
		1	7	18.06	17.99	18.32	19.50
		1	14	18.44	18.49	18.49	19.50
3MHz	16QAM	8	0	18.21	18.18	18.20	19.50
		8	4	18.16	18.12	18.22	19.50
		8	7	18.25	18.18	18.16	19.50
		15	0	18.21	18.11	18.21	19.50
		1	0	18.12	18.13	17.90	19.50
		1	7	17.41	18.17	17.18	19.50
		1	14	18.01	17.76	17.32	19.50
64QAM	64QAM	8	0	17.52	17.84	17.54	19.50
		8	4	17.11	17.78	16.89	19.50
		8	7	17.49	17.82	17.04	19.50
		15	0	17.50	17.92	17.34	19.50
			DP offeet	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	26715	26865	27015	Tune up
		1	0	18.26	18.22	18.24	19.50
		1	13	18.28	18.27	18.26	19.50
		1	24	18.20	18.23	18.26	19.50
	QPSK	12	0	18.32	18.27	18.24	19.50
		12	_				
		14	6	18.20	18.18	18.19	19.50
		12	6 13	18.20 18.24			
					18.18 18.27 18.21	18.19 18.31 18.25	19.50 19.50 19.50
		12	13	18.24	18.27	18.31	19.50
		12 25	13 0 0	18.24 18.24 18.45	18.27 18.21 18.40	18.31 18.25 18.41	19.50 19.50 19.50
		12 25 1	13 0	18.24 18.24 18.45 18.46	18.27 18.21 18.40 18.48	18.31 18.25 18.41 18.45	19.50 19.50 19.50 19.50
5MHz	16QAM	12 25 1 1	13 0 0 13	18.24 18.24 18.45 18.46 18.47	18.27 18.21 18.40 18.48 18.52	18.31 18.25 18.41 18.45 18.44	19.50 19.50 19.50 19.50 19.50
5MHz	16QAM	12 25 1 1 1 1	13 0 0 13 24 0	18.24 18.24 18.45 18.46 18.47 18.24	18.27 18.21 18.40 18.48 18.52 18.24	18.31 18.25 18.41 18.45 18.44 18.23	19.50 19.50 19.50 19.50 19.50 19.50
5MHz	16QAM	12 25 1 1 1 1 12 12	13 0 0 13 24 0 6	18.24 18.24 18.45 18.46 18.47 18.24 18.18	18.27 18.21 18.40 18.48 18.52 18.24 18.16	18.31 18.25 18.41 18.45 18.44 18.23 18.21	19.50 19.50 19.50 19.50 19.50 19.50 19.50
5MHz	16QAM	12 25 1 1 1 1 12 12 12	13 0 0 13 24 0 6	18.24 18.24 18.45 18.46 18.47 18.24 18.18	18.27 18.21 18.40 18.48 18.52 18.24 18.16 18.25	18.31 18.25 18.41 18.45 18.44 18.23 18.21 18.24	19.50 19.50 19.50 19.50 19.50 19.50 19.50
5MHz	16QAM	12 25 1 1 1 1 12 12	13 0 0 13 24 0 6 13 0	18.24 18.24 18.45 18.46 18.47 18.24 18.18 18.21 18.18	18.27 18.21 18.40 18.48 18.52 18.24 18.16 18.25 18.17	18.31 18.25 18.41 18.45 18.44 18.23 18.21 18.24 18.20	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
5MHz	16QAM	12 25 1 1 1 1 12 12 12 12 25	13 0 0 13 24 0 6 13 0	18.24 18.24 18.45 18.46 18.47 18.24 18.18 18.21 18.18 18.22	18.27 18.21 18.40 18.48 18.52 18.24 18.16 18.25 18.17 18.20	18.31 18.25 18.41 18.45 18.44 18.23 18.21 18.24 18.20 17.97	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
5MHz	16QAM	12 25 1 1 1 1 12 12 12 12 25 1	13 0 0 13 24 0 6 13 0 0	18.24 18.24 18.45 18.46 18.47 18.24 18.18 18.21 18.18 18.22 17.49	18.27 18.21 18.40 18.48 18.52 18.24 18.16 18.25 18.17 18.20 18.25	18.31 18.25 18.41 18.45 18.44 18.23 18.21 18.24 18.20 17.97 17.24	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
5MHz		12 25 1 1 1 1 12 12 12 25 1 1	13 0 0 13 24 0 6 13 0 0 13 24	18.24 18.24 18.45 18.46 18.47 18.24 18.18 18.21 18.18 18.22 17.49 18.08	18.27 18.21 18.40 18.48 18.52 18.24 18.16 18.25 18.17 18.20 18.25 17.85	18.31 18.25 18.41 18.45 18.44 18.23 18.21 18.24 18.20 17.97 17.24 17.39	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
5MHz	16QAM 64QAM	12 25 1 1 1 1 12 12 12 25 1 1 1 1	13 0 0 13 24 0 6 13 0 0 13 24 0	18.24 18.24 18.45 18.46 18.47 18.24 18.18 18.21 18.18 18.22 17.49 18.08 17.58	18.27 18.21 18.40 18.48 18.52 18.24 18.16 18.25 18.17 18.20 18.25 17.85 17.94	18.31 18.25 18.41 18.45 18.44 18.23 18.21 18.24 18.20 17.97 17.24 17.39 17.62	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
5MHz		12 25 1 1 1 1 12 12 12 25 1 1	13 0 0 13 24 0 6 13 0 0 13 24	18.24 18.24 18.45 18.46 18.47 18.24 18.18 18.21 18.18 18.22 17.49 18.08	18.27 18.21 18.40 18.48 18.52 18.24 18.16 18.25 18.17 18.20 18.25 17.85	18.31 18.25 18.41 18.45 18.44 18.23 18.21 18.24 18.20 17.97 17.24 17.39	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 295 of 493 Page

Dan duri dela	Madulatian	DD size	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	26750	26865	26990	Tune up
		1	0	18.28	18.21	18.22	19.50
		1	25	17.94	17.96	18.08	19.50
		1	49	18.21	18.23	18.20	19.50
	QPSK	25	0	18.23	18.00	18.25	19.50
		25	13	18.23	18.23	18.23	19.50
		25	25	18.26	18.24	18.25	19.50
		50	0	18.2	18.21	18.24	19.50
		1	0	18.44	18.44	18.40	19.50
		1	25	18.30	18.23	18.14	19.50
		1	49	18.40	18.45	18.47	19.50
10MHz	16QAM	25	0	17.96	18.13	18.16	19.50
		25	13	18.16	18.15	18.14	19.50
		25	25	18.17	18.18	18.18	19.50
		50	0	18.13	18.12	18.21	19.50
		1	0	18.28	18.27	18.02	19.50
		1	25	17.58	18.31	17.32	19.50
		1	49	18.14	17.91	17.49	19.50
	64QAM Modulation	25	0	17.64	18.02	17.70	19.50
		25	13	17.3	17.91	17.02	19.50
		25	25	17.65	17.97	17.20	19.50
		50	0	17.63	18.06	17.51	19.50
			55 %	Channel	Channel	Channel	
Bandwidth		RB size	RB offset	26775	26865	26965	Tune up
		1	0	18.68	18.68	18.66	19.50
		1	38	18.34	18.38	18.34	19.50
		1	74	18.20	18.33	18.24	19.50
	QPSK	36	0	18.27	18.31	18.36	19.50
		36	18	18.33	18.30	18.31	19.50
		36	39	18.34	18.34	18.36	19.50
		75	0	18.32	18.26	18.29	19.50
							_
		1	0	18.27	18.21	18.42	19.50
		1		18.27 18.34	18.21 18.21	18.42 18.33	19.50 19.50
			38	18.34	18.21	18.33	19.50
15MHz	16QAM	1	38 74	18.34 18.19	18.21 18.11	18.33 18.46	19.50 19.50
15MHz	16QAM	1 1 36	38 74 0	18.34 18.19 18.28	18.21 18.11 18.21	18.33 18.46 18.25	19.50 19.50 19.50
15MHz	16QAM	1 1 36 36	38 74 0 18	18.34 18.19 18.28 18.27	18.21 18.11 18.21 18.22	18.33 18.46 18.25 18.24	19.50 19.50 19.50 19.50
15MHz	16QAM	1 1 36 36 36	38 74 0 18 39	18.34 18.19 18.28 18.27 18.28	18.21 18.11 18.21 18.22 18.27	18.33 18.46 18.25 18.24 18.28	19.50 19.50 19.50 19.50 19.50
15MHz	16QAM	1 1 36 36 36 36 75	38 74 0 18 39	18.34 18.19 18.28 18.27 18.28 18.24	18.21 18.11 18.21 18.22 18.27 18.19	18.33 18.46 18.25 18.24 18.28 18.23	19.50 19.50 19.50 19.50 19.50 19.50
15MHz	16QAM	1 1 36 36 36 36 75	38 74 0 18 39 0	18.34 18.19 18.28 18.27 18.28 18.24 18.35	18.21 18.11 18.21 18.22 18.27 18.19 18.35	18.33 18.46 18.25 18.24 18.28 18.23 18.07	19.50 19.50 19.50 19.50 19.50 19.50
15MHz	16QAM	1 1 36 36 36 36 75 1	38 74 0 18 39 0 0 38	18.34 18.19 18.28 18.27 18.28 18.24 18.35 17.67	18.21 18.11 18.21 18.22 18.27 18.19 18.35 18.38	18.33 18.46 18.25 18.24 18.28 18.23 18.07 17.38	19.50 19.50 19.50 19.50 19.50 19.50 19.50
15MHz		1 1 36 36 36 75 1 1	38 74 0 18 39 0 0 0 38 74	18.34 18.19 18.28 18.27 18.28 18.24 18.35 17.67 18.22	18.21 18.11 18.21 18.22 18.27 18.19 18.35 18.38 17.98	18.33 18.46 18.25 18.24 18.28 18.23 18.07 17.38 17.55	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
15MHz	16QAM 64QAM	1 1 36 36 36 75 1 1 1 36	38 74 0 18 39 0 0 38 74 0	18.34 18.19 18.28 18.27 18.28 18.24 18.35 17.67 18.22 17.71	18.21 18.11 18.21 18.22 18.27 18.19 18.35 18.38 17.98 18.10	18.33 18.46 18.25 18.24 18.28 18.23 18.07 17.38 17.55 17.79	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50
15MHz		1 1 36 36 36 75 1 1	38 74 0 18 39 0 0 38 74	18.34 18.19 18.28 18.27 18.28 18.24 18.35 17.67 18.22	18.21 18.11 18.21 18.22 18.27 18.19 18.35 18.38 17.98	18.33 18.46 18.25 18.24 18.28 18.23 18.07 17.38 17.55	19.50 19.50 19.50 19.50 19.50 19.50 19.50 19.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 296 of 493

LTE E	Band 26 Right Hea	nd reduced pov	ver	Conducted Power(dBm)					
		1		Chamal	•	l	<u> </u>		
Bandwidth	Modulation	RB size	RB offset	Channel 26697	Channel 26865	Channel 27033	Tune up		
		1	0	17.80	17.74	17.78	19.00		
		1	2	17.60	17.74	17.47	19.00		
		1	5	17.78	17.75	17.73	19.00		
	QPSK	3	0	17.76	17.69	17.70	19.00		
	QFSK	3	2	17.46	17.47	17.70	19.00		
		3	3	17.40	17.68	17.69	19.00		
		6	0	17.67	17.65	17.70	19.00		
		1	0	18.00	17.88	17.70	19.00		
		1	2	17.63	17.57	17.84	19.00		
4 48811-	400 414	1	5	17.95	17.81	17.96	19.00		
1.4MHz	16QAM	3	0	17.74	17.64	17.79	19.00		
		3	2	17.73	17.32	17.72	19.00		
		3	3	17.69	17.61	17.62	19.00		
_		6	0	17.56	17.50	17.66	19.00		
		1	0	17.44	17.61	17.26	19.00		
		1	2	17.24	17.46	16.69	19.00		
	64QAM	1	5	17.39	16.57	17.29	19.00		
		3	0	16.91	17.36	16.94	19.00		
			3	2	16.84	17.34	16.54	19.00	
		3	3	17.17	16.87	17.13	19.00		
		6	0	16.82	17.24	16.85	19.00		
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up		
Banawiath	Modulation	110 3126	ND onset	26705	26865	27025	rune up		
		1	0	17.76	17.73	17.78	19.00		
		1	7	17.53	17.49	17.54	19.00		
		1	14	17.75	17.74	17.71	19.00		
	QPSK	8	0	17.73	17.64	17.69	19.00		
		8	4	17.78	17.73	17.76	19.00		
		8	7	17.67	17.68	17.71	19.00		
		15	0	17.74	17.71	17.77	19.00		
		1	0	18.08	17.94	18.04	19.00		
		1	7	17.54	17.58	17.94	19.00		
		1	14	18.02	18.04	18.00	19.00		
3MHz	16QAM	8	0	17.65	17.58	17.66	19.00		
		8	4	17.70	17.7	17.73	19.00		
		8	7	17.66	17.58	17.64	19.00		
		15	0	17.73	17.67	17.74	19.00		
		1	0	17.53	17.71	17.31	19.00		
		1	7	17.30	17.53	16.75	19.00		
		1	14	17.46	16.64	17.35	19.00		
	64QAM	8	0	17.01	17.42	17.02	19.00		
	64QAM	-					19.00		
		l A	/	าคนา					
		8	7	16.91 17.26	17.42 16.94	16.60 17.21	19.00		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



: 01 Rev

Page : 297 of 493

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun	
Dandwidth	Modulation	RD SIZE	RB ollset	26715	26865	27015	Tune up	
		1	0	17.79	17.72	17.72	19.00	
		1	13	17.81	17.76	17.77	19.00	
		1	24	17.74	17.79	17.71	19.00	
	QPSK	12	0	17.84	17.77	17.78	19.00	
		12	6	17.71	17.75	17.74	19.00	
		12	13	17.75	17.77	17.78	19.00	
		25	0	17.75	17.72	17.74	19.00	
		1	0	18.00	17.93	17.96	19.00	
		1	13	17.99	18.04	17.94	19.00	
		1	24	17.97	17.98	17.91	19.00	
5MHz	16QAM	12	0	17.77	17.71	17.74	19.00	
		12	6	17.72	17.69	17.69	19.00	
		12	13	17.71	17.76	17.78	19.00	
		25	0	17.68	17.69	17.72	19.00	
		1	0	17.62	17.79	17.37	19.00	
		1	13	17.39	17.62	16.84	19.00	
	64QAM 12 12 12 25	1	24	17.52	16.74	17.42	19.00	
		12	0	17.09	17.47	17.11	19.00	
- 0		12	6	16.96	17.47	16.65	19.00	
		12	13	17.33	17.00	17.29	19.00	
		25	0	16.98	17.35	17.01	19.00	
		width Modulation	DD :	DD (()	Channel	Channel	Channel	-
Bandwidth		RB size	RB offset	26750	26865	26990	Tune up	
		1	0	17.69	17.66	17.66	19.00	
		1	25	17.45	17.43	17.45	19.00	
		1	49	17.64	17.67	17.68	19.00	
	QPSK	25	0	17.72	17.66	17.68	19.00	
		25	13	17.71	17.46	17.69	19.00	
		25	25	17.71	17.68	17.71	19.00	
		50	0	17.65	17.63	17.69	19.00	
Ī		1	0	17.97	17.97	17.9	19.00	
		1	25	17.74	17.62	17.64	19.00	
		1	49	17.92	18.00	17.97	19.00	
10MHz	16QAM	25	0	17.74	17.69	17.68	19.00	
		25	13	17.65	17.69	17.69	19.00	
		25	25	17.71	17.72	17.70	19.00	
		50	0	17.67	17.64	17.68	19.00	
		1	0	17.70	17.88	17.45	19.00	
		1	25	17.47	17.68	16.90	19.00	
		1	49	17.59	16.82	17.51	19.00	
	64QAM	25	0	17.18	17.53	17.18	19.00	
	64QAM			17.02	17.56	16.74	19.00	
		25	13	17.02	17.50	10.7 -	13.00	
		25 25	25	17.02	17.06	17.37	19.00	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 298 of 493

Bandwidth	Modulation	DD size	DD offeet	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RB size	RB offset	26775	26865	26965	Tune up
		1	0	17.70	17.66	17.69	19.00
		1	38	17.78	17.62	17.76	19.00
		1	74	17.68	17.63	17.67	19.00
	QPSK	36	0	17.79	17.74	17.85	19.00
		36	18	17.88	17.67	17.78	19.00
		36	39	17.84	17.67	17.86	19.00
		75	0	17.81	17.78	17.78	19.00
		1	0	17.71	17.75	17.73	19.00
		1	38	17.93	17.60	17.78	19.00
		1	74	17.73	17.60	17.67	19.00
15MHz	16QAM	36	0	17.74	17.76	17.72	19.00
		36	18	17.81	17.80	17.72	19.00
		36	39	17.76	17.79	17.73	19.00
		75	0	17.69	17.69	17.75	19.00
		1	0	17.79	17.73	17.50	19.00
		1	38	17.53	17.73	16.99	19.00
		1	74	17.66	16.91	17.59	19.00
	64QAM	36	0	17.25	17.60	17.24	19.00
		36	18	17.09	17.63	16.83	19.00
		36	39	17.47	17.12	17.44	19.00
		75	0	17.10	17.48	17.13	19.00

LTE Band 26	hotspot active	d for 2.4G	WIFI	Conducted Power(dBm)					
Bandwidth	Mandadatian	DD -:	DD -#4	Channel	Channel	Channel	T		
Bandwidth	Modulation	RB size	RB offset	26697	26865	27033	Tune up		
		1	0	20.54	20.60	20.72	21.50		
		1	2	20.65	20.73	20.78	21.50		
		1	5	20.67	20.64	20.74	21.50		
	QPSK	3	0	20.56	20.74	20.75	21.50		
		3	2	20.64	20.74	20.75	21.50		
		3	3	20.66	20.67	20.78	21.50		
		6	0	20.60	20.71	20.70	21.50		
Teles		1	0	20.79	20.97	20.83	21.50		
		1	2	20.89	20.65	20.95	21.50		
1.4MHz		1	5	20.94	20.79	20.84	21.50		
	16QAM	3	0	20.61	20.68	20.69	21.50		
		3	2	20.65	20.64	20.65	21.50		
		3	3	20.73	20.68	20.8	21.50		
		6	0	20.64	20.64	20.72	21.50		
		1	0	20.64	20.63	20.45	21.50		
		1	2	20.23	20.39	20.23	21.50		
	64QAM	1	5	20.33	20.33	20.21	21.50		
		3	0	19.86	19.92	19.90	21.50		
		3	2	19.83	19.84	19.86	21.50		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 299 of 493 Page

		3	3	19.73	19.81	19.82	21.50
		6	0	19.76	19.75	19.84	21.50
Dan double	Mandadatian	DD -:	DD -#	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	26705	26865	27025	Tune up
		1	0	20.29	20.63	20.39	21.50
		1	7	20.69	20.59	20.63	21.50
		1	14	20.40	20.41	20.50	21.50
	QPSK	8	0	20.55	20.68	20.50	21.50
		8	4	20.63	20.6	20.62	21.50
		8	7	20.58	20.53	20.60	21.50
		15	0	20.56	20.61	20.38	21.50
		1	0	20.58	20.95	20.67	21.50
		1	7	20.89	20.83	20.94	21.50
		1	14	20.66	20.66	20.73	21.50
3MHz	16QAM	8	0	20.51	20.66	20.43	21.50
		8	4	20.59	20.58	20.56	21.50
		8	7	20.57	20.49	20.50	21.50
		15	0	20.50	20.55	20.54	21.50
		1	0	20.75	20.76	20.58	21.50
		1	7	20.37	20.53	20.35	21.50
		1	14	20.46	20.46	20.35	21.50
	64QAM	8	0	19.94	20.05	20.14	21.50
		8	4	19.93	19.97	19.98	21.50
		8	7	19.86	19.95	19.95	21.50
		15	0	19.87	19.85	19.97	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danuwium	Modulation	IVD SIZE	KD 011261	26715	26865	27015	rune up
		1	0	20.42	20.77	20.41	21.50
		1	13	20.57	20.63	20.63	21.50
		1	24	20.10	20.58	20.62	21.50
	QPSK	12	0	20.66	20.77	20.55	21.50
		12	6	20.65	20.67	20.51	21.50
		12	13	20.51	20.58	20.57	21.50
		25	0	20.57	20.78	20.58	21.50
		1	0	20.83	21.01	20.59	21.50
		1	13	20.95	20.81	20.79	21.50
		1	24	20.50	20.79	20.82	21.50
5MHz	16QAM	12	0	20.62	20.71	20.48	21.50
		12	6	20.61	20.64	20.47	21.50
		12	13	20.49	20.54	20.52	21.50
		25	0	20.55	20.73	20.53	21.50
		1	0	20.62	20.59	20.41	21.50
		1	13	20.19	20.35	20.20	21.50
			1	20.29	20.29	20.19	21.50
		1	24	20.20			
	64QAM	1 12	24 0	19.82	19.87	19.86	21.50
	64QAM					19.86 19.82	21.50 21.50
	64QAM	12	0	19.82	19.87		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 300 of 493 Page

Donahuidth	Madulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RD SIZE	RD Ollset	26750	26865	26990	Tune up
		1	0	20.68	20.47	20.24	21.50
		1	25	20.73	21.12	21.11	21.50
		1	49	20.85	20.68	21.01	21.50
	QPSK	25	0	20.31	20.69	20.27	21.50
		25	13	20.10	20.73	20.39	21.50
	,	25	25	20.11	20.32	20.50	21.50
		50	0	20.27	20.61	20.48	21.50
		1	0	20.59	20.39	20.11	21.50
		1	25	20.78	21.10	20.93	21.50
		1	49	20.66	20.60	21.07	21.50
10MHz	16QAM	25	0	20.14	20.63	20.22	21.50
		25	13	19.92	20.66	20.34	21.50
		25	25	19.93	20.24	20.46	21.50
		50	0	20.10	20.55	20.38	21.50
		1	0	20.55	20.54	20.36	21.50
		1	25	20.17	20.32	20.15	21.50
	64QAM Modulation	1	49	20.24	20.25	20.16	21.50
		25	0	19.77	19.82	19.81	21.50
		25	13	19.73	19.75	19.77	21.50
		25	25	19.65	19.73	19.73	21.50
		50	0	19.67	19.66	19.75	21.50
Bandwidth		RB size	RB offset	Channel	Channel	Channel	Tune up
Danawiatii	Woddiation	IND SIZE	TO Oliset	26775	26865	26965	Turie up
		1	0	20.79	20.83	20.78	21.50
		1	38	20.44	20.62	20.35	21.50
		1	74	20.44	20.24	20.50	21.50
	QPSK	36	0	20.40	20.73	20.66	21.50
		36	18	20.24	20.81	20.29	21.50
		36	39	20.55	20.57	20.66	21.50
		75	0	20.24	20.69	20.50	21.50
		1	0	20.71	20.81	20.73	21.50
		1	38	20.40	20.67	20.18	21.50
		1	74	20.46	20.22	20.55	21.50
15MHz	16QAM	36	0	20.28	20.6	20.32	21.50
		36	18	20.12	20.69	20.18	21.50
		36	39	20.42	20.36	20.54	21.50
		75	0	20.12	20.55	20.47	21.50
		1	0	20.67	20.66	20.48	21.50
		1	38	20.26	20.42	20.27	21.50
		1	74	20.36	20.36	20.25	21.50
	64QAM	36	0	19.89	19.94	19.93	21.50
		36	18	19.83	19.87	19.89	21.50
	1	36	39	19.76	19.84	19.85	21.50
			0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 301 of 493 Page

I TF Ran	nd 26 hotspot a	ctived for 5G	WIFI		Conducted	Power(dBm)	
LIL Dai	To Hotspot at	- Invedior 50					T
Bandwidth	Modulation	RB size	RB offeet	Channel	Channel	Channel	Tune up
		4	offset	26697	26865	27033	
	\ .	1	0	19.03	19.26	19.20	20.00
		1	2	19.16	19.23	19.29	20.00
	0.000	1	5	19.23	19.09	19.28	20.00
	QPSK	3	0	19.11	19.25	19.29	20.00
		3	2	19.19	19.23	19.28	20.00
		3	3	19.25	19.14	19.35	20.00
		6	0	19.17	19.19	19.24	20.00
		1	0	19.14	19.51	19.46	20.00
		1	2	19.31	19.47	19.54	20.00
1.4MHz 16QAM	1	5	19.36	19.26	19.50	20.00	
	3	0	19.06	19.34	19.29	20.00	
		3	2	19.14	19.27	19.31	20.00
	3	3	19.20	18.99	19.39	20.00	
		6	0	19.06	19.20	19.23	20.00
		1	0	19.25	19.31	19.05	20.00
		1	2	18.82	18.81	18.85	20.00
		1	5	18.86	18.39	18.99	20.00
	64QAM	3	0	18.83	18.84	18.83	20.00
		3	2	18.88	18.94	18.66	20.00
		3	3	18.75	18.86	18.81	20.00
		6	0	18.81	18.78	18.75	20.00
			RB	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	offset	26705	26865	27025	Tune up
		1	0	18.89	19.26	19.15	20.00
		1	7	19.33	19.26	19.43	20.00
		1	14	19.05	18.97	19.26	20.00
	QPSK	8	0	19.13	19.26	19.18	20.00
	·	8	4	19.26	19.19	19.31	20.00
		8	7	19.27	19.09	19.29	20.00
		15	0	19.22	19.17	19.27	20.00
		1	0	19.17	19.48	19.28	20.00
		1	7	19.54	19.54	19.55	20.00
		1	14	19.35	19.25	19.44	20.00
3MHz	16QAM	8	0	19.10	19.25	19.16	20.00
	103/11/1	8	4	19.24	19.17	19.30	20.00
		8	7	19.19	19.09	19.29	20.00
		15	0	19.13	19.14	19.27	20.00
		1	0	19.17	19.14	18.97	20.00
		1	7	18.82	18.85	18.78	20.00
					+		
	64QAM	1	14	18.73	18.32	18.91	20.00
		8	0	18.73	18.76	18.79	20.00
		8	4	18.82	18.86	18.53	20.00
		8	7	18.67	18.78	18.75	20.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 302 of 493

18.75 18.72 20.00 0 18.74

Randwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	KD SIZE	offset	26715	26865	27015	Tune up
		1	0	19.10	19.38	18.97	20.00
		1	13	19.32	19.25	19.23	20.00
		1	24	18.99	19.19	19.28	20.00
	QPSK	12	0	19.29	19.39	19.16	20.00
		12	6	19.30	19.31	19.17	20.00
		12	13	19.17	19.19	19.24	20.00
		25	0	19.20	19.39	19.23	20.00
		1	0	19.28	19.59	19.15	20.00
		1	13	19.52	19.42	19.44	20.00
		1	24	19.19	19.36	19.48	20.00
5MHz	16QAM	12	0	19.24	19.35	19.11	20.00
		12	6	19.26	19.25	19.13	20.00
		12	13	19.13	19.14	19.17	20.00
		25	0	19.12	19.31	19.14	20.00
		1	0	19.13	19.15	18.91	20.00
		1	13	18.76	18.74	18.68	20.00
		1	24	18.72	18.25	18.85	20.00
	64QAM	12	0	18.65	18.73	18.73	20.00
		12	6	18.74	18.80	18.52	20.00
		12	13	18.61	18.72	18.65	20.00
		25	0	18.63	18.65	18.68	20.00
Danish of diffe	Marabalatian	DD -:	RB	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	offset	26750	26865	26990	Tune up
		1	0	19.36	19.16	18.58	20.00
		1	25	19.65	19.97	19.71	20.00
		1	49	19.44	19.43	19.60	20.00
	QPSK	25	0	19.09	19.38	18.78	20.00
		25	13	18.71	19.40	18.90	20.00
		25	25	18.49	19.06	19.08	20.00
		50	0	19.03	19.27	19.13	20.00
		1	0	19.63	19.38	19.14	20.00
		1	25	19.92	19.98	19.91	20.00
		1	49	19.72	19.64	19.89	20.00
10MHz	16QAM	25	0	19.05	19.21	18.82	20.00
		25	13	18.66	19.24	18.91	20.00
		25	25	18.65	19.03	19.11	20.00
		50	0	18.81	19.09	19.13	20.00
		1	0	19.28	19.34	19.08	20.00
		1	25	18.93	18.91	18.89	20.00
	640AM	1	49	18.89	18.42	19.02	20.00
	64QAM	25	0	18.84	18.87	18.93	20.00
	64QAM			18.84 18.92	18.87	18.93	20.00
	64QAM	25	0 13 25				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 303 of 493 Page

Bandwidth	Modulation	DD size	RB	Channel	Channel	Channel	Tungun
bandwidth	iviodulation	RB size	offset	26775	26865	26965	Tune up
		1	0	19.42	19.45	19.33	20.00
		1	38	19.07	19.27	18.77	20.00
		1	74	19.03	18.86	19.05	20.00
	QPSK	36	0	19.21	19.35	19.27	20.00
		36	18	18.89	19.44	18.84	20.00
		36	39	19.19	19.2	19.30	20.00
		75	0	18.89	19.31	19.22	20.00
		1	0	19.68	19.65	19.58	20.00
		1	38	19.32	19.46	19.00	20.00
		1	74	19.32	19.01	19.26	20.00
15MHz	16QAM	36	0	19.16	19.22	19.09	20.00
		36	18	18.82	19.30	18.69	20.00
		36	39	19.10	19.07	19.15	20.00
		75	0	18.78	19.16	19.05	20.00
		1	0	19.22	19.28	19.02	20.00
		1	38	18.87	18.85	18.83	20.00
		1	74	18.83	18.36	18.96	20.00
	64QAM	36	0	18.78	18.81	18.84	20.00
		36	18	18.85	18.91	18.63	20.00
		36	39	18.72	18.83	18.78	20.00
		75	0	18.78	18.75	18.79	20.00

LTE Band 26	Body-worn sin with 2.4G		ly transmit	Conducted Power(dBm)				
Bandwidth	Madulation	RB size	RB offset	Channel	Channel	Channel	T	
Bandwidth	Modulation	ND SIZE ND OIIS	RB offset	26697	26865	27033	Tune up	
		1	0	20.62	20.84	20.60	21.50	
		1	2	20.74	20.69	20.65	21.50	
		1	5	20.69	20.70	20.61	21.50	
	QPSK	3	0	20.63	20.72	20.66	21.50	
		3	2	20.69	20.68	20.64	21.50	
		3	3	20.68	20.62	20.65	21.50	
		6	0	20.67	20.67	20.60	21.50	
		1	0	20.59	20.82	20.84	21.50	
		1	2	20.73	20.78	20.89	21.50	
1.4MHz		1	5	20.71	20.73	20.86	21.50	
1.4111172	16QAM	3	0	20.71	20.73	20.78	21.50	
		3	2	20.67	20.78	20.72	21.50	
		3	3	20.76	20.72	20.70	21.50	
		6	0	20.60	20.55	20.58	21.50	
		1	0	20.18	20.57	20.49	21.50	
		1	2	20.32	20.55	20.28	21.50	
	64QAM	1	5	20.49	20.18	20.27	21.50	
	04QAW	3	0	20.33	20.15	20.28	21.50	
		3	2	20.26	20.28	20.23	21.50	
		3	3	20.18	20.16	20.11	21.50	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 304 of 493 Page

		6	0	20.20	20.10	20.13	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
bandwidth	iviodulation	KD SIZE	KD Ollset	26705	26865	27025	Tune up
		1	0	20.59	20.78	20.57	21.50
		1	7	20.80	20.64	20.68	21.50
		1	14	20.61	20.47	20.53	21.50
	QPSK	8	0	20.59	21.01	20.73	21.50
		8	4	20.80	20.63	20.66	21.50
		8	7	20.61	20.72	20.72	21.50
		15	0	20.64	20.71	20.64	21.50
		1	0	20.47	21.02	20.74	21.50
		1	7	20.81	20.90	20.88	21.50
		1	14	20.56	20.73	20.73	21.50
3MHz	16QAM	8	0	20.63	20.84	20.63	21.50
		8	4	20.69	20.76	20.60	21.50
		8	7	20.57	20.66	20.68	21.50
		15	0	20.56	20.66	20.59	21.50
		1	0	20.28	20.65	20.57	21.50
		1	7	20.43	20.65	20.38	21.50
		1	14	20.59	20.28	20.29	21.50
	64QAM	8	0	20.41	20.25	20.35	21.50
		8	4	20.36	20.34	20.32	21.50
		8	7	20.28	20.26	20.26	21.50
		15	0	20.31	20.29	20.28	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Sandwidth	Wodulation	ND SIZE	KD Ollset	26715	26865	27015	Turie up
		1	0	20.71	20.91	20.52	21.50
		1	13	20.62	20.70	20.63	21.50
		1	24	20.61	20.60	20.57	21.50
	QPSK	12	0	20.74	20.85	20.68	21.50
		12	6	20.71	20.71	20.65	21.50
		12	13	20.62	20.60	20.65	21.50
		25	0	20.65	20.78	20.68	21.50
		1	0	20.75	20.81	20.72	21.50
		1	13	20.74	20.60	20.84	21.50
EMU-		1	24	20.27	20.51	20.74	21.50
	400 414	4.0	0	20.74	20.86	20.59	21.50
5MHz	16QAM	12	0	20.74			
5MHz	16QAM	12 12	6	20.67	20.72	20.57	21.50
5MHz	16QAM				20.72 20.60	20.57 20.56	21.50 21.50
5MHz	16QAM	12	6	20.67			
5MHz	16QAM	12 12	6 13	20.67 20.53	20.60	20.56 20.63 20.51	21.50
5MHz	16QAM	12 12 25	6 13 0	20.67 20.53 20.58	20.60 20.69	20.56 20.63	21.50 21.50
5MHz	16QAM	12 12 25 1	6 13 0 0	20.67 20.53 20.58 20.19	20.60 20.69 20.58	20.56 20.63 20.51	21.50 21.50 21.50
5MHz	16QAM 64QAM	12 12 25 1 1	6 13 0 0 13	20.67 20.53 20.58 20.19 20.31	20.60 20.69 20.58 20.56	20.56 20.63 20.51 20.29	21.50 21.50 21.50 21.50
5MHz	+	12 12 25 1 1	6 13 0 0 13 24	20.67 20.53 20.58 20.19 20.31 20.52	20.60 20.69 20.58 20.56 20.19	20.56 20.63 20.51 20.29 20.23	21.50 21.50 21.50 21.50 21.50
5MHz	+	12 12 25 1 1 1 12	6 13 0 0 13 24	20.67 20.53 20.58 20.19 20.31 20.52 20.31	20.60 20.69 20.58 20.56 20.19 20.16	20.56 20.63 20.51 20.29 20.23 20.29	21.50 21.50 21.50 21.50 21.50 21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

: 305 of 493 Page

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tung un
Danuwium	Modulation	KD SIZE	KD Ollset	26750	26865	26990	Tune up
		1	0	20.61	20.76	20.52	21.50
		1	25	21.41	21.43	21.23	21.50
		1	49	20.97	20.80	20.90	21.50
	QPSK	25	0	20.23	20.80	20.57	21.50
		25	13	20.52	20.77	20.41	21.50
		25	25	20.50	20.49	20.51	21.50
		50	0	20.21	20.73	20.54	21.50
		1	0	20.78	20.78	20.56	21.50
		1	25	21.41	21.48	21.27	21.50
		1	49	21.16	20.85	20.97	21.50
10MHz	16QAM	25	0	20.14	20.86	20.48	21.50
		25	13	20.42	20.84	20.30	21.50
		25	25	20.41	20.47	20.41	21.50
		50	0	20.11	20.65	20.46	21.50
		1	0	20.14	20.53	20.45	21.50
		1	25	20.23	20.51	20.27	21.50
		1	49	20.45	20.14	20.15	21.50
	64QAM	25	0	20.26	20.13	20.27	21.50
·G		25	13	20.22	20.25	20.15	21.50
		25	25	20.15	20.12	20.12	21.50
		50	0	20.13	20.15	20.16	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Banawiath	Modulation	IVD SIZE	ND onset	26775	26865	26965	Turie up
		1	0	20.38	21.02	20.80	21.50
		1	38	20.61	20.73	20.50	21.50
		1	74	20.76	20.34	20.57	21.50
	QPSK	36	0	20.43	20.86	20.54	21.50
		36	18	20.33	20.89	20.38	21.50
		36	39	20.71	20.61	20.79	21.50
		75	0	20.40	20.76	20.64	21.50
		1	0	21.01	21.01	20.88	21.50
		1	38	20.71	20.73	20.60	21.50
		1	74	20.78	20.37	20.69	21.50
15MHz	16QAM	36	0	20.31	20.75	20.47	21.50
		36	18	20.23	20.79	20.32	21.50
	1	36	39	20.71	20.51	20.74	21.50
		75	0	20.29	20.67	20.55	21.50
		1	0	20.25	20.64	20.56	21.50
		1	38	20.37	20.62	20.35	21.50
		1	74	20.56	20.25	20.26	21.50
	64QAM	36	0	20.37	20.22	20.35	21.50
		36	18	20.33	20.35	20.27	21.50
		36	39	20.25	20.23	20.23	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 306 of 493 Page

TE Band 26 E	Body-worn simulta 5G WIFI	neously tran	smit with	Conducted Power(dBm)				
Some allered allele	Marakala Gara	DD -:	RB	Channel	Channel	Channel	T	
Bandwidth	Modulation	RB size	offset	26697	26865	27033	Tune up	
		1	0	19.07	19.31	19.26	20.00	
		1	2	19.25	19.25	19.32	20.00	
		1	5	19.21	19.15	19.27	20.00	
T COA	QPSK	3	0	19.23	19.29	19.40	20.00	
		3	2	19.30	19.23	19.35	20.00	
		3	3	19.30	19.17	19.39	20.00	
		6	0	19.21	19.20	19.40	20.00	
		1	0	19.25	19.37	19.37	20.00	
		1	2	19.42	19.20	19.69	20.00	
		1	5	19.39	19.15	19.63	20.00	
1.4MHz	16QAM	3	0	19.25	19.46	19.57	20.00	
		3	2	19.37	19.32	19.43	20.00	
		3	3	19.33	19.30	19.57	20.00	
		6	0	19.13	19.13	19.31	20.00	
		1	0	19.39	19.34	19.27	20.00	
		1	2	19.32	19.22	19.01	20.00	
		1	5	19.18	19.04	19.29	20.00	
	64QAM	3	0	19.01	19.09	19.09	20.00	
		3	2	19.12	19.19	18.93	20.00	
		3	3	19.02	19.07	19.01	20.00	
		6	0	19.27	19.15	19.27	20.00	
		·	RB	Channel	Channel	Channel	_	
Bandwidth	Modulation	RB size	offset	26705	26865	27025	Tune up	
		1	0	19.29	19.40	19.07	20.00	
		1	7	19.43	19.26	19.35	20.00	
		1	14	19.13	19.08	19.19	20.00	
	QPSK	8	0	19.04	19.32	19.03	20.00	
		8	4	19.34	19.23	19.35	20.00	
		8	7	19.15	19.02	19.20	20.00	
		15	0	19.21	19.19	19.45	20.00	
		1	0	18.98	19.33	19.08	20.00	
		1	7	19.40	19.20	19.38	20.00	
		1	14	19.09	19.03	19.17	20.00	
3MHz	16QAM	8	0	19.25	19.32	19.17	20.00	
		8	4	19.28	19.24	19.37	20.00	
		8	7	19.21	19.11	19.36	20.00	
		15	0	19.13	19.12	19.35	20.00	
		1	0	19.21	19.21	19.09	20.00	
		1	7	19.14	19.12	18.85	20.00	
		1	14	19.03	18.86	19.11	20.00	
	64QAM	8	0	18.83	18.91	18.91	20.00	
		8	4	18.92	19.03	18.78	20.00	
		8	7	18.87	18.9	18.83	20.00	
		15	0	19.11	19.03	19.12	20.00	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

: 307 of 493 Page

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tuna
Bandwidth	Modulation	RB Size	RB offset	26715	26865	27015	Tune up
		1	0	19.24	19.43	19.10	20.00
		1	13	19.25	19.22	19.30	20.00
		1	24	18.92	19.14	19.39	20.00
	QPSK	12	0	19.33	19.39	19.28	20.00
		12	6	19.28	19.27	19.26	20.00
		12	13	19.11	19.13	19.41	20.00
		25	0	19.15	19.42	19.28	20.00
		1	0	19.34	19.57	19.06	20.00
		1	13	19.41	19.34	19.28	20.00
		1	24	19.06	19.22	19.39	20.00
5MHz	16QAM	12	0	19.26	19.30	19.23	20.00
		12	6	19.20	19.19	19.21	20.00
		12	13	19.05	19.05	19.36	20.00
		25	0	19.10	19.37	19.18	20.00
		1	0	19.12	19.21	19.08	20.00
		1	13	19.05	19.05	18.74	20.00
		1	24	18.91	18.78	19.02	20.00
	64QAM	12	0	18.74	18.82	18.82	20.00
		12	6	18.82	18.92	18.65	20.00
		12	13	18.75	18.81	18.72	20.00
		25	0	19.02	18.94	19.01	20.00
			-	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset				Tune up
				26/50	26865	I 26990 I	
		1	0	26750 19.23	26865 19.34	26990 19.09	20.00
		1 1	_	19.23	19.34	19.09	20.00
		1	25	19.23 19.60	19.34 19.96	19.09 19.77	20.00
	QPSK	1	25 49	19.23 19.60 19.83	19.34 19.96 19.53	19.09 19.77 19.61	20.00 20.00
	QPSK	1 1 25	25 49 0	19.23 19.60 19.83 18.91	19.34 19.96 19.53 19.41	19.09 19.77 19.61 19.04	20.00 20.00 20.00
	QPSK	1 1 25 25	25 49 0 13	19.23 19.60 19.83 18.91 19.19	19.34 19.96 19.53 19.41 19.38	19.09 19.77 19.61 19.04 18.83	20.00 20.00 20.00 20.00
	QPSK	1 1 25 25 25 25	25 49 0	19.23 19.60 19.83 18.91 19.19 19.13	19.34 19.96 19.53 19.41 19.38 19.00	19.09 19.77 19.61 19.04	20.00 20.00 20.00 20.00 20.00
	QPSK	1 1 25 25	25 49 0 13 25	19.23 19.60 19.83 18.91 19.19 19.13 18.84	19.34 19.96 19.53 19.41 19.38 19.00 19.24	19.09 19.77 19.61 19.04 18.83 18.98 19.02	20.00 20.00 20.00 20.00
	QPSK	1 1 25 25 25 25 50	25 49 0 13 25 0	19.23 19.60 19.83 18.91 19.19 19.13 18.84 19.44	19.34 19.96 19.53 19.41 19.38 19.00 19.24 19.32	19.09 19.77 19.61 19.04 18.83 18.98 19.02 18.99	20.00 20.00 20.00 20.00 20.00 20.00 20.00
	QPSK	1 1 25 25 25 25 50	25 49 0 13 25 0	19.23 19.60 19.83 18.91 19.19 19.13 18.84 19.44 19.54	19.34 19.96 19.53 19.41 19.38 19.00 19.24 19.32 19.92	19.09 19.77 19.61 19.04 18.83 18.98 19.02 18.99 19.67	20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00
10MHz		1 1 25 25 25 50 1 1	25 49 0 13 25 0 0 25 49	19.23 19.60 19.83 18.91 19.19 19.13 18.84 19.44 19.54 19.93	19.34 19.96 19.53 19.41 19.38 19.00 19.24 19.32 19.92 19.54	19.09 19.77 19.61 19.04 18.83 18.98 19.02 18.99 19.67 19.51	20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00
10MHz	QPSK 16QAM	1 1 25 25 25 50 1 1 1 25	25 49 0 13 25 0 0 25 49	19.23 19.60 19.83 18.91 19.19 19.13 18.84 19.44 19.54 19.93 18.91	19.34 19.96 19.53 19.41 19.38 19.00 19.24 19.32 19.92 19.54 19.34	19.09 19.77 19.61 19.04 18.83 18.98 19.02 18.99 19.67 19.51 18.97	20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00
10MHz		1 1 25 25 25 50 1 1 1 25 25	25 49 0 13 25 0 0 25 49 0	19.23 19.60 19.83 18.91 19.19 19.13 18.84 19.44 19.54 19.93 18.91 19.20	19.34 19.96 19.53 19.41 19.38 19.00 19.24 19.32 19.92 19.54 19.34 19.32	19.09 19.77 19.61 19.04 18.83 18.98 19.02 18.99 19.67 19.51 18.97 18.77	20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00
10MHz		1 1 25 25 25 25 50 1 1 1 25 25 25	25 49 0 13 25 0 0 25 49 0 13 25	19.23 19.60 19.83 18.91 19.19 19.13 18.84 19.44 19.54 19.93 18.91 19.20 19.03	19.34 19.96 19.53 19.41 19.38 19.00 19.24 19.32 19.92 19.54 19.34 19.32 18.94	19.09 19.77 19.61 19.04 18.83 18.98 19.02 18.99 19.67 19.51 18.97 18.77 18.92	20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00
10MHz		1 25 25 25 25 50 1 1 1 25 25 25 25	25 49 0 13 25 0 0 25 49 0 13 25 0	19.23 19.60 19.83 18.91 19.19 19.13 18.84 19.44 19.54 19.93 18.91 19.20 19.03 18.78	19.34 19.96 19.53 19.41 19.38 19.00 19.24 19.32 19.92 19.54 19.34 19.32 18.94 19.18	19.09 19.77 19.61 19.04 18.83 18.98 19.02 18.99 19.67 19.51 18.97 18.77 18.92 18.97	20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00
10MHz		1 1 25 25 25 50 1 1 1 25 25 25 25 25 25	25 49 0 13 25 0 0 25 49 0 13 25 0	19.23 19.60 19.83 18.91 19.19 19.13 18.84 19.44 19.54 19.93 18.91 19.20 19.03 18.78 19.21	19.34 19.96 19.53 19.41 19.38 19.00 19.24 19.32 19.92 19.54 19.34 19.32 18.94 19.18	19.09 19.77 19.61 19.04 18.83 18.98 19.02 18.99 19.67 19.51 18.97 18.77 18.92 18.97	20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00
10MHz		1 1 25 25 25 50 1 1 1 25 25 25 50 1 1 1 1 1	25 49 0 13 25 0 0 25 49 0 13 25 0 0 25	19.23 19.60 19.83 18.91 19.19 19.13 18.84 19.44 19.54 19.93 18.91 19.20 19.03 18.78 19.21 19.18	19.34 19.96 19.53 19.41 19.38 19.00 19.24 19.32 19.92 19.54 19.34 19.32 18.94 19.18	19.09 19.77 19.61 19.04 18.83 18.98 19.02 18.99 19.67 19.51 18.97 18.77 18.92 18.97 19.13	20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00
10MHz	16QAM	1 1 25 25 25 25 50 1 1 1 25 25 25 25 50 1 1 1 1	25 49 0 13 25 0 0 25 49 0 13 25 0 0 0 25 49	19.23 19.60 19.83 18.91 19.19 19.13 18.84 19.44 19.54 19.93 18.91 19.20 19.03 18.78 19.21 19.18 19.04	19.34 19.96 19.53 19.41 19.38 19.00 19.24 19.32 19.92 19.54 19.34 19.32 18.94 19.18 19.26 19.18	19.09 19.77 19.61 19.04 18.83 18.98 19.02 18.99 19.67 19.51 18.97 18.97 18.92 18.97 19.13 18.87 19.16	20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00
10MHz		1 1 25 25 25 25 50 1 1 1 25 25 25 50 1 1 1 25 25	25 49 0 13 25 0 0 25 49 0 13 25 0 0 25 49 0 25 49 0	19.23 19.60 19.83 18.91 19.19 19.13 18.84 19.44 19.54 19.93 18.91 19.20 19.03 18.78 19.21 19.18 19.04 18.89	19.34 19.96 19.53 19.41 19.38 19.00 19.24 19.32 19.92 19.54 19.34 19.32 18.94 19.18 19.26 19.18 19.26	19.09 19.77 19.61 19.04 18.83 18.98 19.02 18.99 19.67 19.51 18.97 18.77 18.92 18.97 19.13 18.87 19.16 18.95	20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00
10MHz	16QAM	1 1 25 25 25 25 50 1 1 1 25 25 25 25 50 1 1 1 1	25 49 0 13 25 0 0 25 49 0 13 25 0 0 0 25 49	19.23 19.60 19.83 18.91 19.19 19.13 18.84 19.44 19.54 19.93 18.91 19.20 19.03 18.78 19.21 19.18 19.04	19.34 19.96 19.53 19.41 19.38 19.00 19.24 19.32 19.92 19.54 19.34 19.32 18.94 19.18 19.26 19.18	19.09 19.77 19.61 19.04 18.83 18.98 19.02 18.99 19.67 19.51 18.97 18.97 18.92 18.97 19.13 18.87 19.16	20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 308 of 493 Page

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tung up
bandwidth	Modulation	RD SIZE	KD Ollset	26775	26865	26965	Tune up
		1	0	19.46	19.65	19.37	20.00
		1	38	19.28	19.24	18.98	20.00
		1	74	19.34	18.84	19.30	20.00
	QPSK	36	0	19.12	19.40	19.15	20.00
		36	18	18.88	19.43	18.82	20.00
		36	39	19.38	19.13	19.32	20.00
		75	0	18.96	19.28	19.25	20.00
		1	0	19.59	19.62	19.48	20.00
		1	38	19.40	19.20	19.09	20.00
		1	74	19.27	18.82	19.42	20.00
15MHz	16QAM	36	0	19.08	19.30	19.04	20.00
		36	18	19.02	19.36	18.80	20.00
		36	39	19.24	19.05	19.34	20.00
		75	0	18.85	19.18	19.14	20.00
		1	0	19.33	19.48	19.21	20.00
		1	38	19.26	19.26	18.95	20.00
		1	74	19.12	18.98	19.23	20.00
	64QAM	36	0	18.95	19.03	19.03	20.00
		36	18	19.04	19.13	18.89	20.00
		36	39	18.96	19.02	18.95	20.00
		75	0	19.23	19.15	19.26	20.00

LTE Band 2	6 Left Head simu with 2.4G V		transmit	Conducted Power(dBm)				
Bandwidth	Modulation	DP cizo	RB	Channel	Channel	Channel	Tungun	
bandwidth	iviodulation	RB size	offset	26697	26865	27033	Tune up	
		1	0	15.56	15.48	15.44	17.00	
		1	2	15.49	15.80	15.84	17.00	
		1	5	15.49	15.48	15.44	17.00	
	QPSK	3	0	15.46	15.48	15.86	17.00	
		3	2	15.57	15.82	15.58	17.00	
		3	3	15.39	15.45	15.83	17.00	
		6	0	15.20	15.71	15.65	17.00	
		1	0	15.90	15.76	15.75	17.00	
		1	2	14.59	15.01	15.12	17.00	
1.4MHz		1	5	15.77	15.77	15.66	17.00	
1.411172	16QAM	3	0	15.47	15.47	15.49	17.00	
		3	2	14.09	14.51	14.72	17.00	
		3	3	15.40	14.68	14.74	17.00	
		6	0	15.40	14.68	14.88	17.00	
		1	0	14.85	15.04	14.70	17.00	
		1	2	14.66	14.85	14.25	17.00	
	64QAM	1	5	14.74	14.21	14.71	17.00	
	04QAM	3	0	14.39	14.58	14.48	17.00	
		3	2	14.13	14.69	14.56	17.00	
		3	3	14.52	14.31	14.60	17.00	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 309 of 493 Page

		6	0	14.20	14.56	14.39	17.00
Bandwidth	Madulation	DD size	RB	Channel	Channel	Channel	Tungum
Bandwidth	Modulation	RB size	offset	26705	26865	27025	Tune up
		1	0	15.47	15.48	15.46	17.00
		1	7	15.05	15.28	15.16	17.00
		1	14	15.44	15.45	15.46	17.00
	QPSK	8	0	15.44	15.40	15.41	17.00
- Cal		8	4	15.44	15.40	15.40	17.00
		8	7	15.42	15.45	15.82	17.00
		15	0	15.41	15.43	15.86	17.00
		1	0	15.77	15.76	15.72	17.00
		1	7	14.24	14.16	14.13	17.00
		1	14	15.71	15.72	15.72	17.00
3MHz	16QAM	8	0	15.48	15.46	15.36	17.00
		8	4	15.40	15.47	14.85	17.00
		8	7	15.37	15.39	14.80	17.00
		15	0	15.39	15.42	14.77	17.00
		1	0	14.94	15.10	14.76	17.00
		1	7	14.73	14.91	14.34	17.00
		1	14	14.81	14.29	14.80	17.00
	64QAM	8	0	14.48	14.66	14.54	17.00
04QAW	8	4	14.19	14.77	14.06	17.00	
		8	7	14.59	14.4	14.65	17.00
10		15	0	14.26	14.65	14.46	17.00
			RB	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	offset	26715	26865	27015	Tune up
		1	0	15.49	15.47	15.42	17.00
		1	13	15.48	15.50	15.44	17.00
		1	24	15.43	15.46	15.45	17.00
	QPSK	12	0	15.51	15.48	15.53	17.00
		12	6	15.45	15.46	15.46	17.00
		12	13	15.45	15.50	15.49	17.00
		25	0	15.43	15.48	15.45	17.00
		1	0	15.80	15.71	15.73	17.00
		1	13	15.75	15.71	15.71	17.00
		1	24	15.71	15.77	15.70	17.00
	16QAM	12	0	15.49	15.49	15.46	17.00
5MHz		12	•				
5MHz	16QAM	-		15.42	15.43	15.42	17.00
5MHz	16QAM	12	6	15.42 15.43	15.43 15.49		17.00 17.00
5MHz	16QAM	12 12		15.43	15.49	15.48	17.00
5MHz	16QAM	12 12 25	6 13 0	15.43 15.41	15.49 15.41	15.48 15.39	17.00 17.00
5MHz	16QAM	12 12 25 1	6 13 0 0	15.43 15.41 15.00	15.49 15.41 15.15	15.48 15.39 14.86	17.00 17.00 17.00
5MHz	16QAM	12 12 25 1	6 13 0 0 13	15.43 15.41 15.00 14.79	15.49 15.41 15.15 14.97	15.48 15.39 14.86 14.43	17.00 17.00 17.00 17.00
5MHz		12 12 25 1 1	6 13 0 0 13 24	15.43 15.41 15.00 14.79 14.87	15.49 15.41 15.15 14.97 14.38	15.48 15.39 14.86 14.43 14.87	17.00 17.00 17.00 17.00 17.00
5MHz	16QAM 64QAM	12 12 25 1 1 1 1	6 13 0 0 13 24	15.43 15.41 15.00 14.79 14.87 14.53	15.49 15.41 15.15 14.97 14.38 14.74	15.48 15.39 14.86 14.43 14.87 14.61	17.00 17.00 17.00 17.00 17.00 17.00
5MHz		12 12 25 1 1	6 13 0 0 13 24	15.43 15.41 15.00 14.79 14.87	15.49 15.41 15.15 14.97 14.38	15.48 15.39 14.86 14.43 14.87	17.00 17.00 17.00 17.00 17.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 310 of 493 Page

Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tungun
bandwidth	Modulation	RD SIZE	offset	26750	26865	26990	Tune up
		1	0	15.47	15.43	15.44	17.00
		1	25	15.19	15.53	15.51	17.00
		1	49	15.45	15.45	15.44	17.00
	QPSK	25	0	15.46	15.41	15.49	17.00
		25	13	15.46	15.48	15.46	17.00
Cal		25	25	15.45	15.48	15.49	17.00
		50	0	15.44	15.41	15.47	17.00
		1	0	15.75	15.76	15.78	17.00
		1	25	14.20	14.26	14.05	17.00
		1	49	15.73	15.69	15.73	17.00
10MHz	16QAM	25	0	15.42	15.42	15.42	17.00
		25	13	15.40	15.41	15.38	17.00
		25	25	15.39	15.41	15.40	17.00
		50	0	15.40	15.38	15.45	17.00
		1	0	15.05	15.21	14.91	17.00
		1	25	14.88	15.07	14.49	17.00
		1	49	14.93	14.44	14.93	17.00
	64QAM	25	0	14.60	14.83	14.67	17.00
		25	13	14.37	14.97	14.22	17.00
		25	25	14.71	14.58	14.80	17.00
		50	0	14.40	14.80	14.63	17.00
N	MILLE	DD :	RB	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	offset	26775	26865	26965	Tune up
		1	0	15.33	15.49	15.34	17.00
		1	38	15.43	15.28	15.48	17.00
		1	74	15.39	15.38	15.38	17.00
	QPSK	36	0	15.46	15.50	15.51	17.00
		36	18	15.49	15.53	15.49	17.00
		36	39	15.44	15.49	15.52	17.00
		75	0	15.47	15.42	15.42	17.00
		1	0	15.60	15.55	15.58	17.00
		1	38	15.67	15.75	15.76	17.00
		1	74	15.58	15.64	15.65	17.00
15MHz	16QAM	36	0	15.41	15.45	15.45	17.00
		36	18	15.42	15.45	15.44	17.00
		36	39	15.42	15.43	15.45	17.00
		75	0	15.39	15.35	15.40	17.00
		1	0	15.14	15.27	15.00	17.00
		1	38	14.94	15.14	14.57	17.00
		1	74	15.02	14.53	14.99	17.00
	64QAM	36	0	14.65	14.92	14.74	17.00
	•	36	18	14.42	15.04	14.29	17.00
			39	14.77	14.66	14.88	17.00
		36	তপ্ত	14.77	14.00	14.00	17.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 311 of 493

TE Band 26	Left Head sim with 5G V		/ transmit		Conducted I	Power(dBm)	
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
anuwium	Modulation	ND SIZE	offset	26697	26865	27033	Turie up
		1	0	13.65	13.99	13.91	15.50
		1	2	13.78	13.97	14.00	15.50
		1	5	13.82	13.74	13.82	15.50
	QPSK	3	0	13.74	14.02	14.03	15.50
		3	2	13.80	13.99	14.00	15.50
		3	3	13.85	13.86	13.9	15.50
		6	0	13.78	13.93	13.96	15.50
		1	0	13.93	13.98	14.14	15.50
		1	2	14.05	14.21	14.25	15.50
		1	5	14.16	13.97	14.08	15.50
1.4MHz	16QAM	3	0	13.72	13.97	14.00	15.50
		3	2	13.76	13.97	14.00	15.50
	3	3	13.83	13.84	13.88	15.50	
	6	0	13.76	13.88	13.89	15.50	
		1	0	14.04	14.55	14.05	15.50
		1	2	13.68	14.30	13.56	15.50
		1	5	14.25	13.91	13.56	15.50
64QAM	64QAM	3	0	13.84	14.13	13.52	15.50
	3	2	13.56	13.98	13.26	15.50	
		3	3	13.62	13.91	13.19	15.50
		6	0	13.55	13.97	13.65	15.50
			RB	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	offset	26705	26865	27025	Tune up
		1	0	13.58	13.98	13.99	15.50
		1	7	13.51	13.91	13.93	15.50
		1	14	13.62	13.62	13.66	15.50
	QPSK	8	0	13.79	14.00	13.95	15.50
		8	4	13.86	13.88	13.95	15.50
		8	7	13.78	13.83	13.91	15.50
		15	0	13.77	13.85	13.92	15.50
		1	0	13.79	14.20	14.24	15.50
		1	7	13.78	13.57	13.67	15.50
		1	14	13.87	13.84	13.88	15.50
3MHz	16QAM	8	0	13.75	13.95	13.91	15.50
		8	4	13.83	13.85	13.89	15.50
		8	7	13.76	13.80	13.88	15.50
		15	0	13.70	13.77	13.84	15.50
		1	0	13.40	13.91	13.92	15.50
		1	7	13.54	12.87	13.42	15.50
		1	14	14.14	13.66	13.44	15.50
	64QAM	8	0	13.74	14.00	13.41	15.50
	0.37.	8	4	13.44	13.87	13.12	15.50
		8	7	13.47	13.80	13.07	15.50
		15	0	13.42	13.85	13.51	15.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

t (886-2) 2299-3279 台灣檢驗科技股份有限公司



Rev : 01

Page : 312 of 493

Pandy dela	Modulation	RB size	RB	Channel	Channel	Channel	Tuna
Bandwidth	Modulation	RB SIZE	offset	26715	26865	27015	Tune up
		1	0	13.73	14.23	13.85	15.50
		1	13	13.82	13.91	14.00	15.50
		1	24	13.55	13.88	13.72	15.50
	QPSK	12	0	13.88	14.11	14.1	15.50
		12	6	13.83	13.92	14.05	15.50
		12	13	13.65	13.79	13.87	15.50
		25	0	13.74	13.99	14.08	15.50
		1	0	14.00	14.41	14.06	15.50
		1	13	14.14	14.11	14.22	15.50
5MHz 16QAM		1	24	13.82	14.13	13.96	15.50
	12	0	13.83	14.07	14.05	15.50	
		12	6	13.79	13.87	14.00	15.50
		12	13	13.62	13.77	13.83	15.50
		25	0	13.67	13.91	14.00	15.50
		1	0	14.06	14.20	14.09	15.50
		1	13	13.82	14.03	13.71	15.50
		1	24	14.40	14.08	13.71	15.50
	64QAM	12	0	14.00	14.28	13.70	15.50
		12	6	13.72	14.17	13.39	15.50
		12	13	13.73	14.07	13.37	15.50
		25	0	13.69	14.13	13.77	15.50
Danahari alth	Madulatian	DD aire	RB	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	offset	26750	26865	26990	Tune up
		1	0	14.08	14.27	13.60	15.50
		1	25	14.54	14.61	14.77	15.50
		1	49	14.26	13.80	13.89	15.50
	QPSK	-			13.80 14.21	+	15.50 15.50
	QPSK	1	49	14.26		13.89	
	QPSK	1 25	49 0	14.26 13.70	14.21	13.89 13.68	15.50
	QPSK	1 25 25	49 0 13	14.26 13.70 13.71	14.21 13.95	13.89 13.68 13.81	15.50 15.50
	QPSK	1 25 25 25 25	49 0 13 25	14.26 13.70 13.71 13.94	14.21 13.95 13.72	13.89 13.68 13.81 13.96	15.50 15.50 15.50
	QPSK	1 25 25 25 25 50	49 0 13 25 0	14.26 13.70 13.71 13.94 13.8	14.21 13.95 13.72 13.95	13.89 13.68 13.81 13.96 13.98	15.50 15.50 15.50 15.50
	QPSK	1 25 25 25 25 50 1	49 0 13 25 0	14.26 13.70 13.71 13.94 13.8 14.31	14.21 13.95 13.72 13.95 14.48	13.89 13.68 13.81 13.96 13.98 13.90	15.50 15.50 15.50 15.50 15.50
10MHz	QPSK 16QAM	1 25 25 25 25 50 1	49 0 13 25 0 0 25	14.26 13.70 13.71 13.94 13.8 14.31 14.78	14.21 13.95 13.72 13.95 14.48 14.79	13.89 13.68 13.81 13.96 13.98 13.90 14.97	15.50 15.50 15.50 15.50 15.50 15.50
10MHz		1 25 25 25 25 50 1 1	49 0 13 25 0 0 25 49	14.26 13.70 13.71 13.94 13.8 14.31 14.78 14.53	14.21 13.95 13.72 13.95 14.48 14.79 14.08	13.89 13.68 13.81 13.96 13.98 13.90 14.97 14.17	15.50 15.50 15.50 15.50 15.50 15.50
10MHz		1 25 25 25 50 1 1 1 25	49 0 13 25 0 0 25 49	14.26 13.70 13.71 13.94 13.8 14.31 14.78 14.53 13.61	14.21 13.95 13.72 13.95 14.48 14.79 14.08	13.89 13.68 13.81 13.96 13.98 13.90 14.97 14.17 13.60	15.50 15.50 15.50 15.50 15.50 15.50 15.50
10MHz		1 25 25 25 50 1 1 1 25 25	49 0 13 25 0 0 25 49 0	14.26 13.70 13.71 13.94 13.8 14.31 14.78 14.53 13.61 13.62	14.21 13.95 13.72 13.95 14.48 14.79 14.08 14.13 13.88	13.89 13.68 13.81 13.96 13.98 13.90 14.97 14.17 13.60 13.74	15.50 15.50 15.50 15.50 15.50 15.50 15.50 15.50
10MHz		1 25 25 25 50 1 1 1 25 25 25	49 0 13 25 0 0 25 49 0 13 25	14.26 13.70 13.71 13.94 13.8 14.31 14.78 14.53 13.61 13.62 13.86	14.21 13.95 13.72 13.95 14.48 14.79 14.08 14.13 13.88 13.65	13.89 13.68 13.81 13.96 13.98 13.90 14.97 14.17 13.60 13.74 13.90	15.50 15.50 15.50 15.50 15.50 15.50 15.50 15.50 15.50
10MHz		1 25 25 25 50 1 1 1 25 25 25 25	49 0 13 25 0 0 25 49 0 13 25 0	14.26 13.70 13.71 13.94 13.8 14.31 14.78 14.53 13.61 13.62 13.86 13.71	14.21 13.95 13.72 13.95 14.48 14.79 14.08 14.13 13.88 13.65 13.87	13.89 13.68 13.81 13.96 13.98 13.90 14.97 14.17 13.60 13.74 13.90 13.90	15.50 15.50 15.50 15.50 15.50 15.50 15.50 15.50 15.50 15.50
10MHz		1 25 25 25 50 1 1 1 25 25 25 50 1	49 0 13 25 0 0 25 49 0 13 25 0	14.26 13.70 13.71 13.94 13.8 14.31 14.78 14.53 13.61 13.62 13.86 13.71 14.05	14.21 13.95 13.72 13.95 14.48 14.79 14.08 14.13 13.88 13.65 13.87 14.25	13.89 13.68 13.81 13.96 13.98 13.90 14.97 14.17 13.60 13.74 13.90 13.90 14.01	15.50 15.50 15.50 15.50 15.50 15.50 15.50 15.50 15.50 15.50
10MHz		1 25 25 25 50 1 1 1 25 25 25 50 1	49 0 13 25 0 0 25 49 0 13 25 0 0	14.26 13.70 13.71 13.94 13.8 14.31 14.78 14.53 13.61 13.62 13.86 13.71 14.05 13.88	14.21 13.95 13.72 13.95 14.48 14.79 14.08 14.13 13.88 13.65 13.87 14.25 14.48	13.89 13.68 13.81 13.96 13.98 13.90 14.97 14.17 13.60 13.74 13.90 13.90 14.01 13.77	15.50 15.50 15.50 15.50 15.50 15.50 15.50 15.50 15.50 15.50 15.50
10MHz	16QAM	1 25 25 25 50 1 1 1 25 25 25 50 1 1 1	49 0 13 25 0 0 25 49 0 13 25 0 0 0 25 49	14.26 13.70 13.71 13.94 13.8 14.31 14.78 14.53 13.61 13.62 13.86 13.71 14.05 13.88 14.19	14.21 13.95 13.72 13.95 14.48 14.79 14.08 14.13 13.88 13.65 13.87 14.25 14.48 14.06	13.89 13.68 13.81 13.96 13.98 13.90 14.97 14.17 13.60 13.74 13.90 13.90 14.01 13.77 13.76	15.50 15.50 15.50 15.50 15.50 15.50 15.50 15.50 15.50 15.50 15.50 15.50
10MHz	16QAM	1 25 25 25 50 1 1 1 25 25 25 50 1 1 1 25	49 0 13 25 0 0 25 49 0 13 25 0 0 0 25 49 0	14.26 13.70 13.71 13.94 13.8 14.31 14.78 14.53 13.61 13.62 13.86 13.71 14.05 13.88 14.19 14.05	14.21 13.95 13.72 13.95 14.48 14.79 14.08 14.13 13.88 13.65 13.87 14.25 14.48 14.06 14.36	13.89 13.68 13.81 13.96 13.98 13.90 14.97 14.17 13.60 13.74 13.90 14.01 13.77 13.76 13.80	15.50 15.50 15.50 15.50 15.50 15.50 15.50 15.50 15.50 15.50 15.50 15.50 15.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 313 of 493

Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tuna un
bandwidth	iviodulation	KD SIZE	offset	26775	26865	26965	Tune up
		1	0	14.05	14.52	14.62	15.50
		1	38	14.23	13.88	13.72	15.50
		1	74	14.00	13.53	13.78	15.50
	QPSK	36	0	13.83	14.23	13.94	15.50
		36	18	13.98	14.03	13.61	15.50
		36	39	14.20	13.84	14.05	15.50
		75	0	13.83	14.03	13.92	15.50
		1	0	14.32	14.83	14.35	15.50
		1	38	14.46	14.15	13.99	15.50
		1	74	14.16	13.82	13.98	15.50
15MHz	16QAM	36	0	13.73	14.13	13.85	15.50
		36	18	13.89	13.94	13.53	15.50
		36	39	14.10	13.75	13.96	15.50
		75	0	13.72	13.91	13.80	15.50
		1	0	14.10	14.56	14.03	15.50
		1	38	13.73	14.14	13.64	15.50
		1	74	14.36	13.91	13.62	15.50
	64QAM	36	0	13.92	14.22	13.70	15.50
		36	18	13.67	14.09	13.32	15.50
		36	39	13.69	14.05	13.33	15.50
		75	0	13.67	14.13	13.7	15.50

LTE Band 26	Right Head sim with 2.4G V		ly transmit		Conducted	Power(dBm)	
Donalisi dala	Madulation	DD -:	RB offset	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	KD Ollset	26697	26865	27033	Tune up
		1	0	14.98	14.83	14.76	16.50
		1	2	14.89	14.94	14.83	16.50
		1	5	14.91	14.85	14.91	16.50
	QPSK	3	0	14.95	15.05	15.01	16.50
		3	2	14.66	14.74	14.83	16.50
		3	3	14.90	14.90	14.80	16.50
		6	0	14.92	14.77	14.96	16.50
Co	\	1	0	15.22	15.05	14.95	16.50
100		1	2	15.18	15.28	15.11	16.50
1.4MHz		1	5	15.19	15.18	15.19	16.50
1.411112	16QAM	3	0	14.94	14.88	14.96	16.50
		3	2	14.86	14.42	14.90	16.50
		3	3	14.83	14.89	14.96	16.50
		6	0	14.84	14.64	14.78	16.50
		1	0	14.77	14.81	14.79	16.50
		1	2	14.69	14.93	14.87	16.50
	64QAM	1	5	14.76	14.76	14.91	16.50
	04QAIVI	3	0	14.57	14.72	14.78	16.50
		3	2	14.71	14.83	14.87	16.50
		3	3	14.78	14.81	14.82	16.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 314 of 493 Page

		6	0	14.83	14.78	14.93	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Bandwidth	Modulation	ND SIZE	VD 011961	26705	26865	27025	rune up
		1	0	15.02	14.71	14.70	16.50
		1	7	14.9	14.91	14.88	16.50
		1	14	14.9	14.84	14.90	16.50
	QPSK	8	0	15.00	14.96	14.95	16.50
		8	4	14.72	14.71	14.78	16.50
		8	7	14.84	14.88	14.86	16.50
		15	0	14.9	14.72	14.97	16.50
		1	0	15.26	14.98	15.02	16.50
		1	7	15.12	15.22	15.11	16.50
		1	14	15.23	15.25	15.20	16.50
3MHz	16QAM	8	0	14.94	14.99	14.91	16.50
		8	4	14.81	14.41	14.84	16.50
		8	7	14.89	14.90	14.87	16.50
		15	0	14.78	14.55	14.80	16.50
		1	0	14.66	14.73	14.68	16.50
		1	7	14.58	14.82	14.76	16.50
		1	14	14.65	14.65	14.82	16.50
	64QAM	8	0	14.46	14.61	14.67	16.50
		8	4	14.63	14.72	14.76	16.50
		8	7	14.67	14.69	14.69	16.50
		15	0	14.72	14.67	14.75	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
bandwidth	Wodulation	ND SIZE	KD Ollset	26715	26865	27015	i une up
		1	0	15.03	14.83	14.78	16.50
		1	13	14.99	15.00	14.91	16.50
		1	13 24	14.99 14.96			16.50 16.50
	QPSK				15.00	14.91	
	QPSK	1	24	14.96	15.00 14.96	14.91 14.95	16.50
	QPSK	1 12	24	14.96 15.06	15.00 14.96 15.06	14.91 14.95 15.03	16.50 16.50
	QPSK	1 12 12	24 0 6	14.96 15.06 14.76	15.00 14.96 15.06 14.77	14.91 14.95 15.03 14.85	16.50 16.50 16.50
	QPSK	1 12 12 12	24 0 6 13 0	14.96 15.06 14.76 14.95	15.00 14.96 15.06 14.77 14.99	14.91 14.95 15.03 14.85 14.89	16.50 16.50 16.50 16.50
	QPSK	1 12 12 12 12 25	24 0 6 13 0	14.96 15.06 14.76 14.95 14.94	15.00 14.96 15.06 14.77 14.99 14.83	14.91 14.95 15.03 14.85 14.89 15.00	16.50 16.50 16.50 16.50 16.50
	QPSK	1 12 12 12 12 25 1	24 0 6 13 0	14.96 15.06 14.76 14.95 14.94 15.29	15.00 14.96 15.06 14.77 14.99 14.83 15.09	14.91 14.95 15.03 14.85 14.89 15.00 15.03	16.50 16.50 16.50 16.50 16.50
5MHz	QPSK 16QAM	1 12 12 12 12 25 1	24 0 6 13 0 0	14.96 15.06 14.76 14.95 14.94 15.29 15.23	15.00 14.96 15.06 14.77 14.99 14.83 15.09	14.91 14.95 15.03 14.85 14.89 15.00 15.03 15.13	16.50 16.50 16.50 16.50 16.50 16.50
5MHz		1 12 12 12 25 1 1	24 0 6 13 0 0 13 24	14.96 15.06 14.76 14.95 14.94 15.29 15.23 15.27	15.00 14.96 15.06 14.77 14.99 14.83 15.09 15.28 15.29	14.91 14.95 15.03 14.85 14.89 15.00 15.03 15.13 15.27	16.50 16.50 16.50 16.50 16.50 16.50 16.50
5MHz		1 12 12 12 12 25 1 1 1 1	24 0 6 13 0 0 13 24 0	14.96 15.06 14.76 14.95 14.94 15.29 15.23 15.27 14.99	15.00 14.96 15.06 14.77 14.99 14.83 15.09 15.28 15.29 15.00	14.91 14.95 15.03 14.85 14.89 15.00 15.03 15.13 15.27 14.98	16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50
5MHz		1 12 12 12 25 1 1 1 1 12	24 0 6 13 0 0 13 24 0 6	14.96 15.06 14.76 14.95 14.94 15.29 15.23 15.27 14.99 14.88	15.00 14.96 15.06 14.77 14.99 14.83 15.09 15.28 15.29 15.00 14.47	14.91 14.95 15.03 14.85 14.89 15.00 15.03 15.13 15.27 14.98 14.94	16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50
5MHz		1 12 12 12 25 1 1 1 1 12 12	24 0 6 13 0 0 13 24 0 6	14.96 15.06 14.76 14.95 14.94 15.29 15.23 15.27 14.99 14.88 14.94	15.00 14.96 15.06 14.77 14.99 14.83 15.09 15.28 15.29 15.00 14.47 14.99	14.91 14.95 15.03 14.85 14.89 15.00 15.03 15.13 15.27 14.98 14.94 14.98	16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50
5MHz		1 12 12 12 25 1 1 1 1 12 12 12 25	24 0 6 13 0 0 13 24 0 6 13	14.96 15.06 14.76 14.95 14.94 15.29 15.23 15.27 14.99 14.88 14.94 14.88	15.00 14.96 15.06 14.77 14.99 14.83 15.09 15.28 15.29 15.00 14.47 14.99	14.91 14.95 15.03 14.85 14.89 15.00 15.03 15.13 15.27 14.98 14.94 14.98 14.98	16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50
5MHz		1 12 12 12 25 1 1 1 1 12 12 12 25 1	24 0 6 13 0 0 13 24 0 6 13 0	14.96 15.06 14.76 14.95 14.94 15.29 15.23 15.27 14.99 14.88 14.94 14.88	15.00 14.96 15.06 14.77 14.99 14.83 15.09 15.28 15.29 15.00 14.47 14.99 14.66 14.83	14.91 14.95 15.03 14.85 14.89 15.00 15.03 15.13 15.27 14.98 14.94 14.98 14.82 14.81	16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50
5MHz		1 12 12 12 25 1 1 1 12 12 12 25 1 1	24 0 6 13 0 0 13 24 0 6 13 0 0	14.96 15.06 14.76 14.95 14.94 15.29 15.23 15.27 14.99 14.88 14.94 14.88 14.79	15.00 14.96 15.06 14.77 14.99 14.83 15.09 15.28 15.29 15.00 14.47 14.99 14.66 14.83 14.95	14.91 14.95 15.03 14.85 14.89 15.00 15.03 15.13 15.27 14.98 14.94 14.98 14.82 14.81 14.89	16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50
5MHz	16QAM	1 12 12 12 25 1 1 1 12 12 12 25 1 1 1 1	24 0 6 13 0 0 13 24 0 6 13 0 0	14.96 15.06 14.76 14.95 14.94 15.29 15.23 15.27 14.99 14.88 14.94 14.88 14.79 14.73	15.00 14.96 15.06 14.77 14.99 14.83 15.09 15.28 15.29 15.00 14.47 14.99 14.66 14.83 14.95 14.78	14.91 14.95 15.03 14.85 14.89 15.00 15.03 15.13 15.27 14.98 14.94 14.98 14.82 14.81 14.89 14.89	16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50
5MHz	16QAM	1 12 12 12 25 1 1 1 12 12 25 1 12 25 1 1 12	24 0 6 13 0 0 13 24 0 6 13 0 0 13 24 0 0	14.96 15.06 14.76 14.95 14.94 15.29 15.23 15.27 14.99 14.88 14.94 14.88 14.79 14.73 14.73	15.00 14.96 15.06 14.77 14.99 14.83 15.09 15.28 15.29 15.00 14.47 14.99 14.66 14.83 14.95 14.78	14.91 14.95 15.03 14.85 14.89 15.00 15.03 15.13 15.27 14.98 14.94 14.98 14.94 14.98 14.81 14.89 14.89 14.81	16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 315 of 493

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tuna
Bandwidth	Modulation	RB SIZE	RB offset	26750	26865	26990	Tune up
		1	0	14.85	14.93	14.93	16.50
		1	25	14.99	15.00	15.20	16.50
		1	49	14.9	14.94	14.92	16.50
	QPSK	25	0	14.98	14.98	14.98	16.50
		25	13	14.97	14.86	15.01	16.50
		25	25	14.95	14.95	14.91	16.50
		50	0	14.97	14.84	14.93	16.50
		1	0	15.10	15.10	15.18	16.50
		1	25	13.93	14.10	13.84	16.50
		1	49	15.19	15.18	15.22	16.50
10MHz	16QAM	25	0	14.90	14.89	14.91	16.50
		25	13	14.88	14.61	14.93	16.50
		25	25	14.87	14.88	14.83	16.50
		50	0	14.88	14.75	14.86	16.50
		1	0	14.76	14.80	14.78	16.50
		1	25	14.68	14.92	14.86	16.50
		1	49	14.75	14.75	14.90	16.50
	64QAM	25	0	14.59	14.71	14.75	16.50
		25	13	14.71	14.85	14.83	16.50
		25	25	14.75	14.79	14.79	16.50
		50	0	14.82	14.77	14.89	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	KD SIZE	KD Ollset	26775	26865	26965	Tune up
		1	0	14.8	14.84	14.84	16.50
		1	38	14.94	14.94	14.99	16.50
		1	74	14.85	14.87	14.82	16.50
	QPSK	36	0	14.93	14.95	15.00	16.50
		36	18	14.98	14.87	15.00	16.50
		36	39	15.01	15.02	14.99	16.50
		75	0	14.95	14.86	14.97	16.50
		1	0	15.10	15.11	15.09	16.50
		1	38	15.16	15.20	15.04	16.50
		1	74	14.96	15.13	15.08	16.50
15MHz	16QAM	36	0	14.91	14.90	14.94	16.50
		36	18	14.71	14.81	14.92	16.50
	1	36	39	14.98	14.96	14.93	16.50
		75	0	14.91	14.80	14.78	16.50
		1	0	14.73	14.77	14.75	16.50
		1	38	14.65	14.89	14.83	16.50
		1	74	14.72	14.72	14.87	16.50
	64QAM	36	0	14.53	14.68	14.74	16.50
		36	18	14.67	14.79	14.83	16.50
		36	39	14.74	14.76	14.76	16.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 316 of 493 Page

LTE Band 2	6 Right Head si with 5G		y transmit		Conducted	Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tung un
Bandwidth	Modulation	KD SIZE	KD Ollset	26697	26865	27033	Tune up
		1	0	13.26	13.34	13.25	15.00
		1	2	13.42	13.32	13.32	15.00
		1	5	13.45	13.06	13.14	15.00
	QPSK	3	0	13.36	13.35	13.36	15.00
		3	2	13.42	13.31	13.33	15.00
		3	3	13.46	13.18	13.23	15.00
		6	0	13.40	13.25	13.29	15.00
		1	0	13.55	13.64	13.47	15.00
		1	2	13.70	13.57	13.54	15.00
		1	5	13.69	13.37	13.37	15.00
1.4MHz	16QAM	3	0	13.35	13.37	13.42	15.00
		3	2	13.44	13.33	13.37	15.00
		3	3	13.45	13.18	13.30	15.00
		6	0	13.39	13.24	13.29	15.00
		1	0	13.46	13.77	13.18	15.00
		1	2	13.28	13.16	13.17	15.00
		1	5	13.29	13.11	13.13	15.00
	64QAM	3	0	13.25	13.43	13.17	15.00
		3	2	13.38	13.28	13.10	15.00
		3	3	13.56	13.12	13.22	15.00
		6	0	13.19	13.25	13.17	15.00
		55 .	55 "	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	26705	26865	27025	Tune up
		1	0	13.16	13.32	13.33	15.00
		1	7	12.42	12.30	12.35	15.00
		1	14	13.20	12.94	12.97	15.00
	QPSK	8	0	13.39	13.31	13.26	15.00
		8	4	13.45	13.18	13.26	15.00
		8	7	13.37	13.14	13.22	15.00
		15	0	13.36	13.15	13.24	15.00
		1	0	13.45	13.55	13.59	15.00
	A	1	7	12.71	12.51	12.61	15.00
		1	14	13.49	13.17	13.18	15.00
3MHz	16QAM	8	0	13.36	13.25	13.24	15.00
		8	4	13.39	13.15	13.24	15.00
		8	7	13.32	13.08	13.18	15.00
		15	0	13.29	13.07	13.16	15.00
		1	0	13.60	13.91	13.32	15.00
		1	7	13.42	13.37	13.34	15.00
		1	14	13.43	13.16	13.26	15.00
	64QAM	8	0	13.35	13.57	13.35	15.00
		8	4	13.52	13.42	13.23	15.00
	1	_		. 5.52			
		8	7	13.71	13.22	13.36	15.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 317 of 493 Page

B	NA LLC	DD :	DD "	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	26715	26865	27015	Tune up
		1	0	13.45	13.65	13.40	15.00
		1	13	13.52	13.32	13.43	15.00
		1	24	13.26	13.31	13.27	15.00
	QPSK	12	0	13.59	13.54	13.55	15.00
		12	6	13.54	13.36	13.50	15.00
		12	13	13.36	13.23	13.31	15.00
		25	0	13.45	13.43	13.53	15.00
		1	0	13.75	13.86	13.60	15.00
		1	13	13.85	13.61	13.72	15.00
		1	24	13.58	13.52	13.57	15.00
5MHz	16QAM	12	0	13.53	13.48	13.49	15.00
		12	6	13.47	13.28	13.42	15.00
		12	13	13.30	13.17	13.26	15.00
		25	0	13.35	13.34	13.43	15.00
		1	0	13.51	13.82	13.23	15.00
		1	13	13.33	13.21	13.22	15.00
		1	24	13.31	13.07	13.15	15.00
	64QAM	12	0	13.26	13.48	13.22	15.00
		12	6	13.43	13.33	13.14	15.00
		12	13	13.53	13.13	13.27	15.00
		25	0	13.24	13.31	13.24	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Bandwidth	Wodulation	ND SIZE	ND onset	26750	26865	26990	Tune up
		1	0	13.74	13.71	13.15	15.00
		1	25	14.07	14.26	14.31	15.00
		1	49	13.96	13.36	13.43	15.00
	QPSK	25	0	13.35	13.65	13.24	15.00
		25	13	13.37	13.39	13.39	15.00
		25	25	13.48	13.16	13.41	15.00
		=-			40.40	13.44	15.00
		50	0	13.35	13.40	10.11	
		1	0	13.35 14.02	13.40	13.37	15.00
							15.00 15.00
		1	0	14.02 14.29 14.24	14.02	13.37 14.53 13.67	15.00 15.00
10MHz	16QAM	1	0 25	14.02 14.29	14.02 14.51	13.37 14.53	15.00
10MHz	16QAM	1 1 1	0 25 49	14.02 14.29 14.24	14.02 14.51 13.69	13.37 14.53 13.67	15.00 15.00
10MHz	16QAM	1 1 1 25	0 25 49 0	14.02 14.29 14.24 13.28	14.02 14.51 13.69 13.57	13.37 14.53 13.67 13.15	15.00 15.00 15.00
10MHz	16QAM	1 1 1 25 25	0 25 49 0 13	14.02 14.29 14.24 13.28 13.29	14.02 14.51 13.69 13.57 13.32	13.37 14.53 13.67 13.15 13.29	15.00 15.00 15.00 15.00
10MHz	16QAM	1 1 1 25 25 25	0 25 49 0 13 25	14.02 14.29 14.24 13.28 13.29 13.41	14.02 14.51 13.69 13.57 13.32 13.07	13.37 14.53 13.67 13.15 13.29 13.33	15.00 15.00 15.00 15.00 15.00
10MHz	16QAM	1 1 1 25 25 25 25 50	0 25 49 0 13 25	14.02 14.29 14.24 13.28 13.29 13.41 13.28	14.02 14.51 13.69 13.57 13.32 13.07 13.32	13.37 14.53 13.67 13.15 13.29 13.33 13.36	15.00 15.00 15.00 15.00 15.00 15.00
10MHz	16QAM	1 1 1 25 25 25 25 50	0 25 49 0 13 25 0	14.02 14.29 14.24 13.28 13.29 13.41 13.28 13.61	14.02 14.51 13.69 13.57 13.32 13.07 13.32 13.92	13.37 14.53 13.67 13.15 13.29 13.33 13.36 13.33	15.00 15.00 15.00 15.00 15.00 15.00
10MHz	16QAM 64QAM	1 1 1 25 25 25 25 50 1	0 25 49 0 13 25 0 0 25	14.02 14.29 14.24 13.28 13.29 13.41 13.28 13.61 13.43	14.02 14.51 13.69 13.57 13.32 13.07 13.32 13.92 13.32	13.37 14.53 13.67 13.15 13.29 13.33 13.36 13.33 13.32	15.00 15.00 15.00 15.00 15.00 15.00 15.00
10MHz		1 1 25 25 25 25 50 1 1	0 25 49 0 13 25 0 0 25 49	14.02 14.29 14.24 13.28 13.29 13.41 13.28 13.61 13.43 13.44	14.02 14.51 13.69 13.57 13.32 13.07 13.32 13.92 13.32 13.17	13.37 14.53 13.67 13.15 13.29 13.33 13.36 13.33 13.32 13.27	15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00
10MHz		1 1 25 25 25 25 50 1 1 1 25	0 25 49 0 13 25 0 0 25 49	14.02 14.29 14.24 13.28 13.29 13.41 13.28 13.61 13.43 13.44 13.36	14.02 14.51 13.69 13.57 13.32 13.07 13.32 13.92 13.32 13.17 13.53	13.37 14.53 13.67 13.15 13.29 13.33 13.36 13.33 13.32 13.27 13.35	15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 318 of 493

Danish of diffe	Madulatian	DD -:	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	26775	26865	26965	Tune up
		1	0	13.53	14.06	13.46	15.00
		1	38	13.78	13.21	13.25	15.00
		1	74	13.45	13.00	13.26	15.00
	QPSK	36	0	13.48	13.60	13.32	15.00
		36	18	13.54	13.40	13.12	15.00
		36	39	13.78	13.21	13.45	15.00
		75	0	13.33	13.41	13.31	15.00
		1	0	13.86	14.37	13.72	15.00
		1	38	14.01	13.49	13.47	15.00
		1	74	13.69	13.25	13.55	15.00
15MHz	16QAM	36	0	13.34	13.55	13.24	15.00
		36	18	13.39	13.34	13.04	15.00
		36	39	13.63	13.16	13.37	15.00
		75	0	13.23	13.33	13.22	15.00
		1	0	13.56	13.87	13.28	15.00
		1	38	13.38	13.26	13.27	15.00
		1	74	13.39	13.12	13.22	15.00
	64QAM	36	0	13.31	13.53	13.27	15.00
		36	18	13.48	13.38	13.19	15.00
		36	39	13.66	13.18	13.32	15.00
		75	0	13.29	13.35	13.29	15.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. t (886-2) 2299-3279



Rev : 01

Page : 319 of 493

	LTE Band 38 full	power			Conducted	Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Bandwidth	Modulation	IND SIZE	ND onset	37775	38000	38225	Turie up
		1	0	22.65	24.48	22.97	24.50
		1	13	22.73	24.39	22.80	24.50
		1	24	22.69	24.22	22.49	24.50
	QPSK	12	0	21.79	22.15	22.13	23.50
		12	6	21.80	21.54	21.93	23.50
		12	13	21.78	23.36	21.69	23.50
		25	0	21.73	23.36	22.04	23.50
		1	0	21.66	21.86	21.85	23.50
		1	13	21.84	23.33	22.09	23.50
		1	24	21.83	23.39	21.79	23.50
5MHz	16QAM	12	0	20.67	22.43	21.06	22.50
		12	6	20.69	22.42	20.89	22.50
		12	13	20.66	22.23	20.64	22.50
		25	0	20.67	22.29	20.98	22.50
		1	0	21.22	21.34	21.26	23.00
		1	13	20.46	20.81	20.20	23.00
- 0		1	24	21.40	21.23	21.32	23.00
	64QAM	12	0	20.33	20.40	20.31	22.00
		12	6	20.35	20.36	20.26	22.00
		12	13	20.35	20.34	20.21	22.00
		25	0	20.30	20.35	20.30	22.00
Pandwidth	Modulation	RB size	DP offeet	Channel	Channel	Channel	Tunguin
Bandwidth	Modulation	RD SIZE	RB offset	37800	38000	38200	Tune up
		1	0	22.71	24.30	23.40	24.50
		1	25	22.98	24.32	22.87	24.50
		1	49	22.73	23.84	22.28	24.50
	QPSK	25	0	21.48	23.20	22.13	23.50
		25	13	22.00	23.35	22.07	23.50
		25	25	22.02	23.25	21.83	23.50
		50	0	21.97	23.30	21.96	23.50
		1	0	21.74	23.21	22.52	23.50
		1	25	21.85	23.49	22.01	23.50
10MU-		1	49	21.94	22.88	21.56	23.50
10MHz	16QAM	25	0	20.84	22.38	21.24	22.50
		25	13	20.43	22.24	20.96	22.50
		25	25	20.89	22.14	20.81	22.50
		50	0	20.82	22.17	21.09	22.50
		1	0	21.23	21.36	21.25	23.00
		1	25	20.47	20.79	20.21	23.00
	040444	1	49	21.41	21.22	21.28	23.00
	64QAM	25	0	20.33	20.39	20.30	22.00
		25	13	20.33	20.34	20.30	22.00
l							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 320 of 493 Page

		50	0	20.32	20.39	20.30	22.00
Donduvidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungum
Bandwidth	Modulation	RB Size	RB offset	37825	38000	38175	Tune up
		1	0	22.59	24.13	23.80	24.50
	1	1	38	23.12	24.35	23.08	24.50
		1	74	23.38	23.79	22.41	24.50
	QPSK	36	0	21.81	23.39	22.43	23.50
		36	18	22.18	23.46	22.12	23.50
	4	36	39	22.39	23.23	22.01	23.50
		75	0	22.17	23.32	22.39	23.50
		1	0	21.46	23.31	22.97	23.50
		1	38	22.35	23.12	22.20	23.50
		1	74	22.66	22.90	21.64	23.50
15MHz	16QAM	36	0	20.68	22.25	21.57	22.50
		36	18	21.02	22.31	21.27	22.50
		36	39	21.02	22.02	20.97	22.50
		75	0	20.81	22.13	21.37	22.50
		1	0	21.23	21.37	21.26	23.00
		1	38	20.47	20.82	20.20	23.00
		1	74	21.40	21.23	21.29	23.00
	64QAM	36	0	20.32	20.39	20.33	22.00
		36	18	20.32	20.35	20.29	22.00
		36	39	20.34	20.31	20.19	22.00
		75	0	20.30	20.36	20.29	22.00
Danish of diffe	Modulation	RB size	RB offset	Channel	Channel	Channel	T
Bandwidth				37850	38000	38150	Tune u
		1	0	22.36	23.60	23.88	24.50
		1	50	23.16	24.10	23.13	24.50
		1	99	23.67	23.38	22.32	24.50
	QPSK	50	0	21.98	23.15	22.64	23.50
		50	0.5			00.44	23.50
		30	25	22.22	23.13	22.11	20.00
		50	50	22.22 22.48	23.13 22.92	22.11	23.50
		50	50	22.48	22.92	22.03	23.50
		50 100	50	22.48 22.30	22.92 23.08	22.03 22.37	23.50 23.50
		50 100 1	50 0 0	22.48 22.30 21.56	22.92 23.08 22.88	22.03 22.37 23.15	23.50 23.50 23.50
20MHz	16QAM	50 100 1 1	50 0 0 50	22.48 22.30 21.56 22.25	22.92 23.08 22.88 23.25	22.03 22.37 23.15 22.23	23.50 23.50 23.50 23.50
20MHz	16QAM	50 100 1 1 1	50 0 0 50 99	22.48 22.30 21.56 22.25 22.91	22.92 23.08 22.88 23.25 22.74	22.03 22.37 23.15 22.23 21.59	23.50 23.50 23.50 23.50 23.50
20MHz	16QAM	50 100 1 1 1 1 50	50 0 0 50 99 0	22.48 22.30 21.56 22.25 22.91 20.89	22.92 23.08 22.88 23.25 22.74 22.03	22.03 22.37 23.15 22.23 21.59 21.50	23.50 23.50 23.50 23.50 23.50 23.50 22.50
20MHz	16QAM	50 100 1 1 1 1 50 50	50 0 0 50 99 0 25	22.48 22.30 21.56 22.25 22.91 20.89 21.09	22.92 23.08 22.88 23.25 22.74 22.03 21.97	22.03 22.37 23.15 22.23 21.59 21.50 21.20	23.50 23.50 23.50 23.50 23.50 23.50 22.50
20MHz	16QAM	50 100 1 1 1 1 50 50	50 0 0 50 99 0 25 50	22.48 22.30 21.56 22.25 22.91 20.89 21.09 21.34	22.92 23.08 22.88 23.25 22.74 22.03 21.97 22.00	22.03 22.37 23.15 22.23 21.59 21.50 21.20 20.91	23.50 23.50 23.50 23.50 23.50 22.50 22.50 22.50
20MHz	16QAM	50 100 1 1 1 50 50 50 100	50 0 0 50 99 0 25 50 0	22.48 22.30 21.56 22.25 22.91 20.89 21.09 21.34 21.16	22.92 23.08 22.88 23.25 22.74 22.03 21.97 22.00 21.91	22.03 22.37 23.15 22.23 21.59 21.50 21.20 20.91 21.45	23.50 23.50 23.50 23.50 23.50 22.50 22.50 22.50
20MHz	16QAM	50 100 1 1 1 50 50 50 100	50 0 0 50 99 0 25 50 0	22.48 22.30 21.56 22.25 22.91 20.89 21.09 21.34 21.16 21.28	22.92 23.08 22.88 23.25 22.74 22.03 21.97 22.00 21.91 21.40	22.03 22.37 23.15 22.23 21.59 21.50 21.20 20.91 21.45 21.31	23.50 23.50 23.50 23.50 23.50 22.50 22.50 22.50 23.00
20MHz	16QAM 64QAM	50 100 1 1 1 50 50 50 100 1	50 0 0 50 99 0 25 50 0 0	22.48 22.30 21.56 22.25 22.91 20.89 21.09 21.34 21.16 21.28 20.49	22.92 23.08 22.88 23.25 22.74 22.03 21.97 22.00 21.91 21.40 20.84	22.03 22.37 23.15 22.23 21.59 21.50 21.20 20.91 21.45 21.31 20.25	23.50 23.50 23.50 23.50 23.50 22.50 22.50 22.50 22.50 22.50 23.00 23.00
20MHz		50 100 1 1 1 50 50 50 100 1 1 1 50	50 0 0 50 99 0 25 50 0 0 50 99 0	22.48 22.30 21.56 22.25 22.91 20.89 21.09 21.34 21.16 21.28 20.49 21.44 20.37	22.92 23.08 22.88 23.25 22.74 22.03 21.97 22.00 21.91 21.40 20.84 21.26 20.45	22.03 22.37 23.15 22.23 21.59 21.50 21.20 20.91 21.45 21.31 20.25 21.34 20.35	23.50 23.50 23.50 23.50 23.50 22.50 22.50 22.50 23.00 23.00 23.00 22.00
20MHz		50 100 1 1 1 50 50 50 100 1	50 0 0 50 99 0 25 50 0 0 50	22.48 22.30 21.56 22.25 22.91 20.89 21.09 21.34 21.16 21.28 20.49 21.44	22.92 23.08 22.88 23.25 22.74 22.03 21.97 22.00 21.91 21.40 20.84 21.26	22.03 22.37 23.15 22.23 21.59 21.50 21.20 20.91 21.45 21.31 20.25 21.34	23.50 23.50 23.50 23.50 23.50 22.50 22.50 22.50 22.50 23.00 23.00 23.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 321 of 493 Page

LTE Ba	and 38 Left Hea	d reduced p	ower	Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
Bandwidth	Modulation	IVD SIZE	ND onset	37775	38000	38225	Tune up	
		1	0	20.30	20.39	20.29	21.50	
		1	13	20.18	20.30	20.04	21.50	
		1	24	20.33	20.43	20.35	21.50	
	QPSK	12	0	20.18	20.21	20.27	21.50	
		12	6	20.17	20.16	20.14	21.50	
		12	13	20.35	20.29	20.28	21.50	
		25	0	20.22	20.19	20.19	21.50	
		1	0	20.25	20.24	20.09	21.50	
		1	13	20.46	19.93	20.37	21.50	
		1	24	20.48	20.44	20.36	21.50	
5MHz	16QAM	12	0	20.34	20.14	20.34	21.50	
		12	6	20.12	20.25	20.14	21.50	
		12	13	20.23	20.21	20.23	21.50	
		25	0	20.10	20.10	20.23	21.50	
		1	0	20.33	20.21	20.45	21.50	
		1	13	20.06	20.06	20.05	21.50	
		1	24	20.27	20.29	20.24	21.50	
	64QAM	12	0	20.34	20.35	20.39	21.50	
	04QAIVI	12	6	20.29	20.38	20.28	21.50	
		12	13	20.29	20.32	20.26	21.50	
		25	0	20.25	20.34	20.30	21.50	
		25	U	Channel	Channel	Channel	21.50	
Bandwidth	Modulation	RB size	RB offset	37800	38000	38200	Tune up	
		1		20.24			24.50	
		1	0 25		20.36	20.28	21.50	
		1		20.07	20.31	20.04	21.50	
	ODOK		49	20.43	20.52	20.31	21.50	
	QPSK	25	0	20.10	20.26	20.29	21.50	
		25	13	20.14	20.21	20.23	21.50	
		25	25	20.23	20.32	20.32	21.50	
		50	0	20.19	20.19	20.27	21.50	
		1	0	20.27	20.32	20.07	21.50	
		1	25	20.45	19.96	20.38	21.50	
		1	49	20.53	20.36	20.36	21.50	
10MHz	16QAM	25	0	20.27	20.19	20.3	21.50	
		25	13	20.16	20.200	20.22	21.50	
		25	25	20.23	20.24	20.31	21.50	
		50	0	20.05	20.16	20.21	21.50	
		1	0	20.25	20.19	20.42	21.50	
		1	25	20.04	20.02	20.07	21.50	
		1	49	20.23	20.21	20.22	21.50	
	64QAM	25	0	20.29	20.36	20.35	21.50	
		25	13	20.30	20.35	20.23	21.50	
		25	25	20.29	20.31	20.23	21.50	
		50	0	20.27	20.32	20.27	21.50	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 322 of 493 Page

Bandwidth	Modulation	DD -:	DD 6#5-54	Channel	Channel	Channel 38175	Tuna
Bandwidth	Modulation	RB size	RB offset	37825	38000		Tune up
		1	0	20.32	20.42	20.35	21.50
		1	38	20.09	20.31	19.99	21.50
		1	74	20.37	20.52	20.37	21.50
	QPSK	36	0	20.10	20.31	20.28	21.50
		36	18	20.22	20.26	20.15	21.50
F FO		36	39	20.35	20.28	20.25	21.50
		75	0	20.18	20.22	20.27	21.50
		1	0	20.29	20.30	20.07	21.50
		1	38	20.48	19.97	20.42	21.50
		1	74	20.43	20.38	20.26	21.50
15MHz	16QAM	36	0	20.35	20.11	20.28	21.50
		36	18	20.06	20.19	20.14	21.50
		36	39	20.24	20.22	20.27	21.50
		75	0	20.05	20.13	20.28	21.50
		1	0	20.29	20.23	20.44	21.50
		1	38	20.07	20.06	20.09	21.50
		1	74	20.26	20.25	20.25	21.50
	64QAM	36	0	20.33	20.39	20.37	21.50
-		36	18	20.33	20.37	20.27	21.50
		36	39	20.31	20.33	20.26	21.50
		75	0	20.29	20.34	20.30	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danawiatii				37850	38000	38150	
		1	0	20.33	20.44	20.43	21.50
		1	50	20.22	20.33	20.14	21.50
		1	99	20.46	20.58	20.44	21.50
	QPSK	50	0	20.20	20.31	20.37	21.50
		50	25	20.22	20.28	20.28	21.50
		50	50	20.37	20.35	20.35	21.50
		100	0	20.29	20.29	20.32	21.50
		1	0	20.34	20.39	20.22	21.50
		1	50	20.58	20.07	20.44	21.50
		1	99	20.53	20.50	20.39	21.50
20MHz	16QAM	50	0	20.36	20.23	20.39	21.50
		50	25	20.20	20.28	20.27	21.50
		50	50	20.34	20.27	20.34	21.50
		100	0	20.20	20.24	20.30	21.50
		1	0	20.35	20.25	20.50	21.50
		1	50	20.11	20.11	20.11	21.50
	64QAM	1	99	20.29	20.31	20.27	21.50
		. —	1 -	20.20	20.41	20.43	21.50
	64QAM	50	0	20.38	20.41	20.43	21.00
	64QAM	50 50	25	20.35	20.41	20.30	21.50
	64QAM				_		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 323 of 493 Page

LTE Band 38 Right Head reduced power				Conducted Power(dBm)			
Bandwidth	Modulation		RB	Channel	Channel	Channel	T
Dandwidth	Modulation	RB size	offset	37775	38000	38225	Tune up
		1	0	14.63	15.94	14.09	16.00
		1	13	14.61	15.88	14.02	16.00
		1	24	14.63	15.68	13.77	16.00
	QPSK	12	0	14.62	15.89	14.18	16.00
		12	6	14.59	15.98	13.80	16.00
		12	13	14.67	15.76	13.80	16.00
		25	0	14.70	15.82	14.10	16.00
		1	0	14.73	15.92	14.09	16.00
		1	13	14.72	15.88	14.00	16.00
		1	24	14.77	15.71	13.80	16.00
5MHz	16QAM	12	0	14.47	15.89	14.05	16.00
		12	6	14.46	15.84	13.89	16.00
		12	13	14.53	15.61	13.67	16.00
		25	0	14.60	15.69	13.97	16.00
-		1	0	15.11	15.33	15.47	16.00
		1	13	14.99	15.20	14.96	16.00
		1	24	15.11	14.78	14.39	16.00
	64QAM	12	0	14.94	15.63	14.89	16.00
		12	6	15.12	15.26	14.44	16.00
		12	13	15.10	15.19	14.31	16.00
		25	0	15.12	15.31	14.55	16.00
	Modulation	RB size	RB offset	Channel	Channel	Channel	
Bandwidth				37800	38000	38200	Tune up
		1	0	14.84	15.99	14.61	16.00
		1	25	14.95	15.97	14.07	16.00
		1	49	14.90	15.38	13.70	16.00
	QPSK	25	0	14.90	15.87	14.34	16.00
		25	13	14.97	15.85	14.24	16.00
		25	25	14.91	15.68	14.03	16.00
		50	0	14.84	15.83	14.25	16.00
		1	0	14.58	15.90	14.43	16.00
		1	25	14.86	15.78	13.90	16.00
		1	49	14.81	15.26	13.52	16.00
10MHz	16QAM	25	0	14.83	15.91	14.19	16.00
		25	13	14.90	15.77	14.09	16.00
		25	25	14.85	15.60	13.88	16.00
		50	0	14.75	15.74	14.03	16.00
ļ		1	0	15.07	15.31	15.44	16.00
		1	25	15.01	15.19	14.96	16.00
		1	49	15.11	14.82	14.42	16.00
	64QAM	25	0	14.91	15.63	14.90	16.00
		25	13	15.13	15.27	14.43	16.00
		25	25	15.14	15.19	14.31	16.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 324 of 493 Page

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tues
Bandwidth			RB offset	37825	38000	38175	Tune up
		1	0	14.82	15.98	15.18	16.00
		1	38	14.85	15.84	14.13	16.00
		1	74	15.52	15.13	13.79	16.00
	QPSK	36	0	14.97	15.97	14.74	16.00
		36	18	14.93	15.96	14.20	16.00
		36	39	15.37	15.60	14.07	16.00
		75	0	14.96	15.82	14.46	16.00
		1	0	14.83	15.93	15.11	16.00
		1	38	15.03	15.82	14.07	16.00
		1	74	15.47	15.10	13.75	16.00
15MHz	16QAM	36	0	14.88	15.06	14.62	16.00
		36	18	15.12	15.91	14.08	16.00
		36	39	15.30	15.57	13.95	16.00
		75	0	15.10	15.77	14.31	16.00
		1	0	15.11	15.32	15.44	16.00
		1	38	15.01	15.19	14.95	16.00
		1	74	15.08	14.78	14.51	16.00
	64QAM	36	0	14.92	15.66	14.91	16.00
Cal		36	18	15.14	15.26	14.26	16.00
		36	39	15.13	15.16	14.02	16.00
		75	0	15.11	15.31	14.52	16.00
			DD #	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	37850	38000	38150	Tune up
		1	0	15.58	15.48	15.39	16.00
		1	50	14.95	15.40	14.13	16.00
		1	99	15.47	14.76	14.87	16.00
	OPSK						
i i	QPSK	50	0	14.79	15.64	14.80	16.00
	QPSK	50 50		14.79 14.99	15.64 15.38	14.80 14.11	16.00 16.00
	QPSK	50	25	14.99	15.38	14.11	16.00
	QPSK	50 50	25 50	14.99 15.24	15.38 15.23	14.11 14.02	16.00 16.00
	QPSK	50	25	14.99 15.24 14.96	15.38 15.23 15.43	14.11 14.02 14.54	16.00 16.00 16.00
	QPSK	50 50 100	25 50 0 0	14.99 15.24 14.96 14.34	15.38 15.23 15.43 15.60	14.11 14.02 14.54 15.33	16.00 16.00 16.00 16.00
	QPSK	50 50 100	25 50 0 0 50	14.99 15.24 14.96 14.34 14.93	15.38 15.23 15.43 15.60 15.52	14.11 14.02 14.54 15.33 14.08	16.00 16.00 16.00 16.00 16.00
20MHz		50 50 100 1 1 1	25 50 0 0 50 99	14.99 15.24 14.96 14.34 14.93 15.37	15.38 15.23 15.43 15.60 15.52 14.88	14.11 14.02 14.54 15.33 14.08 14.73	16.00 16.00 16.00 16.00 16.00
20MHz	QPSK 16QAM	50 50 100 1	25 50 0 0 50 99	14.99 15.24 14.96 14.34 14.93 15.37 14.74	15.38 15.23 15.43 15.60 15.52 14.88 15.54	14.11 14.02 14.54 15.33 14.08 14.73 14.71	16.00 16.00 16.00 16.00 16.00 16.00
20MHz		50 50 100 1 1 1 1 50	25 50 0 0 50 99 0 25	14.99 15.24 14.96 14.34 14.93 15.37 14.74	15.38 15.23 15.43 15.60 15.52 14.88 15.54 15.28	14.11 14.02 14.54 15.33 14.08 14.73 14.71 14.02	16.00 16.00 16.00 16.00 16.00 16.00 16.00
20MHz		50 50 100 1 1 1 1 50 50	25 50 0 0 50 99 0 25 50	14.99 15.24 14.96 14.34 14.93 15.37 14.74 14.86 15.11	15.38 15.23 15.43 15.60 15.52 14.88 15.54 15.28 15.13	14.11 14.02 14.54 15.33 14.08 14.73 14.71 14.02 14.03	16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00
20MHz		50 50 100 1 1 1 50 50 50	25 50 0 0 50 99 0 25 50	14.99 15.24 14.96 14.34 14.93 15.37 14.74 14.86 15.11 14.85	15.38 15.23 15.43 15.60 15.52 14.88 15.54 15.28 15.13 15.32	14.11 14.02 14.54 15.33 14.08 14.73 14.71 14.02 14.03 14.43	16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00
20MHz		50 50 100 1 1 1 50 50 50 100	25 50 0 0 50 99 0 25 50 0	14.99 15.24 14.96 14.34 14.93 15.37 14.74 14.86 15.11 14.85	15.38 15.23 15.43 15.60 15.52 14.88 15.54 15.28 15.13 15.32 15.37	14.11 14.02 14.54 15.33 14.08 14.73 14.71 14.02 14.03 14.43	16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00
20MHz		50 50 100 1 1 1 50 50 50	25 50 0 0 50 99 0 25 50 0 0 50	14.99 15.24 14.96 14.34 14.93 15.37 14.74 14.86 15.11 14.85 15.14	15.38 15.23 15.43 15.60 15.52 14.88 15.54 15.28 15.13 15.32 15.37 15.25	14.11 14.02 14.54 15.33 14.08 14.73 14.71 14.02 14.03 14.43 15.50 14.99	16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00
20MHz	16QAM	50 50 100 1 1 1 1 50 50 50 100 1	25 50 0 0 50 99 0 25 50 0 0 50 99 99 99 99 99 99 99 99 99 9	14.99 15.24 14.96 14.34 14.93 15.37 14.74 14.86 15.11 14.85 15.14 15.06 15.15	15.38 15.23 15.43 15.60 15.52 14.88 15.54 15.28 15.13 15.32 15.37 15.25 14.85	14.11 14.02 14.54 15.33 14.08 14.73 14.71 14.02 14.03 14.43 15.50 14.99	16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00
20MHz		50 50 100 1 1 1 50 50 50 100 1 1 1 1 50	25 50 0 0 50 99 0 25 50 0 0 50 99 0	14.99 15.24 14.96 14.34 14.93 15.37 14.74 14.86 15.11 14.85 15.14 15.06 15.15 14.98	15.38 15.23 15.43 15.60 15.52 14.88 15.54 15.28 15.13 15.32 15.37 15.25 14.85 15.69	14.11 14.02 14.54 15.33 14.08 14.73 14.71 14.02 14.03 14.43 15.50 14.99 14.45	16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00
20MHz	16QAM	50 50 100 1 1 1 1 50 50 50 100 1	25 50 0 0 50 99 0 25 50 0 0 50 99 99 99 99 99 99 99 99 99 9	14.99 15.24 14.96 14.34 14.93 15.37 14.74 14.86 15.11 14.85 15.14 15.06 15.15	15.38 15.23 15.43 15.60 15.52 14.88 15.54 15.28 15.13 15.32 15.37 15.25 14.85	14.11 14.02 14.54 15.33 14.08 14.73 14.71 14.02 14.03 14.43 15.50 14.99	16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 325 of 493 Page

LTE Band 38	hotspot active	d for 2.4G \	WIFI		Conducted	l Power(dBm)	
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
Bandwidth	Wodulation	KD Size	offset	37775	38000	38225	rune up
		1	0	20.36	21.94	20.58	22.00
		1	13	20.40	21.97	20.58	22.00
		1	24	20.32	21.87	20.28	22.00
	QPSK	12	0	20.38	21.98	20.76	22.00
		12	6	20.45	21.97	20.58	22.00
		12	13	20.42	21.84	20.33	22.00
		25	0	20.16	21.88	20.63	22.00
		1	0	20.50	21.96	20.60	22.00
		1	13	20.56	21.97	20.63	22.00
		1	24	20.50	21.87	20.35	22.00
5MHz	16QAM	12	0	20.30	21.82	20.63	22.00
		12	6	20.30	21.83	20.45	22.00
		12	13	20.28	21.89	20.21	22.00
		25	0	20.28	21.93	20.54	22.00
		1	0	20.45	20.52	20.39	22.00
		1	13	20.48	20.71	20.04	22.00
		1	24	20.54	20.44	20.34	22.00
	64QAM	12	0	20.28	20.36	20.30	22.00
		12	6	20.27	20.32	20.26	22.00
		12	13	20.25	20.24	20.22	22.00
		25	0	20.27	20.28	20.25	22.00
B	N4 1 1 6	DD :	RB	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	offset	37800	38000	38200	Tune up
		1	0	20.44	21.91	21.01	22.00
		1	25	20.68	21.98	20.08	22.00
		1	49	20.58	21.67	19.51	22.00
	QPSK	25	0	20.48	21.98	20.85	22.00
		25	13	20.52	21.94	20.81	22.00
		25	25	20.51	21.99	20.14	22.00
		50	0	19.80	21.97	20.88	22.00
		1	0	20.28	21.89	21.07	22.00
		1	25	20.72	21.94	20.66	22.00
		1	49	20.60	21.85	20.27	22.00
10MHz	16QAM	25	0	20.39	21.87	20.76	22.00
		25	13	20.43	21.98	20.72	22.00
		25	25	20.42	21.89	20.50	22.00
		50	0	20.49	21.92	20.78	22.00
		1	0	20.43	20.50	20.41	22.00
		1	25	20.83	20.73	20.03	22.00
		1	49	20.51	20.44	20.33	22.00
	64QAM	25	0	20.29	20.37	20.30	22.00
		25	13	20.29	20.32	20.25	22.00
		25	25	20.28	20.25	20.21	22.00
	İ	50	0	20.27	20.29	20.24	22.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 326 of 493 Page

Donduidth	Madulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RB SIZE	RB offset	37825	38000	38175	Tune up
		1	0	20.43	21.99	21.62	22.00
		1	38	20.82	21.98	20.61	22.00
		1	74	21.25	21.57	20.12	22.00
	QPSK	36	0	20.63	21.98	21.27	22.00
		36	18	20.50	21.95	20.81	22.00
		36	39	20.72	21.98	20.72	22.00
		75	0	20.55	21.92	21.13	22.00
		1	0	20.36	21.94	21.73	22.00
		1	38	20.41	21.97	20.90	22.00
		1	74	21.36	21.84	20.42	22.00
15MHz	16QAM	36	0	20.52	21.91	21.15	22.00
		36	18	20.44	21.94	20.46	22.00
		36	39	20.75	21.86	20.38	22.00
		75	0	20.55	21.93	21.02	22.00
		1	0	20.44	20.51	20.40	22.00
		1	38	20.80	20.74	20.01	22.00
		1	74	20.50	20.41	20.33	22.00
	64QAM	36	0	20.31	20.35	20.30	22.00
		36	18	20.28	20.33	20.25	22.00
		36	39	20.28	20.27	20.22	22.00
		75	0	20.30	20.32	20.25	22.00
5	N4 1 1 6	DD :	DD (()	Channel	Channel	Channel	-
Bandwidth	Modulation	RB size	RB offset	37850	38000	38150	Tune up
		1	0	20.14	21.50	21.72	22.00
		1	50	20.72	21.81	20.64	22.00
		1	99	21.01	21.18	20.25	22.00
	QPSK	50	0	20.53	21.81	21.38	22.00
		50	25	20.82	21.75	20.61	22.00
		50	50	21.10	21.74	20.67	22.00
		100	0	20.93	21.74	21.04	22.00
		1	0	20.14	21.44	21.92	22.00
		1	50	20.85	21.98	20.90	22.00
		1	99	21.52	21.40	20.11	22.00
20MHz	16QAM	50	0	20.49	21.74	21.22	22.00
		50	25	20.68	21.73	20.66	22.00
			1 1	04.07	21.62	20.56	22.00
		50	50	21.07	21.02		
		50 100	50	20.75	21.71	20.91	22.00
			+ +				22.00 22.00
		100	0	20.75	21.71	20.91	
		100 1	0	20.75 20.53	21.71 20.60	20.91 20.48	22.00
	64QAM	100 1 1	0 0 50	20.75 20.53 20.90 20.60	21.71 20.60 20.80 20.50	20.91 20.48 20.10 20.41	22.00 22.00 22.00
	64QAM	100 1 1 1 1 50	0 0 50 99 0	20.75 20.53 20.90 20.60 20.37	21.71 20.60 20.80 20.50 20.43	20.91 20.48 20.10 20.41 20.37	22.00 22.00 22.00 22.00
	64QAM	100 1 1 1	0 0 50 99	20.75 20.53 20.90 20.60	21.71 20.60 20.80 20.50	20.91 20.48 20.10 20.41	22.00 22.00 22.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 327 of 493 Page

LTE Ba	and 38 hotspot a	ctived for 5G	WIFI		Conducted	Power(dBm)	
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
Danawiatii	Woddiation	ND 3IZC	offset	37775	38000	38225	
		1	0	18.69	20.49	18.91	20.50
		1	13	18.81	20.30	18.86	20.50
		1	24	18.72	20.15	18.64	20.50
	QPSK	12	0	18.77	20.45	19.05	20.50
		12	6	18.91	20.44	18.87	20.50
		12	13	18.89	20.19	18.63	20.50
		25	0	18.85	20.37	18.99	20.50
		1	0	18.69	20.39	18.99	20.50
		1	13	18.79	20.21	18.85	20.50
		1	24	18.68	20.09	18.61	20.50
5MHz	16QAM	12	0	18.77	20.33	18.89	20.50
		12	6	18.78	20.48	18.70	20.50
		12	13	18.76	20.23	18.47	20.50
		25	0	18.74	20.27	18.87	20.50
		1	0	18.76	18.64	18.77	20.50
		1	13	18.26	18.06	17.99	20.50
	64QAM	1	24	18.72	18.55	18.64	20.50
		12	0	18.81	18.85	18.81	20.50
		12	6	18.77	18.83	18.79	20.50
		12	13	18.81	18.77	18.73	20.50
		25	0	18.78	18.84	18.72	20.50
Bandwidth	Madulation	DD sins	RB	Channel	Channel	Channel	T
bandwidth	Modulation	RB size	offset	37800	38000	38200	Tune up
		1	0	18.87	20.43	19.40	20.50
		1	25	19.07	20.40	18.97	20.50
		1	49	18.97	19.85	18.57	20.50
	QPSK	25	0	18.94	20.48	18.97	20.50
		25	13	18.99	20.28	19.02	20.50
		25	25	18.99	20.19	18.97	20.50
		50	0	18.96	20.01	19.20	20.50
		1	0	18.82	20.34	19.40	20.50
		1	25	18.87	20.38	18.83	20.50
		1	49	18.71	19.87	18.49	20.50
10MHz	16QAM	25	0	18.17	20.42	19.12	20.50
		25	13	18.91	20.24	18.94	20.50
		25	25	18.89	20.12	18.9	20.50
		50	0	18.86	20.17	19.14	20.50
		1	0	18.83	18.93	18.64	20.50
		1	25	18.90	18.78	18.73	20.50
	[1	49	18.86	18.62	18.41	20.50
	64QAM	25	0	18.79	18.86	18.80	20.50
		25	13	18.74	18.87	18.75	20.50
		25	25	18.78	18.71	18.77	20.50
	1	50	0	18.79	18.40	18.76	20.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 328 of 493 Page

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RB SIZE	RB offset	37825	38000	38175	Tune up
		1	0	18.34	20.32	19.96	20.50
		1	38	19.04	20.40	19.04	20.50
		1	74	19.36	19.90	18.71	20.50
	QPSK	36	0	19.11	20.48	19.54	20.50
		36	18	18.97	20.47	19.19	20.50
		36	39	19.18	20.17	19.07	20.50
	1	75	0	19.22	20.30	19.39	20.50
		1	0	18.81	20.37	20.05	20.50
		1	38	19.25	20.40	19.09	20.50
		1	74	19.67	19.90	18.80	20.50
15MHz	16QAM	36	0	18.99	20.38	19.43	20.50
		36	18	19.08	20.42	19.08	20.50
		36	39	19.29	20.06	18.97	20.50
		75	0	19.11	20.20	19.30	20.50
		1	0	18.90	19.01	18.69	20.50
		1	38	18.96	18.86	18.77	20.50
		1	74	18.90	18.69	18.48	20.50
	64QAM	36	0	18.85	18.93	18.85	20.50
		36	18	18.82	18.91	18.79	20.50
		36	39	18.83	18.77	18.81	20.50
		75	0	18.85	18.48	18.81	20.50
			55 "	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	37850	38000	38150	Tune up
		1	0	18.66	19.74	20.06	20.50
		1	50	19.25	20.07	19.10	20.50
		1	99	19.90	19.53	18.57	20.50
	QPSK	50	0	19.09	20.15	19.46	20.50
		50	25	19.25	20.03	19.09	20.50
		50	50	19.31	19.9	19.01	20.50
		100	0	19.37	20.02	19.39	20.50
		1	0	18.51	19.70	20.10	20.50
		1	50	18.98	19.95	19.23	20.50
		1	99	19.48	19.44	18.72	20.50
20MHz	16QAM	50	0	18.96	19.93	19.61	20.50
		50	25	19.13	19.8	19.04	20.50
		50	50	19.43	19.75	18.96	20.50
		100	0	19.25	19.81	19.34	20.50
		1	0	18.83	18.68	18.82	20.50
	1 F	1	50	18.33	18.11	18.03	20.50
		1	99	18.75	18.62	18.69	20.50
	64QAM			18.75 18.84	18.62 18.88	18.84	20.50
	64QAM	1	99	18.84	18.88	18.84	20.50
	64QAM	1 50	99				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 329 of 493 Page

LTE Band 38	Body-worn sir with 2.4G		ly transmit		Conducted	Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Danuwium	Modulation	KD SIZE	KD Ollset	37775	38000	38225	Tune up
		1	0	19.9	20.02	19.91	22.00
		1	13	19.45	19.51	19.55	22.00
		1	24	19.95	19.90	19.96	22.00
	QPSK	12	0	20.05	19.93	19.96	22.00
	\	12	6	19.82	19.88	19.91	22.00
		12	13	19.94	19.90	19.94	22.00
		25	0	19.99	19.93	19.95	22.00
		1	0	20.03	19.91	20.08	22.00
		1	13	19.83	19.67	19.53	22.00
		1	24	20.10	19.96	20.01	22.00
5MHz	16QAM	12	0	19.84	19.87	19.95	22.00
		12	6	19.81	19.90	19.85	22.00
		12	13	19.79	19.90	19.85	22.00
		25	0	19.93	19.89	19.91	22.00
		1	0	20.01	20.05	20.37	22.00
	64QAM	1	13	19.58	19.40	20.13	22.00
		1	24	20.01	19.94	20.15	22.00
		12	0	20.30	20.38	20.35	22.00
	A	12	6	20.28	20.15	20.27	22.00
		12	13	20.27	20.33	20.19	22.00
		25	0	20.25	20.28	20.23	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tuna un
Danawiain	Modulation	KD SIZE	KD Ollset	37800	38000	38200	Tune up
		1	0	19.93	19.89	19.88	22.00
		1	25	19.37	19.52	19.55	22.00
		1	49	20.04	19.94	19.86	22.00
	QPSK	25	0	19.91	20.00	19.97	22.00
		25	13	19.93	19.89	20.02	22.00
		25	25	19.97	19.97	19.89	22.00
		50	0	20.00	19.97	19.88	22.00
		1	0	20.15	19.80	20.18	22.00
		1	25	19.85	19.75	19.61	22.00
		1	49	20.01	19.98	20.03	22.00
10MHz	16QAM	25	0	19.85	19.82	19.92	22.00
		25	13	19.90	19.89	19.97	22.00
		25	25	19.88	19.8	19.79	22.00
		50	0	19.79	19.81	19.84	22.00
		1	0	20.02	20.06	20.40	22.00
		1	25	19.60	19.40	20.15	22.00
		1	49	19.98	19.91	20.16	22.00
	64QAM	25	0	20.32	20.41	20.35	22.00
		25	13	20.27	20.15	20.24	22.00
		25	25	20.29	20.31	20.17	22.00
	1	50	0	20.27	20.30	20.24	22.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 330 of 493 Page

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tuna un
Danuwium	iviodulation	KD SIZE	KD Ollset	37825	38000	38175	Tune up
		1	0	19.89	20.02	19.86	22.00
		1	38	19.38	19.54	19.53	22.00
		1	74	20.02	19.96	19.94	22.00
	QPSK	36	0	20.00	19.94	19.97	22.00
		36	18	19.97	19.94	19.91	22.00
		36	39	19.91	19.88	19.91	22.00
		75	0	19.94	19.90	19.97	22.00
		1	0	20.15	19.82	20.13	22.00
		1	38	19.90	19.65	19.54	22.00
		1	74	20.01	19.91	20.08	22.00
15MHz	16QAM	36	0	19.94	19.80	19.87	22.00
		36	18	19.91	19.86	19.91	22.00
		36	39	19.81	19.87	19.89	22.00
		75	0	19.89	19.87	19.82	22.00
		1	0	20.02	20.05	20.37	22.00
		1	38	19.58	19.40	20.14	22.00
		1	74	19.98	19.93	20.18	22.00
	64QAM	36	0	20.31	20.39	20.32	22.00
		36	18	20.26	20.18	20.26	22.00
		36	39	20.30	20.34	20.19	22.00
		75	0	20.26	20.27	20.23	22.00
5	N4 1 1 6	DD :	DD " '	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	37850	38000	38150	Tune up
		1	0	20.01	20.03	20.01	22.00
		1	50	19.50	19.56	19.57	22.00
					20.01	20.00	22.00
		1	99	20.06	20.01		
	QPSK	50	99	20.06	20.01	20.04	22.00
	QPSK						22.00 22.00
	QPSK	50	0	20.05	20.00	20.04	
	QPSK	50 50	0 25	20.05 19.97	20.00 20.02	20.04 20.04	22.00
	QPSK	50 50 50	0 25 50	20.05 19.97 19.99	20.00 20.02 20.00	20.04 20.04 19.97	22.00 22.00
	QPSK	50 50 50 100	0 25 50 0	20.05 19.97 19.99 20.02	20.00 20.02 20.00 20.04	20.04 20.04 19.97 20.03	22.00 22.00 22.00
	QPSK	50 50 50 100	0 25 50 0	20.05 19.97 19.99 20.02 20.18	20.00 20.02 20.00 20.04 19.93	20.04 20.04 19.97 20.03 20.19	22.00 22.00 22.00 22.00
20MHz		50 50 50 100 1	0 25 50 0 0 50	20.05 19.97 19.99 20.02 20.18 19.95	20.00 20.02 20.00 20.04 19.93 19.79	20.04 20.04 19.97 20.03 20.19 19.66	22.00 22.00 22.00 22.00 22.00
20MHz	QPSK 16QAM	50 50 50 100 1 1	0 25 50 0 0 50 99	20.05 19.97 19.99 20.02 20.18 19.95 20.15	20.00 20.02 20.00 20.04 19.93 19.79 20.02	20.04 20.04 19.97 20.03 20.19 19.66 20.15	22.00 22.00 22.00 22.00 22.00 22.00
20MHz		50 50 50 100 1 1 1 1 50	0 25 50 0 0 50 99	20.05 19.97 19.99 20.02 20.18 19.95 20.15 19.97	20.00 20.02 20.00 20.04 19.93 19.79 20.02 19.92	20.04 20.04 19.97 20.03 20.19 19.66 20.15 19.97	22.00 22.00 22.00 22.00 22.00 22.00 22.00
20MHz		50 50 50 100 1 1 1 50 50	0 25 50 0 0 50 99 0	20.05 19.97 19.99 20.02 20.18 19.95 20.15 19.97 19.92	20.00 20.02 20.00 20.04 19.93 19.79 20.02 19.92 19.94	20.04 20.04 19.97 20.03 20.19 19.66 20.15 19.97 19.98	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
20MHz		50 50 100 1 1 1 1 50 50	0 25 50 0 0 50 99 0 25 50	20.05 19.97 19.99 20.02 20.18 19.95 20.15 19.97 19.92 19.93	20.00 20.02 20.00 20.04 19.93 19.79 20.02 19.92 19.94 19.93 19.92	20.04 20.04 19.97 20.03 20.19 19.66 20.15 19.97 19.98 19.91 19.97	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
20MHz		50 50 100 1 1 1 50 50 50	0 25 50 0 0 50 99 0 25 50	20.05 19.97 19.99 20.02 20.18 19.95 20.15 19.97 19.92 19.93 19.94	20.00 20.02 20.00 20.04 19.93 19.79 20.02 19.92 19.94 19.93	20.04 20.04 19.97 20.03 20.19 19.66 20.15 19.97 19.98 19.91	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
20MHz		50 50 100 1 1 1 50 50 50 100	0 25 50 0 0 50 99 0 25 50 0	20.05 19.97 19.99 20.02 20.18 19.95 20.15 19.97 19.92 19.93 19.94 20.05 19.63	20.00 20.02 20.00 20.04 19.93 19.79 20.02 19.92 19.94 19.93 19.92 20.11 19.43	20.04 20.04 19.97 20.03 20.19 19.66 20.15 19.97 19.98 19.91 19.97 20.43 20.19	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
20MHz	16QAM	50 50 100 1 1 1 50 50 50 100 1	0 25 50 0 0 50 99 0 25 50 0 0 50	20.05 19.97 19.99 20.02 20.18 19.95 20.15 19.97 19.92 19.93 19.94 20.05 19.63 20.04	20.00 20.02 20.00 20.04 19.93 19.79 20.02 19.92 19.94 19.93 19.92 20.11 19.43 19.97	20.04 20.04 19.97 20.03 20.19 19.66 20.15 19.97 19.98 19.91 19.97 20.43 20.19 20.21	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
20MHz		50 50 100 1 1 1 50 50 100 1 1 1 50	0 25 50 0 0 50 99 0 25 50 0 0 50 99	20.05 19.97 19.99 20.02 20.18 19.95 20.15 19.97 19.92 19.93 19.94 20.05 19.63 20.04 20.36	20.00 20.02 20.00 20.04 19.93 19.79 20.02 19.92 19.94 19.93 19.92 20.11 19.43 19.97 20.44	20.04 20.04 19.97 20.03 20.19 19.66 20.15 19.97 19.98 19.91 19.97 20.43 20.19 20.21 20.38	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
20MHz	16QAM	50 50 100 1 1 1 50 50 50 100 1	0 25 50 0 0 50 99 0 25 50 0 0 50	20.05 19.97 19.99 20.02 20.18 19.95 20.15 19.97 19.92 19.93 19.94 20.05 19.63 20.04	20.00 20.02 20.00 20.04 19.93 19.79 20.02 19.92 19.94 19.93 19.92 20.11 19.43 19.97	20.04 20.04 19.97 20.03 20.19 19.66 20.15 19.97 19.98 19.91 19.97 20.43 20.19 20.21	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 331 of 493

LTE Band 38 I	Body-worn simulta 5G WIFI	neously tran	smit with		Conducted	Power(dBm)	
D. 1.144	NA 1.1.0		RB	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	offset	37775	38000	38225	Tune up
		1	0	18.56	20.39	19.20	20.50
		1	13	18.64	20.48	19.12	20.50
		1	24	18.95	20.15	19.09	20.50
	QPSK	12	0	18.89	20.45	19.42	20.50
		12	6	18.91	20.46	19.25	20.50
		12	13	18.90	20.41	19.04	20.50
		25	0	18.86	20.42	19.38	20.50
		1	0	18.60	20.32	19.31	20.50
		1	13	18.67	20.46	19.19	20.50
		1	24	18.62	20.29	19.02	20.50
5MHz	16QAM	12	0	18.83	20.37	19.35	20.50
		12	6	18.83	20.43	19.18	20.50
		12	13	18.83	20.49	18.98	20.50
		25	0	18.77	20.45	19.30	20.50
		1	0	18.91	18.71	18.72	20.50
		1	13	18.10	18.07	18.07	20.50
		1	24	18.71	18.59	18.41	20.50
	64QAM	12	0	18.78	18.84	18.83	20.50
		12	6	18.75	18.81	18.75	20.50
		12	13	18.76	18.77	18.69	20.50
		25	0	18.75	18.81	18.76	20.50
Dan duridth	Madulation	RB size	RB	Channel	Channel	Channel	Tuna ur
Bandwidth	Modulation	RD SIZE	offset	37800	38000	38200	Tune up
		1	0	18.67	20.04	19.69	20.50
		1	25	18.97	20.49	19.21	20.50
		1	49	19.12	19.43	18.95	20.50
	QPSK	25	0	19.04	20.44	19.42	20.50
		25	13	19.08	20.44	19.26	20.50
		25	25	19.08	20.34	19.26	20.50
		50	0	19.03	20.36	19.45	20.50
		1	0	18.68	20.25	19.65	20.50
		1	25	19.15	20.47	19.20	20.50
		1	49	19.09	19.39	18.94	20.50
10MHz	16QAM	25	0	18.96	20.37	19.31	20.50
		25	13	19.00	20.4	19.17	20.50
		25	25	18.99	20.21	19.14	20.50
		50	0	18.93	20.23	19.34	20.50
		1	0	18.92	18.71	18.73	20.50
		1	25	18.10	18.08	18.04	20.50
		1	49	18.73	18.60	18.42	20.50
	64QAM	25	0	18.78	18.84	18.81	20.50
		25	13	18.73	18.81	18.77	20.50
		25	25	18.76	18.74	18.70	20.50
		50	0	18.76	18.80	18.73	20.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 332 of 493

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
bandwidth	Modulation	RD SIZE	RD Ollset	37825	38000	38175	rune up
		1	0	19.10	20.37	19.88	20.50
		1	38	19.30	20.48	19.29	20.50
		1	74	19.65	19.60	19.06	20.50
	QPSK	36	0	19.22	20.25	19.69	20.50
		36	18	19.30	20.34	19.33	20.50
		36	39	19.64	19.89	19.36	20.50
		75	0	19.46	20.21	19.63	20.50
		1	0	19.06	20.47	19.86	20.50
		1	38	19.32	20.47	19.32	20.50
		1	74	19.82	19.35	19.09	20.50
15MHz	16QAM	36	0	19.16	20.13	19.56	20.50
		36	18	19.22	20.49	19.21	20.50
		36	39	19.57	19.47	19.16	20.50
		75	0	19.40	20.10	19.45	20.50
		1	0	18.91	18.70	18.73	20.50
		1	38	18.12	18.10	18.05	20.50
		1	74	18.73	18.61	18.43	20.50
	64QAM	36	0	18.81	18.83	18.83	20.50
		36	18	18.73	18.82	18.75	20.50
		36	39	18.75	18.74	18.69	20.50
		75	0	18.78	18.79	18.75	20.50
			55 41	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	37850	38000	38150	Tune up
		1	0	18.87	20.02	19.89	20.50
			F 0	18.91	20.40	18.87	20.50
		1	50	10.91			
		1					
	QPSK	1	99	19.63	19.89 19.89	18.94	20.50
	QPSK	1 50	99	19.63 18.88	19.89 19.89		20.50 20.50
	QPSK	1 50 50	99 0 25	19.63 18.88 19.02	19.89 19.89 19.76	18.94 19.47 18.86	20.50 20.50 20.50
	QPSK	1 50	99	19.63 18.88	19.89 19.89	18.94 19.47	20.50 20.50
	QPSK	1 50 50 50	99 0 25 50	19.63 18.88 19.02 19.24	19.89 19.89 19.76 19.66	18.94 19.47 18.86 18.56	20.50 20.50 20.50 20.50
	QPSK	1 50 50 50 50 100	99 0 25 50	19.63 18.88 19.02 19.24 19.11 18.77	19.89 19.89 19.76 19.66 19.65 19.78	18.94 19.47 18.86 18.56 19.11	20.50 20.50 20.50 20.50 20.50 20.50
	QPSK	1 50 50 50 100	99 0 25 50 0	19.63 18.88 19.02 19.24 19.11 18.77 18.92	19.89 19.89 19.76 19.66 19.65	18.94 19.47 18.86 18.56 19.11 19.82	20.50 20.50 20.50 20.50 20.50 20.50 20.50
20MHz	QPSK 16QAM	1 50 50 50 100 1	99 0 25 50 0 0 50	19.63 18.88 19.02 19.24 19.11 18.77	19.89 19.89 19.76 19.66 19.65 19.78 20.46	18.94 19.47 18.86 18.56 19.11 19.82 18.81	20.50 20.50 20.50 20.50 20.50 20.50
20MHz		1 50 50 50 100 1 1	99 0 25 50 0 0 50 99	19.63 18.88 19.02 19.24 19.11 18.77 18.92 19.58 18.73	19.89 19.89 19.76 19.66 19.65 19.78 20.46 19.92 19.83	18.94 19.47 18.86 18.56 19.11 19.82 18.81 18.77	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
20MHz		1 50 50 50 100 1 1 1 50	99 0 25 50 0 0 50 99 0	19.63 18.88 19.02 19.24 19.11 18.77 18.92 19.58	19.89 19.89 19.76 19.66 19.65 19.78 20.46 19.92 19.83 19.69	18.94 19.47 18.86 18.56 19.11 19.82 18.81 18.77 19.37 18.75	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
20MHz		1 50 50 50 100 1 1 1 50 50	99 0 25 50 0 0 50 99 0 25 50	19.63 18.88 19.02 19.24 19.11 18.77 18.92 19.58 18.73 18.86 19.19	19.89 19.89 19.76 19.66 19.65 19.78 20.46 19.92 19.83 19.69 19.57	18.94 19.47 18.86 18.56 19.11 19.82 18.81 18.77 19.37 18.75 18.92	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
20MHz		1 50 50 50 100 1 1 1 1 50 50 50	99 0 25 50 0 0 50 99 0 25 50	19.63 18.88 19.02 19.24 19.11 18.77 18.92 19.58 18.73 18.86 19.19 18.95	19.89 19.89 19.76 19.66 19.65 19.78 20.46 19.92 19.83 19.69 19.57	18.94 19.47 18.86 18.56 19.11 19.82 18.81 18.77 19.37 18.75 18.92 19.24	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
20MHz		1 50 50 50 100 1 1 1 50 50 50 100	99 0 25 50 0 0 50 99 0 25 50 0	19.63 18.88 19.02 19.24 19.11 18.77 18.92 19.58 18.73 18.86 19.19 18.95 18.98	19.89 19.89 19.76 19.66 19.65 19.78 20.46 19.92 19.83 19.69 19.57 19.58	18.94 19.47 18.86 18.56 19.11 19.82 18.81 18.77 19.37 18.75 18.92 19.24 18.79	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
20MHz		1 50 50 50 100 1 1 1 1 50 50 50	99 0 25 50 0 0 50 99 0 25 50 0	19.63 18.88 19.02 19.24 19.11 18.77 18.92 19.58 18.73 18.86 19.19 18.95 18.98 18.17	19.89 19.89 19.76 19.66 19.65 19.78 20.46 19.92 19.83 19.69 19.57 19.58 18.76 18.14	18.94 19.47 18.86 18.56 19.11 19.82 18.81 18.77 19.37 18.75 18.92 19.24 18.79 18.11	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
20MHz	16QAM	1 50 50 50 100 1 1 1 50 50 50 100 1	99 0 25 50 0 0 50 99 0 25 50 0 0	19.63 18.88 19.02 19.24 19.11 18.77 18.92 19.58 18.73 18.86 19.19 18.95 18.98 18.17 18.77	19.89 19.89 19.76 19.66 19.65 19.78 20.46 19.92 19.83 19.69 19.57 19.58 18.76 18.14 18.65	18.94 19.47 18.86 18.56 19.11 19.82 18.81 18.77 19.37 18.75 18.92 19.24 18.79 18.11 18.48	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
20MHz		1 50 50 50 100 1 1 1 50 50 100 1 1 1 50	99 0 25 50 0 0 50 99 0 25 50 0 0 0 50	19.63 18.88 19.02 19.24 19.11 18.77 18.92 19.58 18.73 18.86 19.19 18.95 18.98 18.17 18.77 18.85	19.89 19.89 19.76 19.66 19.65 19.78 20.46 19.92 19.83 19.69 19.57 19.58 18.76 18.14 18.65 18.90	18.94 19.47 18.86 18.56 19.11 19.82 18.81 18.77 19.37 18.75 18.92 19.24 18.79 18.11 18.48 18.87	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
20MHz	16QAM	1 50 50 50 100 1 1 1 50 50 50 100 1	99 0 25 50 0 0 50 99 0 25 50 0 0	19.63 18.88 19.02 19.24 19.11 18.77 18.92 19.58 18.73 18.86 19.19 18.95 18.98 18.17 18.77	19.89 19.89 19.76 19.66 19.65 19.78 20.46 19.92 19.83 19.69 19.57 19.58 18.76 18.14 18.65	18.94 19.47 18.86 18.56 19.11 19.82 18.81 18.77 19.37 18.75 18.92 19.24 18.79 18.11 18.48	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 333 of 493

LTE Band 3	8 Left Head simi with 2.4G V		transmit		Conducted P	ower(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel 37775	Channel 38000	Channel 38225	Tune up
		1	0	17.32	17.40	17.47	19.00
		1	13	17.15	17.09	17.24	19.00
		1	24	17.36	17.41	17.39	19.00
	QPSK	12	0	17.48	17.40	17.45	19.00
	4. 0.1	12	6	17.42	17.42	17.46	19.00
		12	13	17.47	17.42	17.39	19.00
		25	0	17.32	17.21	17.37	19.00
		1	0	17.51	17.41	17.39	19.00
		1	13	17.19	17.32	17.44	19.00
		1	24	17.48	17.38	17.57	19.00
5MHz	16QAM	12	0	17.32	17.27	17.43	19.00
		12	6	17.39	17.30	17.42	19.00
		12	13	17.35	17.31	17.38	19.00
		25	0	17.28	17.35	17.36	19.00
		1	0	17.82	17.87	17.82	19.00
		1	13	17.14	16.81	16.90	19.00
		1	24	17.77	17.57	17.78	19.00
	64QAM	12	0	17.74	17.77	17.78	19.00
		12	6	17.67	17.75	17.75	19.00
		12	13	17.75	17.50	17.65	19.00
		25	0	17.76	17.77	17.72	19.00
		55.	RB	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	offset	37800	38000	38200	Tune up
		1	0	17.33	17.44	17.54	19.00
		1	25	17.17	17.15	17.12	19.00
		1	49	17.47	17.44	17.45	19.00
	QPSK	25	0	17.42	17.42	17.47	19.00
		25	13	17.35	17.38	17.40	19.00
		25	25	17.42	17.40	17.47	19.00
		50	0	17.32	17.16	17.31	19.00
		1	0	17.48	17.29	17.46	19.00
		1	25	17.18	17.29	17.47	19.00
		1	49	17.53	17.40	17.51	19.00
10MHz	16QAM	25	0	17.28	17.28	17.39	19.00
		25	13	17.37	17.28	17.44	19.00
		25	25	17.35	17.41	17.46	19.00
		50	0	17.41	17.37	17.42	19.00
		1	0	17.88	17.92	17.83	19.00
		1	25	17.20	17.18	17.30	19.00
		1	49	17.81	17.70	17.70	19.00
	64QAM	25	0	17.77	17.82	17.78	19.00
		25	13	17.72	17.76	17.74	19.00
		25	25	17.76	17.53	17.71	19.00
		50	0	17.77	17.80	17.74	19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 334 of 493

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tung up
Danuwium	Modulation	KD SIZE	KD Ollset	37825	38000	38175	Tune up
		1	0	17.41	17.41	17.43	19.00
		1	38	17.05	17.07	17.11	19.00
		1	74	17.46	17.42	17.45	19.00
	QPSK	36	0	17.36	17.33	17.40	19.00
		36	18	17.4	17.38	17.40	19.00
FFO		36	39	17.49	17.47	17.42	19.00
		75	0	17.33	17.21	17.35	19.00
		1	0	17.42	17.37	17.41	19.00
		1	38	17.25	17.34	17.54	19.00
		1	74	17.47	17.45	17.43	19.00
15MHz	16QAM	36	0	17.28	17.35	17.45	19.00
		36	18	17.39	17.34	17.33	19.00
		36	39	17.34	17.41	17.44	19.00
		75	0	17.42	17.32	17.39	19.00
		1	0	17.94	17.99	17.94	19.00
		1	38	17.23	16.93	17.04	19.00
		1	74	17.91	17.69	17.92	19.00
	64QAM	36	0	17.86	17.90	17.89	19.00
		36	18	17.82	17.88	17.85	19.00
		36	39	17.85	17.61	17.78	19.00
		75	0	17.86	17.91	17.84	19.00
Danduridth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RD SIZE	KB oliset	37850	38000	38150	Tune up
		1	0	17.46	17.48	17.55	19.00
		1	50	17.20	17.21	17.25	19.00
		1	99	17.48	17.52	17.53	19.00
	QPSK	50	0	17.51	17.43	17.51	19.00
		50	25	17.44	17.48	17.50	19.00
		50	50	17.50	17.49	17.52	19.00
		100	0	17.42	17.23	17.44	19.00
		1	0	17.55	17.41	17.48	19.00
		1	50	17.32	17.38	17.54	19.00
		1	99	17.54	17.48	17.57	19.00
20MHz	16QAM	50	0	17.41	17.41	17.46	19.00
		50	25	17.39	17.39	17.45	19.00
		50	50	17.40	17.43	17.48	19.00
		100	0	17.42	17.39	17.43	19.00
		1	0	17.99	18.04	17.90	19.00
		1	50	17.30	17.26	17.41	19.00
		1	99	17.89	17.79	17.77	19.00
	64QAM	50	0	17.87	17.89	17.88	19.00
		50	25	17.83	17.87	17.84	19.00
		50	50	17.86	17.65	17.78	19.00
		50	00				.0.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 335 of 493 Page

LTE Band 38	B Left Head sim with 5G V		/ transmit		Conducted Pow	ver(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel 37775	Channel 38000	Channel 38225	Tune up
		1	0	15.96	15.88	15.94	17.50
		1	13	+	1	+	
		1		14.80	15.48	15.45	17.50
	QPSK	1	24	15.83	16.01 15.87	15.87	17.50
	QPSK	12	0	15.94		15.88	17.50
		12	6	15.84	15.90	15.90	17.50
		12	13	15.96	15.85	15.97	17.50
		25	0	15.91	15.92	15.86	17.50
		1	0	15.8	15.86	15.94	17.50
		1	13	14.62	15.22	14.52	17.50
		1	24	15.95	16.09	16.03	17.50
5MHz	16QAM	12	0	15.80	15.70	15.93	17.50
		12	6	15.83	15.84	15.84	17.50
		12	13	15.77	15.74	15.9	17.50
		25	0	15.77	15.78	15.78	17.50
		1	0	15.62	15.76	15.75	17.50
		1	13	15.59	15.59	15.69	17.50
		1	24	15.62	15.54	15.59	17.50
	64QAM	12	0	15.70	15.77	15.77	17.50
		12	6	15.69	15.76	15.72	17.50
		12	13	15.76	15.73	15.65	17.50
		25	0	15.68	15.69	15.70	17.50
Bandwidth	Modulation	RB size	RB offset	Channel 37800	Channel 38000	Channel 38200	Tune up
		1	0	15.87	15.87	15.85	17.50
		1	25	14.83	15.47	15.51	17.50
		1	49	15.89	15.47	15.89	17.50
	QPSK	25	0	15.89	15.88	15.89	17.50
	QFSK						
		25	13	15.81	15.95	15.92	17.50
		25	25	15.92	15.9	15.92	17.50
		50	0	15.95	15.89	15.96	17.50
		1	0	15.80	15.88	15.96	17.50
		1	25	14.69	15.26	14.59	17.50
	100111	1	49	15.92	16.03	15.98	17.50
10MHz	16QAM	25	0	15.84	15.69	15.93	17.50
		25	13	15.83	15.83	15.78	17.50
		25	25	15.81	15.77	15.87	17.50
		50	0	15.78	15.90	15.83	17.50
		1	0	15.65	15.79	15.72	17.50
		1	25	14.58	15.07	15.32	17.50
		1	49	15.56	15.65	15.64	17.50
	64QAM	25	0	15.74	15.81	15.77	17.50
		25	13	15.75	15.75	15.66	17.50
		25	25	15.78	15.74	15.64	17.50
		50	0	15.71	15.64	15.74	17.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 336 of 493 Page

Dandwidth	Modulation	DD oize	DD offeet	Channel	Channel	Channel	Tuna
Bandwidth	Modulation	RB size	RB offset	37825	38000	38175	Tune up
		1	0	15.83	16.01	15.98	17.50
		1	38	14.93	15.47	15.54	17.50
		1	74	15.89	15.94	15.86	17.50
	QPSK	36	0	15.89	15.79	15.90	17.50
		36	18	15.83	15.83	16.01	17.50
		36	39	15.87	15.89	15.92	17.50
		75	0	15.88	15.84	15.82	17.50
		1	0	15.87	15.87	15.99	17.50
		1	38	14.59	15.24	14.52	17.50
		1	74	16.03	16.14	15.95	17.50
15MHz	16QAM	36	0	15.75	15.77	15.90	17.50
		36	18	15.82	15.88	15.84	17.50
		36	39	15.83	15.80	15.85	17.50
		75	0	15.74	15.91	15.82	17.50
		1	0	15.73	15.90	15.81	17.50
		1	38	14.70	15.15	15.46	17.50
		1	74	15.70	15.76	15.76	17.50
	64QAM	36	0	15.86	15.95	15.87	17.50
		36	18	15.85	15.89	15.81	17.50
		36	39	15.86	15.85	15.77	17.50
		75	0	15.83	15.74	15.83	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Banawiath	Modulation	IND SIZE	ND onset	37850	38000	38150	Turie up
		1	0	15.97	16.02	15.99	17.50
		1	50	14.95	15.54	15.58	17.50
		1	99	15.98	16.05	16.01	17.50
	QPSK	50	0	15.99	15.90	15.98	17.50
		50	25	15.95	15.98	16.02	17.50
		50	50	15.96	15.97	16.05	17.50
		100	0	15.97	15.96	15.97	17.50
		1	0	15.93	15.89	16.07	17.50
		1	50	14.61	15.27	14.53	17.50
		1	99	16.07	16.16	16.06	17.50
CORALI-	16QAM	50	0	15.89	15.79	15.98	17.50
20MHz		ΕO	25	15.88	15.88	15.92	17.50
ZUMHZ		50	20				
ZUMHZ		50	50	15.88	15.89	15.92	17.50
ZUMHZ					15.89 15.92	15.92 15.89	17.50 17.50
ZUMHZ		50	50	15.88			
ZUMHZ		50 100	50 0	15.88 15.85	15.92	15.89	17.50
ZUMHZ		50 100 1	50 0 0	15.88 15.85 15.70	15.92 15.86	15.89 15.87	17.50 17.50
ZOMHZ	64QAM	50 100 1 1	50 0 0 50	15.88 15.85 15.70 15.69	15.92 15.86 15.69	15.89 15.87 15.76	17.50 17.50 17.50
ZUMHZ	64QAM	50 100 1 1 1	50 0 0 50 99	15.88 15.85 15.70 15.69 15.69	15.92 15.86 15.69 15.66	15.89 15.87 15.76 15.69	17.50 17.50 17.50 17.50
ZUMHZ	64QAM	50 100 1 1 1 1 50	50 0 0 50 99 0	15.88 15.85 15.70 15.69 15.69 15.83	15.92 15.86 15.69 15.66 15.85	15.89 15.87 15.76 15.69 15.86	17.50 17.50 17.50 17.50 17.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



: 01 Rev

: 337 of 493 Page

	d 38 Right Heatransmit with		eously		Conducted	Power(dBm)	
Bandwidth	Modulation	DD size	RB offset	Channel	Channel	Channel	Tungun
Danuwium	Modulation	RB size	KD Ollset	37775	38000	38225	Tune up
	\	1	0	11.95	12.83	12.93	13.50
		1	13	12.47	12.88	11.74	13.50
		1	24	12.87	12.27	11.35	13.50
	QPSK	12	0	12.36	13.06	12.38	13.50
		12	6	12.44	12.80	11.75	13.50
		12	13	12.71	12.68	11.72	13.50
		25	0	12.56	13.01	12.14	13.50
		1	0	11.78	12.89	12.65	13.50
		1	13	12.28	12.80	11.67	13.50
		1	24	12.71	12.14	11.34	13.50
5MHz	16QAM	12	0	12.20	12.95	12.27	13.50
-		12	6	12.30	12.77	11.52	13.50
		12	13	12.51	12.66	11.54	13.50
6400M	25	0	12.40	12.69	11.97	13.50	
	1	0	12.18	13.16	13.01	13.50	
	1	13	12.61	12.86	11.74	13.50	
	1	24	12.69	12.27	11.14	13.50	
	64QAM	12	0	12.65	13.09	12.56	13.50
	04QAIVI	12	6	12.56	12.86	11.83	13.50
		12	13	12.52	12.72	11.57	13.50
		25	0	12.70	12.72	12.05	13.50
		23	U			Channel	13.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel		Tune up
		4	0	37800	38000	38200 12.82	12.50
		1	0	11.95	12.90	_	13.50
		1	25	12.38	12.86	11.81	13.50
	ODOK		49	12.87	12.21	11.27	13.50
	QPSK	25	0	12.28	13.08	12.40	13.50
		25	13	12.47	12.91	11.77	13.50
		25	25	12.67	12.77	11.59	13.50
		50	0	12.59	12.93	12.09	13.50
		1	0	11.78	12.85	12.76	13.50
		1	25	12.21	12.80	11.62	13.50
	400	1	49	12.66	12.15	11.30	13.50
10MHz	16QAM	25	0	12.25	13.04	12.33	13.50
		25	13	12.40	12.75	11.59	13.50
		25	25	12.50	12.65	11.56	13.50
		50	0	12.30	12.79	11.98	13.50
		1	0	12.25	12.88	12.97	13.50
		1	25	12.37	12.87	11.63	13.50
		1	49	12.73	12.29	11.17	13.50
	64QAM	25	0	12.63	13.09	12.55	13.50
		25	13	12.60	12.83	11.84	13.50
		25	25	12.55	12.70	11.55	13.50
	I	50	0	12.7	12.77	12.08	13.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 338 of 493 Page

Bandwidth	Modulation	DD oizo	RB offset	Channel	Channel	Channel	Tupo un
banawiatn	Modulation	RB size	RD Ollset	37825	38000	38175	Tune up
		1	0	11.95	12.89	12.83	13.50
		1	38	12.42	12.91	11.81	13.50
		1	74	12.77	12.22	11.27	13.50
	QPSK	36	0	12.37	13.14	12.48	13.50
		36	18	12.52	12.79	11.82	13.50
		36	39	12.69	12.77	11.69	13.50
		75	0	12.57	12.96	12.02	13.50
		1	0	11.78	12.89	12.71	13.50
		1	38	12.27	12.86	11.70	13.50
		1	74	12.69	12.27	11.32	13.50
15MHz	16QAM	36	0	12.16	13.02	12.26	13.50
		36	18	12.35	12.74	11.46	13.50
		36	39	12.49	12.72	11.60	13.50
		75	0	12.42	12.74	11.85	13.50
64QAM	1	0	12.33	13.24	13.02	13.50	
	1	38	12.70	13.01	11.85	13.50	
	1	74	12.81	12.40	11.29	13.50	
	36	0	12.74	13.21	12.71	13.50	
	36	18	12.70	12.94	11.95	13.50	
	36	39	12.66	12.82	11.67	13.50	
	75	0	12.82	12.89	12.20	13.50	
S = - - - - -	Mandadatian	DD -:	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	odulation RB size	RB offset	37850	38000	38150	Tune up
		1	0	11.96	12.97	12.95	13.50
		1	50	12.53	12.98	11.88	13.50
		1	99	12.91	12.30	11.37	13.50
	QPSK	50	0	12.39	13.18	12.52	13.50
		50	25	12.53	12.92	11.84	13.50
		50	50	12.79	12.80	11.73	13.50
		100	0	12.59	13.03	12.14	13.50
		1	0	11.83	12.92	12.77	13.50
		1	50	12.30	12.94	11.75	13.50
		1	99	12.77	12.28	11.38	13.50
20MHz	16QAM	50	0	12.29	13.10	12.38	13.50
		50	25	12.42	12.85	11.59	13.50
		50	50	12.55	12.74	11.60	13.50
		100	0	12.45	12.84	11.99	13.50
		1	0	12.33	13.01	13.05	13.50
		1	50	12.50	12.96	11.75	13.50
		1	99	12.80	12.36	11.25	13.50
		1	+	12.71	13.19	12.68	13.50
	64QAM	50	0	14.71			
	64QAM	50 50	0 25	12.77	12.92	11.91	13.50
	64QAM						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 339 of 493 Page

LTE Band 3	8 Right Head si with 5G		ly transmit		Conducted	Power(dBm)	
B		DD :	DD (()	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	37775	38000	38225	Tune up
		1	0	10.86	11.56	11.31	12.00
		1	13	11.25	11.49	11.21	12.00
		1	24	11.31	10.79	11.28	12.00
	QPSK	12	0	11.41	11.52	10.83	12.00
		12	6	11.43	11.69	10.14	12.00
		12	13	11.37	11.56	10.02	12.00
		25	0	11.51	11.59	10.47	12.00
		1	0	10.88	11.57	11.74	12.00
		1	13	11.24	11.50	11.58	12.00
		1	24	11.31	10.78	11.14	12.00
5MHz	16QAM	12	0	11.40	11.51	11.91	12.00
		12	6	11.40	11.67	11.58	12.00
		12	13	11.38	11.55	11.49	12.00
		25	0	11.50	11.58	11.89	12.00
		1	0	10.89	11.54	11.55	12.00
		1	13	11.27	11.56	10.28	12.00
		1	24	11.42	10.86	10.80	12.00
	64QAM	12	0	11.23	11.42	11.18	12.00
	0.0,	12	6	11.25	11.49	10.40	12.00
		12	13	11.16	11.35	10.51	12.00
		25	0	11.27	11.42	10.65	12.00
				Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	37800	38000	38200	Tune up
		1	0	10.87	11.59	11.32	12.00
		1	25	11.24	11.51	10.88	12.00
		1	49	11.31	10.78	10.64	12.00
	QPSK	25	0	11.42	11.49	10.78	12.00
		25	13	11.43	11.70	10.11	12.00
		25	25	11.37	11.55	10.03	12.00
		50	0	11.50	11.57	10.43	12.00
		1	0	10.86	11.58	11.71	12.00
		1	25	11.22	11.52	11.64	12.00
		1	49	11.33	10.76	11.15	12.00
10MHz	16QAM	25	0	11.40	11.52	11.51	12.00
		25	13	11.42	11.69	11.58	12.00
		25	25	11.37	11.55	11.47	12.00
		50	0	11.50	11.57	11.91	12.00
		1	0	10.76	11.42	11.49	12.00
		<u>·</u> 1	25	11.12	11.38	10.17	12.00
		<u>.</u> 1	49	11.16	10.68	10.19	12.00
	64QAM	25	0	11.25	11.47	11.20	12.00
	3.30	25	13	11.28	11.59	10.46	12.00
		25	25	11.27	11.42	10.40	12.00
							12.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 340 of 493 Page

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tupo un
bandwidth	Modulation	KD SIZE	KD Ollset	37825	38000	38175	Tune up
		1	0	10.86	11.58	11.38	12.00
		1	38	11.22	11.50	10.90	12.00
		1	74	11.3	10.77	10.62	12.00
	QPSK	36	0	11.41	11.51	10.81	12.00
		36	18	11.41	11.68	10.11	12.00
		36	39	11.4	11.54	10.02	12.00
		75	0	11.49	11.60	10.42	12.00
		1	0	10.86	11.58	11.76	12.00
		1	38	11.24	11.51	11.59	12.00
		1	74	11.30	10.76	11.16	12.00
15MHz	16QAM	36	0	11.39	11.51	11.62	12.00
		36	18	11.43	11.67	11.57	12.00
		36	39	11.40	11.54	11.48	12.00
		75	0	11.50	11.58	11.90	12.00
		1	0	11.03	11.44	11.56	12.00
		1	38	11.42	11.47	10.39	12.00
		1	74	11.51	10.94	10.94	12.00
	64QAM	36	0	11.35	11.52	11.28	12.00
		36	18	11.34	11.60	10.51	12.00
	36	39	11.30	11.45	10.60	12.00	
		75	0	11.42	11.50	10.76	12.00
			DD (()	Channel	Channel	Channel	-
Bandwidth	Modulation	RB size	RB offset	37850	38000	38150	Tune up
		1	0	10.85	11.57	11.45	12.00
		1	50	11.25	11.49	10.99	12.00
		1	99	11.30	10.77	10.75	12.00
	QPSK	50	0	11.41	11.50	10.91	12.00
	QPSK	30					
		50	25	11.42	11.67	10.22	12.00
		50	25		11.67		12.00
				11.42 11.39 11.51		10.22	
		50 50	25 50	11.39	11.67 11.56	10.22 10.13	12.00 12.00
		50 50 100	25 50 0	11.39 11.51	11.67 11.56 11.59 11.56	10.22 10.13 10.54	12.00 12.00 12.00 12.00
		50 50 100	25 50 0 0 50	11.39 11.51 10.88 11.23	11.67 11.56 11.59 11.56 11.50	10.22 10.13 10.54 11.96 11.73	12.00 12.00 12.00 12.00 12.00
20MHz	16QAM	50 50 100 1	25 50 0 0	11.39 11.51 10.88 11.23 11.31	11.67 11.56 11.59 11.56 11.50 10.77	10.22 10.13 10.54 11.96 11.73 11.26	12.00 12.00 12.00 12.00 12.00 12.00
20MHz	16QAM	50 50 100 1 1 1	25 50 0 0 50 99	11.39 11.51 10.88 11.23	11.67 11.56 11.59 11.56 11.50	10.22 10.13 10.54 11.96 11.73	12.00 12.00 12.00 12.00 12.00
20MHz	16QAM	50 50 100 1 1 1 1 50	25 50 0 0 50 99	11.39 11.51 10.88 11.23 11.31 11.40	11.67 11.56 11.59 11.56 11.50 10.77 11.50	10.22 10.13 10.54 11.96 11.73 11.26 11.34 11.68	12.00 12.00 12.00 12.00 12.00 12.00 12.00
20MHz	16QAM	50 50 100 1 1 1 1 50 50	25 50 0 0 50 99 0 25	11.39 11.51 10.88 11.23 11.31 11.40 11.42 11.40	11.67 11.56 11.59 11.56 11.50 10.77 11.50 11.67 11.53	10.22 10.13 10.54 11.96 11.73 11.26 11.34 11.68 11.58	12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00
20MHz	16QAM	50 50 100 1 1 1 1 50 50	25 50 0 0 50 99 0 25 50	11.39 11.51 10.88 11.23 11.31 11.40 11.42	11.67 11.56 11.59 11.56 11.50 10.77 11.50 11.67 11.53 11.59	10.22 10.13 10.54 11.96 11.73 11.26 11.34 11.68 11.58 11.99	12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00
20MHz	16QAM	50 50 100 1 1 1 1 50 50 50	25 50 0 0 50 99 0 25 50 0	11.39 11.51 10.88 11.23 11.31 11.40 11.42 11.40 11.50 10.83	11.67 11.56 11.59 11.56 11.50 10.77 11.50 11.67 11.53 11.59	10.22 10.13 10.54 11.96 11.73 11.26 11.34 11.68 11.58 11.99	12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00
20MHz	16QAM	50 50 100 1 1 1 50 50 50 100	25 50 0 0 50 99 0 25 50 0 0 50	11.39 11.51 10.88 11.23 11.31 11.40 11.42 11.40 11.50 10.83 11.20	11.67 11.56 11.59 11.56 11.50 10.77 11.50 11.67 11.53 11.59 11.54	10.22 10.13 10.54 11.96 11.73 11.26 11.34 11.68 11.58 11.99 11.54 10.28	12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00
20MHz		50 50 100 1 1 1 1 50 50 50 100 1 1	25 50 0 0 50 99 0 25 50 0 0 50 99	11.39 11.51 10.88 11.23 11.31 11.40 11.42 11.40 11.50 10.83 11.20	11.67 11.56 11.59 11.56 11.50 10.77 11.50 11.67 11.53 11.59 11.54 11.47	10.22 10.13 10.54 11.96 11.73 11.26 11.34 11.68 11.58 11.99 11.54 10.28	12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00
20MHz	16QAM 64QAM	50 50 100 1 1 1 50 50 50 100 1 1 1 50	25 50 0 0 50 99 0 25 50 0 0 50 99	11.39 11.51 10.88 11.23 11.31 11.40 11.42 11.40 11.50 10.83 11.20 11.28	11.67 11.56 11.59 11.56 11.50 10.77 11.50 11.67 11.53 11.59 11.54 11.47	10.22 10.13 10.54 11.96 11.73 11.26 11.34 11.68 11.58 11.99 11.54 10.28 10.29 11.32	12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00
20MHz		50 50 100 1 1 1 1 50 50 50 100 1 1	25 50 0 0 50 99 0 25 50 0 0 50 99	11.39 11.51 10.88 11.23 11.31 11.40 11.42 11.40 11.50 10.83 11.20	11.67 11.56 11.59 11.56 11.50 10.77 11.50 11.67 11.53 11.59 11.54 11.47	10.22 10.13 10.54 11.96 11.73 11.26 11.34 11.68 11.58 11.99 11.54 10.28	12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 341 of 493

	LTE Band 41 full	power			Conducted	Power(dBm)	
		1		Channal	Channal	Channal	
Bandwidth	Modulation	RB size	RB offset	Channel 40165	Channel 40690	Channel 41215	Tune up
		1	0	22.96	23.87	23.62	24.50
		1	13	22.83	23.70	23.44	24.50
		1	24	22.49	23.22	22.95	24.50
	QPSK	12	0	21.98	22.75	22.71	24.00
	QI OIL	12	6	21.91	22.63	22.66	24.00
		12	13	21.68	22.39	22.40	24.00
		25	0	21.78	22.55	22.56	24.00
		1	0	22.08	22.70	22.51	23.50
		1	13	21.92	22.59	22.50	23.50
		1	24	21.56	22.16	22.16	23.50
5MHz	16QAM	12	0	20.89	21.48	21.51	22.50
· · · · · · ·		12	6	20.75	21.17	21.52	22.50
		12	13	20.51	21.15	21.32	22.50
		25	0	20.74	21.36	21.51	22.50
		1	0	21.36	21.08	21.14	23.00
		1	13	20.06	20.25	20.15	23.00
		1	24	20.67	20.88	20.61	23.00
	64QAM	12	0	20.04	20.25	20.04	22.00
		12	6	19.98	20.21	20.00	22.00
		12	13	20.02	20.17	20.00	22.00
		25	0	20.01	20.21	19.98	22.00
				Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	40190	40690	41190	Tune up
		1	0	22.45	23.62	23.41	24.50
		1	25	22.77	23.74	23.61	24.50
		1	49	22.17	22.71	22.76	24.50
	QPSK	25	0	21.84	22.82	22.80	24.00
		25	13	21.75	22.58	22.64	24.00
		25	25	21.50	22.18	22.38	24.00
		50	0	21.73	22.51	22.63	24.00
		1	0	21.77	22.54	22.38	23.50
		1	25	21.86	22.68	22.68	23.50
		1	49	21.18	21.71	21.95	23.50
10MHz	16QAM	25	0	20.77	21.56	21.51	22.50
		25	13	20.57	21.34	21.44	22.50
		25	25	20.24	20.93	21.30	22.50
		50	0	20.63	21.28	21.45	22.50
		1	0	21.35	21.08	21.12	23.00
		1	25	20.11	20.25	20.07	23.00
		1	49	20.67	20.88	20.61	23.00
	64QAM	25	0	20.05	20.25	20.04	22.00
		25	13	19.98	20.20	20.02	22.00
		25	25	20.05	20.17	19.99	22.00
		50	0	19.99	20.20	19.98	22.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

Page : 342 of 493

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
bandwidth	Modulation	RD SIZE	RD ollset	40215	40690	41165	Tune up
		1	0	22.83	23.87	23.52	24.50
		1	38	22.74	23.68	23.74	24.50
	`	1	74	22.49	22.64	22.88	24.50
	QPSK	36	0	21.86	22.88	22.74	24.00
		36	18	21.73	22.61	22.75	24.00
		36	39	21.66	22.10	22.47	24.00
		75	0	21.76	22.51	22.67	24.00
		1	0	21.92	22.94	22.51	23.50
		1	38	21.85	22.68	22.79	23.50
		1	74	21.68	21.75	22.15	23.50
15MHz	16QAM	36	0	20.80	21.64	21.54	22.50
		36	18	20.48	21.40	21.59	22.50
		36	39	20.40	20.91	21.39	22.50
		75	0	20.52	21.29	21.46	22.50
		1	0	21.38	21.07	21.14	23.00
		1	38	20.09	20.24	20.14	23.00
		1	74	20.66	20.89	20.62	23.00
	64QAM	36	0	20.06	20.26	20.02	22.00
		36	18	19.98	20.20	19.99	22.00
		36	39	20.02	20.18	19.98	22.00
		75	0	20.02	20.21	19.98	22.00
			"	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	40240	40690	41140	Tune up
		1	0	22.63	23.88	23.08	24.50
		1	50	22.49	23.39	23.51	24.50
		1	99	22.89	22.54	22.79	24.50
	QPSK	50	0	21.62	22.74	22.42	24.00
		50	25	21.58	22.38	22.46	24.00
						00.40	24.00
		50	50	21.68	21.84	22.40	24.00
		50 100	50	21.68 21.65	21.84 22.37	22.40	24.00
		100	0	21.65	22.37	22.31	24.00
		100	0	21.65 21.75	22.37 22.81	22.31 22.21	24.00 23.50
20MHz	16QAM	100 1 1	0 0 50	21.65 21.75 21.50	22.37 22.81 22.39	22.31 22.21 22.44	24.00 23.50 23.50
20MHz	16QAM	100 1 1 1	0 0 50 99	21.65 21.75 21.50 22.02	22.37 22.81 22.39 21.56	22.31 22.21 22.44 22.22	24.00 23.50 23.50 23.50
20MHz	16QAM	100 1 1 1 1 50	0 0 50 99 0	21.65 21.75 21.50 22.02 20.46	22.37 22.81 22.39 21.56 21.48	22.31 22.21 22.44 22.22 21.22	24.00 23.50 23.50 23.50 22.50
20MHz	16QAM	100 1 1 1 1 50 50	0 0 50 99 0 25	21.65 21.75 21.50 22.02 20.46 20.34	22.37 22.81 22.39 21.56 21.48 21.16	22.31 22.21 22.44 22.22 21.22 21.28	24.00 23.50 23.50 23.50 22.50 22.50
20MHz	16QAM	100 1 1 1 50 50 50	0 0 50 99 0 25 50	21.65 21.75 21.50 22.02 20.46 20.34 20.41 20.52	22.37 22.81 22.39 21.56 21.48 21.16 20.65	22.31 22.21 22.44 22.22 21.22 21.28 21.21 21.21	24.00 23.50 23.50 23.50 22.50 22.50 22.50
20MHz	16QAM	100 1 1 1 50 50 50 100	0 0 50 99 0 25 50	21.65 21.75 21.50 22.02 20.46 20.34 20.41	22.37 22.81 22.39 21.56 21.48 21.16 20.65 21.13	22.31 22.21 22.44 22.22 21.22 21.28 21.21	24.00 23.50 23.50 23.50 22.50 22.50 22.50 22.50
20MHz	16QAM	100 1 1 1 50 50 50 100	0 0 50 99 0 25 50 0	21.65 21.75 21.50 22.02 20.46 20.34 20.41 20.52 21.40 20.24	22.37 22.81 22.39 21.56 21.48 21.16 20.65 21.13 21.12 20.27	22.31 22.21 22.44 22.22 21.22 21.28 21.21 21.21 21.16 20.19	24.00 23.50 23.50 23.50 22.50 22.50 22.50 22.50 23.00 23.00
20MHz		100 1 1 1 50 50 50 100 1 1	0 0 50 99 0 25 50 0	21.65 21.75 21.50 22.02 20.46 20.34 20.41 20.52 21.40 20.24 20.71	22.37 22.81 22.39 21.56 21.48 21.16 20.65 21.13 21.12 20.27 20.92	22.31 22.21 22.44 22.22 21.22 21.28 21.21 21.21 21.16 20.19 20.64	24.00 23.50 23.50 23.50 22.50 22.50 22.50 23.00 23.00 23.00
20MHz	16QAM 64QAM	100 1 1 1 50 50 50 100 1	0 0 50 99 0 25 50 0 0 50 99	21.65 21.75 21.50 22.02 20.46 20.34 20.41 20.52 21.40 20.24 20.71 20.08	22.37 22.81 22.39 21.56 21.48 21.16 20.65 21.13 21.12 20.27 20.92 20.29	22.31 22.21 22.44 22.22 21.22 21.28 21.21 21.21 21.16 20.19 20.64 20.07	24.00 23.50 23.50 23.50 22.50 22.50 22.50 23.00 23.00 23.00 22.00
20MHz		100 1 1 1 50 50 50 100 1 1 1 50	0 0 50 99 0 25 50 0 0 50 99	21.65 21.75 21.50 22.02 20.46 20.34 20.41 20.52 21.40 20.24 20.71	22.37 22.81 22.39 21.56 21.48 21.16 20.65 21.13 21.12 20.27 20.92	22.31 22.21 22.44 22.22 21.22 21.28 21.21 21.21 21.16 20.19 20.64	24.00 23.50 23.50 23.50 22.50 22.50 22.50 23.00 23.00 23.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 343 of 493

LTE	Band 41 Left H	ead reduced p	ower		Conducted F	Power(dBm)	
D 1 '141			55 %	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	40165	40690	41215	Tune up
		1	0	19.84	20.22	20.05	21.50
		1	13	19.36	19.81	20.30	21.50
		1	24	19.90	20.19	20.29	21.50
	QPSK	12	0	20.10	20.10	20.21	21.50
		12	6	20.06	20.07	20.10	21.50
		12	13	20.04	20.18	20.28	21.50
		25	0	20.01	20.16	20.28	21.50
		1	0	20.19	19.73	20.67	21.50
		1	13	20.13	19.40	20.53	21.50
		1	24	20.35	20.06	20.79	21.50
5MHz	16QAM	12	0	19.92	20.10	20.16	21.50
		12	6	19.83	20.15	20.20	21.50
		12	13	19.93	20.32	20.13	21.50
		25	0	20.15	20.34	20.32	21.50
		1	0	19.73	19.80	19.58	21.50
		1	13	19.81	19.80	18.99	21.50
		1	24	19.31	20.06	19.79	21.50
	64QAM	12	0	20.06	20.24	19.97	21.50
		12	6	19.94	20.15	19.90	21.50
		12	13	19.94	20.06	19.91	21.50
		25	0	19.99	20.14	19.93	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Bandwidth	Woddiation	ND SIZE	ND onset	40190	40690	41190	Turie up
		1	0	19.81	20.17	20.04	21.50
		1	25	19.45	19.79	20.25	21.50
		1	49	19.94	20.18	20.23	21.50
	QPSK	25	0	20.02	20.04	20.28	21.50
		25	13	19.96	20.18	20.21	21.50
		25	25	20.08	20.15	20.21	21.50
		50	0	20.04	20.12	20.20	21.50
		1	0	20.24	19.83	20.68	21.50
		1	25	20.07	19.45	20.52	21.50
		1	49	20.32	19.92	20.80	21.50
10MHz	16QAM	25	0	19.84	20.08	20.26	21.50
		25	13	19.91	20.15	20.18	21.50
		25	25	19.91	20.27	20.23	21.50
		50	0	20.14	20.33	20.29	21.50
		1	0	19.68	19.78	19.56	21.50
		1	25	19.80	19.75	18.96	21.50
		1	49	19.26	20.05	19.79	21.50
	64QAM	25	0	20.04	20.21	19.95	21.50
		25	13	19.92	20.12	19.87	21.50
	[25	25	19.92	20.02	19.90	21.50
		50	0	19.95	20.11	19.92	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 344 of 493

Pandwidth	Modulation	DD size	DD offeet	Channel	Channel	Channel	Tuna
Bandwidth	Modulation	RB size	RB offset	40215	40690	41165	Tune up
		1	0	19.86	20.14	20.04	21.50
		1	38	19.43	19.68	20.26	21.50
		1	74	19.99	20.20	20.20	21.50
	QPSK	36	0	19.98	20.01	20.29	21.50
		36	18	19.95	20.09	20.22	21.50
		36	39	20.08	20.15	20.26	21.50
		75	0	19.98	20.18	20.23	21.50
		1	0	20.15	19.79	20.67	21.50
		1	38	20.12	19.37	20.45	21.50
		1	74	20.39	20.05	20.78	21.50
15MHz	16QAM	36	0	19.97	20.06	20.24	21.50
		36	18	19.85	20.11	20.20	21.50
		36	39	19.98	20.28	20.14	21.50
		75	0	20.21	20.34	20.26	21.50
		1	0	19.70	19.82	19.60	21.50
		1	38	19.82	19.79	19.00	21.50
		1	74	19.30	20.08	19.81	21.50
	64QAM	36	0	20.06	20.24	19.98	21.50
		36	18	19.95	20.16	19.89	21.50
		36	39	19.96	20.06	19.93	21.50
		75	0	19.98	20.15	19.96	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Bandwidth	Woddiation	ND SIZE	ND onset	40240	40690	41140	Tune up
		1	0	19.94	20.27	20.12	21.50
		1	50	19.50	19.81	20.34	21.50
		1	99	20.00	20.33	20.32	21.50
	QPSK	50	0	20.12	20.12	20.29	21.50
		50	25	20.09	20.21	20.22	21.50
	_	50	50	20.13	20.21	20.30	21.50
		100	0	20.05	20.18	20.32	21.50
		1	0	20.25	19.83	20.80	21.50
		1	50	20.14	19.51	20.59	21.50
		1	99	20.39	20.06	20.81	21.50
20MHz	16QAM	50	0	19.99	20.21	20.30	21.50
		50	25	19.97	20.22	20.24	21.50
		50	50	19.98	20.32	20.26	21.50
		100	0	20.27	20.44	20.35	21.50
		1	0	19.75	19.84	19.62	21.50
		1	50	19.86	19.82	19.04	21.50
	_	1	99	19.33	20.10	19.83	21.50
	64QAM	50	0	20.08	20.28	20.02	21.50
		50	25	19.99	20.18	19.94	21.50
	 -						
		50 100	50 0	19.99 20.03	20.11 20.18	19.95	21.50 21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 345 of 493

LTE B	and 41 Right He	ad reduced po	ower		Conducted	Power(dBm)	
Dan duvi dáh	Mandalatian	DD -i	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	40165	40690	41215	Tune up
		1	0	15.30	15.61	15.44	16.50
		1	13	14.76	14.86	14.85	16.50
		1	24	14.97	14.71	15.06	16.50
	QPSK	12	0	15.28	15.17	15.18	16.50
		12	6	15.24	15.32	15.08	16.50
		12	13	15.15	15.35	14.98	16.50
		25	0	15.43	15.14	15.34	16.50
		1	0	15.20	13.96	15.45	16.50
		1	13	15.74	14.79	14.64	16.50
		1	24	13.57	14.80	14.29	16.50
5MHz	16QAM	12	0	15.29	15.17	15.00	16.50
		12	6	15.23	15.07	15.46	16.50
		12	13	15.14	15.75	14.92	16.50
		25	0	15.19	15.42	15.29	16.50
		1	0	15.12	14.58	15.10	16.50
		1	13	14.56	14.68	14.92	16.50
		1	24	14.88	14.69	14.94	16.50
	64QAM	12	0	14.79	14.85	15.06	16.50
OTQAIN		12	6	14.91	14.89	14.77	16.50
		12	13	14.93	14.98	14.64	16.50
		25	0	14.72	15.16	14.74	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danawiath	Modulation	ND 3ize	IND Oliset	40190	40690	41190	Turie up
		1	0	15.49	14.56	15.67	16.50
		1	25	14.35	14.71	13.91	16.50
		1	49	15.18	15.23	15.24	16.50
	QPSK	25	0	15.38	15.07	15.21	16.50
		25	13	15.19	15.18	15.20	16.50
		25	25	15.20	15.24	15.03	16.50
		50	0	15.25	15.26	15.24	16.50
		1	0	14.25	15.49	14.57	16.50
		1	25	15.27	14.96	15.47	16.50
		1	49	14.46	14.97	14.93	16.50
10MHz	16QAM	25	0	15.08	15.03	15.61	16.50
		25	13	15.12	14.05	15.28	16.50
		25	25	14.86	15.16	15.50	16.50
		50	0	15.16	15.42	15.19	16.50
		1	0	15.11	14.69	15.09	16.50
		1	25	14.55	14.56	14.91	16.50
		1	49	14.67	14.67	14.96	16.50
	64QAM	25	0	14.77	14.88	15.08	16.50
		25	13	14.90	14.91	14.77	16.50
		25	25	14.92	14.98	14.65	16.50
		50	0	14.72	15.13	14.73	16.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 346 of 493

Bandwidth	Madulation	RB size	RB offset	Channel	Channel	Channel	Tungun
bandwidth	Modulation	RD SIZE	RD Ollset	40215	40690	41165	Tune up
		1	0	15.84	15.68	15.27	16.50
		1	38	15.04	15.00	15.06	16.50
		1	74	15.13	15.09	15.24	16.50
	QPSK	36	0	15.23	15.20	15.45	16.50
		36	18	15.20	15.27	15.27	16.50
		36	39	15.27	15.05	15.30	16.50
		75	0	15.17	15.41	15.29	16.50
		1	0	14.94	16.05	15.12	16.50
		1	38	14.46	14.47	14.45	16.50
		1	74	14.34	14.75	15.57	16.50
15MHz	16QAM	36	0	15.25	15.23	15.56	16.50
		36	18	14.72	15.16	15.32	16.50
		36	39	15.19	15.17	15.18	16.50
		75	0	15.03	15.38	15.28	16.50
		1	0	15.09	14.58	15.10	16.50
		1	38	14.57	14.66	14.91	16.50
		1	74	14.67	14.67	14.97	16.50
	64QAM	36	0	14.78	14.88	15.05	16.50
	36	18	14.93	14.90	14.78	16.50	
		36	39	14.95	14.96	14.65	16.50
		75	0	14.71	15.14	14.73	16.50
Bandwidth	Modulation	DR size	RB offset	Channel	Channel	Channel	Tune up
Bandwidth	Modulation	on RB size	KB oliset	40240	40690	41140	rune up
		1	0	15.24	15.81	15.46	16.50
		1	50	15.24	15.91	15.55	16.50
		1	99	15.23	15.23	15.46	16.50
	QPSK	50	0	15.22	15.18	15.33	16.50
		50	25	15.12	15.14	15.34	16.50
		50	50	15.04	15.23	15.36	16.50
		100	0	14.97	15.29	15.33	16.50
		1	0	15.23	16.08	15.46	16.50
		1	50	15.23	15.54	16.08	16.50
		1	99	15.22	15.67	15.46	16.50
20MHz	16QAM	50	0	15.20	15.22	15.60	16.50
		50	25	15.15	15.21	15.50	16.50
1		50	50	15.18	15.21	15.64	16.50
		100	0	14.86	15.20	15.21	16.50
		1	0	15.14	14.62	15.14	16.50
		1	50	14.59	14.71	14.96	16.50
		1	99	14.92	14.71	14.99	16.50
	64QAM	50	0	14.81	14.90	15.10	16.50
64QAM	50	25	14.95	14.94	14.81	16.50	
		50					
	-	50	50	14.97	15.01	14.69	16.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 347 of 493

LTE Band 4	1 hotspot active	d for 2.4G	WIFI		Conducted	d Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Dandwidth	Modulation	ND SIZE	KB onset	40165	40690	41215	Turie up
		1	0	20.50	21.17	21.13	22.00
		1	13	20.37	20.98	20.90	22.00
		1	24	19.93	20.59	20.77	22.00
	QPSK	12	0	20.47	21.10	21.20	22.00
		12	6	20.34	20.76	21.13	22.00
		12	13	20.11	20.75	20.91	22.00
		25	0	20.23	20.92	20.81	22.00
		1	0	20.48	21.19	21.13	22.00
		1	13	20.33	21.02	21.17	22.00
		1	24	19.88	20.58	20.79	22.00
5MHz	16QAM	12	0	20.28	20.94	20.90	22.00
		12	6	20.15	20.84	20.96	22.00
		12	13	19.93	20.60	20.75	22.00
		25	0	20.17	20.81	20.89	22.00
		1	0	20.41	20.15	20.87	22.00
		1	13	19.93	20.27	20.03	22.00
		1	24	20.45	20.64	20.47	22.00
	64QAM	12	0	20.02	20.19	19.98	22.00
		12	6	20.00	20.16	19.97	22.00
		12	13	19.99	20.09	19.95	22.00
		25	0	20.01	20.15	19.98	22.00
Donadoui dib	Madulatian	DD -:	DD -#	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	40190	40690	41190	Tune up
		1	0	20.16	20.96	20.78	22.00
		1	25	20.17	21.00	21.10	22.00
		1	49	19.53	20.05	20.46	22.00
	QPSK	25	0	20.31	21.17	21.09	22.00
		25	13	20.09	20.92	21.01	22.00
		25	25	19.83	20.59	20.85	22.00
		50	0	20.08	20.86	20.94	22.00
		1	0	20.11	20.93	20.47	22.00
		1	25	20.23	21.03	21.05	22.00
		1	49	19.54	20.05	20.47	22.00
10MHz	16QAM	25	0	20.20	21.03	20.92	22.00
		25	13	19.97	20.80	20.87	22.00
		25	25	19.76	20.48	20.74	22.00
		50	0	20.03	20.75	20.78	22.00
		1	0	20.46	20.14	20.85	22.00
		1	25	19.94	20.31	19.99	22.00
		1	49	20.46	20.65	20.45	22.00
	64QAM	25	0	20.00	20.23	19.99	22.00
		25	13	19.98	20.18	19.97	22.00
		25	25	19.95	20.10	19.99	22.00
		-					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

Page : 348 of 493

Dandwidth	Madulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	KD SIZE	RD Ollset	40215	40690	41165	Tune up
		1	0	20.38	21.23	20.91	22.00
		1	38	19.92	20.99	21.14	22.00
		1	74	19.92	20.00	20.57	22.00
	QPSK	36	0	20.32	21.23	21.06	22.00
		36	18	20.12	20.97	21.05	22.00
		36	39	19.95	20.53	20.85	22.00
		75	0	20.14	20.87	21.00	22.00
		1	0	20.56	21.25	20.98	22.00
		1	38	20.35	21.07	21.20	22.00
		1	74	20.13	20.09	20.72	22.00
15MHz	16QAM	36	0	20.25	21.09	20.90	22.00
		36	18	19.99	20.84	20.91	22.00
		36	39	19.83	20.42	20.73	22.00
		75	0	20.03	20.51	20.85	22.00
		1	0	20.45	20.10	20.84	22.00
		1	38	19.98	20.28	20.03	22.00
		1	74	20.43	20.68	20.48	22.00
	64QAM	36	0	20.01	20.18	20.02	22.00
		36	18	19.99	20.15	19.92	22.00
		36	39	20.01	20.10	19.97	22.00
		75	0	19.97	20.11	19.96	22.00
Pandwidth	Modulation	DP cizo	DP offeet	Channel	Channel	Channel	Tung up
Bandwidth	Modulation	RB size	RB offset	40240	40690	41140	Tune up
		1	0	20.17	21.24	20.44	22.00
		1	50	19.78	20.70	20.78	22.00
		1	99	20.29	19.95	20.72	22.00
	QPSK	50	0	19.96	21.11	20.70	22.00
		50	25	19.88	20.75	20.78	22.00
		50	50	19.98	20.28	20.72	22.00
		100	0	20.04	20.70	20.73	22.00
		1	0	20.23	21.27	20.45	22.00
		1	50	19.84	20.74	20.75	22.00
		1	99	20.34	20.07	20.75	22.00
20MHz	16QAM	50	0	19.88	20.96	20.55	22.00
		50	25	19.73	20.62	20.62	22.00
		50	50	19.88	20.11	20.58	22.00
		100	0	19.88	20.56	20.57	22.00
		1	0	20.52	20.20	21.28	22.00
		1	50	20.03	20.38	20.44	22.00
		1	99	20.52	20.75	20.54	22.00
	64QAM	50	0	20.10	20.29	20.08	22.00
	64QAM		25	20.06	20.25	20.02	22.00
		50	23	20.00		0.0_	
		50	50	20.06	20.17	20.04	22.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

Page : 349 of 493

LIEB	and 41 hotspot a	ictived for 5G	WIFI		Conducted	Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel 40165	Channel 40690	Channel 41215	Tune up
		1	0	18.76	19.18	19.47	20.50
	-	1	13	18.58	18.98	19.50	20.50
	-	1	24	18.14	18.59	19.09	20.50
	QPSK	12	0	18.69	19.33	19.50	20.50
	QI OIL	12	6	18.61	18.99	19.49	20.50
	-	12	13	18.38	19.04	19.29	20.50
	-	25	0	18.49	19.20	19.40	20.50
		1	0	18.67	19.29	19.40	20.50
	-	1	13	18.48	19.29	19.31	20.50
	-	<u></u>	24	18.09	18.72	18.98	20.50
5MHz	16QAM	12		18.55	19.15	19.33	
SIVITIZ	IOQAIVI	12	6	18.39	19.15	19.33	20.50 20.50
	<u> </u>	12	13	18.39	18.80	19.34	20.50
		25	0	18.41	18.56	19.27	20.50
	-	1	0	19.17	19.14	18.92	20.50
		1	13	18.37	18.59	18.37	20.50
		1	24	18.60	19.00	18.78	20.50
64	64QAM	12	0	19.02	19.26	19.07	20.50
		12	6	19.00	19.23	19.02	20.50
	-	12	13	18.99	19.16	19.01	20.50
		25	0	19.01	19.18	18.99	20.50
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
			offset	40190	40690	41190	
	-	1	0	18.37	19.17	19.06	20.50
	-	1	25	18.40	19.20	19.37	20.50
	-	1	49	17.82	18.29	18.73	20.50
	QPSK	25	0	18.54	19.39	19.36	20.50
	<u>_</u>	25	13	18.36	19.20	19.33	20.50
	<u>_</u>	25	25	18.14	18.80	19.17	20.50
		50	0	18.39	19.14	19.29	20.50
		1	0	18.37	19.07	18.94	20.50
		1	25	18.38	19.13	19.23	20.50
		1	49	17.75	18.17	18.65	20.50
10MHz	16QAM	25	0	18.43	19.24	19.18	20.50
		25	13	18.25	19.06	19.13	20.50
		25	25	18.02	18.66	19.03	20.50
		50	0	18.28	19.01	19.16	20.50
		1	0	19.00	18.74	18.60	20.50
		1	25	18.79	19.17	18.52	20.50
		1	49	18.76	18.26	18.80	20.50
	64QAM	25	0	19.09	19.22	19.05	20.50
		25	13	19.02	19.15	19.03	20.50
	ļ	25	25	19.04	19.08	19.03	20.50
		50	0	18.93	19.06	18.88	20.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 350 of 493 Page

Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tungun
Danuwium	Modulation	KD SIZE	offset	40215	40690	41165	Tune up
		1	0	18.64	19.54	19.23	20.50
		1	38	18.38	19.19	19.47	20.50
		1	74	18.17	18.22	18.93	20.50
	QPSK	36	0	18.60	19.53	19.39	20.50
		36	18	18.36	19.25	19.33	20.50
		36	39	18.27	18.75	19.25	20.50
		75	0	18.39	19.14	19.37	20.50
		1	0	18.70	19.53	19.24	20.50
		1	38	18.40	19.17	19.43	20.50
		1	74	18.14	18.20	18.98	20.50
15MHz	16QAM	36	0	18.47	19.34	19.21	20.50
		36	18	18.00	19.13	19.17	20.50
		36	39	18.12	18.58	19.07	20.50
		75	0	18.32	19.04	19.14	20.50
		1	0	19.08	18.81	18.67	20.50
		1	38	18.86	19.25	18.59	20.50
		1	74	18.84	18.35	18.87	20.50
	64QAM	36	0	19.15	19.31	19.12	20.50
		36	18	19.08	19.22	19.10	20.50
		36	39	19.12	19.14	19.09	20.50
		75	0	19.00	19.15	18.97	20.50
		DD :	RB	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	offset	40240	40690	41140	Tune up
		1	0	18.48	19.55	18.75	20.50
		1	50	18.11	18.92	19.08	20.50
		1	99	18.55	18.29	19.05	20.50
	QPSK	50	0	18.27	19.39	19.02	20.50
		50	25	18.20	19.02	19.09	20.50
		50	50	18.18	18.56	19.08	20.50
		100	0	18.28	18.98	19.01	20.50
		1	0	18.50	19.41	18.74	20.50
		1	50	18.01	18.86	19.04	20.50
		1	99	18.55	18.25	18.82	20.50
20MHz	16QAM	50	0	18.12	19.23	18.87	20.50
		50	25	18.10	18.87	18.93	20.50
		50	50	18.08	18.43	18.92	20.50
		100	0	18.17	18.88	18.88	20.50
		1	0	19.56	19.20	18.96	20.50
		1	50	18.62	18.64	18.43	20.50
		1	99	18.65	19.05	18.83	20.50
	64QAM	50	0	19.08	19.28	19.12	20.50
		50	25	19.04	19.29	19.04	20.50
	1						
	Ī	50	50	19.05	19.18	19.04	20.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 351 of 493

LTE Band 41	Body-worn sir with 2.4G		ly transmit		Conducted	Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Danuwium	Modulation	RD SIZE	RB ollset	40165	40690	41215	Tune up
		1	0	21.23	21.24	21.23	22.00
		1	13	21.19	21.22	21.21	22.00
		1	24	20.67	21.02	21.07	22.00
	QPSK	12	0	21.24	21.25	21.25	22.00
		12	6	20.94	21.22	21.24	22.00
		12	13	20.95	21.19	21.23	22.00
		25	0	21.08	21.24	21.21	22.00
		1	0	21.23	21.24	21.24	22.00
		1	13	21.13	21.19	21.23	22.00
		1	24	20.73	20.86	21.01	22.00
5MHz	16QAM	12	0	21.17	21.22	21.26	22.00
		12	6	21.06	21.18	21.21	22.00
		12	13	20.86	21.04	21.13	22.00
		25	0	20.94	21.10	21.13	22.00
		1	0	20.48	21.01	20.08	22.00
		1	13	20.08	20.22	19.96	22.00
		1	24	20.71	20.88	20.17	22.00
	64QAM	12	0	20.05	20.16	19.94	22.00
	0 190 1111	12	6	19.88	20.15	19.68	22.00
		12	13	19.98	20.10	19.88	22.00
		25	0	19.98	20.14	19.98	22.00
				Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	40190	40690	41190	Tune up
		1	0	20.98	21.17	20.89	22.00
		1	25	20.94	21.24	21.23	22.00
		1	49	19.93	20.47	20.75	22.00
	QPSK	25	0	21.13	21.24	21.23	22.00
		25	13	20.81	21.23	21.17	22.00
		25	25	20.38	21.01	21.09	22.00
		50	0	20.74	21.23	21.21	22.00
		1	0	20.99	20.97	20.75	22.00
		1	25	20.95	21.25	21.14	22.00
		1	49	19.90	20.41	20.65	22.00
10MHz	16QAM	25	0	20.77	21.26	21.03	22.00
		25	13	20.70	21.13	20.98	22.00
		25	25	20.26	20.86	20.91	22.00
		50	0	20.62	21.04	20.93	22.00
		1	0	20.47	21.03	20.05	22.00
		1	25	20.09	20.22	19.98	22.00
		1	49	20.74	20.87	20.20	22.00
	64QAM	25	0	20.02	20.18	19.97	22.00
	0 130/ tivi	25	13	19.92	20.18	19.66	22.00
		25	25	19.97	20.10	19.89	22.00
		50	0	19.97	20.10	19.89	22.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd. t (886-2) 2299-3279 台灣檢驗科技股份有限公司



Rev : 01

Page : 352 of 493

Danduridth	Madulation	DD size	DD offeet	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RB size	RB offset	40215	40690	41165	Tune up
		1	0	21.01	21.25	20.95	22.00
		1	38	20.71	21.24	21.24	22.00
		1	74	19.85	20.39	20.91	22.00
	QPSK	36	0	21.02	21.26	21.14	22.00
		36	18	20.72	21.23	21.18	22.00
		36	39	20.11	20.91	21.13	22.00
		75	0	20.63	21.19	21.10	22.00
		1	0	21.09	21.14	20.87	22.00
		1	38	20.59	21.19	21.18	22.00
		1	74	19.74	20.28	20.90	22.00
15MHz	16QAM	36	0	20.90	21.24	20.95	22.00
		36	18	20.61	21.13	21.01	22.00
		36	39	20.00	20.76	20.96	22.00
		75	0	20.50	21.00	20.91	22.00
		1	0	20.49	21.05	20.04	22.00
		1	38	20.11	20.22	19.98	22.00
		1	74	20.74	20.88	20.19	22.00
	64QAM	36	0	20.03	20.19	19.98	22.00
		36	18	19.89	20.17	19.70	22.00
		36	39	19.98	20.09	19.90	22.00
		75	0	19.98	20.14	19.96	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tung un
Danuwium	Modulation	KD SIZE	KD Ollset	40240	40690	41140	Tune up
		1	0	21.06	21.26	20.51	22.00
		1	50	19.60	20.57	20.39	22.00
		1	99	19.92	20.33	21.05	22.00
	QPSK		0	20.74	21.27	20.61	22.00
	QPSK	50	U	20.74			
		50	25	20.29	21.11	20.93	22.00
		50	25	20.29	21.11	20.93	22.00
		50 50	25 50	20.29 19.96	21.11 20.64	20.93 20.95	22.00 22.00
		50 50 100	25 50 0	20.29 19.96 20.38	21.11 20.64 20.99	20.93 20.95 20.85	22.00 22.00 22.00
		50 50 100 1	25 50 0 0	20.29 19.96 20.38 21.27	21.11 20.64 20.99 21.13	20.93 20.95 20.85 20.59	22.00 22.00 22.00 22.00
20MHz	16QAM	50 50 100 1	25 50 0 0 50	20.29 19.96 20.38 21.27 19.65	21.11 20.64 20.99 21.13 20.57	20.93 20.95 20.85 20.59 20.32	22.00 22.00 22.00 22.00 22.00
20MHz	16QAM	50 50 100 1 1	25 50 0 0 50 99	20.29 19.96 20.38 21.27 19.65 19.91	21.11 20.64 20.99 21.13 20.57 20.43	20.93 20.95 20.85 20.59 20.32 21.04	22.00 22.00 22.00 22.00 22.00 22.00
20MHz	16QAM	50 50 100 1 1 1 50	25 50 0 0 50 99	20.29 19.96 20.38 21.27 19.65 19.91 20.61	21.11 20.64 20.99 21.13 20.57 20.43 21.05	20.93 20.95 20.85 20.59 20.32 21.04 20.60	22.00 22.00 22.00 22.00 22.00 22.00 22.00
20MHz	16QAM	50 50 100 1 1 1 1 50	25 50 0 0 50 99 0 25	20.29 19.96 20.38 21.27 19.65 19.91 20.61 20.14	21.11 20.64 20.99 21.13 20.57 20.43 21.05 20.90	20.93 20.95 20.85 20.59 20.32 21.04 20.60 20.76	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
20MHz	16QAM	50 50 100 1 1 1 50 50	25 50 0 0 50 99 0 25 50	20.29 19.96 20.38 21.27 19.65 19.91 20.61 20.14 19.79	21.11 20.64 20.99 21.13 20.57 20.43 21.05 20.90 20.51	20.93 20.95 20.85 20.59 20.32 21.04 20.60 20.76 20.80	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
20MHz	16QAM	50 50 100 1 1 1 50 50 50	25 50 0 0 50 99 0 25 50 0	20.29 19.96 20.38 21.27 19.65 19.91 20.61 20.14 19.79 20.31	21.11 20.64 20.99 21.13 20.57 20.43 21.05 20.90 20.51 20.82	20.93 20.95 20.85 20.59 20.32 21.04 20.60 20.76 20.80 20.68	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
20MHz	16QAM	50 50 100 1 1 1 50 50 50 100	25 50 0 0 50 99 0 25 50 0	20.29 19.96 20.38 21.27 19.65 19.91 20.61 20.14 19.79 20.31 20.51	21.11 20.64 20.99 21.13 20.57 20.43 21.05 20.90 20.51 20.82 21.07	20.93 20.95 20.85 20.59 20.32 21.04 20.60 20.76 20.80 20.68 20.10	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
20MHz	16QAM 64QAM	50 50 100 1 1 1 50 50 50 100 1	25 50 0 0 50 99 0 25 50 0 0 50	20.29 19.96 20.38 21.27 19.65 19.91 20.61 20.14 19.79 20.31 20.51 20.14	21.11 20.64 20.99 21.13 20.57 20.43 21.05 20.90 20.51 20.82 21.07 20.28	20.93 20.95 20.85 20.59 20.32 21.04 20.60 20.76 20.80 20.68 20.10 20.01	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
20MHz		50 50 100 1 1 1 50 50 50 100 1	25 50 0 0 50 99 0 25 50 0 0 50 99	20.29 19.96 20.38 21.27 19.65 19.91 20.61 20.14 19.79 20.31 20.51 20.14 20.77	21.11 20.64 20.99 21.13 20.57 20.43 21.05 20.90 20.51 20.82 21.07 20.28 20.93	20.93 20.95 20.85 20.59 20.32 21.04 20.60 20.76 20.80 20.68 20.10 20.01 20.22	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
20MHz		50 50 100 1 1 1 50 50 100 1 1 1 1 50	25 50 0 0 50 99 0 25 50 0 0 50 99	20.29 19.96 20.38 21.27 19.65 19.91 20.61 20.14 19.79 20.31 20.51 20.14 20.77 20.07	21.11 20.64 20.99 21.13 20.57 20.43 21.05 20.90 20.51 20.82 21.07 20.28 20.93 20.21	20.93 20.95 20.85 20.59 20.32 21.04 20.60 20.76 20.80 20.68 20.10 20.01 20.01 20.22 20.00	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 353 of 493 Page

LTE Band 41 I	Body-worn simulta 5G WIFI	neously tran	smit with		Conducted	Power(dBm)	
			RB	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	offset	40165	40690	41215	Tune up
		1	0	19.66	19.67	19.64	20.50
		1	13	19.47	19.66	19.65	20.50
		1	24	19.02	19.37	19.44	20.50
	QPSK	12	0	19.58	19.65	19.63	20.50
		12	6	19.47	19.66	19.65	20.50
		12	13	19.25	19.55	19.65	20.50
		25	0	19.39	19.63	19.45	20.50
		1	0	19.64	19.65	19.66	20.50
		1	13	19.63	19.66	19.64	20.50
		1	24	19.15	19.46	19.53	20.50
5MHz	16QAM	12	0	19.44	19.55	19.59	20.50
		12	6	19.32	19.51	19.60	20.50
		12	13	19.11	19.36	19.49	20.50
		25	0	19.28	19.45	19.49	20.50
j		1	0	18.79	19.15	18.28	20.50
		1	13	18.85	18.34	18.76	20.50
		1	24	18.84	18.52	19.11	20.50
	64QAM	12	0	18.97	19.13	18.95	20.50
	0.4	12	6	18.86	19.10	18.86	20.50
		12	13	18.91	19.00	18.88	20.50
		25	0	18.92	19.12	18.91	20.50
			RB	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	offset	40190	40690	41190	Tune up
		1	0	19.32	19.46	19.20	20.50
		1	25	19.27	19.65	19.66	20.50
		1	49	18.31	18.81	19.15	20.50
	QPSK	25	0	19.47	19.66	19.58	20.50
		25	13	19.17	19.64	19.58	20.50
		25	25	18.73	19.35	19.50	20.50
		50	0	19.11	19.57	19.55	20.50
		1	0	19.32	19.35	19.14	20.50
		1	25	19.23	19.58	19.52	20.50
		1	49	18.30	18.78	19.09	20.50
10MHz	16QAM	25	0	19.34	19.53	19.44	20.50
		25	13	19.02	19.45	19.37	20.50
		25	25	18.59	19.18	19.29	20.50
		50	0	18.97	19.37	19.35	20.50
-		1	0	18.77	19.16	18.29	20.50
		1	25	18.86	18.36	18.77	20.50
		1	49	18.86	18.50	19.10	20.50
	64QAM	25	0	18.97	19.13	18.98	20.50
	0 1 307 tivi	25	13	18.87	19.15	18.86	20.50
		25	25	18.91	19.13	18.87	20.50
		50	0	18.95	19.04	18.95	20.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

Page : 354 of 493

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungum
bandwidth	Modulation	RD SIZE	RD Ollset	40215	40690	41165	Tune up
		1	0	19.59	19.67	19.34	20.50
		1	38	19.03	19.66	19.66	20.50
		1	74	18.16	18.81	19.29	20.50
	QPSK	36	0	19.37	19.66	19.55	20.50
		36	18	19.13	19.68	19.59	20.50
		36	39	18.56	19.32	19.26	20.50
		75	0	18.93	19.55	19.54	20.50
		1	0	19.59	19.63	19.29	20.50
		1	38	19.07	19.35	19.61	20.50
		1	74	18.19	18.74	19.30	20.50
15MHz	16QAM	36	0	19.25	19.60	19.40	20.50
		36	18	19.00	19.53	19.40	20.50
		36	39	18.43	19.15	19.33	20.50
		75	0	18.86	19.34	19.33	20.50
		1	0	18.81	19.16	18.29	20.50
		1	38	18.88	18.34	18.79	20.50
		1	74	18.85	18.50	19.07	20.50
	64QAM	36	0	18.97	19.17	18.98	20.50
		36	18	18.90	19.15	18.86	20.50
		36	39	18.94	19.02	18.87	20.50
		75	0	18.93	19.13	18.91	20.50
			"	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	40240	40690	41140	Tune up
		1	0	19.39	19.68	18.86	20.50
		I I	U				
		1	50	17.9	18.9	18.71	20.50
				17.9 18.15	18.9 18.77	18.71 19.46	20.50 20.50
	QPSK	1	50				
	QPSK	1	50 99	18.15	18.77	19.46	20.50
	QPSK	1 1 50	50 99 0	18.15 19.13	18.77 19.63	19.46 19.09	20.50 20.50
	QPSK	1 1 50 50	50 99 0 25	18.15 19.13 18.58	18.77 19.63 19.46	19.46 19.09 19.31	20.50 20.50 20.50
	QPSK	1 1 50 50 50	50 99 0 25 50	18.15 19.13 18.58 18.19	18.77 19.63 19.46 19.05	19.46 19.09 19.31 19.33	20.50 20.50 20.50 20.50
	QPSK	1 1 50 50 50 100	50 99 0 25 50	18.15 19.13 18.58 18.19 18.75	18.77 19.63 19.46 19.05 19.38	19.46 19.09 19.31 19.33 19.20	20.50 20.50 20.50 20.50 20.50
	QPSK	1 50 50 50 100	50 99 0 25 50 0	18.15 19.13 18.58 18.19 18.75 19.34	18.77 19.63 19.46 19.05 19.38 19.49	19.46 19.09 19.31 19.33 19.20 18.95	20.50 20.50 20.50 20.50 20.50 20.50
20MHz	QPSK 16QAM	1 1 50 50 50 100 1	50 99 0 25 50 0 0 50	18.15 19.13 18.58 18.19 18.75 19.34 17.85	18.77 19.63 19.46 19.05 19.38 19.49 18.83	19.46 19.09 19.31 19.33 19.20 18.95 18.73	20.50 20.50 20.50 20.50 20.50 20.50 20.50
20MHz		1 50 50 50 100 1 1	50 99 0 25 50 0 0 50 99	18.15 19.13 18.58 18.19 18.75 19.34 17.85 18.12	18.77 19.63 19.46 19.05 19.38 19.49 18.83 18.85	19.46 19.09 19.31 19.33 19.20 18.95 18.73 19.69 18.97	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
20MHz		1 50 50 50 100 1 1 1 1 50	50 99 0 25 50 0 0 50 99	18.15 19.13 18.58 18.19 18.75 19.34 17.85 18.12 18.98	18.77 19.63 19.46 19.05 19.38 19.49 18.83 18.85 19.42	19.46 19.09 19.31 19.33 19.20 18.95 18.73 19.69	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
20MHz		1 50 50 50 100 1 1 1 50 50	50 99 0 25 50 0 0 50 99 0	18.15 19.13 18.58 18.19 18.75 19.34 17.85 18.12 18.98 18.49	18.77 19.63 19.46 19.05 19.38 19.49 18.83 18.85 19.42 19.33 18.93	19.46 19.09 19.31 19.33 19.20 18.95 18.73 19.69 18.97 19.11	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
20MHz		1 50 50 50 100 1 1 1 1 50 50	50 99 0 25 50 0 0 50 99 0 25 50	18.15 19.13 18.58 18.19 18.75 19.34 17.85 18.12 18.98 18.49 18.09 18.67	18.77 19.63 19.46 19.05 19.38 19.49 18.83 18.85 19.42 19.33 18.93 19.23	19.46 19.09 19.31 19.33 19.20 18.95 18.73 19.69 18.97 19.11 19.12	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
20MHz		1 50 50 50 100 1 1 1 50 50 50 100	50 99 0 25 50 0 0 50 99 0 25 50 0	18.15 19.13 18.58 18.19 18.75 19.34 17.85 18.12 18.98 18.49 18.09 18.67 18.85	18.77 19.63 19.46 19.05 19.38 19.49 18.83 18.85 19.42 19.33 18.93 19.23	19.46 19.09 19.31 19.33 19.20 18.95 18.73 19.69 18.97 19.11 19.12 19.07 18.35	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
20MHz		1 50 50 50 100 1 1 1 50 50 50	50 99 0 25 50 0 0 50 99 0 25 50 0	18.15 19.13 18.58 18.19 18.75 19.34 17.85 18.12 18.98 18.49 18.09 18.67 18.85 18.93	18.77 19.63 19.46 19.05 19.38 19.49 18.83 18.85 19.42 19.33 18.93 19.23 19.21	19.46 19.09 19.31 19.33 19.20 18.95 18.73 19.69 18.97 19.11 19.12 19.07 18.35 18.84	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
20MHz	16QAM	1 1 50 50 50 100 1 1 1 50 50 50 100 1 1	50 99 0 25 50 0 0 50 99 0 25 50 0 0	18.15 19.13 18.58 18.19 18.75 19.34 17.85 18.12 18.98 18.49 18.09 18.67 18.85 18.93 18.92	18.77 19.63 19.46 19.05 19.38 19.49 18.83 18.85 19.42 19.33 18.93 19.23 19.21 18.41 18.57	19.46 19.09 19.31 19.33 19.20 18.95 18.73 19.69 18.97 19.11 19.12 19.07 18.35 18.84 19.15	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
20MHz		1 1 50 50 50 100 1 1 1 50 50 100 1 1 1 1	50 99 0 25 50 0 0 50 99 0 25 50 0 0 0 25 50	18.15 19.13 18.58 18.19 18.75 19.34 17.85 18.12 18.98 18.49 18.09 18.67 18.85 18.93 18.92 19.05	18.77 19.63 19.46 19.05 19.38 19.49 18.83 18.85 19.42 19.33 18.93 19.23 19.21 18.41 18.57	19.46 19.09 19.31 19.33 19.20 18.95 18.73 19.69 18.97 19.11 19.12 19.07 18.35 18.84 19.15	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50
20MHz	16QAM	1 1 50 50 50 100 1 1 1 50 50 50 100 1 1	50 99 0 25 50 0 0 50 99 0 25 50 0 0	18.15 19.13 18.58 18.19 18.75 19.34 17.85 18.12 18.98 18.49 18.09 18.67 18.85 18.93 18.92	18.77 19.63 19.46 19.05 19.38 19.49 18.83 18.85 19.42 19.33 18.93 19.23 19.21 18.41 18.57	19.46 19.09 19.31 19.33 19.20 18.95 18.73 19.69 18.97 19.11 19.12 19.07 18.35 18.84 19.15	20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 355 of 493 Page

LTE Band 4	1 Left Head simu with 2.4G V		transmit		Conducted P	ower(dBm)	
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
		4	offset	40165	40690	41215	
		1	0	17.46	17.43	17.41	19.00
		1	13	16.94	16.21	16.32	19.00
	ODOK	1	24	17.34	17.49	17.55	19.00
	QPSK	12	0	17.43	17.32	17.48	19.00
E FO		12 12	6	17.38	17.39	17.40 17.40	19.00
			13	17.41	17.27		19.00
		25	0	17.42	17.31	17.44	19.00
		1	0	17.63	17.31	17.33	19.00
		1	13	17.34	16.04	16.45	19.00
EMU-	16001	1	24	17.52	17.39	17.59	19.00
5MHz	16QAM	12	0	17.29	17.30	17.39	19.00
		12	6	17.06	17.34	17.34	19.00
		12	13	17.39	17.27	17.40	19.00
		25	0	17.35	17.38	17.35	19.00
		1	0	17.16	17.32	17.26	19.00
		1	13	17.15	17.88	17.37	19.00
	040414	1	24	17.54	17.90	17.35	19.00
	64QAM	12	0	17.46	17.61	17.43	19.00
		12	6	17.39	17.58	17.34	19.00
		12	13	17.44	17.52	17.39	19.00
		25	0	17.39	17.58	17.39	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
		1	0	40190 17.39	40690 17.42	41190 17.54	40.00
		1	25	17.05	16.31	16.34	19.00 19.00
							-
	QPSK	1 25	49 0	17.38 17.34	17.50 17.34	17.65 17.37	19.00
	QPSK	25					19.00
			13	17.48	17.28	17.36	19.00
		25	25	17.40 17.37	17.37	17.39	19.00
		50	0		17.33	17.33	19.00
		1	0	17.55	17.36	17.40	19.00
		1	25	17.51	16.97	16.46	19.00
10MH-	160014	1	49	17.55	17.31	17.62	19.00
10MHz	16QAM	25	0	17.39	17.35	17.40	19.00
		25	13	17.11	17.30	17.45	19.00
		25 50	25	17.34	17.29	17.33	19.00
		50	0	17.38	17.31	17.38	19.00
		1	0	17.17	17.19	17.79	19.00
		1	25	17.21	17.87	17.43	19.00
	C40 A B 4	1	49	17.07	17.50	17.58	19.00
	64QAM	25	0	17.48	17.66	17.41	19.00
		25	13	17.44	17.63	17.39	19.00
		25	25	17.47	17.53	17.38	19.00
		50	0	17.44	17.58	17.37	19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 356 of 493 Page

Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
Danuwium	Modulation	KD SIZE	offset	40215	40690	41165	Turie up
		1	0	17.53	17.41	17.47	19.00
		1	38	17.02	16.27	16.21	19.00
		1	74	17.41	17.41	17.64	19.00
	QPSK	36	0	17.46	17.29	17.40	19.00
		36	18	17.40	17.30	17.43	19.00
		36	39	17.43	17.30	17.41	19.00
		75	0	17.35	17.37	17.32	19.00
		1	0	17.56	17.32	17.42	19.00
		1	38	16.48	16.02	16.57	19.00
		1	74	17.48	17.30	17.62	19.00
15MHz	16QAM	36	0	17.29	17.37	17.44	19.00
		36	18	17.15	17.33	17.38	19.00
		36	39	17.41	17.36	17.41	19.00
		75	0	17.41	17.28	17.40	19.00
		1	0	17.21	17.40	17.33	19.00
		1	38	17.23	17.90	17.44	19.00
		1	74	17.62	17.91	17.41	19.00
	64QAM	36	0	17.54	17.67	17.50	19.00
		36	18	17.47	17.66	17.41	19.00
		36	39	17.51	17.58	17.44	19.00
		75	0	17.47	17.66	17.44	19.00
			RB	Channel	Channel	Channel	
		- n-n	LD.	Onamici	Charine	Channel	_
Bandwidth	Modulation	RB size	offset	40240	40690	41140	Tune up
Bandwidth	Modulation	RB size					Tune up
Bandwidth	Modulation		offset	40240	40690	41140	
Bandwidth	Modulation	1	offset 0	40240 17.53	40690 17.55	41140 17.55	19.00
Bandwidth	Modulation	1 1	offset 0 50	40240 17.53 17.08	40690 17.55 16.32	41140 17.55 16.34	19.00 19.00
Bandwidth		1 1 1	offset 0 50 99	40240 17.53 17.08 17.44	40690 17.55 16.32 17.56	41140 17.55 16.34 17.70	19.00 19.00 19.00
Bandwidth		1 1 1 50 50	offset 0 50 99 0 25	40240 17.53 17.08 17.44 17.48 17.48	40690 17.55 16.32 17.56 17.44 17.41	41140 17.55 16.34 17.70 17.49 17.46	19.00 19.00 19.00 19.00 19.00
Bandwidth		1 1 1 50 50 50	offset 0 50 99 0 25 50	40240 17.53 17.08 17.44 17.48 17.48 17.50	40690 17.55 16.32 17.56 17.44 17.41	41140 17.55 16.34 17.70 17.49 17.46 17.48	19.00 19.00 19.00 19.00 19.00
Bandwidth		1 1 1 50 50	offset 0 50 99 0 25	40240 17.53 17.08 17.44 17.48 17.48 17.50 17.45	40690 17.55 16.32 17.56 17.44 17.41 17.40 17.44	41140 17.55 16.34 17.70 17.49 17.46 17.48	19.00 19.00 19.00 19.00 19.00 19.00 19.00
Bandwidth		1 1 1 50 50 50 50	offset 0 50 99 0 25 50 0	40240 17.53 17.08 17.44 17.48 17.48 17.50 17.45	40690 17.55 16.32 17.56 17.44 17.41 17.40 17.44 17.45	41140 17.55 16.34 17.70 17.49 17.46 17.48 17.44 17.43	19.00 19.00 19.00 19.00 19.00 19.00 19.00
Bandwidth		1 1 1 50 50 50 100	offset 0 50 99 0 25 50 0 0 50	40240 17.53 17.08 17.44 17.48 17.48 17.50 17.45 17.64 16.14	40690 17.55 16.32 17.56 17.44 17.41 17.40 17.44 17.45 16.07	41140 17.55 16.34 17.70 17.49 17.46 17.48 17.44 17.43 16.59	19.00 19.00 19.00 19.00 19.00 19.00 19.00
	QPSK	1 1 1 50 50 50 100 1 1	offset 0 50 99 0 25 50 0 0 50 99	40240 17.53 17.08 17.44 17.48 17.48 17.50 17.45 17.64 16.14 17.59	40690 17.55 16.32 17.56 17.44 17.41 17.40 17.44 17.45 16.07 17.45	41140 17.55 16.34 17.70 17.49 17.46 17.48 17.44 17.43 16.59 17.66	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
Bandwidth 20MHz		1 1 50 50 50 100 1 1 1 50	offset 0 50 99 0 25 50 0 0 50 99	40240 17.53 17.08 17.44 17.48 17.48 17.50 17.45 17.64 16.14 17.59 17.40	40690 17.55 16.32 17.56 17.44 17.41 17.40 17.44 17.45 16.07 17.45 17.45	41140 17.55 16.34 17.70 17.49 17.46 17.48 17.44 17.43 16.59 17.66 17.47	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
	QPSK	1 1 50 50 50 100 1 1 1 1 50	offset 0 50 99 0 25 50 0 50 99 0 25 50 25	40240 17.53 17.08 17.44 17.48 17.48 17.50 17.45 17.64 16.14 17.59 17.40 17.18	40690 17.55 16.32 17.56 17.44 17.41 17.40 17.44 17.45 16.07 17.45 17.42 17.37	41140 17.55 16.34 17.70 17.49 17.46 17.48 17.44 17.43 16.59 17.66 17.47	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
	QPSK	1 1 1 50 50 50 100 1 1 1 1 50 50	offset 0 50 99 0 25 50 0 50 99 0 25 50 50 99 0 25 50	40240 17.53 17.08 17.44 17.48 17.48 17.50 17.45 17.64 16.14 17.59 17.40 17.18 17.42	40690 17.55 16.32 17.56 17.44 17.41 17.40 17.44 17.45 16.07 17.45 17.42 17.37 17.40	41140 17.55 16.34 17.70 17.49 17.46 17.48 17.44 17.43 16.59 17.66 17.47 17.47	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
	QPSK	1 1 1 50 50 50 100 1 1 1 1 50 50 50	offset 0 50 99 0 25 50 0 0 50 99 0 25 50 0 0 25 50 0	40240 17.53 17.08 17.44 17.48 17.48 17.50 17.45 17.64 16.14 17.59 17.40 17.18 17.42	40690 17.55 16.32 17.56 17.44 17.41 17.40 17.45 16.07 17.45 17.42 17.37 17.40 17.41	41140 17.55 16.34 17.70 17.49 17.46 17.48 17.44 17.43 16.59 17.66 17.47 17.47	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
	QPSK	1 1 1 50 50 50 100 1 1 1 50 50 50 100 1	offset 0 50 99 0 25 50 0 50 99 0 25 50 0 0 25 50 0 0 0	40240 17.53 17.08 17.44 17.48 17.48 17.50 17.45 17.64 16.14 17.59 17.40 17.18 17.42 17.42 17.22	40690 17.55 16.32 17.56 17.44 17.41 17.40 17.45 16.07 17.45 17.42 17.37 17.40 17.41 17.26	41140 17.55 16.34 17.70 17.49 17.46 17.48 17.44 17.43 16.59 17.66 17.47 17.47 17.47 17.47	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
	QPSK	1 1 50 50 50 100 1 1 1 50 50 50 100 1 1 1 1	offset 0 50 99 0 25 50 0 50 99 0 25 50 0 0 50 50 0 50	40240 17.53 17.08 17.44 17.48 17.48 17.50 17.45 17.64 16.14 17.59 17.40 17.18 17.42 17.42 17.22 17.26	40690 17.55 16.32 17.56 17.44 17.41 17.40 17.45 16.07 17.45 17.42 17.37 17.40 17.41 17.26 17.91	41140 17.55 16.34 17.70 17.49 17.46 17.48 17.44 17.43 16.59 17.66 17.47 17.47 17.47 17.43 17.44 17.92 17.50	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
	QPSK 16QAM	1 1 1 50 50 50 100 1 1 1 50 50 50 100 1 1 1 1	offset 0 50 99 0 25 50 0 50 99 0 25 50 0 0 50 99 0 25 50 0 99 99	40240 17.53 17.08 17.44 17.48 17.48 17.50 17.45 17.64 16.14 17.59 17.40 17.18 17.42 17.22 17.26 17.11	40690 17.55 16.32 17.56 17.44 17.41 17.40 17.44 17.45 16.07 17.45 17.42 17.37 17.40 17.41 17.26 17.91 17.53	41140 17.55 16.34 17.70 17.49 17.46 17.48 17.44 17.43 16.59 17.66 17.47 17.47 17.47 17.47 17.43 17.44 17.92 17.50 17.64	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
	QPSK	1 1 1 50 50 50 100 1 1 1 50 50 100 1 1 1 1	offset 0 50 99 0 25 50 0 50 99 0 25 50 0 0 50 99 0 25 50 0 0 0 50 99	40240 17.53 17.08 17.44 17.48 17.48 17.50 17.45 17.64 16.14 17.59 17.40 17.18 17.42 17.42 17.42 17.22 17.26 17.11	40690 17.55 16.32 17.56 17.44 17.41 17.40 17.44 17.45 16.07 17.45 17.42 17.37 17.40 17.41 17.26 17.91 17.53 17.69	41140 17.55 16.34 17.70 17.49 17.46 17.48 17.44 17.43 16.59 17.66 17.47 17.47 17.47 17.47 17.43 17.44 17.92 17.50 17.64 17.48	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00
	QPSK 16QAM	1 1 1 50 50 50 100 1 1 1 50 50 50 100 1 1 1 1	offset 0 50 99 0 25 50 0 50 99 0 25 50 0 0 50 99 0 25 50 0 99 99	40240 17.53 17.08 17.44 17.48 17.48 17.50 17.45 17.64 16.14 17.59 17.40 17.18 17.42 17.22 17.26 17.11	40690 17.55 16.32 17.56 17.44 17.41 17.40 17.44 17.45 16.07 17.45 17.42 17.37 17.40 17.41 17.26 17.91 17.53	41140 17.55 16.34 17.70 17.49 17.46 17.48 17.44 17.43 16.59 17.66 17.47 17.47 17.47 17.47 17.43 17.44 17.92 17.50 17.64	19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 357 of 493 Page

LTE Band 41	Left Head sim		y transmit	Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up	
Banawiatii	Woddiation	IND SIZE	offset	40165	40690	41215	•	
		1	0	15.84	15.76	15.98	17.50	
	\	1	13	15.31	15.97	16.07	17.50	
		1	24	15.95	15.97	16.04	17.50	
	QPSK	12	0	15.88	15.80	15.92	17.50	
		12	6	15.88	15.67	15.92	17.50	
	\	12	13	15.87	15.89	15.98	17.50	
		25	0	15.89	15.54	16.04	17.50	
		1	0	15.88	15.83	15.95	17.50	
		1	13	15.82	15.70	15.69	17.50	
		1	24	16.00	15.91	15.79	17.50	
5MHz	16QAM	12	0	15.82	15.68	15.67	17.50	
		12	6	15.76	15.55	15.88	17.50	
		12	13	15.77	15.80	15.92	17.50	
		25	0	15.82	15.54	15.90	17.50	
		1	0	15.59	16.04	15.23	17.50	
		1	13	14.95	15.21	15.21	17.50	
		1	24	15.57	15.60	15.52	17.50	
	64QAM	12	0	15.26	16.02	15.89	17.50	
		12	6	15.86	15.93	15.67	17.50	
		12	13	15.9	15.96	15.56	17.50	
		25	0	15.90	16.07	15.89	17.50	
			RB	Channel	Channel	Channel		
Bandwidth	Modulation	RB size	offset	40190	40690	41190	Tune up	
		1	0	15.86	15.72	16.01	17.50	
		1	25	15.20	15.98	16.08	17.50	
		1	49	16.00	15.96	16.01	17.50	
	QPSK	25	0	15.90	15.70	15.88	17.50	
		25	13	15.86	15.64	15.92	17.50	
		25	25	15.91	15.91	16.01	17.50	
		50	0	15.91	15.68	15.91	17.50	
		1	0	15.81	15.81	15.88	17.50	
		1	25	15.81	15.63	15.65	17.50	
		1	49	16.02	15.86	15.75	17.50	
10MHz	16QAM	25	0	15.75	15.71	15.66	17.50	
102	100,111	25	13	15.72	15.62	15.87	17.50	
		25	25	15.78	15.84	15.85	17.50	
		50	0	15.76	15.55	15.81	17.50	
		1	0	14.68	15.84	14.62	17.50	
		1	25	14.63	14.92	14.75	17.50	
		1	49	15.39	15.11	14.75	17.50	
	64QAM	25						
	04QAIVI		12	15.95	16.11	15.66	17.50	
		25	13	15.90	15.94	15.74	17.50	
		25	25	15.88	15.99	15.65	17.50	
	Ì	50	0	15.86	16.07	15.86	17.50	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 358 of 493 Page

Bandwidth	Modulation	RB size	RB	Channel	Channel	Channel	Tune up
Danuwium	Modulation	KD SIZE	offset	40215	40690	41165	rune up
		1	0	15.75	15.76	15.98	17.50
		1	38	15.26	16.01	16.01	17.50
		1	74	16.00	15.99	16.08	17.50
	QPSK	36	0	15.84	15.69	15.90	17.50
		36	18	15.87	15.67	15.97	17.50
		36	39	15.85	15.87	15.95	17.50
		75	0	15.89	15.56	15.93	17.50
		1	0	15.78	15.78	15.95	17.50
		1	38	15.93	15.67	15.61	17.50
		1	74	15.94	15.90	15.66	17.50
15MHz	16QAM	36	0	15.74	15.59	15.61	17.50
		36	18	15.72	15.51	15.79	17.50
		36	39	15.86	15.77	15.97	17.50
		75	0	15.87	15.53	15.94	17.50
		1	0	14.77	15.95	14.73	17.50
		1	38	14.73	15.01	14.83	17.50
		1	74	15.48	15.19	15.05	17.50
	64QAM	36	0	16.02	16.11	15.73	17.50
		36	18	15.97	16.05	15.82	17.50
		36	39	15.98	16.08	15.72	17.50
		75	0	15.96	16.12	15.95	17.50
O o o duvi děh	Madulation	DD oizo	RB	Channel	Channel	Channel	Tuna ur
Bandwidth	Modulation	RB size	offset	40240	40690	41140	Tune up
		1	0	15.89	15.83	16.04	17.50
		1	50	15.35	16.02	16.12	17.50
		1	99	16.01	16.02	16.14	17.50
	QPSK	50	0	15.94	15.81	16.01	17.50
		50	25	15.93	15.73	16.03	17.50
		50	50	15.95	15.91	16.06	17.50
		100	0	16.00	15.69	16.04	17.50
		1	0	15.9	15.91	15.96	17.50
		1	50	15.95	15.74	15.73	17.50
		1	99	16.06	15.99	15.79	17.50
20MHz	16QAM	50	0	15.88	15.73	15.72	17.50
ZUIVITZ		ΕO	25	15.86	15.65	15.94	17.50
ZUIVITZ		50					
20WH2		50	50	15.89	15.88	15.99	17.50
ZUMHZ				15.89 15.92	15.88 15.59	15.99 15.94	17.50 17.50
ZUWITZ		50	50				
ZUWINZ		50 100	50 0	15.92	15.59	15.94	17.50
ZUMITZ		50 100 1	50 0 0	15.92 15.66	15.59 16.13	15.94 15.32	17.50 17.50
ZUMITZ	64QAM	50 100 1 1	50 0 0 50	15.92 15.66 15.02	15.59 16.13 15.32	15.94 15.32 15.32	17.50 17.50 17.50
ZUMINZ	64QAM	50 100 1 1 1	50 0 0 50 99	15.92 15.66 15.02 15.66	15.59 16.13 15.32 15.66	15.94 15.32 15.32 15.61	17.50 17.50 17.50 17.50
ZUWINZ	64QAM	50 100 1 1 1 1 50	50 0 0 50 99	15.92 15.66 15.02 15.66 15.32	15.59 16.13 15.32 15.66 16.13	15.94 15.32 15.32 15.61 15.99	17.50 17.50 17.50 17.50 17.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 359 of 493 Page

	d 41 Right Hea		eously		Conducted I	Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Danawiath	Modulation	KD SIZE	RD Ollset	40165	40690	41215	Tune up
		1	0	13.49	13.78	12.94	14.00
		1	13	13.25	13.93	13.84	14.00
		1	24	12.40	13.04	13.68	14.00
	QPSK	12	0	12.92	13.89	12.94	14.00
		12	6	12.27	13.47	13.05	14.00
		12	13	12.07	13.08	13.23	14.00
		25	0	12.46	13.45	13.13	14.00
		1	0	13.66	13.68	12.93	14.00
		1	13	13.40	13.80	13.81	14.00
		1	24	12.27	13.06	13.56	14.00
5MHz	16QAM	12	0	12.83	13.79	12.97	14.00
		12	6	12.19	13.36	13.02	14.00
		12	13	12.02	13.08	13.23	14.00
		25	0	12.37	13.33	13.03	14.00
		1	0	13.31	13.96	12.94	14.00
		1	13	13.05	13.95	13.97	14.00
		1	24	12.05	12.61	12.93	14.00
	64QAM	12	0	12.64	13.67	13.08	14.00
	0.100,400	12	6	12.06	13.38	13.26	14.00
		12	13	11.80	12.94	13.07	14.00
		25	0	12.35	13.20	13.11	14.00
			-	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	40190	40690	41190	Tune up
		1	0	13.63	13.78	12.98	14.00
		1	25	13.30	13.97	13.83	14.00
		1	49	12.31	13.12	13.65	14.00
	QPSK	25	0	12.90	13.84	13.00	14.00
	<u> </u>	25	13	12.35	13.48	13.11	14.00
		25	25	12.08	13.14	13.3	14.00
		50	0	12.46	13.34	13.13	14.00
		1	0	13.57	13.73	12.9	14.00
		1	25	13.37	13.93	13.78	14.00
		1	49	12.28	12.99	13.55	14.00
10MHz	16QAM	25	0	12.91	13.71	12.95	14.00
10111112	10071111	25	13	12.17	13.25	13.1	14.00
		25	25	12.02	13.03	13.16	14.00
		-	0	12.42	13.23	13.02	14.00
		50		14.74	10.20	10.02	1-7.00
		50			13 07	13 01	1⊿ ∩∩
		1	0	13.34	13.97 13.96	13.01 13.95	14.00
		1 1	0 25	13.34 13.08	13.96	13.95	14.00
	64001	1 1 1	0 25 49	13.34 13.08 12.09	13.96 12.67	13.95 13.04	14.00 14.00
	64QAM	1 1 1 25	0 25 49 0	13.34 13.08 12.09 12.67	13.96 12.67 13.66	13.95 13.04 13.08	14.00 14.00 14.00
	64QAM	1 1 1	0 25 49	13.34 13.08 12.09	13.96 12.67	13.95 13.04	14.00 14.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 360 of 493 Page

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Balluwiutii	Modulation	ND SIZE	KD Ollset	40215	40690	41165	rune up
		1	0	13.54	13.69	12.89	14.00
		1	38	13.33	13.90	13.80	14.00
		1	74	12.36	13.01	13.56	14.00
	QPSK	36	0	13.01	13.79	13.04	14.00
		36	18	12.25	13.42	13.06	14.00
		36	39	12.13	13.10	13.28	14.00
		75	0	12.54	13.40	13.02	14.00
		1	0	13.62	13.67	13.03	14.00
		1	38	13.41	13.79	13.82	14.00
		1	74	12.28	12.99	13.63	14.00
15MHz	16QAM	36	0	12.86	13.73	12.84	14.00
		36	18	12.29	13.25	12.99	14.00
		36	39	11.96	13.09	13.20	14.00
		75	0	12.41	13.22	12.97	14.00
		1	0	13.42	13.95	13.08	14.00
		1	38	13.22	13.93	13.96	14.00
		1	74	12.17	12.81	13.18	14.00
	64QAM	36	0	12.75	13.79	13.22	14.00
		36	18	12.14	13.51	13.41	14.00
		36	39	11.94	13.03	13.19	14.00
		75	0	12.46	13.34	13.25	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tupo ur
bandwidth	Modulation	KD SIZE	KD Ollset	40240	40690	41140	Tune up
		1	0	13.64	13.84	13.00	14.00
		1	50	13.36	13.97	13.87	14.00
		1	99	12.40	13.15	13.68	14.00
	QPSK	50	0	13.05	13.93	13.04	14.00
		50	25	12.39	13.50	13.15	14.00
		50	50	12.18	13.18	13.32	14.00
				. —			
		100	0	12.60	13.45	13.16	14.00
						13.16 13.03	14.00 14.00
		100	0	12.60	13.45		
		100	0	12.60 13.71	13.45 13.75	13.03	14.00
20MHz	16QAM	100 1 1	0 0 50	12.60 13.71 13.50	13.45 13.75 13.94	13.03 13.89	14.00 14.00
20MHz	16QAM	100 1 1 1	0 0 50 99	12.60 13.71 13.50 12.38	13.45 13.75 13.94 13.10	13.03 13.89 13.69	14.00 14.00 14.00
20MHz	16QAM	100 1 1 1 1 50	0 0 50 99 0	12.60 13.71 13.50 12.38 12.93	13.45 13.75 13.94 13.10 13.82	13.03 13.89 13.69 12.98	14.00 14.00 14.00 14.00
20MHz	16QAM	100 1 1 1 1 50 50	0 0 50 99 0 25	12.60 13.71 13.50 12.38 12.93 12.32	13.45 13.75 13.94 13.10 13.82 13.40	13.03 13.89 13.69 12.98 13.10	14.00 14.00 14.00 14.00 14.00
20MHz	16QAM	100 1 1 1 1 50 50 50	0 0 50 99 0 25 50	12.60 13.71 13.50 12.38 12.93 12.32 12.06	13.45 13.75 13.94 13.10 13.82 13.40 13.09	13.03 13.89 13.69 12.98 13.10 13.27	14.00 14.00 14.00 14.00 14.00
20MHz	16QAM	100 1 1 1 50 50 50 100	0 0 50 99 0 25 50	12.60 13.71 13.50 12.38 12.93 12.32 12.06 12.45	13.45 13.75 13.94 13.10 13.82 13.40 13.09 13.36	13.03 13.89 13.69 12.98 13.10 13.27 13.09	14.00 14.00 14.00 14.00 14.00 14.00
20MHz	16QAM	100 1 1 1 50 50 50 100	0 0 50 99 0 25 50 0	12.60 13.71 13.50 12.38 12.93 12.32 12.06 12.45 13.40	13.45 13.75 13.94 13.10 13.82 13.40 13.09 13.36 13.97	13.03 13.89 13.69 12.98 13.10 13.27 13.09 13.00	14.00 14.00 14.00 14.00 14.00 14.00 14.00
20MHz	16QAM 64QAM	100 1 1 1 50 50 50 100 1	0 0 50 99 0 25 50 0	12.60 13.71 13.50 12.38 12.93 12.32 12.06 12.45 13.40 13.16	13.45 13.75 13.94 13.10 13.82 13.40 13.09 13.36 13.97 13.96	13.03 13.89 13.69 12.98 13.10 13.27 13.09 13.00 13.98	14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00
20MHz		100 1 1 1 50 50 50 100 1 1	0 0 50 99 0 25 50 0 0 50	12.60 13.71 13.50 12.38 12.93 12.32 12.06 12.45 13.40 13.16 12.12	13.45 13.75 13.94 13.10 13.82 13.40 13.09 13.36 13.97 13.96 12.69	13.03 13.89 13.69 12.98 13.10 13.27 13.09 13.00 13.98 12.99	14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00
20MHz		100 1 1 1 50 50 50 100 1 1 1 50	0 0 50 99 0 25 50 0 0 50 99	12.60 13.71 13.50 12.38 12.93 12.32 12.06 12.45 13.40 13.16 12.12	13.45 13.75 13.94 13.10 13.82 13.40 13.09 13.36 13.97 13.96 12.69 13.75	13.03 13.89 13.69 12.98 13.10 13.27 13.09 13.00 13.98 12.99 13.17	14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 361 of 493 Page

LTE Band 4	1 Right Head si		ly transmit		Conducted	Power(dBm)	
	with 5G	VVII 1		Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	40165	40690	41215	Tune up
		1	0	12.32	12.30	12.46	12.50
		1	13	12.05	12.01	12.41	12.50
		<u> </u>	24	11.64	11.65	12.41	12.50
	QPSK	12	0	12.26	12.24	12.47	12.50
		12	6	12.17	12.03	12.44	12.50
		12	13	11.9	11.84	12.36	12.50
		25	0	12	11.96	12.39	12.50
		1	0	12.35	12.35	12.47	12.50
		1	13	12.07	12.14	12.48	12.50
		1	24	11.72	11.77	12.39	12.50
5MHz	16QAM	12	0	12.17	12.13	12.48	12.50
		12	6	12.09	11.91	12.45	12.50
		12	13	11.81	11.74	12.43	12.50
		25	0	11.97	11.90	12.41	12.50
		1	0	12.15	12.45	11.60	12.50
		1	13	12	12.22	12.26	12.50
		1	24	10.58	11.24	11.71	12.50
	64QAM	12	0	11.23	12.32	11.75	12.50
		12	6	10.67	12.07	12.03	12.50
		12	13	10.48	11.60	11.81	12.50
		25	0	10.95	11.87	11.89	12.50
5 1 1 1 11	NA 116	DD :	DD " 1	Channel	Channel	Channel	-
Bandwidth	Modulation	RB size	RB offset	40190	40690	41190	Tune up
		1	0	11.72	12.18	12.23	12.50
		1	25	11.56	12.10	12.46	12.50
		1	49	10.62	11.18	12.37	12.50
	QPSK	25	0	12.06	12.34	12.44	12.50
		25	13	11.33	12.01	12.38	12.50
		25	25	10.86	11.70	12.32	12.50
		50	0	11.29	11.96	12.31	12.50
		1	0	12.08	12.11	12.15	12.50
		1	25	11.82	12.00	12.41	12.50
		1	49	10.63	11.04	12.25	12.50
10MHz	16QAM	25	0	11.98	12.13	12.46	12.50
		25	13	11.21	11.79	12.40	12.50
		25	25	10.77	11.47	12.33	12.50
		50	0	11.18	11.74	12.31	12.50
		1	0	11.97	12.46	11.69	12.50
		1	25	11.90	11.97	12.05	12.50
		1	49	10.59	11.24	11.73	12.50
	64QAM	25	0	11.29	12.42	11.83	12.50
		25	13	10.80	12.15	12.11	12.50
		25	25	10.58	11.67	11.87	12.50
		50	0	10.85	11.98	11.96	12.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



: 01 Rev

Page : 362 of 493

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Bandwidth	Modulation	ND SIZE	IND Ollset	40215	40690	41165	rune up
		1	0	12.20	12.19	12.07	12.50
		1	38	11.19	12.00	12.42	12.50
		1	74	10.13	10.98	12.40	12.50
	QPSK	36	0	11.55	12.33	12.34	12.50
		36	18	11.18	12.02	12.13	12.50
		36	39	10.55	11.52	12.45	12.50
		75	0	11.03	11.91	12.43	12.50
		1	0	12.19	12.38	12.09	12.50
		1	38	11.18	11.93	12.47	12.50
		1	74	10.06	10.96	12.37	12.50
15MHz	16QAM	36	0	11.45	12.19	12.23	12.50
		36	18	11.07	11.89	12.25	12.50
		36	39	10.44	11.39	12.44	12.50
		75	0	10.91	11.79	12.34	12.50
		1	0	12.28	12.46	11.74	12.50
		1	38	12.12	12.15	11.98	12.50
		1	74	10.70	11.36	11.81	12.50
	64QAM	36	0	11.33	12.40	11.87	12.50
		36	18	10.81	12.17	12.12	12.50
		36	39	10.60	11.68	11.90	12.50
		75	0	11.06	11.98	11.97	12.50
O o o duvi děh	Madulation	DD size	RB offset	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RB size	Rb oliset	40240	40690	41140	Tune up
		1	0	12.46	12.42	11.62	12.50
		1	50	10.69	11.51	11.77	12.50
		1	99	10.63	11.17	12.44	12.50
	QPSK	50	0	11.86	12.18	11.98	12.50
		50	25	10.91	11.80	12.24	12.50
		50	50	10.53	11.28	12.4	12.50
		100	0	11.06	11.73	12.12	12.50
		1	0	12.43	12.38	11.89	12.50
		1	50	10.72	11.53	11.90	12.50
		1	99	10.68	11.21	12.49	12.50
20MHz	16QAM	50	0	11.76	12.18	11.89	12.50
		50	25	10.79	11.81	12.15	12.50
		50	50	10.42	11.29	12.31	12.50
		100	0	10.95	11.74	12.03	12.50
		1	0	12.04	12.48	11.74	12.50
		1	50	11.96	12.12	12.07	12.50
	1	1	99	10.64	11.28	11.81	12.50
				44.07	12.47	11.91	12.50
	64QAM	50	0	11.37	12.71	1 1	
	64QAM	50 50	0 25	10.86	12.24	12.16	12.50
	64QAM						

Table 16: Conducted Power Of LTE

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 363 of 493

8.1.1 Conducted Power of Downlink and Uplink LTE CA

In this section, the following conducted power measurement results of downlink LTE carrier aggregation are provided to quantify downlink only carrier aggregation SAR test exclusion per KDB 941225 D05A. Uplink maximum output power is measured with downlink carrier aggregation active, using the channel with highest measured maximum output power when downlink carrier aggregation is inactive, to confirm that when downlink carrier aggregation is active uplink maximum output power remains within the specified tune-up tolerance limits and not more than ¼ dB higher than the maximum output power measured when downlink carrier aggregation inactive.

Power test equipment: Anritsu Radio Communication Analyzer MT8821C were used.

The possible downlink and uplink LTE CA combinations supported by this device are as below tables per 3GPP TS 36.101 V13.5.0. The conducted power measurement results of downlink and uplink LTE CA are provided in Section 8 of this report per 3GPP TS 36.521-1 V13.3.0. According to KDB 941225 D05A, the downlink LTE CA SAR test is not required and PAG requirements can be excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 364 of 493

Initial Co	onditions							
		as specified in clause 4.1		NC, TL/\	/L, TL/VH, TH	I/VL, TH/VH		
TS 36.50		as specified in clause 4.3.1 for different (s.	CA	A: Mid ra PCC-SC	nge C: CC1-CC2		G	
in subcla across b the UE.	ause 5.4.2 andwidth	tion setting (N _{RB_agg}) as s A.1-2 for the CA Configu- combination sets support	ration	Lowest N Highest I (Note 2)		3		
	ameters t	or CA Configurations	100	111 411	-4!			
CA Configu N _{RB_agg}	ration /	DL Allocation	CC MOD	UL Alloc	ation			
PCC N _{RB}	SCCs N _{RB}	PCC & SCC RB allocation		N _{RB_alloc}	PCC & SCO (L _{CRB} @ RB	RB allocati	ons	
6	25		QPSK	13	P_5@0	S_8@0	1	_
6	50		QPSK	17	P_5@0	S_12@0	(-)	-
25	15		QPSK	12	P_8@0	S_5@0	F-0 }	-
25	25		QPSK	16	P_8@0	S_8@0	-	-
25	50	N/A for this test	QPSK	20	P_8@0	S_12@0	-	-
50	25		QPSK	20	P_12@0	S_8@0	-	-
50	50		QPSK	24	P_12@0	S_12@0	-	-
50	100		QPSK	30	P_12@0	S_18@0	-	-
75	75		QPSK	32	P_16@0	S_16@0	-	-
100	50		QPSK	30	P_18@0	S_12@0	-	-
100	75		QPSK	34	P_18@0	S_16@0	-	-
100	100		QPSK	36	P_18@0	S_18@0	_	_
Note 1: Note 2:	Configur	figuration Test CC Combi ration, which applicable a CA Configuration UE sup nose is tested, according t	ggregated ports multi	channel b	andwidths are mbinations w	e specified in with the same	Table 5.4 N _{RB_agg} , c	

The conducted power measurement results of downlink & uplink LTE CA Conducted Power are as below, so the downlink only carrier aggregation conditions for this device can be excluded from SAR testing

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



18.36

18.34

18.31

18.48

18.46

5058

5058

18.44

18.44

18.33

18.50

18.50

19.00

19.00

19.00

19.50

19.50

Rev : 01

Page : 365 of 493

Conducted Power of Downlink LTE CA:

20M

20M 10M

20M

20M 10M

Band 2

Band 2

Band 2

Band 4

_2A-12B

CA 4A-12B Band 4

CA 7A-12A Band 7 20M

QPSK

QPSK

16QAM

16QAM

1900

1900 1855

1720

19100

19100

18650

20050

20050

								Fu	III Power A	ANT1								
DL LTE CA				PCC					5	SCC1				SCC2			Power	
Class	LTE	BW	Modulation	UL Freq.	UL	UL#	UL RB	LTE	BW	DL Freq.	DL	LTE	BW	DL Freq.	DL	DL LTE CA	LTE Rel 8	Tune-up
	Band	(MHz)	modulation	(MHz)	Channel	RB	Offset	Band	(MHz)	(MHz)	Channel	Band	(MHz)	(MHz)	Channel	Tx.Power(dBm)	Tx.Power(dBm)	runo up
CA_2C	Band 2	20M	QPSK	1900	19100	1	0	Band 2	20M	1960.2	902	1	- 1	- 1	1	23.73	23.76	24.00
CA_5B	Band 5	10M	QPSK	829	20450	1	0	Band 5	10M	838.9	2549	1	- /	1	1	23.96	23.92	24.00
CA_7C	Band 7	20M	QPSK	2510	20850	1	0	Band 7	20M	2649.8	3048	1	- 1	1	1	22.20	22.14	23.50
CA_12B	Band 12	10M	QPSK	711	23130	1	0	Band 12	10M	733.8	5058	1	- /	1	1	23.91	23.98	24.00
CA_38C	Band 38	20M	QPSK	2580	37850	1	99	Band 38	20M	2599.8	38048	1	- /	1	1	23.23	23.30	24.00
CA_41C	Band 41	15M	QPSK	2647.5	41165	1	0	Band 41	20M	2630.4	40994	1	- 1	1	1	23.57	23.54	24.00
CA_41D	Band 41	20M	QPSK	2600	40690	1	0	Band 41	20M	2619.8	40888	Band 41	20M	2580.2	40492	23.32	23.33	24.00
CA_2A-5A	Band 2	20M	QPSK	1900	19100	1	0	Band 5	10M	881.5	2525	1	- 1	- 1	- 1	23.68	23.76	24.00
CA_2A-5A	Band 5	10M	QPSK	829	20450	1	0	Band 2	20M	1960	900	1	- /	1	1	23.88	23.92	24.00
CA_2A-12B	Band 2	20M	QPSK	1900	19100	1	0	Band 12	10M	741	5130	Band 12	5M	733.8	5058	23.72	23.76	24.00
CA_2A-17A	Band 2	10M	QPSK	1855	18650	1	0	Band 17	10M	740	5790	1	1	1	1	23.27	23.26	24.00
CA_4A-5A	Band 4	20M	QPSK	1745	20300	1	0	Band 5	10M	881.5	2525	- /	- 1	- 1	1	23.33	23.37	24.00
CA_4A-5A	Band 5	10M	QPSK	829	20450	1	0	Band 4	20M	2132.5	2175	1	1	1	1	23.98	23.92	24.00
CA_4A-12A	Band 4	20M	QPSK	1745	20300	1	0	Band 12	10M	737.5	5095	- /	- 1	- 1	- 1	23.11	23.37	24.00
CA_4A-12B	Band 4	20M	QPSK	1745	20300	1	0	Band 12	10M	741	5130	Band 12	5M	733.8	5058	23.11	23.37	24.00
CA_4A-17A	Band 4	10M	QPSK	1750	20350	1	25	Band 17	10M	740	5790	1	- /	- 1	- 1	23.14	23.35	24.00
CA_5A-7A	Band 5	10M	QPSK	829	20450	1	0	Band 7	20M	2655	3100	1	1	1	1	23.79	23.92	24.00
CA_5A-7A	Band 7	20M	QPSK	2510	20850	1	0	Band 5	10M	881.5	2525	- /	- 1	- 1	1	21.97	22.14	23.50
CA_7A-12A	Band 7	20M	QPSK	2510	20850	1	0	Band 12	10M	737.5	5095	1	- /	1	1	22.01	22.14	23.50
CA_7A-12A	Band 12	10M	QPSK	711	23130	1	0	Band 7	20M	2655	3100	1	- 1	1	1	23.94	23.98	24.00
							h	otspot activ	ed reduo	ed power Al	NT1							
DL LTE CA				PCC					S	CC1				SCC2			Power	
Class	LTE	BW	Modulation	UL Freq.	UL	UL#	UL RB	LTE	BW	DL Freq.	DL	LTE	BW	DL Freq.	DL	DL LTE CA	LTE Rel 8	Tune-
0.033	Band	(MHz)	Modulation	(MHz)	Channel	RB	Offset	Band	(MHz)	(MHz)	Channel	Band	(MHz)	(MHz)	Channel	Tx.Power(dB	Tx.Power(dBm	up
CA_2C	Band 2	20M	QPSK	1900	19100	1	0	Band 2	20M	1960.2	902	/	/	/	/	18.43	18.44	19.00
CA_7C	Band 7	20M	QPSK	2560	21350	1	0	Band 7	20M	2660.2	3152	/	/	/	/	17.58	17.76	18.50
CA_38C	Band 38	20M	QPSK	2610	38150	1	0	Band 38	20M	2590.2	37952	/	/	/	/	22.02	22.27	23.00
CA_41C	Band 41	20M	QPSK	2555	40240	1	99	Band 41	20M	2574.8	40438	/	/	/	/	22.38	22.40	23.00
CA 41D	Band 41	20M	QPSK	2555	40240	1	99	Band 41	20M	2574.8	40438	Band 41	15M	2591.9	40609	22.33	22.40	23.00

								sensor on	reduced	power ANT1	1							
DL LTE CA				PCC					S	CC1				SCC2			Power	
Class	LTE	BW	Modulation	UL Freq.	UL	UL#	UL RB	LTE	BW	DL Freq.	DL	LTE	BW	DL Freq.	DL	DL LTE CA	LTE Rel 8	Tune-
0.010	Band	(MHz)	Woddiation	(MHz)	Channel	RB	Offset	Band	(MHz)	(MHz)	Channel	Band	(MHz)	(MHz)	Channel	Tx.Power(dB	Tx.Power(dBm	up
CA_2C	Band 2	20M	QPSK	1860	18700	1	0	Band 2	20M	1959.8	898	/	/	/	/	21.11	21.12	21.50
CA_7C	Band 7	20M	16QAM	2510	20850	1	99	Band 7	20M	2649.8	3048	/	/	/	/	22.07	22.16	22.50
CA_2A-5A	Band 2	20M	QPSK	1860	18700	1	50	Band 5	10M	881.5	2525	1	1	/	/	21.13	21.21	21.50
CA_2A-12B	Band 2	20M	QPSK	1860	18700	1	50	Band 12	10M	741	5130	Band 12	5M	733.8	5058	21.08	21.21	21.50
CA_2A-17A	Band 2	10M	16QAM	1855	18650	1	0	Band 17	10M	740	5790	- /	- /	1	/	21.06	21.11	21.50
CA_4A-12A	Band 4	20M	64QAM	1745	20300	1	0	Band 12	10M	737.5	5095	- /	- /	1	/	21.16	21.22	21.50
CA_4A-12B	Band 4	20M	64QAM	1745	20300	1	0	Band 12	10M	741	5130	Band 12	5M	733.8	5058	21.19	21.22	21.50
CA_4A-17A	Band 4	10M	16QAM	1715	20000	1	0	Band 17	10M	740	5790	/	1	/	1	21.15	21.21	21.50
CA_7A-12A	Band 7	20M	16QAM	2510	20850	1	99	Band 12	10M	737.5	5095	1	- /	1	1	22.09	22.16	22.50

10M

10M

10M

10M

10M

881.5

741 740

737.5

740

Band 5

Band 12

Band 17

Band 12

99

2525

5130

5790

5095

5130 5790

5095

Band 12

5M

5M

								Ful	I Power /	ANT2								
DL LTE CA				PCC					S	CC1				SCC2			Power	
Class	LTE	BW	Modulation	UL Freq.	UL	UL#	UL RB	LTE	BW	DL Freq.	DL	LTE	BW	DL Freq.	DL	DL LTE CA	LTE Rel 8	Tune-
	Band	(MHz)	Woodilation	(MHz)	Channel	RB	Offset	Band	(MHz)	(MHz)	Channel	Band	(MHz)	(MHz)	Channel	Tx.Power(dB	Tx.Power(dBm	up
CA_2C	Band 2	20M	QPSK	1900	19100	1	0	Band 2	20M	1960.2	902	/	/	/	1	24.07	24.12	24.50
CA_5B	Band 5	10M	QPSK	829	20450	1	25	Band 5	10M	883.9	2549	/	/	/	/	23.74	23.82	24.00
CA_7C	Band 7	20M	64QAM	2510	20850	1	0	Band 7	20M	2649.8	3048	/	/	/	/	16.61	16.63	17.00
CA_12B	Band 12	10M	QPSK	711	23130	1	0	Band 12	10M	733.8	5058	/	/	/	/	23.88	23.95	24.00
CA_38C	Band 38	20M	QPSK	2610	38150	1	0	Band 38	20M	2590.2	37952	/	/	/	1	23.90	23.88	24.50
CA_41C	Band 41	20M	QPSK	2645	41140	1	0	Band 41	20M	2625.2	40942	/	/	/	1	23.44	23.51	24.50
CA_41D	Band 41	20M	QPSK	2600	40690	1	0	Band 41	20M	2619.8	40888	Band 41	20M	2580.2	40492	23.85	23.88	24.50
CA_2A-5A	Band 2	20M	QPSK	1900	19100	1	0	Band 5	10M	881.5	2525	/	/	/	/	24.19	24.12	24.50
CA_2A-5A	Band 5	10M	QPSK	829	20450	1	25	Band 2	20M	1960	900	/	/	/	/	23.87	23.82	24.00
CA_2A-12B	Band 2	20M	QPSK	1900	19100	1	0	Band 12	10M	741	5130	Band 12	5M	733.8	5058	24.13	24.12	24.50
CA_2A-17A	Band 2	10M	QPSK	1855	18650	1	0	Band 17	10M	740	5790	/	/	/	1	23.81	23.86	24.50
CA_4A-5A	Band 4	20M	16QAM	1745	20300	1	50	Band 5	10M	881.5	2525	/	/	/	/	21.44	21.47	21.50
CA_4A-5A	Band 5	10M	QPSK	829	20450	1	25	Band 4	20M	2132.5	2175	/	/	/	/	23.71	23.82	24.00
CA_4A-12A	Band 4	20M	16QAM	1745	20300	1	50	Band 12	10M	737.5	5095	/	/	/	/	21.41	21.47	21.50
CA_4A-12B	Band 4	20M	16QAM	1745	20300	1	50	Band 12	10M	741	5130	Band 12	5M	733.8	5058	21.43	21.47	21.50
CA_4A-17A	Band 4	10M	16QAM	1715	20000	1	25	Band 17	10M	740	5790	/	/	/	/	21.40	21.45	21.50
CA_5A-7A	Band 5	10M	QPSK	829	20450	1	25	Band 7	20M	2655	3100	/	/	1	/	23.74	23.82	24.00
CA_5A-7A	Band 7	20M	64QAM	2510	20850	1	0	Band 5	10M	881.5	2525	/	/	1	/	16.60	16.63	17.00
CA_7A-12A	Band 7	20M	64QAM	2510	20850	1	0	Band 12	10M	737.5	5095	/	/	1	/	16.58	16.63	17.00
CA_7A-12A	Band 12	10M	QPSK	711	23130	1	0	Band 7	20M	2655	3100	/	/	1	/	23.91	23.95	24.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 366 of 493 Page

								Left Head	reduced	power ANT	2							
DL LTE CA				PCC					S	CC1			;	SCC2			Power	
Class	LTE	BW	Modulation	UL Freq.	UL	UL# RB	UL RB	LTE	BW	DL Freq.	DL	LTE	BW	DL Freq.	DL	DL LTE CA	LTE Rel 8	Tune-
CA_2C	Band 2	(MHz) 20M	64QAM	(MHz) 1900	Channel 19100	1	Offset 99	Band Band 2	(MHz) 20M	(MHz) 1960.2	Channel 902	Band /	(MHz)	(MHz)	Channel /	Tx.Power(dB 20.81	Tx.Power(dBm 20.84	21.50
CA_5B	Band 5	10M	16QAM	844	20600	25	25	Band 5	5M	879.1	2501	/	1	/	/	17.89	17.97	19.00
CA_7C	Band 7	20M	16QAM	2560	21350	1	99	Band 7	20M	2660.2	3152	1	- /	/	/	16.10	16.12	16.50
CA_12B	Band 12	10M	16QAM	711	23130	1	0	Band 12	10M	733.8	5058	/	1	/	/	21.19	21.23	21.50
CA_38C	Band 38	20M	16QAM	2580	37850	1	50	Band 38	20M	2599.8	38048	/	/	/	/	20.53	20.58	21.50
CA_41C	Band 41	20M	16QAM	2645	41140	1	99	Band 41	20M	2625.2	40942	/	/	/	/	20.73	20.81	21.50
CA_41D CA_2A-5A	Band 41 Band 2	20M 20M	16QAM 64QAM	2645 1900	41140 19100	1	99	Band 41 Band 5	20M 10M	2625.2 881.5	40942 2525	Band 41	20M	2605.4	40744	20.76 20.79	20.81	21.50
CA_2A-5A	Band 5	10M	16QAM	844	20600	25	25	Band 2	20M	1960	900	1	-/	,	,	17.93	17.97	19.00
CA 2A-12B	Band 2	20M	64QAM	1900	19100	1	99	Band 12	10M	741	5130	Band 12	5M	733.8	5058	20.81	20.84	21.50
CA_2A-17A	Band 2	10M	64QAM	1855	18650	1	0	Band 17	10M	740	5790	/	1	/	/	20.79	20.82	21.50
CA_4A-5A	Band 4	20M	16QAM	1720	20050	1	50	Band 5	10M	881.5	2525	/	/	/	/	21.41	21.48	21.50
CA_4A-5A	Band 5	10M	16QAM	844	20600	25	25	Band 4	20M	2132.5	2175	/	/	/	/	17.92	17.97	19.00
CA_4A-12A	Band 4	20M	16QAM	1720	20050	1	50	Band 12	10M	737.5	5095	/	/	/	/	21.39	21.46	21.50
CA_4A-12B	Band 4	20M	16QAM	1720	20050	1	50	Band 12	10M	741	5130	Band 12		733.8	5058	21.42	21.46	21.50
CA_4A-17A	Band 4	10M	16QAM	1715	20000	1	25	Band 17	10M	740	5790	/	1	/	/	21.26	21.30	21.50
CA_5A-7A	Band 5	10M	16QAM	844	20600	25	25	Band 7	20M	2655	3100	/	/	/	/	17.93	17.97	19.00
CA_5A-7A	Band 7	20M 20M	16QAM 16QAM	2560 2560	21350	1	99	Band 5	10M	881.5	2525 5095	/		/	/	16.08	16.12	16.50
CA_7A-12A CA 7A-12A	Band 7 Band 12	20M	16QAM	711	21350 23130	1	99	Band 12 Band 7	10M 20M	737.5 2655	3100	- '	-/-	,	,	16.07 21.18	16.12 21.23	16.50 21.50
CA_7A-12A	Ballu 12	TOW	TOWAN	711	23130						:					21.10	21.23	21.50
				PCC				Right Head		Dower ANT	Γ2			SCC2			Power	
DL LTE CA	LTE	BW		UL Freq.	UL	UL#	UL RB	LTE	BW	DL Freq.	DL	LTE	BW	DL Freq.	DL	DL LTE CA	LTE Rel 8	Tune-
Class	Band	(MHz)	Modulation	(MHz)	Channel	RB	Offset	Band	(MHz)	(MHz)	Channel	Band	(MHz)	(MHz)	Channel	Tx.Power(dB	Tx.Power(dBm	up
CA_2C	Band 2	20M	64QAM	1900	19100	1	99	Band 2	20M	1960.2	902	/	/	/ (101712)	/	16.28	16.32	17.00
CA_5B	Band 5	10M	16QAM	844	20800	1	25	Band 5	5M	879.1	2501	,	1	,	,	17.38	17.44	18.50
CA 7C	Band 7	20M	QPSK	2510	20850	1	99	Band 7	20M	2649.8	3048	1	1	1	1	11.82	11.99	12.00
CA 12B	Band 12	10M	16QAM	711	23130	1	0	Band 12	10M	733.8	5058	1	1	1	1	21.53	21.61	22.00
CA_38C	Band 38	20M	QPSK	2580	37850	1	0	Band 38	20M	2599.8	38048	1	- /	1	1	15.61	15.58	16.00
CA_41C	Band 41	20M	16QAM	2645	41140	1	50	Band 41	20M	2625.2	40942	1	/	/	1	16.04	16.08	16.50
CA_41D	Band 41	20M	16QAM	2645	41140	1	50	Band 41	20M	2625.2	40942	Band 41	20M	2605.4	40744	16.05	16.08	16.50
CA_2A-5A	Band 2	20M	64QAM	1900	19100	1	99	Band 5	10M	881.5	2525	1	1	1	1	16.28	16.32	17.00
CA_2A-5A	Band 5	10M	16QAM	844	20600	1	25	Band 2	20	1960	900	/	/	1	1	17.31	17.44	18.50
CA_2A-12B	Band 2	20M	64QAM	1900	19100	1	99	Band 12	10M	741	5130	Band 12	5M	733.8	5058	16.27	16.32	17.00
CA_2A-17A	Band 2	10M	64QAM	1855	18650	1	0	Band 17	10M	740	5790	/	/	/	/	16.22	16.31	17.00
CA_4A-5A	Band 4	20M	16QAM	1720	20050	1	50	Band 5	10M	881.5	2525	/	/	/	/	18.91	18.98	19.00
CA_4A-5A	Band 5	10M	16QAM	844	20800	1	25	Band 4	20	2132.5	2175	/	/	/	/	17.38	17.44	18.50
CA_4A-12A	Band 4	20M 20M	16QAM 16QAM	1720 1720	20050 20050	1	50 50	Band 12	10M 10M	737.5 741	5095 5130	/ D	5M	733.8	5058	18.85 18.89	18.98 18.98	19.00
CA_4A-12B CA_4A-17A	Band 4 Band 4	10M	QPSK	1720	20000	1	49	Band 12 Band 17	10M	741	5790	Band 12	JIVI /	/33.8	0008	18.87	18.97	19.00
CA_5A-7A	Band 5	10M	16QAM	844	20800	1	25	Band 7	20M	2655	3100	,	-/	1	1	17.41	17.44	18.50
CA_5A-7A	Band 7	20M	QPSK	2510	20850	1	99	Band 5	10M	881.5	2525	1	1	,	7	11.88	11.99	12.00
CA_7A-12A	Band 7	20M	QPSK	2510	20850	1	99	Band 12	10M	737.5	5095	1	7	,	,	11.87	11.99	12.00
CA_7A-12A	Band 12	10M	16QAM	711	23130	1	0	Band 7	20M	2655	3100	1	1	1	1	21.55	21.61	22.00
								hotsnot acti	ived for 2	.4G WIFI AI	NT2							-
DI LEE O				PCC				10,000		CC1			:	SCC2			Power	
DL LTE CA Class	LTE	BW	Modulation	UL Freq.	UL	UL#	UL RB	LTE	BW	DL Freq.	DL	LTE	BW	DL Freq.	DL	DL LTE CA	LTE Rel 8	Tune-
Crass	Band	(MHz)	Modulation	(MHz)	Channel	RB	Offset	Band	(MHz)	(MHz)	Channel	Band	(MHz)	(MHz)	Channel	Tx.Power(dB	Tx.Power(dBm	up
CA_2C	Band 2	20M	QPSK	1900	19100	1	0	Band 2	20M	1960.2	902	/	1	/	/	21.88	21.97	22.00
CA_5B	Band 5	10M	QPSK	829	20450	1	25	Band 5	10M	883.9	2549	/	1	/	/	21.38	21.49	21.50
CA_7C	Band 7	20M	16QAM	2560	21350	1	99	Band 7	20M	2660.2	3152	/	- /	/	/	14.18	14.20	14.50
CA_12B	Band 12	10M	16QAM	711	23130	1	0	Band 12	10M	733.8	5058	/	/	/	/	21.39	21.46	21.50
CA_38C	Band 38	20M	16QAM	2610	38150	1	0	Band 38	20M	2590.2	37952	/	/	/	/	21.90	21.92	22.00
CA_41C	Band 41	20M	64QAM	2645	41140	1	0	Band 41	20M	2825.2	40942	Pand 44	2014	2805 /	40744	21.21	21.28	22.00
CA_41D CA 2A-5A	Band 41 Band 2	20M 20M	64QAM QPSK	2645 1900	41140 19100	1	0	Band 41 Band 5	20M 10M	2625.2 881.5	40942 2525	Band 41	20M	2605.4	40744	21.22 21.93	21.28 21.97	22.00
CA_2A-5A CA_2A-5A	Band 2	10M	QPSK	829	20450	1	25	Band 5	20M	1960	900	1	1	,	,	21.93	21.97	21.50
CA_2A-3A CA_2A-12B	Band 2	20M	QPSK	1900	19100	1	0	Band 12	10M	741	5130	Band 12	5M	733.8	5058	21.92	21.49	22.00
CA_2A-17A	Band 2	10M	16QAM	1855	18650	1	25	Band 17	10M	740	5790	/	/	/ /	/	21.93	21.98	22.00
CA_4A-5A	Band 4	20M	16QAM	1745	20300	1	0	Band 5	10M	881.5	2525	1	1	7	,	17.89	17.97	19.00
CA_4A-5A	Band 5	10M	QPSK	829	20450	1	25	Band 4	20M	2132.5	2175	1	1	1	1	21.41	21.49	21.50
CA_4A-12A	Band 4	20M	16QAM	1745	20300	1	0	Band 12	10M	737.5	5095	/	1	/	/	17.93	17.97	19.00
CA_4A-12B	Band 4	20M	16QAM	1745	20300	1	0	Band 12	10M	741	5130	Band 12	5M	733.8	5058	17.94	17.97	19.00
CA_4A-17A	Band 4	10M	16QAM	1715	20000	1	49	Band 17	10M	740	5790	/	1	/	/	17.85	17.89	19.00
CA_5A-7A	Band 5	10M	QPSK	829	20450	1	25	Band 7	20M	2655	3100	/	1	/	/	21.48	21.49	21.50
CA_5A-7A	Band 7	20M	16QAM	2560	21350	1	99	Band 5	10M	881.5	2525	/	- /	/	/	14.16	14.20	14.50
CA_7A-12A	Band 7	20M	16QAM	2560	21350	1	99	Band 12	10M	737.5	5095	/	1	/	/	14.18	14.20	14.50
CA_7A-12A	Band 12	10M	16QAM	711	23130	1	0	Band 7	20M	2655	3100	/	/	/	/	21.41	21.48	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



: 01 Rev

: 367 of 493 Page

				PCC				hotspot ad		5G WIFI AN	T2							
DL LTE CA		D141												SCC2		D TE O.	Power	Τ=
Class	LTE	BW	Modulation	UL Freq.	UL	UL#	UL RB	LTE	BW	DL Freq.	DL	LTE	BW	DL Freq.	DL	DL LTE CA	LTE Rel 8	Tur
CA 20	Band	(MHz) 20M	16QAM	(MHz) 1900	Channel 19100	RB 1	Offset	Band	(MHz)	(MHz) 1960.2	Channel 902	Band	(MHz)	(MHz)	Channel	Tx.Power(dB	Tx.Power(dBm	20
CA_2C	Band 2 Band 5		QPSK	829	20450	1	0 25	Band 2	20M 10M	883.9	2549	/	-/	/	,	20.41 19.82	20.49 19.98	20
CA_5B		10M 20M	16QAM	2510	20450	1	99	Band 5	20M	2649.8	3048	/		/	/	19.82	19.98	
CA_7C CA 12B	Band 7 Band 12	10M	QPSK	711	23130	1	0	Band 7 Band 12	10M	733.8	5058	<u>'</u>		- '	,	19.88	19.98	13
CA_12B	Band 38	20M	16QAM	2610	38150	1	0	Band 12	20M	2590.2	37952	' ,	-/-	- '	,	20.08	20.1	20
CA_38C CA_41C	Band 41	20M	64QAM	2555	40240	1	0	Band 41	20M	2574.8	40438	' ,	-/-	- '	,	19.53	19.58	20
CA_41C	Band 41	20M	64QAM	2555	40240	1	0	Band 41	20M	2574.8	40438	Band 41	20M	2591.9	40609	19.49	19.56	20
CA_410 CA 2A-5A	Band 2	20M	16QAM	1900	19100	1	0	Band 5	10M	881.5	2525	band 41	20101	/	40005	20.44	20.49	20
CA_2A-5A	Band 5	10M	QPSK	829	20450	1	25	Band 3	20M	1960	900	' ,	-/-	,	,	19.89	19.98	20
CA_2A-0A CA_2A-12B	Band 3	20M	16QAM	1900	19100	1	0	Band 12	10M	741	5130	Band 12	5M	733.8	5058	20.46	20.49	20
CA_2A-12B CA_2A-17A	Band 2	10M	16QAM	1855	18650	1	25	Band 17	10M	740	5790	ballu 12	JIVI /	/ 33.0	/	20.44	20.49	20
CA_2A-17A CA 4A-5A	Band 4	20M	16QAM	1720	20050	1	50	Band 5	10M	881.5	2525	' ,	-/-	,	,	17.44	17.48	17
CA 4A-5A	Band 5	10M	QPSK	829	20450	1	25	Band 4	20M	2132.5	2175	',	- ',	,	,	19.92	19.98	20
CA 4A-12A	Band 4	20M	16QAM	1720	20050	1	50	Band 12	10M	737.5	5095	',	-/-	,	,	17.48	17.48	17
CA 4A-12B	Band 4	20M	16QAM	1720	20050	1	50	Band 12	10M	741	5130	Band 12	5M	733.8	5058	17.41	17.48	17
CA 4A-17A	Band 4	10M	QPSK	1715	20000	25	13	Band 17	10M	740	5790	ballu 12	/ Jivi	/ 33.6	/	17.42	17.47	1
CA_5A-7A	Band 5	10M	QPSK	829	20450	1	25	Band 7	20M	2655	3100	<u>'</u>	,	,	,	19.96	19.98	20
CA_5A-7A	Band 7	20M	16QAM	2510	20850	1	99	Band 5	10M	881.5	2525	<u>'</u>	-	,	,	12.51	12.53	13
CA_SA-7A CA 7A-12A	Band 7	20M	16QAM	2510	20850	1	99	Band 12	10M	737.5	5095	<u>'</u>	-	,	,	12.49	12.53	1:
CA 7A-12A	Band 12	10M	QPSK	711	23130	1	0	Band 7	20M	2655	3100	' ,	-	,	,	19.91	19.98	2
UA_/A-12A	Dallu 12	TOW	WESK	711	23130	_							/			15.51	15.56	21
				PCC			doay-worn	simultaneo		CC1	4G WIFI AN	112		SCC2			Power	
DL LTE CA	LTE	BW	1	UL Frea.	UL	UL#	UL RB	LTE	BW	DL Freg.	DL	LTE	BW	DL Frea.	DL	DL LTE CA	LTE Rel 8	Тт
Class	Band	(MHz)	Modulation	(MHz)	Channel	RB	Offset	Band	(MHz)	(MHz)	Channel	Band	(MHz)	(MHz)	Channel	Tx.Power(dB	Tx.Power(dBm	''
CA 2C	Band 2	20M	64QAM	1900	19100	1	0	Band 2	20M	1980.2	902	/ ballo	(IVIFIZ)	(IVITIZ)	/ channel	21.33	21.39	2:
CA_5B	Band 5	10M	QPSK	829	20450	1	_		20101			,			,	21.00		
CA_7C	Band 7						25	Band 5	10M	883.9	2549	/			/	21.33	21.48	2
		20M				_	25 99	Band 5 Band 7	10M 20M	883.9 2649.8	2549 3048	/	/	/	/	21.33	21.48	-
	$\overline{}$	20M	16QAM	2510	20850	1	99	Band 7	20M	2649.8	3048	1	/	/	/	14.02	14.05	14
CA_12B	Band 12	10M	16QAM QPSK	2510 711	20850 23130	1 25	99	Band 7 Band 12	20M 10M	2649.8 733.8	3048 5058	1 1	/	/	/ /	14.02 21.23	14.05 21.35	2
CA_38C	Band 12 Band 38	10M 20M	16QAM QPSK 64QAM	2510 711 2610	20850 23130 38150	1 25 1	99 0 0	Band 7 Band 12 Band 38	20M 10M 20M	2649.8 733.8 2590.2	3048 5058 37952	/ / / /	/ / /	/ / /	/ / /	14.02 21.23 20.40	14.05 21.35 20.43	2
CA_38C CA_41C	Band 12 Band 38 Band 41	10M 20M 20M	16QAM QPSK 64QAM 16QAM	2510 711 2610 2555	20850 23130 38150 40240	1 25 1	99 0 0	Band 7 Band 12 Band 38 Band 41	20M 10M 20M 20M	2649.8 733.8 2590.2 2574.8	3048 5058 37952 40438	/ / /	/ / /	/ / /	/ / /	14.02 21.23 20.40 21.23	14.05 21.35 20.43 21.27	2:
CA_38C CA_41C CA_41D	Band 12 Band 38 Band 41 Band 41	10M 20M 20M 20M	16QAM QPSK 64QAM 16QAM 16QAM	2510 711 2610 2555 2555	20850 23130 38150 40240 40240	1 25 1 1	99 0 0 0	Band 7 Band 12 Band 38 Band 41 Band 41	20M 10M 20M 20M 20M	2649.8 733.8 2590.2 2574.8 2574.8	3048 5058 37952 40438 40438	/ / / / Band 41	/	/ / / / 2591.9	/ / / / 40809	14.02 21.23 20.40 21.23 21.25	14.05 21.35 20.43 21.27 21.27	2: 2: 2: 2: 2:
CA_38C CA_41C CA_41D CA_2A-5A	Band 12 Band 38 Band 41 Band 41 Band 2	10M 20M 20M	16QAM QPSK 64QAM 16QAM	2510 711 2610 2555	20850 23130 38150 40240	1 25 1	99 0 0 0 0	Band 7 Band 12 Band 38 Band 41 Band 41 Band 5	20M 10M 20M 20M 20M 20M	2649.8 733.8 2590.2 2574.8 2574.8 881.5	3048 5058 37952 40438	/ / /	/ / /	/ / /	/ / /	14.02 21.23 20.40 21.23 21.25 21.33	14.05 21.35 20.43 21.27	2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2
CA_38C CA_41C CA_41D CA_2A-5A CA_2A-5A	Band 12 Band 38 Band 41 Band 41 Band 2 Band 5	10M 20M 20M 20M 20M 20M	16QAM QPSK 64QAM 16QAM 16QAM 64QAM QPSK	2510 711 2610 2555 2555 1900 829	20850 23130 38150 40240 40240 19100 20450	1 25 1 1 1 1	99 0 0 0 0 0 0	Band 7 Band 12 Band 38 Band 41 Band 41 Band 5 Band 2	20M 10M 20M 20M 20M 10M 20M	2649.8 733.8 2590.2 2574.8 2574.8 881.5 1960	3048 5058 37952 40438 40438 2525 900	/ / / / Band 41	/ / / / 20M /	/ / / / 2591.9	/ / / 40809 /	14.02 21.23 20.40 21.23 21.25 21.33 21.39	14.05 21.35 20.43 21.27 21.27 21.39 21.48	1 2 2 2 2 2 2 2
CA_38C CA_41C CA_41D CA_2A-5A CA_2A-5A CA_2A-12B	Band 12 Band 38 Band 41 Band 41 Band 2 Band 5 Band 2	10M 20M 20M 20M 20M 20M 10M	16QAM QPSK 64QAM 16QAM 16QAM 64QAM QPSK 64QAM	2510 711 2610 2555 2555 1900 829 1900	20850 23130 38150 40240 40240 19100 20450 19100	1 25 1 1 1 1 1	99 0 0 0 0 0 0 25	Band 7 Band 12 Band 38 Band 41 Band 41 Band 5 Band 2 Band 12	20M 10M 20M 20M 20M 10M 20M 10M	2649.8 733.8 2590.2 2574.8 2574.8 881.5 1960 741	3048 5058 37952 40438 40438 2525 900 5130	/ / /	/ / /	/ / /	/ / /	14.02 21.23 20.40 21.23 21.25 21.33 21.39 21.35	14.05 21.35 20.43 21.27 21.27 21.39 21.48 21.39	2 2 2 2 2 2
CA_38C CA_41C CA_41D CA_2A-5A CA_2A-5A CA_2A-12B CA_2A-17A	Band 12 Band 38 Band 41 Band 41 Band 2 Band 5 Band 2 Band 2	10M 20M 20M 20M 20M 20M 10M 20M	16QAM QPSK 64QAM 16QAM 16QAM 64QAM QPSK 64QAM 64QAM 64QAM	2510 711 2610 2555 2555 1900 829 1900 1855	20850 23130 38150 40240 40240 19100 20450 19100 18850	1 25 1 1 1 1	99 0 0 0 0 0 0 0 25 0	Band 7 Band 12 Band 38 Band 41 Band 41 Band 5 Band 2 Band 12 Band 17	20M 10M 20M 20M 20M 10M 20M 10M 10M	2649.8 733.8 2590.2 2574.8 2574.8 881.5 1960 741 740	3048 5058 37952 40438 40438 2525 900 5130 5790	/ / / / Band 41	/ / / / 20M /	/ / / / 2591.9	/ / / 40609 / 5058	14.02 21.23 20.40 21.23 21.25 21.33 21.39 21.35 21.31	14.05 21.35 20.43 21.27 21.27 21.39 21.48 21.39 21.37	2 2 2 2 2 2 2 2 2 2 2
CA_38C CA_41C CA_41D CA_2A-5A CA_2A-5A CA_2A-12B CA_2A-17A CA_4A-5A	Band 12 Band 38 Band 41 Band 41 Band 2 Band 5 Band 2 Band 2 Band 2 Band 4	10M 20M 20M 20M 20M 20M 10M 20M 10M 20M	16QAM QPSK 64QAM 16QAM 16QAM 64QAM 64QAM 64QAM 64QAM 64QAM	2510 711 2610 2555 2555 1900 829 1900 1855 1720	20850 23130 38150 40240 40240 19100 20450 19100 18850 20050	1 25 1 1 1 1 1 1 1	99 0 0 0 0 0 0 0 25 0 0	Band 7 Band 12 Band 38 Band 41 Band 41 Band 5 Band 2 Band 12 Band 17 Band 5	20M 10M 20M 20M 20M 10M 20M 10M 10M	2649.8 733.8 2590.2 2574.8 2574.8 881.5 1960 741 740 881.5	3048 5058 37952 40438 40438 2525 900 5130 5790 2525	/ / / Band 41 / Band 12	/ / / 20M / / 5M	/ / / 2591.9 / / 733.8	/ / / 40609 / 5058	14.02 21.23 20.40 21.23 21.25 21.33 21.39 21.35 21.31 17.92	14.05 21.35 20.43 21.27 21.27 21.39 21.48 21.39 21.37 17.94	11 2 2 2 2 2 2 2 2 2 2 2 2 1
CA_38C CA_41C CA_41D CA_2A-5A CA_2A-5A CA_2A-12B CA_2A-17A CA_4A-5A CA_4A-5A	Band 12 Band 38 Band 41 Band 41 Band 2 Band 5 Band 2 Band 2 Band 2 Band 4 Band 5	10M 20M 20M 20M 20M 10M 20M 10M 20M 10M	16QAM QPSK 64QAM 16QAM 16QAM 64QAM 64QAM QPSK 64QAM 64QAM 64QAM 04QAM	2510 711 2610 2555 2555 1900 829 1900 1855 1720 829	20850 23130 38150 40240 40240 19100 20450 19100 18850 20050 20450	1 25 1 1 1 1 1 1 1 1 1	99 0 0 0 0 0 0 25 0 0 99 25	Band 7 Band 12 Band 38 Band 41 Band 41 Band 5 Band 2 Band 12 Band 17 Band 5 Band 4	20M 10M 20M 20M 20M 10M 20M 10M 10M 10M 20M	2649.8 733.8 2590.2 2574.8 2574.8 881.5 1960 741 740 881.5 2132.5	3048 5058 37952 40438 40438 2525 900 5130 5790 2525 2175	/ / / Band 41 / Band 12	/ / / 20M / 5M	/ / / 2591.9 / / 733.8	/ / / 40609 / 5058	14.02 21.23 20.40 21.23 21.25 21.33 21.39 21.35 21.31 17.92 21.39	14.05 21.35 20.43 21.27 21.27 21.39 21.48 21.39 21.37 17.94 21.48	11 2 2 2 2 2 2 2 2 1 1 2
CA_38C CA_41C CA_41D CA_2A-5A CA_2A-5A CA_2A-12B CA_2A-17A CA_4A-5A CA_4A-5A CA_4A-5A	Band 12 Band 38 Band 41 Band 41 Band 2 Band 5 Band 2 Band 2 Band 2 Band 4 Band 4	10M 20M 20M 20M 20M 20M 10M 20M 10M 20M	16QAM QPSK 64QAM 16QAM 16QAM 64QAM 64QAM 64QAM 64QAM 64QAM	2510 711 2610 2555 2555 1900 829 1900 1855 1720 829 1720	20850 23130 38150 40240 40240 19100 20450 19100 18850 20050	1 25 1 1 1 1 1 1 1	99 0 0 0 0 0 0 0 25 0 0	Band 7 Band 12 Band 38 Band 41 Band 41 Band 5 Band 2 Band 12 Band 17 Band 5 Band 4 Band 4	20M 10M 20M 20M 20M 10M 20M 10M 10M	2649.8 733.8 2590.2 2574.8 2574.8 881.5 1960 741 740 881.5	3048 5058 37952 40438 40438 2525 900 5130 5790 2525	Band 41 / Band 12 / / / / / / / / / / / / / / /	/ / / 20M / / 5M	/ / / 2591.9 / 733.8 / / /	/ / / 40609 / 5058	14.02 21.23 20.40 21.23 21.25 21.33 21.39 21.35 21.31 17.92 21.39 17.92	14.05 21.35 20.43 21.27 21.27 21.39 21.48 21.39 21.37 17.94	11-12-22-22-22-22-22-22-22-11-22-11-22-21-22-22
CA_38C CA_41C CA_41D CA_2A-5A CA_2A-12B CA_2A-17B CA_2A-17A CA_4A-5A CA_4A-5A CA_4A-5A CA_4A-12A	Band 12 Band 38 Band 41 Band 41 Band 2 Band 5 Band 2 Band 2 Band 4 Band 4 Band 4	10M 20M 20M 20M 20M 10M 20M 10M 20M 10M 20M 10M 20M	16QAM QPSK 64QAM 16QAM 16QAM 64QAM QPSK 64QAM 64QAM 64QAM QPSK 64QAM 64QAM 64QAM 64QAM	2510 711 2610 2555 2555 1900 829 1900 1855 1720 829 1720	20850 23130 38150 40240 40240 19100 20450 19100 18850 20050 20050 20050	1 25 1 1 1 1 1 1 1 1 1 1 1 1 1	99 0 0 0 0 0 0 25 0 0 99 25 99	Band 7 Band 12 Band 38 Band 41 Band 41 Band 5 Band 12 Band 12 Band 17 Band 5 Band 4 Band 4 Band 12 Band 12	20M 10M 20M 20M 20M 10M 20M 10M 10M 10M 10M 20M 10M	2649.8 733.8 2590.2 2574.8 2574.8 881.5 1960 741 740 881.5 2132.5 737.5	3048 5058 37952 40438 40438 2525 900 5130 5790 2525 2175 5095 5130	/ / / Band 41 / Band 12	/ / / 20M / / 5M / /	/ / / 2591.9 / 733.8 /	/ / / 40609 / 5058 / /	14.02 21.23 20.40 21.23 21.25 21.33 21.39 21.35 21.31 17.92 21.39 17.92 17.91	14.05 21.35 20.43 21.27 21.27 21.39 21.48 21.39 21.37 17.94 21.48 17.94	144 222 22 22 22 22 22 21 11 22 11 11
CA_38C CA_41C CA_41D CA_2A-5A CA_2A-5A CA_2A-12B CA_2A-17A CA_4A-5A CA_4A-5A CA_4A-5A CA_4A-12A CA_4A-12B CA_4A-12A	Band 12 Band 38 Band 41 Band 41 Band 2 Band 5 Band 2 Band 2 Band 2 Band 4 Band 4 Band 4 Band 4 Band 4 Band 4	10M 20M 20M 20M 20M 10M 20M 10M 20M 10M 20M 10M 20M 10M	18QAM QPSK 64QAM 18QAM 18QAM 64QAM QPSK 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM	2510 711 2610 2555 2555 1900 829 1900 1855 1720 829 1720 1720 1715	20850 23130 38150 40240 40240 19100 20450 19100 18850 20050 20450 20050 20050 20050	1 25 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	99 0 0 0 0 0 0 25 0 0 99 25 99 99	Band 7 Band 12 Band 38 Band 41 Band 41 Band 5 Band 2 Band 12 Band 17 Band 5 Band 4 Band 17 Band 5 Band 4 Band 17 Band 5 Band 4 Band 12 Band 12 Band 17	20M 10M 20M 20M 20M 10M 20M 10M 10M 10M 10M 10M 10M 10M	2649.8 733.8 2590.2 2574.8 2574.8 881.5 1980 741 740 881.5 2132.5 737.5 741	3048 5058 37952 40438 40438 2525 900 5130 5790 2525 2175 5095 5130 5790	Band 41 / Band 12 / / / / / / / / / / / / / / /	/ / / 20M / / 5M / /	/ / / 2591.9 / 733.8 / / /	/ / / 40809 / 5058 / / 5058	14.02 21.23 20.40 21.23 21.25 21.33 21.39 21.35 21.31 17.92 21.39 17.92 17.91	14.05 21.35 20.43 21.27 21.27 21.27 21.39 21.48 21.39 21.37 17.94 21.48 17.94 17.94	14 2 2 2 2 2 2 2 2 2 2 2 2 2 2 1 1 1 1 1
CA_38C CA_41C CA_41D CA_2A-5A CA_2A-5A CA_2A-12B CA_2A-17A CA_4A-5A CA_4A-12A CA_4A-12A CA_4A-12A CA_4A-12A CA_4A-12A CA_4A-12A	Band 12 Band 38 Band 41 Band 41 Band 2 Band 5 Band 2 Band 2 Band 2 Band 4 Band 5 Band 4 Band 4 Band 4 Band 4	10M 20M 20M 20M 20M 10M 20M 10M 20M 10M 20M 20M 10M 20M 10M 20M	16QAM QPSK 64QAM 16QAM 16QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM	2510 711 2610 2555 2555 1900 829 1900 1855 1720 829 1720 1720 1715 829	20850 23130 38150 40240 40240 19100 20450 19100 2050 20050 20050 20050 20050 20050 20050 20050	1 25 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	99 0 0 0 0 0 0 25 0 0 99 25 99 99 49	Band 7 Band 12 Band 38 Band 41 Band 5 Band 2 Band 12 Band 17 Band 5 Band 17 Band 5 Band 17 Band 5 Band 12 Band 17 Band 12 Band 17 Band 17 Band 17 Band 17	20M 10M 20M 20M 20M 10M 20M 10M 10M 10M 20M 10M 10M 20M 10M 20M	2649.8 733.8 2590.2 2574.8 2574.8 881.5 1980 741 740 881.5 2132.5 737.5 741 740 2855	3048 5058 37962 40438 40438 2525 900 5130 5790 2525 2175 5095 5130 5790 3100	Band 41 / Band 12 / / / / / / / / / / / / / / /	/ / / / 20M / / 5M / / / / / / / / / / / / / / / /	/ / / 2591.9 / / 733.8 / / / / / / / / / / / / / / / / / / /	/ / / 40609 / 5058 / /	14.02 21.23 21.23 21.25 21.33 21.35 21.35 21.31 21.39 17.92 17.91 17.91 17.81 21.39	14.05 21.35 21.27 21.27 21.27 21.39 21.39 21.39 21.39 21.39 17.94 17.94 17.94 17.88 21.48	14 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 1 1 1 1
CA_38C CA_41C CA_41D CA_2A-5A CA_2A-5A CA_2A-12B CA_2A-17A CA_4A-5A CA_4A-12A CA_4A-12A CA_4A-12A CA_4A-17A CA_5A-7A CA_5A-7A	Band 12 Band 38 Band 41 Band 41 Band 2 Band 5 Band 2 Band 2 Band 4 Band 5 Band 4 Band 4 Band 4 Band 4 Band 4 Band 4	10M 20M 20M 20M 20M 10M 20M 10M 20M 10M 20M 10M 20M 10M 20M 10M 20M	16QAM QPSK 64QAM 16QAM 16QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM	2510 711 2610 2555 2555 1900 829 1900 829 1900 829 1720 829 1720 1720 1720 1720 1720 2510	20850 23130 38150 40240 40240 19100 20450 19100 20450 20050 20050 20050 20050 20050 20050 20050 20050 20050	1 25 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	99 0 0 0 0 0 0 0 25 0 0 99 25 99 25 99 49 25 99	Band 7 Band 38 Band 41 Band 5 Band 41 Band 5 Band 2 Band 17 Band 17 Band 5 Band 17 Band 5 Band 17 Band 5 Band 17 Band 5 Band 17 Band 5 Band 17 Band 5	20M 10M 20M 20M 20M 10M 20M 10M 10M 10M 10M 10M 10M 20M 10M 20M 10M	2649.8 733.8 2590.2 2574.8 881.5 1980 741 740 881.5 2132.5 737.5 741 740 2655 881.5	3048 5058 37952 40438 40438 2525 900 5130 2525 2175 5095 5130 5790 3100 2525	Band 41 Band 12 Band 12	/ / / 20M / / 5M / / / / 5M / / / / /	/ / / / / 2591.9 / / 733.8 / / / / / / / / / / / / / / / / / / /	/ / / / 40609 / / 5058 / / / 5058 / / / / / / / / / / / / / / / / / / /	14.02 21.23 20.40 21.23 21.25 21.39 21.35 21.31 17.92 21.39 17.92 17.91 17.81 21.39	14.05 21.35 20.43 21.27 21.27 21.39 21.39 21.37 17.94 17.94 17.94 17.88 21.48 14.05	14 2 2 2 2 2 2 2 2 2 2 1 1 1 1 1 1 1 2
CA_38C CA_41C CA_41D CA_24-5A CA_2A-5A CA_2A-12B CA_2A-17A CA_4A-5A CA_4A-5A CA_4A-12A CA_4A-12A CA_4A-17A CA_5A-7A CA_5A-7A CA_5A-7A CA_5A-7A	Band 12 Band 38 Band 41 Band 41 Band 5 Band 2 Band 2 Band 2 Band 4 Band 5 Band 4 Band 4 Band 5 Band 4 Band 5 Band 4 Band 5 Band 7	10M 20M 20M 20M 20M 10M 20M 10M 20M 10M 20M 10M 20M 10M 20M 20M 20M 20M	16QAM QPSK 64QAM 16QAM 16QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM QPSK 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM	2510 711 2610 2655 2555 1900 829 1900 1855 1720 829 1720 1720 1720 1715 829 2510	20850 23130 38150 40240 40240 19100 20450 20050	1 25 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	99 0 0 0 0 0 0 25 0 0 99 25 99 99 49 25 99	Band 7 Band 12 Band 38 Band 41 Band 5 Band 41 Band 5 Band 2 Band 17 Band 5 Band 12 Band 17 Band 5 Band 12 Band 17 Band 7 Band 7 Band 7 Band 7 Band 7 Band 7 Band 7 Band 12	20M 10M 20M 20M 20M 10M 10M 10M 10M 10M 10M 10M 10M 10M 1	2649.8 733.8 2590.2 2574.8 881.5 1980 741 740 881.5 2132.5 737.5 741 740 2855 881.5	3048 5058 37952 40438 40438 40438 2525 900 5130 5790 2525 2175 5095 5130 5790 3100 2525 5095	Band 41 / Band 12 / Band 12 / / / / / / / / / / / / / / / / / /	/ // // 20M // // 5M // // // 5M	/ / / / 2591.9 / / / / / / / / / / / / / / / / / / /	/ / / / 40809 / / 5058 / / / / / / / / / / / / / / / / / / /	14.02 21.23 20.40 21.23 21.25 21.33 21.39 21.35 21.39 17.92 21.39 17.92 17.91 17.81 21.39 14.01	14.05 21.35 20.43 21.27 21.27 21.27 21.39 21.48 21.39 21.37 17.94 21.48 17.94 17.88 21.48 17.84 17.84	1-1 2 2 2 2 2 2 2 2 2 2 2 1 1 1 1 1 1 1
CA_38C CA_41C CA_41D CA_24-5A CA_2A-5A CA_2A-12B CA_2A-17A CA_4A-5A CA_4A-5A CA_4A-12A CA_4A-17A CA_4A-17A CA_5A-7A CA_5A-7A CA_5A-7A	Band 12 Band 38 Band 41 Band 41 Band 2 Band 5 Band 2 Band 2 Band 4 Band 5 Band 4 Band 4 Band 4 Band 4 Band 4 Band 4	10M 20M 20M 20M 20M 10M 20M 10M 20M 10M 20M 10M 20M 10M 20M 10M 20M	16QAM QPSK 64QAM 16QAM 16QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM	2510 711 2610 2555 2555 1900 829 1900 829 1900 829 1720 829 1720 1720 1720 1720 1720 2510	20850 23130 38150 40240 40240 19100 20450 19100 20450 20050 20050 20050 20050 20050 20050 20050 20050 20050	1 25 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	99 0 0 0 0 0 0 25 0 0 99 25 99 25 99 99 49 25 99	Band 7 Band 12 Band 38 Band 41 Band 5 Band 2 Band 2 Band 17 Band 5 Band 12 Band 17 Band 5 Band 12 Band 17 Band 7 Band 7 Band 7 Band 7 Band 7 Band 7	20M 10M 20M 20M 20M 10M 10M 10M 10M 10M 10M 10M 10M 10M 1	2649.8 733.8 2590.2 2574.8 881.5 1980 741 740 881.5 2132.5 741 740 2855 881.5 737.5 741 740 2855 881.5	3048 5058 37952 40438 40438 40438 2525 900 5130 5790 2525 2175 5095 5130 5790 3100 2525 5095 3100		/ / / 20M / / 5M / / / / 5M / / / / /	/ / / / / 2591.9 / / 733.8 / / / / / / / / / / / / / / / / / / /	/ / / / 40609 / / 5058 / / / 5058 / / / / / / / / / / / / / / / / / / /	14.02 21.23 20.40 21.23 21.25 21.39 21.35 21.31 17.92 21.39 17.92 17.91 17.81 21.39	14.05 21.35 20.43 21.27 21.27 21.39 21.39 21.37 17.94 17.94 17.94 17.88 21.48 14.05	1-1 2 2 2 2 2 2 2 2 2 2 2 1 1 1 1 1 1 1
CA_38C CA_41C CA_41D CA_24-5A CA_2A-5A CA_2A-12B CA_2A-17A CA_4A-5A CA_4A-5A CA_4A-12A CA_4A-17A CA_4A-17A CA_5A-7A CA_5A-7A CA_5A-7A	Band 12 Band 38 Band 41 Band 41 Band 5 Band 2 Band 2 Band 2 Band 4 Band 5 Band 4 Band 4 Band 5 Band 4 Band 5 Band 4 Band 5 Band 7	10M 20M 20M 20M 20M 10M 20M 10M 20M 10M 20M 10M 20M 10M 20M 20M 20M 20M	16QAM QPSK 64QAM 16QAM 16QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM QPSK 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM	2510 711 2610 2655 2555 2555 1900 1855 1720 1720 1720 1720 1720 1720 1720 1720	20850 23130 38150 40240 40240 19100 20450 20050	1 25 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	99 0 0 0 0 0 0 25 0 0 99 25 99 25 99 99 49 25 99	Band 7 Band 12 Band 38 Band 41 Band 5 Band 41 Band 5 Band 2 Band 17 Band 5 Band 12 Band 17 Band 5 Band 12 Band 17 Band 7 Band 7 Band 7 Band 7 Band 7 Band 7 Band 7 Band 12	20M 10M 20M 20M 20M 10M 10M 10M 10M 10M 10M 10M 10M 10M 20M 10M 10M 20M 10M	2649.8 733.8 2590.2 2574.8 82574.8 881.5 1960 741 740 881.5 737.5 741 740 2655 881.5 737.5 737.5 737.5 737.5 737.5 737.5 737.5 737.5	3048 5058 37952 40438 40438 40438 2525 900 5130 5790 2525 2175 5095 5130 5790 3100 2525 5095 3100		/ / / / 20M / / 5M / / / / / / / / / / / / / / / /	/ / / 2591.9 / / / / / / / / / / / / / / / / / / /	/ / / / 40609 / / 5058 / / / 5058 / / / / / / / / / / / / / / / / / / /	14.02 21.23 20.40 21.23 21.25 21.33 21.39 21.35 21.39 17.92 21.39 17.92 17.91 17.81 21.39 14.01	14.05 21.35 21.27 21.27 21.27 21.39 21.39 21.39 21.39 17.94 17.94 17.94 17.88 21.48 14.05 14.05	1-1 2 2 2 2 2 2 2 2 2 2 2 1 1 1 1 1 1 1
CA_38C CA_41C CA_41D CA_24-5A CA_2A-5A CA_2A-12B CA_2A-17A CA_4A-5A CA_4A-12A CA_4A-12A CA_4A-12A CA_4A-12A CA_4A-12A CA_4A-12A CA_4A-12A CA_4A-12A CA_4A-12A CA_4A-12A CA_4A-12A CA_4A-12A CA_4A-12A CA_4A-12A CA_4A-12A	Band 12 Band 38 Band 41 Band 41 Band 5 Band 2 Band 2 Band 2 Band 4 Band 5 Band 4 Band 4 Band 5 Band 4 Band 5 Band 4 Band 5 Band 7	10M 20M 20M 20M 20M 10M 20M 10M 20M 10M 20M 10M 20M 10M 20M 20M 20M 20M	16QAM QPSK 64QAM 16QAM 16QAM 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM QPSK 64QAM 64QAM 64QAM 64QAM 64QAM 64QAM	2510 711 2610 2655 2555 1900 829 1900 1855 1720 829 1720 1720 1720 1715 829 2510	20850 23130 38150 40240 40240 19100 20450 20050	1 25 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	99 0 0 0 0 0 0 25 0 0 99 25 99 99 49 25 99 25 99	Band 7 Band 12 Band 38 Band 41 Band 5 Band 2 Band 2 Band 17 Band 5 Band 12 Band 17 Band 5 Band 12 Band 17 Band 7 Band 7 Band 7 Band 7 Band 7 Band 7	20M 10M 20M 20M 20M 10M 10M 10M 10M 10M 10M 10M 10M 10M 20M 10M 10M 20M 10M	2649.8 733.8 2590.2 2574.8 881.5 1980 741 740 881.5 2132.5 741 740 2855 881.5 737.5 741 740 2855 881.5	3048 5058 37952 40438 40438 40438 2525 900 5130 5790 2525 2175 5095 5130 5790 3100 2525 5095 3100		/ / / / 20M / / 5M / / / / / / / / / / / / / / / /	/ / / / / 2591.9 / / 733.8 / / / / / / / / / / / / / / / / / / /	/ / / / 40609 / / 5058 / / / 5058 / / / / / / / / / / / / / / / / / / /	14.02 21.23 20.40 21.23 21.25 21.33 21.39 21.35 21.39 17.92 21.39 17.92 17.91 17.81 21.39 14.01	14.05 21.35 20.43 21.27 21.27 21.27 21.39 21.48 21.39 21.37 17.94 21.48 17.94 17.88 21.48 17.84 17.84	211 144 211 222 222 211 155 211 144 211 Ti

				PCC			Body-wor	n simultane I		CC1	3 WIFT ANT	_	9	SCC2			Power	
DL LTE CA Class	LTE Band	BW (MHz)	Modulation	UL Freq. (MHz)	UL Channel	UL# RB	UL RB Offset	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	DL LTE CA Tx.Power(dB	LTE Rel 8 Tx.Power(dBm	Tune- up
CA_2C	Band 2	20M	16QAM	1900	19100	1	0	Band 2	20M	1960.2	902	/	1	1	/	20.42	20.49	20.50
CA_5B	Band 5	10M	16QAM	829	20450	1	25	Band 5	10M	883.9	2549	/	/	1	/	19.81	19.97	20.00
CA_7C	Band 7	20M	16QAM	2560	21350	1	99	Band 7	20M	2660.2	3152	/	1	1	/	12.66	12.69	13.00
CA_12B	Band 12	10M	16QAM	711	23130	1	0	Band 12	10M	733.8	5058	/	/	/	/	19.91	19.97	20.00
CA_38C	Band 38	20M	QPSK	2610	38150	1	0	Band 38	20M	2590.2	37952	/	1	1	/	19.87	19.89	20.50
CA_41C	Band 41	20M	16QAM	2645	41140	1	99	Band 41	20M	2625.2	40942	/	1	/	/	19.67	19.69	20.50
CA_41D	Band 41	20M	16QAM	2645	41140	1	99	Band 41	20M	2625.2	40942	Band 41	20M	2605.4	40744	19.66	19.69	20.50
CA_2A-5A	Band 2	20M	16QAM	1900	19100	1	0	Band 5	10M	881.5	2525	/	/	/	/	20.37	20.49	20.50
CA_2A-5A	Band 5	10M	16QAM	829	20450	1	25	Band 2	20M	1960	900	/	1	1	/	19.93	19.97	20.00
CA_2A-12B	Band 2	20M	16QAM	1900	19100	1	0	Band 12	10M	741	5130	Band 12	5M	733.8	5058	20.43	20.49	20.50
CA_2A-17A	Band 2	10M	64QAM	1855	18650	25	0	Band 17	10M	740	5790	/	1	/	/	20.01	20.05	20.50
CA_4A-5A	Band 4	20M	16QAM	1720	20050	1	50	Band 5	10M	881.5	2525	/	1	/	1	17.44	17.49	17.50
CA_4A-5A	Band 5	10M	16QAM	829	20450	1	25	Band 4	20M	2132.5	2175	/	1	1	1	19.96	19.97	20.00
CA_4A-12A	Band 4	20M	16QAM	1720	20050	1	50	Band 12	10M	737.5	5095	- /	1	1	1	17.42	17.49	17.50
CA_4A-12B	Band 4	20M	16QAM	1720	20050	1	50	Band 12	10M	741	5130	Band 12	5M	733.8	5058	17.43	17.49	17.50
CA_4A-17A	Band 4	10M	16QAM	1715	20000	1	0	Band 17	10M	740	5790	/	1	1	1	16.51	16.55	17.50
CA_5A-7A	Band 5	10M	16QAM	829	20450	1	25	Band 7	20M	2655	3100	/	/	1	/	19.88	19.97	20.00
CA_5A-7A	Band 7	20M	16QAM	2560	21350	1	99	Band 5	10M	881.5	2525	/	/	1	/	12.66	12.69	13.00
CA_7A-12A	Band 7	20M	16QAM	2560	21350	1	99	Band 12	10M	737.5	5095	/	1	1	/	12.61	12.69	13.00
CA_7A-12A	Band 12	10M	16QAM	711	23130	1	0	Band 7	20M	2655	3100	/	/	/	/	19.92	19.97	20.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 368 of 493 Page

							Loft Ma	ad simultar	eough t	ansmit with	2 4G ANTO)						
				PCC			ьеπ не	ad simuitan		CC1	2.4G ANT2	1		SCC2			Power	
DL LTE CA	LTE	BW		UL Freq.	UL	UL#	UL RB	LTE	I BW	DL Freq.	DL	LTE	BW	DL Freg.	DL	DL LTE CA	LTE Rel 8	Tune-
Class	Band	(MHz)	Modulation	(MHz)	Channel	RB	Offset	Band	(MHz)	(MHz)	Channel	Band	(MHz)	(MHz)	Channel	Tx.Power(dB	Tx.Power(dBm	
CA_2C	Band 2	20M	64QAM	1900	19100	1	0	Band 2	20M	1960.2	902	/	1	1	1	18.22	18.30	19.00
CA_5B	Band 5	10M	16QAM	829	20450	1	25	Band 5	10M	883.9	2549	/	/	/	/	16.34	16.37	16.50
CA_7C	Band 7	20M	16QAM	2510	20850	50	0	Band 7	20M	2649.8	3048	/	- /	/	/	13.56	13.65	14.00
CA_12B	Band 12	10M	16QAM	711	23130	1	0	Band 12	10M	733.8	5058	/	/	/	/	18.62	18.68	19.00
CA_38C	Band 38	20M	64QAM	2610	38150	1	0	Band 38	20M	2590.2	37952	/	/	/	/	17.82	17.90	19.00
CA_41C	Band 41	20M	64QAM	2645	41140	1	0	Band 41	20M	2625.2	40942	/ D	70014	2005.4	40744	17.88	17.92	19.00
CA_41D CA_2A-5A	Band 41 Band 2	20M 20M	64QAM 64QAM	2645 1900	41140 19100	1	0	Band 41 Band 5	20M 10M	2625.2 881.5	40942 2525	Band 41	20M	2605.4	40744	17.85 18.25	17.92 18.30	19.00
CA_2A-5A	Band 5	10M	16QAM	829	20450	1	25	Band 5	20M	1980	900	'	-/	,	,	18.38	16.37	18.50
CA_2A-12B	Band 2	20M	64QAM	1900	19100	1	0	Band 12	10M	741	5130	Band 12	5M	733.8	5058	18.25	18.30	19.00
CA 2A-17A	Band 2	10M	16QAM	1855	18650	25	0	Band 17	10M	740	5790	/	/	/	/	18.11	18.16	19.00
CA 4A-5A	Band 4	20M	64QAM	1720	20050	1	50	Band 5	10M	881.5	2525	/	/	/	1	17.91	17.95	19.00
CA_4A-5A	Band 5	10M	16QAM	829	20450	1	25	Band 4	20M	2132.5	2175	/	- /	1	/	16.29	16.37	16.50
CA_4A-12A	Band 4	20M	64QAM	1720	20050	1	50	Band 12	10M	737.5	5095	/	/	/	/	17.91	17.95	19.00
CA_4A-12B	Band 4	20M	64QAM	1720	20050	1	50	Band 12	10M	741	5130	Band 12	5M	733.8	5058	17.93	17.95	19.00
CA_4A-17A	Band 4	10M	64QAM	1715	20000	1	25	Band 17	10M	740	5790	/	/	/	/	17.84	17.89	19.00
CA_5A-7A	Band 5	10M	16QAM	829	20450	1	25	Band 7	20M	2655	3100	/	/	/	/	16.32	16.37	16.50
CA_5A-7A	Band 7	20M	16QAM	2510	20850	50	0	Band 5	10M	881.5	2525	/	- /	/	/	13.62	13.65	14.00
CA_7A-12A	Band 7	20M	16QAM	2510	20850	50	0	Band 12	10M	737.5	5095	/	/	/	/	13.61	13.65	14.00
CA_7A-12A	Band 12	10M	16QAM	711	23130	1	0	Band 7	20M	2655	3100	/	/	/	/	18.65	18.68	19.00
							Left Head	d simultane	ously tran	nsmit with 5	G WIFI ANT	2					•	
DL LTE CA				PCC					S	CC1				SCC2			Power	
Class	LTE	BW	Modulation	UL Freq.	UL	UL#	UL RB	LTE	BW	DL Freq.	DL	LTE	BW	DL Freq.	DL	DL LTE CA	LTE Rel 8	Tune-
	Band	(MHz)		(MHz)	Channel	RB	Offset	Band	(MHz)	(MHz)	Channel	Band	(MHz)	(MHz)	Channel	Tx.Power(dB	Tx.Power(dBm	
CA_2C	Band 2	20M	64QAM	1900	19100	1	0	Band 2	20M	1960.2	902	/	- /	/	/	16.86	16.89	17.50
CA_5B	Band 5	10M	16QAM	829	20450	1	25	Band 5	10M	883.9	2549	/	/	/	/	14.92	14.99	15.00
CA_7C	Band 7	20M	16QAM	2510	20850	1	0	Band 7	20M	2649.8	3048	/	/	/	/	12.06	12.12	12.50
CA_12B	Band 12 Band 38	10M 20M	16QAM 16QAM	711 2610	23130 38150	1	0	Band 12 Band 38	10M 20M	733.8 2590.2	5058 37952	/	/	,	,	17.31 15.98	17.36 16.07	17.50
CA_38C CA 41C	Band 41	20M	QPSK	2645	41140	1	99	Band 41	20M	2625.2	40942	- '	1	,	,	16.01	18.14	17.50
CA_41D	Band 41	20M	QPSK	2645	41140	1	99	Band 41	20M	2625.2	40942	Band 41	20M	2605.4	40744	16.03	16.14	17.50
CA 2A-5A	Band 2	20M	64QAM	1900	19100	1	0	Band 5	10M	881.5	2525	/	/	/	/	16.77	16.89	17.50
CA 2A-5A	Band 5	10M	16QAM	829	20450	1	25	Band 2	20M	1960	900	1	1	/	/	14.88	14.99	15.00
CA 2A-12B	Band 2	20M	64QAM	1900	19100	1	0	Band 12	10M	741	5130	Band 12	5M	733.8	5058	16.81	16.89	17.50
CA_2A-17A	Band 2	10M	64QAM	1855	18650	25	49	Band 17	10M	740	5790	/	/	/	/	16.81	16.87	17.50
CA_4A-5A	Band 4	20M	64QAM	1720	20050	1	99	Band 5	10M	881.5	2525	/	/	/	/	16.41	16.43	17.50
CA_4A-5A	Band 5	10M	16QAM	829	20450	1	25	Band 4	20M	2132.5	2175	/	/	/	/	14.92	14.99	15.00
CA_4A-12A	Band 4	20M	64QAM	1720	20050	1	99	Band 12	10M	737.5	5095	/	/	/	/	16.42	16.43	17.50
CA_4A-12B	Band 4	20M	64QAM	1720	20050	1	99	Band 12	10M	741	5130	Band 12	5M	733.8	5058	16.38	16.43	17.50
CA_4A-17A	Band 4	10M	64QAM	1715	20000	1	49	Band 17	10M	740	5790	/	/	/	/	16.35	16.38	17.50
CA_5A-7A	Band 5	10M	16QAM	829	20450	1	25	Band 7	20M	2655	3100	/	/	/	/	14.92	14.99	15.00
CA_5A-7A	Band 7	20M	16QAM	2510	20850	1	0	Band 5	10M	881.5	2525	/	/	/	/	12.11	12.12	12.50
CA_7A-12A	Band 7	20M	16QAM	2510	20850	1	0	Band 12	10M	737.5	5095	/	/	/	/	12.08	12.12	12.50
CA_7A-12A	Band 12	10M	16QAM	711	23130	1	0	Band 7	20M	2655	3100	/	/	/		17.32	17.36	17.50
				500			Right He	ad simultar		ansmit with	2.4G ANT2	2		2000				
DL LTE CA	1.75	D:11		PCC	1	112.00	L 55	1.75		CC1	T 51	1.75		SCC2	F:	DI LEE C	Power	T -
Class	LTE Band	BW (MHz)	Modulation	UL Freq.	UL	UL# RB	UL RB	LTE Band	BW (MHz)	DL Freq.	Channel	LTE Band	BW	DL Freq.	Channel	DL LTE CA	LTE Rel 8	Tune-
CA_2C	Band 2	(MHz) 20M	64QAM	(MHz) 1900	Channel 19100	1	Offset 99	Band 2	20M	(MHz) 1960.2	Channel 902	Band /	(MHz)	(MHz)	Channel /	Tx.Power(dB 14.01	Tx.Power(dBm 14.06	14.50
CA_5B	Band 5	10M	QPSK	829	20450	1	25	Band 5	10M	883.9	2549	' ,	1	/	,	15.81	15.87	16.00
CA_7C	Band 7	20M	QPSK	2580	21350	1	0	Band 7	20M	2880.5	3152	1	1	1	7	9.36	9.48	9.50
CA_12B	Band 12	10M	16QAM	711	23130	1	0	Band 12	10M	733.8	5058	1	1	1	,	19.14	19.17	19.50
CA_38C	Band 38	20M	64QAM	2610	38150	1	0	Band 38	20M	2590.2	37952	1	1	/	/	13.01	13.05	13.50
CA_41C	Band 41	20M	64QAM	2645	41140	1	50	Band 41	20M	2625.2	40942	/	1	/	/	13.93	13.98	14.00
CA_41D	Band 41	20M	64QAM	2645	41140	1	50	Band 41	20M	2625.2	40942	Band 41	20M	2605.4	40744	13.91	13.98	14.00
CA_2A-5A	Band 2	20M	64QAM	1900	19100	1	99	Band 5	10M	881.5	2525	/	1	/	/	13.98	14.06	14.50
CA_2A-5A	Band 5	10M	QPSK	829	20450	1	25	Band 2	20M	1960	900	/	1	/	/	15.81	15.87	16.00
CA_2A-12B		20M	64QAM	1900	19100	1	99	Band 12	10M	741	5130	Band 12	5M	733.8	5058	14.03	14.06	14.50
CA_2A-17A		10M	64QAM	1855	18650	25	0	Band 17	10M	740	5790	/	- /	/	/	13.88	13.96	14.50
CA_4A-5A	Band 4	20M	QPSK	1720	20050	50	0	Band 5	10M	881.5	2525	/	1	/	/	15.73	15.70	16.50
CA_4A-5A	Band 5	10M	QPSK	829	20450	1	25	Band 4	20M	2132.5	2175	/	- /	/	/	15.81	15.87	16.00
CA_4A-12A	Band 4	20M	QPSK	1720	20050	50	0	Band 12	10M	737.5	5095	/	/	/	/	15.59	15.70	16.50
CA_4A-12B		20M	QPSK	1720	20050	50	0	Band 12	10M	741	5130	Band 12	5M	733.8	5058	15.66	15.70	16.50
CA_4A-17A		10M	QPSK	1715	20000	25	0	Band 17	10M	740	5790	/	/	/	/	15.59	15.67	16.50
CA_5A-7A	Band 5	10M	QPSK	829	20450	1	25	Band 7	20M	2655	3100	/	/	/	/	15.81	15.87	16.00
CA_5A-7A	Band 7	20M	QPSK	2560	21350	1	0	Band 5	10M	881.5	2525	/	- /	- /	/	9.44	9.48	9.50
CA_7A-12A CA_7A-12A		20M 10M	QPSK 16QAM	2560 711	21350 23130	1	0	Band 12 Band 7	10M 20M	737.5 2655	5095 3100	/	1	/	/	9.42 19.12	9.48 19.17	9.50 19.50
				1 / 11				Dang /	201VI	2000	3100	i /	. /	. /	/	19.12	1 13.17	10.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 369 of 493

							Right Hea	d simultane	ously tra	nsmit with 8	G WIFI AN	T2					•	
DL LTE CA				PCC					S	CC1			5	SCC2			Power	
Class	LTE	BW	Modulation	UL Freq.	UL	UL#	UL RB	LTE	BW	DL Freq.	DL	LTE	BW	DL Freq.	DL	DL LTE CA	LTE Rel 8	Tune-
	Band	(MHz)		(MHz)	Channel	RB	Offset	Band	(MHz)	(MHz)	Channel	Band	(MHz)	(MHz)	Channel	Tx.Power(dB	Tx.Power(dBm	up
CA_2C	Band 2	20M	64QAM	1900	19100	1	99	Band 2	20M	1960.2	902	/	/	/	/	12.73	12.76	13.00
CA_5B	Band 5	10M	QPSK	829	20450	1	25	Band 5	10M	883.9	2549	/	- /	/	/	14.42	14.48	14.50
CA_7C	Band 7	20M	16QAM	2510	20850	1	0	Band 7	20M	2649.8	3048	/	1	/	/	7.87	7.95	8.00
CA_12B	Band 12	10M	16QAM	711	23130	1	0	Band 12	10M	733.8	5058	/	1	/	/	17.79	17.85	18.00
CA_38C	Band 38	20M	64QAM	2610	38150	1	0	Band 38	20M	2590.2	37952	/	1	1	/	11.88	11.99	12.00
CA_41C	Band 41	20M	16QAM	2645	41140	1	99	Band 41	20M	2625.2	40942	/	/	/	/	12.42	12.49	12.50
CA_41D	Band 41	20M	16QAM	2645	41140	1	99	Band 41	20M	2625.2	40942	Band 41	20M	2605.4	40744	12.46	12.49	12.50
CA_2A-5A	Band 2	20M	64QAM	1900	19100	1	99	Band 5	10M	881.5	2525	/	1	/	/	12.71	12.76	13.00
CA_2A-5A	Band 5	10M	QPSK	829	20450	1	25	Band 2	20M	1960	900	/	/	1	/	14.42	14.48	14.50
CA_2A-12B	Band 2	20M	64QAM	1900	19100	1	99	Band 12	10M	741	5130	Band 12	5M	733.8	5058	12.75	12.76	13.00
CA_2A-17A	Band 2	10M	64QAM	1855	18650	1	0	Band 17	10M	740	5790	/	1	/	/	12.58	12.66	15.00
CA_4A-5A	Band 4	20M	64QAM	1745	20300	1	99	Band 5	10M	881.5	2525	/	1	/	/	14.33	14.38	15.00
CA_4A-5A	Band 5	10M	QPSK	829	20450	1	25	Band 4	20M	2132.5	2175	/	1	/	/	14.42	14.48	14.50
CA_4A-12A	Band 4	20M	64QAM	1745	20300	1	99	Band 12	10M	737.5	5095	/	/	1	/	14.31	14.38	15.00
CA_4A-12B	Band 4	20M	64QAM	1745	20300	1	99	Band 12	10M	741	5130	Band 12	5M	733.8	5058	14.32	14.38	15.00
CA_4A-17A	Band 4	10M	64QAM	1750	20350	1	49	Band 17	10M	740	5790	/	1	/	/	14.21	14.27	15.00
CA_5A-7A	Band 5	10M	QPSK	829	20450	1	25	Band 7	20M	2655	3100	/	/	1	/	16.32	14.48	14.50
CA_5A-7A	Band 7	20M	16QAM	2510	20850	1	0	Band 5	10M	881.5	2525	/	/	1	/	7.91	7.95	8.00
CA_7A-12A	Band 7	20M	16QAM	2510	20850	1	0	Band 12	10M	737.5	5095	/	/	1	/	7.92	7.95	8.00
CA_7A-12A	Band 12	10M	16QAM	711	23130	1	0	Band 7	20M	2655	3100	/	/	1	/	17.81	17.85	18.00

Note: Testing is not required in bands or modes not intended/allowed for US operation.

According to KDB 941225 D05A, the downlink LTE CA SAR test is not required and PAG requirements can be excluded.

Conducted Power of Uplink LTE CA:

CA_2C Antenna 1:

	CA Config	uration / N _F	RB_agg	СС		PCC & S	CC RB	full	power	rocoivor	off hotspot on	rocoivor	off sensor on
ID	PCC	SCCs	Bandwidth	MOD	N _{RB_ alloc}	alloca	tions	Iuii	power	receiver	on notspot on	receiver	on sensor on
ID	Channel	Channel	Danuwiutii	NO D		(LCRB @	RBstart)	Power	tune-up(dBm)	Power	tune-up(dBm)	Power	tune-up(dBm)
LCH	18700	18898	20M	QPSK	1	P_1@0	S_0@0	22.93	24.00	18.22	19.00	20.23	21.50
LON	10700	10030	ZUIVI	QPSK	18	P_18@0	S_0@0	23.22	24.00	18.21	19.00	20.05	21.50
LCH	18898	18700	20M	QPSK	1	P_1@0	S_0@0	22.03	24.00	17.69	19.00	19.51	21.50
LCH	10030	10700	ZUIVI	QPSK	18	P_18@0	S_0@0	21.98	24.00	17.60	19.00	19.39	21.50
мсн	18900	19098	20M	QPSK	1	P_1@0	S_0@0	23.26	24.00	18.23	19.00	20.12	21.50
IVICH	10300	13030	ZUIVI	QPSK	18	P_18@0	S_0@0	23.21	24.00	18.24	19.00	20.03	21.50
МСН	19098	18900	20M	QPSK	1	P_1@0	S_0@0	23.08	24.00	17.64	19.00	19.99	21.50
IVICH	19090	10900	ZUIVI	QPSK	18	P_18@0	S_0@0	22.54	24.00	17.59	19.00	20.01	21.50
МСН	18801	18999	20M	QPSK	1	P_1@0	S_0@0	23.20	24.00	18.21	19.00	20.22	21.50
IVICH	10001	10999	ZUIVI	QPSK	18	P_18@0	S_0@0	23.21	24.00	18.20	19.00	20.05	21.50
мсн	18999	18801	20M	QPSK	1	P_1@0	S_0@0	22.19	24.00	17.16	19.00	20.09	21.50
IVICH	10333	10001	ZUIVI	QPSK	18	P_18@0	S_0@0	23.10	24.00	18.15	19.00	20.08	21.50
нсн	19100	18902	20M	QPSK	1	P_1@0	S_0@0	22.53	24.00	18.26	19.00	19.42	21.50
поп	19100	10302	ZUIVI	QPSK	18	P_18@0	S_0@0	22.63	24.00	17.75	19.00	19.51	21.50
НСН	18902	19100	20M	QPSK	1	P_1@0	S_0@0	23.19	24.00	18.22	19.00	20.72	21.50
псп	10302	19100	ZUIVI	QPSK	18	P_18@0	S_0@0	23.16	24.00	18.18	19.00	20.62	21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有论明,此据华结里做新闻建立线是各者,同时此揆是做保留的子。木都华丰德木公司聿简纯可,不可驾份推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 370 of 493 Page

CA 2C Antenna 2

			711110 2																						
ID	PCC	SCCs	Bandwidth	CC MOD	N _{RB alloc}	PCC & S allocat (LCRB @ I	ions		wer or ver off		iver on Head		iver on It Head	with w	neously rifi 2.4G r on Left ead	with v	ineously vifi 2.4G r on Right ead	with w	neously ifi 2.4G ver off	with wi 2.4G+5G recei	neously ifi 5G or or 5G+BT ver on Head	with w 2.4G+5G recei	neously ifi 5G or or 5G+BT iver on Head	with w 2.4G+5G	ineously vifi 5G or or 5G+BT iver off
	Channel	Channel						Power	tune- up(dBm)	Power	tune- up(dBm)		tune- up(dBm)	Power	tune- up(dBm)	Power	tune- up(dBm)		tune- up(dBm)		tune- up(dBm)	Power	tune- up(dBm)	Power	tune- up(dBm)
LCH	18700	18898	20M	QPSK	1	P_1@0	S_0@0	24.25	24.50	20.34	21.50	15.56	17.00	18.34	19.00	14.02	14.50	20.94	22.00	16.30	17.50	12.73	13.00	19.81	20.50
	10700	10030	20111	QPSK	18	P_18@0	S_0@0	23.88	24.50	21.03	21.50	15.51	17.00	18.68	19.00	13.71	14.50	21.04	22.00	16.31	17.50	12.68	13.00	19.80	20.50
LCH	18898	18700	20M	QPSK	1	P_1@0	S_0@0	22.31	24.50	20.16	21.50	14.46	17.00	17.44	19.00	12.88	14.50	20.48	22.00	15.86	17.50	11.39	13.00	18.87	20.50
	10000			QPSK	18	P_18@0	S_0@0	21.55	24.50	20.09	21.50	14.11	17.00	17.43	19.00	12.92	14.50	20.39	22.00	15.92	17.50	11.43	13.00	18.93	20.50
MCH	18801	18999	20M	QPSK	1	P_1@0	S_0@0	23.47	24.50	20.63	21.50	15.53	17.00	17.99	19.00	13.69	14.50	21.58	22.00	16.73	17.50	12.69	13.00	19.85	20.50
				QPSK	18	P_18@0	S_0@0	24.24	24.50	21.15	21.50	15.57	17.00	18.56	19.00	14.29	14.50	21.39	22.00	16.30	17.50	11.99	13.00	19.84	20.50
MCH	18999	18801	20M	QPSK	1	P_1@0	S_0@0	22.65	24.50	20.01	21.50	15.41	17.00	17.46	19.00	12.81	14.50	20.35	22.00	15.83	17.50	11.35	13.00	18.49	20.50
-				QPSK	18	P_18@0	S_0@0	23.50	24.50	20.06	21.50	15.49	17.00	17.41	19.00	12.85	14.50	20.39	22.00	15.94	17.50	11.33	13.00	19.38	20.50
MCH	18900	19098	20M	QPSK QPSK	10	P_1@0	S_0@0	24.14	24.50 24.50	20.55	21.50	15.56 15.53	17.00 17.00	18.21 18.55	19.00	14.01	14.50 14.50	20.78	22.00	16.41 16.35	17.50 17.50	12.55	13.00	19.99 19.81	20.50
-				QPSK	10	P_18@0	S_0@0 S 0@0	22.23	24.50	20.98 19.93	21.50	15.55	17.00	17.75	19.00	12.77	14.50	20.27	22.00	15.81	17.50	11.02	13.00	18.74	20.50
MCH	19098	18900	20M	QPSK	18	P_1@0		22.25	24.50	20.09	21.50	15.43	17.00	17.75	19.00	12.77	14.50	20.27	22.00	15.84	17.50		13.00	18.81	20.50
_				QPSK	10	P_18@0	S_0@0 S_0@0	23.38	24.50	21.12	21.50	15.50	17.00	18.37	19.00	14.23	14.50	20.83	22.00	16.22	17.50	11.10	13.00	19.83	20.50
HCH	18902	19100	20M	QPSK	18	P_1@0 P_18@0	S_0@0	23.88	24.50	20.80	21.50	15.56	17.00	18.67	19.00	13.28	14.50	21.64	22.00	16.22	17.50	12.03	13.00	19.82	20.50
-				QPSK	10	P_1@0	S_0@0	22.31	24.50	20.00	21.50	15.58	17.00	17.34	19.00	12.74	14.50	20.43	22.00	15.83	17.50	11.04	13.00	18.83	20.50
HCH	19100	18902	20M	QPSK	12	P_18@0	S_0@0	23.34	24.50	20.12	21.50	15.50	17.00	17.49	19.00	12.74	14.50	20.45	22.00	15.87	17.50	11.45	13.00	18.95	20.50
<u> </u>				QF3K	10	F_10@0	3_0@0	23.34	24.50	20.11	21.50	15.52	17.00	17.45	15.00	12.52	14.50	20.40	22.00	15.07	17.50	11.45	13.00	10.55	20.50

CA 7C Antenna 1:

	CA Config	guration / N	RB_agg	cc			SCC RB	full n	ower	receiver off I	notspot on	receiver o	ff sensor on
ID	PCC	SCCs	Bandwidth	MOD	N _{RB_alloc}		ations	Tun p		10001101 0111	iotopot on	10001101	
ID	Channel	Channel	Dandwidth	WIOD		(LCRB @	(RBstart)	Power	tune-up(dBm)	Power	tune-up(dBm)	Power	tune-up(dBm)
LCH	20850	21048	20M	QPSK	1	P_1@0	S_0@0	22.38	23.50	17.01	18.50	21.52	22.50
LON	20000	21046	20101	QPSK	18	P_18@0	S_0@0	22.42	23.50	16.87	18.50	21.92	22.50
LCH	21048	20850	20M	QPSK	1	P_1@0	S_0@0	22.17	23.50	17.01	18.50	21.18	22.50
LCH	21040	20000	20101	QPSK	18	P_18@0	S_0@0	22.30	23.50	17.02	18.50	21.22	22.50
MCH	21001	21199	20M	QPSK	1	P_1@0	S_0@0	22.30	23.50	17.01	18.50	21.48	22.50
WICH	21001	21199	20101	QPSK	18	P_18@0	S_0@0	22.41	23.50	16.83	18.50	21.89	22.50
MCH	21199	21001	20M	QPSK	1	P_1@0	S_0@0	22.39	23.50	17.03	18.50	21.17	22.50
WICH	21199	21001	20101	QPSK	18	P_18@0	S_0@0	22.40	23.50	17.04	18.50	21.19	22.50
MCH	21100	21298	20M	QPSK	1	P_1@0	S_0@0	22.43	23.50	17.04	18.50	21.61	22.50
WICH	21100	21290	20101	QPSK	18	P_18@0	S_0@0	22.41	23.50	16.89	18.50	22.07	22.50
MCH	21298	21100	20M	QPSK	1	P_1@0	S_0@0	21.61	23.50	16.09	18.50	20.83	22.50
WICH	21290	21100	20101	QPSK	18	P_18@0	S_0@0	21.30	23.50	15.80	18.50	21.08	22.50
HCH	21152	21350	20M	QPSK	1	P_1@0	S_0@0	22.39	23.50	16.90	18.50	21.21	22.50
псп	21152	21350	ZUIVI	QPSK	18	P_18@0	S_0@0	22.40	23.50	16.83	18.50	21.60	22.50
НСН	21350	21152	20M	QPSK	1	P_1@0	S_0@0	22.38	23.50	17.05	18.50	20.91	22.50
псп	21330	21102	20101	QPSK	18	P_18@0	S_0@0	22.41	23.50	16.88	18.50	20.94	22.50

CA 7C Antenna 2:

<u> </u>				iiiia z	•																					
	CA	Configu	uration / N	RB agg												ineously		neously	Simutane	ously with		neously ifi 5G or		neously ifi 5G or		eously with
ID		СС	SCCs	Bandwidth	CC MOD	N _{RB alloc}	PCC & S alloca (LCRB @	tions		ver on Head		ver on Head	receiv	er off	receive	vifi 2.4G er on Left ead	receiver	rifi 2.4G on Right ead	wifi 2.40	receiver	2.4G+ 5G+BT re	-5G or	2.4G+5G recei	or 5G+BT ver on Head	or 5G+E	or 2.4G+5G 3T receiver off
	Cha	annel	Channel						Power	tune- up(dBm)	Power	tune- up(dBm)	Power	tune- up(dBm)	Power	tune- up(dBm)	Power	tune- up(dBm)	Power	tune- up(dBm)		tune- up(dBm)	Power	tune- up(dBm)	Power	tune- up(dBm)
LC	H 208	850	21048	20M	QPSK	1	P_1@0	S_0@0	16.27	16.50	11.21	12.00	15.88	17.00	13.50	14.00	8.95	9.50	13.17	14.50	11.44	12.50	7.60	8.00	12.57	13.00
1			2.0.0		QPSK	18	P_18@0	S_0@0	15.66	16.50	11.18	12.00	15.53	17.00	13.12	14.00	8.33	9.50	13.02	14.50	11.68	12.50	7.08	8.00	12.21	13.00
LC	H 210	048	20850	20M	QPSK	1	P_1@0	S_0@0	15.18	16.50	11.01	12.00	15.61	17.00	12.74	14.00	8.05	9.50	13.28	14.50	11.15	12.50	7.54	8.00	11.67	13.00
		-			QPSK	18	P_18@0	S_0@0	15.16	16.50	10.91	12.00	15.65	17.00	12.71	14.00	8.61	9.50	13.33	14.50	11.15	12.50	7.28	8.00	11.56	13.00
MC	H 210	001	21199	20M	QPSK	1 10	P_1@0 P 18@0	S_0@0 S 0@0	15.47 15.36	16.50 16.50	11.14	12.00	15.69 15.55	17.00 17.00	13.49	14.00	8.64 8.45	9.50 9.50	13.71	14.50 14.50	11.47	12.50 12.50	7.25	8.00	12.80	13.00 13.00
	_	\rightarrow			QPSK	10	P_1@0	S_0@0	15.34	16.50	11.17	12.00	15.86	17.00	12.86	14.00	7.95	9.50	13.72	14.50	11.79	12.50	6.52	8.00	11.56	13.00
MC	H 211	199	21001	20M	QPSK	18	P 18@0	S 0@0	15.81	16.50	11.20	12.00	15.85	17.00	13.27	14.00	7.87	9.50	13.72	14.50	11.05	12.50	6.53	8.00	11.58	13.00
					QPSK	1	P_1@0	S_0@0	15.68	16.50	11.15	12.00	15.65	17.00	13.11	14.00	8.66	9.50	13.74	14.50	11.29	12.50	7.36	8.00	12.52	13.00
MC	H 211	100	21298	20M	QPSK	18	P 18@0	S 0@0	15.55	16.50	11.18	12.00	15.48	17.00	13.10	14.00	8.31	9.50	13.03	14.50	11.49	12.50	7.05	8.00	12.41	13.00
MC	u 242	298	21100	20M	QPSK	1	P_1@0	S_0@0	15.11	16.50	11.19	12.00	15.57	17.00	12.63	14.00	8.93	9.50	13.09	14.50	11.87	12.50	7.62	8.00	11.51	13.00
MC	n 212	290	21100	20M	QPSK	18	P_18@0	S_0@0	15.07	16.50	11.20	12.00	15.35	17.00	12.54	14.00	8.99	9.50	12.86	14.50	11.75	12.50	7.60	8.00	11.67	13.00
нс	244	152	21350	20M	QPSK	1	P_1@0	S_0@0	15.72	16.50	11.18	12.00	15.57	17.00	13.01	14.00	8.76	9.50	13.06	14.50	11.71	12.50	7.31	8.00	12.70	13.00
HC	211	152	21350	20M	QPSK	18	P_18@0	S_0@0	16.28	16.50	11.11	12.00	15.54	17.00	13.54	14.00	8.30	9.50	12.91	14.50	11.20	12.50	6.98	8.00	11.80	13.00
нс	H 213	350	21152	20M	QPSK	1	P_1@0	S_0@0	15.61	16.50	10.96	12.00	15.53	17.00	12.89	14.00	8.56	9.50	13.01	14.50	11.55	12.50	7.21	8.00	12.55	13.00
110	210	550	21102	20111	QPSK	18	P_18@0	S_0@0	15.89	16.50	10.91	12.00	15.52	17.00	13.21	14.00	8.21	9.50	12.89	14.50	11.16	12.50	6.88	8.00	11.49	13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 371 of 493 Page

CA_38C Antenna 1:

	CA Config	juration / N	RB_agg			PCC & S	SCC RB	full	power	receiver o	off hotspot on	receiver o	off sensor on
	PCC	SCCs		CC	N _{RB alloc}		ations	Idii	power	receiver e	ii notspot on	TCCCIVCI	on sensor on
ID	Channel	Channel	Bandwidth	MOD	TRB_alloc	(LCRB @		Power	tune- up(dBm)	Power	tune- up(dBm)	Power	tune- up(dBm)
LCH	37850	38048	20M	QPSK	1	P_1@0	S_0@0	22.73	24.00	21.62	23.00	22.73	24.00
LOIT	37030	30040	20101	QPSK	18	P_18@0	S_0@0	23.20	24.00	21.84	23.00	23.20	24.00
LCH	38048	37850	20M	QPSK	1	P_1@0	S_0@0	21.97	24.00	20.95	23.00	21.97	24.00
LOIT	30040	37000	20101	QPSK	18	P_18@0	S_0@0	22.01	24.00	20.87	23.00	22.01	24.00
МСН	37901	38099	20M	QPSK	1	P_1@0	S_0@0	23.16	24.00	21.69	23.00	23.16	24.00
WICH	3/901	30099	20101	QPSK	18	P_18@0	S_0@0	23.18	24.00	21.82	23.00	23.18	24.00
MCH	38099	37901	20M	QPSK	1	P_1@0	S_0@0	22.23	24.00	21.12	23.00	22.23	24.00
IVICH	30099	3/901	20101	QPSK	18	P_18@0	S_0@0	22.24	24.00	21.22	23.00	22.24	24.00
нсн	37952	38150	20M	QPSK	1	P_1@0	S_0@0	23.18	24.00	21.67	23.00	23.18	24.00
псп	31932	30 130	20101	QPSK	18	P_18@0	S_0@0	22.71	24.00	21.54	23.00	22.71	24.00
нсн	38150	37952	20M	QPSK	1	P_1@0	S_0@0	22.57	24.00	21.53	23.00	22.57	24.00
ПСП	30130	31902	ZUIVI	QPSK	18	P_18@0	S_0@0	22.64	24.00	21.56	23.00	22.64	24.00

CA_38C Antenna 2:

	CA Config	uration / N	N _{RB_899}	CC MOD	N _{RB_alloc}	PCC & S alloca (LCRB @	ations	full	power		iver on Head		iver on t Head	recei	iver off	with w	aneously vifi 2.4G er on Left ead	with w	ineously ifi 2.4G ver on t Head	with w	aneously rifi 2.4G iver off	with 9 2.40 5G+BT	taneously wifi 5G or G+5G or receiver on ft Head	with v 2.40 5G+BT	taneously wifi 5G or G+5G or receiver on ht Head	with w 2.4G 5G+BT	aneously ifi 5G or +5G or receiver
ID	Channel		Bandwidth					Power	tune- up(dBm)	Power	tune- up(dBm)	Power	tune- up(dBm)	Power	tune- up(dBm)	Power	tune- up(dBm	Power	tune- up(dBm)	Power	tune- up(dBm)	Power	tune- up(dBm)	Power	tune- up(dBm)	Power	tune- up(dBm)
LCH	37850	38048	20M	QPSK	1	P_1@0	S_0@0	23.02	24.00	20.29	21.50	15.02	16.00	23.02	24.00	18.46	19.00	13.27	13.50	20.48	22.00	17.17	17.50	10.83	12.00	19.28	20.50
LON	3/600	30040	20101	QPSK	18	P_18@0	S_0@0	23.27	24.00	20.71	21.50	14.91	16.00	23.27	24.00	17.90	19.00	12.72	13.50	20.52	22.00	16.55	17.50	11.46	12.00	19.59	20.50
LCH	38048	37850	20M	QPSK	1	P_1@0	S_0@0	22.64	24.00	18.61	21.50	13.85	16.00	22.64	24.00	16.09	19.00	13.08	13.50	20.05	22.00	14.78	17.50	10.16	12.00	19.65	20.50
LOH	30040	37000	20101	QPSK	18	P_18@0	S_0@0	22.68	24.00	18.68	21.50	13.84	16.00	22.68	24.00	16.17	19.00	13.14	13.50	20.04	22.00	14.76	17.50	10.10	12.00	19.68	20.50
мсн	37901	38099	20M	QPSK	1	P_1@0	S_0@0	23.37	24.00	20.78	21.50	15.00	16.00	23.37	24.00	18.09	19.00	13.08	13.50	20.51	22.00	16.93	17.50	11.07	12.00	19.95	20.50
IVICH	3/301	30033	20101	QPSK	18	P_18@0	S_0@0	22.95	24.00	20.40	21.50	14.56	16.00	22.95	24.00	17.94	19.00	12.90	13.50	20.50	22.00	16.20	17.50	11.44	12.00	19.46	20.50
мсн	38099	37901	20M	QPSK	1	P_1@0	S_0@0	22.85	24.00	18.62	21.50	14.29	16.00	22.85	24.00	16.06	19.00	13.07	13.50	20.25	22.00	14.72	17.50	10.12	12.00	18.70	20.50
IVICH	30099	3/901	20101	QPSK	18	P_18@0	S_0@0	23.10	24.00	18.66	21.50	14.39	16.00	23.10	24.00	16.13	19.00	13.20	13.50	20.42	22.00	14.78	17.50	10.11	12.00	18.88	20.50
нсн	37952	38150	20M	QPSK	1	P_1@0	S_0@0	23.23	24.00	20.33	21.50	14.24	16.00	23.23	24.00	18.21	19.00	13.11	13.50	20.48	22.00	17.15	17.50	11.41	12.00	19.41	20.50
HCH.	3/302	30 100	20M	QPSK	18	P_18@0	S_0@0	23.36	24.00	20.45	21.50	14.66	16.00	23.36	24.00	18.01	19.00	12.88	13.50	20.44	22.00	16.87	17.50	11.01	12.00	19.35	20.50
нсн	38150	37952	20M	QPSK	1	P_1@0	S_0@0	23.39	24.00	18.64	21.50	14.62	16.00	23.39	24.00	16.11	19.00	13.09	13.50	20.51	22.00	14.69	17.50	10.13	12.00	18.84	20.50
HUH	30 (00	ord02	20101	QPSK	18	P_18@0	S_0@0	23.38	24.00	18.71	21.50	14.74	16.00	23.38	24.00	16.21	19.00	13.19	13.50	20.47	22.00	14.78	17.50	10.09	12.00	18.81	20.50

CA_41C Antenna 1:

		uration / N	RB_agg			PCC & :	SCC RB	full	power	receiver o	ff hotspot on	receiver (off sensor on
	PCC	SCCs		CC	N _{RB_alloc}	alloca	ations						
ID	Channel	Channel	Bandwidth	MOD	· ·Kb_ alloc	(LCRB @	RBstart)	Power	tune- up(dBm)	Power	tune- up(dBm)	Power	tune- up(dBm)
LCH	40240	40438	20M	QPSK	1	P_1@0	S_0@0	23.17	24.00	22.07	23.00	23.17	24.00
LON	40240	40430	20101	QPSK	18	P_18@0	S_0@0	23.10	24.00	21.85	23.00	23.10	24.00
LCH	40438	40240	20M	QPSK	1	P_1@0	S_0@0	23.21	24.00	22.03	23.00	23.21	24.00
LUIT	40430	40240	ZUIVI	QPSK	18	P_18@0	S_0@0	23.19	24.00	22.01	23.00	23.19	24.00
мсн	40591	40789	20M	QPSK	1	P_1@0	S_0@0	23.20	24.00	21.31	23.00	23.20	24.00
IVICH	40591	40709	ZUIVI	QPSK	18	P_18@0	S_0@0	23.13	24.00	21.23	23.00	23.13	24.00
МСН	40789	40591	20M	QPSK	1	P_1@0	S_0@0	22.22	24.00	20.65	23.00	22.22	24.00
IVICIT	40703	40551	20101	QPSK	18	P_18@0	S_0@0	22.43	24.00	20.63	23.00	22.43	24.00
MCH	40740	40938	20M	QPSK	1	P_1@0	S_0@0	23.11	24.00	21.89	23.00	23.11	24.00
WICH	40740	40330	20101	QPSK	18	P_18@0	S_0@0	23.02	24.00	21.76	23.00	23.02	24.00
MCH	40938	40740	20M	QPSK	1	P_1@0	S_0@0	22.98	24.00	21.77	23.00	22.98	24.00
WICH	40330	40740	20101	QPSK	18	P_18@0	S_0@0	22.89	24.00	21.65	23.00	22.89	24.00
MCH	40690	40888	20M	QPSK	1	P_1@0	S_0@0	23.23	24.00	21.39	23.00	23.23	24.00
WICH	40030	40000	20101	QPSK	18	P_18@0	S_0@0	22.89	24.00	21.34	23.00	22.89	24.00
MCH	40888	40690	20M	QPSK	1	P_1@0	S_0@0	22.85	24.00	21.13	23.00	22.85	24.00
WICH	40000	40030	20101	QPSK	18	P_18@0	S_0@0	22.86	24.00	21.26	23.00	22.86	24.00
HCH	40942	41140	20M	QPSK	1	P_1@0	S_0@0	23.15	24.00	21.59	23.00	23.15	24.00
HOH	40342	41140	20101	QPSK	18	P_18@0	S_0@0	23.12	24.00	21.28	23.00	23.12	24.00
HCH	41140	40942	20M	QPSK	1	P_1@0	S_0@0	22.26	24.00	22.04	23.00	22.26	24.00
HOH	41140	40342	20101	QPSK	18	P_18@0	S_0@0	22.36	24.00	22.05	23.00	22.36	24.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01

Page : 372 of 493

CA_41C Antenna 2:

	CA Config	uration / N	RB_600											Simuta	neously	Simuta	aneously	Simute	aneously		neously vifi 5G or		aneously vifi 5G or		aneously vifi 5G or
ID	PCC	SCCs	Bandwidth	CC MOD	N _{RB_alloc}	PCC & S alloca (LCRB @	itions		ower or iver off		ver on Head		iver on t Head	rece	vifi 2.4G iver on Head	rece	vifi 2.4G eiver on it Head	with v	wifi 2.4G iver off	2.4G+5G rece	or 5G+BT iver on Head	2.40 5G+BT	G+5G or receiver on nt Head	2.4G 5G+BT	0+5G or receiver off
	Channel	Channel						Power	tune- up(dBm)	Power	tune- up(dBm)	Power	tune- up(dBm)	Power	tune- up(dBm)	Power	tune- up(dBm)	Power	tune- up(dBm)	Power	tune- up(dBm)	Power	tune- up(dBm)	Power	tune- up(dBm)
LCH	40240	40438	20M	QPSK	1	P_1@0	S_0@0	23.65	24.50	21.05	21.50	15.21	16.50	17.21	19.00	13.72	14.00	20.23	22.00	16.85	17.50	11.83	12.50	20.16	20.50
Lon	40240	40430	20111	QPSK	18	P_18@0	S_0@0	23.56	24.50	20.58	21.50	15.04	16.50	17.09	19.00	13.55	14.00	20.08	22.00	16.62	17.50	11.20	12.50	19.34	20.50
LCH	40438	40240	20M	QPSK	1	P_1@0	S_0@0	23.29	24.50	18.62	21.50	15.20	16.50	17.32	19.00	13.49	14.00	20.76	22.00	16.41	17.50	9.68	12.50	17.68	20.50
				QPSK	18	P_18@0	S_0@0	23.41	24.50	18.71	21.50	15.19	16.50	17.08	19.00	13.52	14.00	20.72	22.00	16.41	17.50	9.87	12.50	17.65	20.50
MCH	40591	40789	20M	QPSK	1	P_1@0	S_0@0	23.61	24.50	21.02	21.50	14.94	16.50	16.99	19.00	13.72	14.00	20.72	22.00	16.68	17.50	11.66	12.50	19.25	20.50
_				QPSK	18	P_18@0	S_0@0	23.54	24.50	21.03	21.50	14.86	16.50	16.89	19.00	13.36	14.00	20.69	22.00	16.82	17.50	11.81	12.50	20.11	20.50
MCH	40789	40591	20M	QPSK	18	P_1@0	S_0@0 S 0@0	23.10	24.50 24.50	18.62 18.63	21.50	14.91	16.50 16.50	17.19 17.18	19.00	13.59	14.00	20.42	22.00	16.29 16.36	17.50 17.50	10.36	12.50 12.50	17.61	20.50
_				QPSK	10	P_18@0 P 1@0	S 0@0	23.69	24.50	20.96	21.50	15.01	16.50	17.10	19.00	13.70	14.00	20.49	22.00	16.40	17.50	11.52	12.50	19.34	20.50
MCH	40740	40938	20M	QPSK	18	P_18@0	S_0@0	23.44	24.50	20.72	21.50	14.90	16.50	17.02	19.00	13.52	14.00	20.62	22.00	16.32	17.50	11.32	12.50	19.70	20.50
_				QPSK	10	P 1@0	S 0@0	23.26	24.50	18.59	21.50	15.02	16.50	16.93	19.00	13.63	14.00	20.71	22.00	16.21	17.50	10.31	12.50	17.62	20.50
MCH	40938	40740	20M	QPSK	18	P_18@0	S_0@0	23.28	24.50	18.66	21.50	14.98	16.50	16.86	19.00	13.29	14.00	20.62	22.00	16.30	17.50	10.20	12.50	17.66	20.50
				QPSK	1	P 1@0	S 0@0	23.70	24.50	21.00	21.50	15.10	16.50	17.35	19.00	13.16	14.00	20.81	22.00	16.47	17.50	11.59	12.50	19.40	20.50
MCH	40690	40888	20M	QPSK	18	P_18@0	S 0@0	23.45	24.50	20.55	21.50	14.99	16.50	17.11	19.00	13.01	14.00	20.68	22.00	16.41	17.50	11.36	12.50	19.76	20.50
				QPSK	1	P 1@0	S 0@0	23.26	24.50	18.59	21.50	15.14	16.50	17.03	19.00	12.98	14.00	20.76	22.00	16.23	17.50	10.34	12.50	17.67	20.50
MCH	40888	40690	20M	QPSK	18	P_18@0	S_0@0	23.28	24.50	18.64	21.50	15.15	16.50	16.89	19.00	12.88	14.00	20.66	22.00	16.33	17.50	10.29	12.50	17.71	20.50
нсн	40942	41140	20M	QPSK	1	P_1@0	S_0@0	23.63	24.50	21.01	21.50	15.05	16.50	16.78	19.00	13.46	14.00	20.64	22.00	16.50	17.50	11.23	12.50	20.10	20.50
псп	40342	41140	20M	QPSK	18	P_18@0	S_0@0	23.61	24.50	20.35	21.50	14.93	16.50	16.88	19.00	13.41	14.00	20.43	22.00	16.83	17.50	11.77	12.50	20.13	20.50
нсн	41140	40942	20M	QPSK	1	P_1@0	S_0@0	21.79	24.50	18.55	21.50	13.85	16.50	17.22	19.00	13.28	14.00	19.34	22.00	15.91	17.50	10.67	12.50	17.76	20.50
- IICH	41140	40342	20111	QPSK	18	P_18@0	S_0@0	21.95	24.50	18.57	21.50	13.91	16.50	17.09	19.00	13.21	14.00	19.42	22.00	16.37	17.50	10.69	12.50	17.76	20.50

41C UL and 41D DL Antenna 1:

					PCC						SCC	:1				S	CC2			Power	
Power State	Configuration	LTE Band	BW (MHz)	Modul	UL/DL Freq. (MHz)	UL/DL Channel	UL# RB	UL RB Offset	LTE Band	BW (MHz)	UL/DL Freq. (MHz)	UL/DL Channel	UL# RB	UL RB Offset	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	LTE UL CA_41C with DL CA_41D Power	LTE UL CA_41C Power	tune-up (dBm)
full power	41C UL and 41D DL	LTE B41	20M	QPSK	2600	40690	1	0	LTE B41	20M	2580.2	40492	0	0	LTE B41	20M	2619.8	40888	23.16	23.22	24.00
receiver off	41C UL and	LTE B41	20M	QPSK	2555	40240	-1	0	LTE B41	20M	2574.8	40438	0	0	LTE B41	15M	2591.9	40609	21.98	22.05	23.00
hotspot on	41D DL	LIL D41	20101	QP3N	2000	40240	- 1	U	LIL D41	ZUIVI	2014.0	40430	U	0	LIL D41	TOW	2031.3	40009	21.30	22.05	23.00
receiver off sensor on	41C UL and 41D DL	LTE B41	20M	QPSK	2600	40690	1	0	LTE B41	20M	2580.2	40492	0	0	LTE B41	20M	2619.8	40888	23.17	23.22	24.00

41C UL and 41D DL Antenna 2:

					PCC						SCO	21				S	CC2		F	ower	
Power State	Configuration	LTE Band	BW (MHz)	Modulation	UL/DL Freq. (MHz)	UL/DL Channel		UL RB Offset	LTE Band	BW (MHz)	UL/DL Freq. (MHz)	UL/DL Channel	UL# RB	UL RB Offset	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	LTE UL CA_41C with DL CA_41D Power	LTE UL CA_41C Power	tune- up(dBm)
full power or receiver off	41C UL and 41D DL	LTE B41	20M	QPSK	2600	40690	1	0	LTE B41	20M	2580.2	40492	0	0	LTE B41	20M	2619.8	40888	23.66	23.70	24.50
receiver on Left Head	41C UL and 41D DL	LTE B41	20M	QPSK	2555	40240	1	0	LTE B41	20M	2574.8	40438	0	0	LTE B41	15M	2591.9	40609	21.00	21.03	21.50
receiver on Right Head	41C UL and 41D DL	LTE B41	20M	QPSK	2555	40240	1	0	LTE B41	20M	2574.8	40438	0	0	LTE B41	15M	2591.9	40609	15.16	15.20	16.50
Simutaneously with wifi 2.4G receiver of Left Head	41C UL and 41D DL	LTE B41	20M	QPSK	2600	40690	1	0	LTE B41	20M	2580.2	40492	0	0	LTE B41	20M	2619.8	40888	17.29	17.35	19.00
Simutaneously with wifi 2.4G receiver or Right Head	41C UL and 41D DL	LTE B41	20M	QPSK	2555	40240	1	0	LTE B41	20M	2574.8	40438	0	0	LTE B41	15M	2591.9	40609	13.70	13.72	14.00
Simutaneously with wifi 2.4G receiver off	41C UL and 41D DL	LTE B41	20M	QPSK	2600	40690	1	0	LTE B41	20M	2580.2	40492	0	0	LTE B41	20M	2619.8	40888	20.73	20.81	22.00
Simutaneously with wifi 5G or 2.4G+5G or 5G+BT receiver on Left Head	41C UL and 41D DL	LTE B41	20M	QPSK	2555	40240	1	0	LTE B41	20M	2574.8	40438	0	0	LTE B41	15M	2591.9	40609	16.81	16.85	17.50
Simutaneously with wifi 5G or 2.4G+5G or 5G+BT receiver on Right Head	41C UL and 41D DL	LTE B41	20M	QPSK	2555	40240	1	0	LTE B41	20M	2574.8	40438	0	0	LTE B41	15M	2591.9	40609	11.76	11.83	12.50
Simutaneously with wifi 5G or 2.4G+5G or 5G+BT receiver off	41C UL and 41D DL	LTE B41	20M	QPSK	2555	40240	1	0	LTE B41	20M	2574.8	40438	0	0	LTE B41	15M	2591.9	40609	20.09	20.16	20.50

Note: Per FCC Guidance, additional SAR measurements for LTE ULCA for CA_41C uplink with CA_41D DLCA active were not required since the maximum output power for this configuration was not more than 0.25dB higher than the maximum output power for CA_41C uplink with CA_41C DLCA inactive.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 373 of 493

Conducted Power of WIFI and BT 8.1.2

			2.4GHz WIFI Head	l Scene			
Mode	Antenna	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
		1	2412		14.50	12.88	NO
	Ant1	6	2437		14.50	13.15	Yes
000 445		11	2462		14.50	13.14	NO
802.11b		1	2412	1	16.50	15.40	NO
	Ant2	6	2437	1	16.50	15.92	Yes
		11	2462		16.50	15.82	NO
		1	2412		14.50	Not required	NO
	Ant1	6	2437		14.50	Not required	NO
000.44		11	2462		14.50	Not required	NO
802.11g		1	2412	6	16.00	Not required	NO
	Ant2	6	2437	-	16.00	Not required	NO
		11	2462		16.00	Not required	NO
		1	2412		14.50	Not required	NO
	Ant1	6	2437	-	14.50	Not required	NO
802.11n		11	2462	1	14.50	Not required	NO
HT20 SISO		1	2412	6.5	15.00	Not required	NO
	Ant2	6	2437		15.00	Not required	NO
		11	2462		15.00	Not required	NO
		1	2412		18.30	16.08	NO
802.11g CDD	Sum	6	2437	6	18.30	16.51	NO
-		11	2462	1	18.30	16.21	NO
		1	2412		17.70	16.16	NO
802.11HT20MIMO	Sum	6	2437	13	17.70	16.65	NO
		11	2462	1	17.70	16.45	NO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 374 of 493

			2.4GHz WIFI	Body Scene			
Mode	Antenna	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
		1	2412		17.00	15.75	NO
	Ant1	6	2437		17.00	15.88	Yes
000.445		11	2462		17.00	15.92	NO
802.11b		1	2412	1	16.50	15.14	NO
	Ant2	6	2437		16.50	15.28	Yes
		11	2462		16.50	15.35	NO
		1	2412		16.50	Not required	NO
	Ant1	6	2437		16.50	Not required	NO
000 44 ~		11	2462		16.50	Not required	NO
802.11g		1	2412	6	16.00	Not required	NO
	Ant2	6	2437		16.00	Not required	NO
		11	2462	1	16.00	Not required	NO
		1	2412		15.50	Not required	NO
	Ant1	6	2437		15.50	Not required	NO
802.11n		11	2462	0.5	15.50	Not required	NO
HT20 SISO		1	2412	6.5	15.00	Not required	NO
	Ant2	6	2437		15.00	Not required	NO
		11	2462		15.00	Not required	NO
		1	2412		19.20	17.64	NO
802.11g CDD	Sum	6	2437	6	19.20	17.93	NO
		11	2462		19.20	17.98	NO
		1	2412		18.20	17.38	NO
802.11HT20MIMO	Sum	6	2437	13	18.20	17.65	NO
		11	2462		18.20	17.66	NO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com



Rev : 01

Page : 375 of 493

			5GHz WIFI Ant1	Head Scene			
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
		36	5180		12.00	11.22	NO
	U-NII-1	40	5200		12.00	11.28	NO
	U-INII-1	44	5220		12.00	11.08	NO
		48	5240		12.00	11.27	NO
		52	5260		12.00	11.04	NO
	U-NII-2A	56	5280		12.00	11.28	Yes
	U-MII-ZA	60	5300		12.00	11.27	NO
		64	5320		12.00	11.15	NO
		100	5500		12.00	10.52	NO
		104	5520		12.00	10.64	NO
		108	5540		12.00	10.80	NO
		112	5560		12.00	10.79	NO
802.11a		116	5580	6	12.00	10.86	Yes
		120	5600		12.00	10.77	NO
	U-NII-2C	124	5620]	12.00	10.75	NO
		128	5640		12.00	10.71	NO
		132	5660		12.00	10.63	NO
		136	5680	1	12.00	10.72	NO
		140	5700		12.00	10.73	NO
		144	5720	1	12.00	10.47	NO
		149	5745]	12.00	10.04	NO
		153	5765		12.00	10.03	NO
	U-NII-3	157	5785		12.00	10.06	Yes
		161	5805		12.00	10.02	NO
		165	5825		12.00	10.03	NO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 376 of 493 Page

5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
	U-NII-1	36	5180		12.00	11.09	NO
		40	5200		12.00	11.09	NO
	O-INII-1	44	5220		12.00	11.04	NO
		48	5240		12.00	11.26	NO
		52	5260		12.00	11.14	NO
610	U-NII-2A	56	5280		12.00	11.10	NO
	U-MII-ZA	60	5300		12.00	11.05	NO
		64	5320		12.00	11.10	NO
		100	5500		12.00	10.24	NO
		104	5520	MCS0	12.00	10.65	NO
		108	5540		12.00	10.46	NO
		112	5560		12.00	10.57	NO
802.11n- HT20		116	5580		12.00	10.85	NO
11120	11 111 20	120	5600		12.00	10.77	NO
	U-NII-2C	124	5620		12.00	10.80	NO
		128	5640		12.00	10.79	NO
		132	5660		12.00	10.84	NO
		136	5680		12.00	10.70	NO
		140	5700		12.00	10.45	NO
		144	5720		12.00	10.21	NO
		149	5745		12.00	10.08	NO
		153	5765		12.00	10.01	NO
	U-NII-3	157	5785		12.00	10.05	NO
		161	5805		12.00	10.02	NO
		165	5825		12.00	10.03	NO

5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
	U-NII-1	38	5190		11.50	11.04	NO
	O-INII- I	46	5230		11.50	11.12	NO
U-NII-2	LI MIL 2A	54	5270		11.50	11.00	NO
	U-MII-ZA	62	5310		11.50	11.09	NO
		102	5510		11.50	10.81	NO
802.11n-		110	5550	MCS0	11.50	10.99	NO
HT40	U-NII-2C	118	5590		11.50	11.05	NO
	U-INII-2C	126	5630		11.50	11.07	NO
		134	5670	_	11.50	11.04	NO
		142	5710		11.50	10.83	NO
	U-NII-3	151	5755		11.50	10.20	NO
	0-1111-3	159	5795		11.50	10.11	NO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 377 of 493 Page

5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
	U-NII-1	36	5180		12.00	11.04	NO
		40	5200		12.00	11.19	NO
	O-INII-1	44	5220		12.00	11.08	NO
		48	5240		12.00	11.07	NO
		52	5260		12.00	11.16	NO
	U-NII-2A	56	5280		12.00	11.07	NO
	U-MII-ZA	60	5300		12.00	11.15	NO
		64	5320		12.00	11.09	NO
		100	5500		12.00	10.51	NO
		104	5520		12.00	11.64	NO
		108	5540	MCS0	12.00	10.47	NO
000.44		112	5560		12.00	10.57	NO
802.11ac 20M		116	5580		12.00	10.86	NO
ZOW	U-NII-2C	120	5600		12.00	10.73	NO
	U-MII-2C	124	5620		12.00	10.85	NO
		128	5640		12.00	10.75	NO
		132	5660		12.00	10.80	NO
		136	5680		12.00	10.68	NO
		140	5700		12.00	10.50	NO
		144	5720		12.00	10.48	NO
		149	5745		12.00	10.07	NO
		153	5765		12.00	10.03	NO
	U-NII-3	157	5785		12.00	10.09	NO
		161	5805		12.00	9.93	NO
		165	5825		12.00	9.97	NO

5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
	U-NII-1	38	5190		11.50	11.02	NO
	U-INII-1	46	5230		11.50	11.01	NO
	U-NII-2A	54	5270		11.50	11.18	NO
	U-MII-ZA	62	5310		11.50	11.07	NO
		102	5510		11.50	10.83	NO
802.11ac		110	5550	MCS0	11.50	10.77	NO
40M	U-NII-2C	118	5590	IVICSU	11.50	11.02	NO
	0-MII-2C	126	5630		11.50	11.05	NO
		134	5670		11.50	10.85	NO
		142	5710		11.50	10.84	NO
	U-NII-3	151	5755		11.50	10.38	NO
	U-INII-3	159	5795		11.50	10.05	NO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 378 of 493 Page

5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
	U-NII-1	42	5210		12.50	10.37	NO
	U-NII-2A	58	5290	MCS0	12.50	10.27	NO
802.11ac	U-NII-2C	106	5530		12.50	9.99	NO
80M		122	5610		12.50	10.28	NO
	U-NII-3	138	5690		12.50	9.97	NO
		155	5775		12.50	9.31	NO

			5GHz WIFI Ant	t2 Head Scene			
5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
		36	5180		12.50	11.72	NO
	U-NII-1	40	5200		12.50	11.70	NO
	U-INII- I	44	5220		12.50	11.88	NO
		48	5240		12.50	11.84	NO
7 04		52	5260		12.50	12.17	NO
	U-NII-2A	56	5280		12.50	12.29	Yes
	U-NII-ZA	60	5300		12.50	12.22	NO
		64	5320		12.50	12.19	NO
		100	5500		12.50	10.34	NO
		104	5520		12.50	10.73	NO
		108	5540		12.50	10.68	NO
		112	5560		12.50	10.85	NO
802.11a		116	5580	6	12.50	10.94	Yes
	11 111 20	120	5600		12.50	10.82	NO
	U-NII-2C	124	5620		12.50	10.80	NO
		128	5640		12.50	10.73	NO
		132	5660		12.50	10.64	NO
		136	5680		12.50	10.64	NO
		140	5700	1	12.50	10.44	NO
		144	5720	1	12.50	10.44	NO
101		149	5745]	12.50	9.85	NO
		153	5765]	12.50	10.03	NO
	U-NII-3	157	5785		12.50	10.23	Yes
		161	5805		12.50	10.21	NO
		165	5825		12.50	10.22	NO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 379 of 493 Page

5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
		36	5180		12.50	11.51	NO
	U-NII-1	40	5200		12.50	11.55	NO
	O-INII-1	44	5220		12.50	11.82	NO
		48	5240		12.50	11.74	NO
		52	5260		12.50	12.08	NO
	U-NII-2A	56	5280		12.50	12.18	NO
	U-MII-ZA	60	5300		12.50	12.13	NO
		64	5320		12.50	12.04	NO
		100	5500		12.50	10.38	NO
		104	5520	MCS0	12.50	10.50	NO
		108	5540		12.50	10.85	NO
		112	5560		12.50	10.72	NO
802.11n- HT20		116	5580		12.50	10.92	NO
11120	11 111 20	120	5600		12.50	10.89	NO
	U-NII-2C	124	5620		12.50	10.82	NO
		128	5640		12.50	10.77	NO
		132	5660		12.50	10.64	NO
		136	5680]	12.50	10.50	NO
		140	5700	1	12.50	10.18	NO
		144	5720	1	12.50	10.45	NO
		149	5745	1	12.50	9.88	NO
		153	5765	1	12.50	10.06	NO
	U-NII-3	157	5785		12.50	10.28	NO
		161	5805		12.50	10.17	NO
		165	5825		12.50	10.27	NO

5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
	U-NII-1	38	5190		10.00	7.90	NO
U-NII	U-INII-1	46	5230		10.00	8.10	NO
	LI NIII OA	54	5270		10.00	8.69	NO
	U-MII-ZA	62	5310		10.00	8.77	NO
		102	5510		10.00	8.16	NO
802.11n-		110	5550	MCS0	10.00	8.40	NO
HT40	U-NII-2C	118	5590	IVICSU	10.00	8.52	NO
	U-MII-2C	126	5630		10.00	8.40	NO
		134	5670		10.00	8.25	NO
		142	5710		10.00	8.26	NO
	U-NII-3	151	5755		10.00	8.59	NO
	U-INII-3	159	5795		10.00	8.44	NO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 380 of 493 Page

5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
		36	5180		12.50	11.67	NO
	U-NII-1	40	5200		12.50	11.73	NO
	O-INII-1	44	5220		12.50	11.77	NO
		48	5240		12.50	11.02	NO
		52	5260		12.50	12.02	NO
	U-NII-2A	56	5280		12.50	12.15	NO
	U-MII-ZA	60	5300		12.50	12.20	NO
		64	5320		12.50	12.19	NO
		100	5500		12.50	10.51	NO
		104	5520		12.50	10.56	NO
		108	5540	MCS0	12.50	10.68	NO
		112	5560		12.50	10.83	NO
802.11ac 20M		116	5580		12.50	10.96	NO
ZUIVI	11 111 20	120	5600		12.50	10.89	NO
	U-NII-2C	124	5620		12.50	10.82	NO
		128	5640		12.50	10.78	NO
		132	5660		12.50	10.60	NO
		136	5680		12.50	10.62	NO
		140	5700		12.50	10.42	NO
		144	5720		12.50	10.30	NO
		149	5745		12.50	9.76	NO
		153	5765		12.50	10.01	NO
	U-NII-3	157	5785		12.50	10.22	NO
		161	5805		12.50	10.19	NO
		165	5825		12.50	10.20	NO

5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
	LI NIII 4	38	5190		10.00	7.91	NO
	U-NII-1	46	5230		10.00	8.17	NO
	LI NIII OA	54	5270		10.00	8.49	NO
	U-NII-2A	62	5310		10.00	8.79	NO
		102	5510	MCS0	10.00	8.11	NO
802.11ac		110	5550		10.00	8.36	NO
40M	U-NII-2C	118	5590		10.00	8.44	NO
	U-MII-2C	126	5630		10.00	8.43	NO
		134	5670		10.00	8.43	NO
		142	5710		10.00	8.14	NO
	U-NII-3	151	5755		10.00	8.49	NO
	U-INII-3	159	5795		10.00	8.44	NO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 381 of 493 Page

5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
	U-NII-1	42	5210		10.00	9.38	NO
	U-NII-2A	58	5290	MCS0	10.00	9.99	NO
802.11ac	U-NII-2C	106	5530		10.00	9.04	NO
80M		122	5610		10.00	9.23	NO
	U-NII-3	138	5690		10.00	8.77	NO
		155	5775		10.00	8.44	NO

		5GHz WI	FI Head Scene	CDD Average P	ower		
5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
		36	5180		15.26	14.49	NO
	U-NII-1	40	5200		15.26	14.50	NO
	U-INII- I	44	5220		15.26	14.51	NO
		48	5240		15.26	14.57	NO
		52	5260		15.26	14.66	NO
	LI NIII OA	56	5280		15.26	14.83	NO
	U-NII-2A	60	5300		15.26	14.78	NO
		64	5320		15.26	14.71	NO
		100	5500		15.26	13.44	NO
		104	5520		15.26	13.70	NO
		108	5540		15.26	13.75	NO
		112	5560		15.26	13.83	NO
802.11a		116	5580	6	15.26	13.91	NO
		120	5600		15.26	13.80	NO
	U-NII-2C	124	5620		15.26	13.78	NO
		128	5640		15.26	13.73	NO
		132	5660		15.26	13.64	NO
		136	5680		15.26	13.69	NO
		140	5700		15.26	13.60	NO
		144	5720		15.26	13.46	NO
		149	5745		15.26	12.96	NO
		153	5765	-	15.26	13.04	NO
	U-NII-3	157	5785		15.26	13.16	NO
		161	5805		15.26	13.13	NO
		165	5825		15.26	13.13	NO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 382 of 493 Page

		5GHz W	/IFI Head Scen	e MIMO Averag	e Power		
5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
		36	5180		15.26	14.14	NO
	U-NII-1	40	5200		15.26	14.15	NO
	O-INII- I	44	5220	_	15.26	14.27	NO
		48	5240		15.26	14.32	NO
	1	52	5260		15.26	14.46	NO
	U-NII-2A	56	5280		15.26	14.46	NO
	U-MII-ZA	60	5300		15.26	14.42	NO
		64	5320		15.26	14.36	NO
		100	5500		15.26	13.14	NO
		104	5520		15.26	13.35	NO
		108	5540		15.26	13.56	NO
		112	5560		15.26	13.50	NO
802.11n- HT20		116	5580	MCS8	15.26	13.77	NO
11120		120	5600		15.26	13.73	NO
	U-NII-2C	124	5620		15.26	13.61	NO
		128	5640		15.26	13.56	NO
		132	5660		15.26	13.61	NO
		136	5680		15.26	13.33	NO
		140	5700		15.26	13.05	NO
		144	5720		15.26	13.11	NO
		149	5745		15.26	12.74	NO
		153	5765		15.26	12.89	NO
	U-NII-3	157	5785		15.26	12.98	NO
		161	5805		15.26	12.89	NO
		165	5825		15.26	12.97	NO

5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
	U-NII-1	38	5190		13.80	12.62	NO
	O-INII-1	46	5230		13.80	12.60	NO
	U-NII-2A	54	5270		13.80	12.73	NO
	U-MII-ZA	62	5310		13.80	12.85	NO
		102	5510		13.80	12.46	NO
802.11n-		110	5550	14000	13.80	12.76	NO
HT40	U-NII-2C	118	5590	MCS8	13.80	12.76	NO
	U-MII-2C	126	5630		13.80	12.67	NO
		134	5670		13.80	12.66	NO
		142	5710		13.80	12.55	NO
	U-NII-3	151	5755		13.80	12.28	NO
	U-INII-3	159	5795		13.80	12.12	NO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 383 of 493 Page

5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
		36	5180		15.26	14.22	NO
	U-NII-1	40	5200		15.26	14.18	NO
	O-IVII-1	44	5220		15.26	14.22	NO
		48	5240		15.26	13.85	NO
		52	5260		15.26	14.40	NO
	LI NIII OA	56	5280		15.26	14.49	NO
	U-NII-2A	60	5300		15.26	14.58	NO
		64	5320		15.26	14.46	NO
		100	5500		15.26	13.36	NO
		104	5520		15.26	13.91	NO
		108	5540		15.26	13.31	NO
		112	5560		15.26	13.56	NO
802.11ac 20M		116	5580	MCS8	15.26	13.65	NO
ZUIVI		120	5600		15.26	13.62	NO
	U-NII-2C	124	5620		15.26	13.62	NO
		128	5640	-	15.26	13.66	NO
7 04		132	5660	-	15.26	13.49	NO
		136	5680	-	15.26	13.52	NO
		140	5700	-	15.26	13.21	NO
		144	5720	1	15.26	13.28	NO
		149	5745	1	15.26	12.74	NO
		153	5765		15.26	12.89	NO
	U-NII-3	157	5785		15.26	12.98	NO
		161	5805		15.26	12.93	NO
		165	5825		15.26	12.89	NO

5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
	U-NII-1	38	5190		13.80	12.55	NO
	U-INII-1	46	5230		13.80	12.54	NO
	U-NII-2A	54	5270		13.80	12.83	NO
	U-MII-ZA	62	5310		13.80	12.84	NO
		102	5510	MCS8	13.80	12.52	NO
802.11ac		110	5550		13.80	12.53	NO
40M	U-NII-2C	118	5590		13.80	12.71	NO
	U-MII-2C	126	5630		13.80	12.69	NO
		134	5670		13.80	12.65	NO
		142	5710		13.80	12.41	NO
	U-NII-3	151	5755		13.80	12.43	NO
	0-1111-3	159	5795		13.80	12.03	NO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The

Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 384 of 493 Page

5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
	U-NII-1	42	5210		13.80	12.77	NO
	U-NII-2A	58	5290		13.80	12.94	NO
802.11ac	U-NII-2C	106	5530	MCS8	13.80	12.33	NO
80M	1	122	5610	IVICSO	13.80	12.65	NO
	U-NII-3	138	5690		13.80	12.25	NO
		155	5775		13.80	11.62	NO

			5GHz WIFI Ant1 Bod	y Scene			
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
		36	5180		14.00	13.18	NO
	U-NII-1	40	5200		14.00	13.25	NO
	U-INII-1	44	5220		14.00	13.24	NO
		48	5240		14.00	13.15	NO
		52	5260]	14.00	13.23	NO
		56	5280		14.00	13.27	Yes
	U-NII-2A	60	5300		14.00	13.26	NO
		64	5320		14.00	13.20	NO
		100	5500		14.00	12.92	NO
		104	5520		14.00	12.78	NO
		108	5540		14.00	12.75	NO
		112	5560		14.00	12.78	NO
802.11a		116	5580	6	14.00	12.96	NO
		120	5600		14.00	12.84	NO
	U-NII-2C	124	5620		14.00	12.83	NO
		128	5640		14.00	12.82	NO
		132	5660		14.00	12.87	NO
		136	5680		14.00	13.02	Yes
		140	5700		14.00	12.77	NO
		144	5720		14.00	13.05	NO
		149	5745]	14.00	12.33	NO
		153	5765		14.00	12.25	NO
	U-NII-3	157	5785		14.00	12.35	Yes
		161	5805		14.00	12.05	NO
		165	5825		14.00	12.19	NO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 385 of 493 Page

5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
		36	5180		14.00	13.17	NO
	l,	40	5200	1	14.00	13.13	NO
	U-NII-1	44	5220	1	14.00	13.11	NO
		48	5240	1	14.00	13.24	NO
	1	52	5260	1	14.00	13.24	NO
	11 111 01	56	5280	1	14.00	13.21	NO
	U-NII-2A	60	5300	1	14.00	13.28	NO
		64	5320	1	14.00	13.14	NO
		100	5500	1	14.00	12.82	NO
		104	5520	1	14.00	12.75	NO
		108	5540	1	14.00	12.84	NO
		112	5560		14.00	12.99	NO
802.11n- HT20		116	5580	MCS0	14.00	12.91	NO
17 I ZU		120	5600		14.00	12.94	NO
	U-NII-2C	124	5620	1	14.00	12.92	NO
		128	5640	1	14.00	12.96	NO
		132	5660	1	14.00	12.92	NO
		136	5680		14.00	12.99	NO
		140 5700	1	14.00	12.84	NO	
		144	5720		14.00	12.49	NO
		149	5745		14.00	12.45	NO
		153	5765	1	14.00	12.27	NO
	U-NII-3	157	5785	1	14.00	12.49	NO
		161	5805	1	14.00	12.04	NO
		165	5825		14.00	12.22	NO
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
	11 811 4	38	5190		11.50	11.24	NO
	U-NII-1	46	5230	1	11.50	11.18	NO
		54	5270	1	11.50	11.28	NO
	U-NII-2A	62	5310	1	11.50	11.14	NO
		102	5510	1	11.50	11.25	NO
302.11n-		110	5550	Mess	11.50	11.37	NO
HT40		118	5590	MCS0	11.50	11.49	NO
	U-NII-2C	126	5630	1	11.50	11.29	NO
		134	5670	1	11.50	11.47	NO
		142	5710		11.50	11.41	NO
		151	5755		11.50	10.94	NO
	U-NII-3	159	5795		11.50	10.80	NO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 386 of 493 Page

5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
		36	5180		14.00	13.10	NO
	11 8111 4	40	5200		14.00	13.28	NO
	U-NII-1	44	5220		14.00	13.16	NO
		48	5240]	14.00	13.18	NO
		52	5260]	14.00	13.21	NO
1	U-NII-2A	56	5280		14.00	13.30	NO
	U-MII-ZA	60	5300]	14.00	13.11	NO
		64	5320		14.00	13.23	NO
		100	5500		14.00	12.84	NO
		104	5520		14.00	12.85	NO
		108	5540		14.00	12.86	NO
		112	5560		14.00	12.85	NO
802.11ac 20M		116	5580	MCS0	14.00	12.94	NO
ZUIVI		120	5600		14.00	12.92	NO
	U-NII-2C	124	5620		14.00	12.93	NO
		128	5640		14.00	12.91	NO
		132	5660		14.00	12.81	NO
		136	5680		14.00	12.97	NO
		140	5700		14.00	12.72	NO
		144	5720		14.00	12.76	NO
		149	5745		14.00	12.30	NO
		153	5765		14.00	12.16	NO
	U-NII-3	157	5785		14.00	12.39	NO
		161	5805		14.00	12.12	NO
		165	5825		14.00	12.17	NO
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
	U-NII-1	38	5190		11.50	11.27	NO
	U-MII-1	46	5230]	11.50	11.38	NO
	LI NIII OA	54	5270		11.50	11.15	NO
	U-NII-2A	62	5310		11.50	11.24	NO
		102	5510		11.50	11.38	NO
802.11ac		110	5550	MCCO	11.50	11.43	NO
40M	OM MC	118	5590	MCS0	11.50	11.35	NO
	U-NII-2C	126	5630]	11.50	11.24	NO
		134	5670]	11.50	11.43	NO
		142	5710	1	11.50	11.44	NO
	11 11 2	151	5755		11.50	11.04	NO
	U-NII-3	159	5795		11.50	10.89	NO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 387 of 493

5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
	U-NII-1	42	5210		11.50	10.86	NO
	U-NII-2A	58	5290	MCCO	11.50	10.67	NO
802.11ac	U-NII-2C	106	5530		11.50	10.53	NO
80M		122	5610	MCS0	11.50	10.69	NO
	U-NII-3	138	5690		11.50	10.61	NO
		155	5775		11.50	10.04	NO

		5	GHz WIFI Ant2	Body Scene			
5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
		36	5180	1	12.50	11.75	NO
	U-NII-1	40	5200		12.50	11.74	NO
	U-INII-1	44	5220		12.50	12.13	NO
		48	5240]	12.50	12.04	NO
		52	5260]	12.50	12.20	NO
	LLAULOA	56	5280		12.50	12.26	NO
	U-NII-2A	60	5300		12.50	12.30	Yes
		64	5320		12.50	12.25	NO
		100	5500		12.50	11.08	NO
		104	5520		12.50	11.18	NO
		108	5540		12.50	11.25	NO
		112	5560		12.50	11.35	NO
802.11a		116	5580	6	12.50	11.46	Yes
		120	5600		12.50	11.45	NO
	U-NII-2C	124	5620		12.50	11.39	NO
		128	5640		12.50	11.38	NO
		132	5660		12.50	11.08	NO
		136	5680		12.50	11.02	NO
		140	5700		12.50	11.03	NO
		144	5720		12.50	10.89	NO
		149	5745		12.50	10.50	NO
		153	5765		12.50	10.47	NO
	U-NII-3	157	5785	1	12.50	10.72	Yes
		161	5805		12.50	10.67	NO
		165	5825		12.50	10.69	NO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 388 of 493 Page

5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
		36	5180		12.50	11.79	NO
	U-NII-1	40	5200		12.50	11.94	NO
	O-INII-1	44	5220		12.50	11.82	NO
		48	5240		12.50	11.85	NO
		52	5260		12.50	12.04	NO
	U-NII-2A	56	5280		12.50	12.22	NO
	U-MII-ZA	60	5300		12.50	12.21	NO
		64	5320		12.50	12.10	NO
		100	5500		12.50	10.98	NO
		104	5520		12.50	11.11	NO
		108	5540		12.50	11.35	NO
		112	5560		12.50	11.39	NO
802.11n- HT20		116	5580	MCS0	12.50	11.39	NO
11120	11 111 20	120	5600		12.50	11.40	NO
	U-NII-2C	124	5620		12.50	11.33	NO
		128	5640		12.50	11.30	NO
		132	5660		12.50	11.13	NO
		136	5680		12.50	10.97	NO
		140	5700		12.50	10.53	NO
		144	5720		12.50	10.92	NO
		149	5745		12.50	10.51	NO
		153	5765		12.50	10.52	NO
	U-NII-3	157	5785		12.50	10.68	NO
		161	5805		12.50	10.55	NO
		165	5825		12.50	10.66	NO

5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
Cal	U-NII-1	38	5190		10.00	7.91	NO
100	U-INII- I	46	5230		10.00	8.06	NO
	U-NII-2A	54	5270		10.00	8.43	NO
	U-MII-ZA	62	5310		10.00	8.71	NO
		102	5510		10.00	8.18	NO
802.11n-		110	5550	MCS0	10.00	8.40	NO
HT40	U-NII-2C	118	5590	IVICSU	10.00	8.43	NO
	U-MII-2C	126	5630		10.00	8.52	NO
		134	5670		10.00	8.38	NO
		142	5710		10.00	8.15	NO
	U-NII-3	151	5755		10.00	8.50	NO
	U-INII-3	159	5795		10.00	8.55	NO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Rev : 01

: 389 of 493 Page

5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
		36	5180		12.50	11.78	NO
	U-NII-1	40	5200		12.50	11.74	NO
	U-MII-1	44	5220		12.50	11.84	NO
		48	5240		12.50	12.13	NO
		52	5260		12.50	12.17	NO
	U-NII-2A	56	5280		12.50	12.23	NO
	U-MII-ZA	60	5300		12.50	12.26	NO
		64	5320		12.50	12.14	NO
		100	5500		12.50	11.00	NO
		104	5520		12.50	11.42	NO
		108	5540		12.50	11.30	NO
		112	5560		12.50	11.36	NO
802.11ac 20M		116	5580	MCS0	12.50	11.45	NO
20101	11 111 20	120	5600		12.50	11.16	NO
	U-NII-2C	124	5620		12.50	11.31	NO
		128	5640		12.50	11.25	NO
		132	5660		12.50	11.23	NO
		136	5680		12.50	11.05	NO
		140	5700		12.50	10.94	NO
		144	5720		12.50	10.83	NO
		149	5745		12.50	10.58	NO
		153	5765		12.50	10.46	NO
	U-NII-3	157	5785		12.50	10.56	NO
		161	5805		12.50	10.66	NO
		165	5825		12.50	10.82	NO

5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
	U-NII-1	38	5190		10.00	7.82	NO
	O-IVII-1	46	5230		10.00	8.14	NO
	LI NIII 2A	54	5270		10.00	8.50	NO
	U-NII-2A 802.11ac	62	5310		10.00	8.89	NO
		102	5510		10.00	8.21	NO
802.11ac		110	5550	MCS0	10.00	8.33	NO
40M	U-NII-2C	118	5590	MCSU	10.00	8.43	NO
	U-MII-2C	126	5630		10.00	8.47	NO
		134	5670		10.00	8.39	NO
		142	5710		10.00	8.16	NO
	U-NII-3	151	5755		10.00	8.49	NO
	U-MII-3	159	5795		10.00	8.41	NO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 390 of 493 Page

5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
	U-NII-1	42	5210		10.00	9.35	NO
	U-NII-2A	58	5290		10.00	9.99	NO
802.11ac	U-NII-2C	106	5530	MCCO	10.00	9.17	NO
80M	7	122	5610	MCS0	10.00	9.28	NO
	U-NII-3	138	5690		10.00	8.91	NO
		155	5775		10.00	8.63	NO

		5GHz	WIFI Body Sce	ene CDD Average	Power		
5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
		36	5180		16.30	15.32	NO
	U-NII-1	40	5200		16.30	15.36	NO
	O-INII-1	44	5220		16.30	15.57	NO
		48	5240		16.30	15.45	NO
		52	5260		16.30	15.56	NO
	U-NII-2A	56	5280		16.30	15.69	NO
	U-INII-ZA	60	5300		16.30	15.65	NO
		64	5320		16.30	15.56	NO
		100	5500		16.30	14.89	NO
		104	5520		16.30	14.77	NO
		108	5540		16.30	14.92	NO
		112	5560		16.30	14.87	NO
802.11a		116	5580	6	16.30	14.99	NO
	U-NII-2C	120	5600		16.30	14.96	NO
	U-INII-2C	124	5620		16.30	14.98	NO
		128	5640		16.30	14.89	NO
		132	5660		16.30	14.81	NO
		136	5680		16.30	14.97	NO
		140	5700		16.30	14.79	NO
10)		144	5720		16.30	14.85	NO
		149	5745		16.30	14.32	NO
		153	5765		16.30	14.35	NO
	U-NII-3	157	5785		16.30	14.47	NO
		161	5805		16.30	14.19	NO
		165	5825		16.30	14.25	NO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Rev : 01

: 391 of 493 Page

		5GHz	WIFI Body Scene	MIMO Average	Power		
5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
		36	5180		16.30	15.54	NO
	U-NII-1	40	5200		16.30	15.59	NO
	O-INII-1	44	5220	_	16.30	15.52	NO
		48	5240		16.30	15.61	NO
		52	5260		16.30	15.69	NO
	U-NII-2A	56	5280		16.30	15.76	NO
	U-INII-ZA	60	5300	7	16.30	15.79	NO
		64	5320		16.30	15.66	NO
		100	5500		16.30	15.01	NO
		104	5520		16.30	15.02	NO
		108	5540		16.30	15.17	NO
000.44		112	5560		16.30	15.28	NO
802.11n- HT20		116	5580	MCS8	16.30	15.23	NO
11120	U-NII-2C	120	5600		16.30	15.25	NO
	U-INII-2C	124	5620	7	16.30	15.20	NO
		128	5640	7	16.30	15.22	NO
		132	5660		16.30	15.13	NO
		136	5680		16.30	15.10	NO
		140	5700	7	16.30	14.85	NO
		144	5720		16.30	14.79	NO
		149	5745	7	16.30	14.60	NO
		153	5765		16.30	14.49	NO
	U-NII-3	157	5785	-	16.30	14.69	NO
		161	5805		16.30	14.37	NO
		165	5825		16.30	14.52	NO

5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
	U-NII-1	38	5190		13.80	13.17	NO
	0-1411-1	46	5230		13.80	13.32	NO
	U-NII-2A	54	5270		13.80	13.36	NO
	U-INII-ZA	62	5310		13.80	13.43	NO
		102	5510		13.80	13.19	NO
802.11n-		110	5550	MCS8	13.80	13.15	NO
HT40	U-NII-2C	118	5590	IVICSO	13.80	13.23	NO
	U-INII-2C	126	5630		13.80	13.33	NO
		134	5670		13.80	13.20	NO
		142	5710		13.80	13.08	NO
	LLNILO	151	5755		13.80	12.90	NO
	U-NII-3	159	5795		13.80	12.83	NO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

: 392 of 493 Page

5GHz	(MHz)		Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
		36	5180		16.30	15.50	NO
	U-NII-1	40	5200		16.30	15.58	NO
	U-INII-1	44	5220		16.30	15.56	NO
		48	5240		16.30	15.70	NO
		52	5260		16.30	15.73	NO
	U-NII-2A	56	5280		16.30	15.81	NO
	U-MII-ZA	60	5300		16.30	15.72	NO
		64	5320		16.30	15.73	NO
		100	5500		16.30	15.03	NO
		104	5520		16.30	15.20	NO
		108	5540	MCS8	16.30	15.16	NO
		112	5560		16.30	15.18	NO
802.11ac 20M		116	5580		16.30	15.26	NO
20101	U-NII-2C	120	5600		16.30	15.14	NO
	U-MII-2C	124	5620		16.30	15.20	NO
		128	5640		16.30	15.17	NO
		132	5660		16.30	15.10	NO
		136	5680		16.30	15.12	NO
		140	5700		16.30	14.93	NO
		144	5720		16.30	14.91	NO
		149	5745		16.30	14.54	NO
		153	5765		16.30	14.40	NO
	U-NII-3	157	5785		16.30	14.58	NO
		161	5805		16.30	14.46	NO
		165	5825		16.30	14.56	NO

5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
	VII NIII 4	38	5190		13.80	13.24	NO
	U-NII-1	46	5230		13.80	13.27	NO
	LI NIII OA	54	5270		13.80	13.37	NO
	U-NII-2A	62	5310		13.80	13.56	NO
		102	5510		13.80	13.09	NO
802.11ac		110	5550	MCS8	13.80	13.16	NO
40M	U-NII-2C	118	5590	IVICS	13.80	13.28	NO
	U-MII-2C	126	5630		13.80	13.28	NO
		134	5670		13.80	13.18	NO
		142	5710		13.80	13.11	NO
	U-NII-3	151	5755		13.80	12.96	NO
	U-INII-3	159	5795		13.80	12.83	NO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 393 of 493

5GHz	mode	Channel	Frequency (MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
	U-NII-1	42	5210		13.80	13.18	NO
	U-NII-2A	58	5290	MCCO	13.80	13.40	NO
802.11ac	U-NII-2C	106	5530		13.80	12.91	NO
80M		122	5610	MCS8	13.80	13.05	NO
	U-NII-3	138	5690		13.80	12.85	NO
		155	5775		13.80	12.40	NO

Table 17: Conducted Power Of WIFI

Note:

- a) Power must be measured at each transmit antenna port according to the DSSS and OFDM transmission configurations in each standalone and aggregated frequency band.
- b) Power measurement is required for the transmission mode configuration with the highest maximum output power specified for production units.
 - 1) When the same highest maximum output power specification applies to multiple transmission modes, the largest channel bandwidth configuration with the lowest order modulation and lowest data rate is measured.
 - 2) When the same highest maximum output power is specified for multiple largest channel bandwidth configurations with the same lowest order modulation or lowest order modulation and lowest data rate, power measurement is required for all equivalent 802.11 configurations with the same maximum output power.
- c) For each transmission mode configuration, power must be measured for the highest and lowest channels; and at the mid-band channel(s) when there are at least 3 channels. For configurations with multiple mid-band channels, due to an even number of channels, both channels should be measured.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅累到關訊之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 394 of 493 Page

	вт		Tune up	Average Conducted Power(dBm)
Modulation	Channel	Frequency(MHz)	(dBm)	GFSK
	0	2402		11.10
GFSK	39	2441]	12.30
CAL	78	2480	1	10.80
	0	2402		5.90
π/4DQPSK	39	2441	13.50	7.00
	78	2480		5.60
	0	2402		5.60
8DPSK	39	2441		6.70
	78	2480		5.40
	BLE		Tune up (dBm)	Average Conducted Power(dBm)
Modulation	Channel	Frequency(MHz)	(dBiii)	GFSK
	0	2402		3.78
GFSK	19	2440	9.50	5.39
	39	2480	1	4.20

Table 18: Conducted Power Of BT



Date: 9.SEP.2017 15:44:34

So the bluetooth duty cycle is calculated as below: duty cycle=100%

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 395 of 493 Page

8.2 Stand-alone SAR test evaluation

Unless specifically required by the published RF exposure KDB procedures, standalone 1-g head or body and 10g extremity SAR evaluation for general population exposure conditions, by measurement or numerical simulation, is not required when the corresponding SAR Test Exclusion Threshold condition is satisfied. These test exclusion conditions are based on source-based time-averaged maximum conducted output power of the RF channel requiring evaluation, adjusted for tune-up tolerance, and the minimum test separation distance required for the

Freq.	Frequency	Position	Ave Pov	rage ver	Test Separation	Calculate	Exclusion	Exclusion
Band	(GHz)		dBm	mW	(mm)	Value	Threshold	(Y/N)
		Head	14.5	28.2	0	8.8	3	N
	2.45	Body-worn	17.5	56.2	15	5.9	3	N
\A/: E: 4		Hotspot	17.5	56.2	10	8.8	3	N
Wi-Fi 1		Head	14	25.1	0	11.8	3	N
	5.5	Body-worn	14	25.1	15	3.9	3	N
		Hotspot	14	25.1	10	5.9	3	N
		Head	17	50.1	0	15.7	3	N
	2.45	Body-worn	17	50.1	15	5.2	3	N
\\/; E; Q		Hotspot	17	50.1	10	7.8	3	N
Wi-Fi 2		Head	12.5	17.8	0	8.6	3	N
	5.8	Body-worn	12.5	17.8	15	2.9	3	Y
		Hotspot	12.5	17.8	10	4.3	3	N
		Head	13.5	22.4	0	7.1	3	N
Bluetooth	2.48	Body-worn	13.5	22.4	15	2.4	3	Y
		Hotspot	13.5	22.4	10	3.5	3	N

The 1-g and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances ≤ 50 mm are determined by:

[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)] $\cdot [\sqrt{f(GHz)}] \le 3.0$ for 1-g SAR and ≤ 7.5 for 10-g extremity SAR, where

- f(GHz) is the RF channel transmit frequency in GHz
- Power and distance are rounded to the nearest mW and mm before calculation
- The result is rounded to one decimal place for comparison

The test exclusions are applicable only when the minimum test separation distance is ≤ 50 mm and for transmission frequencies between 100 MHz and 6 GHz. When the minimum test separation distance is < 5 mm, a distance of 5 mm is applied to determine SAR test exclusion.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 396 of 493 Page

8.3 Measurement of SAR Data

8.3.1 SAR Result Of GSM850

					Ant1 Test d	ata				
Test position	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1- g	Power Drift(dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp
					Head Test d	ata				,
Left cheek	GSM	190/836.6	1:8.3	0.158	0.04	33.01	33.5	1.119	0.177	22.1
Left tilted	GSM	190/836.6	1:8.3	0.0805	0.02	33.01	33.5	1.119	0.090	22.1
Right cheek	GSM	190/836.6	1:8.3	0.191	0.05	33.01	33.5	1.119	0.214	22.1
Right tilted	GSM	190/836.6	1:8.3	0.0842	0.05	33.01	33.5	1.119	0.094	22.1
			He	ead Test Da	ta at the wor	st case with SIM	2			
Right cheek	GSM	190/836.6	1:8.3	0.215	0.09	33.01	33.5	1.119	0.241	22.1
			Head	Test Data	at the worst	case with Battery	2#			
Right cheek	GSM	190/836.6	1:8.3	0.196	0.06	33.01	33.5	1.119	0.219	22.1
			Head	Test Data	at the worst	case with Battery	3#			
Right cheek	GSM	190/836.6	1:8.3	0.185	0.02	33.01	33.5	1.119	0.207	22.1
				Body worn T	Γest data (Se	eparate 15mm)				
Front side	GSM	190/836.6	1:8.3	0.239	-0.04	33.01	33.5	1.119	0.268	22.1
Back side	GSM	190/836.6	1:8.3	0.261	-0.02	33.01	33.5	1.119	0.292	22.1
Front side	GPRS 2TS	190/836.6	1:4.15	0.281	-0.14	30.53	31.5	1.250	0.351	22.1
Back side	GPRS 2TS	190/836.6	1:4.15	0.293	0.01	30.53	31.5	1.250	0.366	22.1
				Body wo	orn Test data					
Back side	GPRS 2TS	190/836.6	1:8.3	0.286	-0.04	30.53	31.5	1.250	0.358	22.1
				Body worn	Test data w	ith Battery 2#				
Back side	GPRS 2TS	190/836.6	1:8.3	0.304	0.11	30.53	31.5	1.250	0.380	22.1
				Body worn	Test data w	ith Battery 3#				
Back side	GPRS 2TS	190/836.6	1:8.3	0.276	-0.12	30.53	31.5	1.250	0.345	22.1
				Hotspot Te	est data (Sep	parate 10mm)				
Front side	GPRS 2TS	190/836.6	1:4.15	0.421	-0.09	30.53	31.5	1.250	0.526	22.1
Back side	GPRS 2TS	190/836.6	1:4.15	0.469	0.00	30.53	31.5	1.250	0.586	22.1
Left side	GPRS 2TS	190/836.6	1:4.15	0.189	0.04	30.53	31.5	1.250	0.236	22.1
Right side	GPRS 2TS	190/836.6	1:4.15	0.25	0.09	30.53	31.5	1.250	0.313	22.1
Bottom side	GPRS 2TS	190/836.6	1:4.15	0.333	0.17	30.53	31.5	1.250	0.416	22.1
						ase with SIM2 (1				_
Back side	GPRS 2TS	190/836.6	1:4.15	0.452	0.02	30.53	31.5	1.250	0.565	22.1
						e with Battery 2#	`			
Back side	GPRS 2TS	190/836.6	1:4.15	0.442	-0.02	30.53	31.5	1.250	0.553	22.1
						e with Battery 3#	`			
Back side	GPRS 2TS	190/836.6	1:4.15	0.456	0.15	30.53	31.5	1.250	0.570	22.1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 397 of 493

					Ant2 Test					
Test position	Test mode	Test	Duty	SAR	Power	Conducted	Tune up	Scaled	Scaled	Liquid
rest position	1 cat illoue	Ch./Freq.	Cycle	(W/kg)1-g		Power(dBm)	Limit(dBm)	factor	SAR(W/kg)	Temp
		T			Head Test					
Left cheek	GSM	190/836.6	1:8.3	0.624	-0.12	29.64	30.5	1.219	0.761	22.1
Left tilted	GSM	190/836.6	1:8.3	0.461	0.07	29.64	30.5	1.219	0.562	22.1
Right cheek	GSM	190/836.6	1:8.3	0.627	-0.04	29.12	30.0	1.225	0.768	22.1
Right tilted	GSM	190/836.6	1:8.3	0.577	-0.01	29.12	30.0	1.225	0.707	22.1
		•				rst case with SIN				
Right cheek	GSM	190/836.6	1:8.3	0.66	-0.03	29.12	30.0	1.225	0.808	22.1
Right cheek	GSM	128/824.2	1:8.3	0.782	-0.01	29.04	30.0	1.247	0.975	22.1
Right cheek	GSM	251/848.8	1:8.3	0.657	-0.06	29.25	30.0	1.189	0.781	22.1
		_				case with Batte				
Right cheek	GSM	190/836.6	1:8.3	0.626	-0.04	29.12	30.0	1.225	0.767	22.1
			He	ad Test Data	at the wors	t case with Batte	ry 3#			
Right cheek	GSM	190/836.6	1:8.3	0.693	0.09	29.12	30.0	1.225	0.849	22.1
Right cheek	GSM	128/824.2	1:8.3	0.741	-0.05	29.04	30.0	1.247	0.924	22.1
Right cheek	GSM	251/848.8	1:8.3	0.765	0.04	29.25	30.0	1.189	0.909	22.1
				Body worn	Test data (S	Separate 15mm)				
Front side	GSM	190/836.6	1:8.3	0.339	-0.03	33.34	33.5	1.038	0.352	22.1
Back side	GSM	190/836.6	1:8.3	0.324	-0.07	33.34	33.5	1.038	0.336	22.1
Front side	GPRS 2TS	190/836.6	1:4.15	0.415	-0.16	31.05	31.5	1.109	0.460	22.1
Back side	GPRS 2TS	190/836.6	1:4.15	0.4	-0.12	31.05	31.5	1.109	0.444	22.1
		•		Body v	vorn Test da	ta with SIM2				
Front side	GPRS 2TS	190/836.6	1:4.15	0.45	-0.12	31.05	31.5	1.109	0.499	22.1
				Body wor	n Test data	with Battery 2#	•			
Front side	GPRS 2TS	190/836.6	1:4.15	0.431	-0.17	31.05	31.5	1.109	0.478	22.1
		- II		Body wor	n Test data	with Battery 3#				
Front side	GPRS 2TS	190/836.6	1:4.15	0.438	-0.02	31.05	31.5	1.109	0.486	22.1
		- II	Hotspot	actived for 2	2.4G WIFI Te	est data (Separat	e 10mm)			
Front side	GPRS 2TS	190/836.6	1:4.15	0.409	-0.01	27.96	29.0	1.271	0.520	22.1
Back side	GPRS 2TS	190/836.6	1:4.15	0.395	-0.03	27.96	29.0	1.271	0.502	22.1
Left side	GPRS 2TS	190/836.6	1:4.15	0.19	-0.19	27.96	29.0	1.271	0.241	22.1
Right side	GPRS 2TS	190/836.6	1:4.15	0.0313	-0.2	27.96	29.0	1.271	0.040	22.1
Top side	GPRS 2TS	190/836.6	1:4.15	0.219	-0.07	27.96	29.0	1.271	0.278	22.1
		1				st data (Separate				
Front side	GPRS 2TS	190/836.6	1:4.15	0.296	0.05	26.45	27.5	1.274	0.377	22.1
Back side	GPRS 2TS	190/836.6	1:4.15	0.284	-0.04	26.45	27.5	1.274	0.362	22.1
Left side	GPRS 2TS	190/836.6	1:4.15	0.16	-0.13	26.45	27.5	1.274	0.204	22.1
Right side	GPRS 2TS	190/836.6	1:4.15	0.0181	-0.02	26.45	27.5	1.274	0.023	22.1
Top side	GPRS 2TS	190/836.6	1:4.15	0.159	-0.01	26.45	27.5	1.274	0.202	22.1
Top side	0110210	150/050.0				case with SIM2 (1.217	0.202	22.1
Front side	GPRS 2TS	190/836.6	1:4.15	0.422	-0.02	27.96	29.0	1.271	0.536	22.1
TOTIL SIDE	GFN3 213	130/030.0				se with Battery 2		1.2/1	0.330	۷۷.۱
Front side	GPRS 2TS	190/836.6	1:4.15	0.394	-0.04	27.96	29.0	1.271	0.501	22.1
TOTIL SIDE	GFN3213	130/030.0		1		se with Battery 3		1.271	0.301	۷۷.۱
Front side	GPRS 2TS	100/026.0	1:4.15					1 074	0.500	22.4
Front side	GFR3 213	190/836.6		0.395	-0.08	27.96 ous transmissio	29.0	1.271	0.502	22.1
		Test	Duty	SAR	Power	Conducted	Tune up	Scaled	Scaled	Liquid
Test position	Test mode	Ch./Freq.		(W/kg)1-g	Drift(dB)	Power(dBm)	Limit(dBm)	factor	SAR(W/kg)	Temp
		Jii./i Teq.	- Jyole	**/\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Head Test		Emmidabin)	Tactor	JAN(W/Ng)	remp
Right cheek	GSM	190/836.6	1:8.3	0.231	0.13	25.48	26	1.127	0.260	22.1
ragin Gleek	GOIVI	190/030.0				t case with Batte		1.121	0.200	۷۷.۱
Loft chook	GSM	190/836.6	1:8.3	0.289	-0.02	26.01	•	1.119	0.324	22.1
Left cheek	GOIVI	190/030.0	1.0.3	0.209	-0.02	20.01	26.5	1.119	0.324	ZZ. I

Table 19: SAR of GSM850 for Head and Body(Original report E5/2017/90003)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. www.tw.sgs.com

t (886-2) 2299-3279 f (886-2) 2298-0488



Rev : 01

Page : 398 of 493

Note:

1) The maximum Scaled SAR value is marked in bold.

2) Per FCC KDB Publication 447498 D01, if the reported (scaled) SAR measured at the middle channel or highest output power channel for each test configuration is ≤ 0.8 W/kg then testing at the other channels is not required for such test configuration(s).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此题处结用摄影测验之类是含素,同时此类是摄影观如于。未规处主概未公司事而实可,表可解设治制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents or flexible the finitiation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

: 399 of 493 Page

SAR Result Of GSM1900

			1		nt1 Test dat	a		1		
Test position	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1- g	Power Drift(dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp
				Н	ead Test dat					
Left cheek	GSM	661/1880	1:8.3	0.053	0.09	30.11	31	1.227	0.065	22.1
Left tilted	GSM	661/1880	1:8.3	0.0297	0.01	30.11	31	1.227	0.036	22.1
Right cheek	GSM	661/1880	1:8.3	0.0661	0.09	30.11	31	1.227	0.081	22.1
Right tilted	GSM	661/1880	1:8.3	0.047	0.17	30.11	31	1.227	0.058	22.1
				ad Test Data	at the worst	case with SIM2				
Right cheek	GSM	661/1880	1:8.3	0.072	0.09	30.11	31	1.227	0.088	22.1
					the worst ca	ase with Battery 2				
Right cheek	GSM	661/1880	1:8.3	0.0652	0.03	30.11	31	1.227	0.080	22.1
			Head	Test Data at	the worst ca	ase with Battery 3	3#			
Right cheek	GSM	661/1880	1:8.3	0.0622	0.03	30.11	31	1.227	0.076	22.1
				Body worn Te	est data (Sep	arate 15mm)				
Front side	GSM	661/1880	1:8.3	0.233	-0.06	30.11	31	1.227	0.286	22.1
Back side	GSM	661/1880	1:8.3	0.222	0.09	30.11	31	1.227	0.272	22.1
Front side	GPRS 2TS	661/1880	1:4.15	0.274	0.13	27.76	29	1.330	0.365	22.1
Back side	GPRS 2TS	661/1880	1:4.15	0.288	0.03	27.76	29	1.330	0.383	22.1
	•		Body	worn Test Da	ata at the wo	rst case with SIM	12			
Back side	GPRS 2TS	661/1880	1:4.15	0.268	0.11	27.76	29	1.330	0.357	22.1
			Body wo	orn Test Data	at the wors	case with Batter	ry 2#			
Back side	GPRS 2TS	661/1880	1:4.15	0.281	0.02	27.76	29	1.330	0.374	22.1
			Body wo	rn Test Data	at the worst	case with Batter	y 3#			
Back side	GPRS 2TS	661/1880	1:4.15	0.271	0.12	27.76	29	1.330	0.361	22.1
				Hotspot Tes	t data (Sepa	rate 10mm)				
Front side	GPRS 2TS	661/1880	1:4.15	0.226	0.01	24.58	25.5	1.236	0.279	22.1
Back side	GPRS 2TS	661/1880	1:4.15	0.241	0.01	24.58	25.5	1.236	0.298	22.1
Left side	GPRS 2TS	661/1880	1:4.15	0.0472	0.05	24.58	25.5	1.236	0.058	22.1
Right side	GPRS 2TS	661/1880	1:4.15	0.0604	-0.06	24.58	25.5	1.236	0.075	22.1
Bottom side	GPRS 2TS	661/1880	1:4.15	0.64	-0.01	24.58	25.5	1.236	0.791	22.1
	-		Hotspot	Test Data at	the worst ca	se with SIM2 (10	mm)			•
Bottom side	GPRS 2TS	661/1880	1:4.15	0.553	-0.11	24.58	25.5	1.236	0.683	22.1
	•		Hotspot Te	st Data at the	worst case	with Battery 2# (10mm)			•
Bottom side	GPRS 2TS	661/1880	1:4.15	0.525	-0.2	24.58	25.5	1.236	0.649	22.1
	-		Hotspot Te	st Data at the	e worst case	with Battery 3# (10mm)			•
Bottom side	GPRS 2TS	661/1880	1:4.15	0.467	-0.18	24.58	25.5	1.236	0.577	22.1
Test position	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)10- g	Power Drift(dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp
				Limb Test	data (Sepai	ate 0mm)				
Bottom side	GPRS 2TS	661/1880	1:2.075	1.28	0.12	27.76	29	1.330	1.703	22.1
			Limb 7	Test data at tl	ne worst cas	e with SIM2 (0mi	m)			
Bottom side	GPRS 2TS	661/1880	1:2.075	1.28	0.09	27.76	29	1.330	1.703	22.1
			Limb Tes	st data at the	worst case v	with Battery 2# (0	mm)			
Bottom side	GPRS 2TS	661/1880	1:2.075	1.33	0.12	27.76	29	1.330	1.770	22.1
		1	Limb Tes	st data at the		with Battery 3# (0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 400 of 493

				Aı	nt2 Test dat	a				
Test position	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1- g	Power Drift(dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp
				He	ead Test dat	a				
Left cheek	GSM	661/1880	1:8.3	0.23	0.11	29.15	30	1.216	0.280	22.1
Left tilted	GSM	661/1880	1:8.3	0.324	-0.02	29.15	30	1.216	0.394	22.1
Right cheek	GSM	661/1880	1:8.3	0.642	0.05	25.55	26.5	1.245	0.799	22.1
Right tilted	GSM	661/1880	1:8.3	0.68	-0.07	25.55	26.5	1.245	0.846	22.1
Right tilted	GSM	512/1850.2	1:8.3	0.66	0.01	25.45	26.5	1.274	0.841	22.1
Right tilted	GSM	810/1909.8	1:8.3	0.635	0.08	25.5	26.5	1.259	0.799	22.1
		•	He	ad Test Data	at the worst	case with SIM2		15-16		
Right tilted	GSM	661/1880	1:8.3	0.625	-0.02	25.55	26.5	1.245	0.778	22.1
			Head	Test Data at	the worst ca	se with Battery 2	2#			ı
Right tilted	GSM	661/1880	1:8.3	0.524	0	25.55	26.5	1.245	0.652	22.1
<u> </u>			Head	Test Data at	the worst ca	se with Battery 3	3#			ı
Right tilted	GSM	661/1880	1:8.3	0.41	0.08	25.55	26.5	1.245	0.510	22.1
				Body worn Te						
Front side	GSM	661/1880	1:8.3	0.136	0.11	30.66	31	1.081	0.147	22.1
Back side	GSM	661/1880	1:8.3	0.15	0.16	30.66	31	1.081	0.162	22.1
Front side	GPRS 2TS	661/1880	1:8.3	0.148	0.16	28.11	29	1.227	0.182	22.1
Back side	GPRS 2TS	661/1880	1:8.3	0.168	0.12	28.11	29	1.227	0.206	22.1
Baok olac	0.10210	001/1000				st case with SIM	-	1.221	0.200	
Back side	GPRS 2TS	661/1880	1:8.3	0.153	0.01	28.11	29	1.227	0.188	22.1
Baok side	OF ROZIO	001/1000				case with Batter		1.221	0.100	
Back side	GPRS 2TS	661/1880	1:8.3	0.149	0.01	28.11	29	1.227	0.183	22.1
Dack Side	0110210	001/1000				case with Batter		1.221	0.103	22.1
Back side	GPRS 2TS	661/1880	1:8.3	0.251	-0.08	28.11	29	1.227	0.308	22.1
Dack Side	GPR3 213	001/1000				data (Separate 1		1.221	0.306	22.1
Front side	GPRS 2TS	661/1880	1:2.075	0.158	0.03	25.64	26.5	1.219	0.193	22.1
Back side	GPRS 2TS	661/1880	1:2.075	0.135	0.04	25.64	26.5	1.219	0.165	22.1
Left side	GPRS 2TS GPRS 2TS	661/1880	1:2.075	0.128	0.08	25.64	26.5	1.219	0.156	22.1
Right side		661/1880	1:2.075	0.0306	0.09	25.64	26.5	1.219	0.037	22.1
Top side	GPRS 2TS	661/1880	1:2.075	0.21	0.08	25.64	26.5	1.219	0.256	22.1
Facility of the	ODDO OTO	004/4000	•			ata (Separate 10		4.050	0.454	00.4
Front side	GPRS 2TS	661/1880	1:2.075	0.12	0.03	24.01	25	1.256	0.151	22.1
Back side	GPRS 2TS	661/1880	1:2.075	0.0831	0.09	24.01	25	1.256	0.104	22.1
Left side	GPRS 2TS	661/1880	1:2.075	0.0851	0.04	24.01	25	1.256	0.107	22.1
Right side	GPRS 2TS	661/1880	1:2.075	0.0191	-0.03	24.01	25	1.256	0.024	22.1
Top side	GPRS 2TS	661/1880	1:2.075	0.145	0.06	24.01	25	1.256	0.182	22.1
	T ====					se with SIM2 (10				
Top side	GPRS 2TS	661/1880	1:2.075	0.2	0.17	25.64	26.5	1.219	0.244	22.1
						with Battery 2# (
Top side	GPRS 2TS	661/1880	1:2.075	0.262	0.16	25.64	26.5	1.219	0.319	22.1
						with Battery 3# (
Top side	GPRS 2TS	661/1880	1:2.075	0.22	0.11	25.64	26.5	1.219	0.268	22.1

SAR of GSM1900 for Head, Body and Limb(Original report E5/2017/90003)

Note:

- 1) The maximum Scaled SAR value is marked in bold.
- 2) Per FCC KDB Publication 447498 D01, if the reported (scaled) SAR measured at the middle channel or highest output power channel for each test configuration is ≤ 0.8 W/kg then testing at the other channels is not required for such test configuration(s).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sas.com



Rev : 01

: 401 of 493 Page

8.3.3 SAR Result Of WCDMA Band V

					Ant1 Test	data				
Test position	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1- g	Power Drift(dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp
					Head Test	data				
Left cheek	RMC	4182/836.4	1:1	0.147	0.09	23.65	24.5	1.216	0.179	22.3
Left tilted	RMC	4182/836.4	1:1	0.0846	-0.04	23.65	24.5	1.216	0.103	22.3
Right cheek	RMC	4182/836.4	1:1	0.183	0.03	23.65	24.5	1.216	0.223	22.3
Right tilted	RMC	4182/836.4	1:1	0.0861	-0.07	23.65	24.5	1.216	0.105	22.3
1			ŀ	lead Test Da	ata at the wo	rst case with SIN	12			
Right cheek	RMC	4182/836.4	1:1	0.181	0.06	23.65	24.5	1.216	0.220	22.3
			Hea	ad Test Data	at the worst	case with Batter	y 2#			
Right cheek	RMC	4182/836.4	1:1	0.203	0.03	23.65	24.5	1.216	0.247	22.3
			Hea	ad Test Data	at the worst	case with Batter	y 3#			
Right cheek	RMC	4182/836.4	1:1	0.171	0.05	23.65	24.5	1.216	0.208	22.3
				Body worn	Test data (S	eparate 15mm)				
Front side	RMC	4182/836.4	1:1	0.229	-0.14	23.65	24.5	1.216	0.279	22.3
Back side	RMC	4182/836.4	1:1	0.239	0.03	23.65	24.5	1.216	0.291	22.3
			Boo	y wornTest	Data at the v	vorst case with S				
Back side	RMC	4182/836.4	1:1	0.232	0.02	23.65	24.5	1.216	0.282	22.3
						rst case with Bat				
Back side	RMC	4182/836.4	1:1	0.246	0.04	23.65	24.5	1.216	0.299	22.3
			Body v			rst case with Bat				
Back side	RMC	4182/836.4	1:1	0.214	-0.05	23.65	24.5	1.216	0.260	22.3
				Hotspot T	est data (Se	parate 10mm)			04	
Front side	RMC	4182/836.4	1:1	0.392	-0.02	23.65	24.5	1.216	0.477	22.3
Back side	RMC	4182/836.4	1:1	0.395	0.03	23.65	24.5	1.216	0.480	22.3
Left side	RMC	4182/836.4	1:1	0.161	0.05	23.65	24.5	1.216	0.196	22.3
Right side	RMC	4182/836.4	1:1	0.233	0.04	23.65	24.5	1.216	0.283	22.3
Bottom side	RMC	4182/836.4	1:1	0.303	0.08	23.65	24.5	1.216	0.369	22.3
	1			_ '		orst case with SI		1	T	ı
Back side	RMC	4182/836.4	1:1	0.395	0.01	23.65	24.5	1.216	0.480	22.3
						t case with Batte				
Back side	RMC	4182/836.4	1:1	0.416	-0.04	23.65	24.5	1.216	0.506	22.3
						t case with Batte			1	
Back side	RMC	4182/836.4	1:1	0.399	0.01	23.65	24.5	1.216	0.485	22.3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 402 of 493

					Ant2 Test	data				
Test position	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1- g	Power Drift(dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp
					Head Test	data				
Left cheek	RMC	4182/836.4	1:1	0.501	-0.07	19.2	20	1.202	0.602	22.3
Left tilted	RMC	4182/836.4	1:1	0.355	-0.06	19.2	20	1.202	0.427	22.3
Right cheek	RMC	4182/836.4	1:1	0.455	-0.04	18.75	19.5	1.189	0.541	22.3
Right tilted	RMC	4182/836.4	1:1	0.393	-0.04	18.75	19.5	1.189	0.467	22.3
			ŀ	lead Test Da	ata at the wo	rst case with SIN	Л2			
Left cheek	RMC	4182/836.4	1:1	0.489	-0.07	19.2	20	1.202	0.588	22.3
	1		Hea	ad Test Data	at the wors	t case with Batte	ry 2#	- 11 -		
Left cheek	RMC	4182/836.4	1:1	0.607	0.06	19.2	20	1.202	0.730	22.3
			Hea	ad Test Data	at the wors	t case with Batte	ry 3#			•
Left cheek	RMC	4182/836.4	1:1	0.43	0.09	19.2	20	1.202	0.517	22.3
				Body worn	Test data (S	Separate 15mm)				
Front side	RMC	4182/836.4	1:1	0.473	-0.01	23.84	24	1.038	0.491	22.3
Back side	RMC	4182/836.4	1:1	0.435	-0.14	23.84	24	1.038	0.451	22.3
			Boo	dy wornTest	Data at the	worst case with S	SIM2			
Front side	RMC	4182/836.4	1:1	0.476	-0.03	23.84	24	1.038	0.494	22.3
			Body v	worn Test Da	ata at the wo	rst case with Bat	tery 2#			
Front side	RMC	4182/836.4	1:1	0.486	0.05	23.84	24	1.038	0.504	22.3
			Body v	worn Test Da	ata at the wo	rst case with Bat	tery 3#			
Front side	RMC	4182/836.4	1:1	0.473	-0.05	23.84	24	1.038	0.491	22.3
				Hotspot 2.4	GTest data (Separate 10mm))			
Front side	RMC	4233/846.6	1:1	0.436	0.08	21.28	21.5	1.052	0.459	22.3
Back side	RMC	4233/846.6	1:1	0.398	-0.04	21.28	21.5	1.052	0.419	22.3
Left side	RMC	4233/846.6	1:1	0.233	-0.17	21.28	21.5	1.052	0.245	22.3
Right side	RMC	4233/846.6	1:1	0.0307	0.12	21.28	21.5	1.052	0.032	22.3
Top side	RMC	4233/846.6	1:1	0.232	-0.07	21.28	21.5	1.052	0.244	22.3
				Hotspot 50	Test data (S	Separate 10mm)				
Front side	RMC	4233/846.6	1:1	0.284	-0.04	19.86	20	1.033	0.293	22.3
Back side	RMC	4233/846.6	1:1	0.299	-0.01	19.86	20	1.033	0.309	22.3
Left side	RMC	4233/846.6	1:1	0.166	-0.14	19.86	20	1.033	0.171	22.3
Right side	RMC	4233/846.6	1:1	0.0203	0.17	19.86	20	1.033	0.021	22.3
Top side	RMC	4233/846.6	1:1	0.164	-0.02	19.86	20	1.033	0.169	22.3
			Н	otspot Test D	Data at the w	orst case with SI	M2			
Front side	RMC	4233/846.6	1:1	0.36	0.01	21.28	21.5	1.052	0.379	22.3
			Hots	pot Test Dat	a at the wors	st case with Batte	ery 2#			
Front side	RMC	4233/846.6	1:1	0.383	0.05	21.28	21.5	1.052	0.403	22.3
			Hots	pot Test Dat	a at the wors	st case with Batte	ery 3#			
Front side	RMC	4233/846.6	1:1	0.344	0.03	21.28	21.5	1.052	0.362	22.3
		Ant2	Additiona		(simultaneo	us transmissio	n with 5G WIF	l)		
Test position	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1- g	Power Drift(dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp
			Hea		at the wors	t case with Batte	ry 3#			
Left cheek	RMC	4182/836.6	1:1	0.266	0.06	15.36	16	1.159	0.308	22.3

SAR of WCDMA Band V for Head and Body(Original report E5/2017/90003). Table 21:

Note:

- 1) The maximum Scaled SAR value is marked in bold.
- 2) If the reported (scaled) SAR measured at the middle channel or highest output power channel for each test configuration is ≤ 0.8 W/kg then testing at the other channels is not required for such test configuration(s).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 403 of 493 Page

8.3.4 SAR Result Of WCDMA Band IV

					Ant1 Test d					1
Test position	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp
					Head Test of	lata				
Left cheek	RMC	1412/1732.4	1:1	0.123	-0.04	23.19	24	1.205	0.148	22.3
Left tilted	RMC	1412/1732.4	1:1	0.0604	0.11	23.19	24	1.205	0.073	22.3
Right cheek	RMC	1412/1732.4	1:1	0.0913	0.06	23.19	24	1.205	0.110	22.3
Right tilted	RMC	1412/1732.4	1:1	0.0569	0.07	23.19	24	1.205	0.069	22.3
					ata at the wo	rst case with SIM				
Left cheek	RMC	1412/1732.4	1:1	0.126	0.01	23.19	24	1.205	0.152	22.3
			He		at the worst	case with Batter	y 2#			
Left cheek	RMC	1412/1732.4	1:1	0.0883	0.14	23.19	24	1.205	0.106	22.3
						case with Batter				1
Left cheek	RMC	1412/1732.4	1:1	0.114	0.05	23.19	24	1.205	0.137	22.3
						eparate 15mm)				
Front side	RMC	1412/1732.4	1:1	0.449	0.08	23.19	24	1.205	0.541	22.3
Back side	RMC	1412/1732.4	1:1	0.403	0.16	23.19	24	1.205	0.486	22.3
			Во			orst case with S				
Front side	RMC	1412/1732.4	1:1	0.435	0.04	23.19	24	1.205	0.524	22.3
			Body			rst case with Batt	ery 2#			
Front side	RMC	1412/1732.4	1:1	0.292	0.04	23.19	24	1.205	0.352	22.3
			Body	worn Test Da	ta at the wor	st case with Batt	ery 3#			
Front side	RMC	1412/1732.4	1:1	0.276	0.16	23.19	24	1.205	0.333	22.3
				Hotspot T	est data (Se	parate 10mm)				
Front side	RMC	1412/1732.4	1:1	0.3	0.14	18.92	19.5	1.143	0.343	22.3
Back side	RMC	1412/1732.4	1:1	0.333	0.03	18.92	19.5	1.143	0.381	22.3
Left side	RMC	1412/1732.4	1:1	0.0918	0.17	18.92	19.5	1.143	0.105	22.3
Right side	RMC	1412/1732.4	1:1	0.0467	0.14	18.92	19.5	1.143	0.053	22.3
Bottom side	RMC	1412/1732.4	1:1	0.6	0.05	18.92	19.5	1.143	0.686	22.3
						orst case with SIM				
Bottom side	RMC	1412/1732.4	1:1	0.583	0.07	18.92	19.5	1.143	0.666	22.3
				<u>'</u>		t case with Batte				
Bottom side	RMC	1412/1732.4	1:1	0.651	-0.01	18.92	19.5	1.143	0.744	22.3
			Hots	pot Test Data	at the wors	t case with Batte				
Bottom side	RMC	1412/1732.4	1:1	0.607	-0.09	18.92	19.5	1.143	0.694	22.3
Test position	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)10-	Power Drift(dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp
		-		Limb Toot do	to concer on	(Canarata Omm)	, ,		, ,,	_
Dottom side	RMC	4.44.0/4.700.4	1.1		0.14	(Separate 0mm) 20.51	21	1 110	1 700	22.4
Bottom side	RIVIC	1412/1732.4	1:1	1.59			21	1.119	1.780	22.1
Dottom side	DMC	4.440/4700.4	1.1			(Separate 7mm)	24	1 205	2.064	22.4
Bottom side	RMC	1412/1732.4	1:1	1.71	0.13	23.19	24	1.205	2.061	22.1
Bottom side	RMC	1312/1712.4	1:1 1:1	1.56 1.75	0.19 0.15	23.14 23.11	24 24	1.219	1.902 2.148	22.1
DULIUM SIGE	KIVIC	1513/1752.6						1.227	2.140	22.1
Dottom side	DMAC	4540/4750.0				vith SIM2 (Separa		4.007	2,000	20.4
Bottom side	RMC	1513/1752.6	1:1	1.71	0.18	23.11	24	1.227	2.099	22.1
Dallace 11	D110					Battery 2# (Sep		4.007	4.050	00.4
Bottom side	RMC	1513/1752.6	1:1	1.59	0.06	23.11	24	1.227	1.952	22.1
5	D					Battery 3# (Sep		4.65=	1	00.1
Bottom side	RMC	1513/1752.6	1:1	1.48	0.18	23.11	24	1.227	1.817	22.1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 404 of 493

					Ant2 Test of	data				
Test position	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1- g	Power Drift(dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp
					Head Test	data				
Left cheek	RMC	1412/1732.4	1:1	0.312	-0.07	18.52	19	1.117	0.348	22.3
Left tilted	RMC	1412/1732.4	1:1	0.324	-0.04	18.52	19	1.117	0.362	22.3
Right cheek	RMC	1412/1732.4	1:1	0.405	0.03	16.25	16.5	1.059	0.429	22.3
Right tilted	RMC	1412/1732.4	1:1	0.369	-0.07	16.25	16.5	1.059	0.391	22.3
					ata at the wo	rst case with SIM	12			
Right cheek	RMC	1412/1732.4	1:1	0.373	-0.11	16.25	16.5	1.059	0.395	22.3
			He		at the worst	case with Batter	y 2#			
Right cheek	RMC	1412/1732.4	1:1	0.247	-0.04	16.25	16.5	1.059	0.262	22.3
			He		at the worst	case with Batter				
Right cheek	RMC	1412/1732.4	1:1	0.378	-0.13	16.25	16.5	1.059	0.400	22.3
				Body worn	Test data (S	Separate 15mm)				
Front side	RMC	1412/1732.4	1:1	0.283	-0.01	23.7	24	1.072	0.303	22.3
Back side	RMC	1412/1732.4	1:1	0.302	0.05	23.7	24	1.072	0.324	22.3
			Во	dy worn Test	Data at the	worst case with S	SIM2			
Back side	RMC	1412/1732.4	1:1	0.285	0.02	23.7	24	1.072	0.305	22.3
			Body	worn Test Da	ata at the wo	rst case with Bat	tery 2#			
Back side	RMC	1412/1732.4	1:1	0.315	0.16	23.7	24	1.072	0.338	22.3
		\	Body		ata at the wo	rst case with Bat	tery 3#			
Back side	RMC	1412/1732.4	1:1	0.277	0.12	23.7	24	1.072	0.297	22.3
			Hotspo	t actived for 2	2.4G WIFI Te	st data (Separate	e 10mm)			
Front side	RMC	1412/1732.4	1:1	0.285	0.04	21.05	21.5	1.109	0.316	22.3
Back side	RMC	1412/1732.4	1:1	0.332	0.09	21.05	21.5	1.109	0.368	22.3
Left side	RMC	1412/1732.4	1:1	0.199	0.07	21.05	21.5	1.109	0.221	22.3
Right side	RMC	1412/1732.4	1:1	0.0274	0.07	21.05	21.5	1.109	0.030	22.3
Top side	RMC	1412/1732.4	1:1	0.397	-0.04	21.05	21.5	1.109	0.440	22.3
			Hotspo		5G WIFI Tes	t data (Separate	10mm)			
Front side	RMC	1412/1732.4	1:1	0.192	0.01	19.52	20	1.117	0.214	22.3
Back side	RMC	1412/1732.4	1:1	0.228	0.19	19.52	20	1.117	0.255	22.3
Left side	RMC	1412/1732.4	1:1	0.163	0.09	19.52	20	1.117	0.182	22.3
Right side	RMC	1412/1732.4	1:1	0.019	0.01	19.52	20	1.117	0.021	22.3
Top side	RMC	1412/1732.4	1:1	0.298	0.02	19.52	20	1.117	0.333	22.3
						orst case with SII				
Top side	RMC	1412/1732.4	1:1	0.429	0.03	21.05	21.5	1.109	0.476	22.3
			Hots	spot Test Data	a at the wors	t case with Batte	ry 2#			
Top side	RMC	1412/1732.4	1:1	0.411	0.03	21.05	21.5	1.109	0.456	22.3
						t case with Batte	,			
Top side	RMC	1412/1732.4	1:1	0.394	0.02	21.05	21.5	1.109	0.437	22.3

Table 22: SAR of WCDMA Band IV for Head Body and Limb(Original report E5/2017/90003).

Note:

- 1) The maximum Scaled SAR value is marked in bold.
- 2) If the reported (scaled) SAR measured at the middle channel or highest output power channel for each test configuration is ≤ 0.8 W/kg then testing at the other channels is not required for such test configuration(s).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. t (886-2) 2299-3279

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.tw.sas.com



Rev : 01

: 405 of 493 Page

8.3.5 SAR Result Of WCDMA Band II

					1 Test data		•	1	•	
Test position	Test mode	Test Ch./Freg.	Duty Cycl	SAR (W/kg)1-	Power Drift(dB	Conducted Power(dBm	Tune up Limit(dBm	Scale d	Scaled SAR(W/kg	Liqui d
	mode		е	g)))	factor)	Temp
					d Test data	T	T			
Left cheek	RMC	9400/1880	1:1	0.0713	0.07	23.39	24	1.151	0.082	22.3
Left tilted	RMC	9400/1880	1:1	0.0381	0.08	23.39	24	1.151	0.044	22.3
Right cheek	RMC	9400/1880	1:1	0.0876	0.08	23.39	24	1.151	0.101	22.3
Right tilted	RMC	9400/1880	1:1	0.051	0.06	23.39	24	1.151	0.059	22.3
						ase with SIM2				
Right cheek	RMC	9400/1880	1:1	0.0896	0.03	23.39	24	1.151	0.103	22.3
						e with Battery 2				
Right cheek	RMC	9400/1880	1:1	0.129	0.01	23.39	24	1.151	0.148	22.3
						e with Battery 3			T	1
Right cheek	RMC	9400/1880	1:1	0.107	0.07	23.39	24	1.151	0.123	22.3
				dy worn Test		,	1	1	1	1
Front side	RMC	9400/1880	1:1	0.369	0.11	23.39	24	1.151	0.425	22.3
Back side	RMC	9400/1880	1:1	0.35	0.14	23.39	24	1.151	0.403	22.3
			Body wo			t case with SIM				
Front side	RMC	9400/1880	1:1	0.356	0.14	23.39	24	1.151	0.410	22.3
			, ,			ase with Battery				
Front side	RMC	9400/1880	1:1	0.303	0.19	23.39	24	1.151	0.349	22.3
						ase with Battery			1	
Front side	RMC	9400/1880	1:1	0.28	0.05	23.39	24	1.151	0.322	22.3
				otspot Test of						
Front side	RMC	9400/1880	1:1	0.294	0.05	19.69	20	1.074	0.316	22.3
Back side	RMC	9400/1880	1:1	0.284	0.18	19.69	20	1.074	0.305	22.3
Left side	RMC	9400/1880	1:1	0.0607	0.06	19.69	20	1.074	0.065	22.3
Right side	RMC	9400/1880	1:1	0.057	0.01	19.69	20	1.074	0.061	22.3
Bottom side	RMC	9400/1880	1:1	0.662	0.18	19.69	20	1.074	0.711	22.3
						with SIM2 (10r				
Bottom side	RMC	9400/1880	1:1	0.554	0.12	19.69	20	1.074	0.595	22.1
						ith Battery 2# (1				
Bottom side	RMC	9400/1880	1:1	0.75	0.18	19.69	20	1.074	0.805	22.1
						ith Battery 3# (1				
Bottom side	RMC	9400/1880	1:1	0.538	0.02	19.69	20	1.074	0.578	22.1
	Test	Test	Duty	SAR	Power	Conducted	Tune up	Scale	Scaled	Liqui
Test position	mode	Ch./Freq.	Cycl	(W/kg)10	Drift(dB	Power(dBm	Limit(dBm	d	SAR(W/kg	d
			e Limb	-g)))	factor)	Temp
Dette e el de	DMO	0.400/4.000				eparate 0mm)	04.5	4.000	4.400	00.4
Bottom side	RMC	9400/1880	1:1	0.961	-0.03	20.6	21.5	1.230	1.182	22.1
Dette a side	DMO	0.400/4.000				eparate 7mm)	24	4.454	1.000	00.4
Bottom side	RMC	9400/1880	1:1	1.13	-0.03	23.39		1.151	1.300	22.1
Datte an aide	DMO					SIM2 (Separate		4.040	1.004	00.4
Bottom side	RMC	9400/1880	1:1	1.05	-0.01	20.3	21.5	1.318	1.384	22.1
D	DNIO					ttery 2# (Separa		4.040	4 ===	00.1
Bottom side	RMC	9400/1880	1:1	1.33	-0.02	20.3	21.5	1.318	1.753	22.1
Datte and 11	DMC					ttery 3# (Separa		4.040	4.004	00.4
Bottom side	RMC	9400/1880	1:1	1.23	-0.17	20.3	21.5	1.318	1.621	22.1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 406 of 493

					Ant2 Test						
	Test	Lest	Dut			-	Conducte				Liqu
Test position		Ch./Freq.	Сус	l (W/kg	g)1- Drift	(dB	Power(dBi	m Limit(dBr		SAR(W/kg	
	е	311171 TOQ1	е	g))	facto	r)	Tem
		. 1			Head Test						
Left cheek	RMC			0.38			21.72	22	1.067		22.3
Left tilted	RMC		1:1	0.4			21.72	22	1.067		22.3
Right cheek	RMC			0.78			17.84	18	1.038		22.3
Right tilted	RMC			0.84			17.84	18	1.038		22.3
Right cheek	RMC			0.7			17.7	18	1.072		22.3
Right cheek	RMC			0.75			17.65	18	1.084		22.3
Right tilted	RMC			0.83			17.7	18	1.072		22.3
Right tilted	RMC	9538/1907.	3 1:1	0.8	2 -0.	11	17.65	18	1.084	0.889	22.3
Right tilted - repeat	RMC	9400/1880	1:1	0.83	0.0	01	17.84	18	1.038	0.870	22.3
			He	ead Test D	ata at the w	orst ca	ase with SIM	12			
Right tilted	RMC	9262/1852.	4 1:1	0.82	22 0.0	01	17.7	18	1.072	0.881	22.3
			Head	Test Data	a at the wors	st case	e with Batter	y 2#			
Right tilted	RMC	9262/1852.		0.79		_	17.7	18	1.072	0.850	22.3
		. 1/					e with Batter			1	
Right tilted	RMC	9262/1852.					17.7	18	1.072	0.730	22.3
		1			Test data (1	
Front side	RMC			0.18			23.49	23.5	1.002		22.3
Back side	RMC	9400/1880	1:1	0.21			23.49	23.5	1.002	0.214	22.3
David and	DMC	0.400/4.000					case with S		4.000	0.000	00.4
Back side	RMC	9400/1880		0.20			23.49 ase with Batt	23.5	1.002	0.203	22.3
Back side	RMC	9400/1880		0.2			23.49	23.5	1.002	0.261	22.3
24011 0.40		0.007.000					ase with Batt				
Back side	RMC	9400/1880	1:1	0.23			23.49	23.5	1.002	0.234	22.3
2 doi: o.do							ita (Separate		1.002	0.20	
Front side	RMC		1:1	0.29			20.94	21	1.014	0.298	22.3
Back side	RMC		1:1	0.21			20.94	21	1.014		22.3
Left side	RMC			0.19			20.94	21	1.014	_	22.3
Right side	RMC			0.05			20.94	21	1.014		22.3
Top side	RMC		1:1	0.33			20.94	21	1.014		22.3
100 3140	TAME	0-100/1000					a (Separate		1.014	0.042	22.0
Front side	RMC	9400/1880		0.18			19.48	19.5	1.005	0.187	22.3
Back side	RMC		1:1	0.15			19.48	19.5	1.005		22.3
Left side	RMC		1:1	0.14			19.48	19.5	1.005	_	22.3
Right side	RMC			0.03			19.48	19.5	1.005		22.3
Top side	RMC		1:1	0.03			19.48	19.5	1.005		22.3
100000	TANC	, 0.00,1000					with SIM2 (1.000	3.200	
Top side	RMC	9400/1880	1:1	0.33			20.94	21	1.014	0.344	22.1
							th Battery 2				
Top side	RMC	9400/1880	1:1	0.41	7 0.0	05	20.94	21	1.014	0.423	22.1
		H	otspot Te	est Data at	the worst c	ase wi	th Battery 3	# (10mm)			
Top side	RMC			0.37			20.94	21	1.014	0.378	22.1
		Ant2 A	dditional		(simultane	ous tr	ansmission	with 5G WIFI)		
Test position	Test mode		Duty Cycle	SAR (W/kg)1-	Power Drift(dB)		nducted ver(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp
				g	Head Test	t data		-			
_eft cheek	RMC	9400/1880	1:1	0.20	-0.02	- data	17.83	18	1.040	0.208	22.3
								. 7			

Table 23: SAR of WCDMA Band II for Head Body and Limb(Original report E5/2017/90003).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 407 of 493

Note:

1) The maximum Scaled SAR value is marked in bold.

2) If the reported (scaled) SAR measured at the middle channel or highest output power channel for each test configuration is ≤ 0.8 W/kg then

testing at the other channels is not required for such test configuration(s).

Test Position	Channel/ Frequency	Measured SAR	1 st Repeated	Ratio	2 nd Repeated	3 rd Repeated
	(MHz)	(1g)	SAR (1g)		SAR (1g)	SAR (1g)
Back Side	9400/1880	0.892	0.87	1.03	N/A	N/A

Note: 1) When the original highest measured SAR is ≥ 0.80 W/kg, the measurement was repeated once.

2) A second repeated measurement was performed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 1.45 W/kg (~ 10% from the 1-g SAR limit).

3) A third repeated measurement was performed only if the original, first or second repeated measurement was ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20.

4) Repeated measurements are not required when the original highest measured SAR is < 0.80 W/kg

Table 24: SAR Measurement Variability Results

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 408 of 493 Page

8.3.6 SAR Result Of LTE Band 2

				1		t1 Test data					1
Test position	BW.	Test mode	Test Ch./Freg.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
•		•				data (1RB_9	9 offset)	•		, , ,	
Left cheek	20	QPSK	18900/1880	1:1	0.146	0.07	23.99	24	1.002	0.146	22.3
Left tilted	20	QPSK	18900/1880	1:1	0.0707	0.12	23.99	24	1.002	0.071	22.3
Right cheek	20	QPSK	18900/1880	1:1	0.16	0.02	23.99	24	1.002	0.16	22.3
Right tilted	20	QPSK	18900/1880	1:1	0.0978	0.02	23.99	24	1.002	0.098	22.3
			•	•	Hea	d Test data	(50%RB_0 offse	t)			•
Left cheek	20	QPSK	18700/1860	1:1	0.111	0.03	22.35	23	1.161	0.129	22.3
Left tilted	20	QPSK	18700/1860	1:1	0.0493	0.09	22.35	23	1.161	0.057	22.3
Right cheek	20	QPSK	18700/1860	1:1	0.106	0.09	22.35	23	1.161	0.123	22.3
Right tilted	20	QPSK	18700/1860	1:1	0.0731	0.01	22.35	23	1.161	0.085	22.3
J				Hea	ad Test Data	at the worst of	case with SIM2				
Right cheek	20	QPSK	18900/1880	1:1	0.174	0.08	23.99	24	1.002	0.174	22.3
				Head	Test Data at t	he worst cas	e with Battery 2	#		•	
Right cheek	20	QPSK	18900/1880	1:1	0.189	0.02	23.99	24	1.002	0.189	22.3
				Head	Test Data at t	he worst cas	e with Battery 3	#		•	
Right cheek	20	QPSK	18900/1880	1:1	0.158	0.07	23.99	24	1.002	0.158	22.3
				Body wo	rn Test data	Separate 15	mm 1RB_99 offs	set)		•	
Front side	20	QPSK	18900/1880	1:1	0.617	0.11	23.99	24	1.002	0.618	22.3
Back side	20	QPSK	18900/1880	1:1	0.539	0.05	23.99	24	1.002	0.540	22.3
				Body wor	n Test data (S	eparate 15n	nm 50%RB_0 of	set)			
Front side	20	QPSK	18700/1860	1:1	0.466	0.08	22.35	23	1.161	0.541	22.3
Back side	20	QPSK	18700/1860	1:1	0.227	0.06	22.35	23	1.161	0.264	22.3
				Body	worn Test Dat	a at the wor	st case with SIM	2			
Front side	20	QPSK	18900/1880	1:1	0.605	0.03	23.99	24	1.002	0.606	22.3
				Body wo	rn Test Data	at the worst	case with Battery	2#			
Front side	20	QPSK	18900/1880	1:1	0.561	0.07	23.99	24	1.002	0.562	22.3
				Body wo	rn Test Data	at the worst	case with Battery	3#		•	
Front side	20	QPSK	18900/1880	1:1	0.507	0.12	23.99	24	1.002	0.508	22.3
				Hotspo	ot Test data (S	Separate 10n	nm 1RB_0 offset				
Front side	20	QPSK	19100/1900	1:1	0.23	0.16	18.44	19	1.138	0.262	22.3
Back side	20	QPSK	19100/1900	1:1	0.263	0.05	18.44	19	1.138	0.299	22.3
Left side	20	QPSK	19100/1900	1:1	0.0486	0.01	18.44	19	1.138	0.055	22.3
Right side	20	QPSK	19100/1900	1:1	0.0559	-0.2	18.44	19	1.138	0.064	22.3
Bottom side	20	QPSK	19100/1900	1:1	0.636	-0.01	18.44	19	1.138	0.724	22.3
				Hotspot 7	Test data (Se	parate 10mm	50%RB_50 offs	set)	•	•	•
Front side	20	QPSK	19100/1900	1:1	0.232	-0.01	18.22	19	1.197	0.278	22.3
Back side	20	QPSK	19100/1900	1:1	0.252	0.03	18.22	19	1.197	0.302	22.3
Left side	20	QPSK	19100/1900	1:1	0.0417	0.01	18.22	19	1.197	0.050	22.3
Right side	20	QPSK	19100/1900	1:1	0.0551	-0.01	18.22	19	1.197	0.066	22.3
Bottom side	20	QPSK	19100/1900	1:1	0.61	-0.04	18.22	19	1.197	0.730	22.3
AT							case with SIM2				
Bottom side	20	QPSK	19100/1900	1:1	0.609	-0.02	18.22	19	1.197	0.729	22.3
							se with Battery 2				
Bottom side	20	QPSK	19100/1900	1:1	0.542	-0.03	18.22	19	1.197	0.649	22.3
							ase with Battery				
Bottom side	20	QPSK	19100/1900	1:1	0.494	-0.03	18.22	19	1.197	0.591	22.3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 409 of 493

Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)10- g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
			L	imb Test	data-sensor o	on (Separate	0mm 1RB_50 of	ffset)			
Bottom side	20	QPSK	18900/1880	1:1	1.28	-0.1	21.25	21.5	1.059	1.356	22.3
				imb Test	data-sensor c	off (Separate	7mm 1RB_50 of	ffset)			•
Bottom side	20	QPSK	18900/1880	1:1	1.56	-0.06	23.99	24	1.002	1.564	22.3
		•	Lir	nb Test c	lata-sensor or	(Separate	0mm 50%RB_0	offset)			•
Bottom side	20	QPSK	18700/1860	1:1	1.39	-0.03	20.84	21.5	1.164	1.618	22.3
			Lir	nb Test c	lata-sensor of	f (Separate	7mm 50%RB_0	offset)	FILE		•
Bottom side	20	QPSK	18700/1860	1:1	1.32	-0.02	22.35	23	1.161	1.533	22.3
		•		Lin	b Test Data a	at the worst o	ase with SIM2			•	•
Bottom side	20	QPSK	18700/1860	1:1	1.38	-0.06	20.84	21.5	1.164	1.606	22.3
		•		Limb	Test Data at t	he worst cas	e with Battery 2#	#	•	•	•
Bottom side	20	QPSK	18700/1860	1:1	1.46	-0.05	20.84	21.5	1.164	1.700	22.3
		•		Limb ⁻	Test Data at tl	he worst cas	e with Battery 3#	·	•	•	•
Bottom side	20	QPSK	18700/1860	1:1	1.27	-0.08	20.84	21.5	1.164	1.478	22.3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 410 of 493 Page

						t2 Test data	1				
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1- g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
		0.0017				data (1RB_9					
Left cheek	20	QPSK	19100/1900	1:1	0.236	0.02	20.61	21.5	1.227	0.290	22.3
Left tilted	20	QPSK	19100/1900	1:1	0.303	0.04	20.61	21.5	1.227	0.372	22.3
Right cheek Right tilted	20 20	QPSK	18700/1860	1:1 1:1	0.533 0.482	-0.01 -0.01	16.09 16.09	17 17	1.233	0.657	22.3
Right tilled	20	QPSK	18700/1860	1.1			a (50%RB_50 of		1.233	0.594	22.3
Left cheek	20	QPSK	19100/1900	1:1	0.237	0.02	20.6	21.5	1.230	0.292	22.3
Left tilted	20	QPSK	19100/1900	1:1	0.307	0.07	20.6	21.5	1.230	0.378	22.3
Right cheek	20	QPSK	19100/1900	1:1	0.559	-0.03	16.07	17	1.239	0.692	22.3
Right tilted	20	QPSK	19100/1900	1:1	0.531	0.05	16.07	17	1.239	0.658	22.3
				Hea	ad Test Data	at the worst	case with SIM2			•	•
Right cheek	20	QPSK	19100/1900	1:1	0.557	0.06	16.07	17	1.239	0.690	22.3
				Head	Test Data at t	the worst ca	se with Battery 2	#			
Right cheek	20	QPSK	19100/1900	1:1	0.6	0.03	16.07	17	1.239	0.743	22.3
							se with Battery 3				
Right cheek	20	QPSK	19100/1900	1:1	0.461	0.03	16.07	17	1.239	0.571	22.3
		1				<u> </u>	mm 1RB_99 off		1	ı	ı
Front side	20	QPSK	18900/1880	1:1	0.139	0.16	24.27	24.5	1.054	0.147	22.3
Back side	20	QPSK	18900/1880	1:1	0.162	0.14	24.27	24.5	1.054	0.171	22.3
Format and a	- 00	ODOK				•	nm 50%RB_0 of	,	4.000	0.454	00.0
Front side	20	QPSK	18700/1860	1:1	0.123	0.01	22.6	23.5	1.230	0.151	22.3
Back side	20	QPSK	18700/1860	1:1	0.149	0.08	22.6 st case with SIM	23.5	1.230	0.183	22.3
Back side	20	QPSK	18700/1860	1:1	0.155	0.01	22.6	23.5	1.230	0.191	22.3
Dack Side	20	QFSN	16700/1660				case with Battery		1.230	0.191	22.3
Back side	20	QPSK	18700/1860	1:1	0.166	0.18	22.6	23.5	1.230	0.204	22.3
Baok side	20	QI OIX	107 007 1000				case with Battery		1.200	0.204	22.0
Back side	20	QPSK	18700/1860	1:1	0.154	0.11	22.6	23.5	1.230	0.189	22.3
						_	eparate 10mm 1				
Front side	20	QPSK	19100/1900	1:1	0.167	0.06	21.97	22	1.007	0.168	22.3
Back side	20	QPSK	19100/1900	1:1	0.154	-0.04	21.97	22	1.007	0.155	22.3
Left side	20	QPSK	19100/1900	1:1	0.132	0	21.97	22	1.007	0.133	22.3
Right side	20	QPSK	19100/1900	1:1	0.0401	-0.08	21.97	22	1.007	0.040	22.3
Top side	20	QPSK	19100/1900	1:1	0.248	-0.18	21.97	22	1.007	0.250	22.3
			Hotspot ac	tived for 2	2.4G WIFI Te	st data (Sep	arate 10mm 50%	6RB_25 offset)			
Front side	20	QPSK	18700/1860	1:1	0.184	0.11	21.93	22	1.016	0.187	22.3
Back side	20	QPSK	18700/1860	1:1	0.168	-0.02	21.93	22	1.016	0.171	22.3
Left side	20	QPSK	18700/1860	1:1	0.162	0.01	21.93	22	1.016	0.165	22.3
Right side	20	QPSK	18700/1860	1:1	0.0359	0.05	21.93	22	1.016	0.036	22.3
Top side	20	QPSK	18700/1860	1:1	0.248	-0.09	21.93	22	1.016	0.252	22.3
Face Color	00	ODOK				,	parate 10mm 1F		4.000	0.000	00.0
Front side	20	QPSK	18900/1880	1:1	0.29	0.12	20.46	20.5	1.009	0.293	22.3
Back side Left side	20	QPSK QPSK	18900/1880 18900/1880	1:1 1:1	0.253 0.0293	-0.06 0.08	20.46 20.46	20.5 20.5	1.009	0.255 0.030	22.3 22.3
Right side	20	QPSK	18900/1880	1:1	0.0293	-0.1	20.46	20.5	1.009	0.030	22.3
Top side	20	QPSK	18900/1880	1:1	0.0785	-0.1	20.46	20.5	1.009	0.079 0.442	22.3
1 op side	20	QI UIV					rate 10mm 50%		1.009	V1-7.E	22.0
Front side	20	QPSK	18700/1860	1:1	0.116	0.04	20.43	20.5	1.016	0.118	22.3
Back side	20	QPSK	18700/1860	1:1	0.110	-0.11	20.43	20.5	1.016	0.110	22.3
Left side	20	QPSK	18700/1860	1:1	0.100	0.05	20.43	20.5	1.016	0.122	22.3
Right side	20	QPSK	18700/1860	1:1	0.227	0.11	20.43	20.5	1.016	0.231	22.3
Top side	20	QPSK	18700/1860	1:1	0.19	-0.15	20.43	20.5	1.016	0.193	22.3
			2.23,.000				case with SIM2				
Top side	20	QPSK	18900/1880	1:1	0.4	-0.05	20.46	20.5	1.009	0.404	22.3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Rev : 01

Page : 411 of 493

	Hotspot Test Data at the worst case with Battery 2#													
Top side	Top side 20 QPSK 18900/1880 1:1 0.399 -0.17 20.46 20.5 1.009 0.403 22.3													
	Hotspot Test Data at the worst case with Battery 3#													
Top side	Top side 20 QPSK 18900/1880 1:1 0.367 -0.16 20.46 20.5 1.009 0.370 22.3													

SAR of LTE Band 2 for Head Body and Limb(Original report E5/2017/90003).

Note:

- 1) The maximum Scaled SAR value is marked in bold.
- 2) If the reported (scaled) SAR measured at the middle channel or highest output power channel for each test configuration is ≤ 0.8 W/kg then testing at the other channels is not required for such test configuration(s).

					Ant1 Test	data					
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
			Charley.		t data at the wo			Limit(dbin)	iactor	JAN(WAY)	remp.
		PCC QPSK			I	TOL GUGG WIL	I				
Right cheek	20	1RB@0	18900/1880	1:1	0.108	-0.09	23.26	24.00	1.186	0.128	22.3
Right cheek	20	SCC QPSK 0RB@0	19098/1899.8	1:1							
			Body wor	n Test data	at the worst ca	ise with UL (CA(Separate 15n	nm)			
Front side	20	PCC QPSK 1RB@0	18900/1880	1:1							
Front side	20	SCC QPSK 0RB@0	19098/1899.8	1:1	0.416	0.05	23.26	24.00	1.186	0.493	22.3
			Hotspot	Test data at	the worst case	e with UL CA	(Separate 10mm	1)			
Bottom side	20	PCC QPSK 1RB@0	19100/1900	1:1	0.636	-0.06	18.26	19.00	1.186	0.754	22.3
Bottom side	20	SCC QPSK 0RB@0	18902/1880.2	1:1	0.636	-0.00	10.20	19.00	1.100	0.754	22.3
Test position	BW.	Test mode	Test Ch./Freg.	Duty Cycle	SAR (W/kg)10-g	Power Drift(dB)	Conducted power(dBm)	Tune up	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
				_	, ,,		(Separate 0mm)	Ziiiii(GZiii)	idotoi	or m(mmg/	· ompi
Bottom side	20	PCC QPSK 1RB@0	18700/1860	1:1	1.360	0.16	20.55	21.50	1.245	1.693	22.3
Bottom side	20	SCC QPSK 0RB@0	18898/1879.8	1:1	1.300	0.16	20.55	21.50	1.245	1.093	22.3
					Ant2 Test	data					
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
				Head Test	data at the wo	rst case wit	h UL CA				
Right cheek	20	PCC QPSK 1RB@0	19100/1900	1:1	0.449	0.06	15.58	17.00	1.387	0.623	22.3
Right cheek	20	SCC QPSK 0RB@0	18902/1880.2	1:1	0.449	0.06	13.30	17.00	1.307	0.623	22.3
			Body wor	n Test data	at the worst ca	se with UL (CA(Separate 15n	nm)			
Back side	20	PCC QPSK 1RB@0	18700/1860	1:1	0.400	0.47	24.05	04.50	4.050	0.470	00.0
Back side	20	SCC QPSK 0RB@0	18898/1879.8	1:1	0.163	0.17	24.25	24.50	1.059	0.173	22.3
			Hotspot	Test data at	the worst case	e with UL CA	(Separate 10mm	1)			
Top side	20	PCC QPSK 1RB@0	18900/1880	1:1	0.400	0.00	40.00	20.50	4.425	0.534	22.2
Top side	20	SCC QPSK 0RB@0	19098/1899.8	1:1	0.466	-0.06	19.99	20.50	1.125	0.524	22.3

Table 26: SAR of LTE Band 2 for Head Body and Limb (Variant).

- 1) The maximum Scaled SAR value is marked in bold. Graph results refer to Appendix B
- 2) According to Nov 2017 TCB workshop, if the reported (scaled) SAR for UL CA configuration, described above, for 1-g SAR is < 1.2 W/kg or for 10-g SAR is < 3.0 W/kg, UL CA SAR is not required for all required test channels(PCC based).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. t (886-2) 2299-3279 台灣檢驗科技股份有限公司



Rev : 01

Page : 412 of 493

8.3.1 SAR Result Of LTE Band 4

T		T	T -	D . 1		1 Test data	01 1 1		0	0	
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
position		mode	Only req.	Oyolo		data (1RB_50		Lilling (GDIII)	idotoi	OAR(W/Rg)	i cinp.
Left cheek	20	QPSK	20175/1732.5	1:1	0.092	0.09	23.70	24	1.072	0.099	22.3
Left tilted	20	QPSK	20175/1732.5	1:1	0.0347	0.11	23.70	24	1.072	0.037	22.3
Right cheek	20	QPSK	20175/1732.5	1:1	0.0731	0.09	23.70	24	1.072	0.078	22.3
Right tilted	20	QPSK	20175/1732.5	1:1	0.0466	0.07	23.70	24	1.072	0.050	22.3
ragni into a		Q. 0. t	20110,110210				0%RB_0 offset)			0.000	
Left cheek	20	QPSK	20300/1745	1:1	0.124	0.08	22.88	23	1.028	0.128	22.3
Left tilted	20	QPSK	20300/1745	1:1	0.0451	-0.04	22.88	23	1.028	0.046	22.3
Right cheek	20	QPSK	20300/1745	1:1	0.101	0.07	22.88	23	1.028	0.104	22.3
Right tilted	20	QPSK	20300/1745	1:1	0.0646	0.19	22.88	23	1.028	0.066	22.3
<u> </u>							ase with SIM2				
Left cheek	20	QPSK	20300/1745	1:1	0.11	0.1	22.88	23	1.028	0.113	22.3
			•	Head 1	Test Data at th	ne worst case	e with Battery 2#		l.	•	
Left cheek	20	QPSK	20300/1745	1:1	0.126	0.06	22.88	23	1.028	0.130	22.3
				Head 7	est Data at th	ne worst case	e with Battery 3#		I.	•	
Left cheek	20	QPSK	20300/1745	1:1	0.124	0.03	22.88	23	1.028	0.128	22.3
				Body wor	n Test data (Separate 15r	nm 1RB_50 offs	et)			
Front side	20	QPSK	20175/1732.5	1:1	0.248	0.06	23.70	24	1.072	0.266	22.3
Back side	20	QPSK	20175/1732.5	1:1	0.235	0.04	23.70	24	1.072	0.252	22.3
			В	ody worn	Test data (So	eparate 15m	m 50%RB_0 offs	set)			
Front side	20	QPSK	20300/1745	1:1	0.371	0.01	22.88	23	1.028	0.381	22.3
Back side	20	QPSK	20300/1745	1:1	0.362	0.03	22.88	23	1.028	0.372	22.3
				Body w	orn Test Data	a at the wors	t case with SIM2				
Front side	20	QPSK	20300/1745	1:1	0.344	-0.02	22.88	23	1.028	0.354	22.3
			l	Body wor	n Test Data a	t the worst c	ase with Battery	2#			
Front side	20	QPSK	20300/1745	1:1	0.329	-0.08	22.88	23	1.028	0.338	22.3
			l	Body wor	n Test Data a	t the worst c	ase with Battery	3#			
Front side	20	QPSK	20300/1745	1:1	0.312	0.11	22.88	23	1.028	0.321	22.3
				Hotspot		eparate 10mi	m 1RB_99 offset				
Front side	20	QPSK	20175/1732.5	1:1	0.304	0.03	18.26	19.5	1.330	0.404	22.3
Back side	20	QPSK	20175/1732.5	1:1	0.303	0.07	18.26	19.5	1.330	0.403	22.3
Left side	20	QPSK	20175/1732.5	1:1	0.07	-0.01	18.26	19.5	1.330	0.093	22.3
Right side	20	QPSK	20175/1732.5	1:1	0.0421	0.09	18.26	19.5	1.330	0.056	22.3
Bottom side	20	QPSK	20175/1732.5	1:1	0.626	-0.12	18.26	19.5	1.330	0.833	22.3
Bottom side	20	QPSK	20050/1720	1:1	0.61	-0.07	18.19	19.5	1.351	0.824	22.3
Bottom side	20	QPSK	20300/1745	1:1	0.629	-0.07	18.22	19.5	1.343	0.845	22.3
						1	50%RB_50 offs	,			1
Front side	20	QPSK	20175/1732.5	1:1	0.307	-0.06	18.18	19.5	1.355	0.416	22.3
Back side	20	QPSK	20175/1732.5	1:1	0.304	0.07	18.18	19.5	1.355	0.412	22.3
Left side	20	QPSK	20175/1732.5	1:1	0.0707	-0.08	18.18	19.5	1.355	0.096	22.3
Right side	20	QPSK	20175/1732.5	1:1	0.0412	0.07	18.18	19.5	1.355	0.056	22.3
Bottom side	20	QPSK	20175/1732.5	1:1	0.625	-0.07	18.18	19.5	1.355	0.847	22.3
Bottom side	20	QPSK	20050/1720	1:1	0.605	-0.07	18.17	19.5	1.359	0.822	22.3
Bottom side	20	QPSK	20300/1745	1:1	0.637	0.04	18.17	19.5	1.357	0.865	22.3
							100%RB_0 offse			ı	1
Bottom side	20	QPSK	20175/1732.5	1:1	0.618	-0.08	18.16	19.5	1.361	0.841	22.3
		T	T				case with SIM2			1	ı
Bottom side	20	QPSK	20300/1745	1:1	0.633	-0.06	18.17	19.5	1.357	0.859	22.3
_		,	,				se with Battery 2			T	
Bottom side	20	QPSK	20300/1745	1:1	0.581	-0.07	18.17	19.5	1.357	0.789	22.3
			777		Test Data at	the worst cas	se with Battery 3				
Bottom side	20	QPSK	20300/1745	1:1	0.565	0.09	18.17	19.5	1.357	0.767	22.3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 413 of 493

Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)10- g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
			Li	mb Test	data-sensor o	n (Separate	0mm 1RB_0 offs	set)			
Bottom side	20	QPSK	20175/1732.5	1:1	1.6	0.04	21.00	21.5	1.122	1.795	22.3
			Lim	b Test da	ata-sensor on	(Separate 0	mm 50%RB_0 o	ffset)			
Bottom side	20	QPSK	20050/1720	1:1	1.59	0.02	20.54	21.5	1.247	1.983	22.3
			Lir	nb Test d	lata-sensor of	f (Separate 7	7mm 1RB_50 off	set)			
Bottom side	20	QPSK	20300/1745	1:1	1.4	-0.01	23.67	24	1.079	1.511	22.3
			Lim	b Test da	ata-sensor off	(Separate 7)	mm 50%RB_0 o	ffset)	96		
Bottom side	20	QPSK	20300/1745	1:1	1.19	-0.01	22.88	23	1.028	1.224	22.3
			Liml	o Test da	ta-sensor off	(Separate 7n	nm 100%RB_0 c	offset)			
Bottom side	20	QPSK	20300/1745	1:1	1.18	-0.01	22.77	23	1.055	1.244	22.3
			Lim	b Test Da	ata at the wor	st case with	SIM2(Separate (Omm)			
Bottom side	20	QPSK	20175/1732.5	1:1	1.59	0.17	20.54	21.5	1.247	1.983	22.3
			Limb ⁻	Test Data	at the worst	case with Ba	ttery 2# (Separa	te 0mm)			
Bottom side	20	QPSK	20175/1732.5	1:1	1.35	0.02	20.54	21.5	1.247	1.684	22.3
			Limb T	est Data	at the worst of	case with Bat	tery 3# (Separat	e 0mm)			
Bottom side	20	QPSK	20175/1732.5	1:1	1.55	0.04	20.54	21.5	1.247	1.933	22.3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 414 of 493

						2 Test data					
Test	BW.	Test	Test	Duty	SAR	Power	Conducted	Tune up	Scaled	Scaled	Liquid
position	D***.	mode	Ch./Freq.	Cycle	(W/kg)1-g	Drift(dB)	power(dBm)	Limit(dBm)	factor	SAR(W/kg)	Temp
		0.001/	00050/4700			data (1RB_0		04.5	4.050	0.007	
Left cheek	20	QPSK	20050/1720	1:1	0.309	0.01	21.25	21.5	1.059	0.327	22.3
Left tilted	20	QPSK	20050/1720	1:1	0.304	-0.03	21.25	21.5	1.059	0.322	22.3
Right cheek	20	QPSK	20050/1720	1:1	0.368	0.02	18.97	19	1.007	0.371	22.3
Right tilted	20	QPSK	20050/1720	1:1	0.426	-0.13	18.97	19	1.007	0.429	22.3
1 -61 -11	1 00	ODOK	00475/4700.5				0%RB_0 offset)	04.5	4.000	0.004	00.0
Left cheek	20	QPSK	20175/1732.5	1:1	0.21	0.2	21.21	21.5	1.069	0.224	22.3
Left tilted	20	QPSK	20175/1732.5	1:1	0.212	0.1	21.21	21.5	1.069	0.227	22.3
Right cheek	20	QPSK	20050/1720	1:1 1:1	0.413 0.465	0.04 -0.02	18.96 18.96	19 19	1.009	0.417	22.3
Right tilted	20	QPSK	20050/1720				ase with SIM2	19	1.009	0.469	22.3
Right tilted	20	QPSK	20050/1720	1:1	0.373	0.01	18.96	19	1.009	0.376	22.3
Right tilled	20	QFSN	20030/1720				e with Battery 2#		1.009	0.376	22.3
Right tilted	20	QPSK	20050/1720	1:1	0.405	0.05	18.96	19	1.009	0.409	22.3
Right tilled	20	QFSK	20030/1720				e with Battery 3#		1.009	0.409	22.3
Right tilted	20	QPSK	20050/1720	1:1	0.376	-0.06	18.96	19	1.009	0.379	22.3
rtigrit tilted	20	QI OIX					nm 1RB_50 offs		1.003	0.575	22.0
Front side	20	QPSK	20050/1720	1:1	0.339	-0.17	21.46	21.5	1.009	0.342	22.3
Back side	20	QPSK	20050/1720	1:1	0.387	0.17	21.46	21.5	1.009	0.390	22.3
Daok side	20	QI OIX					m 50%RB_0 offs		1.000	0.000	22.0
Front side	20	QPSK	20175/1732.5	1:1	0.146	0.03	21.43	21.5	1.015	0.148	22.3
Back side	20	QPSK	20175/1732.5	1:1	0.169	0.06	21.43	21.5	1.015	0.172	22.3
24011 0.40		α. σ. τ	20110/110210				t case with SIM2		11010	02	
Back side	20	QPSK	20050/1720	1:1	0.387	-0.04	21.46	21.5	1.009	0.390	22.3
Back clac		Q. O.					ase with Battery		1.000	0.000	
Back side	20	QPSK	20050/1720	1:1	0.343	-0.05	21.46	21.5	1.009	0.346	22.3
24311 3143		<u> </u>					ase with Battery			0.0.0	
Back side	20	QPSK	20050/1720	1:1	0.309	-0.18	21.46	21.5	1.009	0.312	22.3
Zuon oluo		α. σ. τ					parate 10mm 1RE			0.0.2	
Front side	20	QPSK	20050/1720	1:1	0.337	0.05	17.72	19	1.343	0.453	22.3
Back side	20	QPSK	20050/1720	1:1	0.348	0.09	17.72	19	1.343	0.467	22.3
Left side	20	QPSK	20050/1720	1:1	0.241	0.03	17.72	19	1.343	0.324	22.3
Right side	20	QPSK	20050/1720	1:1	0.0287	0.2	17.72	19	1.343	0.039	22.3
Top side	20	QPSK	20050/1720	1:1	0.388	-0.09	17.72	19	1.343	0.521	22.3
'	1				2.4G WIFI Tes	st data (Sepa	arate 10mm 50%			l .	
Front side	20	QPSK	20050/1720	1:1	0.229	0.02	17.63	19	1.371	0.314	22.3
Back side	20	QPSK	20050/1720	1:1	0.242	0.17	17.63	19	1.371	0.332	22.3
Left side	20	QPSK	20050/1720	1:1	0.151	0.13	17.63	19	1.371	0.207	22.3
Right side	20	QPSK	20050/1720	1:1	0.0183	0.05	17.63	19	1.371	0.025	22.3
Top side	20	QPSK	20050/1720	1:1	0.264	-0.19	17.63	19	1.371	0.362	22.3
							arate 10mm 1RB	_50 offset)			
Front side	20	QPSK	20175/1732.5	1:1	0.133	0.18	17.48	17.5	1.005	0.134	22.3
Back side	20	QPSK	20175/1732.5	1:1	0.155	0.05	17.48	17.5	1.005	0.156	22.3
Left side	20	QPSK	20175/1732.5	1:1	0.133	0.02	17.48	17.5	1.005	0.134	22.3
Right side	20	QPSK	20175/1732.5	1:1	0.0971	-0.05	17.48	17.5	1.005	0.098	22.3
Top side	20	QPSK	20175/1732.5	1:1	0.126	0.05	17.48	17.5	1.005	0.127	22.3
	•						rate 10mm 50%F		•		
Front side	20	QPSK	20175/1732.5	1:1	0.106	0.13	17.45	17.5	1.012	0.107	22.3
Back side	20	QPSK	20175/1732.5	1:1	0.128	0.07	17.45	17.5	1.012	0.129	22.3
Left side	20	QPSK	20175/1732.5	1:1	0.114	0.04	17.45	17.5	1.012	0.115	22.3
Right side	20	QPSK	20175/1732.5	1:1	0.0632	0.09	17.45	17.5	1.012	0.064	22.3
Top side	20	QPSK	20175/1732.5	1:1	0.103	0.03	17.45	17.5	1.012	0.104	22.3
							case with SIM2				
Top side	20	QPSK	20050/1720	1:1	0.375	-0.09	17.72	19	1.343	0.504	22.3
							se with Battery 2				
Top side	20	QPSK	20050/1720	1:1	0.362	-0.09	17.72	19	1.343	0.486	22.3
				<u> </u>	-		. – –				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Rev : 01

: 415 of 493 Page

				Hotspot '	Test Data at t	he worst cas	e with Battery 3#	<i>‡</i>			
Top side	20	QPSK	20050/1720	1:1	0.357	-0.09	17.72	19	1.343	0.479	22.3

Table 27: SAR of LTE Band 4 for Head Body and Limb(Original report E5/2017/90003).

Note:

- 3) The maximum Scaled SAR value is marked in bold.
- 4) If the reported (scaled) SAR measured at the middle channel or highest output power channel for each test configuration is ≤ 0.8 W/kg then testing at the other channels is not required for such test configuration(s).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Rev : 01

: 416 of 493 Page

8.3.2 SAR Result Of LTE Band 5

	1	1				t1 Test data	3	1	ı	1	
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1- g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
					Head Test	data (1RB_	0 offset)				
Left cheek	10	QPSK	20450/829	1:1	0.0903	0.07	23.92	24	1.019	0.092	22.3
Left tilted	10	QPSK	20450/829	1:1	0.0443	0.18	23.92	24	1.019	0.045	22.3
Right cheek	10	QPSK	20450/829	1:1	0.119	0.07	23.92	24	1.019	0.121	22.3
Right tilted	10	QPSK	20450/829	1:1	0.0535	0.07	23.92	24	1.019	0.054	22.3
							(50%RB_0 offse	. /	100		
Left cheek	10	QPSK	20450/829	1:1	0.0836	0.09	22.54	23	1.112	0.093	22.3
Left tilted	10	QPSK	20450/829	1:1	0.0427	0.0342	22.54	23	1.112	0.047	22.3
Right cheek	10	QPSK	20450/829	1:1	0.113	0.08	22.54	23	1.112	0.126	22.3
Right tilted	10	QPSK	20450/829	1:1	0.0484	0.07	22.54	23	1.112	0.054	22.3
				Hea			case with SIM2				
Right cheek	10	QPSK	20450/829	1:1	0.11	0.05	22.54	23	1.112	0.122	22.3
							se with Battery 2				
Right cheek	10	QPSK	20450/829	1:1	0.0943	0.16	22.54	23	1.112	0.105	22.3
				Head 1	est Data at	the worst ca	se with Battery 3	#			
Right cheek	10	QPSK	20450/829	1:1	0.0821	0.07	22.54	23	1.112	0.091	22.3
				Body wo	rn Test data	(Separate 1	5mm 1RB_0 offs	set)			
Front side	10	QPSK	20450/829	1:1	0.144	-0.05	23.92	24	1.019	0.147	22.3
Back side	10	QPSK	20450/829	1:1	0.147	0.09	23.92	24	1.019	0.150	22.3
			Е	ody worn	Test data (S	Separate 15r	nm 50%RB_0 of	fset)			
Front side	10	QPSK	20450/829	1:1	0.132	-0.09	22.54	23	1.112	0.147	22.3
Back side	10	QPSK	20450/829	1:1	0.133	0.03	22.54	23	1.112	0.148	22.3
				Body w	orn Test da	ta at the wor	st case with SIM	2			
Back side	10	QPSK	20450/829	1:1	0.145	0.04	23.92	24	1.019	0.148	22.3
				Body wor	n Test data	at the worst	case with Battery				
Back side	10	QPSK	20450/829	1:1	0.126	0.02	23.92	24	1.019	0.128	22.3
				Body wor	n Test data	at the worst	case with Battery	/ 3#			
Back side	10	QPSK	20450/829	1:1	0.117	-0.06	23.92	24	1.019	0.119	22.3
				Hotspot	Test data (\$	Separate 10i	mm 1RB_0 offse	t)			
Front side	10	QPSK	20450/829	1:1	0.219	-0.04	23.92	24	1.019	0.223	22.3
Back side	10	QPSK	20450/829	1:1	0.255	0.04	23.92	24	1.019	0.260	22.3
Left side	10	QPSK	20450/829	1:1	0.059	0.01	23.92	24	1.019	0.060	22.3
Right side	10	QPSK	20450/829	1:1	0.153	0.1	23.92	24	1.019	0.156	22.3
Bottom side	10	QPSK	20450/829	1:1	0.191	0.07	23.92	24	1.019	0.195	22.3
				Hotspot 7	est data (Se	eparate 10m	m 50%RB_0 offs	et)			
Front side	10	QPSK	20450/829	1:1	0.201	0.03	22.54	23	1.112	0.223	22.3
Back side	10	QPSK	20450/829	1:1	0.229	0.05	22.54	23	1.112	0.255	22.3
Left side	10	QPSK	20450/829	1:1	0.0554	0.14	22.54	23	1.112	0.062	22.3
Right side	10	QPSK	20450/829	1:1	0.136	0.09	22.54	23	1.112	0.151	22.3
Bottom side	10	QPSK	20450/829	1:1	0.172	0.06	22.54	23	1.112	0.191	22.3
				Hotsp	ot Test data	at the worst	case with SIM2	E CA	410		
Back side	10	QPSK	20450/829	1:1	0.244	-0.08	23.92	24	1.019	0.249	22.3
	•			Hotspot	Test data at	the worst ca	se with Battery 2	2#			
Back side	10	QPSK	20450/829	1:1	0.217	0	23.92	24	1.019	0.221	22.3
				Hotspot	Test data at	the worst ca	se with Battery	3#			
Back side	10	QPSK	20450/829	1:1	0.212	0.02	23.92	24	1.019	0.216	22.3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 417 of 493 Page

						t2 Test data	1				
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1- g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
						st data (1RB			_		
Left cheek	10	QPSK	20600/844	1:1	0.26	0.02	17.82	19	1.312	0.341	22.3
Left tilted	10	QPSK	20600/844	1:1	0.206	0.03	17.82	19	1.312	0.270	22.3
Right cheek	10	QPSK	20525/836.5	1:1	0.313	-0.02	17.33	18.5	1.309	0.410	22.3
Right tilted	10	QPSK	20525/836.5	1:1	0.32	0.03	17.33	18.5	1.309	0.419	22.3
				1			(50%RB_25 offs				ı
Left cheek	10	QPSK	20600/844	1:1	0.301	-0.02	17.88	19	1.294	0.390	22.3
Left tilted	10	QPSK	20600/844	1:1	0.227	-0.04	17.88	19	1.294	0.294	22.3
Right cheek	10	QPSK	20525/836.5	1:1	0.323	0.01	17.37	18.5	1.297	0.419	22.3
Right tilted	10	QPSK	20525/836.5	1:1	0.331	0.01	17.37	18.5	1.297	0.429	22.3
Distriction d	40	ODOK	00505/000 5				case with SIM2	10.5	4.007	0.000	00.0
Right tilted	10	QPSK	20525/836.5	1:1	0.295	0	17.37	18.5	1.297	0.383	22.3
Di Leelle L	10	00014	00505/0005				se with Battery 2		4.007	0.007	00.0
Right tilted	10	QPSK	20525/836.5	1:1	0.252	-0.03	17.37	18.5	1.297	0.327	22.3
Di Leelle L	10	00014	00505/0005				se with Battery 3		4.007	0.000	00.0
Right tilted	10	QPSK	20525/836.5	1:1	0.28	0.02	17.37	18.5	1.297	0.363	22.3
Encoded to	40	ODOK					mm 1RB_25 off	,	4.040	0.407	00.0
Front side	10	QPSK	20450/829	1:1	0.467	-0.07	23.82	24 24	1.042	0.487	22.3
Back side	10	QPSK	20450/829		0.437	-0.13	23.82 nm 50%RB_0 of		1.042	0.455	22.3
Front side	10	ODCK	20450/829		,		_	· '	1 101	0.440	22.2
	10	QPSK		1:1	0.353	-0.09	22.35	23 23	1.161	0.410	22.3
Back side	10	QPSK	20450/829	1:1	0.329	-0.17	22.35	_	1.161	0.382	22.3
Frank side	40	QPSK	00450/000				st case with SIM		1.042	0.400	20.0
Front side	10	QPSK	20450/829	1:1	0.469	0	23.82	24	1.042	0.489	22.3
Front side	10	QPSK	20450/829	1:1	0.452	-0.09	case with Battery 23.82	24	1.042	0.474	22.2
Front side	10	QPSK					case with Battery		1.042	0.471	22.3
Front side	10	QPSK	20450/829	1:1	0.326	0.01	23.82	24	1.042	0.340	22.2
FIUIT Side	10	QFSN					parate 10mm 1R		1.042	0.340	22.3
Front side	10	QPSK	20450/829	1:1	0.412	0.04	21.49	21.5	1.002	0.413	22.3
Back side	10	QPSK	20450/829	1:1	0.412	-0.14	21.49	21.5	1.002	0.385	22.3
Left side	10	QPSK	20450/829	1:1	0.364	-0.14	21.49	21.5	1.002	0.363	22.3
Right side	10	QPSK	20450/829	1:1	0.038	-0.13	21.49	21.5	1.002	0.218	22.3
Top side	10	QPSK	20450/829	1:1	0.038	-0.14	21.49	21.5	1.002	0.036	22.3
Top side	10	QFSIN					parate 10mm 50%		1.002	0.234	22.3
Front side	10	QPSK	20450/829	1:1	0.375	0.04	21.34	21.5	1.038	0.389	22.3
Back side	10	QPSK	20450/829	1:1	0.344	0.04	21.34	21.5	1.038	0.357	22.3
Left side	10	QPSK	20450/829	1:1	0.344	-0.17	21.34	21.5	1.038	0.337	22.3
Right side	10	QPSK	20450/829	1:1	0.202	-0.17	21.34	21.5	1.038	0.210	22.3
Top side	10	QPSK	20450/829	1:1	0.0366	-0.12	21.34	21.5	1.038	0.036	22.3
1 op side	10	QI OIN					parate 10mm 1R		1.000	0.220	22.0
Front side	10	QPSK	20450/829	1:1	0.301	0.11	19.98	20	1.005	0.302	22.3
Back side	10	QPSK	20450/829	1:1	0.301	0.11	19.98	20	1.005	0.302	22.3
Left side	10	QPSK	20450/829	1:1	0.272	-0.05	19.98	20	1.005	0.273	22.3
Right side	10	QPSK	20450/829	1:1	0.0163	-0.03	19.98	20	1.005	0.137	22.3
Top side	10	QPSK	20450/829	1:1	0.309	-0.13	19.98	20	1.005	0.310	22.3
	10	QI UIV					arate 10mm 50%		1.000	0.510	22.0
1 op side		ODOK	20450/829	1:1	0.258	-0.03	19.86	20	1.033	0.266	22.3
	10	()P\k			0.200	0.00	10.00			0.200	
Front side	10	QPSK QPSK				-0 1	19.86	20	1 /133	0.240	22.3
Front side Back side	10	QPSK	20450/829	1:1	0.232	-0.1 -0.11	19.86 19.86	20	1.033	0.240	22.3
Front side						-0.1 -0.11 0.03	19.86 19.86 19.86	20 20 20	1.033 1.033 1.033	0.240 0.151 0.016	22.3 22.3 22.3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 418 of 493 Page

				Hotsp	ot Test Data	at the worst	case with SIM2	Hotspot Test Data at the worst case with SIM2													
Front side	10	QPSK	20450/829	1:1	0.411	0.09	21.49	21.5	1.002	0.412	22.3										
	Hotspot Test Data at the worst case with Battery 2#																				
Front side	10	QPSK	20450/829	1:1	0.385	0.02	21.49	21.5	1.002	0.386	22.3										
	Hotspot Test Data at the worst case with Battery 3#																				
Front side	10	QPSK	20450/829	1:1	0.371	-0.01	21.49	21.5	1.002	0.372	22.3										

Table 28: SAR of LTE Band 5 for Head and Body(Original report E5/2017/90003).

Note:

- 1) The maximum Scaled SAR value is marked in bold.
- 2) If the reported (scaled) SAR measured at the middle channel or highest output power channel for each test configuration is ≤ 0.8 W/kg then testing at the other channels is not required for such test configuration(s).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



: 01 Rev

: 419 of 493 Page

8.3.3 SAR Result Of LTE Band 7

					Ant	1 Test data					
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
					Head Test	data (1RB_9	9 offset)				
Left cheek	20	QPSK	21100/2535.5	1:1	0.031	0.06	22.46	23.5	1.271	0.039	22.3
Left tilted	20	QPSK	21100/2535.5	1:1	0.0244	0.12	22.46	23.5	1.271	0.031	22.3
Right cheek	20	QPSK	21100/2535.5	1:1	0.125	0.04	22.46	23.5	1.271	0.159	22.3
Right tilted	20	QPSK	21100/2535.5	1:1	0.0334	0.09	22.46	23.5	1.271	0.042	22.3
					Head	Test data (5	0%RB_0 offset)				
Left cheek	20	QPSK	21100/2535.5	1:1	0.0163	0.01	21.5	22.5	1.259	0.021	22.3
Left tilted	20	QPSK	21100/2535.5	1:1	0.00281	0.05	21.5	22.5	1.259	0.004	22.3
Right cheek	20	QPSK	21100/2535.5	1:1	0.0666	0.06	21.5	22.5	1.259	0.084	22.3
Right tilted	20	QPSK	21100/2535.5	1:1	0.0158	0.07	21.5	22.5	1.259	0.020	22.3
				Hea	d Test Data a	t the worst c	ase with SIM2			•	U
Right cheek	20	QPSK	21100/2535.5	1:1	0.13	0.06	22.46	23.5	1.271	0.165	22.3
				Head 7	rest Data at the	ne worst cas	e with Battery 2#	‡	I	l .	
Right cheek	20	QPSK	21100/2535.5	1:1	0.0938	0.09	22.46	23.5	1.271	0.119	22.3
				Head 7	Test Data at t	ne worst cas	e with Battery 3#	‡	ı	I .	
Right cheek	20	QPSK	21100/2535.5	1:1	0.101	0.05	22.46	23.5	1.271	0.128	22.3
				Body wor			mm 1RB_99 offs				
Front side	20	QPSK	21100/2535.5	1:1	0.367	0.02	22.46	23.5	1.271	0.466	22.3
Back side	20	QPSK	21100/2535.5	1:1	0.344	0.01	22.46	23.5	1.271	0.437	22.3
240.1 0.40		α. σ. τ					m 50%RB 0 off			00.	
Front side	20	QPSK	21100/2535.5	1:1	0.206	-0.04	21.5	22.5	1.259	0.259	22.3
Back side	20	QPSK	21100/2535.5	1:1	0.194	0.06	21.5	22.5	1.259	0.244	22.3
Buok side		QI OIL	21100/2000.0				t case with SIM2		1.200	0.244	22.0
Front side	20	QPSK	21100/2535.5	1:1	0.354	0.13	22.46	23.5	1.271	0.450	22.3
T TOTAL SIGO		QI OIL					ase with Battery		1.21	0.400	22.0
Front side	20	QPSK	21100/2535.5	1:1	0.354	0.05	22.46	23.5	1.271	0.450	22.3
T TOTIC SIGC	20	QIOI					ase with Battery		1.271	0.430	22.0
Front side	20	QPSK	21100/2535.5	1:1	0.323	0.03	22.46	23.5	1.271	0.410	22.3
1 TOTIL SIGE	20	QI SIN	21100/2333.3				m 1RB_99 offset		1.211	0.410	22.5
Front side	20	QPSK	21350/2560	1:1	0.181	0.09	17.92	18.5	1.143	0.207	22.3
Back side	20	QPSK	21350/2560	1:1	0.166	0.03	17.92	18.5	1.143	0.190	22.3
Left side	20	QPSK	21350/2560	1:1	0.100	-0.01	17.92	18.5	1.143	0.122	22.3
Right side	20	QPSK	21350/2560	1:1	0.107	0.17	17.92	18.5	1.143	0.031	22.3
Bottom side	20	QPSK	21350/2560	1:1	0.027	-0.02	17.92	18.5	1.143	0.541	22.3
Dottom side	20	QI SIN					50%RB_50 offs		1.145	0.541	22.5
Front side	20	QPSK	21350/2560	1:1	0.181	-0.13	17.76	18.5	1.186	0.215	22.3
Back side	20	QPSK	21350/2560	1:1	0.168	-0.13	17.76	18.5	1.186	0.215	22.3
Left side	20	QPSK	21350/2560	1:1	0.0702		17.76	18.5		0.199	
	20	QPSK		1:1	0.0702	-0.05 -0.09	17.76		1.186	0.083	22.3 22.3
Right side			21350/2560					18.5	1.186		
Bottom side	20	QPSK	21350/2560	1:1	0.467	-0.07	17.76	18.5	1.186	0.554	22.3
Dattage std	- 00	OBOK	04050/0500				case with SIM2	40.5	4.400	0.000	00.0
Bottom side	20	QPSK	21350/2560	1:1	0.508	-0.02	17.76	18.5	1.186	0.602	22.3
5.0		05011	0.40=0.40=0.5				se with Battery 2		4.00	0.75	00.0
Bottom side	20	QPSK	21350/2560	1:1	0.403	-0.05	17.76	18.5	1.186	0.478	22.3
5		05011	0.40=0.40=0.5				se with Battery 3		4 4 5 5	0.5/-	00.0
Bottom side	20	QPSK	21350/2560	1:1	0.432	-0.18	17.76	18.5	1.186	0.512	22.3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 420 of 493

Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)10- g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
			Lim	b Test da	ata-sensor on	(Separate 0	mm 1RB_99 offs	set)			
Bottom side	20	QPSK	21100/2535.5	1:1	1.53	0.04	21.98	22.5	1.127	1.725	22.3
			Lim	nb Test da	ata-sensor off	(Separate 7	mm 1RB_99 offs	set)	1		
Bottom side	20	QPSK	21100/2535.5	1:1	1.11	-0.05	21.98	22.5	1.127	1.251	22.3
			Limb	Test data	a-sensor on (Separate 0m	m 50%RB_50 o	ffset)			•
Bottom side	20	QPSK	21100/2535.5	1:1	1.54	-0.07	21.9	22.5	1.148	1.768	22.3
			Limb	Test data	a-sensor off (Separate 7m	nm 50%RB_50 o	ffset)			
Bottom side	20	QPSK	21100/2535.5	1:1	0.874	-0.08	21.9	22.5	1.148	1.003	22.3
				Limb	Test Data at	the worst ca	se with SIM2				
Bottom side	20	QPSK	21100/2535.5	1:1	1.48	0.03	21.9	22.5	1.148	1.699	22.3
				Limb Te	est Data at the	e worst case	with Battery 2#				•
Bottom side	20	QPSK	21100/2535.5	1:1	1.7	-0.03	21.9	22.5	1.148	1.952	22.3
•				Limb Te	est Data at the	worst case	with Battery 3#	•			
Bottom side	20	QPSK	21100/2535.5	1:1	1.41	-0.08	21.9	22.5	1.148	1.619	22.3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 421 of 493

						2 Test data					
Test	BW.	Test	Test	Duty	SAR	Power	Conducted	Tune up	Scaled	Scaled	Liquid
position	DVV.	mode	Ch./Freq.	Cycle	(W/kg)1-g	Drift(dB)	power(dBm)	Limit(dBm)	factor	SAR(W/kg)	Temp.
						lata (1RB_99		1			
Left cheek	20	QPSK	20850/2510	1:1	0.141	0.12	15.82	16.5	1.169	0.165	22.3
Left tilted	20	QPSK	20850/2510	1:1	0.127	0.16	15.82	16.5	1.169	0.149	22.3
Right cheek	20	QPSK	20850/2510	1:1	0.398	0.09	11.99	12	1.002	0.399	22.3
Right tilted	20	QPSK	20850/2510	1:1	0.39	0.05	11.99	12	1.002	0.391	22.3
							0%RB_25 offset				
Left cheek	20	QPSK	20850/2510	1:1	0.163	0.07	15.76	16.5	1.186	0.193	22.3
Left tilted	20	QPSK	20850/2510	1:1	0.148	0.06	15.76	16.5	1.186	0.175	22.3
Right cheek	20	QPSK	20850/2510	1:1	0.442	0.1	11.89	12	1.026	0.453	22.3
Right tilted	20	QPSK	20850/2510	1:1	0.328	0.02	11.89	12	1.026	0.336	22.3
		0.0017					ase with SIM2				
Right cheek	20	QPSK	20850/2510	1:1	0.463	0.01	11.89	12	1.026	0.475	22.3
							e with Battery 2#		1		
Right cheek	20	QPSK	20850/2510	1:1	0.508	-0.06	11.89	12	1.026	0.521	22.3
<u> </u>		0.0017					e with Battery 3#				
Right cheek	20	QPSK	20850/2510	1:1	0.48	0.03	11.89	12	1.026	0.492	22.3
		0.0017					nm 1RB_99 offs				
Front side	20	QPSK	20850/2510	1:1	0.0381	-0.02	16.21	17	1.199	0.046	22.3
Back side	20	QPSK	20850/2510	1:1	0.0561	0.05	16.21	17	1.199	0.067	22.3
		0.0017	Bo				n 50%RB_50 off				
Front side	20	QPSK	20850/2510	1:1	0.0206	-0.07	16.15	17	1.216	0.025	22.3
Back side	20	QPSK	20850/2510	1:1	0.0409	0.06	16.15	17	1.216	0.050	22.3
<u> </u>		0.0017	22222/2242				case with SIM2		4		
Back side	20	QPSK	20850/2510	1:1	0.0461	-0.03	16.21	17	1.199	0.055	22.3
							ase with Battery		4		
Back side	20	QPSK	20850/2510	1:1	0.084	0.02	16.21	17	1.199	0.101	22.3
		0.0017					ase with Battery				
Back side	20	QPSK	20850/2510	1:1	0.0725	0.03	16.21	17	1.199	0.087	22.3
_		0.0017					arate 10mm 1RE				
Front side	20	QPSK	20850/2510	1:1	0.0385	0.07	13.81	14.5	1.172	0.045	22.3
Back side	20	QPSK	20850/2510	1:1	0.0955	0.09	13.81	14.5	1.172	0.112	22.3
Left side	20	QPSK	20850/2510	1:1	0.0545	0.11	13.81	14.5	1.172	0.064	22.3
Right side	20	QPSK	20850/2510	1:1	0.027	-0.09	13.81	14.5	1.172	0.032	22.3
Top side	20	QPSK	20850/2510	1:1	0.0976	0.14	13.81	14.5	1.172	0.114	22.3
							rate 10mm 50%				
Front side	20	QPSK	21100/2535.5	1:1	0.0259	-0.03	13.79	14.5	1.178	0.030	22.3
Back side	20	QPSK	21100/2535.5	1:1	0.0626	0.08	13.79	14.5	1.178	0.074	22.3
Left side	20	QPSK	21100/2535.5	1:1	0.038	-0.09	13.79	14.5	1.178	0.045	22.3
Right side	20	QPSK	21100/2535.5	1:1	0.0109	-0.19	13.79	14.5	1.178	0.013	22.3
Top side	20	QPSK	21100/2535.5	1:1	0.101	-0.07	13.79	14.5	1.178	0.119	22.3
Front 11	00	ODOL					arate 10mm 1RB		1 4 470	0.050	00.0
Front side	20	QPSK	20850/2510	1:1	0.0384	0.09	12.29	13	1.178	0.059	22.3
Back side	20	QPSK	20850/2510	1:1	0.0499	0.05	12.29	13	1.178	0.072	22.3
Left side	20	QPSK	20850/2510	1:1	0.061	-0.04	12.29	13	1.178	0.072	22.3
Right side	20	QPSK	20850/2510	1:1	0.0112	-0.06	12.29	13	1.178	0.013	22.3
Top side	20	QPSK	20850/2510	1:1	0.0758	-0.03	12.29	13	1.178	0.089	22.3
							ate 10mm 50%R		1		
Front side	20	QPSK	20850/2510	1:1	0.0107	0.04	12.24	13	1.191	0.013	22.3
Back side	20	QPSK	20850/2510	1:1	0.0321	-0.02	12.24	13	1.191	0.038	22.3
Left side	20	QPSK	20850/2510	1:1	0.0142	-0.03	12.24	13	1.191	0.017	22.3
Right side	20	QPSK	20850/2510	1:1	0.0115	-0.09	12.24	13	1.191	0.014	22.3
Top side	20	QPSK	20850/2510	1:1	0.036	-0.15	12.24	13	1.191	0.043	22.3
				Hotsp		at the worst of	case with SIM2				
Top side	20	QPSK	21100/2535.5	1:1	0.104	-0.04	13.79	14.5	1.178	0.122	22.3
<u> </u>				Hotspot	Test Data at t	the worst cas	se with Battery 2	#			
		QPSK	21100/2535.5	1:1	0.0785	-0.02	13.79	14.5	1.178	0.092	22.3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Rev : 01

Page : 422 of 493

				Hotspot '	Test Data at t	he worst cas	e with Battery 3#	<i>‡</i>			
Top side	20	QPSK	21100/2535.5	1:1	0.0707	-0.14	13.79	14.5	1.178	0.083	22.3

SAR of LTE Band 7 for Head Body and Limb(Original report E5/2017/90003). Table 29:

Note:

- 1) The maximum Scaled SAR value is marked in bold.
- 2) If the reported (scaled) SAR measured at the middle channel or highest output power channel for each test configuration is ≤ 0.8 W/kg then testing at the other channels is not required for such test configuration(s).

					Ant1 Test d						
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
			Н	ead Test d	ata at the wors	st case with	UL CA				
Diebt ebeek	20	PCC QPSK 1RB@0	21100/2535.5	1:1	0.000	0.00	22.42	22.50	1.279	0.440	22.4
Right cheek	20	SCC QPSK 0RB@0	21298/2554.8	1:1	0.093	-0.02	22.43	23.50	1.219	0.119	22.1
	•	•	Body worn T	est data at	the worst cas	e with UL C	A(Separate 15mm)			
Front side	20	PCC QPSK 1RB@0	21100/2535.5	1:1	0.344	-0.08	22.42	23.50	1.279	0.440	22.1
Front side	20	SCC QPSK 0RB@0	21298/2554.8	1:1	0.344	-0.08	22.43	23.50	1.219	0.440	22.1
			Hotspot Tes	t data at th	e worst case	with UL CA(Separate 10mm)				
Bottom side	20	PCC QPSK 1RB@0	21350/2560	1:1	0.326	0.00	17.05	18.50	1.396	0.455	22.1
Dollom side	20	SCC QPSK 0RB@0	21152/2540.2	1:1	0.326	0.00	17.05	10.50	1.550	0.455	22.1
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)10-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
			Limb Test	t data at the	e worst case v	with UL CA(S	Separate 0mm)				
Bottom side -	20	PCC QPSK 18RB@0	21100/2535.5	1:1	2.340	-0.03	22.07	22.50	1.104	2.584	22.1
Dottom side	20	SCC QPSK 0RB@0	21298/2554.8	1:1	2.340	-0.03	22.07	22.50	1.104	2.364	22.1
Bottom side-	20	PCC QPSK 18RB@0	21100/2535.5	1:1	2.250	-0.10	22.07	22.50	1.104	2.484	22.1
Repeated	20	SCC QPSK 0RB@0	21298/2554.8	1:1			22.01	22.00		2.404	
		1		Durke	Ant2 Test d	ata Power	Conducted	T	C1d	Carlad	
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	(W/kg)1-g		power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
		•	Н		ata at the wors					,	
	20	PCC QPSK 1RB@0	20850/2510	1:1				40.00	4.400		
Right cheek	20	SCC QPSK 0RB@0	21048/2529.8	1:1	0.212	0.17	11.21	12.00	1.199	0.254	22.1
	•	•	Body worn T	est data at	the worst cas	e with UL C	A(Separate 15mm)			
De els elde	20	PCC QPSK 1RB@0	20850/2510	1:1	0.027	0.00	45.00	47.00	1.294	0.040	22.1
Back side	20	SCC QPSK 0RB@0	21048/2529.8	1:1	0.037	0.08	15.88	17.00	1.294	0.048	22.1
			Hotspot Tes	t data at th	e worst case	with UL CA(Separate 10mm)				
Top side	20	PCC QPSK 1RB@0	21100/2535.5	1:1	0.114	0.05	13.74	14.50	1.191	0.136	22.1
. op 0.00	20	SCC QPSK 0RB@0	21298/2554.8	1:1	0.114	0.00	10.14	14.00		0.100	EE. 1

Table 30: SAR of LTE Band 7 for Head Body and Limb (Variant).

Note:

- The maximum Scaled SAR value is marked in bold. Graph results refer to Appendix B 1)
- According to Nov 2017 TCB workshop, if the reported (scaled) SAR for UL CA configuration, described above, for 1-g SAR is < 1.2 W/kg 2) or for 10-g SAR is < 3.0 W/kg, UL CA SAR is not required for all required test channels(PCC based).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 423 of 493

8.3.4 SAR Result Of LTE Band 12

		1				t1 Test data	2 				
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1- g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
					Head Test	data (1RB_	0 offset)				
Left cheek	10	QPSK	23130/711	1:1	0.0735	0.03	23.98	24	1.005	0.074	22.3
Left tilted	10	QPSK	23130/711	1:1	0.0632	0.11	23.98	24	1.005	0.063	22.3
Right cheek	10	QPSK	23130/711	1:1	0.102	0.07	23.98	24	1.005	0.102	22.3
Right tilted	10	QPSK	23130/711	1:1	0.0444	0.14	23.98	24	1.005	0.045	22.3
					He	ad Test data	(50%RB_0 offse	et)			
Left cheek	10	QPSK	23130/711	1:1	0.0604	0.19	22.67	23	1.079	0.065	22.3
Left tilted	10	QPSK	23130/711	1:1	0.0515	0.16	22.67	23	1.079	0.056	22.3
Right cheek	10	QPSK	23130/711	1:1	0.0805	0.14	22.67	23	1.079	0.087	22.3
Right tilted	10	QPSK	23130/711	1:1	0.0357	-0.05	22.67	23	1.079	0.039	22.3
				Head	d Test Data		case with SIM2				
Right cheek	10	QPSK	23130/711	1:1	0.0967	0.07	23.98	24	1.005	0.097	22.3
				Head T	est Data at	the worst ca	se with Battery 2	#			
Right cheek	10	QPSK	23130/711	1:1	0.0892	0.17	23.98	24	1.005	0.090	22.3
				Head T	est Data at	the worst ca	se with Battery 3	#			
Right cheek	10	QPSK	23130/711	1:1	0.087	0.19	23.98	24	1.005	0.087	22.3
				Body wo	rn Test data	(Separate 1	5mm 1RB_0 offs	set)			
Front side	10	QPSK	23130/711	1:1	0.155	-0.05	23.98	24	1.005	0.156	22.3
Back side	10	QPSK	23130/711	1:1	0.183	-0.12	23.98	24	1.005	0.184	22.3
			E	ody worn	Test data (S	Separate 15r	nm 50%RB_0 of	fset)			
Front side	10	QPSK	23130/711	1:1	0.129	-0.03	22.67	23	1.079	0.139	22.3
Back side	10	QPSK	23130/711	1:1	0.144	-0.08	22.67	23	1.079	0.155	22.3
				Body	worn Data	at the worst	case with SIM2				
Back side	10	QPSK	23130/711	1:1	0.177	-0.17	23.98	24	1.005	0.178	22.3
				Body w	orn Data at	the worst ca	se with Battery 2	#			
Back side	10	QPSK	23130/711	1:1	0.169	-0.09	23.98	24	1.005	0.170	22.3
				Body w	orn Data at	the worst ca	se with Battery 3	#			
Back side	10	QPSK	23130/711	1:1	0.171	-0.07	23.98	24	1.005	0.172	22.3
	•			Hotspot	Test data (S	Separate 10r	mm 1RB_0 offset	t)		•	•
Front side	10	QPSK	23130/711	1:1	0.229	0.01	23.98	24	1.005	0.230	22.3
Back side	10	QPSK	23130/711	1:1	0.272	0.02	23.98	24	1.005	0.273	22.3
Left side	10	QPSK	23130/711	1:1	0.098	0.01	23.98	24	1.005	0.098	22.3
Right side	10	QPSK	23130/711	1:1	0.213	0.19	23.98	24	1.005	0.214	22.3
Bottom side	10	QPSK	23130/711	1:1	0.165	0.02	23.98	24	1.005	0.166	22.3
	•			Hotspot T	est data (Se	eparate 10m	m 50%RB_0 offs	et)		•	•
Front side	10	QPSK	23130/711	1:1	0.182	-0.02	22.67	23	1.079	0.196	22.3
Back side	10	QPSK	23130/711	1:1	0.219	0.06	22.67	23	1.079	0.236	22.3
Left side	10	QPSK	23130/711	1:1	0.0751	0.04	22.67	23	1.079	0.081	22.3
Right side	10	QPSK	23130/711	1:1	0.167	-0.04	22.67	23	1.079	0.180	22.3
Bottom side	10	QPSK	23130/711	1:1	0.133	-0.14	22.67	23	1.079	0.143	22.3
				Hotsp	ot Test Data	at the wors	t case with SIM2		710		•
Back side	10	QPSK	23130/711	1:1	0.268	0.03	23.98	24	1.005	0.269	22.3
							ase with Battery				,
										1	
Back side	10	QPSK I	23130/711	1:1	0.257	-0.14	23.98	24	1.005	0.258	22.3
Back side	10	QPSK	23130/711				23.98 ase with Battery		1.005	0.258	22.3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 424 of 493 Page

					Ar	nt2 Test data	1				
T4		Toot	Tool	Durtu	SAR			T	Caalad	Cooled	Linuid
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	(W/kg)1- g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
					Head Test	t data (1RB_	0 offset)				
Left cheek	10	QPSK	23130/711	1:1	0.556	-0.01	21.01	21.5	1.119	0.622	22.3
Left tilted	10	QPSK	23130/711	1:1	0.459	-0.05	21.01	21.5	1.119	0.514	22.3
Right cheek	10	QPSK	23130/711	1:1	0.573	-0.06	21.37	22	1.156	0.662	22.3
Right tilted	10	QPSK	23130/711	1:1	0.555	-0.11	21.37	22	1.156	0.642	22.3
					He	ad Test data	(50%RB_0 offse	et)			
Left cheek	10	QPSK	23130/711	1:1	0.506	-0.14	20.88	21.5	1.153	0.584	22.3
Left tilted	10	QPSK	23130/711	1:1	0.398	-0.19	20.88	21.5	1.153	0.459	22.3
Right cheek	10	QPSK	23130/711	1:1	0.535	-0.07	21.29	22	1.178	0.630	22.3
Right tilted	10	QPSK	23130/711	1:1	0.526	0.01	21.29	22	1.178	0.619	22.3
				Hea	d Test Data	at the worst	case with SIM2				
Right cheek	10	QPSK	23130/711	1:1	0.452	-0.01	21.37	22	1.156	0.523	22.3
				Head 1	Test Data at	the worst ca	se with Battery 2	#			
Right cheek	10	QPSK	23130/711	1:1	0.519	-0.12	21.37	22	1.156	0.600	22.3
				Head 1	Test Data at	the worst ca	se with Battery 3	#			
Right cheek	10	QPSK	23130/711	1:1	0.443	-0.01	21.37	22	1.156	0.512	22.3
				Body wo	rn Test data	(Separate 1	5mm 1RB_0 offs	set)			
Front side	10	QPSK	23130/711	1:1	0.159	-0.07	23.95	24	1.012	0.161	22.3
Back side	10	QPSK	23130/711	1:1	0.137	-0.03	23.95	24	1.012	0.139	22.3
			В	ody worn	Test data (S	Separate 15r	nm 50%RB_0 of	fset)			
Front side	10	QPSK	23130/711	1:1	0.114	0.07	22.62	23	1.091	0.124	22.3
Back side	10	QPSK	23130/711	1:1	0.0977	0.06	22.62	23	1.091	0.107	22.3
				Body w	orn Test Da	ta at the wor	st case with SIM	2			
Front side	10	QPSK	23130/711	1:1	0.157	-0.02	23.95	24	1.012	0.159	22.3
			E	Body wor	n Test Data	at the worst	case with Battery	/ 2#	TIC		
Front side	10	QPSK	23130/711	1:1	0.143	-0.04	23.95	24	1.012	0.145	22.3
			Е	Body wor	n Test Data	at the worst	case with Battery	/ 3#			
Front side	10	QPSK	23130/711	1:1	0.146	-0.12	23.95	24	1.012	0.148	22.3
			Hotspot a	ctived for	2.4G WIFI 1	est data (Se	parate 10mm 1F	RB_25 offset)			
Front side	10	QPSK	23095/707.5	1:1	0.189	-0.08	21.3	21.5	1.047	0.198	22.3
Back side	10	QPSK	23095/707.5	1:1	0.178	-0.02	21.3	21.5	1.047	0.186	22.3
Left side	10	QPSK	23095/707.5	1:1	0.102	-0.1	21.3	21.5	1.047	0.107	22.3
Right side	10	QPSK	23095/707.5	1:1	0.024	-0.14	21.3	21.5	1.047	0.025	22.3
Top side	10	QPSK	23095/707.5	1:1	0.12	-0.16	21.3	21.5	1.047	0.126	22.3
-			Hotspot act	tived for 2	2.4G WIFI Te	est data (Ser	parate 10mm 509	%RB_0 offset)			
Front side	10	QPSK	23130/711	1:1	0.127	-0.02	21.35	21.5	1.035	0.131	22.3
Back side	10	QPSK	23130/711	1:1	0.118	-0.02	21.35	21.5	1.035	0.122	22.3
Left side	10	QPSK	23130/711	1:1	0.0692	-0.14	21.35	21.5	1.035	0.072	22.3
Right side	10	QPSK	23130/711	1:1	0.0166	-0.02	21.35	21.5	1.035	0.017	22.3
Top side	10	QPSK	23130/711	1:1	0.0789	-0.15	21.35	21.5	1.035	0.082	22.3
			Hotspot	actived fo	or 5G WIFI T	est data (Se	parate 10mm 1R	B_0 offset)			•
Front side	10	QPSK	23130/711	1:1	0.111	0.11	19.98	20	1.005	0.112	22.3
Back side	10	QPSK	23130/711	1:1	0.0959	0.01	19.98	20	1.005	0.096	22.3
Left side	10	QPSK	23130/711	1:1	0.063	-0.11	19.98	20	1.005	0.063	22.3
Right side	10	QPSK	23130/711	1:1	0.0149	0	19.98	20	1.005	0.015	22.3
Top side	10	QPSK	23130/711	1:1	0.072	-0.04	19.98	20	1.005	0.072	22.3
							arate 10mm 50%				
Front side	10	QPSK	23130/711	1:1	0.0929	0.19	19.97	20	1.007	0.094	22.3
Back side	10	QPSK	23130/711	1:1	0.0825	0.04	19.97	20	1.007	0.083	22.3
Left side	10	QPSK	23130/711	1:1	0.0565	0.06	19.97	20	1.007	0.057	22.3
	10	QPSK	23130/711	1:1	0.0107	-0.17	19.97	20	1.007	0.011	22.3
Right side	111										

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 425 of 493 Page

				Hotsp	ot Test Data	at the worst	case with SIM2					
Front side	10	QPSK	23095/707.5	1:1	0.194	0.11	21.3	21.5	1.047	0.203	22.3	
	Hotspot Test Data at the worst case with Battery 2#											
Front side	10	QPSK	23095/707.5	1:1	0.162	-0.19	21.3	21.5	1.047	0.170	22.3	
	Hotspot Test Data at the worst case with Battery 3#											
Front side	10	QPSK	23095/707.5	1:1	0.166	-0.05	21.3	21.5	1.047	0.174	22.3	

	Ant2 Additional Test data(simultaneous transmission with 5G WIFI)													
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1- g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.			
	Head Test data (1RB_0 offset)													
Left cheek	10	QPSK	23130/711	1:1	0.275	0.01	17.04	17.5	1.112	0.306	22.3			

SAR of LTE Band 12 for Head and Body(Original report E5/2017/90003).

Note:

- 1) The maximum Scaled SAR value is marked in bold.
- 2) If the reported (scaled) SAR measured at the middle channel or highest output power channel for each test configuration is ≤ 0.8 W/kg then testing at the other channels is not required for such test configuration(s).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. t (886-2) 2299-3279 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.tw.sgs.com



Rev : 01

: 426 of 493 Page

8.3.5 SAR Result Of LTE Band 17

						nt1 Test dat	a				•
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1- g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
	•				Head Tes	t data (1RB_	49 offset)		•		
Left cheek	10	QPSK	23780/709	1:1	0.0945	0.09	23.98	24	1.005	0.095	22.3
Left tilted	10	QPSK	23780/709	1:1	0.0877	0.02	23.98	24	1.005	0.088	22.3
Right cheek	10	QPSK	23780/709	1:1	0.124	0.03	23.98	24	1.005	0.125	22.3
Right tilted	10	QPSK	23780/709	1:1	0.0622	-0.09	23.98	24	1.005	0.062	22.3
					Н	lead Test da	ta (50%RB_25 o	ffset)			
Left cheek	10	QPSK	23780/709	1:1	0.0712	0.06	22.98	23	1.005	0.072	22.3
Left tilted	10	QPSK	23780/709	1:1	0.0623	0.08	22.98	23	1.005	0.063	22.3
Right cheek	10	QPSK	23780/709	1:1	0.0899	0.09	22.98	23	1.005	0.090	22.3
Right tilted	10	QPSK	23780/709	1:1	0.0424	0.17	22.98	23	1.005	0.043	22.3
				Hea	ad Test Data	at the worst	case with SIM2				
Right cheek	10	QPSK	23780/709	1:1	0.115	0.16	23.98	24	1.005	0.116	22.3
				Head	Test Data at	the worst ca	ase with Battery	2#			
Right cheek	10	QPSK	23780/709	1:1	0.113	0.17	23.98	24	1.005	0.114	22.3
				Head	Test Data at	the worst ca	ase with Battery	3#			
Right cheek	10	QPSK	23780/709	1:1	0.107	0.11	23.98	24	1.005	0.107	22.3
				Body wo	rn Test data	(Separate 1	5mm 1RB_49 of	fset)			
Front side	10	QPSK	23780/709	1:1	0.202	-0.12	23.98	24	1.005	0.203	22.3
Back side	10	QPSK	23780/709	1:1	0.209	0.19	23.98	24	1.005	0.21	22.3
			В	ody worn	Test data (mm 50%RB_25	offset)			
Front side	10	QPSK	23780/709	1:1	0.154	-0.11	22.98	23	1.005	0.155	22.3
Back side	10	QPSK	23780/709	1:1	0.158	-0.03	22.98	23	1.005	0.159	22.3
				Body v	vorn Test Da	ata at the wo	rst case with SIN	12			
Back side	10	QPSK	23780/709	1:1	0.225	0.02	23.98	24	1.005	0.226	22.3
				Body wor	rn Test Data	at the worst	case with Batter	y 2#			
Back side	10	QPSK	23780/709	1:1	0.21	-0.09	23.98	24	1.005	0.211	22.3
				Body wo	rn Test Data	at the worst	case with Batte				
Back side	10	QPSK	23780/709	1:1	0.191	-0.06	23.98	24	1.005	0.192	22.3
				Hotspo	t Test data (Separate 10	mm 1RB_49 offs				
Front side	10	QPSK	23780/709	1:1	0.275	-0.05	23.98	24	1.005	0.276	22.3
Back side	10	QPSK	23780/709	1:1	0.336	-0.01	23.98	24	1.005	0.338	22.3
Left side	10	QPSK	23780/709	1:1	0.103	0.01	23.98	24	1.005	0.103	22.3
Right side	10	QPSK	23780/709	1:1	0.232	-0.14	23.98	24	1.005	0.233	22.3
Bottom side	10	QPSK	23780/709	1:1	0.212	-0.04	23.98	24	1.005	0.213	22.3
				Hotspot 7		eparate 10m	m 50%RB_25 of				
Front side	10	QPSK	23780/709	1:1	0.201	-0.05	22.98	23	1.005	0.202	22.3
Back side	10	QPSK	23780/709	1:1	0.25	0.1	22.98	23	1.005	0.251	22.3
Left side	10	QPSK	23780/709	1:1	0.0778	-0.06	22.98	23	1.005	0.078	22.3
Right side	10	QPSK	23780/709	1:1	0.176	-0.09	22.98	23	1.005	0.177	22.3
Bottom side	10	QPSK	23780/709	1:1	0.155	-0.02	22.98	23	1.005	0.156	22.3
				Hots			t case with SIM2	2	141		
Back side	10	QPSK	23780/709	1:1	0.333	-0.19	23.98	24	1.005	0.335	22.3
				Hotspot	Test Data a	t the worst o	ase with Battery	2#			
Back side	10	QPSK	23780/709	1:1	0.352	-0.08	23.98	24	1.005	0.354	22.3
				Hotspo	t Test Data a	at the worst o	case with Battery	3#			
Back side	10	QPSK	23780/709	1:1	0.307	0.08	23.98	24	1.005	0.308	22.3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 427 of 493 Page

						nt2 Test dat	a				
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1- g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
		1				t data (1RB_					
Left cheek	10	QPSK	23780/709	1:1	0.456	0.05	18.54	20	1.400	0.638	22.3
Left tilted	10	QPSK	23780/709	1:1	0.326	0.01	18.54	20	1.400	0.456	22.3
Right cheek	10	QPSK	23800/711	1:1	0.398	0.03	19.09	20	1.233	0.491	22.3
Right tilted	10	QPSK	23800/711	1:1	0.355	0.05	19.09	20	1.233	0.438	22.3
							ta (50%RB_0 off				
Left cheek	10	QPSK	23780/709	1:1	0.447	0.01	18.57	20	1.390	0.621	22.3
Left tilted	10	QPSK	23780/709	1:1	0.327	0.05	18.57	20	1.390	0.455	22.3
Right cheek	10	QPSK	23800/711	1:1	0.415	0.08	19.09	20	1.233	0.512	22.3
Right tilted	10	QPSK	23800/711	1:1	0.362	0.08	19.09	20	1.233	0.446	22.3
1 - 6 - 1 1	40	ODOK	00700/700				case with SIM2	00	4 400	0.000	00.0
Left cheek	10	QPSK	23780/709	1:1	0.456	0.07	18.54	20	1.400	0.638	22.3
	1 40	00014	00700/700				ase with Battery 2		4 400	0.575	00.0
Left cheek	10	QPSK	23780/709	1:1	0.411	-0.08	18.54	20	1.400	0.575	22.3
1 6 1 1	1 40	00014	00700/700				ase with Battery		4 400	0.500	00.0
Left cheek	10	QPSK	23780/709	1:1	0.377	0.18	18.54	20	1.400	0.528	22.3
Encode data	40	ODOK	00700/700				5mm 1RB_25 of		4.000	0.400	00.0
Front side	10	QPSK	23780/709 23780/709	1:1	0.158 0.156	0.06	23.74	24 24	1.062	0.168	22.3
Back side	10	QPSK		1:1		-	23.74		1.062	0.166	22.3
Front side	10	QPSK	23800/711				mm 50%RB_13 (1.001	0.110	22.2
	10			1:1	0.117	0.04	22.91	23	1.021	0.119	22.3
Back side	10	QPSK	23800/711	1:1	0.115	-0.04	22.91 rst case with SIM	23	1.021	0.117	22.3
Front side	10	ODCK	00700/700	1:1					4.000	0.400	20.0
Front side	10	QPSK	23780/709		0.153	-0.06	23.74	24	1.062	0.162	22.3
Front side	10	QPSK	23780/709		0.137	-0.03	case with Batter 23.74	24	1.000	0.145	22.2
Front side	10	QPSK	23/60//09	1:1					1.062	0.145	22.3
Cront oide	10	ODCK	23780/709	1:1			case with Batte		1.000	0.140	22.2
Front side	10	QPSK			0.14	0.05	23.74 eparate 10mm 1	DR 25 offeet)	1.062	0.149	22.3
Front side	10	QPSK	23780/709	1:1	0.138	-0.01	21.49	21.5	1.002	0.138	22.3
Back side	10	QPSK	23780/709	1:1	0.136	-0.07	21.49	21.5	1.002	0.136	22.3
Left side	10	QPSK	23780/709	1:1	0.0813	-0.07	21.49	21.5	1.002	0.116	22.3
Right side	10	QPSK		1:1	0.0813						
	10		23780/709 23780/709	1:1	0.021	-0.06 -0.03	21.49 21.49	21.5 21.5	1.002 1.002	0.021	22.3 22.3
Top side	10	QPSK					parate 10mm 50		1.002	0.091	22.3
Front side	10	QPSK	23790/710	1:1	0.135	0.03	21.43	21.5	1.016	0.137	22.3
Back side	10	QPSK	23790/710	1:1	0.133	0.03	21.43	21.5	1.016	0.137	22.3
Left side	10	QPSK	23790/710	1:1	0.0801	-0.13	21.43	21.5	1.016	0.116	22.3
	10	QPSK	23790/710	1:1	0.0209		21.43	21.5	1.016		22.3
Right side		QPSK	23790/710	1:1	0.0209	0.13 -0.17				0.021 0.092	
Top side	10	QFSN					21.43 parate 10mm 1F	21.5	1.016	0.092	22.3
Front side	10	QPSK	23800/711	1:1	0.106	-0.02	18.94	20	1.276	0.135	22.3
Back side	10	QPSK	23800/711	1:1	0.106	0.07	18.94	20	1.276	0.135	22.3
Left side	10	QPSK	23800/711	1:1	0.0902	-0.02	18.94	20	1.276	0.115	22.3
Right side	10	QPSK	23800/711	1:1	0.0636	-0.02	18.94			0.081	
Top side	10	QPSK	23800/711	1:1	0.015	-0.09	18.94	20 20	1.276 1.276	0.019	22.3 22.3
Top side	10	U F3N					arate 10mm 50%		1.2/0	0.005	22.3
Eropt side	10	ODGN							1 200	0.425	22.2
Front side Back side	10 10	QPSK QPSK	23800/711 23800/711	1:1 1:1	0.0967 0.0828	0.15 0.07	18.9 18.9	20 20	1.288 1.288	0.125 0.107	22.3 22.3
Left side	1										
	10	QPSK	23800/711	1:1	0.0563	0.01	18.9	20	1.288	0.073	22.3
Right side	10	QPSK	23800/711	1:1	0.0142	0.03	18.9	20	1.288	0.018	22.3
Top side	10	QPSK	23800/711	1:1	0.058	-0.02	18.9	20	1.288	0.075	22.3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 428 of 493

	Hotspot Test Data at the worst case with SIM2												
Front side	10	QPSK	23800/711	1:1	0.147	-0.04	21.49	21.5	1.002	0.147	22.3		
Hotspot Test Data at the worst case with Battery 2#													
Front side	10	QPSK	23800/711	1:1	0.129	-0.14	21.49	21.5	1.002	0.129	22.3		
Hotspot Test Data at the worst case with Battery 3#													
Front side	10	QPSK	23800/711	1:1	0.142	0.02	21.49	21.5	1.002	0.142	22.3		

4		Ant2 Additional Test data (simultaneous transmission with 5G WIFI)													
	Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1- g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.			
	Head Test data (1RB_49 offset)														
	Left cheek	10	QPSK	23780/709	1:1	0.329	0.08	15.9	16	1.023	0.337	22.3			

Table 32: SAR of LTE Band 17 for Head and Body(Original report E5/2017/90003).

Note:

- 1) The maximum Scaled SAR value is marked in bold.
- 2) If the reported (scaled) SAR measured at the middle channel or highest output power channel for each test configuration is ≤ 0.8 W/kg then testing at the other channels is not required for such test configuration(s).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅累到關訊之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



: 01 Rev

: 429 of 493 Page

8.3.6 SAR Result Of LTE Band 26

					An	t1 Test data					
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1- g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
					Head Test	data (1RB_0	O offset)				
Left cheek	15	QPSK	26865/831.5	1:1	0.0835	0.04	23.51	24	1.119	0.093	22.3
Left tilted	15	QPSK	26865/831.5	1:1	0.0443	0.15	23.51	24	1.119	0.050	22.3
Right cheek	15	QPSK	26865/831.5	1:1	0.125	0.02	23.51	24	1.119	0.140	22.3
Right tilted	15	QPSK	26865/831.5	1:1	0.0527	0.06	23.51	24	1.119	0.059	22.3
			T	1			50%RB_0 offset				ı
Left cheek	15	QPSK	26865/831.5	1:1	0.0925	0.18	22.26	23	1.186	0.110	22.3
Left tilted	15	QPSK	26865/831.5	1:1	0.0461	-0.05	22.26	23	1.186	0.055	22.3
Right cheek	15	QPSK	26865/831.5	1:1	0.124	0.02	22.26	23	1.186	0.147	22.3
Right tilted	15	QPSK	26865/831.5	1:1	0.0533	0.02	22.26	23	1.186	0.063	22.3
							case with SIM2		•		•
Right cheek	15	QPSK	26865/831.5	1:1	0.123	0.02	22.26	23	1.186	0.146	22.3
				Head T			e with Battery 2				
Right cheek	15	QPSK	26865/831.5	1:1	0.111	0.04	22.26	23	1.186	0.132	22.3
				Head T			e with Battery 3				
Right cheek	15	QPSK	26865/831.5	1:1	0.0935	0.06	22.26	23	1.186	0.111	22.3
				Body wor		<u> </u>	mm 1RB_0 offs	. /			
Front side	15	QPSK	26865/831.5	1:1	0.144	-0.08	23.51	24	1.119	0.161	22.3
Back side	15	QPSK	26865/831.5	1:1	0.151	0	23.51	24	1.119	0.169	22.3
	\						15mm 50%RB)				
Front side	15	QPSK	26865/831.5	1:1	0.141	-0.04	22.26	23	1.186	0.167	22.3
Back side	15	QPSK	26865/831.5	1:1	0.146	0	22.26	23	1.186	0.173	22.3
						a at the wors	st case with SIM2				
Back side	15	QPSK	26865/831.5	1:1	0.136	0	22.26	23	1.186	0.161	22.3
				Body wor			case with Battery				
Back side	15	QPSK	26865/831.5	1:1	0.126	0.04	22.26	23	1.186	0.149	22.3
				Body wor			case with Battery				
Back side	15	QPSK	26865/831.5	1:1	0.111	-0.03	22.26	23	1.186	0.132	22.3
				Hotspot			nm 1RB_0 offset				
Front side	15	QPSK	26865/831.5	1:1	0.222	-0.04	23.51	24	1.119	0.249	22.3
Back side	15	QPSK	26865/831.5	1:1	0.246	0.07	23.51	24	1.119	0.275	22.3
Left side	15	QPSK	26865/831.5	1:1	0.0604	0.13	23.51	24	1.119	0.068	22.3
Right side	15	QPSK	26865/831.5	1:1	0.152	0.08	23.51	24	1.119	0.170	22.3
Bottom side	15	QPSK	26865/831.5	1:1	0.189	0.07	23.51	24	1.119	0.212	22.3
							0mm 50%RB)				
Front side	15	QPSK	26865/831.5	1:1	0.215	-0.08	22.26	23	1.186	0.255	22.3
Back side	15	QPSK	26865/831.5	1:1	0.236	0.03	22.26	23	1.186	0.280	22.3
Left side	15	QPSK	26865/831.5	1:1	0.0569	0.05	22.26	23	1.186	0.067	22.3
Right side	15	QPSK	26865/831.5	1:1	0.145	0	22.26	23	1.186	0.172	22.3
Bottom side	15	QPSK	26865/831.5	1:1	0.179	0.05	22.26	23	1.186	0.212	22.3
	\mathcal{A}						case with SIM2				
Back side	15	QPSK	26865/831.5	1:1	0.235	-0.05	22.26	23	1.186	0.279	22.3
				Hotspot '		the worst ca	se with Battery 2				
Back side	15	QPSK	26865/831.5	1:1	0.223	-0.04	22.26	23	1.186	0.264	22.3
				Hotspot '	Test data at	the worst ca	se with Battery 3				
Back side	15	QPSK	26865/831.5	1:1	0.215	-0.02	22.26	23	1.186	0.255	22.3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 430 of 493

Test position BW. Test mode Ch./Freq. Cycle						Ant2	Test data					
Left cheek	Test position	BW.				SAR (W/kg)1-	Power					Liquid Temp.
Left tilled						Head Test d	ata (1RB_0 c	offset)				
Right cheek 15	Left cheek	15	QPSK		1:1	0.411	-0.14	18.68	19.5	1.208	0.496	22.3
Right cheek 15 OPSK 26775/822.5 1:1 O.376 O.01 17.78 1:9 1.324 O.498 D.22.	Left tilted	15	QPSK	26865/831.5	1:1	0.329	0.01	18.68	19.5	1.208	0.397	22.3
Head Test Data (50%RB, 18 offset)	Right cheek	15	QPSK	26775/822.5	1:1	0.423	0.01	17.78	19	1.324	0.560	22.3
Left cheek	Right tilted	15	QPSK	26775/822.5	1:1	0.376	0.01	17.78	19	1.324	0.498	22.3
Left titled						Head Te	est data (50%	6RB_18 offset)				
Right cheek	Left cheek	15	QPSK	26965/841.5	1:1	0.39	0	18.36	19.5	1.300	0.507	22.3
Right cheek 15	Left tilted	15	QPSK	26965/841.5	1:1	0.304	-0.01	18.36	19.5	1.300	0.395	22.3
Right cheek	Right cheek	15	QPSK	26775/822.5	1:1	0.426	0.01	17.88	19	1.294	0.551	22.3
Right cheek	Right tilted	15	QPSK	26775/822.5	1:1	0.383	0.03	17.88	19	1.294	0.496	22.3
Head Test Data at the worst case with Battery 2# 1.324 0.645 22.5 1.1 0.487 0.03 17.78 19 1.324 0.645 22.5 1.1 0.487 0.03 17.78 19 1.324 0.645 22.5 1.1 0.531 0.04 17.78 19 1.324 0.703 22.5 1.1 0.531 0.04 17.78 19 1.324 0.703 22.5 1.1 0.531 0.04 17.78 19 1.324 0.703 22.5 1.1 0.531 0.04 17.78 19 1.324 0.703 22.5 1.1 0.531 0.04 17.78 19 1.324 0.703 22.5 1.1 0.703 0.04 17.78 19 1.324 0.496 22.5 0.496 22.5 0.496 22.5 0.496 22.5 0.496 22.5 0.496 22.5 0.496 2.2 0.496 2.2 0.496 0.104 0.1		•			Head ⁻	Test Data at	the worst cas	se with SIM2			•	•
Right cheek	Right cheek	15	QPSK	26775/822.5	1:1	0.408	-0.02	17.78	19	1.324	0.540	22.3
Right cheek 15 QPSK 26775/822.5 1.1 0.531 0.04 17.78 19 1.324 0.703 22.5					Head Tes	st Data at the	e worst case	with Battery 2#				•
Right cheek	Right cheek	15	QPSK	26775/822.5	1:1	0.487	-0.03	17.78	19	1.324	0.645	22.3
Body worn Test data (Separate 15mm 1RB, 0 offset)					Head Tes	st Data at the	e worst case	with Battery 3#				
Front side	Right cheek	15	QPSK	26775/822.5	1:1	0.531	0.04	17.78	19	1.324	0.703	22.3
Back side				В	ody worn	Test data (S	Separate 15m	nm 1RB_0 offset)			•
Body worn Test data (Separate 15mm 50%RB_18 offset)	Front side	15	QPSK	26865/831.5	1:1	0.405	-0.14	23.12	24	1.225	0.496	22.3
Front side		15	QPSK		1:1	0.362	-0.12	23.12		1.225	0.443	22.3
Front side				Body	worn Te	est data (Sep	arate 15mm	50%RB_18 offs	et)			
Body worn Test Data at the worst case with SIM2 24 1.225 0.506 22.5	Front side	15	QPSK							1.483	0.417	22.3
Front side	Back side	15	QPSK	26865/831.5	1:1	0.261	0.12	22.29	24	1.483	0.387	22.3
Body worn Test Data at the worst case with Battery 2# Front side 15 QPSK 26865/831.5 1:1 0.393 0.07 23.12 24 1.225 0.481 22.5				[Body wor	n Test Data	at the worst	case with SIM2				
Body worn Test Data at the worst case with Battery 2# Front side 15 QPSK 26865/831.5 1:1 0.393 0.07 23.12 24 1.225 0.481 22.5	Front side	15	QPSK	26865/831.5	1:1	0.413	-0.06	23.12	24	1.225	0.506	22.3
Front side					dy worn 1	Test Data at	the worst cas	se with Battery 2:	#			
Body worn Test Data at the worst case with Battery 3# Front side 15 QPSK 26865/831.5 1:1 0.387 0 23.12 24 1.225 0.474 22.3	Front side	15	QPSK							1.225	0.481	22.3
Front side				Во	dy worn	Test Data at	the worst ca	se with Battery 3	#		•	
Hotspot actived for 2.4G WIFI Test data (Separate 10mm 1RB_0 offset)	Front side	15	QPSK							1.225	0.474	22.3
Front side		1			ved for 2	.4G WIFI Te	st data (Sepa	arate 10mm 1RB		I	I.	1
Back side	Front side	15	QPSK							1.167	0.419	22.3
Left side 15 QPSK 26865/831.5 1:1 0.207 -0.19 20.83 21.5 1.167 0.242 22.3 Right side 15 QPSK 26865/831.5 1:1 0.0332 -0.16 20.83 21.5 1.167 0.039 22.3 Top side 15 QPSK 26865/831.5 1:1 0.234 -0.19 20.83 21.5 1.167 0.273 22.3 Hotspot actived for 2.4G WIFI Test data (Separate 10mm 50%RB_18 offset) Front side 15 QPSK 26865/831.5 1:1 0.304 0.16 20.81 21.5 1.172 0.356 22.3 Back side 15 QPSK 26865/831.5 1:1 0.271 -0.07 20.81 21.5 1.172 0.318 22.3 Right side 15 QPSK 26865/831.5 1:1 0.166 -0.07 20.81 21.5 1.172 0.188 22.3 Right side 15 QPSK 26865/831.5 1:1 0.0184 -0.06 20.81 21.5 1.172 0.188 22.3 Top side 15 QPSK 26865/831.5 1:1 0.161 -0.17 20.81 21.5 1.172 0.189 22.3 Hotspot actived for 5G WIFI Test data (Separate 10mm 1RB_0 offset) Front side 15 QPSK 26865/831.5 1:1 0.27 0.08 19.45 20 1.135 0.306 22.3 Back side 15 QPSK 26865/831.5 1:1 0.27 0.08 19.45 20 1.135 0.306 22.3 Back side 15 QPSK 26865/831.5 1:1 0.24 0.04 19.45 20 1.135 0.272 22.3 Left side 15 QPSK 26865/831.5 1:1 0.15 -0.04 19.45 20 1.135 0.170 22.3 Right side 15 QPSK 26865/831.5 1:1 0.17 -0.11 19.45 20 1.135 0.190 22.3 Right side 15 QPSK 26865/831.5 1:1 0.0164 -0.04 19.45 20 1.135 0.190 22.3 Right side 15 QPSK 26865/831.5 1:1 0.17 -0.11 19.45 20 1.135 0.190 22.3 Back side 15 QPSK 26865/831.5 1:1 0.27 0.04 19.45 20 1.135 0.190 22.3 Right side 15 QPSK 26865/831.5 1:1 0.27 0.04 19.45 20 1.135 0.190 22.3 Right side 15 QPSK 26865/831.5 1:1 0.21 0.194 20 1.135 0.190 22.3 Right side 15 QPSK 26865/831.5 1:1 0.223 0.12 19.44 20 1.138 0.254 22.3 Back side 15 QPSK 26865/831.5 1:1 0.203 0.04 19.44 20 1.138 0.231 22.3 Right side 15 QPSK 26865/831.5 1:1 0.203 0.04 19.44 20 1.138 0.231 22.3 Right side 15 QPSK 26865/831.5 1:1 0.203 0.04 19.44 20 1.138 0.014 22.3 Right side 15 QPSK 26865/831.5 1:1 0.203 0.04 19.44 20 1.138 0.014 22.3 Right side 15 QPSK 26865/831.5 1:1 0.0167 -0.04 19.44 20 1.138 0.014 22.3 Right side 15 QPSK 26865/831.5 1:1 0.0167 -0.04 19.44 20 1.138 0.014 22.3 Right side 15 QPSK 26865/831.5 1:1 0.01027 -0.04 19.44 20 1.138 0.014 22.3 Right side 15 QPSK 26												22.3
Right side												22.3
Top side 15 QPSK 26865/831.5 1:1 0.234 -0.19 20.83 21.5 1.167 0.273 22.3 Hotspot actived for 2.4G WIFI Test data (Separate 10mm 50%RB_18 offset) Front side 15 QPSK 26865/831.5 1:1 0.304 0.16 20.81 21.5 1.172 0.356 22.3 Back side 15 QPSK 26865/831.5 1:1 0.271 -0.07 20.81 21.5 1.172 0.318 22.3 Left side 15 QPSK 26865/831.5 1:1 0.16 -0.07 20.81 21.5 1.172 0.188 22.3 Right side 15 QPSK 26865/831.5 1:1 0.016 -0.07 20.81 21.5 1.172 0.188 22.3 Top side 15 QPSK 26865/831.5 1:1 0.161 -0.17 20.81 21.5 1.172 0.189 22.3 Hotspot actived for 5G WIFI Test data (Separate 10mm 1RB_0 offset) 1.1												
Hotspot actived for 2.4G WIFI Test data (Separate 10mm 50%RB_18 offset)												22.3
Front side 15 QPSK 26865/831.5 1:1 0.304 0.16 20.81 21.5 1.172 0.356 22.3 Back side 15 QPSK 26865/831.5 1:1 0.271 -0.07 20.81 21.5 1.172 0.318 22.3 Left side 15 QPSK 26865/831.5 1:1 0.16 -0.07 20.81 21.5 1.172 0.188 22.3 Right side 15 QPSK 26865/831.5 1:1 0.0184 -0.06 20.81 21.5 1.172 0.022 22.3 Top side 15 QPSK 26865/831.5 1:1 0.161 -0.17 20.81 21.5 1.172 0.022 22.3 Hotspot actived for 5G WIFI Test data (Separate 10mm TRB_0 offset) Front side 15 QPSK 26865/831.5 1:1 0.27 0.08 19.45 20 1.135 0.306 22.3 Left side 15 QPSK 26865/831.5 1:1 <td>. 00 0.00</td> <td>1 .0</td> <td>α. σ. τ</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.2.0</td> <td></td>	. 00 0.00	1 .0	α. σ. τ								0.2.0	
Back side 15 QPSK 26865/831.5 1:1 0.271 -0.07 20.81 21.5 1.172 0.318 22.3 Left side 15 QPSK 26865/831.5 1:1 0.16 -0.07 20.81 21.5 1.172 0.188 22.3 Right side 15 QPSK 26865/831.5 1:1 0.0184 -0.06 20.81 21.5 1.172 0.022 22.3 Top side 15 QPSK 26865/831.5 1:1 0.161 -0.17 20.81 21.5 1.172 0.022 22.3 Hotspot actived for 5G WIFI Test data (Separate 10mm 1RB_0 offset) Front side 15 QPSK 26865/831.5 1:1 0.27 0.08 19.45 20 1.135 0.306 22.3 Left side 15 QPSK 26865/831.5 1:1 0.24 0.04 19.45 20 1.135 0.272 22.3 Left side 15 QPSK 26865/831.5 1:1	Front side	15	QPSK							1.172	0.356	22.3
Left side 15 QPSK 26865/831.5 1:1 0.16 -0.07 20.81 21.5 1.172 0.188 22.3 Right side 15 QPSK 26865/831.5 1:1 0.0184 -0.06 20.81 21.5 1.172 0.022 22.3 Top side 15 QPSK 26865/831.5 1:1 0.161 -0.17 20.81 21.5 1.172 0.189 22.3 Hotspot actived for 5G WIFI Test data (Separate 10mm 1RB_0 offset) Front side 15 QPSK 26865/831.5 1:1 0.27 0.08 19.45 20 1.135 0.306 22.3 Back side 15 QPSK 26865/831.5 1:1 0.27 0.08 19.45 20 1.135 0.306 22.3 Left side 15 QPSK 26865/831.5 1:1 0.15 -0.04 19.45 20 1.135 0.170 22.3 Right side 15 QPSK 26865/831.5 1												
Right side 15 QPSK 26865/831.5 1:1 0.0184 -0.06 20.81 21.5 1.172 0.022 22.3 Top side 15 QPSK 26865/831.5 1:1 0.161 -0.17 20.81 21.5 1.172 0.189 22.3 Hotspot actived for 5G WIFI Test data (Separate 10mm 1RB_0 offset) Front side 15 QPSK 26865/831.5 1:1 0.27 0.08 19.45 20 1.135 0.306 22.3 Back side 15 QPSK 26865/831.5 1:1 0.24 0.04 19.45 20 1.135 0.272 22.3 Left side 15 QPSK 26865/831.5 1:1 0.15 -0.04 19.45 20 1.135 0.170 22.3 Right side 15 QPSK 26865/831.5 1:1 0.0164 -0.04 19.45 20 1.135 0.019 22.3 Top side 15 QPSK 26865/831.5 1:1 0.17<												22.3
Top side 15 QPSK 26865/831.5 1:1 0.161 -0.17 20.81 21.5 1.172 0.189 22.3 Hotspot actived for 5G WIFI Test data (Separate 10mm 1RB_0 offset) Front side 15 QPSK 26865/831.5 1:1 0.27 0.08 19.45 20 1.135 0.306 22.3 Back side 15 QPSK 26865/831.5 1:1 0.24 0.04 19.45 20 1.135 0.272 22.3 Left side 15 QPSK 26865/831.5 1:1 0.15 -0.04 19.45 20 1.135 0.170 22.3 Right side 15 QPSK 26865/831.5 1:1 0.0164 -0.04 19.45 20 1.135 0.019 22.3 Top side 15 QPSK 26865/831.5 1:1 0.17 -0.11 19.45 20 1.135 0.193 22.3 Hotspot actived for 5G WIFI Test data (Separate 10mm 50%RB_18 offset) Front side 15 QPSK 26865/831.5 1:1 0.223 0.12 19.44 20 1.138 0.254 22.3 Back side 15 QPSK 26865/831.5 1:1 0.203 0.04 19.44 20 1.138 0.231 22.3 Left side 15 QPSK 26865/831.5 1:1 0.116 -0.15 19.44 20 1.138 0.132 22.3 Right side 15 QPSK 26865/831.5 1:1 0.0127 -0.04 19.44 20 1.138 0.014 22.3												
Hotspot actived for 5G WIFI Test data (Separate 10mm 1RB_0 offset) Front side 15 QPSK 26865/831.5 1:1 0.27 0.08 19.45 20 1.135 0.306 22.3 Back side 15 QPSK 26865/831.5 1:1 0.24 0.04 19.45 20 1.135 0.272 22.3 Left side 15 QPSK 26865/831.5 1:1 0.15 -0.04 19.45 20 1.135 0.170 22.3 Right side 15 QPSK 26865/831.5 1:1 0.0164 -0.04 19.45 20 1.135 0.019 22.3 Top side 15 QPSK 26865/831.5 1:1 0.17 -0.11 19.45 20 1.135 0.193 22.3 Hotspot actived for 5G WIFI Test data (Separate 10mm 50%RB_18 offset) Front side 15 QPSK 26865/831.5 1:1 0.223 0.12 19.44 20 1.138 0.254 22.3 Back side 15 QPSK 26865/831.5 1:1 0.203 0.04 19.44 20 1.138 0.231 22.3 Left side 15 QPSK 26865/831.5 1:1 0.116 -0.15 19.44 20 1.138 0.132 22.3 Right side 15 QPSK 26865/831.5 1:1 0.0127 -0.04 19.44 20 1.138 0.014 22.3												
Front side 15 QPSK 26865/831.5 1:1 0.27 0.08 19.45 20 1.135 0.306 22.3 Back side 15 QPSK 26865/831.5 1:1 0.24 0.04 19.45 20 1.135 0.272 22.3 Left side 15 QPSK 26865/831.5 1:1 0.15 -0.04 19.45 20 1.135 0.170 22.3 Right side 15 QPSK 26865/831.5 1:1 0.0164 -0.04 19.45 20 1.135 0.019 22.3 Top side 15 QPSK 26865/831.5 1:1 0.17 -0.11 19.45 20 1.135 0.019 22.3 Hotspot actived for 5G WIFI Test data (Separate 10mm 50%RB_18 offset) Front side 15 QPSK 26865/831.5 1:1 0.223 0.12 19.44 20 1.138 0.254 22.3 Back side 15 QPSK 26865/831.5 1:1 0.203 <td>1 op side</td> <td>1 10</td> <td>QI OIX</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1.172</td> <td>0.100</td> <td>22.0</td>	1 op side	1 10	QI OIX							1.172	0.100	22.0
Back side 15 QPSK 26865/831.5 1:1 0.24 0.04 19.45 20 1.135 0.272 22.3 Left side 15 QPSK 26865/831.5 1:1 0.15 -0.04 19.45 20 1.135 0.170 22.3 Right side 15 QPSK 26865/831.5 1:1 0.0164 -0.04 19.45 20 1.135 0.019 22.3 Top side 15 QPSK 26865/831.5 1:1 0.17 -0.11 19.45 20 1.135 0.019 22.3 Hotspot actived for 5G WIFI Test data (Separate 10mm 50%RB_18 offset) Front side 15 QPSK 26865/831.5 1:1 0.223 0.12 19.44 20 1.138 0.254 22.3 Back side 15 QPSK 26865/831.5 1:1 0.203 0.04 19.44 20 1.138 0.231 22.3 Left side 15 QPSK 26865/831.5 1:1	Front side	15	OPSK						,	1 135	0.306	22.3
Left side 15 QPSK 26865/831.5 1:1 0.15 -0.04 19.45 20 1.135 0.170 22.3 Right side 15 QPSK 26865/831.5 1:1 0.0164 -0.04 19.45 20 1.135 0.019 22.3 Top side 15 QPSK 26865/831.5 1:1 0.17 -0.11 19.45 20 1.135 0.193 22.3 Hotspot actived for 5G WIFI Test data (Separate 10mm 50%RB_18 offset) Front side 15 QPSK 26865/831.5 1:1 0.223 0.12 19.44 20 1.138 0.254 22.3 Back side 15 QPSK 26865/831.5 1:1 0.203 0.04 19.44 20 1.138 0.231 22.3 Left side 15 QPSK 26865/831.5 1:1 0.116 -0.15 19.44 20 1.138 0.132 22.3 Right side 15 QPSK 26865/831.5 1:1												
Right side 15 QPSK 26865/831.5 1:1 0.0164 -0.04 19.45 20 1.135 0.019 22.3 Top side 15 QPSK 26865/831.5 1:1 0.17 -0.11 19.45 20 1.135 0.193 22.3 Hotspot actived for 5G WIFI Test data (Separate 10mm 50%RB_18 offset) Front side 15 QPSK 26865/831.5 1:1 0.223 0.12 19.44 20 1.138 0.254 22.3 Back side 15 QPSK 26865/831.5 1:1 0.203 0.04 19.44 20 1.138 0.231 22.3 Left side 15 QPSK 26865/831.5 1:1 0.116 -0.15 19.44 20 1.138 0.132 22.3 Right side 15 QPSK 26865/831.5 1:1 0.0127 -0.04 19.44 20 1.138 0.014 22.3												
Top side 15 QPSK 26865/831.5 1:1 0.17 -0.11 19.45 20 1.135 0.193 22.3 Hotspot actived for 5G WIFI Test data (Separate 10mm 50%RB_18 offset) Front side 15 QPSK 26865/831.5 1:1 0.223 0.12 19.44 20 1.138 0.254 22.3 Back side 15 QPSK 26865/831.5 1:1 0.203 0.04 19.44 20 1.138 0.231 22.3 Left side 15 QPSK 26865/831.5 1:1 0.116 -0.15 19.44 20 1.138 0.132 22.3 Right side 15 QPSK 26865/831.5 1:1 0.0127 -0.04 19.44 20 1.138 0.014 22.3												
Hotspot actived for 5G WIFI Test data (Separate 10mm 50%RB_18 offset) Front side 15												
Front side 15 QPSK 26865/831.5 1:1 0.223 0.12 19.44 20 1.138 0.254 22.3 Back side 15 QPSK 26865/831.5 1:1 0.203 0.04 19.44 20 1.138 0.231 22.3 Left side 15 QPSK 26865/831.5 1:1 0.116 -0.15 19.44 20 1.138 0.132 22.3 Right side 15 QPSK 26865/831.5 1:1 0.0127 -0.04 19.44 20 1.138 0.014 22.3	Top side	10	QI UIV							1.100	0.195	
Back side 15 QPSK 26865/831.5 1:1 0.203 0.04 19.44 20 1.138 0.231 22.3 Left side 15 QPSK 26865/831.5 1:1 0.116 -0.15 19.44 20 1.138 0.132 22.3 Right side 15 QPSK 26865/831.5 1:1 0.0127 -0.04 19.44 20 1.138 0.014 22.3	Front side	15	ODGK							1 120	0.254	22.2
Left side 15 QPSK 26865/831.5 1:1 0.116 -0.15 19.44 20 1.138 0.132 22.3 Right side 15 QPSK 26865/831.5 1:1 0.0127 -0.04 19.44 20 1.138 0.014 22.3												1
Right side 15 QPSK 26865/831.5 1:1 0.0127 -0.04 19.44 20 1.138 0.014 22.3												
	Top side	15 15	QPSK	26865/831.5 26865/831.5	1:1	0.0127	-0.04 -0.17	19.44 19.44	20	1.138	0.014	22.3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 431 of 493

	Hotspot Test Data at the worst case with SIM2											
Front side	15	QPSK	26865/831.5	1:1	0.355	0.08	20.83	21.5	1.167	0.414	22.3	
	Hotspot Test Data at the worst case with Battery 2#											
Front side	15	QPSK	26865/831.5	1:1	0.344	0.02	20.83	21.5	1.167	0.401	22.3	
	Hotspot Test Data at the worst case with Battery 3#											
Front side	15	QPSK	26865/831.5	1:1	0.343	0.12	20.83	21.5	1.167	0.400	22.3	

	Ant2 Additional Test data (simultaneous transmission with 5G WIFI)											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1- g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.	
	Head Test data (1RB_0 offset)											
Left cheek	15	QPSK	26965/841.5	1:1	0.173	0.08	14.62	15.5	1.225	0.212	22.3	

Table 33: SAR of LTE Band 26 for Head and Body(Original report E5/2017/90003).

Note:

- 1) The maximum Scaled SAR value is marked in bold.
- 2) If the reported (scaled) SAR measured at the middle channel or highest output power channel for each test configuration is ≤ 0.8 W/kg then testing at the other channels is not required for such test configuration(s).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Rev : 01

Page : 432 of 493

8.3.7 SAR Result Of LTE Band 38

	1					nt1 Test data	a				1
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1- g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
					Head Tes	t data (1RB_	0 offset)				
Left cheek	20	QPSK	38000/2595	1:1.58	0.0172	0.02	23.40	24	1.148	0.020	22.3
Left tilted	20	QPSK	38000/2595	1:1.58	0.0271	0.06	23.40	24	1.148	0.031	22.3
Right cheek	20	QPSK	38000/2595	1:1.58	0.093	0.05	23.40	24	1.148	0.107	22.3
Right tilted	20	QPSK	38000/2595	1:1.58	0.0299	0.15	23.40	24	1.148	0.034	22.3
					Head Test	data (50%RE	3_0 offset)				
Left cheek	20	QPSK	38000/2595	1:1.58	0.0225	0.10	22.59	23	1.099	0.025	22.3
Left tilted	20	QPSK	38000/2595	1:1.58	0.0239	0.05	22.59	23	1.099	0.026	22.3
Right cheek	20	QPSK	38000/2595	1:1.58	0.0812	0.08	22.59	23	1.099	0.089	22.3
Right tilted	20	QPSK	38000/2595	1:1.58	0.0264	0.03	22.59	23	1.099	0.029	22.3
				Hea	d Test Data	at the worst	case with SIM2				
Right cheek	20	QPSK	38000/2595	1:1.58	0.099	0.06	23.40	24	1.148	0.114	22.3
				Head 1	est Data at	the worst ca	se with Battery 2	:#			
Right cheek	20	QPSK	38000/2595	1:1.58	0.0832	0.05	23.40	24	1.148	0.095	22.3
					Test Data at	the worst ca	se with Battery 3	; #			
Right cheek	20	QPSK	38000/2595	1:1.58	0.0711	0.09	23.40	24	1.148	0.082	22.3
				Body wo	rn Test data	(Separate 1	5mm 1RB_0 offs				
Front side	20	QPSK	38000/2595	1:1.58	0.207	-0.03	23.4	24	1.148	0.238	22.3
Back side	20	QPSK	38000/2595	1:1.58	0.214	0.05	23.4	24	1.148	0.246	22.3
			Е	Body worn	Test data (Separate 15i	mm 50%RB_0 of	fset)			
Front side	20	QPSK	38000/2595	1:1.58	0.176	0.02	22.59	23	1.099	0.193	22.3
Back side	20	QPSK	38000/2595	1:1.58	0.183	0.10	22.59	23	1.099	0.201	22.3
				Body w	orn Test Da	ta at the wor	st case with SIM	2	1		
Back side	20	QPSK	38000/2595	1:1.58	0.23	0.01	23.4	24	1.148	0.264	22.3
				Body wor		at the worst	case with Batter	y 2#			
Back side	20	QPSK	38000/2595	1:1.58	0.179	-0.10	23.4	24	1.148	0.206	22.3
				Body wor			case with Batter				
Back side	20	QPSK	38000/2595	1:1.58	0.182	0.03	23.4	24	1.148	0.209	22.3
						Separate 10r	nm 1RB_99 offse	et)			
Front side	20	QPSK	38000/2595	1:1.58	0.212	0.01	22.44	23	1.139	0.241	22.3
Back side	20	QPSK	38000/2595	1:1.58	0.211	0.01	22.44	23	1.139	0.240	22.3
Left side	20	QPSK	38000/2595	1:1.58	0.162	-0.05	22.44	23	1.139	0.184	22.3
Right side	20	QPSK	38000/2595	1:1.58	0.0536	-0.15	22.44	23	1.139	0.061	22.3
Bottom side	20	QPSK	38000/2595	1:1.58	0.541	-0.1	22.44	23	1.139	0.616	22.3
					est data (Se	parate 10mr	n 50%RB_50 off	set)			
Front side	20	QPSK	38150/2610	1:1.58	0.197	0	22.33	23	1.167	0.230	22.3
Back side	20	QPSK	38150/2610	1:1.58	0.201	-0.04	22.33	23	1.167	0.235	22.3
Left side	20	QPSK	38150/2610	1:1.58	0.148	-0.09	22.33	23	1.167	0.173	22.3
Right side	20	QPSK	38150/2610	1:1.58	0.0527	-0.12	22.33	23	1.167	0.061	22.3
Bottom side	20	QPSK	38150/2610	1:1.58	0.517	-0.2	22.33	23	1.167	0.603	22.3
				Hotsp	ot Test Data	at the wors	t case with SIM2				
Bottom side	20	QPSK	38000/2595	1:1.58	0.541	-0.04	22.44	23	1.139	0.616	22.3
				Hotspot	Test Data a	t the worst c	ase with Battery	2#			
Bottom side	20	QPSK	38000/2595	1:1.58	0.669	-0.06	22.44	23	1.139	0.762	22.3
				Hotspot	Test Data a	t the worst c	ase with Battery	3#			
Bottom side	20	QPSK	38000/2595	1:1.58	0.621	-0.03	22.44	23	1.139	0.707	22.3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 433 of 493

						t2 Test data	a				
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1- g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
			T			data (1RB_		1			
Left cheek	20	QPSK	38000/2595	1:1.58	0.211	-0.01	20.58	21.5	1.236	0.261	22.3
Left tilted	20	QPSK	38000/2595	1:1.58	0.216	-0.03	20.58	21.5	1.236	0.267	22.3
Right cheek	20	QPSK	37850/2580	1:1.58	0.51	0.15	15.58	16	1.102	0.562	22.3
Right tilted	20	QPSK	37850/2580	1:1.58	0.323	-0.04	15.58 ta (50%RB_0 off	16	1.102	0.356	22.3
Left cheek	20	QPSK	38150/2610	1:1.58	0.203	0.11	20.37	21.5	1.298	0.264	22.3
Left tilted	20	QPSK	38150/2610	1:1.58	0.222	-0.05	20.37	21.5	1.298	0.288	22.3
Right cheek	20	QPSK	38000/2595	1:1.58	0.775	-0.04	15.64	16	1.087	0.843	22.3
Right tilted	20	QPSK	38000/2595	1:1.58	0.479	0.06	15.64	16	1.087	0.521	22.3
Right cheek	20	QPSK	37850/2580	1:1.58	0.508	-0.06	14.79	16	1.322	0.671	22.3
Right cheek	20	QPSK	38000/2595	1:1.58	0.433	0.03	14.80	16	1.319	0.571	22.3
				•	Н	ead Test dat	ta (100%RB)		•	•	
Right cheek	20	QPSK	38000/2595	1:1.58	0.830	0	15.43	16	1.139	0.946	22.3
Right cheek	20	QPSK	37850/2580	1:1.58	0.594	-0.06	14.96	16	1.270	0.754	22.3
Right cheek	20	QPSK	38150/2610	1:1.58	0.619	-0.01	14.54	16	1.401	0.867	22.3
Right cheek -repeat	20	QPSK	38000/2595	1:1.58	0.829	-0.07	15.43	16	1.139	0.945	22.3
						at the worst	case with SIM2				
Right cheek	20	QPSK	38000/2595	1:1.58	0.753	0.08	15.43	16	1.139	0.858	22.3
		1					se with Battery 2				ı
Right cheek	20	QPSK	38000/2595	1:1.58 Head T	0.649 est Data at	0.11 the worst ca	15.43 se with Battery 3	16 3#	1.139	0.739	22.3
Right cheek	20	QPSK	38000/2595	1:1.58	0.745	0.08	15.43	16	1.139	0.849	22.3
				Body wor	rn Test data	(Separate 1	5mm 1RB_50off	set)	TO S		•
Front side	20	QPSK	38000/2595	1:1.58	0.2	0.01	24.1	24.5	1.096	0.219	22.3
Back side	20	QPSK	38000/2595	1:1.58	0.215	0.05	24.1	24.5	1.096	0.236	22.3
					,		mm 50%RB_0 of	,			
Front side	20	QPSK	38000/2595	1:1.58	0.151	0.06	23.15	23.5	1.084	0.164	22.3
Back side	20	QPSK	38000/2595	1:1.58	0.168	0.02	23.15	23.5	1.084	0.182	22.3
David at da	00	ODOK	00000/0505				st case with SIM		4.000	0.047	00.0
Back side	20	QPSK	38000/2595	1:1.58	0.225	0.05	24.1	24.5	1.096	0.247	22.3
Back side	20	QPSK	38000/2595	1:1.58	0.23	0.12	case with Battery	y 2# 24.5	1.096	0.252	22.3
Dack Side	20	QFSN					case with Batter		1.090	0.252	22.3
Back side	20	QPSK	38000/2595	1:1.58	0.206	0.06	24.1	24.5	1.096	0.226	22.3
Buok oldo		Q. O.					eparate 10mm 1		1.000	0.220	22.0
Front side	20	QPSK	38000/2595	1:1.58	0.281	0.09	21.81	22	1.045	0.294	22.3
Back side	20	QPSK	38000/2595	1:1.58	0.212	0.17	21.81	22	1.045	0.221	22.3
Left side	20	QPSK	38000/2595	1:1.58	0.151	0.05	21.81	22	1.045	0.158	22.3
Right side	20	QPSK	38000/2595	1:1.58	0.0313	-0.06	21.81	22	1.045	0.033	22.3
Top side	20	QPSK	38000/2595	1:1.58	0.222	-0.03	21.81	22	1.045	0.232	22.3
			Hotspot ac	tived for 2	2.4G WIFI To	est data (Se	oarate 10mm 50	%RB_0 offset)			
Front side	20	QPSK	38000/2595	1:1.58	0.258	0.02	21.81	22	1.045	0.270	22.3
Back side	20	QPSK	38000/2595	1:1.58	0.251	0.15	21.81	22	1.045	0.262	22.3
Left side	20	QPSK	38000/2595	1:1.58	0.136	0.05	21.81	22	1.045	0.142	22.3
Right side	20	QPSK	38000/2595	1:1.58	0.0258	-0.01	21.81	22	1.045	0.027	22.3
	20	QPSK	38000/2595	1:1.58	0.202	-0.18	21.81	22	1.045	0.211	22.3
Top side			Hotspot a	actived fo			parate 10mm 1R		4.404	0.040	00.0
'	00	OBOL		4 4							
Front side	20	QPSK	38000/2595	1:1.58	0.198	0.02	20.07	20.5	1.104	0.219	22.3
Front side Back side	20	QPSK	38000/2595 38000/2595	1:1.58	0.16	0.05	20.07	20.5	1.104	0.177	22.3
Front side			38000/2595								

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Rev : 01

Page : 434 of 493

•			Hotspot a	ctived for	5G WIFI Te	est data(Sepa	arate 10mm 50%	6RB_0 offset)	•		
Front side	20	QPSK	38000/2595	1:1.58	0.189	0.01	20.15	20.5	1.084	0.205	22.3
Back side	20	QPSK	38000/2595	1:1.58	0.154	-0.09	20.15	20.5	1.084	0.167	22.3
Left side	20	QPSK	38000/2595	1:1.58	0.102	0.05	20.15	20.5	1.084	0.111	22.3
Right side	20	QPSK	38000/2595	1:1.58	0.0218	0.09	20.15	20.5	1.084	0.024	22.3
Top side	20	QPSK	38000/2595	1:1.58	0.166	-0.04	20.15	20.5	1.084	0.180	22.3
				Hotsp	ot Test Data	at the wors	t case with SIM2	2			
Front side	20	QPSK	38000/2595	1:1.58	0.302	0.02	21.81	22	1.045	0.316	22.3
				Hotspot '	Test Data a	t the worst ca	ase with Battery	2#			
Front side	20	QPSK	38000/2595	1:1.58	0.257	0.02	21.81	22	1.045	0.268	22.3
				Hotspot '	Test Data a	t the worst c	ase with Battery	3#			
Front side	20	QPSK	38000/2595	1:1.58	0.235	-0.2	21.81	22	1.045	0.246	22.3

Table 34: SAR of LTE Band 38 for Head and Body(Original report E5/2017/90003).

Note:

- 1) The maximum Scaled SAR value is marked in bold.
- 2) If the reported (scaled) SAR measured at the middle channel or highest output power channel for each test configuration is ≤ 0.8 W/kg then testing at the other channels is not required for such test configuration(s).

Test Position	Channel/ Frequency	Measured SAR (1g)	1 st Repeated	Ratio	2 nd Repeated	3 rd Repeated
	(MHz)		SAR (1g)		SAR (1g)	SAR (1g)
Right cheek	38000/2595	0.83	0.829	1.00	N/A	N/A

Note: 1) When the original highest measured SAR is ≥ 0.80 W/kg, the measurement was repeated once.

- 2) A second repeated measurement was performed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 1.45 W/kg (~ 10% from the 1-g SAR limit).
- 3) A third repeated measurement was performed only if the original, first or second repeated measurement was ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20.
- 4) Repeated measurements are not required when the original highest measured SAR is < 0.80 W/kg



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sas.com



Rev : 01

Page : 435 of 493

					Ant1 Test	data					
Test position	BW.	Test mode	Test Ch./Freg.	Duty Cycle	SAR	Power Drift(dB)	Conducted power(dBm)	Tune up	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
			•		(W/kg)1-g data at the wo	. ,		Limit(abm)	Tactor	SAR(VV/Kg)	remp.
Right cheek	20	PCC QPSK 18RB@0	37850/2580	1:1.58	data at the we	Jist case wit	II OL CA				
Right cheek	20	SCC QPSK 0RB@0	38048/2599.8	1:1.58	0.040	0.00	23.20	24.00	1.202	0.048	22.1
I			Body worn 1	est data a	t the worst ca	se with UL (CA(Separate 15	imm)		<u> </u>	
Back side	20	PCC QPSK 18RB@0	37850/2580	1:1.58	0.440	0.40	22.20	04.00	4.000	0.440	00.4
Back side	20	SCC QPSK 0RB@0	38048/2599.8	1:1.58	0.119	0.10	23.20	24.00	1.202	0.143	22.1
			Hotspot Te	st data at t	he worst case	e with UL CA	(Separate 10m	nm)			
Bottom side	20	PCC QPSK 18RB@0	37850/2580	1:1.58	0.550	-0.02	21.84	23.00	1.306	0.718	22.1
Bottom side	20	SCC QPSK 0RB@0	38048/2599.8	1:1.58	0.550	-0.02	21.04	23.00	1.506	0.716	22.1
					Ant2 Test	data					
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
'		•	ŀ	lead Test	data at the wo	orst case wit	h UL CA				
Right cheek	20	PCC QPSK 1RB@0	37850/2580	1:1.58	0.440	0.40	45.00	40.00	4.050	0.505	22.1
Right cheek	20	SCC QPSK 0RB@0	38048/2599.8	1:1.58	0.419	0.10	15.02	16.00	1.253	0.525	22.1
			Body worn T	est data a	t the worst ca	se with UL (CA(Separate 15	imm)			
Back side	20	PCC QPSK 1RB@0	38150/2610	1:1.58	0.140	-0.17	23.39	24.00	1.151	0.161	22.1
Back side	20	SCC QPSK 0RB@0	37952/2590.2	1:1.58	0.140	-0.17	23.39	24.00	1.101	0.101	22.1
		<u> </u>	Hotspot Te	st data at t	he worst case	e with UL CA	(Separate 10m	nm)	<u> </u>		<u> </u>
Front side	20	PCC QPSK 18RB@0	37850/2580	1:1.58	0.133	-0.10	20.52	22.00	1.406	0.187	22.1
Front side	20	SCC QPSK 0RB@0	38048/2599.8	1:1.58	0.133	-0.10	20.02	22.00	1.400	0.107	22.1

SAR of LTE Band 38 for Head Body and Limb (Variant). Table 35:

Note:

Note:

- The maximum Scaled SAR value is marked in bold. Graph results refer to Appendix B 1)
- 2) According to Nov 2017 TCB workshop, if the reported (scaled) SAR for UL CA configuration, described above, for 1-g SAR is < 1.2 W/kg or for 10-g SAR is < 3.0 W/kg, UL CA SAR is not required for all required test channels(PCC based).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sas.com



Rev : 01

Page : 436 of 493

8.3.8 SAR Result Of LTE Band 41

					An	t1 Test data	1				
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
•			· \		`	data (1RB_	0 offset)	, ,		, ,	
Left cheek	20	QPSK	40690/2600	1:1.58	0.019	0.01	23.33	24	1.167	0.022	22.3
Left tilted	20	QPSK	40690/2600	1:1.58	0.00934	-0.06	23.33	24	1.167	0.011	22.3
Right cheek	20	QPSK	40690/2600	1:1.58	0.0715	0.01	23.33	24	1.167	0.083	22.3
Right tilted	20	QPSK	40690/2600	1:1.58	0.0198	0.09	23.33	24	1.167	0.023	22.3
				I.	Hea	d Test data	(50%RB_0 offse	t)			
Left cheek	20	QPSK	41140/2645	1:1.58	0.0154	0.08	22.35	23	1.161	0.018	22.3
Left tilted	20	QPSK	41140/2645	1:1.58	0.00275	-0.04	22.35	23	1.161	0.003	22.3
Right cheek	20	QPSK	41140/2645	1:1.58	0.0359	0.02	22.35	23	1.161	0.042	22.3
Right tilted	20	QPSK	41140/2645	1:1.58	0.00798	0.08	22.35	23	1.161	0.009	22.3
J				Hea	d Test Data	at the worst	case with SIM2				
Right cheek	20	QPSK	40690/2600	1:1.58	0.071	0	23.33	24	1.167	0.083	22.3
	•			Head	Test Data at t	he worst cas	e with Battery 2#	#			
Right cheek	20	QPSK	40690/2600	1:1.58	0.0526	0.01	23.33	24	1.167	0.061	22.3
				Head	Test Data at t	he worst cas	se with Battery 3	#			
Right cheek	20	QPSK	40690/2600	1:1.58	0.0635	0.01	23.33	24	1.167	0.074	22.3
				Body w	orn Test data	(Separate 15	mm 1RB_0 offs	et)			
Front side	20	QPSK	40690/2600	1:1.58	0.218	0.18	23.33	24	1.167	0.254	22.3
Back side	20	QPSK	40690/2600	1:1.58	0.215	-0.03	23.33	24	1.167	0.251	22.3
				Body wor	n Test data (S	Separate 15n	nm 50%RB_0 off	fset)		1	
Front side	20	QPSK	41140/2645	1:1.58	0.148	-0.1	22.35	23	1.161	0.172	22.3
Back side	20	QPSK	41140/2645	1:1.58	0.117	-0.04	22.35	23	1.161	0.136	22.3
				Body v	vorn Test Dat	a at the wors	st case with SIM2	2			
Front side	20	QPSK	40690/2600	1:1.58	0.202	-0.01	23.33	24	1.167	0.236	22.3
				Body wor		at the worst o	case with Battery				
Front side	20	QPSK	40690/2600	1:1.58	0.234	-0.06	23.33	24	1.167	0.273	22.3
							case with Battery				
Front side	20	QPSK	40690/2600	1:1.58	0.219	-0.06	23.33	24	1.167	0.256	22.3
							m 1RB_99 offse	t)			
Front side	20	QPSK	40240/2555	1:1.58	0.263	0.13	22.4	23	1.148	0.302	22.3
Back side	20	QPSK	40240/2555	1:1.58	0.201	-0.04	22.4	23	1.148	0.231	22.3
Left side	20	QPSK	40240/2555	1:1.58	0.128	-0.07	22.4	23	1.148	0.147	22.3
Right side	20	QPSK	40240/2555	1:1.58	0.0421	0.18	22.4	23	1.148	0.048	22.3
Bottom side	20	QPSK	40240/2555	1:1.58	0.668	-0.19	22.4	23	1.148	0.767	22.3
					Гest data (Se _l	parate 10mm	າ 50%RB_50 offs	, <i>'</i>			
Front side	20	QPSK	40690/2600	1:1.58	0.249	0.03	21.69	23	1.352	0.337	22.3
Back side	20	QPSK	40690/2600	1:1.58	0.204	0.07	21.69	23	1.352	0.276	22.3
Left side	20	QPSK	40690/2600	1:1.58	0.118	-0.02	21.69	23	1.352	0.160	22.3
Right side	20	QPSK	40690/2600	1:1.58	0.0426	-0.05	21.69	23	1.352	0.058	22.3
Bottom side	20	QPSK	40690/2600	1:1.58	0.658	-0.13	21.69	23	1.352	0.890	22.3
Bottom side	20	QPSK		1:1.58	0.662	-0.16	21.52	23	1.406	0.931	22.3
Bottom side	20	QPSK	41140/2645	1:1.58	0.586	-0.15	21.63	23	1.371	0.803	22.3
					, ,		100%RB_0 offs				
Bottom side	20	QPSK	41140/2645	1:1.58	0.617	-0.15	21.69	23	1.352	0.834	22.3
							case with SIM2			1	1
Bottom side	20	QPSK	40240/2555	1:1.58	0.632	-0.08	21.52	23	1.406	0.889	22.3
	1						ase with Battery 2		1	1	1
Bottom side	20	QPSK	40240/2555	1:1.58	0.619	-0.09	21.52	23	1.406	0.870	22.3
							se with Battery 3		T .	1	
Bottom side	20	QPSK	40240/2555	1:1.58	0.556	-0.02	21.52	23	1.406	0.782	22.3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 437 of 493 Page

					An	t2 Test data					
Test		Test	Test	Duty	SAR	Power	Conducted	Tune up	Scaled	Scaled	Liquid
position	BW.	mode	Ch./Freq.	Cycle	(W/kg)1-g	Drift(dB)	power(dBm)	Limit(dBm)	factor	SAR(W/kg)	Temp.
•					Head Test	data (1RB_5	0 offset)				
Left cheek	20	QPSK	41140/2645	1:1.58	0.189	-0.08	20.34	21.5	1.306	0.247	22.3
Left tilted	20	QPSK	41140/2645	1:1.58	0.203	0.12	20.34	21.5	1.306	0.265	22.3
Right cheek	20	QPSK	40690/2600	1:1.58	0.64	0.01	15.91	16.5	1.146	0.733	22.3
Right tilted	20	QPSK	40690/2600	1:1.58	0.365	0.02	15.91	16.5	1.146	0.418	22.3
					Hea	ad Test data	(50%RB_50 offs	et)			
Left cheek	20	QPSK	41140/2645	1:1.58	0.171	0.05	20.3	21.5	1.318	0.225	22.3
Left tilted	20	QPSK	41140/2645	1:1.58	0.206	0.16	20.3	21.5	1.318	0.272	22.3
Right cheek	20	QPSK	41140/2645	1:1.58	0.622	0.14	15.36	16.5	1.300	0.809	22.3
Right tilted	20	QPSK	41140/2645	1:1.58	0.552	0.01	15.36	16.5	1.300	0.718	22.3
Right cheek	20	QPSK	40240/2555	1:1.58	0.75	0	15.04	16.5	1.400	1.050	22.3
Right cheek	20	QPSK	40690/2600	1:1.58	0.782	0.11	15.23	16.5	1.340	1.048	22.3
						data(100%R	B_0 offset)				
Right cheek	20	QPSK	41140/2645	1:1.58	0.621	0.08	15.33	16.5	1.309	0.813	22.3
				Hea			case with SIM2				
Right cheek	20	QPSK	40240/2555	1:1.58	0.585	0.05	15.04	16.5	1.400	0.819	22.3
				Head '			e with Battery 2#				
Right cheek	20	QPSK	40240/2555	1:1.58	0.538	0.15	15.04	16.5	1.400	0.753	22.3
							se with Battery 3	#			
Right cheek	20	QPSK	40240/2555	1:1.58	0.588	-0.06	15.04	16.5	1.400	0.823	22.3
						(Separate 15	mm 1RB_0 offse				
Front side	20	QPSK	40690/2600	1:1.58	0.148	0.03	23.88	24.5	1.153	0.171	22.3
Back side	20	QPSK	40690/2600	1:1.58	0.204	0.05	23.88	24.5	1.153	0.235	22.3
							nm 50%RB_0 off				
Front side	20	QPSK	40690/2600	1:1.58	0.115	0.05	22.74	24	1.337	0.154	22.3
Back side	20	QPSK	40690/2600	1:1.58	0.161	0.19	22.74	24	1.337	0.215	22.3
			•				st case with SIM2		1	T	
Back side	20	QPSK	40690/2600	1:1.58	0.174	0.06	23.88	24.5	1.153	0.201	22.3
							case with Battery		1	ı	
Back side	20	QPSK	40690/2600	1:1.58	0.202	0.19	23.88	24.5	1.153	0.233	22.3
							case with Battery			1	
Back side	20	QPSK	40690/2600	1:1.58	0.182	0.08	23.88	24.5	1.153	0.210	22.3
		00011				· ·	eparate 10mm 1F	,			
Front side	20	QPSK	40690/2600	1:1.58	0.22	0.16	21.24	22	1.191	0.262	22.3
Back side	20	QPSK	40690/2600	1:1.58	0.219	0.03	21.24	22	1.191	0.261	22.3
Left side	20	QPSK	40690/2600	1:1.58	0.13	-0.04	21.24	22	1.191	0.155	22.3
Right side	20	QPSK	40690/2600	1:1.58	0.0189	-0.07	21.24	22	1.191	0.023	22.3
Top side	20	QPSK	40690/2600	1:1.58	0.209	-0.2	21.24	(DD 0 ((- 1)	1.191	0.249	22.3
Frank side	00	ODOK					arate 10mm 50%		4.007	0.070	00.0
Front side	20	QPSK	40690/2600		0.222	0.18	21.11	22	1.227	0.272	22.3
Back side	20	QPSK	40690/2600	1:1.58	0.219	0.02	21.11	22	1.227	0.269	22.3
Left side	20	QPSK	40690/2600	1:1.58	0.128	-0.13	21.11	22	1.227	0.157	22.3
Right side	20	QPSK	40690/2600	1:1.58	0.0216	-0.06	21.11	22	1.227	0.027	22.3
Top side	20	QPSK	40690/2600	1:1.58	0.21	-0.11	21.11	22	1.227	0.258	22.3
Front side	20	ODOK					parate 10mm 1R		1 0 4 5	0.454	20.0
Front side	20	QPSK	40690/2600	1:1.58	0.121	0.06	19.55	20.5	1.245	0.151	22.3
Back side	20	QPSK	40690/2600	1:1.58	0.143	0.01	19.55	20.5	1.245	0.178	22.3
Left side	20	QPSK	40690/2600	1:1.58	0.0939	0.06	19.55	20.5	1.245	0.117	22.3
Right side	20	QPSK	40690/2600	1:1.58	0.0151	-0.02 -0.03	19.55	20.5	1.245	0.019	22.3
Top side	20	QPSK	40690/2600	1:1.58	0.151		19.55 arate 10mm 50%	20.5	1.245	0.188	22.3
Eront side	20	OBSK							1 201	0.155	22.2
Front side	20	QPSK	40690/2600	1:1.58	0.12	0.06	19.39	20.5	1.291	0.155	22.3
Back side	20	QPSK	40690/2600	1:1.58	0.141	0.08	19.39	20.5	1.291	0.182	22.3
Left side	20	QPSK	40690/2600	1:1.58	0.0934	0.06	19.39	20.5	1.291	0.121	22.3
Right side	20	QPSK	40690/2600	1:1.58	0.0137	0.02	19.39	20.5	1.291	0.018	22.3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. t (886-2) 2299-3279

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.tw.sgs.com



Rev : 01

Page : 438 of 493

Right cheek	20	QPSK	40240/2555	1:1.58	0.274	0.11	12.46	12.5	1.009	0.277	22.3
position		mode	Cil./Freq.	Cycle		data (1RB (Lillin(abili)	iactor	SAN(W/kg)	i eilip.
position	BW.	mode	Ch./Freq.	Cycle	(W/kg)1-g	Drift(dB)	power(dBm)	Limit(dBm)	factor	SAR(W/kg)	Temp.
Test		Test	Test	Duty	SAR	Power	Conducted	Tune up	Scaled	Scaled	Liquid
			Ant2 Ad	ditional 1	Test data(sim	nultaneous t	ransmission wi	th 5G WIFI)			
Front side	20	QPSK	40690/2600	1:1.58	0.217	0.06	21.11	22	1.227	0.266	22.3
·				Hotspot	Test Data at	the worst ca	se with Battery 3	3#		·	
Front side	20	QPSK	40690/2600	1:1.58	0.251	0.01	21.11	22	1.227	0.308	22.3
				Hotspot	Test Data at	the worst ca	se with Battery 2	2#			
Front side	20	QPSK	40690/2600	1:1.58	0.231	0.06	21.11	22	1.227	0.284	22.3
				Hots	oot Test Data	at the worst	case with SIM2				
Top side	20	QPSK	40690/2600	1:1.58	0.15	-0.02	19.39	20.5	1.291	0.194	22.3

Table 36: SAR of LTE Band 41 for Head and Body(Original report E5/2017/90003).

Note:

- 1) The maximum Scaled SAR value is marked in bold.
- 2) If the reported (scaled) SAR measured at the middle channel or highest output power channel for each test configuration is ≤ 0.8W/kg then testing at the other channels is not required for such test configuration(s).

					Ant1 Test d	lata					
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
			Н	lead Test d	ata at the wor	st case with	UL CA				
Right cheek	20	PCC QPSK 1RB@0	40690/2600	1:1.58	0.037	0.00	23.23	24.00	1.194	0.045	22.1
Right cheek	20	SCC QPSK 0RB@0	40888/2619.8	1:1.58	0.037	0.00	23.23	24.00	1.134	0.045	22.1
			Body worn T	est data at	the worst cas	e with UL C	A(Separate 15n	nm)			
Front side	20	PCC QPSK 1RB@0	40690/2600	1:1.58	0.103	-0.06	23.23	24.00	1.194	0.123	22.1
Front side	20	SCC QPSK 0RB@0	40888/2619.8	1:1.58	0.103	-0.00	23.23	24.00	1.134	0.123	22.1
			Hotspot Tes	st data at th	ne worst case	with UL CA(Separate 10mr	n)			
Bottom side	20	PCC QPSK 1RB@0	40240/2555	1:1.58	0.607	-0.13	22.07	23.00	1.239	0.752	22.1
Bottom side	20	SCC QPSK 0RB@0	40438/2574.8	1:1.58	0.607	-0.13	22.07	23.00	1.239	0.752	22.1
					Ant2 Test d	lata					
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
			Н	lead Test d	ata at the wor	st case with	UL CA				
Right cheek	20	PCC QPSK 1RB@0	40240/2555	1:1.58	0.407	0.07	45.04	40.50	4.246	0.055	00.4
Right cheek	20	SCC QPSK 0RB@0	40438/2574.8	1:1.58	0.487	0.07	15.21	16.50	1.346	0.655	22.1
			Body worn T	est data at	the worst cas	e with UL C	A(Separate 15n	nm)			
Back side	20	PCC QPSK 1RB@0	40690/2600	1:1.58	0.450	0.05	23.70	04.50	1.202	0.404	00.4
Back side	20	SCC QPSK 0RB@0	40888/2619.8	1:1.58	0.159	0.05	23.10	24.50	1.202	0.191	22.1
			Hotspot Tes	st data at th	ne worst case	with UL CA(Separate 10mr	n)			
Front side	20	PCC QPSK 1RB@0	40690/2600	1:1.58	0.180	0.12	20.81	22.00	1.315	0.237	22.1
Front side	20	SCC QPSK 0RB@0	40888/2619.8	1:1.58	0.100	0.12	20.01	22.00	1.315	0.231	22.1

Table 37: SAR of LTE Band 41 for Head and Body (Variant).

Note:

- The maximum Scaled SAR value is marked in bold. Graph results refer to Appendix B 1)
- According to Nov 2017 TCB workshop, if the reported (scaled) SAR for UL CA configuration, described above, for 1-g SAR is < 1.2 W/kg 2) or for 10-g SAR is < 3.0 W/kg, UL CA SAR is not required for all required test channels(PCC based).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 439 of 493

8.3.9 SAR Result Of 2.4GHz WIFI

					Ant1	Test data					
Test position	Test mode	Test Ch./Freq.	Duty Cycle	Duty Cycle Scaled factor	SAR (W/kg)1- g	Power drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
					Head	d Test data					
Left cheek	802.11b	6/2437	98.67%	1.013	0.191	0	13.15	14.5	1.365	0.264	22
Left tilted	802.11b	6/2437	98.67%	1.013	0.166	0.04	13.15	14.5	1.365	0.229	22
Right cheek	802.11b	6/2437	98.67%	1.013	0.092	0.11	13.15	14.5	1.365	0.127	22
Right tilted	802.11b	6/2437	98.67%	1.013	0.13	0.18	13.15	14.5	1.365	0.180	22
				Head Tes	t Data at the	e worst case	with Battery 2#				
Left cheek	802.11b	6/2437	98.67%	1.013	0.184	0.16	13.15	14.5	1.365	0.251	22.3
				Head Tes	st Data at the	e worst case	with Battery 3#				
Left cheek	802.11b	6/2437	98.67%	1.013	0.185	-0.1	13.15	14.5	1.365	0.252	22.3
				Bod	y worn Test	data(Separa	ate 15mm)				
Front side	802.11b	11/2462	98.67%	1.013	0.0288	0	15.92	17	1.281	0.037	22
Back side	802.11b	11/2462	98.67%	1.013	0.0319	-0.09	15.92	17	1.281	0.041	22
			В	ody worn T	est Data at	the worst ca	ase with Battery 2	2#			
Back side	802.11b	11/2462	98.67%	1.013	0.042	-0.04	15.92	17	1.281	0.054	22.3
			В	ody worn T	Test Data at	the worst ca	ase with Battery	3#			
Back side	802.11b	11/2462	98.67%	1.013	0.0375	-0.03	15.92	17	1.281	0.048	22.3
				Ho	tspot Test d	ata (Separat	te 10mm)				
Front side	802.11b	11/2462	98.67%	1.013	0.0804	0.01	15.92	17	1.281	0.104	22
Back side	802.11b	11/2462	98.67%	1.013	0.0734	0.04	15.92	17	1.281	0.095	22
Right side	802.11b	11/2462	98.67%	1.013	0.0894	-0.07	15.92	17	1.281	0.116	22
Top side	802.11b	11/2462	98.67%	1.013	0.232	-0.16	15.92	17	1.281	0.301	22
				Hotspot Te	st Data at th	ne worst cas	e with Battery 2#	#			
Top side	802.11b	11/2462	98.67%	1.013	0.241	-0.08	15.92	17	1.281	0.309	22.3
		·		Hotspot Te	st Data at th	ne worst cas	e with Battery 3#				
Top side	802.11b	11/2462	98.67%	1.013	0.246	-0.05	15.92	17	1.281	0.315	22.3

					Ant2	2 Test data					
Test position	Test mode	Test Ch./Freq.	Duty Cycle	Duty Cycle Scaled factor	SAR (W/kg)1- g	Power drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
					Head	d Test data					
Left cheek	802.11b	6/2437	99.00%	1.01	0.164	0.09	15.92	16.5	1.143	0.189	22
Left tilted	802.11b	6/2437	99.00%	1.01	0.133	0.18	15.92	16.5	1.143	0.154	22
Right cheek	802.11b	6/2437	99.00%	1.01	0.111	-0.08	15.92	16.5	1.143	0.128	22
Right tilted	802.11b	6/2437	99.00%	1.01	0.096	0.05	15.92	16.5	1.143	0.111	22
				Head Tes	t Data at the	e worst case	with Battery 2#				
Left cheek	802.11b	6/2437	99.00%	1.01	0.271	0.03	15.92	16.5	1.143	0.310	22.3
				Head Tes	st Data at the	e worst case	with Battery 3#				
Left cheek	802.11b	6/2437	99.00%	1.01	0.245	0.12	15.92	16.5	1.143	0.280	22.3
				Bod	y worn Test	data(Separa	ate 15mm)				
Front side	802.11b	11/2462	99.00%	1.01	0.0101	-0.07	15.35	16.5	1.305	0.013	22
Back side	802.11b	11/2462	99.00%	1.01	0.0149	-0.06	15.35	16.5	1.305	0.020	22
			В	ody worn 1	Test Data at	the worst ca	se with Battery 2	2#			
Back side	802.11b	11/2462	99.00%	1.01	0.023	0.01	15.35	16.5	1.305	0.030	22.3
			В	ody worn	Test Data at	the worst ca	ase with Battery 3	3#			
Back side	802.11b	11/2462	99.00%	1.01	0.0211	0.04	15.35	16.5	1.305	0.028	22.3
				Но	tspot Test d	ata (Separat	e 10mm)				
Front side	802.11b	11/2462	99.00%	1.01	0.0189	0.1	15.35	16.5	1.305	0.025	22
Back side	802.11b	11/2462	99.00%	1.01	0.0615	0.02	15.35	16.5	1.305	0.081	22
Right side	802.11b	11/2462	99.00%	1.01	0	0	15.35	16.5	1.305	0.000	22
Top side	802.11b	11/2462	99.00%	1.01	0	0	15.35	16.5	1.305	0.000	22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 440 of 493

				Hotspot Te	est Data at th	ne worst case	e with Battery 2#				
Back side	802.11b	11/2462	99.00%	1.01	0.094	0.14	15.345	16.5	1.305	0.123	22.3
				Hotspot Te	est Data at th	ne worst case	e with Battery 3#				
Back side	802.11b	11/2462	99.00%	1.01	0.0646	-0.07	15.345	16.5	1.305	0.084	22.3

	MIMO Test of	data	
Test position	Test mode	Scaled SAR(W/kg)	Liquid Temp.
	Head Test d	ata	
Left cheek	802.11n20	0.574	22
Left tilted	802.11n20	0.383	22
Right cheek	802.11n20	0.255	22
Right tilted	802.11n20	0.291	22
	Body worn Test data (Se	eparate 15mm)	
Front side	802.11n20	0.05	22
Back side	802.11n20	0.084	22
	Hotspot Test data (Sep	parate 10mm)	
Front side	802.11n20	0.129	22
Back side	802.11n20	0.218	22
Right side	802.11n20	0.116	22
Top side	802.11n20	0.315	22

Table 38: SAR of 2.4GHz WIFI for Head and Body(Original report E5/2017/90003)

Note:

- 1) The maximum Scaled SAR value is marked in bold. Graph results refer to Appendix B
- 2) If the reported (scaled) SAR measured at the middle channel or highest output power channel for each test configuration is ≤ 0.8 W/kg then testing at the other channels is not required for such test configuration(s).
- 3) Each channel was tested at the lowest data rate.
- 4) When the highest reported SAR for DSSS is adjusted by the ratio of OFDM to DSSS specified maximum output power and the adjusted SAR is
- ≤ 1.2 W/kg, 802.11g/n OFDM SAR Test is not required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

: 441 of 493 Page

8.3.1 SAR Result Of 5GHz WIFI

					Ant1	Test data					
Test position	Test mode	Test Ch./Freq.	Duty Cycle	Duty Cycle Scaled factor	SAR (W/kg)1- g	Power drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
						t data U-NII-					
Left cheek	802.11a	56/5280	93.40%	1.071	0.373	0.08	11.28	12	1.179	0.471	22
Left tilted	802.11a	56/5280	93.40%	1.071	0.272	0.03	11.28	12	1.179	0.344	22
Right cheek	802.11a	56/5280	93.40%	1.071	0.144	0.07	11.28	12	1.179	0.182	22
Right tilted	802.11a	56/5280	93.40%	1.071	0.129	0.03	11.28	12	1.179	0.163	22
					Head Test	t data U-NII-	2C				
Left cheek	802.11a	116/5580	93.40%	1.071	0.393	0.06	10.86	12	1.300	0.547	22
Left tilted	802.11a	116/5580	93.40%	1.071	0.303	0.16	10.86	12	1.300	0.422	22
Right cheek	802.11a	116/5580	93.40%	1.071	0.137	-0.01	10.86	12	1.300	0.191	22
Right tilted	802.11a	116/5580	93.40%	1.071	0.128	-0.03	10.86	12	1.300	0.178	22
-					Head Tes	st data U-NII	-3				
Left cheek	802.11a	157/5785	93.40%	1.071	0.281	-0.04	10.06	12	1.565	0.471	22
Left tilted	802.11a	157/5785	93.40%	1.071	0.205	0.07	10.06	12	1.565	0.344	22
Right cheek	802.11a	157/5785	93.40%	1.071	0.145	0	10.06	12	1.565	0.243	22
Right tilted	802.11a	157/5785	93.40%	1.071	0.118	0.04	10.06	12	1.565	0.198	22
				Head Tes	st Data at the	worst case	with Battery 2#				
Left cheek	802.11a	116/5580	93.40%	1.071	0.549	0.06	10.86	12	1.300	0.713	22.3
		I.		Head Tes	st Data at the	worst case	with Battery 3#				
Left cheek	802.11a	116/5580	93.40%	1.071	0.553	0.02	10.86	12	1.300	0.719	22.3
							parate 15mm)		TIC		
Front side	802.11a	56/5280	93.40%	1.071	0.0427	-0.07	13.27	14	1.183	0.054	22
Back side	802.11a	56/5280	93.40%	1.071	0.0453	-0.01	13.27	14	1.183	0.057	22
						U-NII-2C(Se	parate 15mm)				
Front side	802.11a	136/5680	93.40%	1.071	0.0232	0.06	13.02	14	1.252	0.031	22
Back side	802.11a	136/5680	93.40%	1.071	0.042	0.08	13.02	14	1.252	0.056	22
		,					parate 15mm)				
Front side	802.11a	157/5785	93.40%	1.071	0.0256	-0.07	12.35	14	1.462	0.040	22
Back side	802.11a	157/5785	93.40%	1.071	0.0512	-0.01	12.35	14	1.462	0.080	22
Daoit olac	002.114	10170100	00.1070				with Battery 2#		11.102	0.000	
Back side	802.11a	157/5785	93.40%	1.071	0.0551	-0.01	12.35	14	1.462	0.081	22
Daok side	002.114	10770700	30.4070	_			with Battery 3#	1-7	1.402	0.001	
Back side	802.11a	157/5785	93.40%	1.071	0.056	-0.17	12.35	14	1.462	0.082	22
Daok side	002.114	10770700	30.4070	_	ot Test data l	_		1-7	1.402	0.002	
Front side	802.11a	40/5200	93.40%	1.071	0.0512	0.06	13.25	14	1.188	0.065	22
Back side	802.11a	40/5200	93.40%	1.071	0.0804	0.04	13.25	14	1.188	0.102	22
Right side	802.11a	40/5200	93.40%	1.071	0.0244	0.03	13.25	14	1.188	0.031	22
Top side	802.11a	40/5200	93.40%	1.071	0.0361	0.06	13.25	14	1.188	0.046	22
Top side	002.114	40/3200	33.4070		ot Test data l			17	1.100	0.040	
Front side	802 112	157/5785	93.40%			0.06	12.35	14	1.462	0.070	22
Back side	802.11a	157/5785	93.40%	1.071	0.0440	0.08	12.35	14	1.462	0.125	22
Right side	802.11a	157/5785	93.40%	1.071	0.0301	0.03	12.35	14	1.462	0.123	22
Top side	802.11a	157/5785	93.40%	1.071	0.0264	0.03	12.35	14	1.462	0.044	22
Top side	002.11d	107/0700					e with Battery 2#		1.402	0.000	
Pools side	802.11a	157/5705	93.40%	1.071	0.094	0.04	12.35		1.462	0.127	22
Back side	002.11d	157/5785					e with Battery 3#	14	1.402	0.137	22
Back side	902 112	157/5785	93.40%	1.071	0.0701	-0.03	12.35	14	1.462	0.102	22
Daux Siut	802.11a	107/07/00	33.4070	1.071	0.0701	-0.03	12.33	14	1.402	0.102	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 442 of 493

Test position	Test mode	Test Ch./Freq.	Duty Cycle	Duty Cycle Scaled factor	SAR (W/kg)10- g	Power drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
				Limb	Test data U-	NII-2A(Sepa	arate 0mm)				
Front side	802.11a	56/5280	93.40%	1.071	0.254	-0.02	13.27	14	1.183	0.322	22
Back side	802.11a	56/5280	93.40%	1.071	0.239	0.07	13.27	14	1.183	0.303	22
Right side	802.11a	56/5280	93.40%	1.071	0.0493	0.06	13.27	14	1.183	0.062	22
Top side	802.11a	56/5280	93.40%	1.071	0.166	0.04	13.27	14	1.183	0.210	22
				Limb	Test data U-	NII-2C(Sepa	arate 0mm)				
Front side	802.11a	136/5680	93.40%	1.071	0.196	0.07	13.02	14	1.252	0.263	22
Back side	802.11a	136/5680	93.40%	1.071	0.183	-0.08	13.02	14	1.252	0.245	22
Right side	802.11a	136/5680	93.40%	1.071	0.00334	-0.1	13.02	14	1.252	0.004	22
Top side	802.11a	136/5680	93.40%	1.071	0.0746	0.02	13.02	14	1.252	0.100	22
				Limb Tes	st Data at the	worst case	with Battery 2#				
Front side	802.11a	56/5280	93.40%	1.071	0.317	0.05	13.27	14	1.183	0.375	22
				Limb Tes	st Data at the	worst case	with Battery 3#				
Front side	802.11a	56/5280	93.40%	1.071	0.326	0.06	13.27	14	1.183	0.386	22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 443 of 493 Page

					Ant2	Test data					
Test position	Test mode	Test Ch./Freq.	Duty Cycle	Duty Cycle Scaled factor	SAR (W/kg)1-g	Power drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquio Temp
				10.010.	Head Tes	t data U-NII-	·2A				
Left cheek	802.11a	56/5280	93.36%	1.071	0.129	0.12	12.29	12.5	1.050	0.145	22
Left tilted	802.11a	56/5280	93.36%	1.071	0.094	0.11	12.29	12.5	1.050	0.106	22
Right cheek	802.11a	56/5280	93.36%	1.071	0.106	0.04	12.29	12.5	1.050	0.119	22
Right tilted	802.11a	56/5280	93.36%	1.071	0.0765	-0.02	12.29	12.5	1.050	0.086	22
			l			t data U-NII-	2C				
Left cheek	802.11a	116/5580	93.36%	1.071	0.162	0.08	10.94	12.5	1.432	0.248	22
Left tilted	802.11a	116/5580	93.36%	1.071	0.0989	0.02	10.94	12.5	1.432	0.152	22
Right cheek	802.11a	116/5580	93.36%	1.071	0.141	0.01	10.94	12.5	1.432	0.216	22
Right tilted	802.11a	116/5580	93.36%	1.071	0.085	-0.05	10.94	12.5	1.432	0.130	22
					Head Tes	st data U-NII	-3			•	•
Left cheek	802.11a	157/5785	93.36%	1.071	0.138	-0.1	10.23	12.5	1.685	0.249	22
Left tilted	802.11a	157/5785	93.36%	1.071	0.0899	-0.04	10.23	12.5	1.685	0.162	22
Right cheek	802.11a	157/5785	93.36%	1.071	0.112	-0.13	10.23	12.5	1.685	0.202	22
Right tilted	802.11a	157/5785	93.36%	1.071	0.0675	-0.07	10.23	12.5	1.685	0.122	22
				Head Te	st Data at the	worst case	with Battery 2#				
Left cheek	802.11a	157/5785	93.36%	1.071	0.124	-0.03	10.23	12.5	1.685	0.209	22.3
				Head Te	st Data at the	worst case	with Battery 3#				
Left cheek	802.11a	157/5785	93.36%	1.071	0.109	0.14	10.23	12.5	1.685	0.184	22.3
				Body wo	orn Test data	U-NII-2A(Se	parate 15mm)				
Front side	802.11a	60/5300	93.36%	1.071	0.0143	-0.02	12.30	12.5	1.047	0.016	22
Back side	802.11a	60/5300	93.36%	1.071	0.0135	-0.08	12.30	12.5	1.047	0.015	22
				Body wo	orn Test data	U-NII-2C(Se	parate 15mm)				
Front side	802.11a	116/5580	93.36%	1.071	0.012	-0.06	11.46	12.5	1.272	0.016	22
Back side	802.11a	116/5580	93.36%	1.071	0.0125	0.09	11.46	12.5	1.272	0.017	22
				Body w	orn Test data	U-NII-3(Se	parate 15mm)				
Front side	802.11a	157/5785	93.36%	1.071	0.0146	-0.04	10.72	12.5	1.506	0.024	22
Back side	802.11a	157/5785	93.36%	1.071	0.0219	0.02	10.72	12.5	1.506	0.035	22
			E	Body worn		he worst ca	se with Battery 2	#			
Back side	802.11a	157/5785	93.36%	1.071	0.0238	0.04	10.72	12.5	1.506	0.036	22.3
			E	Body worn	Test Data at t		se with Battery 3				
Back side	802.11a	157/5785	93.36%	1.071	0.025	0.09	10.72	12.5	1.506	0.038	22.3
					ot Test data l	J-NII-1(Sepa	arate 10mm)				
Front side	802.11a	44/5220	93.36%	1.071	0.0215	-0.04	12.13	12.5	1.088	0.025	22
Back side	802.11a	44/5220	93.36%	1.071	0.0154	0.01	12.13	12.5	1.088	0.018	22
Right side	802.11a	44/5220	93.36%	1.071	0.00503	-0.07	12.13	12.5	1.088	0.006	22
Top side	802.11a	44/5220	93.36%	1.071	0.0117	0.01	12.13	12.5	1.088	0.014	22
		T			ot Test data l						
Front side	802.11a	157/5785	93.36%	1.071	0.0246	-0.01	10.72	12.5	1.506	0.040	22
Back side	802.11a	157/5785	93.36%	1.071	0.033	-0.08	10.72	12.5	1.506	0.053	22
Right side	802.11a	157/5785	93.36%	1.071	0.00583	-0.05	10.72	12.5	1.506	0.009	22
Top side	802.11a	157/5785	93.36%	1.071	0.0218	-0.06	10.72	12.5	1.506	0.035	22
			1				e with Battery 2#				
Back side	802.11a	157/5785	93.36%	1.071	0.0283	0.02	10.72	12.5	1.506	0.043	22.3
		1	ı				e with Battery 3#		1	Γ	T
Back side	802.11a	157/5785	93.36%	1.071	0.0306	-0.03	10.72	12.5	1.506	0.046	22.3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 444 of 493

Test position	Test mode	Test Ch./Freq.	Duty Cycle	Duty Cycle Scaled factor	SAR (W/kg)10- g	Power drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
	Limb Test data U-NII-2A(Separate 0mm)										
Front side	802.11a	60/5300	93.36%	1.071	0.095	0.08	12.30	12.5	1.047	0.106	22
Back side	802.11a	60/5300	93.36%	1.071	0.11	0.03	12.30	12.5	1.047	0.123	22
Right side	802.11a	60/5300	93.36%	1.071	0.00337	0.1	12.30	12.5	1.047	0.004	22
Top side	802.11a	60/5300	93.36%	1.071	0.015	0.03	12.30	12.5	1.047	0.017	22
				Limb	Test data U-	NII-2C(Sepa	rate 0mm)				
Front side	802.11a	116/5580	93.36%	1.071	0.0838	0.07	11.46	12.5	1.272	0.114	22
Back side	802.11a	116/5580	93.36%	1.071	0.0627	0.05	11.46	12.5	1.272	0.085	22
Right side	802.11a	116/5580	93.36%	1.071	0.00416	0.09	11.46	12.5	1.272	0.006	22
Top side	802.11a	116/5580	93.36%	1.071	0.0498	0.01	11.46	12.5	1.272	0.068	22
				Limb Tes	st Data at the	worst case	with Battery 2#				
Back side	802.11a	60/5300	93.36%	1.071	0.122	0.03	12.30	12.5	1.047	0.128	22.3
		•		Limb Tes	st Data at the	worst case	with Battery 3#			•	•
Back side	802.11a	60/5300	93.36%	1.071	0.136	0.09	12.30	12.5	1.047	0.142	22.3

	CDD/MIMO Tes	st data	
Test position	Test mode	Scaled SAR(W/kg)	Liquid Temp
	Head Test d	ata	
Left cheek	802.11n20	0.968	22
Left tilted	802.11n20	0.584	22
Right cheek	802.11n20	0.459	22
Right tilted	802.11n20	0.328	22
	Body worn Test data (S	eparate 15mm)	
Front side	802.11n20	0.078	22
Back side	802.11n20	0.12	22
	Hotspot Test data (Sep	parate 10mm)	
Front side	802.11n20	0.11	22
Back side	802.11n20	0.19	22
Right side	802.11n20	0.053	22
Top side	802.11n20	0.101	22

Table 39: SAR of 5GHz WIFI for Head and Body(Original report E5/2017/90003)

Note:

- 1) The maximum Scaled SAR value is marked in bold. Graph results refer to Appendix B
- If the reported (scaled) SAR measured at the middle channel or highest output power channel for each test configuration is ≤ 0.8 W/kg then testing at the other channels is not required for such test configuration(s).
- 3) Each channel was tested at the lowest data rate.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有论明,此据华结里做新闻建立线是台書,同時此撰是做是2000子。木都华丰德太公司聿简纯可,不可驾份海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sg.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sg.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 445 of 493

8.3.2 SAR Result Of Bluetooth

Test position	Test mode	Test Ch./Freq.	Duty Cycle	Duty Cycle Scaled factor	SAR (W/kg)1-g	Power drift(dB)	Conducted power(dBm)	Tune up Limit (dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
					Head [*]	Test data					
Left cheek	DH5	39/2441	100%	1	0.117	0.09	12.3	13.5	1.318	0.154	22
Left tilted	DH5	39/2441	100%	1	0.113	0.03	12.3	13.5	1.318	0.149	22
Right cheek	DH5	39/2441	100%	1	0.0521	0.07	12.3	13.5	1.318	0.069	22
Right tilted	DH5	39/2441	100%	1	0.0699	-0.08	12.3	13.5	1.318	0.092	22
Head Test Data at the worst case with Battery 2#											
Left cheek	DH5	39/2441	100%	1	0.139	-0.04	12.3	13.5	1.318	0.183	22.3
				Head Tes	t Data at the	worst case v	with Battery 3#				
Left cheek	DH5	39/2441	100%	1	0.149	0.07	12.3	13.5	1.318	0.196	22.3

SAR of Bluetooth for Head(Original report E5/2017/90003)

Test position	Test mode	Test Ch./Freq.	Duty Cycle	Duty Cycle Scaled factor	SAR (W/kg)1-g	Power drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.	
	Hotspot Test data (Separate 10mm)											
Front side	DH5	39/2441	100.00%	1	0.046	-0.08	12.30	13.50	1.318	0.061	22.0	
Back side	DH5	39/2441	100.00%	1	0.048	-0.13	12.30	13.50	1.318	0.063	22.0	
Right side	DH5	39/2441	100.00%	1	0.043	-0.05	12.30	13.50	1.318	0.056	22.0	
Top side	DH5	39/2441	100.00%	1	0.095	0.01	12.30	13.50	1.318	0.125	22.0	
			Hotspot 7	est Data at	the worst ca	ase with Ba	ttery 2# (Separ	ate 10mm)				
Top side	DH5	39/2441	100.00%	1	0.093	0.01	12.30	13.50	1.318	0.123	22.0	
		•	Hotspot 7	est Data at	the worst ca	ase with Ba	ttery 3# (Separ	ate 10mm)				
Top side	DH5	39/2441	100.00%	1	0.089	0.05	12.30	13.50	1.318	0.118	22.0	

Table 41: SAR of Bluetooth for Body.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



: 01

Page : 446 of 493

8.4 Multiple Transmitter Evaluation

8.4.1 Simultaneous SAR SAR test evaluation

Simultaneous Transmission

NO.	Simultaneous TX Combination	Head	Body worn	Hotspot	Product Specific 10-g(0mm)
1	GSM Voice (Ant 1) + BT	Yes	Yes	N/A	Yes
2	GSM Data(Ant 1) + BT	N/A	Yes	N/A	Yes
3	GSM Voice(Ant 2) + BT	Yes	Yes	N/A	Yes
4	GSM Data(Ant 2) + BT	N/A	Yes	N/A	Yes
5	GSM Voice(Ant 1) + Wi-Fi 2.4G(Ant1)/ Wi-Fi 2.4G(Ant2)/ Wi-Fi 2.4G MIMO	Yes	Yes	N/A	Yes
6	GSM DATA(Ant 1) + Wi-Fi 2.4G(Ant1)/ Wi-Fi 2.4G(Ant2)/ Wi-Fi 2.4G MIMO	N/A	Yes	Yes	Yes
7	GSM Voice(Ant 2) + Wi-Fi 2.4G(Ant1)/ Wi-Fi 2.4G(Ant2)/ Wi-Fi 2.4G MIMO	Yes	Yes	N/A	Yes
8	GSM DATA(Ant 2) + Wi-Fi 2.4G(Ant1)/ Wi-Fi 2.4G(Ant2)/ Wi-Fi 2.4G MIMO	N/A	Yes	Yes	Yes
9	UMTS(Ant1) + BT	Yes	Yes	N/A	Yes
10	UMTS(Ant2) + BT	Yes	Yes	N/A	Yes
11	UMTS(Ant 1) + Wi-Fi 2.4G(Ant1)/ Wi-Fi 2.4G(Ant2)/ Wi-Fi 2.4G MIMO	Yes	Yes	Yes	Yes
12	UMTS(Ant 2) + Wi-Fi 2.4G(Ant1)/ Wi-Fi 2.4G(Ant2)/ Wi-Fi 2.4G MIMO	Yes	Yes	Yes	Yes
13	LTE(Ant 1) + Wi-Fi 2.4G(Ant1)/ Wi-Fi 2.4G(Ant2)/ Wi-Fi 2.4G MIMO	Yes	Yes	Yes	Yes
14	LTE(Ant 1) + BT	Yes	Yes	No	Yes
15	LTE(Ant 2) + Wi-Fi 2.4G(Ant1)/ Wi-Fi 2.4G(Ant2)/ Wi-Fi 2.4G MIMO	Yes	Yes	Yes	Yes
16	LTE(Ant 2) + BT	Yes	Yes	No	Yes
17	GSM Voice(Ant 1) + Wi-Fi 5G(Ant1)/ Wi-Fi 5G(Ant2)/ Wi-Fi 5G MIMO	Yes	Yes	N/A	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Rev : 01

: 447 of 493 Page

18	GSM DATA(Ant 1) + Wi-Fi 5G(Ant1)/ Wi-Fi 5G(Ant2)/ Wi-Fi 5G MIMO	N/A	Yes	Yes	Yes
19	GSM Voice(Ant 2) + Wi-Fi 5G(Ant1)/ Wi-Fi 5G(Ant2)/ Wi-Fi 5G MIMO	Yes	Yes	N/A	Yes
20	GSM DATA(Ant 2) + Wi-Fi 5G(Ant1)/ Wi-Fi 5G(Ant2)/ Wi-Fi 5G MIMO	N/A	Yes	Yes	Yes
21	UMTS(Ant 1) + Wi-Fi 5G(Ant1)/ Wi-Fi 5G(Ant2)/ Wi-Fi 5G MIMO	Yes	Yes	Yes	Yes
22	UMTS(Ant 2) + Wi-Fi 5G(Ant1)/ Wi-Fi 5G(Ant2)/ Wi-Fi 5G MIMO	Yes	Yes	Yes	Yes
23	LTE(Ant 1) + Wi-Fi 5G(Ant1)/ Wi-Fi 5G(Ant2)/ Wi-Fi 5G MIMO	Yes	Yes	Yes	Yes
24	LTE(Ant 2) + Wi-Fi 5G(Ant1)/ Wi-Fi 5G(Ant2)/ Wi-Fi 5G MIMO	Yes	Yes	Yes	Yes
25	GSM Voice(Ant 1) + Wi-Fi 2.4G(Ant1)+ Wi-Fi 5G(Ant2)	Yes	Yes	N/A	Yes
26	GSM Data(Ant 1) + Wi-Fi 2.4G(Ant1)+ Wi-Fi 5G(Ant2)	N/A	Yes	Yes	Yes
27	GSM Voice(Ant 2) + Wi-Fi 2.4G(Ant1)+ Wi-Fi 5G(Ant2)	Yes	Yes	N/A	Yes
28	GSM Data(Ant 2) + Wi-Fi 2.4G(Ant1)+ Wi-Fi 5G(Ant2)	N/A	Yes	Yes	Yes
29	UMTS(Ant 1) + Wi-Fi 2.4G(Ant1)+ Wi-Fi 5G(Ant2)	Yes	Yes	Yes	Yes
30	UMTS(Ant 2) + Wi-Fi 2.4G(Ant1)+ Wi-Fi 5G(Ant2)	Yes	Yes	Yes	Yes
31	LTE(Ant 1) + Wi-Fi 2.4G(Ant1)+ Wi-Fi 5G(Ant2)	Yes	Yes	Yes	Yes
32	LTE(Ant 2) + Wi-Fi 2.4G(Ant1)+ Wi-Fi 5G(Ant2)	Yes	Yes	Yes	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Rev : 01

Page : 448 of 493

33	GSM Voice(Ant 1) + Wi-Fi 2.4G(Ant2)+ Wi-Fi 5G(Ant1)	Yes	Yes	N/A	Yes
34	GSM Voice(Ant 1) +Wi-Fi 5G(Ant1/ Ant2/ MIMO)+BT	Yes	Yes	N/A	Yes
35	GSM Voice(Ant 1) + BT+Wi-Fi 5G(Ant1/Ant2/MIMO)+	Yes	Yes	N/A	Yes
36	GSM DATA(Ant 1) + BT+Wi-Fi 5G(Ant1/Ant2/MIMO)+	N/A	Yes	Yes	Yes
37	GSM Voice(Ant 2) + BT+Wi-Fi 5G(Ant1/Ant2/MIMO)+	Yes	Yes	N/A	Yes
38	GSM DATA(Ant 2) + BT+Wi-Fi 5G(Ant1/Ant2/MIMO)+	N/A	Yes	Yes	Yes
39	UMTS(Ant 1) + BT+Wi-Fi 5G(Ant1/Ant2/MIMO)+	Yes	Yes	Yes	Yes
40	UMTS(Ant 2) + BT+Wi-Fi 5G(Ant1/Ant2/MIMO)+	Yes	Yes	Yes	Yes
41	LTE(Ant 1) + BT+Wi-Fi 5G(Ant1/Ant2/MIMO)+	Yes	Yes	Yes	Yes
42	LTE(Ant 2) + BT+Wi-Fi 5G(Ant1/Ant2/MIMO)+	Yes	Yes	Yes	Yes

Note:

- 1) Wi-Fi 2.4G and Bluetooth share the same Tx antenna and can"t transmit simultaneously.
- 2) The device does not support DTM function.
- 3) * VOIP 3rd party applications may possibly be installed and used by the user.
- 4) The device support VoLTE and VoWIFI function.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此數告結果僅對測試之樣品負責,同時此樣品僅保留90天。本數告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 449 of 493

8.4.2 Estimated SAR

When the standalone SAR test exclusion is applied to an antenna that transmits simultaneously with other antennas, the standalone SAR must be estimated according to the following to determine simultaneous transmission SAR test exclusion:

• (max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)]-[√f(GHz)/x] W/kg for test separation distances ≤ 50 mm;

Where x = 7.5 for 1-g SAR, and x = 18.75 for 10-g SAR.

0.4 W/kg for 1-g SAR and 1.0 W/kg for 10-g SAR, when the test separation distances is > 50 mm.

Estimated SAR Result

Freq. Band	Frequency (MHz)	Test Position	Test Separation (mm)	max. power(dBm)	Estimated 1g SAR (W/kg)
Bluetooth	2480	Body-worn	15	13.5	0.313
Bluetooth	2480	Limbs	0	13.5	0.376

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 450 of 493

1) Si	multaneous	s Transmissi	on SAR S	Summat	tion Sce	enario						
WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 2.4G MIMO SAR	⑤ BT SAR	Σ 1-g SAR 1+2	Σ1-g SAR ①+③	Σ1-g SAR ①+④	Σ1-g SAR ①+⑤	Case NO.
		Left Cheek	0.177	0.264	0.310	0.574	0.196	0.441	0.487	0.751	0.373	N/A
		Left Tilt	0.09	0.229	0.154	0.383	0.149	0.319	0.244	0.473	0.239	N/A
	Head	Right Cheek	0.241	0.127	0.128	0.255	0.069	0.368	0.369	0.496	0.310	N/A
		Right Tilt	0.094	0.180	0.111	0.291	0.092	0.274	0.205	0.385	0.186	N/A
		Front(voice)	0.268	0.037	0.013	0.050	0.313	0.305	0.281	0.318	0.581	N/A
	D 1	Back(voice)	0.292	0.054	0.030	0.084	0.313	0.346	0.322	0.376	0.605	N/A
	Body-worn	Front(data)	0.351	0.037	0.013	0.050	0.313	0.388	0.364	0.401	0.664	N/A
		Back(data)	0.38	0.054	0.030	0.084	0.313	0.434	0.410	0.464	0.693	N/A
		Front	0.526	0.104	0.025	0.129	0.061	0.630	0.551	0.655	0.587	N/A
		Back	0.586	0.095	0.123	0.218	0.063	0.681	0.709	0.804	0.649	N/A
	l latan at	Left	0.236	0.000	0.000	0.000	0.000	0.236	0.236	0.236	0.236	N/A
	Hotspot	Right	0.313	0.116	0.000	0.116	0.056	0.429	0.313	0.429	0.369	N/A
		Тор	0	0.315	0.000	0.315	0.125	0.315	0.000	0.315	0.125	N/A
		Bottom	0.416	0.000	0.000	0.000	0.000	0.416	0.416	0.416	0.416	N/A
		Front		/	/	/	0.376	/	/	1	0.376	N/A
		Back	/	/	/	/	0.376	/	1	1	0.376	N/A
		Left	/	/	/	/	0.376	/	1	/	0.376	N/A
	Limbs	Right	/	/	/	/	0.376	1	1	/	0.376	N/A
MA P		Тор	/	/	/	/	0.376	1	/	1	0.376	N/A
		Bottom	/	/	/	/	0.376	/	1	1	0.376	N/A
GSM 850	Exposure position	Test position	① WWAN Ant.2 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 2.4G MIMO SAR	⑤ BT SAR	Σ 1-g SAR ①+②	Σ1-g SAR ①+③	$\begin{array}{c} \Sigma \text{1-g} \\ \text{SAR} \\ \text{+} \\ \end{array}$	Σ1-g SAR ①+⑤	Case NO.
		Left Cheek	0.761	0.264	0.310	0.574	0.196	1.025	1.071	1.335	0.957	N/A
	Head	Left Tilt	0.562	0.229	0.154	0.383	0.149	0.791	0.716	0.945	0.711	N/A
	riodd	Right Cheek	0.975	0.127	0.128	0.255	0.069	1.102	1.103	1.230	1.044	N/A
		Right Tilt	0.707	0.180	0.111	0.291	0.092	0.887	0.818	0.998	0.799	N/A
		Front(voice)	0.352	0.037	0.013	0.050	0.313	0.389	0.365	0.402	0.665	N/A
	Body-worn	Back(voice)	0.336	0.054	0.030	0.084	0.313	0.390	0.366	0.420	0.649	N/A
		Front(data)	0.499	0.037	0.013	0.050	0.313	0.536	0.512	0.549	0.812	N/A
		Back(data)	0.444	0.054	0.030	0.084	0.313	0.498	0.474	0.528	0.757	N/A
Cal L		Front	0.536	0.104	0.025	0.129	0.061	0.640	0.561	0.665	0.597	N/A
		Back	0.502	0.095	0.123	0.218	0.063	0.597	0.625	0.720	0.565	N/A
	Hotspot	Left	0.241	0.000	0.000	0.000	0.000	0.241	0.241	0.241	0.241	N/A
		Right	0.040	0.116	0.000	0.116	0.056	0.156	0.040	0.156	0.096	N/A
		Тор	0.278	0.315	0.000	0.315	0.125	0.593	0.278	0.593	0.403	N/A
		Bottom	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	N/A
1		Front	/	/		1	0.376	/	/	/	0.376	N/A
	Limbs	Back	/	/	1	1	0.376	/	/	/	0.376	N/A
	Limbs			1	1	/	0.376 0.376	/	/	/	0.376 0.376	N/A N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 451 of 493

		Тор	/		1	/	0.376	/	/	/	0.376	N/A
		Bottom	1	1	/	1	0.376	/	/	/	0.376	N/A
WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	② 2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 2.4G MIMO SAR	⑤ BT SAR	Σ1-g SAR ①+②	Σ1-g SAR ①+③	Σ1-g SAR ①+④	Σ1-g SAR ①+⑤	Case NO.
		Left Cheek	0.065	0.264	0.310	0.574	0.196	0.329	0.375	0.639	0.261	N/A
	The state of the s	Left Tilt	0.036	0.229	0.154	0.383	0.149	0.265	0.190	0.419	0.185	N/A
	Head	Right Cheek	0.088	0.127	0.128	0.255	0.069	0.215	0.216	0.343	0.157	N/A
		Right Tilt	0.058	0.180	0.111	0.291	0.092	0.238	0.169	0.349	0.15	N/A
		Front(voice)	0.286	0.037	0.013	0.050	0.313	0.323	0.299	0.336	0.599	N/A
	Dody worn	Back(voice)	0.272	0.054	0.030	0.084	0.313	0.326	0.302	0.356	0.585	N/A
	Body-worn	Front(data)	0.365	0.037	0.013	0.050	0.313	0.402	0.378	0.415	0.678	N/A
		Back(data)	0.383	0.054	0.030	0.084	0.313	0.437	0.413	0.467	0.696	N/A
		Front	0.279	0.104	0.025	0.129	0.061	0.383	0.304	0.408	0.340	N/A
		Back	0.298	0.095	0.123	0.218	0.063	0.393	0.421	0.516	0.361	N/A
	Hotspot	Left	0.058	0.000	0.000	0.000	0.000	0.058	0.058	0.058	0.058	N/A
	Поторот	Right	0.075	0.116	0.000	0.116	0.056	0.191	0.075	0.191	0.131	N/A
		Тор	0	0.315	0.000	0.315	0.125	0.315	0.000	0.315	0.125	N/A
		Bottom	0.791	0.000	0.000	0.000	0.000	0.791	0.791	0.791	0.791	N/A
		Front	1	/	/	/	0.376	/	1	1	0.376	N/A
	04	Back	/	/	/	/	0.376	/	1	/	0.376	N/A
	Limbs	Left	/	/	/	/	0.376	1	1	1	0.376	N/A
	LIIIIDS	Right	/	/	/	/	0.376	/	/	1	0.376	N/A
		Тор	/	/	/	/	0.376	/	1	1	0.376	N/A
GSM		Bottom	1.77	/	/	/	0.376	1.77	1.77	1.77	2.146	N/A
1900	Exposure position	Test position	① WWAN Ant.2 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4) 2.4G MIMO SAR	⑤ BT SAR	Σ 1-g SAR $1+2$	Σ1-g SAR ①+③	Σ 1-g SAR $\widehat{\mathbb{1}}$ + $\widehat{\mathbb{4}}$	Σ 1-g SAR ①+⑤	Case NO.
		Left Cheek	0.280	0.264	0.310	0.574	0.196	0.544	0.590	0.854	0.476	N/A
	Head	Left Tilt	0.394	0.229	0.154	0.383	0.149	0.623	0.548	0.777	0.543	N/A
	ricad	Right Cheek	0.799	0.127	0.128	0.255	0.069	0.926	0.927	1.054	0.868	N/A
		Right Tilt	0.846	0.180	0.111	0.291	0.092	1.026	0.957	1.137	0.938	N/A
		Front(voice)	0.147	0.037	0.013	0.050	0.313	0.184	0.160	0.197	0.460	N/A
	Body-worn	Back(voice)	0.162	0.054	0.030	0.084	0.313	0.216	0.192	0.246	0.475	N/A
	200,	Front(data)	0.182	0.037	0.013	0.050	0.313	0.219	0.195	0.232	0.495	N/A
		Back(data)	0.308	0.054	0.030	0.084	0.313	0.362	0.338	0.392	0.621	N/A
		Front	0.193	0.104	0.025	0.129	0.061	0.297	0.218	0.322	0.254	N/A
		Back	0.165	0.095	0.123	0.218	0.063	0.260	0.288	0.383	0.228	N/A
	Hotspot	Left	0.156	0.000	0.000	0.000	0.000	0.156	0.156	0.156	0.156	N/A
		Right	0.037	0.116	0.000	0.116	0.056	0.153	0.037	0.153	0.093	N/A
		Тор	0.319	0.315	0.000	0.315	0.125	0.634	0.319	0.634	0.444	N/A
		Bottom	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	N/A
		Front	/	/	1	1	0.376	/	/	/	0.376	N/A
	Limbs	Back	1	1	1	/	0.376	/	/	/	0.376	N/A
		Left	1	1	/	/	0.376	/	/	/	0.376	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 452 of 493

Right	1	1	/	/	0.376	/	/	/	0.376	N/A
Тор	1	/	1	1	0.376	/	/	/	0.376	N/A
Bottom	/	/	1	1	0.376	/	/	/	0.376	N/A

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 2.4G MIMO SAR	⑤ BT SAR	Σ 1-g SAR 1+2	Σ1-g SAR ①+③	Σ1-g SAR ①+④	Σ 1-g SAR ①+⑤	Case NO.
700		Left Cheek	0.082	0.264	0.310	0.574	0.196	0.346	0.392	0.656	0.278	N/A
		Left Tilt	0.044	0.229	0.154	0.383	0.149	0.273	0.198	0.427	0.193	N/A
	Head	Right Cheek	0.148	0.127	0.128	0.255	0.069	0.275	0.276	0.403	0.217	N/A
		Right Tilt	0.059	0.180	0.111	0.291	0.092	0.239	0.170	0.350	0.151	N/A
	.	Front	0.425	0.037	0.013	0.050	0.313	0.462	0.438	0.475	0.738	N/A
	Body-worn	Back	0.403	0.054	0.030	0.084	0.313	0.457	0.433	0.487	0.716	N/A
		Front	0.316	0.104	0.025	0.129	0.061	0.420	0.341	0.445	0.377	N/A
		Back	0.305	0.095	0.123	0.218	0.063	0.400	0.428	0.523	0.368	N/A
	l latan at	Left	0.065	0.000	0.000	0.000	0.000	0.065	0.065	0.065	0.065	N/A
	Hotspot	Right	0.061	0.116	0.000	0.116	0.056	0.177	0.061	0.177	0.117	N/A
		Тор	0	0.315	0.000	0.315	0.125	0.315	0.000	0.315	0.125	N/A
		Bottom	0.805	0.000	0.000	0.000	0.000	0.805	0.805	0.805	0.805	N/A
		Front	1	/	/	/	0.376	/	/	1	0.376	N/A
		Back	/	/	/	/	0.376	/	1	/	0.376	N/A
		Left	/	/	/	/	0.376	1	1	1	0.376	N/A
	Limbs	Right	/	/	/	/	0.376	1	/	1	0.376	N/A
		Тор	/	/	/	/	0.376	/	1	1	0.376	N/A
		Bottom	1.753	/	/	/	0.376	1.753	1.753	1.753	2.129	N/A
WCDMA B2	Exposure position	Test position	① WWAN Ant.2 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 2.4G MIMO SAR	⑤ BT SAR	Σ1-g SAR ①+②	Σ1-g SAR ①+③	$\begin{array}{c} \Sigma \text{ 1-g} \\ \text{SAR} \textcircled{1} \\ + \textcircled{4} \end{array}$	Σ1-g SAR ①+⑤	Case NO.
		Left Cheek	0.410	0.264	0.310	0.574	0.196	0.674	0.720	0.984	0.606	N/A
		Left Tilt	0.491	0.229	0.154	0.383	0.149	0.720	0.645	0.874	0.640	N/A
	Head	Right Cheek	0.821	0.127	0.128	0.255	0.069	0.948	0.949	1.076	0.890	N/A
		Right Tilt	0.892	0.180	0.111	0.291	0.092	1.072	1.003	1.183	0.984	N/A
		Front	0.187	0.037	0.013	0.050	0.313	0.224	0.200	0.237	0.500	N/A
	Body-worn	Back	0.214	0.054	0.030	0.084	0.313	0.268	0.244	0.298	0.527	N/A
		Front	0.298	0.104	0.025	0.129	0.061	0.402	0.323	0.427	0.359	N/A
		Back	0.218	0.095	0.123	0.218	0.063	0.313	0.341	0.436	0.281	N/A
64 L	Untract	Left	0.199	0.000	0.000	0.000	0.000	0.199	0.199	0.199	0.199	N/A
	Hotspot	Right	0.055	0.116	0.000	0.116	0.056	0.171	0.055	0.171	0.111	N/A
		Тор	0.423	0.315	0.000	0.315	0.125	0.738	0.423	0.738	0.548	N/A
		Bottom	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	N/A
		Front	/	1	1	/	0.376	/	/	/	0.376	N/A
		Back	1	1	/	1	0.376	/	/	/	0.376	N/A
		Left	1	/	1	1	0.376	/	/	/	0.376	N/A
	Limbs	Right	/	1	1	/	0.376	/	/	/	0.376	N/A
		Тор	/	1	/	/	0.376	/	/	/	0.376	N/A
		Bottom	1	/	/	/	0.376	/	/	/	0.376	N/A
1	1					,						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 453 of 493

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 2.4G MIMO SAR	⑤ BT SAR	Σ 1-g SAR 1+2	Σ1-g SAR ①+③	Σ1-g SAR ①+④	Σ 1-g SAR ①+⑤	Case NO.
		Left Cheek	0.152	0.264	0.310	0.574	0.196	0.416	0.462	0.726	0.348	N/A
		Left Tilt	0.073	0.229	0.154	0.383	0.149	0.302	0.227	0.456	0.222	N/A
	Head	Right Cheek	0.11	0.127	0.128	0.255	0.069	0.237	0.238	0.365	0.179	N/A
		Right Tilt	0.069	0.180	0.111	0.291	0.092	0.249	0.180	0.360	0.161	N/A
	Destaura	Front	0.541	0.037	0.013	0.050	0.313	0.578	0.554	0.591	0.854	N/A
	Body-worn	Back	0.486	0.054	0.030	0.084	0.313	0.540	0.516	0.570	0.799	N/A
		Front	0.343	0.104	0.025	0.129	0.061	0.447	0.368	0.472	0.404	N/A
		Back	0.381	0.095	0.123	0.218	0.063	0.476	0.504	0.599	0.444	N/A
	Hatanat	Left	0.105	0.000	0.000	0.000	0.000	0.105	0.105	0.105	0.105	N/A
	Hotspot	Right	0.053	0.116	0.000	0.116	0.056	0.169	0.053	0.169	0.109	N/A
		Тор	0	0.315	0.000	0.315	0.125	0.315	0.000	0.315	0.125	N/A
		Bottom	0.744	0.000	0.000	0.000	0.000	0.744	0.744	0.744	0.744	N/A
		Front	/	/	1	/	0.376	/	/	/	0.376	N/A
		Back	/	1	/	/	0.376	/	/	/	0.376	N/A
		Left		1	/	/	0.376	/	/	1	0.376	N/A
	Limbs	Right	/	/	/	/	0.376	/	/	_ /	0.376	N/A
		Тор	/	/	/	/	0.376	/	_/	/	0.376	N/A
		Bottom	2.148	/	/	/	0.376	2.148	2.148	2.148	2.524	N/A
WCDMA B4	Exposure position	Test position	① WWAN Ant.2 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 2.4G MIMO SAR	⑤ BT SAR	Σ1-g SAR ①+②	Σ1-g SAR ①+③	Σ 1-g SAR $\textcircled{1}$ + $\textcircled{4}$	Σ1-g SAR ①+⑤	Case NO.
		Left Cheek	0.348	0.264	0.310	0.574	0.196	0.612	0.658	0.922	0.544	N/A
	11	Left Tilt	0.362	0.229	0.154	0.383	0.149	0.591	0.516	0.745	0.511	N/A
	Head	Right Cheek	0.429	0.127	0.128	0.255	0.069	0.556	0.557	0.684	0.498	N/A
		Right Tilt	0.391	0.180	0.111	0.291	0.092	0.571	0.502	0.682	0.483	N/A
	Darkanan	Front	0.303	0.037	0.013	0.050	0.313	0.340	0.316	0.353	0.616	N/A
	Body-worn	Back	0.338	0.054	0.030	0.084	0.313	0.392	0.368	0.422	0.651	N/A
		Front	0.316	0.104	0.025	0.129	0.061	0.420	0.341	0.445	0.377	N/A
		Back	0.368	0.095	0.123	0.218	0.063	0.463	0.491	0.586	0.431	N/A
	Unional	Left	0.221	0.000	0.000	0.000	0.000	0.221	0.221	0.221	0.221	N/A
	Hotspot	Right	0.030	0.116	0.000	0.116	0.056	0.146	0.030	0.146	0.086	N/A
	100	Тор	0.476	0.315	0.000	0.315	0.125	0.791	0.476	0.791	0.601	N/A
		Bottom	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	N/A
		Front	/	/	/	/	0.376	/	1	/	0.376	N/A
		Back	/	/	1	/	0.376	1	/	/	0.376	N/A
	125.1	Left	/	1	1	/	0.376	/	/	/	0.376	N/A
	Limbs	Right	1	1	/	/	0.376	/	/	/	0.376	N/A
		Тор	1	/	1	1	0.376	/	/	/	0.376	N/A
		Bottom	/	/	1	/	0.376	/	/	/	0.376	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 454 of 493 Page

WWAN	Exposure		① WWAN	② 2.4G	③ 2.4G	④ 2.4G	(5)	∑1-g	∑1-g	Σ1-g	∑1-g	Case
Band	position	Test position	Ant.1 SAR	WIFI1 SAR	WIFI2 SAR	MIMO SAR	BT SAR	SAR ①+②	SAR ①+③	SAR ①+④	SAR ①+⑤	NO.
		Left Cheek	0.179	0.264	0.310	0.574	0.196	0.443	0.489	0.753	0.375	N/A
	Head	Left Tilt	0.103	0.229	0.154	0.383	0.149	0.332	0.257	0.486	0.252	N/A
	ricad	Right Cheek	0.247	0.127	0.128	0.255	0.069	0.374	0.375	0.502	0.316	N/A
		Right Tilt	0.105	0.180	0.111	0.291	0.092	0.285	0.216	0.396	0.197	N/A
	Body-worn	Front	0.279	0.037	0.013	0.050	0.313	0.316	0.292	0.329	0.592	N/A
	Body World	Back	0.299	0.054	0.030	0.084	0.313	0.353	0.329	0.383	0.612	N/A
		Front	0.477	0.104	0.025	0.129	0.061	0.581	0.502	0.606	0.538	N/A
		Back	0.506	0.095	0.123	0.218	0.063	0.601	0.629	0.724	0.569	N/A
	Hotspot	Left	0.196	0.000	0.000	0.000	0.000	0.196	0.196	0.196	0.196	N/A
	Πυιδρυι	Right	0.283	0.116	0.000	0.116	0.056	0.399	0.283	0.399	0.339	N/A
		Тор	0	0.315	0.000	0.315	0.125	0.315	0.000	0.315	0.125	N/A
		Bottom	0.369	0.000	0.000	0.000	0.000	0.369	0.369	0.369	0.369	N/A
		Front	1	1		1	0.376	/	/	/	0.376	N/A
		Back	/	/	1	/	0.376	/	/	/	0.376	N/A
		Left	/		1	/	0.376	/	/	/	0.376	N/A
	Limbs	Right	1	1	/	/	0.376	/	/	1	0.376	N/A
		Тор	1	/	/	/	0.376	/	/	/	0.376	N/A
		Bottom	/	/	/	/	0.376	/	1	/	0.376	N/A
WCDMA B5	Exposure position	Test position	① WWAN Ant.2 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 2.4G MIMO SAR	⑤ BT SAR	Σ1-g SAR ①+②	Σ1-g SAR ①+③	$\begin{array}{c} \Sigma \text{ 1-g} \\ \text{SAR} \textcircled{1} \\ + \textcircled{4} \end{array}$	Σ1-g SAR ①+⑤	Cas
		Left Cheek	0.730	0.264	0.310	0.574	0.196	0.994	1.040	1.304	0.926	N/A
		Left Tilt	0.427	0.229	0.154	0.383	0.149	0.656	0.581	0.810	0.576	N/A
	Head	Right Cheek	0.541	0.127	0.128	0.255	0.069	0.668	0.669	0.796	0.610	N/A
		Right Tilt	0.467	0.180	0.111	0.291	0.092	0.647	0.578	0.758	0.559	N//
		Front	0.504	0.037	0.013	0.050	0.313	0.541	0.517	0.554	0.817	N//
	Body-worn	Back	0.451	0.054	0.030	0.084	0.313	0.505	0.481	0.535	0.764	N/A
		Front	0.459	0.104	0.025	0.129	0.061	0.563	0.484	0.588	0.520	N//
		Back	0.419	0.095	0.123	0.218	0.063	0.514	0.542	0.637	0.482	N/A
		Left	0.245	0.000	0.000	0.000	0.000	0.245	0.245	0.245	0.245	N/A
	Hotspot	Right	0.032	0.116	0.000	0.116	0.056	0.148	0.032	0.148	0.088	N/A
	04	Тор	0.244	0.315	0.000	0.315	0.125	0.559	0.244	0.559	0.369	N/A
		Bottom	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	N/A
		Front	/	/	/	/	0.376	/	/	/	0.376	N/A
		Back	/	/	/	/	0.376	/	1	/	0.376	N//
		Left	/	,	1	/	0.376	/	1	/	0.376	N//
	Limbs	Right	/	/	/	/	0.376	/	/	/	0.376	N/A
		Top	/	1	/	/	0.376	/	/	/	0.376	N//
	Ī	ıυρ	,	/	,	,	0.570	,	ı ′	,	0.570	1 11//

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 455 of 493

Exposure position Test position Test position Test position Test position Test position Test position Ant.1 WilFl1 WilFl2 Wi												
Head Left Tilt Right Cheek 0.189 0.157 0.229 0.154 0.383 0.149 0.300 0.225 0.454 0.22 N/A		Test position	WWAN Ant.1	2.4G WIFI1	2.4G WIFI2	2.4G MIMO	ВТ	SAR	SAR	SAR	SAR	
Head Right Cheek 0.189 0.127 0.128 0.255 0.069 0.316 0.317 0.444 0.258 N/A Right Tilt 0.098 0.180 0.111 0.291 0.092 0.278 0.299 0.399 0.19 N/A Body-worn Front 0.618 0.037 0.013 0.050 0.313 0.655 0.631 0.668 0.931 N/A Model		Left Cheek	0.146	0.264			0.196	0.410	0.456	0.720	0.342	N/A
Right Cheek 0.199 0.127 0.128 0.255 0.069 0.316 0.317 0.444 0.258 N/A		Left Tilt	0.071	0.229	0.154	0.383	0.149	0.300	0.225	0.454	0.22	N/A
Body-worn	Head	Right Cheek	0.189	0.127	0.128	0.255	0.069	0.316	0.317	0.444	0.258	N/A
Back		Right Tilt	0.098	0.180	0.111	0.291	0.092	0.278	0.209	0.389	0.19	N/A
Back		Front	0.618	0.037	0.013	0.050	0.313	0.655	0.631	0.668	0.931	N/A
Hotspot Ho	Body-worn	Back	0.54	0.054	0.030	0.084	0.313	0.594	0.570	0.624	0.853	N/A
Hotspot		Front	0.278	0.104	0.025	0.129	0.061	0.382	0.303	0.407	0.339	N/A
Hotspot		Back	0.302	0.095	0.123	0.218	0.063	0.397	0.425	0.520	0.365	N/A
Right 0.066 0.116 0.000 0.116 0.056 0.182 0.066 0.182 0.122 N/A	11-1	Left	0.055	0.000	0.000	0.000	0.000	0.055	0.055	0.055	0.055	N/A
Bottom 0.754 0.000 0.000 0.000 0.754 0.754 0.754 0.754 0.754 N/A	Hotspot	Right	0.066	0.116	0.000	0.116	0.056	0.182	0.066	0.182	0.122	N/A
Front		Тор	0	0.315	0.000	0.315	0.125	0.315	0.000	0.315	0.125	N/A
Limbs Back		Bottom	0.754	0.000	0.000	0.000	0.000	0.754	0.754	0.754	0.754	N/A
Left		Front	1	/		1	0.376	/	/	/	0.376	N/A
Limbs Right		Back	/	1	1	1	0.376	/	/	/	0.376	N/A
Right		Left	/		1	/	0.376	/	/	/	0.376	N/A
Bottom 1.700	Limbs	Right	1	/	/	/	0.376	/	/	1	0.376	N/A
LTE B2 Exposure position Test position Test position Test position Ant.2 WIFI1 SAR		Тор	1	/	/	/	0.376	/	/	/	0.376	N/A
LTE Exposure position Test position MANL2 SAR MIRI2 SAR SAR MIRID SAR		Bottom	1.700	/	/	/	0.376	1.700	1.700	1.700	2.076	N/A
Head Head Left Tilt 0.378 0.229 0.154 0.383 0.149 0.607 0.532 0.761 0.527 N/A Right Cheek 0.743 0.127 0.128 0.255 0.069 0.870 0.871 0.998 0.812 N/A Right Tilt 0.658 0.180 0.111 0.291 0.092 0.838 0.769 0.949 0.750 N/A Body-worn Front 0.151 0.037 0.013 0.050 0.313 0.188 0.164 0.201 0.464 N/A Back 0.204 0.054 0.030 0.084 0.313 0.258 0.234 0.288 0.517 N/A Front 0.293 0.104 0.025 0.129 0.061 0.397 0.318 0.422 0.354 N/A Back 0.255 0.095 0.123 0.218 0.063 0.350 0.378 0.473 0.318 N/A Left 0.165 0.000 0.000 0.000 0.000 0.165 0.165 0.165 0.165 N/A Right 0.231 0.116 0.000 0.116 0.056 0.347 0.231 0.347 0.287 N/A Top 0.524 0.315 0.000 0.315 0.125 0.839 0.524 0.839 0.649 N/A Bottom 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 Limbs Front / / / / 0.376 / / / 0.376 N/A Left / / / / / 0.376 / / / / 0.376 N/A Right / / / / / 0.376 / / / / 0.376 N/A Right / / / / / 0.376 / / / / 0.376 N/A Right / / / / / / 0.376 / / / / 0.376 N/A Right / / / / / / 0.376 / / / / 0.376 N/A Right / / / / / / 0.376 / / / / 0.376 N/A Right / / / / / / 0.376 / / / / / 0.376 N/A Right / / / / / / / 0.376 / / / / / 0.376 N/A Right / / / / / / / 0.376 / / / / / / 0.376 N/A Right / / / / / / / / 0.376 / / / / / / 0.376 N/A Right / / / / / / / / 0.376 / / / / / / 0.376 N/A Right / / / / / / / / / 0.376 / / / / / / / 0.376 N/A Right / / / / / / / / / 0.376 / / / / / / / / 0.376 N/A Right / / / / / / / / / / / / / / / / / /		Test position	WWAN Ant.2	2.4G WIFI1	2.4G WIFI2	2.4G MIMO	BT	SAR	SAR	SAR1	SAR	
Right Cheek 0.743 0.127 0.128 0.255 0.069 0.870 0.871 0.998 0.812 N/A		Left Cheek	0.292	0.264	0.310	0.574	0.196	0.556	0.602	0.866	0.488	N/A
Right Cheek 0.743 0.127 0.128 0.255 0.069 0.870 0.871 0.998 0.812 N/A	l laad	Left Tilt	0.378	0.229	0.154	0.383	0.149	0.607	0.532	0.761	0.527	N/A
Body-worn Back 0.151 0.037 0.013 0.050 0.313 0.188 0.164 0.201 0.464 N/A	Head	Right Cheek	0.743	0.127	0.128	0.255	0.069	0.870	0.871	0.998	0.812	N/A
Back 0.204 0.054 0.030 0.084 0.313 0.258 0.234 0.288 0.517 N/A		Right Tilt	0.658	0.180	0.111	0.291	0.092	0.838	0.769	0.949	0.750	N/A
Hotspot Hotspot Hotspot Limbs Hotspot Back 0.204 0.024 0.054 0.030 0.084 0.313 0.258 0.234 0.288 0.517 N/A 0.287 N/A 0.293 0.104 0.025 0.129 0.061 0.397 0.318 0.422 0.354 N/A 0.318 N/A 0.422 0.354 N/A 0.473 0.318 N/A 0.347 0.347 0.347 0.287 N/A 0.376 N/A 0.376 N/A 0.376 N/A 0.376 N/A 0.376 N/A 0.376 N/A 0.376 N/A 0.376 N/A 0.376 N/A 0.376 N/A 0.376 N/A 0.376 N/A 0.376 N/A	Daduusana	Front	0.151	0.037	0.013	0.050	0.313	0.188	0.164	0.201	0.464	N/A
Hotspot Back 0.255 0.095 0.123 0.218 0.063 0.350 0.378 0.473 0.318 N/A	Body-worn	Back	0.204	0.054	0.030	0.084	0.313	0.258	0.234	0.288	0.517	N/A
Hotspot Left 0.165 0.000 0.000 0.000 0.165 0.165 0.165 0.165 N/A		Front	0.293	0.104	0.025	0.129	0.061	0.397	0.318	0.422	0.354	N/A
Right 0.231 0.116 0.000 0.116 0.056 0.347 0.231 0.347 0.287 N/A Top 0.524 0.315 0.000 0.315 0.125 0.839 0.524 0.839 0.649 N/A Bottom 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 N/A Front /		Back	0.255	0.095	0.123	0.218	0.063	0.350	0.378	0.473	0.318	N/A
Right 0.231 0.116 0.000 0.116 0.056 0.347 0.231 0.347 0.287 N/A	Llotonot	Left	0.165	0.000	0.000	0.000	0.000	0.165	0.165	0.165	0.165	N/A
Bottom 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 N/A Front / / / / 0.376 / / / 0.376 N/A Back / / / / 0.376 / / / 0.376 N/A Left / / / / 0.376 / / / 0.376 N/A Right / / / / 0.376 / / / 0.376 N/A	поіѕроі	Right	0.231	0.116	0.000	0.116	0.056	0.347	0.231	0.347	0.287	N/A
Front		Тор	0.524	0.315	0.000	0.315	0.125	0.839	0.524	0.839	0.649	N/A
Limbs Back / / / / 0.376 / / 0.376 N/A Left / / / 0.376 / / / 0.376 N/A Right / / / 0.376 / / / 0.376 N/A	100	Bottom	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	N/A
Limbs Left / / / 0.376 / / 0.376 N/A Right / / / 0.376 N/A		Front	/	/	/	/	0.376	/	/	1	0.376	N/A
Limbs Right / / / 0.376 / / 0.376 N/A		Back	/	/	/	/	0.376	/	/	1	0.376	N/A
Right / / / 0.376 / / 0.376 N/A	I factor	Left	/	/	1	/	0.376	1	1	/	0.376	N/A
Top / / / 0.376 / / 0.376 N/A	LIMBS	Right	/	1	/	/	0.376	/	/	/	0.376	N/A
		Тор	1	1	/	/	0.376	/	/	/	0.376	N/A
Bottom / / / 0.376 / / 0.376 N/A		Bottom	1	/	1	1	0.376	/	/	/	0.376	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 456 of 493

	•								1			
WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	2.4G MIMO SAR	⑤ BT SAR	Σ 1-g SAR 1+2	Σ1-g SAR ①+3	Σ 1-g SAR $1+4$	Σ 1-g SAR ①+⑤	Case NO.
		Left Cheek	0.13	0.264	0.310	0.574	0.196	0.394	0.440	0.704	0.326	N/A
	Haad	Left Tilt	0.046	0.229	0.154	0.383	0.149	0.275	0.200	0.429	0.195	N/A
	Head	Right Cheek	0.104	0.127	0.128	0.255	0.069	0.231	0.232	0.359	0.173	N/A
		Right Tilt	0.066	0.180	0.111	0.291	0.092	0.246	0.177	0.357	0.158	N/A
	Dody worn	Front	0.381	0.037	0.013	0.050	0.313	0.418	0.394	0.431	0.694	N/A
	Body-worn	Back	0.372	0.054	0.030	0.084	0.313	0.426	0.402	0.456	0.685	N/A
		Front	0.416	0.104	0.025	0.129	0.061	0.520	0.441	0.545	0.477	N/A
		Back	0.412	0.095	0.123	0.218	0.063	0.507	0.535	0.630	0.475	N/A
	Hotonot	Left	0.096	0.000	0.000	0.000	0.000	0.096	0.096	0.096	0.096	N/A
	Hotspot	Right	0.056	0.116	0.000	0.116	0.056	0.172	0.056	0.172	0.112	N/A
		Тор	0	0.315	0.000	0.315	0.125	0.315	0.000	0.315	0.125	N/A
		Bottom	0.865	0.000	0.000	0.000	0.000	0.865	0.865	0.865	0.865	N/A
		Front	1	/		1	0.376	/	/	/	0.376	N/A
		Back	/	/	1	/	0.376	/	/	/	0.376	N/A
		Left	/		1	/	0.376	/	/	/	0.376	N/A
	Limbs	Right	1	/	/	/	0.376	/	/	1	0.376	N/A
		Тор	1	/	/	/	0.376	/	/	1	0.376	N/A
		Bottom	1.983	/	/	/	0.376	1.983	1.983	1.983	2.359	N/A
LTE B4	Exposure position	Test position	① WWAN Ant.2 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 2.4G MIMO SAR	⑤ BT SAR	Σ1-g SAR ①+②	Σ1-g SAR ①+③	Σ 1-g SAR① +④	Σ1-g SAR ①+⑤	Case NO.
		Left Cheek	0.327	0.264	0.310	0.574	0.196	0.591	0.637	0.901	0.523	N/A
		Left Tilt	0.322	0.229	0.154	0.383	0.149	0.551	0.476	0.705	0.471	N/A
	Head	Right Cheek	0.417	0.127	0.128	0.255	0.069	0.544	0.545	0.672	0.486	N/A
		Right Tilt	0.469	0.180	0.111	0.291	0.092	0.649	0.580	0.760	0.561	N/A
		Front	0.342	0.037	0.013	0.050	0.313	0.379	0.355	0.392	0.655	N/A
	Body-worn	Back	0.390	0.054	0.030	0.084	0.313	0.444	0.420	0.474	0.703	N/A
		Front	0.453	0.104	0.025	0.129	0.061	0.557	0.478	0.582	0.514	N/A
		Back	0.504	0.095	0.123	0.218	0.063	0.599	0.627	0.722	0.567	N/A
		Left	0.324	0.000	0.000	0.000	0.000	0.324	0.324	0.324	0.324	N/A
	Hotspot	Right	0.098	0.116	0.000	0.116	0.056	0.214	0.098	0.214	0.154	N/A
	(ea	Тор	0.521	0.315	0.000	0.315	0.125	0.836	0.521	0.836	0.646	N/A
		Bottom	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	N/A
		Front	/	/	/	/	0.376	/	/	1	0.376	N/A
		Back	/	/	/	/	0.376	/	1	/	0.376	N/A
		Left	/	/	1	/	0.376	1	1	/	0.376	N/A
	Limbs	Right	/	/	/	/	0.376	/	/	/	0.376	N/A
		Тор	/	1	/	/	0.376	/	/	/	0.376	N/A
		· '							ļ			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 457 of 493

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	2.4G MIMO SAR	⑤ BT SAR	Σ 1-g SAR 1+2	Σ1-g SAR ①+③	Σ 1-g SAR $1+4$	Σ1-g SAR ①+⑤	Case NO.
		Left Cheek	0.093	0.264	0.310	0.574	0.196	0.357	0.403	0.667	0.289	N/A
		Left Tilt	0.047	0.229	0.154	0.383	0.149	0.276	0.201	0.430	0.196	N/A
	Head	Right Cheek	0.126	0.127	0.128	0.255	0.069	0.253	0.254	0.381	0.195	N/A
		Right Tilt	0.054	0.180	0.111	0.291	0.092	0.234	0.165	0.345	0.146	N/A
		Front	0.147	0.037	0.013	0.050	0.313	0.184	0.160	0.197	0.460	N/A
	Body-worn	Back	0.15	0.054	0.030	0.084	0.313	0.204	0.180	0.234	0.463	N/A
		Front	0.223	0.104	0.025	0.129	0.061	0.327	0.248	0.352	0.284	N/A
		Back	0.26	0.095	0.123	0.218	0.063	0.355	0.383	0.478	0.323	N/A
		Left	0.062	0.000	0.000	0.000	0.000	0.062	0.062	0.062	0.062	N/A
	Hotspot	Right	0.156	0.116	0.000	0.116	0.056	0.272	0.156	0.272	0.212	N/A
		Тор	0	0.315	0.000	0.315	0.125	0.315	0.000	0.315	0.125	N/A
		Bottom	0.195	0.000	0.000	0.000	0.000	0.195	0.195	0.195	0.195	N/A
		Front	1	/		1	0.376	/	/	/	0.376	N/A
		Back	/	/	1	/	0.376	/	/	/	0.376	N/A
		Left	/	1	/	/	0.376	/	/	/	0.376	N/A
	Limbs	Right	1	/	/	/	0.376	/	/	/	0.376	N/A
		Тор	1	/	/	/	0.376	/	/	/	0.376	N/A
		Bottom	/	/	/	/	0.376	/	1	/	0.376	N/A
LTE B5	Exposure position	Test position	① WWAN Ant.2 SAR	2 2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 2.4G MIMO SAR	⑤ BT SAR	Σ 1-g SAR $1+2$	Σ1-g SAR ①+③	Σ 1-g SAR① +④	Σ1-g SAR ①+⑤	Case NO.
		Left Cheek	0.390	0.264			0.196	0.654	0.700			N/A
				0.20	0.310	0.574	000	0.00.	0.700	0.964	0.586	IN/A
		Left Tilt	0.294	0.229	0.310	0.383	0.149	0.523	0.448	0.964 0.677	0.586 0.443	N/A
	Head	Left Tilt Right Cheek	0.294 0.419									
	Head			0.229	0.154	0.383	0.149	0.523	0.448	0.677	0.443	N/A
		Right Cheek	0.419	0.229 0.127	0.154 0.128	0.383 0.255	0.149 0.069	0.523 0.546	0.448 0.547	0.677 0.674	0.443 0.488	N/A N/A
	Head Body-worn	Right Cheek Right Tilt	0.419 0.429	0.229 0.127 0.180	0.154 0.128 0.111	0.383 0.255 0.291	0.149 0.069 0.092	0.523 0.546 0.609	0.448 0.547 0.540	0.677 0.674 0.720	0.443 0.488 0.521	N/A N/A N/A
		Right Cheek Right Tilt Front	0.419 0.429 0.489	0.229 0.127 0.180 0.037	0.154 0.128 0.111 0.013	0.383 0.255 0.291 0.050	0.149 0.069 0.092 0.313	0.523 0.546 0.609 0.526	0.448 0.547 0.540 0.502	0.677 0.674 0.720 0.539	0.443 0.488 0.521 0.802	N/A N/A N/A N/A
		Right Cheek Right Tilt Front Back	0.419 0.429 0.489 0.455	0.229 0.127 0.180 0.037 0.054	0.154 0.128 0.111 0.013 0.030	0.383 0.255 0.291 0.050 0.084	0.149 0.069 0.092 0.313 0.313	0.523 0.546 0.609 0.526 0.509	0.448 0.547 0.540 0.502 0.485	0.677 0.674 0.720 0.539 0.539	0.443 0.488 0.521 0.802 0.768	N/A N/A N/A N/A
	Body-worn	Right Cheek Right Tilt Front Back Front	0.419 0.429 0.489 0.455 0.413	0.229 0.127 0.180 0.037 0.054 0.104	0.154 0.128 0.111 0.013 0.030 0.025	0.383 0.255 0.291 0.050 0.084 0.129	0.149 0.069 0.092 0.313 0.313	0.523 0.546 0.609 0.526 0.509 0.517	0.448 0.547 0.540 0.502 0.485 0.438	0.677 0.674 0.720 0.539 0.539	0.443 0.488 0.521 0.802 0.768 0.474	N/A N/A N/A N/A N/A
		Right Cheek Right Tilt Front Back Front Back	0.419 0.429 0.489 0.455 0.413 0.385	0.229 0.127 0.180 0.037 0.054 0.104 0.095	0.154 0.128 0.111 0.013 0.030 0.025 0.123	0.383 0.255 0.291 0.050 0.084 0.129 0.218	0.149 0.069 0.092 0.313 0.313 0.061 0.063	0.523 0.546 0.609 0.526 0.509 0.517 0.480	0.448 0.547 0.540 0.502 0.485 0.438 0.508	0.677 0.674 0.720 0.539 0.539 0.542 0.603	0.443 0.488 0.521 0.802 0.768 0.474 0.448	N/A N/A N/A N/A N/A N/A
	Body-worn	Right Cheek Right Tilt Front Back Front Back Left	0.419 0.429 0.489 0.455 0.413 0.385 0.218	0.229 0.127 0.180 0.037 0.054 0.104 0.095 0.000	0.154 0.128 0.111 0.013 0.030 0.025 0.123 0.000	0.383 0.255 0.291 0.050 0.084 0.129 0.218 0.000	0.149 0.069 0.092 0.313 0.313 0.061 0.063	0.523 0.546 0.609 0.526 0.509 0.517 0.480 0.218	0.448 0.547 0.540 0.502 0.485 0.438 0.508 0.218	0.677 0.674 0.720 0.539 0.539 0.542 0.603 0.218	0.443 0.488 0.521 0.802 0.768 0.474 0.448 0.218	N/A N/A N/A N/A N/A N/A N/A
	Body-worn	Right Cheek Right Tilt Front Back Front Back Left Right	0.419 0.429 0.489 0.455 0.413 0.385 0.218 0.038	0.229 0.127 0.180 0.037 0.054 0.104 0.095 0.000 0.116	0.154 0.128 0.111 0.013 0.030 0.025 0.123 0.000 0.000	0.383 0.255 0.291 0.050 0.084 0.129 0.218 0.000 0.116	0.149 0.069 0.092 0.313 0.313 0.061 0.063 0.000 0.056	0.523 0.546 0.609 0.526 0.509 0.517 0.480 0.218 0.154	0.448 0.547 0.540 0.502 0.485 0.438 0.508 0.218 0.038	0.677 0.674 0.720 0.539 0.539 0.542 0.603 0.218 0.154	0.443 0.488 0.521 0.802 0.768 0.474 0.448 0.218 0.094	N/A N/A N/A N/A N/A N/A N/A N/A
a P	Body-worn	Right Cheek Right Tilt Front Back Front Back Left Right Top	0.419 0.429 0.489 0.455 0.413 0.385 0.218 0.038 0.310	0.229 0.127 0.180 0.037 0.054 0.104 0.095 0.000 0.116 0.315	0.154 0.128 0.111 0.013 0.030 0.025 0.123 0.000 0.000	0.383 0.255 0.291 0.050 0.084 0.129 0.218 0.000 0.116 0.315	0.149 0.069 0.092 0.313 0.313 0.061 0.063 0.000 0.056	0.523 0.546 0.609 0.526 0.509 0.517 0.480 0.218 0.154 0.625	0.448 0.547 0.540 0.502 0.485 0.438 0.508 0.218 0.038 0.310	0.677 0.674 0.720 0.539 0.539 0.542 0.603 0.218 0.154 0.625	0.443 0.488 0.521 0.802 0.768 0.474 0.448 0.218 0.094 0.435	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
39	Body-worn	Right Cheek Right Tilt Front Back Front Back Left Right Top Bottom	0.419 0.429 0.489 0.455 0.413 0.385 0.218 0.038 0.310 0.000	0.229 0.127 0.180 0.037 0.054 0.104 0.095 0.000 0.116 0.315 0.000	0.154 0.128 0.111 0.013 0.030 0.025 0.123 0.000 0.000 0.000	0.383 0.255 0.291 0.050 0.084 0.129 0.218 0.000 0.116 0.315 0.000	0.149 0.069 0.092 0.313 0.313 0.061 0.063 0.000 0.056 0.125 0.000	0.523 0.546 0.609 0.526 0.509 0.517 0.480 0.218 0.154 0.625 0.000	0.448 0.547 0.540 0.502 0.485 0.438 0.508 0.218 0.038 0.310 0.000	0.677 0.674 0.720 0.539 0.539 0.542 0.603 0.218 0.154 0.625 0.000	0.443 0.488 0.521 0.802 0.768 0.474 0.448 0.218 0.094 0.435 0.000	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
35	Body-worn Hotspot	Right Cheek Right Tilt Front Back Front Back Left Right Top Bottom Front	0.419 0.429 0.489 0.455 0.413 0.385 0.218 0.038 0.310 0.000	0.229 0.127 0.180 0.037 0.054 0.104 0.095 0.000 0.116 0.315 0.000	0.154 0.128 0.111 0.013 0.030 0.025 0.123 0.000 0.000 0.000 /	0.383 0.255 0.291 0.050 0.084 0.129 0.218 0.000 0.116 0.315 0.000	0.149 0.069 0.092 0.313 0.313 0.061 0.063 0.000 0.056 0.125 0.000 0.376	0.523 0.546 0.609 0.526 0.509 0.517 0.480 0.218 0.154 0.625 0.000	0.448 0.547 0.540 0.502 0.485 0.438 0.508 0.218 0.038 0.310 0.000	0.677 0.674 0.720 0.539 0.539 0.542 0.603 0.218 0.154 0.625 0.000	0.443 0.488 0.521 0.802 0.768 0.474 0.448 0.218 0.094 0.435 0.000 0.376	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
	Body-worn	Right Cheek Right Tilt Front Back Front Back Left Right Top Bottom Front Back	0.419 0.429 0.489 0.455 0.413 0.385 0.218 0.038 0.310 0.000	0.229 0.127 0.180 0.037 0.054 0.104 0.095 0.000 0.116 0.315 0.000 /	0.154 0.128 0.111 0.013 0.030 0.025 0.123 0.000 0.000 0.000 /	0.383 0.255 0.291 0.050 0.084 0.129 0.218 0.000 0.116 0.315 0.000 /	0.149 0.069 0.092 0.313 0.313 0.061 0.063 0.000 0.056 0.125 0.000 0.376	0.523 0.546 0.609 0.526 0.509 0.517 0.480 0.218 0.154 0.625 0.000	0.448 0.547 0.540 0.502 0.485 0.438 0.508 0.218 0.038 0.310 0.000	0.677 0.674 0.720 0.539 0.539 0.542 0.603 0.218 0.154 0.625 0.000	0.443 0.488 0.521 0.802 0.768 0.474 0.448 0.218 0.094 0.435 0.000 0.376	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
30	Body-worn Hotspot	Right Cheek Right Tilt Front Back Front Back Left Right Top Bottom Front Back Left	0.419 0.429 0.489 0.455 0.413 0.385 0.218 0.038 0.310 0.000 / /	0.229 0.127 0.180 0.037 0.054 0.104 0.095 0.000 0.116 0.315 0.000 / /	0.154 0.128 0.111 0.013 0.030 0.025 0.123 0.000 0.000 0.000 /	0.383 0.255 0.291 0.050 0.084 0.129 0.218 0.000 0.116 0.315 0.000 /	0.149 0.069 0.092 0.313 0.313 0.061 0.063 0.000 0.056 0.125 0.000 0.376 0.376	0.523 0.546 0.609 0.526 0.509 0.517 0.480 0.218 0.154 0.625 0.000	0.448 0.547 0.540 0.502 0.485 0.438 0.508 0.218 0.038 0.310 0.000	0.677 0.674 0.720 0.539 0.539 0.542 0.603 0.218 0.154 0.625 0.000 /	0.443 0.488 0.521 0.802 0.768 0.474 0.448 0.218 0.094 0.435 0.000 0.376 0.376	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
36	Body-worn Hotspot	Right Cheek Right Tilt Front Back Front Back Left Right Top Bottom Front Back Left Right	0.419 0.429 0.489 0.455 0.413 0.385 0.218 0.038 0.310 0.000 / / /	0.229 0.127 0.180 0.037 0.054 0.104 0.095 0.000 0.116 0.315 0.000 / / /	0.154 0.128 0.111 0.013 0.030 0.025 0.123 0.000 0.000 / / / /	0.383 0.255 0.291 0.050 0.084 0.129 0.218 0.000 0.116 0.315 0.000 / / /	0.149 0.069 0.092 0.313 0.313 0.061 0.063 0.000 0.056 0.125 0.000 0.376 0.376 0.376	0.523 0.546 0.609 0.526 0.509 0.517 0.480 0.218 0.154 0.625 0.000 /	0.448 0.547 0.540 0.502 0.485 0.438 0.508 0.218 0.038 0.310 0.000 /	0.677 0.674 0.720 0.539 0.539 0.542 0.603 0.218 0.154 0.625 0.000 / / /	0.443 0.488 0.521 0.802 0.768 0.474 0.448 0.218 0.094 0.435 0.000 0.376 0.376 0.376	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 458 of 493

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 2.4G MIMO SAR	⑤ BT SAR	Σ 1-g SAR 1+2	Σ1-g SAR ①+③	Σ1-g SAR ①+④	Σ1-g SAR ①+⑤	Case NO.
		Left Cheek	0.039	0.264	0.310	0.574	0.196	0.303	0.349	0.613	0.235	N/A
		Left Tilt	0.031	0.229	0.154	0.383	0.149	0.260	0.185	0.414	0.18	N/A
	Head	Right Cheek	0.165	0.127	0.128	0.255	0.069	0.292	0.293	0.420	0.234	N/A
		Right Tilt	0.042	0.180	0.111	0.291	0.092	0.222	0.153	0.333	0.134	N/A
	Daduusana	Front	0.466	0.037	0.013	0.050	0.313	0.503	0.479	0.516	0.779	N/A
	Body-worn	Back	0.437	0.054	0.030	0.084	0.313	0.491	0.467	0.521	0.750	N/A
4 6		Front	0.215	0.104	0.025	0.129	0.061	0.319	0.240	0.344	0.276	N/A
		Back	0.199	0.095	0.123	0.218	0.063	0.294	0.322	0.417	0.262	N/A
	Hotopot	Left	0.122	0.000	0.000	0.000	0.000	0.122	0.122	0.122	0.122	N/A
	Hotspot	Right	0.032	0.116	0.000	0.116	0.056	0.148	0.032	0.148	0.088	N/A
		Тор	0	0.315	0.000	0.315	0.125	0.315	0.000	0.315	0.125	N/A
		Bottom	0.602	0.000	0.000	0.000	0.000	0.602	0.602	0.602	0.602	N/A
		Front	1	/		1	0.376	/	/	/	0.376	N/A
		Back	/	/	1	1	0.376	/	/	/	0.376	N/A
	Limbo	Left	/		1	/	0.376	/	/	/	0.376	N/A
	Limbs	Right	1	/	/	/	0.376	/	/	/	0.376	N/A
		Тор	1	/	/	/	0.376	/	/	/	0.376	N/A
	04	Bottom	2.584	/	/	/	0.376	2.584	2.584	2.584	2.960	N/A
LTE B7	Exposure position	Test position	① WWAN Ant.2 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 2.4G MIMO SAR	⑤ BT SAR	Σ 1-g SAR $1+2$	Σ1-g SAR ①+③	Σ 1-g SAR $\widehat{\mathbb{1}}$ + $\widehat{\mathbb{4}}$	Σ1-g SAR ①+⑤	Case NO.
		Left Cheek	0.193	0.264	0.310	0.574	0.196	0.457	0.503	0.767	0.389	N/A
	Llood	Left Tilt	0.175	0.229	0.154	0.383	0.149	0.404	0.329	0.558	0.324	N/A
	Head	Right Cheek	0.521	0.127	0.128	0.255	0.069	0.648	0.649	0.776	0.590	N/A
		Right Tilt	0.391	0.180	0.111	0.291	0.092	0.571	0.502	0.682	0.483	N/A
	Pody worn	Front	0.046	0.037	0.013	0.050	0.313	0.083	0.059	0.096	0.359	N/A
	Body-worn	Back	0.101	0.054	0.030	0.084	0.313	0.155	0.131	0.185	0.414	N/A
		Front	0.059	0.104	0.025	0.129	0.061	0.163	0.084	0.188	0.120	N/A
		Back	0.112	0.095	0.123	0.218	0.063	0.207	0.235	0.330	0.175	N/A
	Hotspot	Left	0.072	0.000	0.000	0.000	0.000	0.072	0.072	0.072	0.072	N/A
	Ποιδροί	Right	0.032	0.116	0.000	0.116	0.056	0.148	0.032	0.148	0.088	N/A
		Тор	0.136	0.315	0.000	0.315	0.125	0.451	0.136	0.451	0.261	N/A
	120/	Bottom	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	N/A
		Front	/	/	/	/	0.376	/	/	1	0.376	N/A
		Back	/	/	/	/	0.376	/	/	1	0.376	N/A
	Limbs	Left	/	/	1	/	0.376	1	1	/	0.376	N/A
	LIIIDS	Right	/	1	/	/	0.376	/	/	/	0.376	N/A
		Тор	1	1	/	/	0.376	/	/	/	0.376	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 459 of 493 Page

Exposure position Test position WiWAN Ant.1 WiFI1 WiFI2												
Head Left Tilt 0.063 0.229 0.154 0.383 0.149 0.292 0.217 0.446 0.212 N/A		Test position	WWAN Ant.1	2.4G WIFI1	2.4G WIFI2	2.4G MIMO	BT	SAR	SAR	SAR	SAR	
Head Right Cheek 0.102 0.127 0.128 0.255 0.069 0.229 0.230 0.357 0.171 N/A		Left Cheek	0.074	0.264			0.196	0.338	0.384	0.648	0.27	N/A
Right Cheek 0.102 0.127 0.128 0.255 0.069 0.229 0.230 0.357 0.171 NJA		Left Tilt	0.063	0.229	0.154	0.383	0.149	0.292	0.217	0.446	0.212	N/A
Body-worn Back 0.156 0.037 0.013 0.050 0.313 0.193 0.169 0.206 0.469 N/A	Head	Right Cheek	0.102	0.127	0.128	0.255	0.069	0.229	0.230	0.357	0.171	N/A
Back		Right Tilt	0.045	0.180	0.111	0.291	0.092	0.225	0.156	0.336	0.137	N/A
Back		Front	0.156	0.037	0.013	0.050	0.313	0.193	0.169	0.206	0.469	N/A
Hotspot Ho	Body-worn	Back	0.184	0.054	0.030	0.084	0.313	0.238	0.214	0.268	0.497	N/A
Hotspot Hotspot Left 0.098 0.000 0.000 0.000 0.008 0.098 0.098 0.098 0.098 0.098 0.098 0.098 0.098 0.098 0.098 0.214 0.316 0.000 0.116 0.056 0.330 0.214 0.330 0.270 N/A Top 0 0.315 0.000 0.000 0.000 0.166		Front	0.23	0.104	0.025	0.129	0.061	0.334	0.255	0.359	0.291	N/A
Hotspot		Back	0.273	0.095	0.123	0.218	0.063	0.368	0.396	0.491	0.336	N/A
Right 0.214 0.116 0.000 0.116 0.056 0.330 0.214 0.330 0.270 N/A	Hatanat	Left	0.098	0.000	0.000	0.000	0.000	0.098	0.098	0.098	0.098	N/A
Bottom 0.166 0.000 0.000 0.000 0.166 0.166 0.166 0.166 0.166 N/A	Hotspot	Right	0.214	0.116	0.000	0.116	0.056	0.330	0.214	0.330	0.270	N/A
Front		Тор	0	0.315	0.000	0.315	0.125	0.315	0.000	0.315	0.125	N/A
Back		Bottom	0.166	0.000	0.000	0.000	0.000	0.166	0.166	0.166	0.166	N/A
Left		Front	1	/		1	0.376	/	/	/	0.376	N/A
Limbs Right		Back	/	/	1	/	0.376	/	/	/	0.376	N/A
Right		Left	/		1	/	0.376	/	/	/	0.376	N/A
Bottom	Limbs	Right	1	1	/	/	0.376	/	/	/	0.376	N/A
LTE Exposure Position Test position Test position Test position Test position Test position Test position Ant.2 SAR		Тор	1	/	/	/	0.376	/	/	1	0.376	N/A
LTE B12 Exposure position Test position Test position Test position Ant.2 WiF11 WiF12 WiF12 WiF13 SAR		Bottom	/	/	/	/	0.376	/	1	/	0.376	N/A
Head Left Cheek 0.622 0.264 0.310 0.574 0.196 0.886 0.932 1.196 0.818 N/A		Test position	WWAN Ant.2	2.4G WIFI1	2.4G WIFI2	2.4G MIMO	BT	SAR	SAR	SAR1	SAR	
Right Cheek 0.662 0.127 0.128 0.255 0.069 0.789 0.790 0.917 0.731 N/A		Left Cheek	0.622	0.264	0.310	0.574	0.196	0.886	0.932	1.196	0.818	N/A
Right Cheek 0.662 0.127 0.128 0.255 0.069 0.789 0.790 0.917 0.731 N/A	l land	Left Tilt	0.514	0.229	0.154	0.383	0.149	0.743	0.668	0.897	0.663	N/A
Body-worn Front 0.161 0.037 0.013 0.050 0.313 0.198 0.174 0.211 0.474 N/A	Head	Right Cheek	0.662	0.127	0.128	0.255	0.069	0.789	0.790	0.917	0.731	N/A
Back 0.139 0.054 0.030 0.084 0.313 0.193 0.169 0.223 0.452 N/A		Right Tilt	0.642	0.180	0.111	0.291	0.092	0.822	0.753	0.933	0.734	N/A
Hotspot Hotspot Back 0.139 0.054 0.030 0.084 0.313 0.193 0.169 0.223 0.452 N/A Front 0.203 0.104 0.025 0.129 0.061 0.307 0.228 0.332 0.264 N/A Back 0.186 0.095 0.123 0.218 0.063 0.281 0.309 0.404 0.249 N/A Left 0.107 0.000 0.000 0.000 0.000 0.107 0.107 0.107 0.107 0.107 N/A Right 0.025 0.116 0.000 0.116 0.056 0.141 0.025 0.141 0.081 N/A Top 0.126 0.315 0.000 0.315 0.125 0.441 0.126 0.441 0.251 N/A Bottom 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.376 N/A Left / / / / 0.376 / / / 0.376 N/A Right / / / / 0.376 N/A Right / / / 0.376 N/A Top / / / 0.376 N/A	Destaurant	Front	0.161	0.037	0.013	0.050	0.313	0.198	0.174	0.211	0.474	N/A
Hotspot Back 0.186 0.095 0.123 0.218 0.063 0.281 0.309 0.404 0.249 N/A	Body-worn	Back	0.139	0.054	0.030	0.084	0.313	0.193	0.169	0.223	0.452	N/A
Hotspot Left 0.107 0.000 0.000 0.000 0.107 0.107 0.107 0.107 N/A		Front	0.203	0.104	0.025	0.129	0.061	0.307	0.228	0.332	0.264	N/A
Right 0.025 0.116 0.000 0.116 0.056 0.141 0.025 0.141 0.081 N/A		Back	0.186	0.095	0.123	0.218	0.063	0.281	0.309	0.404	0.249	N/A
Right 0.025 0.116 0.000 0.116 0.056 0.141 0.025 0.141 0.081 N/A	Hatamat	Left	0.107	0.000	0.000	0.000	0.000	0.107	0.107	0.107	0.107	N/A
Bottom 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 N/A Front / / / / 0.376 / / / 0.376 N/A Back / / / / 0.376 / / / 0.376 N/A Left / / / 0.376 / / / 0.376 N/A Right / / / 0.376 / / / 0.376 N/A Top / / / 0.376 / / / 0.376 N/A	Hotspot	Right	0.025	0.116	0.000	0.116	0.056	0.141	0.025	0.141	0.081	N/A
Front		Тор	0.126	0.315	0.000	0.315	0.125	0.441	0.126	0.441	0.251	N/A
Limbs Back / / / / 0.376 / / 0.376 N/A Left / / / 0.376 / / / 0.376 N/A Right / / / 0.376 / / / 0.376 N/A Top / / / 0.376 / / / 0.376 N/A	100	Bottom	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	N/A
Limbs Left / / / 0.376 / / 0.376 N/A Right / / / 0.376 / / / 0.376 N/A Top / / / 0.376 / / / 0.376 N/A		Front	/	/	/	/	0.376	/	/	1	0.376	N/A
Right / <td></td> <td>Back</td> <td>/</td> <td>/</td> <td>/</td> <td>/</td> <td>0.376</td> <td>/</td> <td>/</td> <td>1</td> <td>0.376</td> <td>N/A</td>		Back	/	/	/	/	0.376	/	/	1	0.376	N/A
Right / / / 0.376 / / 0.376 N/A Top / / 0.376 N/A	125.7	Left	/	/	1	/	0.376	1	1	/	0.376	N/A
Top / / / 0.376 / / 0.376 N/A	Limbs	Right	/	/	/	/	0.376	/	/	/	0.376	N/A
Bottom / / / 0.376 / / 0.376 N/A		Тор	/	1	/	/	0.376	/	/	/	0.376	N/A
		Bottom	1	/	1	1	0.376	/	/	/	0.376	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 460 of 493 Page

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 2.4G MIMO SAR	⑤ BT SAR	Σ 1-g SAR 1+2	Σ1-g SAR ①+③	Σ1-g SAR ①+④	Σ1-g SAR ①+⑤	Case NO.
		Left Cheek	0.095	0.264	0.310	0.574	0.196	0.359	0.405	0.669	0.291	N/A
		Left Tilt	0.088	0.229	0.154	0.383	0.149	0.317	0.242	0.471	0.237	N/A
	Head	Right Cheek	0.125	0.127	0.128	0.255	0.069	0.252	0.253	0.380	0.194	N/A
		Right Tilt	0.062	0.180	0.111	0.291	0.092	0.242	0.173	0.353	0.154	N/A
		Front	0.203	0.037	0.013	0.050	0.313	0.240	0.216	0.253	0.516	N/A
	Body-worn	Back	0.226	0.054	0.030	0.084	0.313	0.280	0.256	0.310	0.539	N/A
		Front	0.276	0.104	0.025	0.129	0.061	0.380	0.301	0.405	0.337	N/A
		Back	0.354	0.095	0.123	0.218	0.063	0.449	0.477	0.572	0.417	N/A
		Left	0.103	0.000	0.000	0.000	0.000	0.103	0.103	0.103	0.103	N/A
	Hotspot	Right	0.233	0.116	0.000	0.116	0.056	0.349	0.233	0.349	0.289	N/A
		Тор	0	0.315	0.000	0.315	0.125	0.315	0.000	0.315	0.125	N/A
		Bottom	0.213	0.000	0.000	0.000	0.000	0.213	0.213	0.213	0.213	N/A
		Front	1	/	1	1	0.376	/	/	/	0.376	N/A
		Back	/	/	1	/	0.376	/	/	/	0.376	N/A
		Left	/		/	/	0.376	/	/	/	0.376	N/A
	Limbs	Right	1	/	/	/	0.376	/	/	1	0.376	N/A
		Top	1	/	/	/	0.376	/	/	1	0.376	N/A
		Bottom	/	/	/	/	0.376	/	1	/	0.376	N/A
LTE B17	Exposure position	Test position	① WWAN Ant.2 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 2.4G MIMO SAR	⑤ BT SAR	Σ 1-g SAR 1+2	Σ1-g SAR ①+③	Σ 1-g SAR $\widehat{\mathbb{1}}$ + $\widehat{\mathbb{4}}$	Σ1-g SAR ①+⑤	Case NO.
		Left Cheek	0.638	0.264	0.310	0.574	0.196	0.902	0.948	1.212	0.834	N/A
	111	Left Tilt	0.456	0.229	0.154	0.383	0.149	0.685	0.610	0.839	0.605	N/A
	Head	Right Cheek	0.512	0.127	0.128	0.255	0.069	0.639	0.640	0.767	0.581	N/A
		Right Tilt	0.446	0.180	0.111	0.291	0.092	0.626	0.557	0.737	0.538	N/A
		Front	0.168	0.037	0.013	0.050	0.313	0.205	0.181	0.218	0.481	N/A
	Body-worn	Back	0.166	0.054	0.030	0.084	0.313	0.220	0.196	0.250	0.479	N/A
		Front	0.147	0.104	0.025	0.129	0.061	0.251	0.172	0.276	0.208	N/A
		Back	0.118	0.095	0.123	0.218	0.063	0.213	0.241	0.336	0.181	N/A
	Unional	Left	0.081	0.000	0.000	0.000	0.000	0.081	0.081	0.081	0.081	N/A
	Hotspot	Right	0.021	0.116	0.000	0.116	0.056	0.137	0.021	0.137	0.077	N/A
	(64)	Тор	0.092	0.315	0.000	0.315	0.125	0.407	0.092	0.407	0.217	N/A
	100 L	Bottom	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	N/A
		Front	/	/	/	/	0.376	/	/	1	0.376	N/A
		Back	/	/	/	/	0.376	/	1	/	0.376	N/A
		l oft	/	/	1	/	0.376	1	1	/	0.376	N/A
		Left	,									
	Limbs	Right	/	1	/	/	0.376	/	/	/	0.376	N/A
	Limbs				/	/	0.376 0.376	/	/	/	0.376 0.376	N/A N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 461 of 493

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	2.4G MIMO SAR	⑤ BT SAR	Σ 1-g SAR 1+2	Σ1-g SAR ①+③	Σ1-g SAR ①+④	Σ 1-g SAR ①+⑤	Case NO.
		Left Cheek	0.11	0.264	0.310	0.574	0.196	0.374	0.420	0.684	0.306	N/A
		Left Tilt	0.055	0.229	0.154	0.383	0.149	0.284	0.209	0.438	0.204	N/A
	Head	Right Cheek	0.147	0.127	0.128	0.255	0.069	0.274	0.275	0.402	0.216	N/A
		Right Tilt	0.063	0.180	0.111	0.291	0.092	0.243	0.174	0.354	0.155	N/A
	Destaura	Front	0.167	0.037	0.013	0.050	0.313	0.204	0.180	0.217	0.480	N/A
	Body-worn	Back	0.173	0.054	0.030	0.084	0.313	0.227	0.203	0.257	0.486	N/A
46		Front	0.255	0.104	0.025	0.129	0.061	0.359	0.280	0.384	0.316	N/A
		Back	0.28	0.095	0.123	0.218	0.063	0.375	0.403	0.498	0.343	N/A
	l latamat	Left	0.068	0.000	0.000	0.000	0.000	0.068	0.068	0.068	0.068	N/A
	Hotspot	Right	0.172	0.116	0.000	0.116	0.056	0.288	0.172	0.288	0.228	N/A
		Тор	0	0.315	0.000	0.315	0.125	0.315	0.000	0.315	0.125	N/A
		Bottom	0.212	0.000	0.000	0.000	0.000	0.212	0.212	0.212	0.212	N/A
		Front	1	/		1	0.376	/	/	/	0.376	N/A
		Back	/	/	1	/	0.376	/	/	/	0.376	N/A
		Left	1		1	/	0.376	/	/	/	0.376	N/A
	Limbs	Right	1	1	/	/	0.376	/	/	1	0.376	N/A
		Тор	1	/	/	/	0.376	/	/	1	0.376	N/A
		Bottom	/	/	/	/	0.376	/	1	/	0.376	N/A
LTE B26	Exposure position	Test position	① WWAN Ant.2 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 2.4G MIMO SAR	⑤ BT SAR	Σ 1-g SAR $1+2$	Σ1-g SAR ①+3	Σ 1-g SAR $\widehat{\mathbb{1}}$ + $\widehat{\mathbb{4}}$	Σ1-g SAR ①+⑤	Case NO.
		Left Cheek	0.507	0.264	0.310	0.574	0.196	0.771	0.817	1.081	0.703	N/A
	Head	Left Tilt	0.397	0.229	0.154	0.383	0.149	0.626	0.551	0.780	0.546	N/A
	пеац	Right Cheek	0.703	0.127	0.128	0.255	0.069	0.830	0.831	0.958	0.772	N/A
		Right Tilt	0.498	0.180	0.111	0.291	0.092	0.678	0.609	0.789	0.590	N/A
	Body-worn	Front	0.506	0.037	0.013	0.050	0.313	0.543	0.519	0.556	0.819	N/A
	Body-worn	Back	0.443	0.054	0.030	0.084	0.313	0.497	0.473	0.527	0.756	N/A
									0.444	0.540	0.400	N/A
		Front	0.419	0.104	0.025	0.129	0.061	0.523	0.444	0.548	0.480	IN/A
		Back	0.419	0.104 0.095	0.025 0.123	0.129 0.218	0.061 0.063	0.523 0.458	0.444	0.548	0.480	N/A
	Hotenot											
	Hotspot	Back	0.363	0.095	0.123	0.218	0.063	0.458	0.486	0.581	0.426	N/A
	Hotspot	Back Left	0.363 0.242	0.095	0.123 0.000	0.218	0.063 0.000	0.458 0.242	0.486 0.242	0.581 0.242	0.426	N/A N/A
a C	Hotspot	Back Left Right	0.363 0.242 0.039	0.095 0.000 0.116	0.123 0.000 0.000	0.218 0.000 0.116	0.063 0.000 0.056	0.458 0.242 0.155	0.486 0.242 0.039	0.581 0.242 0.155	0.426 0.242 0.095	N/A N/A N/A
a (Hotspot	Back Left Right Top	0.363 0.242 0.039 0.273	0.095 0.000 0.116 0.315	0.123 0.000 0.000 0.000	0.218 0.000 0.116 0.315	0.063 0.000 0.056 0.125	0.458 0.242 0.155 0.588	0.486 0.242 0.039 0.273	0.581 0.242 0.155 0.588	0.426 0.242 0.095 0.398	N/A N/A N/A N/A
38	Hotspot	Back Left Right Top Bottom	0.363 0.242 0.039 0.273 0.000	0.095 0.000 0.116 0.315 0.000	0.123 0.000 0.000 0.000 0.000	0.218 0.000 0.116 0.315 0.000	0.063 0.000 0.056 0.125 0.000	0.458 0.242 0.155 0.588 0.000	0.486 0.242 0.039 0.273 0.000	0.581 0.242 0.155 0.588 0.000	0.426 0.242 0.095 0.398 0.000	N/A N/A N/A N/A
SS	S	Back Left Right Top Bottom Front	0.363 0.242 0.039 0.273 0.000	0.095 0.000 0.116 0.315 0.000	0.123 0.000 0.000 0.000 0.000 /	0.218 0.000 0.116 0.315 0.000	0.063 0.000 0.056 0.125 0.000 0.376	0.458 0.242 0.155 0.588 0.000	0.486 0.242 0.039 0.273 0.000	0.581 0.242 0.155 0.588 0.000	0.426 0.242 0.095 0.398 0.000 0.376	N/A N/A N/A N/A N/A
36	Hotspot	Back Left Right Top Bottom Front Back	0.363 0.242 0.039 0.273 0.000 /	0.095 0.000 0.116 0.315 0.000 /	0.123 0.000 0.000 0.000 0.000 /	0.218 0.000 0.116 0.315 0.000 /	0.063 0.000 0.056 0.125 0.000 0.376	0.458 0.242 0.155 0.588 0.000 /	0.486 0.242 0.039 0.273 0.000 /	0.581 0.242 0.155 0.588 0.000 /	0.426 0.242 0.095 0.398 0.000 0.376 0.376	N/A N/A N/A N/A N/A N/A
38	S	Back Left Right Top Bottom Front Back Left	0.363 0.242 0.039 0.273 0.000 /	0.095 0.000 0.116 0.315 0.000 /	0.123 0.000 0.000 0.000 0.000 /	0.218 0.000 0.116 0.315 0.000 /	0.063 0.000 0.056 0.125 0.000 0.376 0.376	0.458 0.242 0.155 0.588 0.000 /	0.486 0.242 0.039 0.273 0.000 /	0.581 0.242 0.155 0.588 0.000 /	0.426 0.242 0.095 0.398 0.000 0.376 0.376	N/A N/A N/A N/A N/A N/A N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 462 of 493

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 2.4G MIMO SAR	⑤ BT SAR	Σ 1-g SAR 1+2	Σ1-g SAR ①+③	Σ1-g SAR ①+④	Σ1-g SAR ①+⑤	Case NO.
		Left Cheek	0.025	0.264	0.310	0.574	0.196	0.289	0.335	0.599	0.221	N/A
		Left Tilt	0.031	0.229	0.154	0.383	0.149	0.260	0.185	0.414	0.18	N/A
	Head	Right Cheek	0.114	0.127	0.128	0.255	0.069	0.241	0.242	0.369	0.183	N/A
		Right Tilt	0.034	0.180	0.111	0.291	0.092	0.214	0.145	0.325	0.126	N/A
		Front	0.238	0.037	0.013	0.050	0.313	0.275	0.251	0.288	0.551	N/A
	Body-worn	Back	0.264	0.054	0.030	0.084	0.313	0.318	0.294	0.348	0.577	N/A
9 6		Front	0.241	0.104	0.025	0.129	0.061	0.345	0.266	0.370	0.302	N/A
		Back	0.24	0.095	0.123	0.218	0.063	0.335	0.363	0.458	0.303	N/A
	Hatanat	Left	0.184	0.000	0.000	0.000	0.000	0.184	0.184	0.184	0.184	N/A
	Hotspot	Right	0.061	0.116	0.000	0.116	0.056	0.177	0.061	0.177	0.117	N/A
		Тор	0.000	0.315	0.000	0.315	0.125	0.315	0.000	0.315	0.125	N/A
		Bottom	0.762	0.000	0.000	0.000	0.000	0.762	0.762	0.762	0.762	N/A
		Front	1	/		1	0.376	/	/	/	0.376	N/A
		Back	/	/	1	/	0.376	/	/	/	0.376	N/A
		Left	/	1	1	/	0.376	/	/	/	0.376	N/A
	Limbs -	Right	1	/	/	/	0.376	/	/	/	0.376	N/A
		Тор	1	/	/	/	0.376	/	/	1	0.376	N/A
		Bottom	/	/	/	/	0.376	/	1	/	0.376	N/A
LTE B38	Exposure position	Test position	① WWAN Ant.2 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4) 2.4G MIMO SAR	⑤ BT SAR	Σ1-g SAR ①+②	Σ1-g SAR ①+③	Σ 1-g SAR① +④	Σ1-g SAR ①+⑤	Case NO.
		Left Cheek	0.264	0.264	0.310	0.574	0.196	0.528	0.574	0.838	0.460	N/A
		Left Tilt	0.288	0.229	0.154	0.383	0.149	0.517	0.442	0.671	0.437	N/A
	Head	Right Cheek	0.946	0.127	0.128	0.255	0.069	1.073	1.074	1.201	1.015	N/A
		Right Tilt	0.521	0.180	0.111	0.291	0.092	0.701	0.632	0.812	0.613	N/A
	5 .	Front	0.219	0.037	0.013	0.050	0.313	0.256	0.232	0.269	0.532	N/A
	Body-worn	Back	0.252	0.054	0.030	0.084	0.313	0.306	0.282	0.336	0.565	N/A
		Front	0.316	0.104	0.025	0.129	0.061	0.420	0.341	0.445	0.377	N/A
		Back	0.262	0.095	0.123	0.218	0.063	0.357	0.385	0.480	0.325	N/A
	Unional	Left	0.158	0.000	0.000	0.000	0.000	0.158	0.158	0.158	0.158	N/A
	Hotspot	Right	0.033	0.116	0.000	0.116	0.056	0.149	0.033	0.149	0.089	N/A
		Тор	0.232	0.315	0.000	0.315	0.125	0.547	0.232	0.547	0.357	N/A
		. 0										1
	100 m	Bottom	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	N/A
91				0.000	0.000	0.000	0.000 0.376	0.000	0.000	0.000	0.000 0.376	N/A N/A
		Bottom	0.000									1
3		Bottom Front	0.000	/	/	/	0.376	1	/	1	0.376	N/A
3	Limbs	Bottom Front Back	0.000	/	/	/	0.376 0.376	/	/	/	0.376 0.376	N/A N/A
31	Limbs	Bottom Front Back Left	0.000 / /	/	/	/ /	0.376 0.376 0.376	/	/ /	/	0.376 0.376 0.376	N/A N/A N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 463 of 493

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 2.4G MIMO SAR	⑤ BT SAR	Σ 1-g SAR $1+2$	Σ1-g SAR ①+③	Σ1-g SAR ①+④	Σ 1-g SAR ①+⑤	Case NO.
		Left Cheek	0.022	0.264	0.310	0.574	0.196	0.286	0.332	0.596	0.218	N/A
		Left Tilt	0.011	0.229	0.154	0.383	0.149	0.240	0.165	0.394	0.16	N/A
	Head	Right Cheek	0.083	0.127	0.128	0.255	0.069	0.210	0.211	0.338	0.152	N/A
		Right Tilt	0.023	0.180	0.111	0.291	0.092	0.203	0.134	0.314	0.115	N/A
		Front	0.273	0.037	0.013	0.050	0.313	0.310	0.286	0.323	0.586	N/A
	Body-worn	Back	0.251	0.054	0.030	0.084	0.313	0.305	0.281	0.335	0.564	N/A
7 6		Front	0.337	0.104	0.025	0.129	0.061	0.441	0.362	0.466	0.398	N/A
		Back	0.276	0.095	0.123	0.218	0.063	0.371	0.399	0.494	0.339	N/A
		Left	0.16	0.000	0.000	0.000	0.000	0.160	0.160	0.160	0.160	N/A
	Hotspot	Right	0.058	0.116	0.000	0.116	0.056	0.174	0.058	0.174	0.114	N/A
		Тор	0.000	0.315	0.000	0.315	0.125	0.315	0.000	0.315	0.125	N/A
		Bottom	0.931	0.000	0.000	0.000	0.000	0.931	0.931	0.931	0.931	N/A
		Front	1	/		1	0.376	/	/	/	0.376	N/A
		Back	/	/	1	/	0.376	/	/	/	0.376	N/A
		Left	/	1	1	/	0.376	/	/	/	0.376	N/A
	Limbs -	Right	1	/	/	/	0.376	/	/	/	0.376	N/A
		Top	1	/	/	/	0.376	/	/	/	0.376	N/A
		Bottom	/	/	/	/	0.376	/	1	/	0.376	N/A
LTE B41	Exposure position	Test position	① WWAN Ant.2 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 2.4G MIMO SAR	⑤ BT SAR	Σ 1-g SAR $1+2$	Σ1-g SAR ①+③	Σ 1-g SAR① +④	Σ1-g SAR ①+⑤	Case NO.
		Left Cheek	0.247	0.264	0.310	0.574	0.196	0.511	0.557	0.821	0.443	N/A
		Left Tilt	0.272	0.229	0.154	0.383	0.149	0.501	0.426	0.655	0.421	N/A
	Head	Right Cheek	1.050	0.127	0.128	0.255	0.069	1.177	1.178	1.305	1.119	N/A
		Right Tilt	0.718	0.180	0.111	0.291	0.092	0.898	0.829	1.009	0.810	N/A
		Front	0.171	0.037	0.013	0.050	0.313	0.208	0.184	0.221	0.484	N/A
	Body-worn	Back	0.235	0.054	0.030	0.084	0.313	0.289	0.265	0.319	0.548	N/A
		Front	0.308	0.104	0.025	0.129	0.061	0.412	0.333	0.437	0.369	N/A
		Back	0.269	0.095	0.123	0.218	0.063	0.364	0.392	0.487	0.332	N/A
	Unional	Left	0.157	0.000	0.000	0.000	0.000	0.157	0.157	0.157	0.157	N/A
	Hotspot	Right	0.027	0.116	0.000	0.116	0.056	0.143	0.027	0.143	0.083	N/A
		Тор	0.258	0.315	0.000	0.315	0.125	0.573	0.258	0.573	0.383	N/A
		l op	0.200									•
	7	Bottom	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	N/A
9				0.000	0.000	0.000	0.000 0.376	0.000	0.000	0.000	0.000 0.376	N/A N/A
		Bottom	0.000									1
35		Bottom Front	0.000	/	/	/	0.376	/	/	1	0.376	N/A
3	Limbs	Bottom Front Back	0.000	/	/	/	0.376 0.376	/	/	/	0.376 0.376	N/A N/A
31	Limbs	Bottom Front Back Left	0.000 / /	/	/	/ /	0.376 0.376 0.376	/	/ /	/	0.376 0.376 0.376	N/A N/A N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 464 of 493 Page

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	② 5G WIFI1 SAR	③ 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ1-g SAR ①+ ②	Σ1-g SAR ①+ ③	Σ1-g SAR ①+ ④	Σ1-g SAR ①+ ②+ ⑤	Σ 1-g SAR ①+③+⑤	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.177	0.719	0.249	0.968	0.196	0.896	0.426	1.145	1.092	0.622	1.341	N/A
		Left Tilt	0.09	0.422	0.162	0.584	0.149	0.512	0.252	0.674	0.661	0.401	0.823	N/A
	Head	Right Cheek	0.241	0.243	0.216	0.459	0.069	0.484	0.457	0.7	0.553	0.526	0.769	N/A
		Right Tilt	0.094	0.198	0.13	0.328	0.092	0.292	0.224	0.422	0.384	0.316	0.514	N/A
		Front(voice)	0.268	0.054	0.024	0.078	0.313	0.322	0.292	0.346	0.635	0.605	0.659	N/A
		Back(voice)	0.292	0.082	0.038	0.12	0.313	0.374	0.33	0.412	0.687	0.643	0.725	N/A
	Body-worn	Front(data)	0.351	0.054	0.024	0.078	0.313	0.405	0.375	0.429	0.718	0.688	0.742	N/A
		Back(data)	0.38	0.082	0.038	0.12	0.313	0.462	0.418	0.5	0.775	0.731	0.813	N/A
		Front	0.526	0.07	0.04	0.11	0.061	0.596	0.566	0.636	0.657	0.627	0.697	N/A
		Back	0.586	0.137	0.053	0.19	0.063	0.723	0.639	0.776	0.786	0.702	0.839	N/A
		Left	0.236	0	0	0	0.000	0.236	0.236	0.236	0.236	0.236	0.236	N/A
	Hotspot	Right	0.313	0.044	0.009	0.053	0.056	0.357	0.322	0.366	0.413	0.378	0.422	N/A
		Тор	0	0.066	0.035	0.101	0.125	0.066	0.035	0.101	0.191	0.160	0.226	N/A
		Bottom	0.416	0	0	0	0.000	0.416	0.416	0.416	0.416	0.416	0.416	N/A
		Front	1	0.386	0.114	0.500	0.376	0.386	0.114	0.500	0.762	0.762	0.876	N/A
		Back	1	0.303	0.142	0.445	0.376	0.303	0.142	0.445	0.679	0.679	0.821	N/A
		Left	1	/	/	/	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
	Limbs	Right	1	0.062	0.006	0.068	0.376	0.062	0.006	0.068	0.438	0.438	0.444	N/A
		Top	1	0.210	0.068	0.278	0.376	0.210	0.068	0.278	0.586	0.586	0.654	N/A
		Bottom	1	/	/	/	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
GSM 850	Exposure position	Test position	① WWAN Ant.2 SAR	② 5G WIFI1 SAR	③ 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ1-g SAR ①+ ②	Σ 1-g SAR ①+	Σ 1-g SAR ①+	Σ1-g SAR ①+ ②+ ⑤	Σ 1-g SAR $1+3+5$	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.324	0.719	0.249	0.968	0.196	1.043	0.573	1.292	1.239	0.769	1.488	N/A
	Head	Left Tilt	0.562	0.422	0.162	0.584	0.149	0.984	0.724	1.146	1.133	0.873	1.295	N/A
	11000	Left Tilt Right Cheek	0.562 0.260	0.422	0.162 0.216	0.584 0.459	0.149 0.069	0.984 0.503	0.724 0.476	1.146 0.719	1.133 0.572	0.873 0.545	1.295 0.788	N/A N/A
	11000		0.562 0.260 0.707											
	11000	Right Cheek	0.260	0.243	0.216	0.459	0.069	0.503	0.476	0.719	0.572	0.545	0.788	N/A
		Right Cheek Right Tilt	0.260 0.707	0.243 0.198	0.216 0.130	0.459 0.328	0.069	0.503 0.905	0.476 0.837	0.719 1.035	0.572 0.997	0.545 0.929	0.788 1.127	N/A N/A
	Body-worn	Right Cheek Right Tilt Front(voice)	0.260 0.707 0.352	0.243 0.198 0.054	0.216 0.130 0.024	0.459 0.328 0.078	0.069 0.092 0.313	0.503 0.905 0.406	0.476 0.837 0.376	0.719 1.035 0.430	0.572 0.997 0.719	0.545 0.929 0.689	0.788 1.127 0.743	N/A N/A N/A
		Right Cheek Right Tilt Front(voice) Back(voice)	0.260 0.707 0.352 0.336	0.243 0.198 0.054 0.082	0.216 0.130 0.024 0.038	0.459 0.328 0.078 0.120	0.069 0.092 0.313 0.313 0.313	0.503 0.905 0.406 0.418 0.553	0.476 0.837 0.376 0.374	0.719 1.035 0.430 0.456	0.572 0.997 0.719 0.731	0.545 0.929 0.689 0.687	0.788 1.127 0.743 0.769	N/A N/A N/A N/A
		Right Cheek Right Tilt Front(voice) Back(voice) Front(data) Back(data)	0.260 0.707 0.352 0.336 0.499 0.444	0.243 0.198 0.054 0.082 0.054 0.082	0.216 0.130 0.024 0.038 0.024 0.038	0.459 0.328 0.078 0.120 0.078 0.120	0.069 0.092 0.313 0.313 0.313	0.503 0.905 0.406 0.418 0.553 0.526	0.476 0.837 0.376 0.374 0.523 0.482	0.719 1.035 0.430 0.456 0.577 0.564	0.572 0.997 0.719 0.731 0.866 0.839	0.545 0.929 0.689 0.687 0.836 0.795	0.788 1.127 0.743 0.769 0.890 0.877	N/A N/A N/A N/A N/A
		Right Cheek Right Tilt Front(voice) Back(voice) Front(data) Back(data) Front	0.260 0.707 0.352 0.336 0.499 0.444 0.536	0.243 0.198 0.054 0.082 0.054 0.082 0.07	0.216 0.130 0.024 0.038 0.024 0.038 0.040	0.459 0.328 0.078 0.120 0.078 0.120 0.110	0.069 0.092 0.313 0.313 0.313 0.313 0.061	0.503 0.905 0.406 0.418 0.553 0.526 0.606	0.476 0.837 0.376 0.374 0.523 0.482 0.576	0.719 1.035 0.430 0.456 0.577 0.564 0.646	0.572 0.997 0.719 0.731 0.866 0.839 0.667	0.545 0.929 0.689 0.687 0.836 0.795 0.637	0.788 1.127 0.743 0.769 0.890 0.877 0.707	N/A N/A N/A N/A N/A N/A
	Body-worn	Right Cheek Right Tilt Front(voice) Back(voice) Front(data) Back(data) Front Back	0.260 0.707 0.352 0.336 0.499 0.444 0.536	0.243 0.198 0.054 0.082 0.054 0.082 0.07 0.137	0.216 0.130 0.024 0.038 0.024 0.038 0.040 0.053	0.459 0.328 0.078 0.120 0.078 0.120 0.110 0.190	0.069 0.092 0.313 0.313 0.313 0.313 0.061 0.063	0.503 0.905 0.406 0.418 0.553 0.526 0.606 0.639	0.476 0.837 0.376 0.374 0.523 0.482 0.576 0.555	0.719 1.035 0.430 0.456 0.577 0.564 0.646 0.692	0.572 0.997 0.719 0.731 0.866 0.839 0.667 0.702	0.545 0.929 0.689 0.687 0.836 0.795 0.637 0.618	0.788 1.127 0.743 0.769 0.890 0.877 0.707 0.755	N/A N/A N/A N/A N/A N/A N/A
		Right Cheek Right Tilt Front(voice) Back(voice) Front(data) Back(data) Front Back Left	0.260 0.707 0.352 0.336 0.499 0.444 0.536 0.502	0.243 0.198 0.054 0.082 0.054 0.082 0.07 0.137 0	0.216 0.130 0.024 0.038 0.024 0.038 0.040 0.053 0.000	0.459 0.328 0.078 0.120 0.078 0.120 0.110 0.190 0.000	0.069 0.092 0.313 0.313 0.313 0.313 0.061 0.063	0.503 0.905 0.406 0.418 0.553 0.526 0.606 0.639 0.241	0.476 0.837 0.376 0.374 0.523 0.482 0.576 0.555 0.241	0.719 1.035 0.430 0.456 0.577 0.564 0.646 0.692 0.241	0.572 0.997 0.719 0.731 0.866 0.839 0.667 0.702	0.545 0.929 0.689 0.687 0.836 0.795 0.637 0.618 0.241	0.788 1.127 0.743 0.769 0.890 0.877 0.707 0.755 0.241	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
	Body-worn	Right Cheek Right Tilt Front(voice) Back(voice) Front(data) Back(data) Front Back	0.260 0.707 0.352 0.336 0.499 0.444 0.536	0.243 0.198 0.054 0.082 0.054 0.082 0.07 0.137	0.216 0.130 0.024 0.038 0.024 0.038 0.040 0.053	0.459 0.328 0.078 0.120 0.078 0.120 0.110 0.190	0.069 0.092 0.313 0.313 0.313 0.313 0.061 0.063	0.503 0.905 0.406 0.418 0.553 0.526 0.606 0.639 0.241 0.084	0.476 0.837 0.376 0.374 0.523 0.482 0.576 0.555 0.241 0.049	0.719 1.035 0.430 0.456 0.577 0.564 0.646 0.692	0.572 0.997 0.719 0.731 0.866 0.839 0.667 0.702	0.545 0.929 0.689 0.687 0.836 0.795 0.637 0.618	0.788 1.127 0.743 0.769 0.890 0.877 0.707 0.755	N/A N/A N/A N/A N/A N/A N/A
	Body-worn	Right Cheek Right Tilt Front(voice) Back(voice) Front(data) Back(data) Front Back Left Right Top	0.260 0.707 0.352 0.336 0.499 0.444 0.536 0.502 0.241	0.243 0.198 0.054 0.082 0.054 0.082 0.07 0.137 0 0.044 0.066	0.216 0.130 0.024 0.038 0.024 0.038 0.040 0.053 0.000 0.009 0.035	0.459 0.328 0.078 0.120 0.078 0.120 0.110 0.190 0.000 0.053 0.101	0.069 0.092 0.313 0.313 0.313 0.061 0.063 0.000 0.056	0.503 0.905 0.406 0.418 0.553 0.526 0.606 0.639 0.241 0.084	0.476 0.837 0.376 0.374 0.523 0.482 0.576 0.555 0.241 0.049	0.719 1.035 0.430 0.456 0.577 0.564 0.646 0.692 0.241 0.093	0.572 0.997 0.719 0.731 0.866 0.839 0.667 0.702 0.241 0.140	0.545 0.929 0.689 0.687 0.836 0.795 0.637 0.618 0.241 0.105	0.788 1.127 0.743 0.769 0.890 0.877 0.707 0.755 0.241 0.149 0.504	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
	Body-worn	Right Cheek Right Tilt Front(voice) Back(voice) Front(data) Back(data) Front Back Left Right Top Bottom	0.260 0.707 0.352 0.336 0.499 0.444 0.536 0.502 0.241 0.040 0.278	0.243 0.198 0.054 0.082 0.054 0.082 0.07 0.137 0 0.044 0.066 0	0.216 0.130 0.024 0.038 0.024 0.038 0.040 0.053 0.000 0.009 0.035 0.000	0.459 0.328 0.078 0.120 0.078 0.120 0.110 0.190 0.000 0.053 0.101 0.000	0.069 0.092 0.313 0.313 0.313 0.061 0.063 0.000 0.056 0.125	0.503 0.905 0.406 0.418 0.553 0.526 0.606 0.639 0.241 0.084 0.344 0.000	0.476 0.837 0.376 0.374 0.523 0.482 0.576 0.555 0.241 0.049 0.313	0.719 1.035 0.430 0.456 0.577 0.564 0.646 0.692 0.241 0.093 0.379	0.572 0.997 0.719 0.731 0.866 0.839 0.667 0.702 0.241 0.140 0.469	0.545 0.929 0.689 0.687 0.836 0.795 0.637 0.618 0.241 0.105 0.438 0.000	0.788 1.127 0.743 0.769 0.890 0.877 0.707 0.755 0.241 0.149 0.504 0.000	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
	Body-worn	Right Cheek Right Tilt Front(voice) Back(voice) Front(data) Back(data) Front Back Left Right Top Bottom Front	0.260 0.707 0.352 0.336 0.499 0.444 0.536 0.502 0.241 0.040 0.278	0.243 0.198 0.054 0.082 0.054 0.082 0.07 0.137 0 0.044 0.066 0	0.216 0.130 0.024 0.038 0.024 0.038 0.040 0.053 0.000 0.009 0.035 0.000 0.114	0.459 0.328 0.078 0.120 0.078 0.120 0.110 0.190 0.000 0.053 0.101 0.000 0.500	0.069 0.092 0.313 0.313 0.313 0.061 0.063 0.000 0.056 0.125 0.000 0.376	0.503 0.905 0.406 0.418 0.553 0.526 0.606 0.639 0.241 0.084 0.344 0.000 0.386	0.476 0.837 0.376 0.374 0.523 0.482 0.576 0.555 0.241 0.049 0.313 0.000	0.719 1.035 0.430 0.456 0.577 0.564 0.646 0.692 0.241 0.093 0.379 0.000 0.500	0.572 0.997 0.719 0.731 0.866 0.839 0.667 0.702 0.241 0.140 0.469 0.000 0.762	0.545 0.929 0.689 0.687 0.836 0.795 0.637 0.618 0.241 0.105 0.438 0.000	0.788 1.127 0.743 0.769 0.890 0.877 0.707 0.755 0.241 0.149 0.504 0.000 0.876	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
	Body-worn Hotspot	Right Cheek Right Tilt Front(voice) Back(voice) Front(data) Back(data) Front Back Left Right Top Bottom Front Back	0.260 0.707 0.352 0.336 0.499 0.444 0.536 0.502 0.241 0.040 0.278	0.243 0.198 0.054 0.082 0.054 0.082 0.07 0.137 0 0.044 0.066 0	0.216 0.130 0.024 0.038 0.024 0.038 0.040 0.053 0.000 0.009 0.035 0.000	0.459 0.328 0.078 0.120 0.078 0.120 0.110 0.190 0.000 0.053 0.101 0.000	0.069 0.092 0.313 0.313 0.313 0.061 0.063 0.000 0.056 0.125 0.000 0.376	0.503 0.905 0.406 0.418 0.553 0.526 0.606 0.639 0.241 0.084 0.344 0.000 0.386	0.476 0.837 0.376 0.374 0.523 0.482 0.576 0.555 0.241 0.049 0.313 0.000 0.114 0.142	0.719 1.035 0.430 0.456 0.577 0.564 0.692 0.241 0.093 0.379 0.000 0.500 0.445	0.572 0.997 0.719 0.731 0.866 0.839 0.667 0.702 0.241 0.140 0.469 0.000 0.762 0.679	0.545 0.929 0.689 0.687 0.836 0.795 0.637 0.618 0.241 0.105 0.438 0.000 0.762 0.679	0.788 1.127 0.743 0.769 0.890 0.877 0.707 0.755 0.241 0.149 0.504 0.000 0.876	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
	Body-worn	Right Cheek Right Tilt Front(voice) Back(voice) Front(data) Back(data) Front Back Left Right Top Bottom Front Back Left Left Right Left Left Right Left Right Left Left Right Left Right Left Right Left	0.260 0.707 0.352 0.336 0.499 0.444 0.536 0.502 0.241 0.040 0.278	0.243 0.198 0.054 0.082 0.054 0.082 0.07 0.137 0 0.044 0.066 0 0.386 0.303	0.216 0.130 0.024 0.038 0.024 0.038 0.040 0.053 0.000 0.009 0.035 0.000 0.114 0.142	0.459 0.328 0.078 0.120 0.078 0.120 0.110 0.190 0.000 0.053 0.101 0.000 0.500 0.445 /	0.069 0.092 0.313 0.313 0.313 0.061 0.063 0.000 0.056 0.125 0.000 0.376 0.376	0.503 0.905 0.406 0.418 0.553 0.526 0.606 0.639 0.241 0.084 0.344 0.000 0.386 0.303 0.000	0.476 0.837 0.376 0.374 0.523 0.482 0.576 0.555 0.241 0.049 0.313 0.000 0.114 0.142	0.719 1.035 0.430 0.456 0.577 0.564 0.692 0.241 0.093 0.379 0.000 0.500 0.445	0.572 0.997 0.719 0.731 0.866 0.839 0.667 0.702 0.241 0.140 0.469 0.000 0.762 0.679	0.545 0.929 0.689 0.687 0.836 0.795 0.637 0.618 0.241 0.105 0.438 0.000 0.762 0.679 0.376	0.788 1.127 0.743 0.769 0.890 0.877 0.707 0.755 0.241 0.149 0.504 0.000 0.876 0.821	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
	Body-worn Hotspot	Right Cheek Right Tilt Front(voice) Back(voice) Front(data) Back(data) Front Back Left Right Top Bottom Front Back	0.260 0.707 0.352 0.336 0.499 0.444 0.536 0.502 0.241 0.040 0.278	0.243 0.198 0.054 0.082 0.054 0.082 0.07 0.137 0 0.044 0.066 0	0.216 0.130 0.024 0.038 0.024 0.038 0.040 0.053 0.000 0.009 0.035 0.000 0.114 0.142	0.459 0.328 0.078 0.120 0.078 0.120 0.110 0.190 0.000 0.053 0.101 0.000 0.500	0.069 0.092 0.313 0.313 0.313 0.061 0.063 0.000 0.056 0.125 0.000 0.376	0.503 0.905 0.406 0.418 0.553 0.526 0.606 0.639 0.241 0.084 0.344 0.000 0.386	0.476 0.837 0.376 0.374 0.523 0.482 0.576 0.555 0.241 0.049 0.313 0.000 0.114 0.142	0.719 1.035 0.430 0.456 0.577 0.564 0.692 0.241 0.093 0.379 0.000 0.500 0.445	0.572 0.997 0.719 0.731 0.866 0.839 0.667 0.702 0.241 0.140 0.469 0.000 0.762 0.679	0.545 0.929 0.689 0.687 0.836 0.795 0.637 0.618 0.241 0.105 0.438 0.000 0.762 0.679	0.788 1.127 0.743 0.769 0.890 0.877 0.707 0.755 0.241 0.149 0.504 0.000 0.876	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

Page : 465 of 493

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	② 5G WIFI1 SAR	3 5G WIFI2 SAR	4) 5G MIMO SAR	⑤ BT SAR	Σ1-g SAR ①+ ②	Σ1-g SAR ①+ ③	Σ1-g SAR ①+ ④	Σ1-g SAR ①+ ②+ ⑤	Σ1-g SAR ①+③+⑤	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.065	0.719	0.249	0.968	0.196	0.784	0.314	1.033	0.98	0.510	1.229	N/A
		Left Tilt	0.036	0.422	0.162	0.584	0.149	0.458	0.198	0.620	0.607	0.347	0.769	N/A
	Head	Right Cheek	0.088	0.243	0.216	0.459	0.069	0.331	0.304	0.547	0.4	0.373	0.616	N/A
		Right Tilt	0.058	0.198	0.130	0.328	0.092	0.256	0.188	0.386	0.348	0.280	0.478	N/A
		Front(voice)	0.286	0.054	0.024	0.078	0.313	0.34	0.310	0.364	0.653	0.623	0.677	N/A
		Back(voice)	0.272	0.082	0.038	0.120	0.313	0.354	0.310	0.392	0.667	0.623	0.705	N/A
	Body-worn	Front(data)	0.365	0.054	0.024	0.078	0.313	0.419	0.389	0.443	0.732	0.702	0.756	N/A
		Back(data)	0.383	0.082	0.038	0.120	0.313	0.465	0.421	0.503	0.778	0.734	0.816	N/A
		Front	0.279	0.07	0.040	0.110	0.061	0.349	0.319	0.389	0.410	0.380	0.450	N/A
		Back	0.298	0.137	0.053	0.190	0.063	0.435	0.351	0.488	0.498	0.414	0.551	N/A
	11-1	Left	0.058	0	0.000	0.000	0.000	0.058	0.058	0.058	0.058	0.058	0.058	N/A
	Hotspot	Right	0.075	0.044	0.009	0.053	0.056	0.119	0.084	0.128	0.175	0.140	0.184	N/A
		Тор	0	0.066	0.035	0.101	0.125	0.066	0.035	0.101	0.191	0.160	0.226	N/A
		Bottom	0.791	0	0.000	0.000	0.000	0.791	0.791	0.791	0.791	0.791	0.791	N/A
		Front	1	0.386	0.114	0.500	0.376	0.386	0.114	0.500	0.762	0.762	0.876	N/A
		Back	/	0.303	0.142	0.445	0.376	0.303	0.142	0.445	0.679	0.679	0.821	N/A
	Limbo	Left	1	1	/	/	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
	Limbs	Right	1	0.062	0.006	0.068	0.376	0.062	0.006	0.068	0.438	0.438	0.444	N/A
		Тор	/	0.210	0.068	0.278	0.376	0.210	0.068	0.278	0.586	0.586	0.654	N/A
		Bottom	1.77	/	/	/	0.376	1.770	1.770	1.770	2.146	2.146	2.146	N/A
GSM 1900	Exposure position	Test position	① WWAN Ant.2 SAR	② 5G WIFI1 SAR	③ 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ1-g SAR ①+ ②	Σ1-g SAR ①+ ③	Σ1-g SAR ①+ ④	Σ1-g SAR ①+ ②+ ⑤	Σ1-g SAR ①+③+⑤	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.280	0.719	0.249	0.968	0.196	0.999	0.529	1.248	1.195	0.725	1.444	N/A
		Left Tilt	0.394	0.422	0.162	0.584	0.149	0.816	0.556	0.978	0.965	0.705	1.127	N/A
	Head	Right Cheek	0.799	0.243	0.216	0.459	0.069	1.042	1.015	1.258	1.111	1.084	1.327	N/A
		Right Tilt	0.846	0.198	0.130	0.328	0.092	1.044	0.976	1.174	1.136	1.068	1.266	N/A
		Front(voice)	0.147	0.054	0.024	0.078	0.313	0.201	0.171	0.225	0.514	0.484	0.538	N/A
		Back(voice)	0.162	0.082	0.038	0.120	0.313	0.244	0.200	0.282	0.557	0.513	0.595	N/A
	Body-worn	Front(data)	0.182	0.054	0.024	0.078	0.313	0.236	0.206	0.260	0.549	0.519	0.573	N/A
		Back(data)	0.308	0.082	0.038	0.120	0.313	0.390	0.346	0.428	0.703	0.659	0.741	N/A
		Front	0.193	0.07	0.040	0.110	0.061	0.263	0.233	0.303	0.324	0.294	0.364	N/A
		Back	0.165	0.137	0.053	0.190	0.063	0.302	0.218	0.355	0.365	0.281	0.418	N/A
	11.4	Left	0.156	0	0.000	0.000	0.000	0.156	0.156	0.156	0.156	0.156	0.156	N/A
	Hotspot	Right	0.037	0.044	0.009	0.053	0.056	0.081	0.046	0.090	0.137	0.102	0.146	N/A
		Тор	0.319	0.066	0.035	0.101	0.125	0.385	0.354	0.420	0.510	0.479	0.545	N/A
		Bottom	0.000	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	N/A
		Front	/	0.386	0.114	0.500	0.376	0.386	0.114	0.500	0.762	0.762	0.876	N/A
	1	Back	/	0.303	0.142	0.445	0.376	0.303	0.142	0.445	0.679	0.679	0.821	N/A
		Dack										1		1
	Limbo	Left	/	/	/	/	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
	Limbs		/	/ 0.062	0.006	0.068	0.376 0.376	0.000 0.062	0.000	0.000	0.376 0.438	0.376 0.438	0.376 0.444	N/A N/A
	Limbs	Left												

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 466 of 493 Page

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	② 5G WIFI1 SAR	3 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ 1-g SAR ①+	Σ1-g SAR ①+ ③	Σ 1-g SAR ①+	Σ1-g SAR ①+ ②+ ⑤	Σ1-g SAR ①+③+⑤	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.082	0.719	0.249	0.968	0.196	0.801	0.331	1.05	0.997	0.527	1.246	N/A
ı	Head	Left Tilt	0.044	0.422	0.162	0.584	0.149	0.466	0.206	0.628	0.615	0.355	0.777	N/A
	пеац	Right Cheek	0.148	0.243	0.216	0.459	0.069	0.391	0.364	0.607	0.46	0.433	0.676	N/A
	04	Right Tilt	0.059	0.198	0.13	0.328	0.092	0.257	0.189	0.387	0.349	0.281	0.479	N/A
	Body-worn	Front	0.425	0.054	0.024	0.078	0.313	0.479	0.449	0.503	0.792	0.762	0.816	N/A
	Bouy-woili	Back	0.403	0.082	0.038	0.12	0.313	0.485	0.441	0.523	0.798	0.754	0.836	N/A
		Front	0.316	0.07	0.04	0.11	0.061	0.386	0.356	0.426	0.447	0.417	0.487	N/A
		Back	0.305	0.137	0.053	0.19	0.063	0.442	0.358	0.495	0.505	0.421	0.558	N/A
	Hotspot	Left	0.065	0	0	0	0.000	0.065	0.065	0.065	0.065	0.065	0.065	N/A
	Ποιδροι	Right	0.061	0.044	0.009	0.053	0.056	0.105	0.07	0.114	0.161	0.126	0.170	N/A
		Тор	0	0.066	0.035	0.101	0.125	0.066	0.035	0.101	0.191	0.160	0.226	N/A
ı L		Bottom	0.805	0	0	0	0.000	0.805	0.805	0.805	0.805	0.805	0.805	N/A
ı		Front	1	0.386	0.114	0.500	0.376	0.386	0.114	0.500	0.762	0.762	0.876	N/A
		Back	1	0.303	0.142	0.445	0.376	0.303	0.142	0.445	0.679	0.679	0.821	N/A
ı	Limbs -	Left	/	/	1	1	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
		Right	/	0.062	0.006	0.068	0.376	0.062	0.006	0.068	0.438	0.438	0.444	N/A
ı		Тор	1	0.210	0.068	0.278	0.376	0.210	0.068	0.278	0.586	0.586	0.654	N/A
L		Bottom	1.753	/	/	/	0.376	1.753	1.753	1.753	2.129	2.129	2.129	N/A
WCDMA B2	Exposure position	Test position	① WWAN Ant.2 SAR	② 5G WIFI1 SAR	3 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ 1-g SAR ①+	Σ1-g SAR ①+ ③	Σ 1-g SAR ①+	Σ1-g SAR ①+ ②+ ⑤	Σ1-g SAR ①+③+⑤	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.208	0.719	0.249	0.968	0.196	0.927	0.457	1.176	1.123	0.653	1.372	N/A
	Head	Left Tilt	0.491	0.422	0.162	0.584	0.149	0.913	0.653	1.075	1.062	0.802	1.224	N/A
	пеац	Right Cheek	0.821	0.243	0.216	0.459	0.069	1.064	1.037	1.280	1.133	1.106	1.349	N/A
ı L		Right Tilt	0.892	0.198	0.13	0.328	0.092	1.090	1.022	1.220	1.182	1.114	1.312	N/A
	Pody worn	Front	0.187	0.054	0.024	0.078	0.313	0.241	0.211	0.265	0.554	0.524	0.578	N/A
ı	Body-worn	Back	0.214	0.082	0.038	0.120	0.313	0.296	0.252	0.334	0.609	0.565	0.647	N/A
Γ		Front	0.298	0.070	0.04	0.110	0.061	0.368	0.338	0.408	0.429	0.399	0.469	N/A
		Back	0.218	0.137	0.053	0.190	0.063	0.355	0.271	0.408	0.418	0.334	0.471	N/A
	Llotopot	Left	0.199	0.000	0	0.000	0.000	0.199	0.199	0.199	0.199	0.199	0.199	N/A
	Hotspot	Right	0.055	0.044	0.009	0.053	0.056	0.099	0.064	0.108	0.155	0.120	0.164	N/A
		Тор	0.423	0.066	0.035	0.101	0.125	0.489	0.458	0.524	0.614	0.583	0.649	N/A
		Bottom	0.000	0.000	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	N/A
		Front	/	0.386	0.114	0.500	0.376	0.386	0.114	0.500	0.762	0.762	0.876	N/A
		Back	/	0.303	0.142	0.445	0.376	0.303	0.142	0.445	0.679	0.679	0.821	N/A
					l						0.376			
		Left	/	/	/	/	0.376	0.000	0.000	0.000	0.576	0.376	0.376	N/A
	Limbs		/	0.062	0.006	0.068	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A N/A
5	Limbs	Left Right Top	/ /	-										

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Rev : 01

: 467 of 493 Page

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	② 5G WIFI1 SAR	③ 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ1-g SAR ①+ ②	Σ1-g SAR ①+ ③	Σ 1-g SAR ①+	Σ1-g SAR ①+ ②+ ⑤	Σ1-g SAR ①+③+⑤	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.152	0.719	0.249	0.968	0.196	0.871	0.401	1.120	1.067	0.597	1.316	N/A
	11 1	Left Tilt	0.073	0.422	0.162	0.584	0.149	0.495	0.235	0.657	0.644	0.384	0.806	N/A
	Head	Right Cheek	0.11	0.243	0.216	0.459	0.069	0.353	0.326	0.569	0.422	0.395	0.638	N/A
		Right Tilt	0.069	0.198	0.13	0.328	0.092	0.267	0.199	0.397	0.359	0.291	0.489	N/A
40		Front	0.541	0.054	0.024	0.078	0.313	0.595	0.565	0.619	0.908	0.878	0.932	N/A
	Body-worn	Back	0.486	0.082	0.038	0.120	0.313	0.568	0.524	0.606	0.881	0.837	0.919	N/A
		Front	0.343	0.070	0.04	0.110	0.061	0.413	0.383	0.453	0.474	0.444	0.514	N/A
		Back	0.381	0.137	0.053	0.190	0.063	0.518	0.434	0.571	0.581	0.497	0.634	N/A
		Left	0.105	0.000	0	0.000	0.000	0.105	0.105	0.105	0.105	0.105	0.105	N/A
	Hotspot	Right	0.053	0.044	0.009	0.053	0.056	0.097	0.062	0.106	0.153	0.118	0.162	N/A
		Тор	0	0.066	0.035	0.101	0.125	0.066	0.035	0.101	0.191	0.160	0.226	N/A
		Bottom	0.744	0.000	0	0.000	0.000	0.744	0.744	0.744	0.744	0.744	0.744	N/A
		Front	/	0.386	0.114	0.500	0.376	0.386	0.114	0.500	0.762	0.762	0.876	N/A
		Back	/	0.303	0.142	0.445	0.376	0.303	0.142	0.445	0.679	0.679	0.821	N/A
		Left	/	/	1	/	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
	Limbs	Right	/	0.062	0.006	0.068	0.376	0.062	0.006	0.068	0.438	0.438	0.444	N/A
		Тор	1	0.210	0.068	0.278	0.376	0.210	0.068	0.278	0.586	0.586	0.654	N/A
		Bottom	2.148	/	/	/	0.376	2.148	2.148	2.148	2.524	2.524	2.524	N/A
WCDMA B4	Exposure position	Test position	① WWAN Ant.2 SAR	② 5G WIFI1 SAR	③ 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ1-g SAR ①+ ②	Σ1-g SAR ①+ ③	Σ1-g SAR ①+ ④	Σ1-g SAR ①+ ②+ ⑤	Σ 1-g SAR ①+③+⑤	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.348	0.719	0.249	0.968	0.196	1.067	0.597	1.316	1.263	0.793	1.512	N/A
		Left Tilt	0.362	0.422	0.162	0.584	0.149	0.784	0.524	0.946	0.933	0.673	1.095	N/A
	Head	Right Cheek	0.429	0.243	0.216	0.459	0.069	0.672	0.645	0.888	0.741	0.714	0.957	N/A
		Right Tilt	0.391	0.198	0.13	0.328	0.092	0.589	0.521	0.719	0.681	0.613	0.811	N/A
	.	Front	0.303	0.054	0.024	0.078	0.313	0.357	0.327	0.381	0.670	0.640	0.694	N/A
												0.689		
1 1	Body-worn	Back	0.338	0.082	0.038	0.120	0.313	0.420	0.376	0.458	0.733	0.009	0.771	N/A
	Body-worn	Back Front	0.338 0.316	0.082	0.038	0.120 0.110	0.313	0.420 0.386	0.376 0.356	0.458 0.426	0.733	0.689	0.771	N/A N/A
	Body-worn													
		Front	0.316	0.070	0.04	0.110	0.061	0.386	0.356	0.426	0.447	0.417	0.487	N/A
	Hotspot	Front Back	0.316 0.368	0.070 0.137	0.04 0.053	0.110 0.190	0.061 0.063	0.386 0.505	0.356 0.421	0.426 0.558	0.447 0.568	0.417 0.484	0.487 0.621	N/A N/A
		Front Back Left	0.316 0.368 0.221	0.070 0.137 0.000	0.04 0.053 0	0.110 0.190 0.000	0.061 0.063 0.000	0.386 0.505 0.221	0.356 0.421 0.221	0.426 0.558 0.221	0.447 0.568 0.221	0.417 0.484 0.221	0.487 0.621 0.221	N/A N/A N/A
		Front Back Left Right	0.316 0.368 0.221 0.030	0.070 0.137 0.000 0.044	0.04 0.053 0 0.009	0.110 0.190 0.000 0.053	0.061 0.063 0.000 0.056	0.386 0.505 0.221 0.074	0.356 0.421 0.221 0.039	0.426 0.558 0.221 0.083	0.447 0.568 0.221 0.130	0.417 0.484 0.221 0.095	0.487 0.621 0.221 0.139	N/A N/A N/A
		Front Back Left Right Top	0.316 0.368 0.221 0.030 0.476	0.070 0.137 0.000 0.044 0.066	0.04 0.053 0 0.009 0.035	0.110 0.190 0.000 0.053 0.101	0.061 0.063 0.000 0.056 0.125	0.386 0.505 0.221 0.074 0.542	0.356 0.421 0.221 0.039 0.511	0.426 0.558 0.221 0.083 0.577	0.447 0.568 0.221 0.130 0.667	0.417 0.484 0.221 0.095 0.636	0.487 0.621 0.221 0.139 0.702	N/A N/A N/A N/A
		Front Back Left Right Top Bottom	0.316 0.368 0.221 0.030 0.476	0.070 0.137 0.000 0.044 0.066 0.000	0.04 0.053 0 0.009 0.035	0.110 0.190 0.000 0.053 0.101 0.000	0.061 0.063 0.000 0.056 0.125 0.000	0.386 0.505 0.221 0.074 0.542 0.000	0.356 0.421 0.221 0.039 0.511 0.000	0.426 0.558 0.221 0.083 0.577 0.000	0.447 0.568 0.221 0.130 0.667 0.000	0.417 0.484 0.221 0.095 0.636 0.000	0.487 0.621 0.221 0.139 0.702 0.000	N/A N/A N/A N/A N/A
	Hotspot	Front Back Left Right Top Bottom Front	0.316 0.368 0.221 0.030 0.476	0.070 0.137 0.000 0.044 0.066 0.000 0.386	0.04 0.053 0 0.009 0.035 0 0.114	0.110 0.190 0.000 0.053 0.101 0.000 0.500	0.061 0.063 0.000 0.056 0.125 0.000 0.376	0.386 0.505 0.221 0.074 0.542 0.000 0.386	0.356 0.421 0.221 0.039 0.511 0.000 0.114	0.426 0.558 0.221 0.083 0.577 0.000 0.500	0.447 0.568 0.221 0.130 0.667 0.000 0.762	0.417 0.484 0.221 0.095 0.636 0.000 0.762	0.487 0.621 0.221 0.139 0.702 0.000 0.876	N/A N/A N/A N/A N/A N/A
S		Front Back Left Right Top Bottom Front Back	0.316 0.368 0.221 0.030 0.476	0.070 0.137 0.000 0.044 0.066 0.000 0.386 0.303	0.04 0.053 0 0.009 0.035 0 0.114 0.142	0.110 0.190 0.000 0.053 0.101 0.000 0.500 0.445	0.061 0.063 0.000 0.056 0.125 0.000 0.376 0.376	0.386 0.505 0.221 0.074 0.542 0.000 0.386 0.303	0.356 0.421 0.221 0.039 0.511 0.000 0.114 0.142	0.426 0.558 0.221 0.083 0.577 0.000 0.500 0.445	0.447 0.568 0.221 0.130 0.667 0.000 0.762 0.679	0.417 0.484 0.221 0.095 0.636 0.000 0.762 0.679	0.487 0.621 0.221 0.139 0.702 0.000 0.876 0.821	N/A N/A N/A N/A N/A N/A N/A
S	Hotspot	Front Back Left Right Top Bottom Front Back Left	0.316 0.368 0.221 0.030 0.476	0.070 0.137 0.000 0.044 0.066 0.000 0.386 0.303	0.04 0.053 0 0.009 0.035 0 0.114 0.142	0.110 0.190 0.000 0.053 0.101 0.000 0.500 0.445	0.061 0.063 0.000 0.056 0.125 0.000 0.376	0.386 0.505 0.221 0.074 0.542 0.000 0.386 0.303 0.000	0.356 0.421 0.221 0.039 0.511 0.000 0.114 0.142 0.000	0.426 0.558 0.221 0.083 0.577 0.000 0.500 0.445 0.000	0.447 0.568 0.221 0.130 0.667 0.000 0.762 0.679 0.376	0.417 0.484 0.221 0.095 0.636 0.000 0.762 0.679	0.487 0.621 0.221 0.139 0.702 0.000 0.876 0.821 0.376	N/A N/A N/A N/A N/A N/A N/A N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 468 of 493 Page

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	② 5G WIFI1 SAR	③ 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ 1-g SAR ①+	Σ 1-g SAR ①+	Σ1-g SAR ①+ ④	Σ1-g SAR ①+ ②+ ⑤	Σ1-g SAR ①+③+⑤	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.179	0.719	0.249	0.968	0.196	0.898	0.428	1.147	1.094	0.624	1.343	N/A
1		Left Tilt	0.103	0.422	0.162	0.584	0.149	0.525	0.265	0.687	0.674	0.414	0.836	N/A
	Head	Right Cheek	0.247	0.243	0.216	0.459	0.069	0.490	0.463	0.706	0.559	0.532	0.775	N/A
		Right Tilt	0.105	0.198	0.13	0.328	0.092	0.303	0.235	0.433	0.395	0.327	0.525	N/A
		Front	0.279	0.054	0.024	0.078	0.313	0.333	0.303	0.357	0.646	0.616	0.670	N/A
	Body-worn	Back	0.299	0.082	0.038	0.120	0.313	0.381	0.337	0.419	0.694	0.650	0.732	N/A
		Front	0.477	0.070	0.04	0.110	0.061	0.547	0.517	0.587	0.608	0.578	0.648	N/A
		Back	0.506	0.137	0.053	0.190	0.063	0.643	0.559	0.696	0.706	0.622	0.759	N/A
		Left	0.196	0.000	0	0.000	0.000	0.196	0.196	0.196	0.196	0.196	0.196	N/A
	Hotspot	Right	0.283	0.044	0.009	0.053	0.056	0.327	0.292	0.336	0.383	0.348	0.392	N/A
1		Top	0	0.066	0.035	0.101	0.125	0.066	0.035	0.101	0.191	0.160	0.226	N/A
1	•	Bottom	0.369	0.000	0	0.000	0.000	0.369	0.369	0.369	0.369	0.369	0.369	N/A
		Front	/	0.386	0.114	0.500	0.376	0.386	0.114	0.500	0.762	0.762	0.876	N/A
1	•	Back	/	0.303	0.142	0.445	0.376	0.303	0.142	0.445	0.679	0.679	0.821	N/A
1		Left	1	/	1	/	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
1	Limbs	Right	/	0.062	0.006	0.068	0.376	0.062	0.006	0.068	0.438	0.438	0.444	N/A
1		Top	1	0.210	0.068	0.278	0.376	0.210	0.068	0.278	0.586	0.586	0.654	N/A
1		Bottom	1	/	/	/	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
WCDMA B5	Exposure position	Test position	① WWAN Ant.2 SAR	② 5G WIFI1 SAR	③ 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ1-g SAR ①+ ②	Σ1-g SAR ①+ ③	Σ1-g SAR ①+ ④	Σ1-g SAR ①+ ②+ ⑤	Σ 1-g SAR $1+3+5$	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.308	0.719	0.249	0.968	0.196	1.027	0.557	1.276	1.223	0.753	1.472	N/A
		Left Tilt	0.427	0.422	0.162	0.584	0.149	0.849	0.589	1.011	0.998	0.738	1.160	N/A
	Head	Right Cheek	0.541	0.243	0.216	0.459	0.069	0.784	0.757	1.000	0.853	0.826	1.069	N/A
1	•	Right Tilt	0.467	0.198	0.13	0.328	0.092	0.665	0.597	0.795	0.757	0.689	0.887	N/A
ı	D = d	Front	0.504	0.054	0.024	0.078	0.313	0.558	0.528	0.582	0.871	0.841	0.895	N/A
	Body-worn	Back	0.451	0.082	0.038	0.120	0.313	0.533	0.489	0.571	0.846	0.802	0.884	N/A
		Front	0.459	0.070	0.04	0.110	0.061	0.529	0.499	0.569	0.590	0.560	0.630	N/A
1		Back	0.419	0.137	0.053	0.190	0.063	0.556	0.472	0.609	0.619	0.535	0.672	N/A
1	11-1	Left	0.245	0.000	0	0.000	0.000	0.245	0.245	0.245	0.245	0.245	0.245	N/A
	Hotspot	D: 1.	0.000	0.044	0.009	0.053	0.056	0.076	0.041	0.085	0.132	0.097	0.141	N/A
	Hotopot	Right	0.032	0.044					0.070	0.045				A 1 / A
	1 lotopot		0.032	0.066	0.035	0.101	0.125	0.310	0.279	0.345	0.435	0.404	0.470	N/A
	Поторос	Top Bottom			0.035	0.101	0.125 0.000	0.310	0.279	0.345	0.435	0.404	0.470	N/A N/A
	Tiotopot	Тор	0.244	0.066										
	Tiotope:	Top Bottom	0.244	0.066 0.000	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	N/A
	6	Top Bottom Front	0.244 0.000 /	0.066 0.000 0.386	0 0.114	0.000 0.500	0.000 0.376	0.000 0.386	0.000 0.114	0.000 0.500	0.000 0.762	0.000 0.762	0.000	N/A N/A
S	Limbs	Top Bottom Front Back	0.244 0.000 /	0.066 0.000 0.386 0.303	0 0.114 0.142	0.000 0.500 0.445	0.000 0.376 0.376	0.000 0.386 0.303	0.000 0.114 0.142	0.000 0.500 0.445	0.000 0.762 0.679	0.000 0.762 0.679	0.000 0.876 0.821	N/A N/A N/A
S	6	Top Bottom Front Back Left	0.244 0.000 / /	0.066 0.000 0.386 0.303 /	0 0.114 0.142 /	0.000 0.500 0.445	0.000 0.376 0.376 0.376	0.000 0.386 0.303 0.000	0.000 0.114 0.142 0.000	0.000 0.500 0.445 0.000	0.000 0.762 0.679 0.376	0.000 0.762 0.679 0.376	0.000 0.876 0.821 0.376	N/A N/A N/A N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 469 of 493 Page

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	② 5G WIFI1 SAR	③ 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ1-g SAR ①+ ②	Σ1-g SAR ①+ ③	Σ1-g SAR ①+ ④	Σ1-g SAR ①+ ②+ ⑤	Σ1-g SAR ①+③+⑤	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.146	0.719	0.249	0.968	0.196	0.865	0.395	1.114	1.061	0.591	1.310	N/A
	111	Left Tilt	0.071	0.422	0.162	0.584	0.149	0.493	0.233	0.655	0.642	0.382	0.804	N/A
	Head	Right Cheek	0.189	0.243	0.216	0.459	0.069	0.432	0.405	0.648	0.501	0.474	0.717	N/A
		Right Tilt	0.098	0.198	0.13	0.328	0.092	0.296	0.228	0.426	0.388	0.32	0.518	N/A
		Front	0.618	0.054	0.024	0.078	0.313	0.672	0.642	0.696	0.985	0.955	1.009	N/A
	Body-worn	Back	0.54	0.082	0.038	0.120	0.313	0.622	0.578	0.660	0.935	0.891	0.973	N/A
		Front	0.278	0.070	0.04	0.110	0.061	0.348	0.318	0.388	0.409	0.379	0.449	N/A
		Back	0.302	0.137	0.053	0.190	0.063	0.439	0.355	0.492	0.502	0.418	0.555	N/A
		Left	0.055	0.000	0	0.000	0.000	0.055	0.055	0.055	0.055	0.055	0.055	N/A
	Hotspot	Right	0.066	0.044	0.009	0.053	0.056	0.110	0.075	0.119	0.166	0.131	0.175	N/A
		Тор	0	0.066	0.035	0.101	0.125	0.066	0.035	0.101	0.191	0.160	0.226	N/A
		Bottom	0.754	0.000	0	0.000	0.000	0.754	0.754	0.754	0.754	0.754	0.754	N/A
		Front	1	0.386	0.114	0.500	0.376	0.386	0.114	0.500	0.762	0.762	0.876	N/A
		Back	1	0.303	0.142	0.445	0.376	0.303	0.142	0.445	0.679	0.679	0.821	N/A
		Left	1	/	1	1	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
	Limbs	Right	/	0.062	0.006	0.068	0.376	0.062	0.006	0.068	0.438	0.438	0.444	N/A
		Top	1	0.210	0.068	0.278	0.376	0.210	0.068	0.278	0.586	0.586	0.654	N/A
		Bottom	1.700	1	/	/	0.376	1.700	1.700	1.700	2.076	2.076	2.076	N/A
LTE B2	Exposure position	Test position	① WWAN Ant.2 SAR	② 5G WIFI1 SAR	③ 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ1-g SAR ①+ ②	Σ1-g SAR ①+ ③	$\begin{array}{c} \Sigma \text{1-g} \\ \text{SAR} \\ \textcircled{1} \text{+} \\ \textcircled{4} \end{array}$	Σ1-g SAR ①+ ②+ ⑤	Σ 1-g SAR $1+3+5$	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.292	0.719	0.249	0.968	0.196	1.011	0.541	1.260	1.207	0.737	1.456	N/A
		Left Tilt	0.378	0.422	0.162	0.584	0.149	0.800	0.540	0.962	0.949	0.689	1.111	N/A
	Head	Right Cheek	0.743	0.243	0.216	0.459	0.069	0.986	0.959	1.202	1.055	1.028	1.271	N/A
		Right Tilt	0.658	0.198	0.13	0.328	0.092	0.856	0.788	0.986	0.948	0.880	1.078	N/A
	.	Front	0.151	0.054	0.024	0.078	0.313	0.205	0.175	0.229	0.518	0.488	0.542	N/A
	Body-worn	Back	0.204	0.082	0.038	0.120	0.313	0.286	0.242	0.324	0.599	0.555	0.637	N/A
		Front	0.293	0.070	0.04	0.110	0.061	0.363	0.333	0.403	0.424	0.394	0.464	N/A
		Back	0.255	0.137	0.053	0.190	0.063	0.392	0.308	0.445	0.455	0.371	0.508	N/A
		Left	0.165	0.000	0	0.000	0.000	0.165	0.165	0.165	0.165	0.165	0.165	N/A
	Hotspot	Right	0.231	0.044	0.009	0.053	0.056	0.275	0.240	0.284	0.331	0.296	0.340	N/A
		Тор	0.524	0.066	0.035	0.101	0.125	0.590	0.559	0.625	0.715	0.684	0.750	N/A
		Bottom	0.000	0.000	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	N/A
		Front	/	0.386	0.114	0.500	0.376	0.386	0.114	0.500	0.762	0.762	0.876	N/A
		Back	/	0.303	0.142	0.445	0.376	0.303	0.142	0.445	0.679	0.679	0.821	N/A
								0.000	0.000	0.000	0.376			N/A
		Left	/	/	/	/	0.370	0.000	0.000	0.000	0.370	0.376	0.376	IN/A
	Limbs	Left	/	-	-	-	0.376 0.376							
S	Limbs	Left Right	/ /	0.062	0.006 0.068	0.068 0.278	0.376	0.062	0.006	0.068	0.376 0.438 0.586	0.438	0.376 0.444 0.654	N/A N/A N/A
S	Limbs	Left	/ /	-	0.006	0.068					0.438		0.444	N

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 470 of 493 Page

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	② 5G WIFI1 SAR	③ 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ 1-g SAR ①+	Σ 1-g SAR ①+	Σ 1-g SAR ①+	Σ1-g SAR ①+ ②+ ⑤	Σ1-g SAR ①+③+⑤	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.13	0.719	0.249	0.968	0.196	0.849	0.379	1.098	1.045	0.575	1.294	N/A
	Hood	Left Tilt	0.046	0.422	0.162	0.584	0.149	0.468	0.208	0.630	0.617	0.357	0.779	N/A
	Head	Right Cheek	0.104	0.243	0.216	0.459	0.069	0.347	0.32	0.563	0.416	0.389	0.632	N/A
		Right Tilt	0.066	0.198	0.13	0.328	0.092	0.264	0.196	0.394	0.356	0.288	0.486	N/A
	Dody worn	Front	0.381	0.054	0.024	0.078	0.313	0.435	0.405	0.459	0.748	0.718	0.772	N/A
	Body-worn	Back	0.372	0.082	0.038	0.120	0.313	0.454	0.41	0.492	0.767	0.723	0.805	N/A
		Front	0.416	0.070	0.04	0.110	0.061	0.486	0.456	0.526	0.547	0.517	0.587	N/A
		Back	0.412	0.137	0.053	0.190	0.063	0.549	0.465	0.602	0.612	0.528	0.665	N/A
	Hatamat	Left	0.096	0.000	0	0.000	0.000	0.096	0.096	0.096	0.096	0.096	0.096	N/A
	Hotspot	Right	0.056	0.044	0.009	0.053	0.056	0.100	0.065	0.109	0.156	0.121	0.165	N/A
		Тор	0	0.066	0.035	0.101	0.125	0.066	0.035	0.101	0.191	0.160	0.226	N/A
		Bottom	0.865	0.000	0	0.000	0.000	0.865	0.865	0.865	0.865	0.865	0.865	N/A
		Front	1	0.386	0.114	0.500	0.376	0.386	0.114	0.500	0.762	0.762	0.876	N/A
		Back	1	0.303	0.142	0.445	0.376	0.303	0.142	0.445	0.679	0.679	0.821	N/A
	Limbo	Left	/	/	/	/	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
	Limbs	Right	/	0.062	0.006	0.068	0.376	0.062	0.006	0.068	0.438	0.438	0.444	N/A
		Тор	1	0.210	0.068	0.278	0.376	0.210	0.068	0.278	0.586	0.586	0.654	N/A
		Bottom	1.983	/	/	/	0.376	1.983	1.983	1.983	2.359	2.359	2.359	N/A
LTE B4	Exposure position	Test position	① WWAN Ant.2 SAR	② 5G WIFI1 SAR	③ 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ 1-g SAR ①+	Σ 1-g SAR ①+	Σ 1-g SAR ①+	Σ1-g SAR ①+ ②+ ⑤	Σ1-g SAR ①+③+⑤	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.327	0.719	0.249	0.968	0.196	1.046	0.576	1.295	1.242	0.772	1.491	N/A
		Left Tilt	0.322	0.422	0.162	0.584	0.149	0.744	0.484	0.906	0.893	0.633	1.055	N/A
	Head	Left Tilt Right Cheek	0.322 0.417	0.422 0.243	0.162 0.216	0.584				0.906 0.876	0.893 0.729	0.633 0.702	1.055 0.945	N/A N/A
	Head						0.149	0.744	0.484					
		Right Cheek	0.417	0.243	0.216	0.459	0.149 0.069	0.744 0.660	0.484	0.876	0.729	0.702	0.945	N/A
	Head Body-worn	Right Cheek Right Tilt	0.417 0.469	0.243 0.198	0.216 0.13	0.459 0.328	0.149 0.069 0.092	0.744 0.660 0.667	0.484 0.633 0.599	0.876 0.797	0.729 0.759	0.702 0.691	0.945 0.889	N/A N/A
		Right Cheek Right Tilt Front	0.417 0.469 0.342	0.243 0.198 0.054	0.216 0.13 0.024	0.459 0.328 0.078	0.149 0.069 0.092 0.313	0.744 0.660 0.667 0.396	0.484 0.633 0.599 0.366	0.876 0.797 0.420	0.729 0.759 0.709	0.702 0.691 0.679	0.945 0.889 0.733	N/A N/A N/A
		Right Cheek Right Tilt Front Back	0.417 0.469 0.342 0.390	0.243 0.198 0.054 0.082	0.216 0.13 0.024 0.038	0.459 0.328 0.078 0.120	0.149 0.069 0.092 0.313 0.313	0.744 0.660 0.667 0.396 0.472	0.484 0.633 0.599 0.366 0.428	0.876 0.797 0.420 0.510	0.729 0.759 0.709 0.785	0.702 0.691 0.679 0.741	0.945 0.889 0.733 0.823	N/A N/A N/A
	Body-worn	Right Cheek Right Tilt Front Back Front	0.417 0.469 0.342 0.390 0.453	0.243 0.198 0.054 0.082 0.070	0.216 0.13 0.024 0.038 0.04	0.459 0.328 0.078 0.120 0.110	0.149 0.069 0.092 0.313 0.313	0.744 0.660 0.667 0.396 0.472 0.523	0.484 0.633 0.599 0.366 0.428 0.493	0.876 0.797 0.420 0.510 0.563	0.729 0.759 0.709 0.785 0.584	0.702 0.691 0.679 0.741 0.554	0.945 0.889 0.733 0.823 0.624	N/A N/A N/A N/A
		Right Cheek Right Tilt Front Back Front Back	0.417 0.469 0.342 0.390 0.453 0.504	0.243 0.198 0.054 0.082 0.070 0.137	0.216 0.13 0.024 0.038 0.04 0.053	0.459 0.328 0.078 0.120 0.110 0.190	0.149 0.069 0.092 0.313 0.313 0.061 0.063	0.744 0.660 0.667 0.396 0.472 0.523 0.641	0.484 0.633 0.599 0.366 0.428 0.493 0.557	0.876 0.797 0.420 0.510 0.563 0.694	0.729 0.759 0.709 0.785 0.584 0.704	0.702 0.691 0.679 0.741 0.554 0.620	0.945 0.889 0.733 0.823 0.624 0.757	N/A N/A N/A N/A N/A
	Body-worn	Right Cheek Right Tilt Front Back Front Back Left	0.417 0.469 0.342 0.390 0.453 0.504 0.324	0.243 0.198 0.054 0.082 0.070 0.137 0.000	0.216 0.13 0.024 0.038 0.04 0.053	0.459 0.328 0.078 0.120 0.110 0.190 0.000	0.149 0.069 0.092 0.313 0.313 0.061 0.063 0.000	0.744 0.660 0.667 0.396 0.472 0.523 0.641 0.324	0.484 0.633 0.599 0.366 0.428 0.493 0.557 0.324	0.876 0.797 0.420 0.510 0.563 0.694 0.324	0.729 0.759 0.709 0.785 0.584 0.704 0.324	0.702 0.691 0.679 0.741 0.554 0.620 0.324	0.945 0.889 0.733 0.823 0.624 0.757 0.324	N/A N/A N/A N/A N/A N/A
	Body-worn	Right Cheek Right Tilt Front Back Front Back Left Right	0.417 0.469 0.342 0.390 0.453 0.504 0.324 0.098	0.243 0.198 0.054 0.082 0.070 0.137 0.000 0.044	0.216 0.13 0.024 0.038 0.04 0.053 0	0.459 0.328 0.078 0.120 0.110 0.190 0.000 0.053	0.149 0.069 0.092 0.313 0.313 0.061 0.063 0.000	0.744 0.660 0.667 0.396 0.472 0.523 0.641 0.324 0.142	0.484 0.633 0.599 0.366 0.428 0.493 0.557 0.324 0.107	0.876 0.797 0.420 0.510 0.563 0.694 0.324 0.151	0.729 0.759 0.709 0.785 0.584 0.704 0.324 0.198	0.702 0.691 0.679 0.741 0.554 0.620 0.324 0.163	0.945 0.889 0.733 0.823 0.624 0.757 0.324 0.207	N/A N/A N/A N/A N/A N/A N/A
	Body-worn	Right Cheek Right Tilt Front Back Front Back Left Right Top	0.417 0.469 0.342 0.390 0.453 0.504 0.324 0.098 0.521	0.243 0.198 0.054 0.082 0.070 0.137 0.000 0.044 0.066	0.216 0.13 0.024 0.038 0.04 0.053 0 0.009 0.035	0.459 0.328 0.078 0.120 0.110 0.190 0.000 0.053 0.101	0.149 0.069 0.092 0.313 0.313 0.061 0.063 0.000 0.056	0.744 0.660 0.667 0.396 0.472 0.523 0.641 0.324 0.142 0.587	0.484 0.633 0.599 0.366 0.428 0.493 0.557 0.324 0.107	0.876 0.797 0.420 0.510 0.563 0.694 0.324 0.151 0.622	0.729 0.759 0.709 0.785 0.584 0.704 0.324 0.198 0.712	0.702 0.691 0.679 0.741 0.554 0.620 0.324 0.163 0.681	0.945 0.889 0.733 0.823 0.624 0.757 0.324 0.207 0.747	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
	Body-worn	Right Cheek Right Tilt Front Back Front Back Left Right Top Bottom	0.417 0.469 0.342 0.390 0.453 0.504 0.324 0.098 0.521	0.243 0.198 0.054 0.082 0.070 0.137 0.000 0.044 0.066 0.000	0.216 0.13 0.024 0.038 0.04 0.053 0 0.009 0.035	0.459 0.328 0.078 0.120 0.110 0.190 0.000 0.053 0.101 0.000	0.149 0.069 0.092 0.313 0.313 0.061 0.063 0.000 0.056 0.125 0.000	0.744 0.660 0.667 0.396 0.472 0.523 0.641 0.324 0.142 0.587 0.000	0.484 0.633 0.599 0.366 0.428 0.493 0.557 0.324 0.107 0.556	0.876 0.797 0.420 0.510 0.563 0.694 0.324 0.151 0.622 0.000	0.729 0.759 0.709 0.785 0.584 0.704 0.324 0.198 0.712 0.000	0.702 0.691 0.679 0.741 0.554 0.620 0.324 0.163 0.681 0.000	0.945 0.889 0.733 0.823 0.624 0.757 0.324 0.207 0.747	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
	Body-worn Hotspot	Right Cheek Right Tilt Front Back Front Back Left Right Top Bottom Front	0.417 0.469 0.342 0.390 0.453 0.504 0.324 0.098 0.521	0.243 0.198 0.054 0.082 0.070 0.137 0.000 0.044 0.066 0.000 0.386	0.216 0.13 0.024 0.038 0.04 0.053 0 0.009 0.035 0 0.114	0.459 0.328 0.078 0.120 0.110 0.190 0.000 0.053 0.101 0.000 0.500	0.149 0.069 0.092 0.313 0.313 0.061 0.063 0.000 0.056 0.125 0.000 0.376	0.744 0.660 0.667 0.396 0.472 0.523 0.641 0.324 0.142 0.587 0.000 0.386	0.484 0.633 0.599 0.366 0.428 0.493 0.557 0.324 0.107 0.556 0.000	0.876 0.797 0.420 0.510 0.563 0.694 0.324 0.151 0.622 0.000	0.729 0.759 0.709 0.785 0.584 0.704 0.324 0.198 0.712 0.000 0.762	0.702 0.691 0.679 0.741 0.554 0.620 0.324 0.163 0.681 0.000 0.762	0.945 0.889 0.733 0.823 0.624 0.757 0.324 0.207 0.747 0.000 0.876	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
S	Body-worn	Right Cheek Right Tilt Front Back Front Back Left Right Top Bottom Front Back	0.417 0.469 0.342 0.390 0.453 0.504 0.324 0.098 0.521	0.243 0.198 0.054 0.082 0.070 0.137 0.000 0.044 0.066 0.000 0.386 0.303	0.216 0.13 0.024 0.038 0.04 0.053 0 0.009 0.035 0 0.114 0.142	0.459 0.328 0.078 0.120 0.110 0.190 0.000 0.053 0.101 0.000 0.500 0.445	0.149 0.069 0.092 0.313 0.313 0.061 0.063 0.000 0.056 0.125 0.000 0.376	0.744 0.660 0.667 0.396 0.472 0.523 0.641 0.324 0.142 0.587 0.000 0.386 0.303	0.484 0.633 0.599 0.366 0.428 0.493 0.557 0.324 0.107 0.556 0.000 0.114 0.142	0.876 0.797 0.420 0.510 0.563 0.694 0.324 0.151 0.622 0.000 0.500	0.729 0.759 0.709 0.785 0.584 0.704 0.324 0.198 0.712 0.000 0.762 0.679	0.702 0.691 0.679 0.741 0.554 0.620 0.324 0.163 0.681 0.000 0.762 0.679	0.945 0.889 0.733 0.823 0.624 0.757 0.324 0.207 0.747 0.000 0.876 0.821	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
S	Body-worn Hotspot	Right Cheek Right Tilt Front Back Front Back Left Right Top Bottom Front Back Left	0.417 0.469 0.342 0.390 0.453 0.504 0.324 0.098 0.521	0.243 0.198 0.054 0.082 0.070 0.137 0.000 0.044 0.066 0.000 0.386 0.303	0.216 0.13 0.024 0.038 0.04 0.053 0 0.009 0.035 0 0.114 0.142	0.459 0.328 0.078 0.120 0.110 0.190 0.000 0.053 0.101 0.000 0.500 0.445	0.149 0.069 0.092 0.313 0.313 0.061 0.063 0.000 0.056 0.125 0.000 0.376 0.376	0.744 0.660 0.667 0.396 0.472 0.523 0.641 0.324 0.142 0.587 0.000 0.386 0.303 0.000	0.484 0.633 0.599 0.366 0.428 0.493 0.557 0.324 0.107 0.556 0.000 0.114 0.142 0.000	0.876 0.797 0.420 0.510 0.563 0.694 0.324 0.151 0.622 0.000 0.500 0.445	0.729 0.759 0.709 0.785 0.584 0.704 0.324 0.198 0.712 0.000 0.762 0.679	0.702 0.691 0.679 0.741 0.554 0.620 0.324 0.163 0.681 0.000 0.762 0.679 0.376	0.945 0.889 0.733 0.823 0.624 0.757 0.324 0.207 0.747 0.000 0.876 0.821	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Rev : 01

: 471 of 493 Page

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	② 5G WIFI1 SAR	③ 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ 1-g SAR ①+	Σ 1-g SAR ①+	Σ 1-g SAR ①+	Σ1-g SAR ①+ ②+ ⑤	Σ1-g SAR ①+③+⑤	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.093	0.719	0.249	0.968	0.196	0.812	0.342	1.061	1.008	0.538	1.257	N/A
	Hand	Left Tilt	0.047	0.422	0.162	0.584	0.149	0.469	0.209	0.631	0.618	0.358	0.780	N/A
	Head	Right Cheek	0.126	0.243	0.216	0.459	0.069	0.369	0.342	0.585	0.438	0.411	0.654	N/A
	Ca/	Right Tilt	0.054	0.198	0.13	0.328	0.092	0.252	0.184	0.382	0.344	0.276	0.474	N/A
10	Pody worn	Front	0.147	0.054	0.024	0.078	0.313	0.201	0.171	0.225	0.514	0.484	0.538	N/A
	Body-worn	Back	0.15	0.082	0.038	0.120	0.313	0.232	0.188	0.270	0.545	0.501	0.583	N/A
		Front	0.223	0.070	0.04	0.110	0.061	0.293	0.263	0.333	0.354	0.324	0.394	N/A
		Back	0.26	0.137	0.053	0.190	0.063	0.397	0.313	0.450	0.460	0.376	0.513	N/A
	Hotopot	Left	0.062	0.000	0	0.000	0.000	0.062	0.062	0.062	0.062	0.062	0.062	N/A
	Hotspot	Right	0.156	0.044	0.009	0.053	0.056	0.200	0.165	0.209	0.256	0.221	0.265	N/A
		Тор	0	0.066	0.035	0.101	0.125	0.066	0.035	0.101	0.191	0.160	0.226	N/A
		Bottom	0.195	0.000	0	0.000	0.000	0.195	0.195	0.195	0.195	0.195	0.195	N/A
		Front	1	0.386	0.114	0.500	0.376	0.386	0.114	0.500	0.762	0.762	0.876	N/A
		Back	1	0.303	0.142	0.445	0.376	0.303	0.142	0.445	0.679	0.679	0.821	N/A
	Limbs	Left	1	/	1	/	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
	LIIIDS	Right	/	0.062	0.006	0.068	0.376	0.062	0.006	0.068	0.438	0.438	0.444	N/A
		Тор	1	0.210	0.068	0.278	0.376	0.210	0.068	0.278	0.586	0.586	0.654	N/A
		Bottom	1	/	/	/	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
LTE B5	Exposure position	Test position	WWAN Ant.2 SAR	② 5G WIFI1 SAR	③ 5G WIFI2 SAR	4) 5G MIMO SAR	⑤ BT SAR	Σ 1-g SAR ①+	Σ 1-g SAR ①+	Σ1-g SAR ①+ ④	Σ1-g SAR ①+ ②+ ⑤	Σ1-g SAR ①+③+⑤	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.390	0.719	0.249	0.968	0.196	1.109	0.639	1.358	1.305	0.835	1.554	N/A
	l la a d	Left Tilt	0.294	0.422	0.162	0.584	0.149	0.716	0.456	0.878	0.865	0.605	1.027	N/A
	Head	Right Cheek	0.419	0.243	0.216	0.459	0.069	0.662	0.635	0.878	0.731	0.704	0.947	N/A
		Right Tilt	0.429	0.198	0.13	0.328	0.092	0.627	0.559	0.757	0.719	0.651	0.849	N/A
	Dody worn	Front	0.489	0.054	0.024	0.078	0.313	0.543	0.513	0.567	0.856	0.826	0.880	N/A
	Body-worn	Back	0.455	0.082	0.038	0.120	0.313	0.537	0.493	0.575	0.850	0.806	0.888	N/A
		Front	0.413	0.070	0.04	0.110	0.061	0.483	0.453	0.523	0.544	0.514	0.584	N/A
		Back	0.385	0.137	0.053	0.190	0.063	0.522	0.438	0.575	0.585	0.501	0.638	N/A
	Listanot	Left	0.218	0.000	0	0.000	0.000	0.218	0.218	0.218	0.218	0.218	0.218	N/A
	Hotspot	Right	0.038	0.044	0.009	0.053	0.056	0.082	0.047	0.091	0.138	0.103	0.147	N/A
l l									0.045	0.444	0.504	0.470		NI/A
		Тор	0.310	0.066	0.035	0.101	0.125	0.376	0.345	0.411	0.501	0.470	0.536	N/A
			0.310 0.000	0.066	0.035	0.101	0.125	0.376	0.345	0.411	0.501	0.470	0.536	N/A
		Тор												
		Top Bottom		0.000	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	N/A
C	8	Top Bottom Front	0.000	0.000 0.386	0 0.114	0.000 0.500	0.000 0.376	0.000 0.386	0.000 0.114	0.000 0.500	0.000 0.762	0.000 0.762	0.000	N/A N/A
S	Limbs	Top Bottom Front Back Left	0.000	0.000 0.386 0.303	0 0.114 0.142	0.000 0.500 0.445	0.000 0.376 0.376	0.000 0.386 0.303	0.000 0.114 0.142	0.000 0.500 0.445	0.000 0.762 0.679	0.000 0.762 0.679	0.000 0.876 0.821	N/A N/A N/A
S	Limbs	Top Bottom Front Back	0.000 / / /	0.000 0.386 0.303 /	0 0.114 0.142 /	0.000 0.500 0.445	0.000 0.376 0.376 0.376	0.000 0.386 0.303 0.000	0.000 0.114 0.142 0.000	0.000 0.500 0.445 0.000	0.000 0.762 0.679 0.376	0.000 0.762 0.679 0.376	0.000 0.876 0.821 0.376	N/A N/A N/A N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 472 of 493 Page

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	② 5G WIFI1 SAR	3 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ 1-g SAR ①+	Σ1-g SAR ①+ ③	Σ1-g SAR ①+ ④	Σ1-g SAR ①+ ②+ ⑤	Σ1-g SAR ①+③+⑤	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.039	0.719	0.249	0.968	0.196	0.758	0.288	1.007	0.954	0.484	1.203	N/A
	Head	Left Tilt	0.031	0.422	0.162	0.584	0.149	0.453	0.193	0.615	0.602	0.342	0.764	N/A
	пеац	Right Cheek	0.165	0.243	0.216	0.459	0.069	0.408	0.381	0.624	0.477	0.45	0.693	N/A
		Right Tilt	0.042	0.198	0.13	0.328	0.092	0.240	0.172	0.370	0.332	0.264	0.462	N/A
40	Body-worn	Front	0.466	0.054	0.024	0.078	0.313	0.520	0.49	0.544	0.833	0.803	0.857	N/A
	Body-worn	Back	0.437	0.082	0.038	0.120	0.313	0.519	0.475	0.557	0.832	0.788	0.870	N/A
		Front	0.215	0.070	0.04	0.110	0.061	0.285	0.255	0.325	0.346	0.316	0.386	N/A
		Back	0.199	0.137	0.053	0.190	0.063	0.336	0.252	0.389	0.399	0.315	0.452	N/A
	Hotspot	Left	0.122	0.000	0	0.000	0.000	0.122	0.122	0.122	0.122	0.122	0.122	N/A
	Ποιδροί	Right	0.032	0.044	0.009	0.053	0.056	0.076	0.041	0.085	0.132	0.097	0.141	N/A
		Тор	0	0.066	0.035	0.101	0.125	0.066	0.035	0.101	0.191	0.160	0.226	N/A
		Bottom	0.602	0.000	0	0.000	0.000	0.602	0.602	0.602	0.602	0.602	0.602	N/A
		Front	1	0.386	0.114	0.500	0.376	0.386	0.114	0.500	0.762	0.762	0.876	N/A
		Back	1	0.303	0.142	0.445	0.376	0.303	0.142	0.445	0.679	0.679	0.821	N/A
	Limbs	Left	1	/	1	1	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
	Limbs	Right	1	0.062	0.006	0.068	0.376	0.062	0.006	0.068	0.438	0.438	0.444	N/A
		Тор	1	0.210	0.068	0.278	0.376	0.210	0.068	0.278	0.586	0.586	0.654	N/A
		Bottom	2.584	/	/	/	0.376	2.584	2.584	2.584	2.960	2.960	2.960	N/A
LTE B7	Exposure position	Test position	WWAN Ant.2 SAR	② 5G WIFI1 SAR	③ 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ 1-g SAR ①+	Σ1-g SAR ①+ ③	Σ1-g SAR ①+ ④	Σ1-g SAR ①+ ②+ ⑤	Σ 1-g SAR $1+3+5$	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.193	0.719	0.249	0.968	0.196	0.912	0.442	1.161	1.108	0.638	1.357	N/A
	11	Left Tilt	0.175	0.422	0.162	0.584	0.149	0.597	0.337	0.759	0.746	0.486	0.908	N/A
	Head	Right Cheek	0.521	0.243	0.216	0.459	0.069	0.764	0.737	0.980	0.833	0.806	1.049	N/A
		Right Tilt	0.391	0.198	0.13	0.328	0.092	0.589	0.521	0.719	0.681	0.613	0.811	N/A
•	Dadwara	Front	0.046	0.054	0.024	0.078	0.313	0.100	0.070	0.124	0.413	0.383	0.437	N/A
	Body-worn	Back	0.101	0.082	0.038	0.120	0.313	0.183	0.139	0.221	0.496	0.452	0.534	N/A
•		Front	0.059	0.070	0.04	0.110	0.061	0.129	0.099	0.169	0.190	0.160	0.230	N/A
		Back	0.112	0.137	0.053	0.190	0.063	0.249	0.165	0.302	0.312	0.228	0.365	N/A
	Untract	Left	0.072	0.000	0	0.000	0.000	0.072	0.072	0.072	0.072	0.072	0.072	N/A
	Hotspot	Right	0.032	0.044	0.009	0.053	0.056	0.076	0.041	0.085	0.132	0.097	0.141	N/A
		Тор	0.136	0.066	0.035	0.101	0.125	0.202	0.170	0.237	0.327	0.296	0.362	N/A
		Bottom	0.000	0.000	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	N/A
		Front	/	0.386	0.114	0.500	0.376	0.386	0.114	0.500	0.762	0.762	0.876	N/A
			t		0.142	0.445	0.376	0.303	0.142	0.445	0.679	0.679	0.821	N/A
	100	Back	/	0.303	0.142									
a		Back Left	/	/	/	/	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
9	Limbs	Left	/		/	/	0.376			0.000				N/A N/A
8	Limbs		/	/				0.000 0.062 0.210	0.000 0.006 0.068		0.376 0.438 0.586	0.376 0.438 0.586	0.376	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 473 of 493 Page

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	② 5G WIFI1 SAR	③ 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ 1-g SAR ①+	Σ 1-g SAR ①+	Σ 1-g SAR ①+	Σ1-g SAR ①+ ②+ ⑤	∑1-g SAR ①+③+⑤	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.074	0.719	0.249	0.968	0.196	0.793	0.323	1.042	0.989	0.519	1.238	N/A
	Head	Left Tilt	0.063	0.422	0.162	0.584	0.149	0.485	0.225	0.647	0.634	0.374	0.796	N/A
	пеац	Right Cheek	0.102	0.243	0.216	0.459	0.069	0.345	0.318	0.561	0.414	0.387	0.630	N/A
		Right Tilt	0.045	0.198	0.13	0.328	0.092	0.243	0.175	0.373	0.335	0.267	0.465	N/A
	Body-worn	Front	0.156	0.054	0.024	0.078	0.313	0.210	0.18	0.234	0.523	0.493	0.547	N/A
	Body-worn	Back	0.184	0.082	0.038	0.120	0.313	0.266	0.222	0.304	0.579	0.535	0.617	N/A
		Front	0.23	0.070	0.04	0.110	0.061	0.300	0.27	0.340	0.361	0.331	0.401	N/A
		Back	0.273	0.137	0.053	0.190	0.063	0.410	0.326	0.463	0.473	0.389	0.526	N/A
	Hotspot	Left	0.098	0.000	0	0.000	0.000	0.098	0.098	0.098	0.098	0.098	0.098	N/A
	Hotspot	Right	0.214	0.044	0.009	0.053	0.056	0.258	0.223	0.267	0.314	0.279	0.323	N/A
		Тор	0	0.066	0.035	0.101	0.125	0.066	0.035	0.101	0.191	0.160	0.226	N/A
		Bottom	0.166	0.000	0	0.000	0.000	0.166	0.166	0.166	0.166	0.166	0.166	N/A
		Front	1	0.386	0.114	0.500	0.376	0.386	0.114	0.500	0.762	0.762	0.876	N/A
		Back	1	0.303	0.142	0.445	0.376	0.303	0.142	0.445	0.679	0.679	0.821	N/A
	Limbs	Left	1	/	1	1	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
	Limbs	Right	/	0.062	0.006	0.068	0.376	0.062	0.006	0.068	0.438	0.438	0.444	N/A
		Тор	1	0.210	0.068	0.278	0.376	0.210	0.068	0.278	0.586	0.586	0.654	N/A
		Bottom	1	/	/	/	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
LTE B12	Exposure position	Test position	WWAN Ant.2 SAR	② 5G WIFI1 SAR	③ 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ 1-g SAR ①+	Σ 1-g SAR ①+	Σ1-g SAR ①+ ④	Σ1-g SAR ①+ ②+ ⑤	Σ 1-g SAR 1+3+5	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.306	0.719	0.249	0.968	0.196	1.025	0.555	1.274	1.221	0.751	1.470	N/A
	11	Left Tilt	0.514	0.422	0.162	0.584	0.149	0.936	0.676	1.098	1.085	0.825	1.247	N/A
	Head	Right Cheek	0.662	0.243	0.216	0.459	0.069	0.905	0.878	1.121	0.974	0.947	1.190	N/A
		Right Tilt	0.642	0.198	0.13	0.328	0.092	0.840	0.772	0.970	0.932	0.864	1.062	N/A
	Dadwara	Front	0.161	0.054	0.024	0.078	0.313	0.215	0.185	0.239	0.528	0.498	0.552	N/A
<u> </u>	Body-worn	Deel	0.139	0.082	0.038	0.120	0.040		0.177	0.259	0.534	0.490	0.572	N/A
		Back	0.139	0.002	0.030	0.120	0.313	0.221	0.177	0.200				
1		Front	0.139	0.070	0.036	0.120	0.313	0.221	0.243	0.313	0.334	0.304	0.374	N/A
												0.304 0.302	0.374 0.439	N/A N/A
		Front	0.203	0.070	0.04	0.110	0.061	0.273	0.243	0.313	0.334			
	Hotspot	Front Back Left	0.203 0.186	0.070 0.137	0.04 0.053	0.110 0.190	0.061 0.063	0.273 0.323	0.243 0.239	0.313 0.376	0.334 0.386	0.302	0.439	N/A
	Hotspot	Front Back Left Right	0.203 0.186 0.107 0.025	0.070 0.137 0.000 0.044	0.04 0.053 0 0.009	0.110 0.190 0.000	0.061 0.063 0.000 0.056	0.273 0.323 0.107 0.069	0.243 0.239 0.107 0.034	0.313 0.376 0.107 0.078	0.334 0.386 0.107 0.125	0.302 0.107 0.090	0.439 0.107 0.134	N/A N/A N/A
	Hotspot	Front Back Left	0.203 0.186 0.107	0.070 0.137 0.000	0.04 0.053 0	0.110 0.190 0.000 0.053	0.061 0.063 0.000	0.273 0.323 0.107	0.243 0.239 0.107	0.313 0.376 0.107	0.334 0.386 0.107	0.302 0.107	0.439 0.107	N/A N/A
	Hotspot	Front Back Left Right Top	0.203 0.186 0.107 0.025 0.126	0.070 0.137 0.000 0.044 0.066	0.04 0.053 0 0.009 0.035	0.110 0.190 0.000 0.053 0.101	0.061 0.063 0.000 0.056 0.125	0.273 0.323 0.107 0.069 0.192	0.243 0.239 0.107 0.034 0.161	0.313 0.376 0.107 0.078 0.227	0.334 0.386 0.107 0.125 0.317	0.302 0.107 0.090 0.286	0.439 0.107 0.134 0.352	N/A N/A N/A
	Hotspot	Front Back Left Right Top Bottom	0.203 0.186 0.107 0.025 0.126	0.070 0.137 0.000 0.044 0.066 0.000	0.04 0.053 0 0.009 0.035	0.110 0.190 0.000 0.053 0.101 0.000	0.061 0.063 0.000 0.056 0.125 0.000 0.376	0.273 0.323 0.107 0.069 0.192 0.000	0.243 0.239 0.107 0.034 0.161 0.000	0.313 0.376 0.107 0.078 0.227 0.000	0.334 0.386 0.107 0.125 0.317 0.000	0.302 0.107 0.090 0.286 0.000	0.439 0.107 0.134 0.352 0.000	N/A N/A N/A N/A
	8	Front Back Left Right Top Bottom Front	0.203 0.186 0.107 0.025 0.126 0.000	0.070 0.137 0.000 0.044 0.066 0.000 0.386	0.04 0.053 0 0.009 0.035 0 0.114	0.110 0.190 0.000 0.053 0.101 0.000 0.500	0.061 0.063 0.000 0.056 0.125 0.000	0.273 0.323 0.107 0.069 0.192 0.000 0.386	0.243 0.239 0.107 0.034 0.161 0.000 0.114	0.313 0.376 0.107 0.078 0.227 0.000 0.500	0.334 0.386 0.107 0.125 0.317 0.000 0.762	0.302 0.107 0.090 0.286 0.000 0.762	0.439 0.107 0.134 0.352 0.000 0.876	N/A N/A N/A N/A N/A
S	Hotspot	Front Back Left Right Top Bottom Front Back Left	0.203 0.186 0.107 0.025 0.126 0.000	0.070 0.137 0.000 0.044 0.066 0.000 0.386 0.303	0.04 0.053 0 0.009 0.035 0 0.114 0.142	0.110 0.190 0.000 0.053 0.101 0.000 0.500 0.445	0.061 0.063 0.000 0.056 0.125 0.000 0.376 0.376	0.273 0.323 0.107 0.069 0.192 0.000 0.386 0.303 0.000	0.243 0.239 0.107 0.034 0.161 0.000 0.114 0.142 0.000	0.313 0.376 0.107 0.078 0.227 0.000 0.500 0.445	0.334 0.386 0.107 0.125 0.317 0.000 0.762 0.679 0.376	0.302 0.107 0.090 0.286 0.000 0.762 0.679 0.376	0.439 0.107 0.134 0.352 0.000 0.876 0.821	N/A N/A N/A N/A N/A N/A
S	8	Front Back Left Right Top Bottom Front Back	0.203 0.186 0.107 0.025 0.126 0.000 /	0.070 0.137 0.000 0.044 0.066 0.000 0.386 0.303	0.04 0.053 0 0.009 0.035 0 0.114 0.142	0.110 0.190 0.000 0.053 0.101 0.000 0.500 0.445	0.061 0.063 0.000 0.056 0.125 0.000 0.376	0.273 0.323 0.107 0.069 0.192 0.000 0.386 0.303	0.243 0.239 0.107 0.034 0.161 0.000 0.114 0.142	0.313 0.376 0.107 0.078 0.227 0.000 0.500 0.445 0.000	0.334 0.386 0.107 0.125 0.317 0.000 0.762 0.679	0.302 0.107 0.090 0.286 0.000 0.762 0.679	0.439 0.107 0.134 0.352 0.000 0.876 0.821 0.376	N/A N/A N/A N/A N/A N/A N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 474 of 493 Page

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	② 5G WIFI1 SAR	③ 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ1-g SAR ①+ ②	Σ1-g SAR ①+ ③	Σ1-g SAR ①+ ④	Σ1-g SAR ①+ ②+ ⑤	Σ1-g SAR ①+③+⑤	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.095	0.719	0.249	0.968	0.196	0.814	0.344	1.063	1.010	0.54	1.259	N/A
	11	Left Tilt	0.088	0.422	0.162	0.584	0.149	0.510	0.25	0.672	0.659	0.399	0.821	N/A
	Head	Right Cheek	0.125	0.243	0.216	0.459	0.069	0.368	0.341	0.584	0.437	0.41	0.653	N/A
		Right Tilt	0.062	0.198	0.13	0.328	0.092	0.260	0.192	0.390	0.352	0.284	0.482	N/A
		Front	0.203	0.054	0.024	0.078	0.313	0.257	0.227	0.281	0.570	0.540	0.594	N/A
	Body-worn	Back	0.226	0.082	0.038	0.120	0.313	0.308	0.264	0.346	0.621	0.577	0.659	N/A
		Front	0.276	0.070	0.04	0.110	0.061	0.346	0.316	0.386	0.407	0.377	0.447	N/A
		Back	0.354	0.137	0.053	0.190	0.063	0.491	0.407	0.544	0.554	0.470	0.607	N/A
		Left	0.103	0.000	0	0.000	0.000	0.103	0.103	0.103	0.103	0.103	0.103	N/A
	Hotspot	Right	0.233	0.044	0.009	0.053	0.056	0.277	0.242	0.286	0.333	0.298	0.342	N/A
		Тор	0	0.066	0.035	0.101	0.125	0.066	0.035	0.101	0.191	0.160	0.226	N/A
		Bottom	0.213	0.000	0	0.000	0.000	0.213	0.213	0.213	0.213	0.213	0.213	N/A
		Front	1	0.386	0.114	0.500	0.376	0.386	0.114	0.500	0.762	0.762	0.876	N/A
		Back	1	0.303	0.142	0.445	0.376	0.303	0.142	0.445	0.679	0.679	0.821	N/A
		Left	1	/	1	1	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
	Limbs	Right	/	0.062	0.006	0.068	0.376	0.062	0.006	0.068	0.438	0.438	0.444	N/A
		Top	/	0.210	0.068	0.278	0.376	0.210	0.068	0.278	0.586	0.586	0.654	N/A
		Bottom	1	/	/	/	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
LTE B17	Exposure position	Test position	① WWAN Ant.2 SAR	② 5G WIFI1 SAR	③ 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ1-g SAR ①+ ②	Σ1-g SAR ①+ ③	Σ 1-g SAR ①+	Σ1-g SAR ①+ ②+ ⑤	Σ1-g SAR ①+③+⑤	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.337	0.719	0.249	0.968	0.196	1.056	0.586	1.305	1.252	0.782	1.501	N/A
		Left Tilt	0.456	0.422	0.162	0.584	0.149	0.878	0.618	1.040	1.027	0.767	1.189	N/A
	Head	Right Cheek	0.512	0.243	0.216	0.459	0.069	0.755	0.728	0.971	0.824	0.797	1.040	N/A
		Right Tilt	0.446	0.198	0.13	0.328	0.092	0.644	0.576	0.774	0.736	0.668	0.866	N/A
		Front	0.168	0.054	0.024	0.078	0.313	0.222	0.192	0.246	0.535	0.505	0.559	N/A
	Body-worn	Back	0.166	0.082	0.038	0.120	0.313	0.248	0.204	0.286	0.561	0.517	0.599	N/A
		Front	0.147	0.070	0.04	0.110	0.061	0.217	0.187	0.257	0.278	0.248	0.318	N/A
		Back	0.118	0.137	0.053	0.190	0.063	0.255	0.171	0.308	0.318	0.234	0.371	N/A
		Left	0.081	0.000	0	0.000	0.000	0.081	0.081	0.081	0.081	0.081	0.081	N/A
	Hotspot	Right	0.021	0.044	0.009	0.053	0.056	0.065	0.030	0.074	0.121	0.086	0.130	N/A
		Тор	0.092	0.066	0.035	0.101	0.125	0.158	0.127	0.193	0.283	0.252	0.318	N/A
		Bottom	0.000	0.000	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	N/A
		Front	/	0.386	0.114	0.500	0.376	0.386	0.114	0.500	0.762	0.762	0.876	N/A
	100	Back	/	0.303	0.142	0.445	0.376	0.303	0.142	0.445	0.679	0.679	0.821	N/A
		Left	/	/	/	/	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
	Limbs	Right	/	0.062	0.006	0.068	0.376	0.062	0.006	0.068	0.438	0.438	0.444	N/A
		Top	1	0.210	0.068	0.278	0.376	0.210	0.068	0.278	0.586	0.586	0.654	N/A
		Bottom	1	/	/	/	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
	1	20110111	· ′		,	,	0.070	0.000	0.000			0.070		1 4// 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Rev : 01

: 475 of 493 Page

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	② 5G WIFI1 SAR	③ 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ1-g SAR ①+ ②	Σ1-g SAR ①+ ③	Σ 1-g SAR ①+	Σ1-g SAR ①+ ②+ ⑤	Σ1-g SAR ①+③+⑤	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.11	0.719	0.249	0.968	0.196	0.829	0.359	1.078	1.025	0.555	1.274	N/A
	Head	Left Tilt	0.055	0.422	0.162	0.584	0.149	0.477	0.217	0.639	0.626	0.366	0.788	N/A
	rieau	Right Cheek	0.147	0.243	0.216	0.459	0.069	0.390	0.363	0.606	0.459	0.432	0.675	N/A
	Ca C	Right Tilt	0.063	0.198	0.13	0.328	0.092	0.261	0.193	0.391	0.353	0.285	0.483	N/A
	Body-worn	Front	0.167	0.054	0.024	0.078	0.313	0.221	0.191	0.245	0.534	0.504381	0.558	N/A
	Body-Wolff	Back	0.173	0.082	0.038	0.120	0.313	0.255	0.211	0.293	0.568	0.524381	0.606	N/A
		Front	0.255	0.070	0.04	0.110	0.061	0.325	0.295	0.365	0.386	0.356	0.426	N/A
		Back	0.28	0.137	0.053	0.190	0.063	0.417	0.333	0.470	0.480	0.396	0.533	N/A
	Hotspot	Left	0.068	0.000	0	0.000	0.000	0.068	0.068	0.068	0.068	0.068	0.068	N/A
	Ποιδροί	Right	0.172	0.044	0.009	0.053	0.056	0.216	0.181	0.225	0.272	0.237	0.281	N/A
		Тор	0	0.066	0.035	0.101	0.125	0.066	0.035	0.101	0.191	0.160	0.226	N/A
		Bottom	0.212	0.000	0	0.000	0.000	0.212	0.212	0.212	0.212	0.212	0.212	N/A
		Front	1	0.386	0.114	0.500	0.376	0.386	0.114	0.500	0.762	0.762	0.876	N/A
		Back	1	0.303	0.142	0.445	0.376	0.303	0.142	0.445	0.679	0.679	0.821	N/A
	Limbs	Left	1	/	1	/	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
	LIIIDS	Right	/	0.062	0.006	0.068	0.376	0.062	0.006	0.068	0.438	0.438	0.444	N/A
		Тор	1	0.210	0.068	0.278	0.376	0.210	0.068	0.278	0.586	0.586	0.654	N/A
		Bottom	1	/	/	/	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
LTE B26	Exposure position	Test position	① WWAN Ant.2 SAR	② 5G WIFI1 SAR	3 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ1-g SAR ①+ ②	Σ1-g SAR ①+ ③	Σ 1-g SAR ①+	Σ1-g SAR ①+ ②+ ⑤	Σ1-g SAR ①+③+⑤	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.212	0.719	0.249	0.968	0.196	0.931	0.461	1.180	1.127	0.657	1.376	N/A
	Heed	Left Tilt	0.397	0.422	0.162	0.584	0.149	0.819	0.559	0.981	0.968	0.708	1.130	N/A
	Head	Right Cheek	0.703	0.243	0.216	0.459	0.069	0.946	0.919	1.162	1.015	0.988	1.231	N/A
		Right Tilt	0.498	0.198	0.13	0.328	0.092	0.696	0.628	0.826	0.788	0.720	0.918	N/A
	Daduusana	Front	0.506	0.054	0.024	0.078	0.313	0.560	0.530	0.584	0.873	0.843	0.897	N/A
	Body-worn	Back	0.443	0.082	0.038	0.120	0.313	0.525	0.481	0.563	0.838	0.794	0.876	N/A
		Front	0.419	0.070	0.04	0.110	0.061	0.489	0.459	0.529	0.550	0.520	0.590	N/A
		Back	0.363	0.137	0.053	0.190	0.063	0.500	0.416	0.553	0.563	0.479	0.616	N/A
	l latan at	Left	0.242	0.000	0	0.000	0.000	0.242	0.242	0.242	0.242	0.242	0.242	N/A
	Hotspot	Right	0.039	0.044	0.009	0.053	0.056	0.083	0.048	0.092	0.139	0.104	0.148	N/A
		Тор	0.273	0.066	0.035	0.101	0.125	0.339	0.308	0.374	0.464	0.433	0.499	N/A
		Bottom	0.000	0.000	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	N/A
		Front	/	0.386	0.114	0.500	0.376	0.386	0.114	0.500	0.762	0.762	0.876	N/A
			t .		0.142	0.445	0.376	0.303	0.142	0.445	0.679	0.679	0.821	N/A
	10	Back	/	0.303	0.142	0.773								
		Back Left	/	0.303	/	/	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
	Limbs	Left	/ /						0.000	0.000	0.376 0.438			
	Limbs		/	/	/	/	0.376	0.000				0.376	0.376	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 476 of 493 Page

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	② 5G WIFI1 SAR	③ 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ1-g SAR ①+ ②	Σ1-g SAR ①+ ③	Σ1-g SAR ①+ ④	Σ1-g SAR ①+ ②+ ⑤	Σ1-g SAR ①+③+⑤	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.025	0.719	0.249	0.968	0.196	0.744	0.274	0.993	0.940	0.47	1.189	N/A
		Left Tilt	0.031	0.422	0.162	0.584	0.149	0.453	0.193	0.615	0.602	0.342	0.764	N/A
	Head	Right Cheek	0.114	0.243	0.216	0.459	0.069	0.357	0.33	0.573	0.426	0.399	0.642	N/A
		Right Tilt	0.034	0.198	0.13	0.328	0.092	0.232	0.164	0.362	0.324	0.256	0.454	N/A
		Front	0.238	0.054	0.024	0.078	0.313	0.292	0.262	0.316	0.605	0.575	0.629	N/A
	Body-worn	Back	0.264	0.082	0.038	0.120	0.313	0.346	0.302	0.384	0.659	0.615	0.697	N/A
		Front	0.241	0.070	0.04	0.110	0.061	0.311	0.281	0.351	0.372	0.342	0.412	N/A
		Back	0.24	0.137	0.053	0.190	0.063	0.377	0.293	0.430	0.440	0.356	0.493	N/A
		Left	0.184	0.000	0	0.000	0.000	0.184	0.184	0.184	0.184	0.184	0.184	N/A
	Hotspot	Right	0.061	0.044	0.009	0.053	0.056	0.105	0.07	0.114	0.161	0.126	0.170	N/A
		Тор	0.000	0.066	0.035	0.101	0.125	0.066	0.035	0.101	0.191	0.160	0.226	N/A
		Bottom	0.762	0.000	0	0.000	0.000	0.762	0.762	0.762	0.762	0.762	0.762	N/A
		Front	1	0.386	0.114	0.500	0.376	0.386	0.114	0.500	0.762	0.762	0.876	N/A
		Back	1	0.303	0.142	0.445	0.376	0.303	0.142	0.445	0.679	0.679	0.821	N/A
		Left	1	/	1	1	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
	Limbs	Right	/	0.062	0.006	0.068	0.376	0.062	0.006	0.068	0.438	0.438	0.444	N/A
		Top	/	0.210	0.068	0.278	0.376	0.210	0.068	0.278	0.586	0.586	0.654	N/A
		Bottom	1	/	/	/	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
LTE B38	Exposure position	Test position	① WWAN Ant.2 SAR	② 5G WIFI1 SAR	③ 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ1-g SAR ①+ ②	Σ1-g SAR ①+ ③	$\begin{array}{c} \Sigma \text{1-g} \\ \text{SAR} \\ \textcircled{1+} \\ \textcircled{4} \end{array}$	Σ1-g SAR ①+ ②+ ⑤	Σ1-g SAR ①+③+⑤	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.264	0.719	0.249	0.968	0.196	0.983	0.513	1.232	1.179	0.709	1.428	N/A
		Left Tilt	0.288	0.422	0.162	0.584	0.149	0.710	0.450	0.872	0.859	0.599	1.021	N/A
	Head	Right Cheek	0.946	0.243	0.216	0.459	0.069	1.189	1.162	1.405	1.258	1.231	1.474	N/A
		Right Tilt	0.521	0.198	0.13	0.328	0.092	0.719	0.651	0.849	0.811	0.743	0.941	N/A
		Front	0.219	0.054	0.024	0.078	0.313	0.273	0.243	0.297	0.586	0.556	0.610	N/A
	Body-worn	Back	0.252	0.082	0.038	0.120	0.313	0.334	0.290	0.372	0.647	0.603	0.685	N/A
		Front	0.316	0.070	0.04	0.110	0.061	0.386	0.356	0.426	0.447	0.417	0.487	N/A
		Back	0.262	0.137	0.053	0.190	0.063	0.399	0.315	0.452	0.462	0.378	0.515	N/A
		Left	0.158	0.000	0	0.000	0.000	0.158	0.158	0.158	0.158	0.158	0.158	N/A
	Hotspot	Right	0.033	0.044	0.009	0.053	0.056	0.077	0.042	0.086	0.133	0.098	0.142	N/A
		Тор	0.232	0.066	0.035	0.101	0.125	0.298	0.267	0.333	0.423	0.392	0.458	N/A
		Bottom	0.000	0.000	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	N/A
		Front	/	0.386	0.114	0.500	0.376	0.386	0.114	0.500	0.762	0.762	0.876	N/A
		Back	1	0.303	0.142	0.445	0.376	0.303	0.142	0.445	0.679	0.679	0.821	N/A
		Left	1	/	/	/	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
	Limbs	Right	,	0.062	0.006	0.068	0.376	0.062	0.006	0.068	0.438	0.438	0.444	N/A
		Top	,	0.210	0.068	0.278	0.376	0.210	0.068	0.278	0.586	0.586	0.654	N/A
		Bottom	,	/	/	/	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
		Dottoili	ı '			4	0.070	0.000	0.000	0.000	0.070	0.070	0.070	14/73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 477 of 493 Page

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	② 5G WIFI1 SAR	③ 5G WIFI2 SAR	4) 5G MIMO SAR	⑤ BT SAR	Σ1-g SAR ①+ ②	Σ1-g SAR ①+ ③	Σ1-g SAR ①+ ④	Σ1-g SAR ①+ ②+ ⑤	Σ1-g SAR ①+③+⑤	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.022	0.719	0.249	0.968	0.196	0.741	0.271	0.990	0.937	0.467	1.186	N/A
	11 1	Left Tilt	0.011	0.422	0.162	0.584	0.149	0.433	0.173	0.595	0.582	0.322	0.744	N/A
	Head	Right Cheek	0.083	0.243	0.216	0.459	0.069	0.326	0.299	0.542	0.395	0.368	0.611	N/A
	Ca l	Right Tilt	0.023	0.198	0.13	0.328	0.092	0.221	0.153	0.351	0.313	0.245	0.443	N/A
		Front	0.273	0.054	0.024	0.078	0.313	0.327	0.297	0.351	0.640	0.610	0.664	N/A
2-4 1	Body-worn	Back	0.251	0.082	0.038	0.120	0.313	0.333	0.289	0.371	0.646	0.602	0.684	N/A
		Front	0.337	0.070	0.04	0.110	0.061	0.407	0.377	0.447	0.468	0.438	0.508	N/A
		Back	0.276	0.137	0.053	0.190	0.063	0.413	0.329	0.466	0.476	0.392	0.529	N/A
		Left	0.16	0.000	0	0.000	0.000	0.160	0.16	0.160	0.160	0.160	0.160	N/A
	Hotspot	Right	0.058	0.044	0.009	0.053	0.056	0.102	0.067	0.111	0.158	0.123	0.167	N/A
		Тор	0.000	0.066	0.035	0.101	0.125	0.066	0.035	0.101	0.191	0.160	0.226	N/A
		Bottom	0.931	0.000	0	0.000	0.000	0.931	0.931	0.931	0.931	0.931	0.931	N/A
		Front	1	0.386	0.114	0.500	0.376	0.386	0.114	0.500	0.762	0.762	0.876	N/A
		Back	1	0.303	0.142	0.445	0.376	0.303	0.142	0.445	0.679	0.679	0.821	N/A
		Left	1	/	1	1	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
	Limbs	Right	/	0.062	0.006	0.068	0.376	0.062	0.006	0.068	0.438	0.438	0.444	N/A
		Тор	1	0.210	0.068	0.278	0.376	0.210	0.068	0.278	0.586	0.586	0.654	N/A
		Bottom	1	1	/	/	0.376	0.000	0.000	0.000	0.376	0.376	0.376	N/A
LTE B41	Exposure position	Test position	① WWAN Ant.2 SAR	② 5G WIFI1 SAR	3 5G WIFI2 SAR	4 5G MIMO SAR	⑤ BT SAR	Σ1-g SAR ①+ ②	Σ1-g SAR ①+ ③	Σ1-g SAR ①+ ④	Σ1-g SAR ①+ ②+ ⑤	Σ1-g SAR ①+③+⑤	Σ1-g SAR ①+ ④+ ⑤	Case NO.
		Left Cheek	0.247	0.719	0.249	0.968	0.196	0.966	0.496	1.215	1.162	0.692	1.411	N/A
	Hood	Left Tilt	0.272	0.422	0.162	0.584	0.149	0.694	0.434	0.856	0.843	0.583	1.005	N/A
	Head	Right Cheek	1.050	0.243	0.216	0.459	0.069	1.293	1.266	1.509	1.362	1.335	1.578	N/A
		Right Tilt	0.718	0.198	0.13	0.328	0.092	0.916	0.848	1.046	1.008	0.940	1.138	N/A
	D. d	Front	0.171	0.054	0.024	0.078	0.313	0.225	0.195	0.249	0.538	0.508	0.562	N/A
	Body-worn	Back	0.235	0.082	0.038	0.120	0.313	0.317	0.273	0.355	0.630	0.586	0.668	N/A
		Front	0.308	0.070	0.04	0.110	0.061	0.378	0.348	0.418	0.439	0.409	0.479	N/A
		Back	0.269	0.137	0.053	0.190	0.063	0.406	0.322	0.459	0.469	0.385	0.522	N/A
		Left	0.157	0.000	0	0.000	0.000	0.157	0.157	0.157	0.157	0.157	0.157	N/A
	Hotspot	Right	0.027	0.044	0.009	0.053	0.056	0.071	0.036	0.080	0.127	0.092	0.136	N/A
		Тор	0.258	0.066	0.035	0.101	0.125	0.324	0.293	0.359	0.449	0.418	0.484	N/A
		Bottom	0.000	0.000	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	N/A
		Front	/	0.386	0.114	0.500	0.376	0.386	0.114	0.500	0.762	0.762	0.876	N/A
		1 IOIIL												-
		Back	/	0.303	0.142	0.445	0.376	0.303	0.142	0.445	0.679	0.679	0.821	N/A
a			/	0.303	0.142	0.445	0.376	0.303	0.142	0.445	0.679	0.679	0.821 0.376	N/A N/A
9	Limbs	Back					0.376							
8	Limbs	Back Left	/	/	/	/		0.000	0.000	0.000	0.376	0.376	0.376	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



: 01 Rev

Page : 478 of 493

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	② 2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	④ 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ 1-g SAR $1+2+5$	Σ1-g SAR ①+③+④	Cas
		Left Cheek	0.177	0.264	0.310	0.719	0.249	0.690	1.206	N/A
		Left Tilt	0.09	0.229	0.154	0.422	0.162	0.481	0.666	N/A
	Head	Right Cheek	0.241	0.127	0.128	0.243	0.216	0.584	0.612	N/A
		Right Tilt	0.094	0.180	0.111	0.198	0.13	0.404	0.403	N/A
		Front(voice)	0.268	0.037	0.013	0.054	0.024	0.329	0.335	N/
		Back(voice)	0.292	0.054	0.030	0.082	0.038	0.384	0.404	N/
	Body-worn	Front(data)	0.351	0.037	0.013	0.054	0.024	0.412	0.418	N/
		Back(data)	0.38	0.054	0.030	0.082	0.038	0.472	0.492	N/
	_	Front	0.526	0.104	0.025	0.07	0.04	0.670	N/A	N/
		Back	0.586	0.095	0.123	0.137	0.053	0.734	N/A	N/
		Left	0.236	0.000	0.000	0	0	0.236	N/A	N/
	Hotspot	Right	0.313	0.116	0.000	0.044	0.009	0.438	N/A	N/
		Тор	0	0.315	0.000	0.066	0.035	0.350	N/A	N/
		Bottom	0.416	0.000	0.000	0	0	0.416	N/A	N/
		Front		/	/	0.386	0.114	0.114	0.386	N,
		Back	1	/	/	0.303	0.142	0.142	0.303	N,
		Left	/	/	/	/	/	0.000	0.000	N,
	Limbs	Right	/	/	/	0.062	0.006	0.006	0.062	N,
		Тор	/	/	/	0.210	0.068	0.068	0.210	N,
		Bottom	/	/	/	/	/	0.000	0.000	N,
GSM 850	Exposure position	Test position	① WWAN Ant.2 SAR	2 2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ1-g SAR ①+②+⑤	Σ1-g SAR ①+③+④	Ca N(
		Left Cheek	0.324	0.264	0.310	0.719	0.249	0.837	N/A	N/
		Left Tilt	0.562	0.229	0.154	0.422	0.162	0.953	N/A	N,
	Head	Right Cheek	0.260	0.127	0.128	0.243	0.216	0.603	N/A	N
		Right Tilt	0.707	0.180	0.111	0.198	0.13	1.017	N/A	N,
		Front(voice)	0.352	0.037	0.013	0.054	0.024	0.413	N/A	N
		Back(voice)	0.336	0.054	0.030	0.082	0.038	0.428	N/A	N,
	Body-worn	Front(data)	0.499	0.037	0.013	0.054	0.024	0.560	N/A	N
		Back(data)	0.444	0.054	0.030	0.082	0.038	0.536	N/A	N,
		Front	0.536	0.104	0.025	0.07	0.04	0.680	N/A	N,
		Back	0.502	0.095	0.123	0.137	0.053	0.650	N/A	N,
		Left	0.241	0.000	0.000	0	0	0.241	N/A	N,
	Hotspot	Right	0.040	0.116	0.000	0.044	0.009	0.165	N/A	N/
		ŭ		0.315	0.000	0.066	0.035	0.628	N/A	N,
		Top	0.278	-		0	0	0.000	N/A	N/
				0.000	0.000					
		Bottom	0	0.000		0.386	0.114			
		Bottom Front	0	1	/	0.386	0.114	0.114	N/A	N/
		Bottom Front Back	0	/	/	0.386 0.303	0.114 0.142	0.114 0.142	N/A N/A	N/
	Limbs	Bottom Front Back Left	0 / / /	/ /	/	0.386 0.303 /	0.114 0.142 /	0.114 0.142 0.000	N/A N/A N/A	N/ N/
	Limbs	Bottom Front Back	0	/	/	0.386 0.303	0.114 0.142	0.114 0.142	N/A N/A	N/

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

Page : 479 of 493

GSM Exp	Head Body-worn Hotspot Limbs	Left Cheek Left Tilt Right Cheek Right Tilt Front(voice) Back(voice) Front(data) Back(data) Front Back Left Right Top Bottom Front Back Left Left Right Top Bottom Front Left Left	0.065 0.036 0.088 0.058 0.286 0.272 0.365 0.383 0.279 0.298 0.058 0.075 0 0.791 /	0.264 0.229 0.127 0.180 0.037 0.054 0.037 0.054 0.104 0.095 0.000 0.116 0.315 0.000	0.310 0.154 0.128 0.111 0.013 0.030 0.013 0.030 0.025 0.123 0.000 0.000 0.000	0.719 0.422 0.243 0.198 0.054 0.082 0.054 0.082 0.07 0.137 0 0.044 0.066	0.249 0.162 0.216 0.13 0.024 0.038 0.024 0.038 0.04 0.053 0	0.578 0.427 0.431 0.368 0.347 0.364 0.426 0.475 0.423 0.446 0.058 0.200	1.094 0.612 0.459 0.367 0.353 0.384 0.432 0.495 N/A N/A	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
GSM Exp	Body-worn Hotspot	Right Cheek Right Tilt Front(voice) Back(voice) Front(data) Back(data) Front Back Left Right Top Bottom Front Back Left Left Right Top Left Rough Front Left Rough Front Left Rough Front Left	0.088 0.058 0.286 0.272 0.365 0.383 0.279 0.298 0.058 0.075 0	0.127 0.180 0.037 0.054 0.037 0.054 0.104 0.095 0.000 0.116 0.315	0.128 0.111 0.013 0.030 0.013 0.030 0.025 0.123 0.000 0.000	0.243 0.198 0.054 0.082 0.054 0.082 0.07 0.137 0 0.044	0.216 0.13 0.024 0.038 0.024 0.038 0.04 0.053 0	0.431 0.368 0.347 0.364 0.426 0.475 0.423 0.446 0.058	0.459 0.367 0.353 0.384 0.432 0.495 N/A N/A	N/A N/A N/A N/A N/A N/A
GSM Exp	Body-worn Hotspot	Right Tilt Front(voice) Back(voice) Front(data) Back(data) Front Back Left Right Top Bottom Front Back Left Left Right Top Left Right Left Right Top Left Right Front Left Right	0.058 0.286 0.272 0.365 0.383 0.279 0.298 0.058 0.075 0	0.180 0.037 0.054 0.037 0.054 0.104 0.095 0.000 0.116 0.315	0.111 0.013 0.030 0.013 0.030 0.025 0.123 0.000 0.000	0.198 0.054 0.082 0.054 0.082 0.07 0.137 0	0.13 0.024 0.038 0.024 0.038 0.04 0.053 0	0.368 0.347 0.364 0.426 0.475 0.423 0.446 0.058	0.367 0.353 0.384 0.432 0.495 N/A	N/A N/A N/A N/A N/A N/A
GSM Exp	Hotspot	Front(voice) Back(voice) Front(data) Back(data) Front Back Left Right Top Bottom Front Back Left Left	0.286 0.272 0.365 0.383 0.279 0.298 0.058 0.075 0	0.037 0.054 0.037 0.054 0.104 0.095 0.000 0.116 0.315	0.013 0.030 0.013 0.030 0.025 0.123 0.000 0.000	0.054 0.082 0.054 0.082 0.07 0.137 0	0.024 0.038 0.024 0.038 0.04 0.053 0	0.347 0.364 0.426 0.475 0.423 0.446 0.058	0.353 0.384 0.432 0.495 N/A N/A	N/A N/A N/A N/A N/A
GSM Exp	Hotspot	Back(voice) Front(data) Back(data) Front Back Left Right Top Bottom Front Back Left	0.272 0.365 0.383 0.279 0.298 0.058 0.075 0	0.054 0.037 0.054 0.104 0.095 0.000 0.116 0.315	0.030 0.013 0.030 0.025 0.123 0.000 0.000	0.082 0.054 0.082 0.07 0.137 0	0.038 0.024 0.038 0.04 0.053 0	0.364 0.426 0.475 0.423 0.446 0.058	0.384 0.432 0.495 N/A N/A	N/A N/A N/A N/A
GSM Exp	Hotspot	Front(data) Back(data) Front Back Left Right Top Bottom Front Back Left	0.365 0.383 0.279 0.298 0.058 0.075 0	0.037 0.054 0.104 0.095 0.000 0.116 0.315	0.013 0.030 0.025 0.123 0.000 0.000	0.054 0.082 0.07 0.137 0	0.024 0.038 0.04 0.053 0	0.426 0.475 0.423 0.446 0.058	0.432 0.495 N/A N/A	N/A N/A N/A
GSM Exp	Hotspot	Back(data) Front Back Left Right Top Bottom Front Back Left	0.383 0.279 0.298 0.058 0.075 0	0.054 0.104 0.095 0.000 0.116 0.315	0.030 0.025 0.123 0.000 0.000	0.082 0.07 0.137 0 0.044	0.038 0.04 0.053 0 0.009	0.475 0.423 0.446 0.058	0.495 N/A N/A	N/A N/A N/A
1900 Exp		Front Back Left Right Top Bottom Front Back Left	0.279 0.298 0.058 0.075 0	0.104 0.095 0.000 0.116 0.315	0.025 0.123 0.000 0.000 0.000	0.07 0.137 0 0.044	0.04 0.053 0 0.009	0.423 0.446 0.058	N/A N/A	N/A
1900 Exp		Back Left Right Top Bottom Front Back Left	0.298 0.058 0.075 0 0.791	0.095 0.000 0.116 0.315	0.123 0.000 0.000 0.000	0.137 0 0.044	0.053 0 0.009	0.446 0.058	N/A	N/A
1900 Exp		Left Right Top Bottom Front Back Left	0.058 0.075 0 0.791	0.000 0.116 0.315	0.000 0.000 0.000	0 0.044	0.009	0.058		
1900 Exp		Left Right Top Bottom Front Back Left	0.058 0.075 0 0.791	0.000 0.116 0.315	0.000 0.000 0.000	0 0.044	0.009	0.058		
1900 Exp		Right Top Bottom Front Back Left	0.075 0 0.791	0.315	0.000		0.009			
1900 Exp	Limbs	Top Bottom Front Back Left	0 0.791	0.315	0.000				N/A	N/A
1900 Exp	Limbs	Bottom Front Back Left	0.791				0.035	0.350	N/A	N/A
1900 Exp	Limbs	Front Back Left		,		0	0	0.791	N/A	N/A
1900 Exp	Limbs	Back Left	1	. /	/	0.386	0.114	0.114	0.386	N/A
1900 Exp	Limbs	Left	,	,	,	0.303	0.142	0.142	0.303	N//
1900 Exp	Limbs		/	1	1	/	/	0.000	0.000	N//
1900 Exp		Right	/	/	/	0.062	0.006	0.006	0.062	N//
1900 Exp		Top	,	,	/	0.210	0.068	0.068	0.210	N//
1900 Exp		Bottom	1.77	/	,	/	/	1.770	1.770	N//
	xposure position	Test position	① WWAN Ant.2 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	④ 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ1-g SAR ①+②+⑤	Σ1-g SAR ①+③+④	Cas NC
63		Left Cheek	0.280	0.264	0.310	0.719	0.249	0.793	N/A	N/A
		Left Tilt	0.394	0.229	0.154	0.422	0.162	0.785	N/A	N/A
65	Head	Right Cheek	0.799	0.127	0.128	0.243	0.216	1.142	N/A	N//
RS		Right Tilt	0.846	0.180	0.111	0.198	0.13	1.156	N/A	N/A
RS		Front(voice)	0.147	0.037	0.013	0.054	0.024	0.208	N/A	N//
RS		Back(voice)	0.162	0.054	0.030	0.082	0.038	0.254	N/A	N/A
R	Body-worn	Front(data)	0.182	0.037	0.013	0.054	0.024	0.243	N/A	N/A
R		Back(data)	0.308	0.054	0.030	0.082	0.038	0.400	N/A	N//
		Front	0.193	0.104	0.025	0.07	0.04	0.337	N/A	N/A
		Back	0.165	0.095	0.123	0.137	0.053	0.313	N/A	N//
		Left	0.156	0.000	0.000	0	0	0.156	N/A	N//
	Hotspot	Right	0.037	0.116	0.000	0.044	0.009	0.162	N/A	N/A
		Top	0.319	0.315	0.000	0.066	0.035	0.669	N/A	N/,
		Bottom	0.000	0.000	0.000	0.000	0.000	0.000	N/A	N//
		Front	/	/	/	0.386	0.114	0.000	N/A	N//
		Back	/	/	/	0.303	0.142	0.114	N/A	N//
		Left	/	1	/	/		0.000	N/A	N//
			/	/	/	0.062	/ 0.006		N/A N/A	N//
	Limbs	Right Top	1				0.006	0.006	+	
	Limbs		,	/	/	0.210	0.068	0.068	N/A N/A	N/ <i>i</i>

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 480 of 493 Page

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	② 2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4) 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ1-g SAR ①+②+⑤	Σ 1-g SAR \bigcirc 1+ \bigcirc 3+ \bigcirc 4	Case NO.
		Left Cheek	0.082	0.264	0.310	0.249	0.249	0.595	N/A	N/A
	Head	Left Tilt	0.044	0.229	0.154	0.162	0.162	0.435	N/A	N/A
	Head	Right Cheek	0.148	0.127	0.128	0.216	0.216	0.491	N/A	N/A
		Right Tilt	0.059	0.180	0.111	0.13	0.13	0.369	N/A	N/A
	Daduusan	Front	0.425	0.037	0.013	0.024	0.024	0.486	0.462	N/A
	Body-worn	Back	0.403	0.054	0.030	0.038	0.038	0.495	0.471	N/A
		Front	0.316	0.104	0.025	0.024	0.04	0.460	N/A	N/A
		Back	0.305	0.095	0.123	0.038	0.053	0.453	N/A	N/A
		Left	0.065	0.000	0.000	0.04	0	0.065	N/A	N/A
	Hotspot	Right	0.061	0.116	0.000	0.053	0.009	0.186	N/A	N/A
		Тор	0	0.315	0.000	0	0.035	0.350	N/A	N/A
		Bottom	0.805	0.000	0.000	0.009	0	0.805	N/A	N/A
		Front	1	1	/	0.386	0.114	0.114	0.386	N/A
		Back	1	/	/	0.303	0.142	0.142	0.303	N/A
		Left	1	/	/	/	/	0.000	0.000	N/A
	Limbs	Right	/	/	/	0.062	0.006	0.006	0.062	N/A
		Тор	/	/	/	0.210	0.068	0.068	0.210	N/A
		Bottom	1.753	/	/	/	/	1.753	1.753	N/A
WCDMA B2	Exposure position	Test position	① WWAN Ant.2 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4) 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ1-g SAR ①+②+⑤	Σ1-g SAR ①+③+④	Case NO.
		Left Cheek	0.208	0.264	0.310	0.249	0.249	0.721	N/A	N/A
		Left Tilt	0.491	0.229	0.154	0.162	0.162	0.882	N/A	N/A
	Head	Right Cheek	0.821	0.127	0.128	0.216	0.216	1.164	N/A	N/A
		Right Tilt	0.892	0.180	0.111	0.13	0.13	1.202	N/A	N/A
		Front	0.187	0.037	0.013	0.024	0.024	0.248	N/A	N/A
	Body-worn	Back	0.214	0.054	0.030	0.038	0.038	0.306	N/A	N/A
		Front	0.298	0.104	0.025	0.024	0.04	0.442	N/A	N/A
		Front Back		0.104 0.095		0.024 0.038	0.04 0.053	0.442 0.366	N/A N/A	
		Back	0.298 0.218		0.025					N/A N/A N/A
	Hotspot		0.298	0.095	0.025 0.123	0.038	0.053	0.366	N/A	N/A
	Hotspot	Back Left	0.298 0.218 0.199	0.095 0.000	0.025 0.123 0.000	0.038 0.04	0.053	0.366 0.199	N/A N/A	N/A N/A
	Hotspot	Back Left Right	0.298 0.218 0.199 0.055	0.095 0.000 0.116	0.025 0.123 0.000 0.000	0.038 0.04 0.053	0.053 0 0.009	0.366 0.199 0.180	N/A N/A N/A	N/A N/A N/A
	Hotspot	Back Left Right Top	0.298 0.218 0.199 0.055 0.423	0.095 0.000 0.116 0.315	0.025 0.123 0.000 0.000 0.000	0.038 0.04 0.053 0	0.053 0 0.009 0.035	0.366 0.199 0.180 0.773	N/A N/A N/A N/A	N/A N/A N/A
	Hotspot	Back Left Right Top Bottom Front	0.298 0.218 0.199 0.055 0.423 0.000	0.095 0.000 0.116 0.315 0.000	0.025 0.123 0.000 0.000 0.000 0.000	0.038 0.04 0.053 0 0.009 0.386	0.053 0 0.009 0.035 0 0.114	0.366 0.199 0.180 0.773 0.000 0.114	N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A
		Back Left Right Top Bottom Front Back	0.298 0.218 0.199 0.055 0.423 0.000	0.095 0.000 0.116 0.315 0.000	0.025 0.123 0.000 0.000 0.000 0.000 /	0.038 0.04 0.053 0 0.009	0.053 0 0.009 0.035	0.366 0.199 0.180 0.773 0.000 0.114 0.142	N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A
	Hotspot Limbs	Back Left Right Top Bottom Front Back Left	0.298 0.218 0.199 0.055 0.423 0.000 /	0.095 0.000 0.116 0.315 0.000 /	0.025 0.123 0.000 0.000 0.000 0.000 /	0.038 0.04 0.053 0 0.009 0.386 0.303	0.053 0 0.009 0.035 0 0.114 0.142	0.366 0.199 0.180 0.773 0.000 0.114 0.142 0.000	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A N/A
		Back Left Right Top Bottom Front Back	0.298 0.218 0.199 0.055 0.423 0.000 /	0.095 0.000 0.116 0.315 0.000 /	0.025 0.123 0.000 0.000 0.000 0.000 /	0.038 0.04 0.053 0 0.009 0.386 0.303	0.053 0 0.009 0.035 0 0.114 0.142	0.366 0.199 0.180 0.773 0.000 0.114 0.142	N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



: 01 Rev

Page : 481 of 493

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	④ 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ1-g SAR ①+②+⑤	Σ1-g SAR ①+③+④	Case NO.
		Left Cheek	0.152	0.264	0.310	0.249	0.249	0.665	N/A	N/A
	a Haad	Left Tilt	0.073	0.229	0.154	0.162	0.162	0.464	N/A	N/A
	Head	Right Cheek	0.11	0.127	0.128	0.216	0.216	0.453	N/A	N/A
		Right Tilt	0.069	0.180	0.111	0.13	0.13	0.379	N/A	N/A
	Dark	Front	0.541	0.037	0.013	0.024	0.024	0.602	0.578	N/A
	Body-worn	Back	0.486	0.054	0.030	0.038	0.038	0.578	0.554	N/A
		Front	0.343	0.104	0.025	0.024	0.04	0.487	N/A	N/A
		Back	0.381	0.095	0.123	0.038	0.053	0.529	N/A	N/A
		Left	0.105	0.000	0.000	0.04	0	0.105	N/A	N/A
	Hotspot	Right	0.053	0.116	0.000	0.053	0.009	0.178	N/A	N/A
		Тор	0	0.315	0.000	0	0.035	0.350	N/A	N/A
		Bottom	0.744	0.000	0.000	0.009	0	0.744	N/A	N/A
		Front	/		/	0.386	0.114	0.114	0.386	N/A
		Back		1	/	0.303	0.142	0.142	0.303	N/A
		Left	1	/	/	/	/	0.000	0.000	N/A
	Limbs	Right	1	/	/	0.062	0.006	0.006	0.062	N/A
		Тор	/	/	/	0.210	0.068	0.068	0.210	N/A
		Bottom	2.148	/	/	/	1	2.148	2.148	N/A
WCDMA B4	Exposure position	Test position	① WWAN Ant.2 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ 1-g SAR $1+2+5$	Σ1-g SAR ①+③+④	Case NO.
		Left Cheek	0.348	0.264	0.310	0.249	0.249	0.861	N/A	N/A
		Left Tilt	0.362	0.229	0.154	0.162	0.162	0.753	N/A	N/A
	Head	Right Cheek	0.429	0.127	0.128	0.216	0.216	0.772	N/A	N/A
		Right Tilt	0.391	0.180	0.111	0.13	0.13	0.701	N/A	N/A
		Front	0.303	0.037	0.013	0.024	0.024	0.364	N/A	N/A
	Body-worn	Back	0.338	0.054	0.030	0.038	0.038	0.430	N/A	N/A
		Front	0.316	0.104	0.025	0.024	0.04	0.460	N/A	N/A
		Back	0.368	0.095	0.123	0.038	0.053	0.516	N/A	N/A
		Left	0.221	0.000	0.000	0.04	0	0.221	N/A	N/A
	Hotspot	Right	0.030	0.116	0.000	0.053	0.009	0.155	N/A	N/A
		Тор	0.476	0.315	0.000	0	0.035	0.826	N/A	N/A
		Bottom	0.000	0.000	0.000	0.009	0	0.000	N/A	N/A
		Front	/	/	/	0.386	0.114	0.114	N/A	N/A
		Back	/	/	/	0.303	0.142	0.142	N/A	N/A
		Left	/	1	/	/	/	0.000	N/A	N/A
	Limbs	Right	1	1	/	0.062	0.006	0.006	N/A	N/A
		Top	1	/	/	0.210	0.068	0.068	N/A	N/A
	1	1 100	,	,	,	0.210	0.000	0.000	1 1//	1 11/7

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

Page : 482 of 493

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ 1-g SAR $1+2+5$	Σ1-g SAR ①+③+④	Case NO.
		Left Cheek	0.179	0.264	0.310	0.249	0.249	0.692	N/A	N/A
	. Haad	Left Tilt	0.103	0.229	0.154	0.162	0.162	0.494	N/A	N/A
	Head	Right Cheek	0.247	0.127	0.128	0.216	0.216	0.590	N/A	N/A
		Right Tilt	0.105	0.180	0.111	0.13	0.13	0.415	N/A	N/A
	Deduces	Front	0.279	0.037	0.013	0.024	0.024	0.340	0.316	N/A
	Body-worn	Back	0.299	0.054	0.030	0.038	0.038	0.391	0.367	N/A
		Front	0.477	0.104	0.025	0.024	0.04	0.621	N/A	N/A
		Back	0.506	0.095	0.123	0.038	0.053	0.654	N/A	N/A
		Left	0.196	0.000	0.000	0.04	0	0.196	N/A	N/A
	Hotspot	Right	0.283	0.116	0.000	0.053	0.009	0.408	N/A	N/A
		Тор	0	0.315	0.000	0	0.035	0.350	N/A	N/A
		Bottom	0.369	0.000	0.000	0.009	0	0.369	N/A	N/A
		Front	/	1	/	0.386	0.114	0.114	0.386	N/A
		Back		1	/	0.303	0.142	0.142	0.303	N/A
		Left		/	/	/	/	0.000	0.000	N/A
	Limbs	Right	1	/	/	0.062	0.006	0.006	0.062	N/A
		Тор	/	/	/	0.210	0.068	0.068	0.210	N/A
		Bottom	/	/	/	/	1	0.000	0.000	N/A
WCDMA B5	Exposure position	Test position	① WWAN Ant.2 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ 1-g SAR $1+2+5$	Σ1-g SAR ①+③+④	Case NO.
		Left Cheek	0.308	0.264	0.310	0.249	0.249	0.821	N/A	N/A
		Left Tilt	0.427	0.229	0.154	0.162	0.162	0.818	N/A	N/A
	Head	Right Cheek	0.541	0.127	0.128	0.216	0.216	0.884	N/A	N/A
		Right Tilt	0.467	0.180	0.111	0.13	0.13	0.777	N/A	N/A
	6 -	Front	0.504	0.037	0.013	0.024	0.024	0.565	N/A	N/A
	Body-worn	Back	0.451	0.054	0.030	0.038	0.038	0.543	N/A	N/A
		Front	0.459	0.104	0.025	0.024	0.04	0.603	N/A	N/A
		Back	0.419	0.095	0.123	0.038	0.053	0.567	N/A	N/A
		Left	0.245	0.000	0.000	0.04	0	0.245	N/A	N/A
	Hotspot	Right	0.032	0.116	0.000	0.053	0.009	0.157	N/A	N/A
		Тор	0.244	0.315	0.000	0	0.035	0.594	N/A	N/A
		Bottom	0.000	0.000	0.000	0.009	0	0.000	N/A	N/A
18		Front	/	/	/	0.386	0.114	0.114	N/A	N/A
		Back	/	/	/	0.303	0.142	0.142	N/A	N/A
		Left	/	1	/	/	1	0.000	N/A	N/A
	Limbs	Right	1	1	/	0.062	0.006	0.006	N/A	N/A
		Тор	1	/	/	0.210	0.068	0.068	N/A	N/A
		_		/	 		 		N/A	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

Page : 483 of 493

					-		<u> </u>	1		
WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	② 2.4G WIFI1 SAR	③ 2.4G WIFI2 SAR	4 5G WIFI1 SAR	5G WIFI2 SAR	Σ1-g SAR ①+②+⑤	Σ 1-g SAR $1+3+4$	Case NO.
		Left Cheek	0.146	0.264	0.310	0.249	0.249	0.659	N/A	N/A
		Left Tilt	0.071	0.229	0.154	0.162	0.162	0.462	N/A	N/A
	Head	Right Cheek	0.189	0.127	0.128	0.216	0.216	0.532	N/A	N/A
		Right Tilt	0.098	0.180	0.111	0.13	0.13	0.408	N/A	N/A
		Front	0.618	0.037	0.013	0.024	0.024	0.679	0.655	N/A
	Body-worn	Back	0.54	0.054	0.030	0.038	0.038	0.632	0.608	N/A
		Front	0.278	0.104	0.025	0.024	0.04	0.422	N/A	N/A
		Back	0.302	0.095	0.123	0.038	0.053	0.450	N/A	N/A
		Left	0.055	0.000	0.000	0.04	0	0.055	N/A	N/A
	Hotspot	Right	0.066	0.116	0.000	0.053	0.009	0.191	N/A	N/A
		Тор	0	0.315	0.000	0	0.035	0.350	N/A	N/A
		Bottom	0.754	0.000	0.000	0.009	0	0.754	N/A	N/A
		Front	/	1	/	0.386	0.114	0.114	0.386	N/A
		Back		1	/	0.303	0.142	0.142	0.303	N/A
		Left		/	/	/	/	0.000	0.000	N/A
	Limbs	Right	1	/	/	0.062	0.006	0.006	0.062	N/A
		Тор	/	/	/	0.210	0.068	0.068	0.210	N/A
		Bottom	1.700	/	/	/	1	1.700	1.700	N/A
LTE B2	Exposure position	Test position	① WWAN Ant.2 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4) 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ 1-g SAR $1+2+5$	Σ1-g SAR ①+③+④	Case NO.
		Left Cheek	0.292	0.264	0.310	0.249	0.249	0.805	N/A	N/A
	I I d	Left Tilt	0.378	0.229	0.154	0.162	0.162	0.769	N/A	N/A
	Head	Right Cheek	0.743	0.127	0.128	0.216	0.216	1.086	N/A	N/A
		Right Tilt	0.658	0.180	0.111	0.13	0.13	0.968	N/A	N/A
	5 .	Front	0.151	0.037	0.013	0.024	0.024	0.212	N/A	N/A
	Body-worn	Back	0.204	0.054	0.030	0.038	0.038	0.296	N/A	N/A
		Front	0.293	0.104	0.025	0.024	0.04	0.437	N/A	N/A
		Back	0.255	0.095	0.123	0.038	0.053	0.403	N/A	N/A
			0.465	0.000	0.000	0.04	0	0.165	N/A	N/A
		Left	0.165	0.000						
	Hotspot	Left Right	0.165	0.116	0.000	0.053	0.009	0.356	N/A	N/A
	Hotspot				0.000	0.053	0.009 0.035	0.356 0.874	N/A N/A	N/A N/A
	Hotspot	Right	0.231	0.116						
	Hotspot	Right Top	0.231 0.524	0.116 0.315	0.000	0	0.035	0.874	N/A	N/A
	Hotspot	Right Top Bottom	0.231 0.524 0.000	0.116 0.315 0.000	0.000	0 0.009	0.035	0.874 0.000	N/A N/A	N/A N/A
		Right Top Bottom Front	0.231 0.524 0.000 /	0.116 0.315 0.000 /	0.000 0.000 /	0 0.009 0.386	0.035 0 0.114	0.874 0.000 0.114	N/A N/A N/A	N/A N/A N/A
	Hotspot Limbs	Right Top Bottom Front Back	0.231 0.524 0.000 /	0.116 0.315 0.000 /	0.000 0.000 /	0 0.009 0.386 0.303	0.035 0 0.114 0.142	0.874 0.000 0.114 0.142	N/A N/A N/A N/A	N/A N/A N/A N/A
		Right Top Bottom Front Back Left	0.231 0.524 0.000 /	0.116 0.315 0.000 /	0.000 0.000 / /	0 0.009 0.386 0.303 /	0.035 0 0.114 0.142	0.874 0.000 0.114 0.142 0.000	N/A N/A N/A N/A N/A	N/A N/A N/A N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

Page : 484 of 493

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	④ 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ1-g SAR ①+②+⑤	Σ1-g SAR ①+③+④	Case NO.
		Left Cheek	0.13	0.264	0.310	0.249	0.249	0.643	N/A	N/A
	Hand	Left Tilt	0.046	0.229	0.154	0.162	0.162	0.437	N/A	N/A
	Head	Right Cheek	0.104	0.127	0.128	0.216	0.216	0.447	N/A	N/A
		Right Tilt	0.066	0.180	0.111	0.13	0.13	0.376	N/A	N/A
	Dadware	Front	0.381	0.037	0.013	0.024	0.024	0.442	0.418	N/A
	Body-worn	Back	0.372	0.054	0.030	0.038	0.038	0.464	0.440	N/A
		Front	0.416	0.104	0.025	0.024	0.04	0.560	N/A	N/A
		Back	0.412	0.095	0.123	0.038	0.053	0.560	N/A	N/A
		Left	0.096	0.000	0.000	0.04	0	0.096	N/A	N/A
	Hotspot	Right	0.056	0.116	0.000	0.053	0.009	0.181	N/A	N/A
		Тор	0	0.315	0.000	0	0.035	0.350	N/A	N/A
		Bottom	0.865	0.000	0.000	0.009	0	0.865	N/A	N/A
		Front	/	1	/	0.386	0.114	0.114	0.386	N/A
		Back		1	/	0.303	0.142	0.142	0.303	N/A
		Left		/	/	/	/	0.000	0.000	N/A
	Limbs	Right	1	/	/	0.062	0.006	0.006	0.062	N/A
		Тор	/	/	/	0.210	0.068	0.068	0.210	N/A
		Bottom	1.983	/	/	/	1	1.983	1.983	N/A
LTE B4	Exposure position	Test position	① WWAN Ant.2 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ 1-g SAR $1+2+5$	Σ1-g SAR ①+③+④	Case NO.
		Left Cheek	0.327	0.264	0.310	0.249	0.249	0.840	N/A	N/A
		Left Tilt	0.322	0.229	0.154	0.162	0.162	0.713	N/A	N/A
	Head	Right Cheek	0.417	0.127	0.128	0.216	0.216	0.760	N/A	N/A
		Right Tilt	0.469	0.180	0.111	0.13	0.13	0.779	N/A	N/A
		Front	0.342	0.037	0.013	0.024	0.024	0.403	N/A	N/A
	Body-worn	Back	0.390	0.054	0.030	0.038	0.038	0.482	N/A	N/A
		Front	0.453	0.104	0.025	0.024	0.04	0.597	N/A	N/A
		Back	0.504	0.095	0.123	0.038	0.053	0.652	N/A	N/A
		Left	0.324	0.000	0.000	0.04	0	0.324	N/A	N/A
	Hotspot	Right	0.098	0.116	0.000	0.053	0.009	0.223	N/A	N/A
		Тор	0.521	0.315	0.000	0	0.035	0.871	N/A	N/A
		Bottom	0.000	0.000	0.000	0.009	0	0.000	N/A	N/A
		Front	/	/	/	0.386	0.114	0.114	N/A	N/A
		Back	/	/	/	0.303	0.142	0.142	N/A	N/A
		Left	/	1	/	/	1	0.000	N/A	N/A
	Limbs	Right	1	1	/	0.062	0.006	0.006	N/A	N/A
		Top	1	/	/	0.210	0.068	0.068	N/A	N/A
		. 76			_ ′	UU	0.000	0.000	,, .	. 4// (

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

: 485 of 493 Page

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	② 2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ1-g SAR ①+②+⑤	Σ 1-g SAR $1+3+4$	Cas NO
		Left Cheek	0.093	0.264	0.310	0.249	0.249	0.606	N/A	N/A
	l list d	Left Tilt	0.047	0.229	0.154	0.162	0.162	0.438	N/A	N/A
	Head	Right Cheek	0.126	0.127	0.128	0.216	0.216	0.469	N/A	N/A
		Right Tilt	0.054	0.180	0.111	0.13	0.13	0.364	N/A	N/A
		Front	0.147	0.037	0.013	0.024	0.024	0.208	0.184	N/A
	Body-worn	Back	0.15	0.054	0.030	0.038	0.038	0.242	0.218	N/A
		Front	0.223	0.104	0.025	0.024	0.04	0.367	N/A	N/A
		Back	0.26	0.095	0.123	0.038	0.053	0.408	N/A	N/A
		Left	0.062	0.000	0.000	0.04	0	0.062	N/A	N/A
	Hotspot	Right	0.156	0.116	0.000	0.053	0.009	0.281	N/A	N/A
	1	Тор	0	0.315	0.000	0	0.035	0.350	N/A	N/A
		Bottom	0.195	0.000	0.000	0.009	0	0.195	N/A	N/A
		Front	/	1	1	0.386	0.114	0.114	0.386	N/A
	į	Back		1	/	0.303	0.142	0.142	0.303	N/A
		Left		/	/	/	/	0.000	0.000	N/A
	Limbs	Right	1	/	/	0.062	0.006	0.006	0.062	N/A
		Тор	/	/	/	0.210	0.068	0.068	0.210	N/A
		Bottom	/	/	/	/	1	0.000	0.000	N/A
LTE B5	Exposure position	Test position	① WWAN Ant.2 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ1-g SAR ①+②+⑤	Σ1-g SAR ①+③+④	Cas NO
		Left Cheek	0.390	0.264	0.310	0.249	0.249	0.903	N/A	N/A
		Left Tilt	0.294	0.229	0.154	0.162	0.162	0.685		N/A
	Head	LCIT I III	0.294	0.223	0.154	002	00_	0.003	N/A	
	Ticad	Right Cheek	0.294	0.127	0.134	0.216	0.216	0.762	N/A N/A	N/A
	Tioda								-	
		Right Cheek	0.419	0.127	0.128	0.216	0.216	0.762	N/A	N/A
	Body-worn	Right Cheek Right Tilt	0.419 0.429	0.127 0.180	0.128 0.111	0.216 0.13	0.216 0.13	0.762 0.739	N/A N/A	N/A
		Right Cheek Right Tilt Front	0.419 0.429 0.489	0.127 0.180 0.037	0.128 0.111 - 0.013	0.216 0.13 0.024	0.216 0.13 0.024	0.762 0.739 0.550	N/A N/A N/A	N/A N/A
		Right Cheek Right Tilt Front Back	0.419 0.429 0.489 0.455	0.127 0.180 0.037 0.054	0.128 0.111 0.013 0.030	0.216 0.13 0.024 0.038	0.216 0.13 0.024 0.038	0.762 0.739 0.550 0.547	N/A N/A N/A N/A N/A	N/A N/A N/A
	Body-worn	Right Cheek Right Tilt Front Back Front	0.419 0.429 0.489 0.455 0.413	0.127 0.180 0.037 0.054 0.104	0.128 0.111 - 0.013 0.030 0.025	0.216 0.13 0.024 0.038 0.024 0.038	0.216 0.13 0.024 0.038 0.04	0.762 0.739 0.550 0.547 0.557	N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A
		Right Cheek Right Tilt Front Back Front Back Left	0.419 0.429 0.489 0.455 0.413 0.385 0.218	0.127 0.180 0.037 0.054 0.104 0.095 0.000	0.128 0.111 0.013 0.030 0.025 0.123 0.000	0.216 0.13 0.024 0.038 0.024 0.038 0.04	0.216 0.13 0.024 0.038 0.04 0.053	0.762 0.739 0.550 0.547 0.557 0.533 0.218	N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A
	Body-worn	Right Cheek Right Tilt Front Back Front Back	0.419 0.429 0.489 0.455 0.413 0.385 0.218 0.038	0.127 0.180 0.037 0.054 0.104 0.095	0.128 0.111 0.013 0.030 0.025 0.123	0.216 0.13 0.024 0.038 0.024 0.038	0.216 0.13 0.024 0.038 0.04 0.053	0.762 0.739 0.550 0.547 0.557 0.533	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A
	Body-worn	Right Cheek Right Tilt Front Back Front Back Left Right Top	0.419 0.429 0.489 0.455 0.413 0.385 0.218 0.038 0.310	0.127 0.180 0.037 0.054 0.104 0.095 0.000 0.116 0.315	0.128 0.111 0.013 0.030 0.025 0.123 0.000 0.000	0.216 0.13 0.024 0.038 0.024 0.038 0.04 0.053	0.216 0.13 0.024 0.038 0.04 0.053 0 0.009 0.035	0.762 0.739 0.550 0.547 0.557 0.533 0.218 0.163	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/F N/F N/F N/F N/F N/F N/F
	Body-worn	Right Cheek Right Tilt Front Back Front Back Left Right Top Bottom	0.419 0.429 0.489 0.455 0.413 0.385 0.218 0.038	0.127 0.180 0.037 0.054 0.104 0.095 0.000 0.116	0.128 0.111 0.013 0.030 0.025 0.123 0.000 0.000	0.216 0.13 0.024 0.038 0.024 0.038 0.04 0.053 0	0.216 0.13 0.024 0.038 0.04 0.053 0 0.009 0.035	0.762 0.739 0.550 0.547 0.557 0.533 0.218 0.163 0.660 0.000	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/F N/F N/F N/F N/F N/F
	Body-worn	Right Cheek Right Tilt Front Back Front Back Left Right Top Bottom Front	0.419 0.429 0.489 0.455 0.413 0.385 0.218 0.038 0.310 0.000	0.127 0.180 0.037 0.054 0.104 0.095 0.000 0.116 0.315 0.000	0.128 0.111 0.013 0.030 0.025 0.123 0.000 0.000 0.000 /	0.216 0.13 0.024 0.038 0.024 0.038 0.04 0.053 0 0.009 0.386	0.216 0.13 0.024 0.038 0.04 0.053 0 0.009 0.035 0 0.114	0.762 0.739 0.550 0.547 0.557 0.533 0.218 0.163 0.660 0.000	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/# N/# N/# N/# N/# N/# N/# N/# N/# N/#
	Body-worn	Right Cheek Right Tilt Front Back Front Back Left Right Top Bottom Front Back	0.419 0.429 0.489 0.455 0.413 0.385 0.218 0.038 0.310 0.000 /	0.127 0.180 0.037 0.054 0.104 0.095 0.000 0.116 0.315 0.000 /	0.128 0.111 0.013 0.030 0.025 0.123 0.000 0.000 0.000	0.216 0.13 0.024 0.038 0.024 0.038 0.04 0.053 0 0.009 0.386 0.303	0.216 0.13 0.024 0.038 0.04 0.053 0 0.009 0.035 0 0.114 0.142	0.762 0.739 0.550 0.547 0.557 0.533 0.218 0.163 0.660 0.000 0.114 0.142	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/F N/F N/F N/F N/F N/F N/F N/F N/F N/F
	Body-worn	Right Cheek Right Tilt Front Back Front Back Left Right Top Bottom Front Back Left	0.419 0.429 0.489 0.455 0.413 0.385 0.218 0.038 0.310 0.000	0.127 0.180 0.037 0.054 0.104 0.095 0.000 0.116 0.315 0.000 /	0.128 0.111 0.013 0.030 0.025 0.123 0.000 0.000 0.000 /	0.216 0.13 0.024 0.038 0.024 0.038 0.04 0.053 0 0.009 0.386 0.303	0.216 0.13 0.024 0.038 0.04 0.053 0 0.009 0.035 0 0.114 0.142	0.762 0.739 0.550 0.547 0.557 0.533 0.218 0.163 0.660 0.000 0.114 0.142 0.000	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/F N/F N/F N/F N/F N/F N/F N/F N/F N/F
	Body-worn Hotspot	Right Cheek Right Tilt Front Back Front Back Left Right Top Bottom Front Back	0.419 0.429 0.489 0.455 0.413 0.385 0.218 0.038 0.310 0.000 /	0.127 0.180 0.037 0.054 0.104 0.095 0.000 0.116 0.315 0.000 /	0.128 0.111 0.013 0.030 0.025 0.123 0.000 0.000 0.000 /	0.216 0.13 0.024 0.038 0.024 0.038 0.04 0.053 0 0.009 0.386 0.303	0.216 0.13 0.024 0.038 0.04 0.053 0 0.009 0.035 0 0.114 0.142	0.762 0.739 0.550 0.547 0.557 0.533 0.218 0.163 0.660 0.000 0.114 0.142	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/F N/F N/F N/F N/F N/F N/F N/F N/F N/F

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



: 01 Rev

Page : 486 of 493

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	② 2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ1-g SAR ①+②+⑤	Σ 1-g SAR $1+3+4$	Case NO.
		Left Cheek	0.039	0.264	0.310	0.249	0.249	0.552	N/A	N/A
	Head	Left Tilt	0.031	0.229	0.154	0.162	0.162	0.422	N/A	N/A
	rieau	Right Cheek	0.165	0.127	0.128	0.216	0.216	0.508	N/A	N/A
		Right Tilt	0.042	0.180	0.111	0.13	0.13	0.352	N/A	N/A
	Pody worn	Front	0.466	0.037	0.013	0.024	0.024	0.527	0.503	N/A
	Body-worn	Back	0.437	0.054	0.030	0.038	0.038	0.529	0.505	N/A
		Front	0.215	0.104	0.025	0.024	0.04	0.359	N/A	N/A
		Back	0.199	0.095	0.123	0.038	0.053	0.347	N/A	N/A
	Hatanat	Left	0.122	0.000	0.000	0.04	0	0.122	N/A	N/A
	Hotspot	Right	0.032	0.116	0.000	0.053	0.009	0.157	N/A	N/A
		Тор	0	0.315	0.000	0	0.035	0.350	N/A	N/A
		Bottom	0.602	0.000	0.000	0.009	0	0.602	N/A	N/A
		Front	/	1	/	0.386	0.114	0.114	0.386	N/A
		Back		1	/	0.303	0.142	0.142	0.303	N/A
		Left		/	/	/	/	0.000	0.000	N/A
	Limbs	Right	1	/	/	0.062	0.006	0.006	0.062	N/A
		Тор	/	/	/	0.210	0.068	0.068	0.210	N/A
		Bottom	2.584	/	/	/	1	2.584	2.584	N/A
LTE B7	Exposure position	Test position	① WWAN Ant.2 SAR	② 2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ 1-g SAR $1+2+5$	Σ1-g SAR ①+③+④	Case NO.
		Left Cheek	0.193	0.264	0.310	0.249	0.249	0.706	N/A	N/A
		Left Tilt	0.175	0.229	0.154	0.162	0.162	0.566	N/A	N/A
	Head	Right Cheek	0.521	0.127	0.128	0.216	0.216	0.864	N/A	N/A
		Right Tilt	0.391	0.180	0.111	0.13	0.13	0.701	N/A	N/A
		Front	0.046	0.037	0.013	0.024	0.024	0.107	N/A	N/A
	Body-worn	Back	0.101	0.054	0.030	0.038	0.038	0.193	N/A	N/A
		Front	0.059	0.104	0.025	0.024	0.04	0.203	N/A	N/A
		Back	0.112	0.095	0.123	0.038	0.053	0.260	N/A	N/A
		Left	0.072	0.000	0.000	0.04	0	0.072	N/A	N/A
	Hotspot	Right	0.032	0.116	0.000	0.053	0.009	0.157	N/A	N/A
		Тор	0.136	0.315	0.000	0	0.035	0.486	N/A	N/A
		Bottom	0.000	0.000	0.000	0.009	0	0.000	N/A	N/A
		Front	/	/	/	0.386	0.114	0.114	N/A	N/A
		Back	/	/	/	0.303	0.142	0.142	N/A	N/A
		Left	/	/	/	/	1	0.000	N/A	N/A
	Limbs	Right	1	- /	/	0.062	0.006	0.006	N/A	N/A
		3			-					
		Top		/	/	0.210	0.068	0.068	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev : 01

: 487 of 493 Page

					_					
WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	② 2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ1-g SAR ①+②+⑤	Σ 1-g SAR 1+3+4	Case NO.
		Left Cheek	0.074	0.264	0.310	0.249	0.249	0.587	N/A	N/A
		Left Tilt	0.063	0.229	0.154	0.162	0.162	0.454	N/A	N/A
	Head	Right Cheek	0.102	0.127	0.128	0.216	0.216	0.445	N/A	N/A
		Right Tilt	0.045	0.180	0.111	0.13	0.13	0.355	N/A	N/A
		Front	0.156	0.037	0.013	0.024	0.024	0.217	0.193	N/A
	Body-worn	Back	0.184	0.054	0.030	0.038	0.038	0.276	0.252	N/A
		Front	0.23	0.104	0.025	0.024	0.04	0.374	N/A	N/A
		Back	0.273	0.095	0.123	0.038	0.053	0.421	N/A	N/A
		Left	0.098	0.000	0.000	0.04	0	0.098	N/A	N/A
	Hotspot	Right	0.214	0.116	0.000	0.053	0.009	0.339	N/A	N/A
		Тор	0	0.315	0.000	0	0.035	0.350	N/A	N/A
		Bottom	0.166	0.000	0.000	0.009	0	0.166	N/A	N/A
		Front	1	1	1	0.386	0.114	0.114	0.386	N/A
		Back	1	1	/	0.303	0.142	0.142	0.303	N/A
		Left	1	/	/	/	/	0.000	0.000	N/A
	Limbs	Right	1	/	/	0.062	0.006	0.006	0.062	N/A
		Тор	/	/	/	0.210	0.068	0.068	0.210	N/A
		Bottom	/	/	/	/	1	0.000	0.000	N/A
LTE B12	Exposure position	Test position	① WWAN Ant.2 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ 1-g SAR $1+2+5$	Σ1-g SAR ①+③+④	Case NO.
		Left Cheek	0.306	0.264	0.310	0.249	0.249	0.819	N/A	N/A
		Left Tilt	0.514	0.229	0.154	0.162	0.162	0.905	N/A	N/A
	Head	Right Cheek	0.662	0.127	0.128	0.216	0.216	1.005	N/A	N/A
		Right Tilt	0.642	0.180	0.111	0.13	0.13	0.952	N/A	N/A
		Front	0.161	0.037	0.013	0.024	0.024	0.222	N/A	N/A
	Body-worn	Back	0.139	0.054	0.030	0.038	0.038	0.231	N/A	N/A
		Front	0.203	0.104	0.025	0.024	0.04	0.347	N/A	N/A
		Back	0.186	0.095	0.123	0.038	0.053	0.334	N/A	N/A
		Left	0.107	0.000	0.000	0.04	0	0.107	N/A	N/A
	Hotspot	Right	0.025	0.116	0.000	0.053	0.009	0.150	N/A	N/A
	04	Тор	0.126	0.315	0.000	0	0.035	0.476	N/A	N/A
		Bottom	0.000	0.000	0.000	0.009	0	0.000	N/A	N/A
		Front	/	/	/	0.386	0.114	0.114	N/A	N/A
		Back	/	/	/	0.303	0.142	0.142	N/A	N/A
		Left	/	1	/	/	1	0.000	N/A	N/A
	Limbs		,	1	/	0.062	0.006	0.006	N/A	N/A
		Right	1	/	,					
		Top	/	/	/	0.210	0.068	0.068	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

Page : 488 of 493

				_	_			1		
WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	② 2.4G WIFI1 SAR	③ 2.4G WIFI2 SAR	④ 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ1-g SAR ①+②+⑤	Σ 1-g SAR $1+3+4$	Case NO.
		Left Cheek	0.095	0.264	0.310	0.249	0.249	0.608	N/A	N/A
		Left Tilt	0.088	0.229	0.154	0.162	0.162	0.479	N/A	N/A
	Head	Right Cheek	0.125	0.127	0.128	0.216	0.216	0.468	N/A	N/A
		Right Tilt	0.062	0.180	0.111	0.13	0.13	0.372	N/A	N/A
		Front	0.203	0.037	0.013	0.024	0.024	0.264	0.240	N/A
	Body-worn	Back	0.226	0.054	0.030	0.038	0.038	0.318	0.294	N/A
		Front	0.276	0.104	0.025	0.024	0.04	0.420	N/A	N/A
		Back	0.354	0.095	0.123	0.038	0.053	0.502	N/A	N/A
		Left	0.103	0.000	0.000	0.04	0	0.103	N/A	N/A
	Hotspot	Right	0.233	0.116	0.000	0.053	0.009	0.358	N/A	N/A
		Тор	0	0.315	0.000	0	0.035	0.350	N/A	N/A
		Bottom	0.213	0.000	0.000	0.009	0	0.213	N/A	N/A
		Front	/	1	/	0.386	0.114	0.114	0.386	N/A
		Back		1	/	0.303	0.142	0.142	0.303	N/A
		Left		/	/	/	/	0.000	0.000	N/A
	Limbs	Right	1	/	/	0.062	0.006	0.006	0.062	N/A
		Тор	/	/	/	0.210	0.068	0.068	0.210	N/A
		Bottom	/	/	/	/	1	0.000	0.000	N/A
LTE B17	Exposure position	Test position	① WWAN Ant.2 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ 1-g SAR $1+2+5$	Σ1-g SAR ①+③+④	Case NO.
		Left Cheek	0.337	0.264	0.310	0.249	0.249	0.850	N/A	N/A
		Left Tilt	0.456	0.229	0.154	0.162	0.162	0.847	N/A	N/A
	Head	Right Cheek	0.512	0.127	0.128	0.216	0.216	0.855	N/A	N/A
		Right Tilt	0.446	0.180	0.111	0.13	0.13	0.756	N/A	N/A
		Front	0.168	0.037	0.013	0.024	0.024	0.229	N/A	N/A
	Body-worn	Back	0.166	0.054	0.030	0.038	0.038	0.258	N/A	N/A
		Front				0.024	0.04	0.291	N/A	N/A
		FIOR	0.147	0.104	0.025	0.024	0.0.	0.20.	1 4/ / 1	
		Back	0.147 0.118	0.104	0.025 0.123	0.024	0.053	0.266	N/A	N/A
										N/A N/A
	Hotspot	Back	0.118	0.095	0.123	0.038	0.053	0.266	N/A	
	Hotspot	Back Left	0.118 0.081	0.095 0.000	0.123 0.000	0.038 0.04	0.053	0.266 0.081	N/A N/A	N/A
	Hotspot	Back Left Right	0.118 0.081 0.021	0.095 0.000 0.116	0.123 0.000 0.000	0.038 0.04 0.053	0.053 0 0.009	0.266 0.081 0.146	N/A N/A N/A	N/A N/A
	Hotspot	Back Left Right Top	0.118 0.081 0.021 0.092	0.095 0.000 0.116 0.315	0.123 0.000 0.000 0.000	0.038 0.04 0.053 0	0.053 0 0.009 0.035	0.266 0.081 0.146 0.442	N/A N/A N/A N/A	N/A N/A N/A
	Hotspot	Back Left Right Top Bottom	0.118 0.081 0.021 0.092 0.000	0.095 0.000 0.116 0.315 0.000	0.123 0.000 0.000 0.000 0.000	0.038 0.04 0.053 0 0.009	0.053 0 0.009 0.035	0.266 0.081 0.146 0.442 0.000	N/A N/A N/A N/A	N/A N/A N/A N/A
	3	Back Left Right Top Bottom Front	0.118 0.081 0.021 0.092 0.000	0.095 0.000 0.116 0.315 0.000	0.123 0.000 0.000 0.000 0.000 /	0.038 0.04 0.053 0 0.009 0.386	0.053 0 0.009 0.035 0 0.114	0.266 0.081 0.146 0.442 0.000 0.114	N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A
	Hotspot Limbs	Back Left Right Top Bottom Front Back	0.118 0.081 0.021 0.092 0.000 /	0.095 0.000 0.116 0.315 0.000 /	0.123 0.000 0.000 0.000 0.000 /	0.038 0.04 0.053 0 0.009 0.386 0.303	0.053 0 0.009 0.035 0 0.114 0.142	0.266 0.081 0.146 0.442 0.000 0.114 0.142	N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A
	3	Back Left Right Top Bottom Front Back Left	0.118 0.081 0.021 0.092 0.000 /	0.095 0.000 0.116 0.315 0.000 /	0.123 0.000 0.000 0.000 0.000 /	0.038 0.04 0.053 0 0.009 0.386 0.303	0.053 0 0.009 0.035 0 0.114 0.142	0.266 0.081 0.146 0.442 0.000 0.114 0.142 0.000	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

: 489 of 493 Page

WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ1-g SAR ①+②+⑤	Σ1-g SAR ①+③+④	Case NO.
		Left Cheek	0.11	0.264	0.310	0.249	0.249	0.623	N/A	N/A
	Lload	Left Tilt	0.055	0.229	0.154	0.162	0.162	0.446	N/A	N/A
	Head	Right Cheek	0.147	0.127	0.128	0.216	0.216	0.490	N/A	N/A
		Right Tilt	0.063	0.180	0.111	0.13	0.13	0.373	N/A	N/A
	Darkerman	Front	0.167	0.037	0.013	0.024	0.024	0.228	0.204	N/A
	Body-worn	Back	0.173	0.054	0.030	0.038	0.038	0.265	0.241	N/A
		Front	0.255	0.104	0.025	0.024	0.04	0.399	N/A	N/A
		Back	0.28	0.095	0.123	0.038	0.053	0.428	N/A	N/A
		Left	0.068	0.000	0.000	0.04	0	0.068	N/A	N/A
	Hotspot	Right	0.172	0.116	0.000	0.053	0.009	0.297	N/A	N/A
		Тор	0	0.315	0.000	0	0.035	0.350	N/A	N/A
		Bottom	0.212	0.000	0.000	0.009	0	0.212	N/A	N/A
		Front	/	1	/	0.386	0.114	0.114	0.386	N/A
		Back		1	/	0.303	0.142	0.142	0.303	N/A
		Left		/	/	/	/	0.000	0.000	N/A
	Limbs	Right	1	/	/	0.062	0.006	0.006	0.062	N/A
		Тор	/	/	/	0.210	0.068	0.068	0.210	N/A
		Bottom	/	/	/	/	1	0.000	0.000	N/A
LTE B26	Exposure position	Test position	① WWAN Ant.2 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ1-g SAR ①+②+⑤	Σ1-g SAR ①+③+④	Case NO.
		Left Cheek	0.212	0.264	0.310	0.249	0.249	0.725	N/A	N/A
		Left Tilt	0.397	0.229	0.154	0.162	0.162	0.788	N/A	N/A
	Head	Right Cheek	0.703	0.127	0.128	0.216	0.216	1.046	N/A	N/A
		Right Tilt	0.498	0.180	0.111	0.13	0.13	0.808	N/A	N/A
	Destaurant	Front	0.506	0.037	0.013	0.024	0.024	0.567	N/A	N/A
	Body-worn	Back	0.443	0.054	0.030	0.038	0.038	0.535	N/A	N/A
		Front	0.419	0.104	0.025	0.024	0.04	0.563	N/A	N/A
		Back	0.363	0.095	0.123	0.038	0.053	0.511	N/A	N/A
		Left	0.242	0.000	0.000	0.04	0	0.242	N/A	N/A
	Hotspot	Right	0.039	0.116	0.000	0.053	0.009	0.164	N/A	N/A
	64	Тор	0.273	0.315	0.000	0	0.035	0.623	N/A	N/A
		Bottom	0.000	0.000	0.000	0.009	0	0.000	N/A	N/A
		Front	/	/	/	0.386	0.114	0.114	N/A	N/A
		Back	/	/	/	0.303	0.142	0.142	N/A	N/A
		Left	/	1	/	/	1	0.000	N/A	N/A
	Limbs	Right	1	1	/	0.062	0.006	0.006	N/A	N/A
		Тор	1	/	/	0.210	0.068	0.068	N/A	N/A
		Bottom	1	/	- 1	 	/	0.000	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

Page : 490 of 493

							_			
WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	④ 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ1-g SAR ①+②+⑤	Σ 1-g SAR 1+3+4	Case NO.
		Left Cheek	0.025	0.264	0.310	0.249	0.249	0.538	N/A	N/A
		Left Tilt	0.031	0.229	0.154	0.162	0.162	0.422	N/A	N/A
	Head	Right Cheek	0.114	0.127	0.128	0.216	0.216	0.457	N/A	N/A
		Right Tilt	0.034	0.180	0.111	0.13	0.13	0.344	N/A	N/A
		Front	0.238	0.037	0.013	0.024	0.024	0.299	0.275	N/A
	Body-worn	Back	0.264	0.054	0.030	0.038	0.038	0.356	0.332	N/A
		Front	0.241	0.104	0.025	0.024	0.04	0.385	N/A	N/A
		Back	0.24	0.095	0.123	0.038	0.053	0.388	N/A	N/A
		Left	0.184	0.000	0.000	0.04	0	0.184	N/A	N/A
	Hotspot	Right	0.061	0.116	0.000	0.053	0.009	0.186	N/A	N/A
		Тор	0.000	0.315	0.000	0	0.035	0.350	N/A	N/A
		Bottom	0.762	0.000	0.000	0.009	0	0.762	N/A	N/A
		Front	/	1	/	0.386	0.114	0.114	0.386	N/A
		Back		1	/	0.303	0.142	0.142	0.303	N/A
		Left		/	/	/	/	0.000	0.000	N/A
	Limbs	Right	1	/	/	0.062	0.006	0.006	0.062	N/A
		Тор	/	/	/	0.210	0.068	0.068	0.210	N/A
		Bottom	/	/	/	/	1	0.000	0.000	N/A
LTE B38	Exposure position	Test position	① WWAN Ant.2 SAR	② 2.4G WIFI1 SAR	③ 2.4G WIFI2 SAR	④ 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ 1-g SAR $1+2+5$	Σ1-g SAR ①+③+④	Case NO.
		Left Cheek	0.264	0.264	0.310	0.249	0.249	0.777	N/A	N/A
	11	Left Tilt	0.288	0.229	0.154	0.162	0.162	0.679	N/A	N/A
	Head								111/7	
		Right Cheek	0.946	0.127	0.128	0.216	0.216	1.289	N/A	N/A
		Right Cheek Right Tilt	0.946 0.521	0.127 0.180		0.216 0.13	0.216 0.13	1.289 0.831		N/A N/A
					0.128				N/A	
	Body-worn	Right Tilt	0.521	0.180	0.128 0.111	0.13	0.13	0.831	N/A N/A	N/A
	Body-worn	Right Tilt Front	0.521 0.219	0.180 0.037	0.128 0.111 - 0.013	0.13 0.024	0.13 0.024	0.831 0.280	N/A N/A N/A	N/A N/A
	Body-worn	Right Tilt Front Back	0.521 0.219 0.252	0.180 0.037 0.054	0.128 0.111 0.013 0.030	0.13 0.024 0.038	0.13 0.024 0.038	0.831 0.280 0.344	N/A N/A N/A N/A	N/A N/A N/A N/A
	,	Right Tilt Front Back Front Back	0.521 0.219 0.252 0.316	0.180 0.037 0.054 0.104	0.128 0.111 0.013 0.030 0.025	0.13 0.024 0.038 0.024	0.13 0.024 0.038 0.04	0.831 0.280 0.344 0.460	N/A N/A N/A N/A N/A	N/A N/A N/A N/A
	Body-worn Hotspot	Right Tilt Front Back Front	0.521 0.219 0.252 0.316 0.262	0.180 0.037 0.054 0.104 0.095	0.128 0.111 0.013 0.030 0.025 0.123	0.13 0.024 0.038 0.024 0.038	0.13 0.024 0.038 0.04 0.053	0.831 0.280 0.344 0.460 0.410	N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A
	,	Right Tilt Front Back Front Back Left	0.521 0.219 0.252 0.316 0.262 0.158 0.033	0.180 0.037 0.054 0.104 0.095 0.000	0.128 0.111 0.013 0.030 0.025 0.123 0.000	0.13 0.024 0.038 0.024 0.038 0.04	0.13 0.024 0.038 0.04 0.053	0.831 0.280 0.344 0.460 0.410 0.158	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A
	,	Right Tilt Front Back Front Back Left Right	0.521 0.219 0.252 0.316 0.262 0.158	0.180 0.037 0.054 0.104 0.095 0.000 0.116	0.128 0.111 0.013 0.030 0.025 0.123 0.000 0.000	0.13 0.024 0.038 0.024 0.038 0.04 0.053	0.13 0.024 0.038 0.04 0.053 0	0.831 0.280 0.344 0.460 0.410 0.158 0.158	N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A
	,	Right Tilt Front Back Front Back Left Right Top	0.521 0.219 0.252 0.316 0.262 0.158 0.033 0.232	0.180 0.037 0.054 0.104 0.095 0.000 0.116 0.315	0.128 0.111 0.013 0.030 0.025 0.123 0.000 0.000	0.13 0.024 0.038 0.024 0.038 0.04 0.053	0.13 0.024 0.038 0.04 0.053 0 0.009	0.831 0.280 0.344 0.460 0.410 0.158 0.158	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A N/A
	,	Right Tilt Front Back Front Back Left Right Top Bottom Front	0.521 0.219 0.252 0.316 0.262 0.158 0.033 0.232 0.000	0.180 0.037 0.054 0.104 0.095 0.000 0.116 0.315 0.000	0.128 0.111 0.013 0.030 0.025 0.123 0.000 0.000 0.000	0.13 0.024 0.038 0.024 0.038 0.04 0.053 0 0.009 0.386	0.13 0.024 0.038 0.04 0.053 0 0.009 0.035 0	0.831 0.280 0.344 0.460 0.410 0.158 0.158 0.582 0.000 0.114	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
	Hotspot	Right Tilt Front Back Front Back Left Right Top Bottom Front Back	0.521 0.219 0.252 0.316 0.262 0.158 0.033 0.232 0.000	0.180 0.037 0.054 0.104 0.095 0.000 0.116 0.315 0.000	0.128 0.111 0.013 0.030 0.025 0.123 0.000 0.000 0.000 /	0.13 0.024 0.038 0.024 0.038 0.04 0.053 0	0.13 0.024 0.038 0.04 0.053 0 0.009 0.035 0 0.114 0.142	0.831 0.280 0.344 0.460 0.410 0.158 0.158 0.582 0.000 0.114 0.142	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
	,	Right Tilt Front Back Front Back Left Right Top Bottom Front Back Left	0.521 0.219 0.252 0.316 0.262 0.158 0.033 0.232 0.000 /	0.180 0.037 0.054 0.104 0.095 0.000 0.116 0.315 0.000 /	0.128 0.111 0.013 0.030 0.025 0.123 0.000 0.000 0.000 /	0.13 0.024 0.038 0.024 0.038 0.04 0.053 0 0.009 0.386 0.303	0.13 0.024 0.038 0.04 0.053 0 0.009 0.035 0 0.114 0.142	0.831 0.280 0.344 0.460 0.410 0.158 0.158 0.582 0.000 0.114 0.142 0.000	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
	Hotspot	Right Tilt Front Back Front Back Left Right Top Bottom Front Back	0.521 0.219 0.252 0.316 0.262 0.158 0.033 0.232 0.000 /	0.180 0.037 0.054 0.104 0.095 0.000 0.116 0.315 0.000 /	0.128 0.111 0.013 0.030 0.025 0.123 0.000 0.000 0.000 /	0.13 0.024 0.038 0.024 0.038 0.04 0.053 0 0.009 0.386 0.303	0.13 0.024 0.038 0.04 0.053 0 0.009 0.035 0 0.114 0.142	0.831 0.280 0.344 0.460 0.410 0.158 0.158 0.582 0.000 0.114 0.142	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01 Rev

Page : 491 of 493

					_		<u> </u>			
WWAN Band	Exposure position	Test position	① WWAN Ant.1 SAR	② 2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	4 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ1-g SAR ①+②+⑤	Σ 1-g SAR $1+3+4$	Case NO.
		Left Cheek	0.022	0.264	0.310	0.249	0.249	0.535	N/A	N/A
		Left Tilt	0.011	0.229	0.154	0.162	0.162	0.402	N/A	N/A
	Head	Right Cheek	0.083	0.127	0.128	0.216	0.216	0.426	N/A	N/A
		Right Tilt	0.023	0.180	0.111	0.13	0.13	0.333	N/A	N/A
		Front	0.273	0.037	0.013	0.024	0.024	0.334	0.310	N/A
	Body-worn	Back	0.251	0.054	0.030	0.038	0.038	0.343	0.319	N/A
		Front	0.337	0.104	0.025	0.024	0.04	0.481	N/A	N/A
		Back	0.276	0.095	0.123	0.038	0.053	0.424	N/A	N/A
		Left	0.16	0.000	0.000	0.04	0	0.160	N/A	N/A
	Hotspot	Right	0.058	0.116	0.000	0.053	0.009	0.183	N/A	N/A
		Тор	0.000	0.315	0.000	0	0.035	0.350	N/A	N/A
		Bottom	0.931	0.000	0.000	0.009	0	0.931	N/A	N/A
		Front	/	1	/	0.386	0.114	0.114	0.386	N/A
		Back		1	/	0.303	0.142	0.142	0.303	N/A
		Left		/	/	/	/	0.000	0.000	N/A
	Limbs	Right	1	/	/	0.062	0.006	0.006	0.062	N/A
		Тор	/	/	/	0.210	0.068	0.068	0.210	N/A
		Bottom	/	/	/	/	1	0.000	0.000	N/A
LTE B41	Exposure position	Test position	① WWAN Ant.2 SAR	② 2.4G WIFI1 SAR	3 2.4G WIFI2 SAR	④ 5G WIFI1 SAR	⑤ 5G WIFI2 SAR	Σ 1-g SAR ①+②+⑤	Σ1-g SAR ①+③+④	Case NO.
		Left Cheek	0.247	0.264	0.310	0.249	0.249	0.760	N/A	N/A
		Left Tilt	0.272	0.229	0.154	0.162	0.162	0.663	N/A	N/A
	Head	Right Cheek	1.050	0.127	0.128	0.216	0.216	1.393	N/A	N/A
		Right Tilt	0.718	0.180	0.111	0.13	0.13	1.028	N/A	N/A
		Front	0.171	0.037	0.013	0.024	0.024	0.232	N/A	N/A
	Body-worn	Deal	0.235	0.054	0.030	0.038	0.038	0.327	N/A	N/A
		Back	0.233	0.054	0.030		0.000		11/7	1 1// 1
		Front		0.034	0.030		0.04	0.452	N/A	
		Front	0.308	0.104	0.025	0.024	0.04	0.452	N/A	N/A
		Front Back	0.308 0.269	0.104 0.095	0.025 0.123	0.024 0.038	0.04 0.053	0.452 0.417	N/A N/A	N/A N/A
	Hotspot	Front Back Left	0.308 0.269 0.157	0.104 0.095 0.000	0.025 0.123 0.000	0.024	0.04 0.053 0	0.452 0.417 0.157	N/A N/A N/A	N/A
	Hotspot	Front Back Left Right	0.308 0.269 0.157 0.027	0.104 0.095 0.000 0.116	0.025 0.123 0.000 0.000	0.024 0.038 0.04 0.053	0.04 0.053 0 0.009	0.452 0.417 0.157 0.152	N/A N/A N/A N/A	N/A N/A N/A N/A
	Hotspot	Front Back Left Right Top	0.308 0.269 0.157 0.027 0.258	0.104 0.095 0.000 0.116 0.315	0.025 0.123 0.000 0.000 0.000	0.024 0.038 0.04 0.053	0.04 0.053 0 0.009 0.035	0.452 0.417 0.157 0.152 0.608	N/A N/A N/A N/A	N/A N/A N/A N/A
	Hotspot	Front Back Left Right Top Bottom	0.308 0.269 0.157 0.027 0.258 0.000	0.104 0.095 0.000 0.116 0.315 0.000	0.025 0.123 0.000 0.000 0.000 0.000	0.024 0.038 0.04 0.053 0	0.04 0.053 0 0.009 0.035	0.452 0.417 0.157 0.152 0.608 0.000	N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A
	Hotspot	Front Back Left Right Top Bottom Front	0.308 0.269 0.157 0.027 0.258 0.000	0.104 0.095 0.000 0.116 0.315 0.000	0.025 0.123 0.000 0.000 0.000 0.000 /	0.024 0.038 0.04 0.053 0 0.009	0.04 0.053 0 0.009 0.035 0	0.452 0.417 0.157 0.152 0.608 0.000 0.114	N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A
	Hotspot	Front Back Left Right Top Bottom Front Back	0.308 0.269 0.157 0.027 0.258 0.000	0.104 0.095 0.000 0.116 0.315 0.000 /	0.025 0.123 0.000 0.000 0.000 0.000	0.024 0.038 0.04 0.053 0 0.009 0.386 0.303	0.04 0.053 0 0.009 0.035 0 0.114 0.142	0.452 0.417 0.157 0.152 0.608 0.000 0.114 0.142	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A N/A N/A
	Hotspot Limbs	Front Back Left Right Top Bottom Front Back Left	0.308 0.269 0.157 0.027 0.258 0.000 /	0.104 0.095 0.000 0.116 0.315 0.000 /	0.025 0.123 0.000 0.000 0.000 0.000 /	0.024 0.038 0.04 0.053 0 0.009 0.386 0.303	0.04 0.053 0 0.009 0.035 0 0.114 0.142	0.452 0.417 0.157 0.152 0.608 0.000 0.114 0.142 0.000	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
	3	Front Back Left Right Top Bottom Front Back	0.308 0.269 0.157 0.027 0.258 0.000 /	0.104 0.095 0.000 0.116 0.315 0.000 /	0.025 0.123 0.000 0.000 0.000 0.000 /	0.024 0.038 0.04 0.053 0 0.009 0.386 0.303	0.04 0.053 0 0.009 0.035 0 0.114 0.142	0.452 0.417 0.157 0.152 0.608 0.000 0.114 0.142	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev : 01

: 492 of 493 Page

Equipment list

Test Platform	SPEAG DASY5 Professional
Description	SAR Test System (Frequency range 300MHz-6GHz)
Software Reference	DASY52 52.8.8(1222); SEMCAD X 14.6.10(7331)

Hardware Reference

Equipment		Manufacturer	Model	Serial Number	Calibration Date	Due date of calibration
	Twin Phantom	SPEAG	SAM 1	1283	NCR	NCR
	Twin Phantom	SPEAG	SAM 2	1913	NCR	NCR
	DAE	SPEAG	DAE4	896	2017-09-27	2018-09-26
	E-Field Probe	SPEAG	EX3DV4	3962	2018-01-11	2019-01-10
\boxtimes	E-Field Probe	SPEAG	EX3DV4	3789	2018-02-08	2019-02-07
\boxtimes	Validation Kits	SPEAG	D1900V2	5d028	2016-12-07	2019-12-06
\boxtimes	Validation Kits	SPEAG	D2450V2	733	2016-12-07	2019-12-06
\boxtimes	Validation Kits	SPEAG	D2600V2	1125	2016-06-22	2019-06-21
\boxtimes	Agilent Network Analyzer	Agilent	E5071C	MY46523590	2018-03-13	2019-03-12
\boxtimes	Dielectric Probe Kit	Agilent	85070E	US01440210	NCR	NCR
	Radio Communication Analyzer	Anritsu	MT8821C	6201502984	2018-05-02	2019-05-01
	RF Bi-Directional Coupler	Agilent	86205-60001	MY31400031	NCR	NCR
	Signal Generator	Agilent	N5171B	MY53050736	2018-03-13	2019-03-12
\boxtimes	Preamplifier	Mini-Circuits	ZHL-42W	15542	NCR	NCR
\boxtimes	Power Meter	Agilent	E4416A	GB41292095	2018-03-13	2019-03-12
\boxtimes	Power Sensor	Agilent	8481H	MY41091234	2018-03-13	2019-03-12
\boxtimes	Power Sensor	R&S	NRP-Z92	100025	2018-03-13	2019-03-12
\boxtimes	Attenuator	SHX	TS2-3dB	30704	NCR	NCR
\boxtimes	Coaxial low pass filter	Mini-Circuits	VLF-2500(+)	NA	NCR	NCR
\boxtimes	Coaxial low pass filter	Microlab Fxr	LA-F13	NA	NCR	NCR
\boxtimes	50 Ω coaxial load	Mini-Circuits	KARN-50+	00850	NCR	NCR
	DC POWER SUPPLY	SAKO	SK1730SL5A	NA	NCR	NCR
	Speed reading thermometer	MingGao	T809	NA	2018-03-13	2019-03-12
\boxtimes	Humidity and Temperature Indicator	KIMTOKA	KIMTOKA	NA	2018-03-13	2019-03-12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



: 01

Page : 493 of 493

Calibration certificate 10

Please see the Appendix C

11 **Photographs**

Please see the Appendix D

Appendix A: Detailed System Check Results

Appendix B: Detailed Test Results

Appendix C: Calibration certificate

Appendix D: Photographs

---END---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司