


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.61	0.10	1.71	11.00
CH60	5300	1.96	0.10	2.06	11.00
CH64	5320	-1.15	0.10	-1.05	11.00

CH52




Date: 21.JUL.2015 11:52:40

CH60



Date: 21.JUL.2015 11:55:01

CH64




Date: 21.JUL.2015 11:56:17

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.21	0.10	2.31	11.00
CH60	5300	2.24	0.10	2.34	11.00
CH64	5320	-0.87	0.10	-0.77	11.00

CH52




Date: 23.JUL.2015 16:04:22

CH60



Date: 23.JUL.2015 16:05:56

CH64



Date: 23.JUL.2015 16:06:48


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.03	11.00
CH60	5300	5.21	11.00
CH64	5320	2.10	11.00

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.78	0.32	-1.46	11.00
CH62	5310	-5.14	0.32	-4.82	11.00

CH54



Date: 21.JUL.2015 14:14:35

CH62




Date: 26.JUL.2015 17:07:54

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.36	0.32	-1.04	11.00
CH62	5310	-4.88	0.32	-4.56	11.00

CH54



Date: 23.JUL.2015 16:36:18

CH62



Date: 26.JUL.2015 17:06:54


Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.77	11.00
CH62	5310	-1.68	11.00

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.34	0.39	0.73	11.00
CH116	5580	2.04	0.39	2.43	11.00
CH140	5700	-0.45	0.39	-0.06	11.00

CH100




Date: 21.JUL.2015 11:36:53

CH116



Date: 21.JUL.2015 11:38:26

CH140




Date: 21.JUL.2015 11:39:45

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.44	0.39	0.83	11.00
CH116	5580	2.44	0.39	2.83	11.00
CH140	5700	-0.08	0.39	0.31	11.00

CH100




Date: 23.JUL.2015 15:43:40

CH116



Date: 23.JUL.2015 15:45:14

CH140



Date: 23.JUL.2015 15:46:48


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.79	11.00
CH116	5580	5.64	11.00
CH140	5700	3.14	11.00

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.06	0.10	0.16	11.00
CH116	5580	1.99	0.10	2.09	11.00
CH140	5700	-0.63	0.10	-0.53	11.00

CH100




Date: 21.JUL.2015 11:57:37

CH116



Date: 21.JUL.2015 11:58:37

CH140




Date: 21.JUL.2015 12:00:02

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.13	0.10	-0.03	11.00
CH116	5580	2.26	0.10	2.36	11.00
CH140	5700	-0.61	0.10	-0.51	11.00

CH100




Date: 23.JUL.2015 16:07:42

CH116



Date: 23.JUL.2015 16:08:41

CH140



Date: 23.JUL.2015 16:09:33


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.08	11.00
CH116	5580	5.24	11.00
CH140	5700	2.49	11.00

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.49	0.32	-1.17	11.00
CH110	5550	-1.58	0.32	-1.26	11.00
CH134	5670	-1.00	0.32	-0.68	11.00

CH102




Date: 21.JUL.2015 14:17:21

CH110



Date: 21.JUL.2015 14:19:29

CH134




Date: 21.JUL.2015 14:20:47

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.18	0.32	-0.86	11.00
CH110	5550	-1.13	0.32	-0.81	11.00
CH134	5670	-0.58	0.32	-0.26	11.00

CH102




Date: 23.JUL.2015 17:58:14

CH110



Date: 23.JUL.2015 18:25:47

CH134



Date: 23.JUL.2015 18:52:40


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.00	11.00
CH110	5550	1.98	11.00
CH134	5670	2.55	11.00

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT A


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-1.60	0.39	-1.21	30.00
CH157	5785	-1.52	0.39	-1.13	30.00
CH165	5825	-2.09	0.39	-1.70	30.00

TX CH149




Date: 21.JUL.2015 11:41:27

TX CH157



Date: 21.JUL.2015 11:43:20

TX CH165




Date: 21.JUL.2015 11:44:33

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT B


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.42	0.39	-0.03	30.00
CH157	5785	-0.42	0.39	-0.03	30.00
CH165	5825	-1.15	0.39	-0.76	30.00

TX CH149




Date: 23.JUL.2015 15:48:19

TX CH157



Date: 23.JUL.2015 15:49:42

TX CH165



Date: 23.JUL.2015 15:51:03


Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.43	30.00
CH157	5785	2.47	30.00
CH165	5825	1.81	30.00

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT A


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-1.65	0.10	-1.55	30.00
CH157	5785	-1.65	0.10	-1.55	30.00
CH165	5825	-2.27	0.10	-2.17	30.00

TX CH149




Date: 21.JUL.2015 12:01:18

TX CH157



Date: 21.JUL.2015 12:03:01

TX CH165




Date: 21.JUL.2015 12:03:55

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT B


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.58	0.10	-0.48	30.00
CH157	5785	-0.68	0.10	-0.58	30.00
CH165	5825	-1.32	0.10	-1.22	30.00

TX CH149




Date: 23.JUL.2015 16:10:42

TX CH157



Date: 23.JUL.2015 16:11:58

TX CH165



Date: 23.JUL.2015 16:12:52


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.03	30.00
CH157	5785	1.97	30.00
CH165	5825	1.34	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT A


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-5.33	0.32	-5.01	30.00
CH159	5795	-4.99	0.32	-4.67	30.00

TX CH151



Date: 21.JUL.2015 14:23:01

TX CH159




Date: 21.JUL.2015 14:24:10

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT B


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-4.07	0.32	-3.75	30.00
CH159	5795	-4.33	0.32	-4.01	30.00

TX CH151



Date: 23.JUL.2015 18:54:24

TX CH159



Date: 23.JUL.2015 19:01:20

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.32	30.00
CH159	5795	-1.32	30.00

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.68	0.10	-0.58	17.00
CH40	5200	1.07	0.10	1.17	17.00
CH48	5240	-0.08	0.10	0.02	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	-0.58	5.50	4.92	10.00
CH40	5200	1.17	5.50	6.67	10.00
CH48	5240	0.02	5.50	5.52	10.00

CH36




Date: 21.JUL.2015 12:05:59

CH40



Date: 17.AUG.2015 15:20:22

CH48




Date: 17.AUG.2015 15:19:32

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.35	0.10	-0.25	17.00
CH40	5200	1.41	0.10	1.51	17.00
CH48	5240	0.57	0.10	0.67	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	-0.25	5.50	5.25	10.00
CH40	5200	1.51	5.50	7.01	10.00
CH48	5240	0.67	5.50	6.17	10.00

CH36




Date: 23.JUL.2015 16:16:14

CH40



Date: 17.AUG.2015 15:21:02

CH48



Date: 17.AUG.2015 15:19:06

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.60	17.00
CH40	5200	4.35	17.00
CH48	5240	3.37	17.00


Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	8.10	10.00
CH40	5200	9.85	10.00
CH48	5240	8.87	10.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-4.60	1.13	-3.47	17.00
CH46	5230	-1.09	1.13	0.04	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-3.47	5.50	2.03	10.00
CH46	5230	0.04	5.50	5.54	10.00

CH38



Date: 26.JUL.2015 17:08:33

CH46




Date: 21.JUL.2015 14:28:05

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-4.16	1.13	-3.03	17.00
CH46	5230	-0.86	1.13	0.27	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-3.03	5.50	2.47	10.00
CH46	5230	0.27	5.50	5.77	10.00

CH38



Date: 26.JUL.2015 17:09:37

CH46



Date: 23.JUL.2015 19:23:08

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.23	17.00
CH46	5230	3.17	17.00

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	5.27	10.00
CH46	5230	8.67	10.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-6.52	0.48	-6.04	17.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	-6.04	5.50	-0.54	10.00




Date: 26.JUL.2015 17:13:20

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-6.21	0.48	-5.73	17.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	-5.73	5.50	-0.23	10.00



Date: 26.JUL.2015 17:11:03


Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.87	17.00

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	2.63	10.00


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.66	0.10	1.76	11.00
CH60	5300	1.96	0.10	2.06	11.00
CH64	5320	-1.03	0.10	-0.93	11.00




Date: 21.JUL.2015 12:22:29

CH60



Date: 21.JUL.2015 12:23:53


CH64



Date: 21.JUL.2015 12:24:59


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.26	0.10	2.36	11.00
CH60	5300	2.26	0.10	2.36	11.00
CH64	5320	-0.86	0.10	-0.76	11.00




Date: 23.JUL.2015 16:19:14

CH60



Date: 23.JUL.2015 16:20:13

CH64



Date: 23.JUL.2015 16:21:18


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.08	11.00
CH60	5300	5.22	11.00
CH64	5320	2.17	11.00

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.98	1.13	-0.85	11.00
CH62	5310	-6.23	1.13	-5.10	11.00

CH54



Date: 21.JUL.2015 14:29:08

CH62




Date: 26.JUL.2015 17:09:02

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.23	1.13	-0.10	11.00
CH62	5310	-5.77	1.13	-4.64	11.00

CH54



Date: 23.JUL.2015 19:24:44

CH62




Date: 26.JUL.2015 17:09:55

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.55	11.00
CH62	5310	-1.85	11.00

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-6.89	0.48	-6.41	11.00



Date: 26.JUL.2015 17:13:42

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-6.70	0.48	-6.22	11.00



Date: 26.JUL.2015 17:11:28


Test Mode: UNII-2A/TX AC80 Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-3.30	11.00

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.07	0.10	0.17	11.00
CH116	5580	2.01	0.10	2.11	11.00
CH140	5700	-0.63	0.10	-0.53	11.00

CH100




Date: 21.JUL.2015 12:26:03

CH116



Date: 21.JUL.2015 14:03:25

CH140




Date: 21.JUL.2015 14:04:31

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.18	0.10	0.28	11.00
CH116	5580	2.27	0.10	2.37	11.00
CH140	5700	-0.37	0.10	-0.27	11.00

CH100




Date: 23.JUL.2015 16:24:47

CH116



Date: 23.JUL.2015 16:25:59

CH140



Date: 23.JUL.2015 16:26:57


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.24	11.00
CH116	5580	5.25	11.00
CH140	5700	2.61	11.00

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.70	1.13	-0.57	11.00
CH110	5550	-1.76	1.13	-0.63	11.00
CH134	5670	-1.08	1.13	0.05	11.00

CH102




Date: 21.JUL.2015 14:31:46

CH110



Date: 21.JUL.2015 14:33:02

CH134




Date: 21.JUL.2015 14:34:05

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.36	1.13	-0.23	11.00
CH110	5550	-1.13	1.13	0.00	11.00
CH134	5670	-0.87	1.13	0.26	11.00

CH102




Date: 23.JUL.2015 19:27:18

CH110



Date: 23.JUL.2015 19:28:31

CH134



Date: 23.JUL.2015 19:29:34


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.61	11.00
CH110	5550	2.71	11.00
CH134	5670	3.17	11.00

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-5.81	0.48	-5.33	11.00
CH122	5610	-6.13	0.48	-5.65	11.00

CH106



Date: 26.JUL.2015 17:14:06

CH122




Date: 26.JUL.2015 17:14:26

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-5.46	0.48	-4.98	11.00
CH122	5610	-5.92	0.48	-5.44	11.00

CH106



Date: 26.JUL.2015 17:11:50

CH122



Date: 26.JUL.2015 17:12:13


Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-2.14	11.00
CH122	5610	-2.53	11.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT A


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-1.58	0.10	-1.48	30.00
CH157	5785	-1.71	0.10	-1.61	30.00
CH165	5825	-2.12	0.10	-2.02	30.00

TX CH149




Date: 21.JUL.2015 14:05:39

TX CH157



Date: 21.JUL.2015 14:06:46

TX CH165




Date: 21.JUL.2015 14:07:52

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT B


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.56	0.10	-0.46	30.00
CH157	5785	-0.62	0.10	-0.52	30.00
CH165	5825	-1.20	0.10	-1.10	30.00

TX CH149




Date: 23.JUL.2015 16:28:10

TX CH157



Date: 23.JUL.2015 16:29:11

TX CH165



Date: 23.JUL.2015 16:30:06


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.07	30.00
CH157	5785	1.98	30.00
CH165	5825	1.47	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT A


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-5.54	1.13	-4.41	30.00
CH159	5795	-5.43	1.13	-4.30	30.00

TX CH151



Date: 21.JUL.2015 14:35:28

TX CH159




Date: 21.JUL.2015 14:36:32

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT B


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-4.28	1.13	-3.15	30.00
CH159	5795	-4.18	1.13	-3.05	30.00

TX CH151



Date: 23.JUL.2015 19:31:02

TX CH159



Date: 23.JUL.2015 19:32:00


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.72	30.00
CH159	5795	-0.62	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT A

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-6.46	0.48	-5.98	30.00

TX CH155




Date: 26.JUL.2015 17:14:48

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT B

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-8.61	0.48	-8.13	30.00

TX CH155



Date: 26.JUL.2015 17:12:34

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-3.91	30.00


For 3TX

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-3.04	0.39	-2.65	17.00
CH40	5200	-1.26	0.39	-0.87	17.00
CH48	5240	-2.13	0.39	-1.74	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	-2.65	5.50	2.85	10.00
CH40	5200	-0.87	5.50	4.63	10.00
CH48	5240	-1.74	5.50	3.76	10.00

CH36




Date: 23.JUL.2015 20:25:05

CH40



Date: 17.AUG.2015 15:31:06

CH48




Date: 17.AUG.2015 15:29:10

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-3.00	0.39	-2.61	17.00
CH40	5200	-0.82	0.39	-0.43	17.00
CH48	5240	-1.27	0.39	-0.88	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	-2.61	5.50	2.89	10.00
CH40	5200	-0.43	5.50	5.07	10.00
CH48	5240	-0.88	5.50	4.62	10.00

CH36




Date: 23.JUL.2015 20:52:28

CH40



Date: 17.AUG.2015 15:30:42

CH48




Date: 17.AUG.2015 15:28:47

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT C

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-2.94	0.39	-2.55	17.00
CH40	5200	-0.69	0.39	-0.30	17.00
CH48	5240	-1.06	0.39	-0.67	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	-2.55	5.50	2.95	10.00
CH40	5200	-0.30	5.50	5.20	10.00
CH48	5240	-0.67	5.50	4.83	10.00

CH36




Date: 23.JUL.2015 21:16:08

CH40



Date: 17.AUG.2015 15:30:16

CH48



Date: 17.AUG.2015 15:29:35

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.17	17.00
CH40	5200	4.24	17.00
CH48	5240	3.70	17.00


Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	7.67	10.00
CH40	5200	9.74	10.00
CH48	5240	9.20	10.00

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-2.72	0.10	-2.62	17.00
CH40	5200	-1.32	0.10	-1.22	17.00
CH48	5240	-2.06	0.10	-1.96	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	-2.62	5.50	2.88	10.00
CH40	5200	-1.22	5.50	4.28	10.00
CH48	5240	-1.96	5.50	3.54	10.00

CH36




Date: 26.JUL.2015 11:09:00

CH40



Date: 17.AUG.2015 15:33:08

CH48




Date: 17.AUG.2015 15:36:23

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-3.03	0.10	-2.93	17.00
CH40	5200	-0.87	0.10	-0.77	17.00
CH48	5240	-1.58	0.10	-1.48	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	-2.93	5.50	2.57	10.00
CH40	5200	-0.77	5.50	4.73	10.00
CH48	5240	-1.48	5.50	4.02	10.00

CH36




Date: 26.JUL.2015 11:27:33

CH40



Date: 17.AUG.2015 15:33:37

CH48




Date: 17.AUG.2015 15:35:48

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT C

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-3.24	0.10	-3.14	17.00
CH40	5200	-1.28	0.10	-1.18	17.00
CH48	5240	-1.25	0.10	-1.15	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	-3.14	5.50	2.36	10.00
CH40	5200	-1.18	5.50	4.32	10.00
CH48	5240	-1.15	5.50	4.35	10.00

CH36




Date: 26.JUL.2015 11:41:29

CH40



Date: 17.AUG.2015 15:34:08

CH48



Date: 17.AUG.2015 15:35:09

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.24	17.00
CH40	5200	2.02	17.00
CH48	5240	1.30	17.00


Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	5.74	10.00
CH40	5200	7.52	10.00
CH48	5240	6.80	10.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-5.57	0.32	-5.25	17.00
CH46	5230	-3.20	0.32	-2.88	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-5.25	5.50	0.25	10.00
CH46	5230	-2.88	5.50	2.62	10.00

CH38



Date: 26.JUL.2015 13:39:45

CH46




Date: 26.JUL.2015 13:41:22

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-5.38	0.32	-5.06	17.00
CH46	5230	-2.81	0.32	-2.49	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-5.06	5.50	0.44	10.00
CH46	5230	-2.49	5.50	3.01	10.00

CH38



Date: 26.JUL.2015 13:51:02

CH46




Date: 26.JUL.2015 13:52:05

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT C

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-5.87	0.32	-5.55	17.00
CH46	5230	-2.18	0.32	-1.86	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-5.55	5.50	-0.05	10.00
CH46	5230	-1.86	5.50	3.64	10.00

CH38



Date: 26.JUL.2015 14:00:47

CH46



Date: 26.JUL.2015 14:01:55


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.51	17.00
CH46	5230	2.38	17.00

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	4.99	10.00
CH46	5230	7.88	10.00


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.05	0.39	0.44	11.00
CH60	5300	0.06	0.39	0.45	11.00
CH64	5320	-2.68	0.39	-2.29	11.00




Date: 23.JUL.2015 20:32:12

CH60



Date: 23.JUL.2015 20:34:13


CH64



Date: 23.JUL.2015 20:35:43


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.32	0.39	0.71	11.00
CH60	5300	0.34	0.39	0.73	11.00
CH64	5320	-2.47	0.39	-2.08	11.00




Date: 23.JUL.2015 20:58:34

CH60



Date: 23.JUL.2015 21:00:20


CH64



Date: 23.JUL.2015 21:01:42


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT C

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.54	0.39	1.93	11.00
CH60	5300	1.60	0.39	1.99	11.00
CH64	5320	-1.85	0.39	-1.46	11.00




Date: 23.JUL.2015 21:20:50

CH60



Date: 23.JUL.2015 21:22:14

CH64



Date: 23.JUL.2015 21:23:36


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.85	11.00
CH60	5300	5.88	11.00
CH64	5320	2.84	11.00

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-0.50	0.10	-0.40	11.00
CH60	5300	-0.78	0.10	-0.68	11.00
CH64	5320	-3.77	0.10	-3.67	11.00

CH52




Date: 26.JUL.2015 11:15:01

CH60



Date: 26.JUL.2015 11:15:59

CH64




Date: 26.JUL.2015 11:17:14

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.02	0.10	0.12	11.00
CH60	5300	-0.47	0.10	-0.37	11.00
CH64	5320	-3.66	0.10	-3.56	11.00

CH52




Date: 26.JUL.2015 11:30:57

CH60



Date: 26.JUL.2015 11:31:55

CH64




Date: 26.JUL.2015 11:32:58

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT C


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.99	0.10	1.09	11.00
CH60	5300	0.09	0.10	0.19	11.00
CH64	5320	-3.00	0.10	-2.90	11.00

CH52




Date: 26.JUL.2015 11:44:20

CH60



Date: 26.JUL.2015 11:45:16

CH64



Date: 26.JUL.2015 11:46:21


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.09	11.00
CH60	5300	4.50	11.00
CH64	5320	1.41	11.00

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-4.13	0.32	-3.81	11.00
CH62	5310	-7.20	0.32	-6.88	11.00

CH54



Date: 26.JUL.2015 13:42:33

CH62




Date: 26.JUL.2015 13:43:51

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-3.60	0.32	-3.28	11.00
CH62	5310	-7.05	0.32	-6.73	11.00

CH54



Date: 26.JUL.2015 13:53:01

CH62




Date: 26.JUL.2015 13:54:07

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT C


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.77	0.32	-2.45	11.00
CH62	5310	-6.40	0.32	-6.08	11.00

CH54



Date: 26.JUL.2015 14:02:47

CH62



Date: 26.JUL.2015 14:03:46


Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.63	11.00
CH62	5310	-1.78	11.00

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.69	0.39	-2.30	11.00
CH116	5580	0.49	0.39	0.88	11.00
CH140	5700	-3.22	0.39	-2.83	11.00

CH100




Date: 23.JUL.2015 20:40:32

CH116



Date: 23.JUL.2015 20:42:11

CH140




Date: 23.JUL.2015 20:44:22

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.38	0.39	-1.99	11.00
CH116	5580	0.60	0.39	0.99	11.00
CH140	5700	-2.48	0.39	-2.09	11.00

CH100




Date: 23.JUL.2015 21:03:42

CH116



Date: 23.JUL.2015 21:06:27

CH140




Date: 23.JUL.2015 21:08:03

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT C


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-1.88	0.39	-1.49	11.00
CH116	5580	0.45	0.39	0.84	11.00
CH140	5700	-2.55	0.39	-2.16	11.00

CH100




Date: 23.JUL.2015 21:25:07

CH116



Date: 23.JUL.2015 21:26:32

CH140



Date: 23.JUL.2015 21:27:52


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.86	11.00
CH116	5580	5.68	11.00
CH140	5700	2.42	11.00

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-3.16	0.10	-3.06	11.00
CH116	5580	0.00	0.10	0.10	11.00
CH140	5700	-4.60	0.10	-4.50	11.00

CH100




Date: 26.JUL.2015 11:18:23

CH116



Date: 26.JUL.2015 11:19:56

CH140




Date: 26.JUL.2015 11:21:53

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-3.05	0.10	-2.95	11.00
CH116	5580	-0.30	0.10	-0.20	11.00
CH140	5700	-4.03	0.10	-3.93	11.00

CH100




Date: 26.JUL.2015 11:34:05

CH116



Date: 26.JUL.2015 11:35:11

CH140




Date: 26.JUL.2015 11:36:28

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT C


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-3.02	0.10	-2.92	11.00
CH116	5580	-0.40	0.10	-0.30	11.00
CH140	5700	-4.01	0.10	-3.91	11.00

CH100




Date: 26.JUL.2015 11:47:26

CH116



Date: 26.JUL.2015 11:48:27

CH140



Date: 26.JUL.2015 11:49:22


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.79	11.00
CH116	5580	4.64	11.00
CH140	5700	0.67	11.00

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.90	0.32	-3.58	11.00
CH110	5550	-3.75	0.32	-3.43	11.00
CH134	5670	-3.89	0.32	-3.57	11.00

CH102




Date: 26.JUL.2015 13:44:58

CH110



Date: 26.JUL.2015 13:45:55

CH134




Date: 26.JUL.2015 13:46:45

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.65	0.32	-3.33	11.00
CH110	5550	-3.50	0.32	-3.18	11.00
CH134	5670	-3.64	0.32	-3.32	11.00

CH102




Date: 26.JUL.2015 13:55:09

CH110



Date: 26.JUL.2015 13:56:21

CH134




Date: 26.JUL.2015 13:57:20

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT C


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.49	0.32	-3.17	11.00
CH110	5550	-3.70	0.32	-3.38	11.00
CH134	5670	-3.52	0.32	-3.20	11.00

CH102




Date: 26.JUL.2015 14:04:43

CH110



Date: 26.JUL.2015 14:05:40

CH134



Date: 26.JUL.2015 14:06:34


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	1.41	11.00
CH110	5550	1.44	11.00
CH134	5670	1.41	11.00

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT A


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-2.93	0.39	-2.54	30.00
CH157	5785	-3.49	0.39	-3.10	30.00
CH165	5825	-4.04	0.39	-3.65	30.00

TX CH149




Date: 23.JUL.2015 20:46:13

TX CH157



Date: 23.JUL.2015 20:47:57

TX CH165




Date: 23.JUL.2015 20:49:32

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT B


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-2.27	0.39	-1.88	30.00
CH157	5785	-2.53	0.39	-2.14	30.00
CH165	5825	-3.02	0.39	-2.63	30.00

TX CH149




Date: 23.JUL.2015 21:10:16

TX CH157



Date: 23.JUL.2015 21:12:23

TX CH165




Date: 23.JUL.2015 21:13:45

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT C


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-3.12	0.39	-2.73	30.00
CH157	5785	-3.57	0.39	-3.18	30.00
CH165	5825	-3.77	0.39	-3.38	30.00

TX CH149




Date: 23.JUL.2015 21:29:33

TX CH157



Date: 23.JUL.2015 21:31:09

TX CH165



Date: 23.JUL.2015 21:32:33


Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.40	30.00
CH157	5785	1.99	30.00
CH165	5825	1.57	30.00

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT A


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-4.08	0.10	-3.98	30.00
CH157	5785	-4.66	0.10	-4.56	30.00
CH165	5825	-5.04	0.10	-4.94	30.00

TX CH149




Date: 26.JUL.2015 11:23:04

TX CH157



Date: 26.JUL.2015 11:24:22

TX CH165




Date: 26.JUL.2015 11:25:27

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT B


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-3.53	0.10	-3.43	30.00
CH157	5785	-3.42	0.10	-3.32	30.00
CH165	5825	-4.11	0.10	-4.01	30.00

TX CH149




Date: 26.JUL.2015 11:37:39

TX CH157



Date: 26.JUL.2015 11:38:44

TX CH165




Date: 26.JUL.2015 11:39:47

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT C


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-4.56	0.10	-4.46	30.00
CH157	5785	-4.63	0.10	-4.53	30.00
CH165	5825	-5.16	0.10	-5.06	30.00

TX CH149




Date: 26.JUL.2015 11:50:25

TX CH157



Date: 26.JUL.2015 11:51:26

TX CH165



Date: 26.JUL.2015 11:52:27


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.83	30.00
CH157	5785	0.67	30.00
CH165	5825	0.13	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT A


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-8.10	0.32	-7.78	30.00
CH159	5795	-7.89	0.32	-7.57	30.00

TX CH151



Date: 26.JUL.2015 13:47:51

TX CH159




Date: 26.JUL.2015 13:48:46

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT B


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-6.72	0.32	-6.40	30.00
CH159	5795	-6.78	0.32	-6.46	30.00

TX CH151



Date: 26.JUL.2015 13:58:22

TX CH159




Date: 26.JUL.2015 13:59:16

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT C


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-8.00	0.32	-7.68	30.00
CH159	5795	-8.15	0.32	-7.83	30.00

TX CH151



Date: 26.JUL.2015 14:07:47

TX CH159



Date: 26.JUL.2015 14:08:41

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.47	30.00
CH159	5795	-2.47	30.00

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-3.40	0.10	-3.30	17.00
CH40	5200	-1.54	0.10	-1.44	17.00
CH48	5240	-2.40	0.10	-2.30	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	-3.30	5.50	2.20	10.00
CH40	5200	-1.44	5.50	4.06	10.00
CH48	5240	-2.30	5.50	3.20	10.00

CH36




Date: 26.JUL.2015 13:27:37

CH40



Date: 17.AUG.2015 15:38:42

CH48




Date: 17.AUG.2015 15:41:14

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-3.15	0.10	-3.05	17.00
CH40	5200	-1.01	0.10	-0.91	17.00
CH48	5240	-1.90	0.10	-1.80	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	-3.05	5.50	2.45	10.00
CH40	5200	-0.91	5.50	4.59	10.00
CH48	5240	-1.80	5.50	3.70	10.00

CH36




Date: 26.JUL.2015 12:08:10

CH40



Date: 17.AUG.2015 15:39:11

CH48




Date: 17.AUG.2015 15:40:42

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT C

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-3.24	0.10	-3.14	17.00
CH40	5200	-1.12	0.10	-1.02	17.00
CH48	5240	-1.26	0.10	-1.16	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	-3.14	5.50	2.36	10.00
CH40	5200	-1.02	5.50	4.48	10.00
CH48	5240	-1.16	5.50	4.34	10.00

CH36




Date: 26.JUL.2015 11:55:21

CH40



Date: 17.AUG.2015 15:39:45

CH48



Date: 17.AUG.2015 15:40:15

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.61	17.00
CH40	5200	3.65	17.00
CH48	5240	3.04	17.00


Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	7.11	10.00
CH40	5200	9.15	10.00
CH48	5240	8.54	10.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-5.66	1.13	-4.53	17.00
CH46	5230	-3.04	1.13	-1.91	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-4.53	5.50	0.97	10.00
CH46	5230	-1.91	5.50	3.59	10.00

CH38



Date: 26.JUL.2015 14:31:42

CH46




Date: 26.JUL.2015 14:32:44

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-5.53	1.13	-4.40	17.00
CH46	5230	-2.76	1.13	-1.63	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-4.40	5.50	1.10	10.00
CH46	5230	-1.63	5.50	3.87	10.00

CH38



Date: 26.JUL.2015 14:19:49

CH46




Date: 26.JUL.2015 14:21:17

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT C

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-5.71	1.13	-4.58	17.00
CH46	5230	-2.31	1.13	-1.18	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-4.58	5.50	0.92	10.00
CH46	5230	-1.18	5.50	4.32	10.00

CH38



Date: 26.JUL.2015 14:10:16

CH46



Date: 26.JUL.2015 14:11:24

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.27	17.00
CH46	5230	3.21	17.00

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	5.77	10.00
CH46	5230	8.71	10.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-6.69	0.48	-6.21	17.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	-6.21	5.50	-0.71	10.00




Date: 26.JUL.2015 14:41:49

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-6.30	0.48	-5.82	17.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	-5.82	5.50	-0.32	10.00




Date: 26.JUL.2015 14:48:53

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT C

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-6.53	0.48	-6.05	17.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	-6.05	5.50	-0.55	10.00



Date: 26.JUL.2015 14:55:35


Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.25	17.00

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	4.25	10.00


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-0.51	0.10	-0.41	11.00
CH60	5300	-0.82	0.10	-0.72	11.00
CH64	5320	-3.83	0.10	-3.73	11.00




Date: 26.JUL.2015 13:30:24

CH60



Date: 26.JUL.2015 13:31:17


CH64



Date: 26.JUL.2015 13:32:10


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.13	0.10	0.23	11.00
CH60	5300	-0.43	0.10	-0.33	11.00
CH64	5320	-3.59	0.10	-3.49	11.00




Date: 26.JUL.2015 13:18:13

CH60



Date: 26.JUL.2015 13:19:15


CH64



Date: 26.JUL.2015 13:20:03


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT C

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.20	0.10	1.30	11.00
CH60	5300	0.28	0.10	0.38	11.00
CH64	5320	-3.06	0.10	-2.96	11.00




Date: 26.JUL.2015 11:58:28

CH60



Date: 26.JUL.2015 11:59:23

CH64



Date: 26.JUL.2015 12:00:15


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.20	11.00
CH60	5300	4.57	11.00
CH64	5320	1.39	11.00

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-4.18	1.13	-3.05	11.00
CH62	5310	-7.37	1.13	-6.24	11.00

CH54



Date: 26.JUL.2015 14:33:36

CH62




Date: 26.JUL.2015 14:34:41

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-3.64	1.13	-2.51	11.00
CH62	5310	-7.11	1.13	-5.98	11.00

CH54



Date: 26.JUL.2015 14:22:08

CH62




Date: 26.JUL.2015 14:23:31

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT C


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.58	1.13	-1.45	11.00
CH62	5310	-6.24	1.13	-5.11	11.00

CH54



Date: 26.JUL.2015 14:12:20

CH62




Date: 26.JUL.2015 14:13:21

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.49	11.00
CH62	5310	-0.98	11.00

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-5.61	0.48	-5.13	11.00



Date: 26.JUL.2015 14:43:12

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-7.79	0.48	-7.31	11.00



Date: 26.JUL.2015 14:50:09

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT C

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-7.40	0.48	-6.92	11.00



Date: 26.JUL.2015 14:57:06


Test Mode: UNII-2A/TX AC80 Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-1.57	11.00

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-3.37	0.10	-3.27	11.00
CH116	5580	-0.23	0.10	-0.13	11.00
CH140	5700	-4.51	0.10	-4.41	11.00

CH100




Date: 26.JUL.2015 13:33:08

CH116



Date: 26.JUL.2015 13:34:01

CH140




Date: 26.JUL.2015 13:34:51

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.97	0.10	-2.87	11.00
CH116	5580	-0.36	0.10	-0.26	11.00
CH140	5700	-4.04	0.10	-3.94	11.00

CH100




Date: 26.JUL.2015 13:21:22

CH116



Date: 26.JUL.2015 13:22:15

CH140




Date: 26.JUL.2015 13:23:19

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT C


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-3.00	0.10	-2.90	11.00
CH116	5580	-0.62	0.10	-0.52	11.00
CH140	5700	-3.73	0.10	-3.63	11.00

CH100




Date: 26.JUL.2015 12:01:10

CH116



Date: 26.JUL.2015 12:02:10

CH140



Date: 26.JUL.2015 12:03:09


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.76	11.00
CH116	5580	4.47	11.00
CH140	5700	0.79	11.00

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.97	1.13	-2.84	11.00
CH110	5550	-3.74	1.13	-2.61	11.00
CH134	5670	-4.09	1.13	-2.96	11.00

CH102




Date: 26.JUL.2015 14:35:43

CH110



Date: 26.JUL.2015 14:36:39

CH134




Date: 26.JUL.2015 14:37:31

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.66	1.13	-2.53	11.00
CH110	5550	-3.53	1.13	-2.40	11.00
CH134	5670	-3.54	1.13	-2.41	11.00

CH102




Date: 26.JUL.2015 14:24:38

CH110



Date: 26.JUL.2015 14:25:34

CH134




Date: 26.JUL.2015 14:26:22

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT C


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.56	1.13	-2.43	11.00
CH110	5550	-3.61	1.13	-2.48	11.00
CH134	5670	-3.64	1.13	-2.51	11.00

CH102




Date: 26.JUL.2015 14:14:20

CH110



Date: 26.JUL.2015 14:15:13

CH134



Date: 26.JUL.2015 14:16:04


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.17	11.00
CH110	5550	2.28	11.00
CH134	5670	2.15	11.00

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-7.70	0.48	-7.22	11.00
CH122	5610	-4.86	0.48	-4.38	11.00

CH106



Date: 26.JUL.2015 14:44:31

CH122




Date: 26.JUL.2015 14:45:58

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-7.47	0.48	-6.99	11.00
CH122	5610	-7.75	0.48	-7.27	11.00

CH106



Date: 26.JUL.2015 14:51:32

CH122




Date: 26.JUL.2015 14:52:45

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT C


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-7.44	0.48	-6.96	11.00
CH122	5610	-7.76	0.48	-7.28	11.00

CH106



Date: 26.JUL.2015 14:58:25

CH122



Date: 26.JUL.2015 14:59:31


Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-2.28	11.00
CH122	5610	-1.31	11.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT A


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-4.19	0.10	-4.09	30.00
CH157	5785	-4.73	0.10	-4.63	30.00
CH165	5825	-4.99	0.10	-4.89	30.00

TX CH149




Date: 26.JUL.2015 13:35:51

TX CH157



Date: 26.JUL.2015 13:36:46

TX CH165




Date: 26.JUL.2015 13:37:43

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT B


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-3.16	0.10	-3.06	30.00
CH157	5785	-3.58	0.10	-3.48	30.00
CH165	5825	-3.95	0.10	-3.85	30.00

TX CH149




Date: 26.JUL.2015 13:24:31

TX CH157



Date: 26.JUL.2015 13:25:32

TX CH165




Date: 26.JUL.2015 13:26:15

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT C


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-4.51	0.10	-4.41	30.00
CH157	5785	-4.65	0.10	-4.55	30.00
CH165	5825	-4.93	0.10	-4.83	30.00

TX CH149




Date: 26.JUL.2015 12:04:32

TX CH157



Date: 26.JUL.2015 12:05:40

TX CH165



Date: 26.JUL.2015 12:06:31


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.96	30.00
CH157	5785	0.58	30.00
CH165	5825	0.27	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT A


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-8.17	1.13	-7.04	30.00
CH159	5795	-7.77	1.13	-6.64	30.00

TX CH151



Date: 26.JUL.2015 14:38:44

TX CH159




Date: 26.JUL.2015 14:39:43

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT B


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-7.00	1.13	-5.87	30.00
CH159	5795	-6.99	1.13	-5.86	30.00

TX CH151



Date: 26.JUL.2015 14:27:56

TX CH159




Date: 26.JUL.2015 14:30:16

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT C


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-8.07	1.13	-6.94	30.00
CH159	5795	-8.27	1.13	-7.14	30.00

TX CH151



Date: 26.JUL.2015 14:17:27

TX CH159



Date: 26.JUL.2015 14:18:20


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.81	30.00
CH159	5795	-1.74	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT A

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-11.44	0.48	-10.96	30.00

TX CH155




Date: 26.JUL.2015 14:47:04

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT B

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-10.81	0.48	-10.33	30.00

TX CH155




Date: 26.JUL.2015 14:53:58

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT C

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-12.19	0.48	-11.71	30.00

TX CH155



Date: 26.JUL.2015 15:00:36

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-6.19	30.00

For 2TX with Beamforming

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-4.29	0.10	-4.19	15.74
CH40	5200	-1.22	0.10	-1.12	15.74
CH48	5240	-1.85	0.10	-1.75	15.74

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	-4.19	5.50	1.31	8.74
CH40	5200	-1.12	5.50	4.38	8.74
CH48	5240	-1.75	5.50	3.75	8.74




Date: 26.JUL.2015 15:13:45

CH40



Date: 26.JUL.2015 15:15:00

CH48




Date: 26.JUL.2015 15:15:47

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-4.00	0.10	-3.90	15.74
CH40	5200	-0.54	0.10	-0.44	15.74
CH48	5240	-1.23	0.10	-1.13	15.74


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	-3.90	5.50	1.60	8.74
CH40	5200	-0.44	5.50	5.06	8.74
CH48	5240	-1.13	5.50	4.37	8.74

CH36




Date: 26.JUL.2015 15:25:21

CH40



Date: 26.JUL.2015 15:26:21

CH48



Date: 26.JUL.2015 15:27:13

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-1.03	15.74
CH40	5200	2.24	15.74
CH48	5240	1.58	15.74


Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	4.47	8.74
CH40	5200	7.74	8.74
CH48	5240	7.08	8.74

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-7.47	0.32	-7.15	15.74
CH46	5230	-3.98	0.32	-3.66	15.74


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-7.15	5.50	-1.65	8.74
CH46	5230	-3.66	5.50	1.84	8.74

CH38



Date: 26.JUL.2015 16:09:22

CH46




Date: 26.JUL.2015 16:10:47

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-7.31	0.32	-6.99	15.74
CH46	5230	-3.58	0.32	-3.26	15.74


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-6.99	5.50	-1.49	8.74
CH46	5230	-3.26	5.50	2.24	8.74

CH38



Date: 26.JUL.2015 16:21:33

CH46



Date: 26.JUL.2015 16:22:48

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-4.06	15.74
CH46	5230	-0.45	15.74

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	1.44	8.74
CH46	5230	5.05	8.74

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-1.49	0.10	-1.39	9.74
CH60	5300	-1.74	0.10	-1.64	9.74
CH64	5320	-4.73	0.10	-4.63	9.74

CH52




Date: 26.JUL.2015 15:16:42

CH60



Date: 26.JUL.2015 15:17:32

CH64




Date: 26.JUL.2015 15:18:24

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-0.81	0.10	-0.71	9.74
CH60	5300	-1.35	0.10	-1.25	9.74
CH64	5320	-4.59	0.10	-4.49	9.74

CH52




Date: 26.JUL.2015 15:28:04

CH60



Date: 26.JUL.2015 15:29:03

CH64



Date: 26.JUL.2015 15:29:53


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.97	9.74
CH60	5300	1.57	9.74
CH64	5320	-1.55	9.74

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-4.85	0.32	-4.53	9.74
CH62	5310	-8.27	0.32	-7.95	9.74

CH54



Date: 26.JUL.2015 16:11:49

CH62




Date: 26.JUL.2015 16:12:58

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-4.43	0.32	-4.11	9.74
CH62	5310	-7.98	0.32	-7.66	9.74

CH54



Date: 26.JUL.2015 16:23:49

CH62



Date: 26.JUL.2015 16:24:53


Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.30	9.74
CH62	5310	-4.79	9.74

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-3.18	0.10	-3.08	9.74
CH116	5580	-1.04	0.10	-0.94	9.74
CH140	5700	-4.49	0.10	-4.39	9.74

CH100




Date: 26.JUL.2015 15:19:16

CH116



Date: 26.JUL.2015 15:20:18

CH140




Date: 26.JUL.2015 15:21:08

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.83	0.10	-2.73	9.74
CH116	5580	-0.82	0.10	-0.72	9.74
CH140	5700	-3.76	0.10	-3.66	9.74

CH100




Date: 26.JUL.2015 15:30:47

CH116



Date: 26.JUL.2015 15:31:46

CH140



Date: 26.JUL.2015 15:32:36


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.11	9.74
CH116	5580	2.18	9.74
CH140	5700	-1.00	9.74

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.52	0.32	-4.20	9.74
CH110	5550	-4.60	0.32	-4.28	9.74
CH134	5670	-4.73	0.32	-4.41	9.74

CH102




Date: 26.JUL.2015 16:15:12

CH110



Date: 26.JUL.2015 16:16:09

CH134




Date: 26.JUL.2015 16:17:02

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.25	0.32	-3.93	9.74
CH110	5550	-4.13	0.32	-3.81	9.74
CH134	5670	-4.57	0.32	-4.25	9.74

CH102




Date: 26.JUL.2015 16:25:54

CH110



Date: 26.JUL.2015 16:26:50

CH134



Date: 26.JUL.2015 16:27:45


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.05	9.74
CH110	5550	-1.03	9.74
CH134	5670	-1.32	9.74

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT A


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-5.04	0.10	-4.94	28.74
CH157	5785	-5.02	0.10	-4.92	28.74
CH165	5825	-6.02	0.10	-5.92	28.74

TX CH149




Date: 26.JUL.2015 15:22:10

TX CH157



Date: 26.JUL.2015 15:23:04

TX CH165




Date: 26.JUL.2015 15:23:53

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT B


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-4.31	0.10	-4.21	28.74
CH157	5785	-4.29	0.10	-4.19	28.74
CH165	5825	-5.07	0.10	-4.97	28.74

TX CH149




Date: 26.JUL.2015 15:33:51

TX CH157



Date: 26.JUL.2015 15:34:45

TX CH165



Date: 26.JUL.2015 15:35:34


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-1.55	28.74
CH157	5785	-1.53	28.74
CH165	5825	-2.41	28.74

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT A


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-8.63	0.32	-8.31	28.74
CH159	5795	-8.37	0.32	-8.05	28.74

TX CH151



Date: 26.JUL.2015 16:19:07

TX CH159




Date: 26.JUL.2015 16:20:02

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT B


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-7.86	0.32	-7.54	28.74
CH159	5795	-7.87	0.32	-7.55	28.74

TX CH151



Date: 26.JUL.2015 16:28:48

TX CH159



Date: 26.JUL.2015 16:29:44

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-4.90	28.74
CH159	5795	-4.78	28.74

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-4.24	0.10	-4.14	15.74
CH40	5200	-1.10	0.10	-1.00	15.74
CH48	5240	-1.63	0.10	-1.53	15.74


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	-4.14	5.50	1.36	8.74
CH40	5200	-1.00	5.50	4.50	8.74
CH48	5240	-1.53	5.50	3.97	8.74

CH36




Date: 26.JUL.2015 15:51:25

CH40



Date: 26.JUL.2015 15:53:07

CH48




Date: 26.JUL.2015 15:53:54

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-3.96	0.10	-3.86	15.74
CH40	5200	-0.45	0.10	-0.35	15.74
CH48	5240	-1.10	0.10	-1.00	15.74


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	-3.86	5.50	1.64	8.74
CH40	5200	-0.35	5.50	5.15	8.74
CH48	5240	-1.00	5.50	4.50	8.74

CH36




Date: 26.JUL.2015 15:37:30

CH40



Date: 26.JUL.2015 15:38:50

CH48



Date: 26.JUL.2015 15:40:19

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.99	15.74
CH40	5200	2.35	15.74
CH48	5240	1.75	15.74


Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	4.51	8.74
CH40	5200	7.85	8.74
CH48	5240	7.25	8.74

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-7.41	1.13	-6.28	15.74
CH46	5230	-4.08	1.13	-2.95	15.74


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-6.28	5.50	-0.78	8.74
CH46	5230	-2.95	5.50	2.55	8.74

CH38



Date: 26.JUL.2015 16:41:55

CH46




Date: 26.JUL.2015 16:43:09

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-7.25	1.13	-6.12	15.74
CH46	5230	-3.56	1.13	-2.43	15.74


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-6.12	5.50	-0.62	8.74
CH46	5230	-2.43	5.50	3.07	8.74

CH38



Date: 26.JUL.2015 16:31:27

CH46



Date: 26.JUL.2015 16:32:36

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.19	15.74
CH46	5230	0.33	15.74

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	2.31	8.74
CH46	5230	5.83	8.74

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-9.56	0.48	-9.08	15.74

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	-9.08	5.50	-3.58	8.74




Date: 26.JUL.2015 16:51:33

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-9.52	0.48	-9.04	15.74

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	-9.04	5.50	-3.54	8.74



Date: 26.JUL.2015 16:58:03


Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-6.05	15.74

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	-0.55	8.74


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-1.30	0.10	-1.20	9.74
CH60	5300	-1.40	0.10	-1.30	9.74
CH64	5320	-4.75	0.10	-4.65	9.74




Date: 26.JUL.2015 15:55:00

CH60



Date: 26.JUL.2015 15:56:10


CH64



Date: 26.JUL.2015 15:57:08


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-0.51	0.10	-0.41	9.74
CH60	5300	-1.04	0.10	-0.94	9.74
CH64	5320	-4.39	0.10	-4.29	9.74




Date: 26.JUL.2015 15:41:11

CH60



Date: 26.JUL.2015 15:43:01

CH64



Date: 26.JUL.2015 15:43:51


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.22	9.74
CH60	5300	1.89	9.74
CH64	5320	-1.46	9.74

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-5.14	1.13	-4.01	9.74
CH62	5310	-8.30	1.13	-7.17	9.74

CH54



Date: 26.JUL.2015 16:44:02

CH62




Date: 26.JUL.2015 16:45:07

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-4.43	1.13	-3.30	9.74
CH62	5310	-7.90	1.13	-6.77	9.74

CH54



Date: 26.JUL.2015 16:33:51

CH62




Date: 26.JUL.2015 16:34:56

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-0.63	9.74
CH62	5310	-3.96	9.74

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-10.25	0.48	-9.77	9.74



Date: 26.JUL.2015 16:52:55

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-10.09	0.48	-9.61	9.74



Date: 26.JUL.2015 16:59:10


Test Mode: UNII-2A/TX AC80 Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-6.68	9.74

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-3.09	0.10	-2.99	9.74
CH116	5580	-1.03	0.10	-0.93	9.74
CH140	5700	-4.45	0.10	-4.35	9.74

CH100




Date: 26.JUL.2015 15:58:08

CH116



Date: 26.JUL.2015 15:59:14

CH140




Date: 26.JUL.2015 16:00:26

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.70	0.10	-2.60	9.74
CH116	5580	-0.80	0.10	-0.70	9.74
CH140	5700	-3.78	0.10	-3.68	9.74

CH100




Date: 26.JUL.2015 15:44:48

CH116



Date: 26.JUL.2015 15:46:01

CH140



Date: 26.JUL.2015 15:46:48


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.22	9.74
CH116	5580	2.20	9.74
CH140	5700	-0.99	9.74

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.61	1.13	-3.48	9.74
CH110	5550	-4.36	1.13	-3.23	9.74
CH134	5670	-4.90	1.13	-3.77	9.74

CH102




Date: 26.JUL.2015 16:46:05

CH110



Date: 26.JUL.2015 16:46:59

CH134




Date: 26.JUL.2015 16:47:50

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.33	1.13	-3.20	9.74
CH110	5550	-4.23	1.13	-3.10	9.74
CH134	5670	-4.68	1.13	-3.55	9.74

CH102




Date: 26.JUL.2015 16:36:10

CH110



Date: 26.JUL.2015 16:37:08

CH134



Date: 26.JUL.2015 16:38:12


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.33	9.74
CH110	5550	-0.15	9.74
CH134	5670	-0.65	9.74

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-8.69	0.48	-8.21	9.74
CH122	5610	-9.14	0.48	-8.66	9.74

CH106



Date: 26.JUL.2015 16:54:18

CH122




Date: 26.JUL.2015 16:55:18

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-8.67	0.48	-8.19	9.74
CH122	5610	-8.75	0.48	-8.27	9.74

CH106



Date: 26.JUL.2015 17:00:20

CH122



Date: 26.JUL.2015 17:01:25


Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-5.19	9.74
CH122	5610	-5.45	9.74

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT A


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-4.97	0.10	-4.87	28.74
CH157	5785	-4.94	0.10	-4.84	28.74
CH165	5825	-5.86	0.10	-5.76	28.74

TX CH149




Date: 26.JUL.2015 16:01:29

TX CH157



Date: 26.JUL.2015 16:02:37

TX CH165




Date: 26.JUL.2015 16:03:29

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT B


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-4.15	0.10	-4.05	28.74
CH157	5785	-4.26	0.10	-4.16	28.74
CH165	5825	-4.81	0.10	-4.71	28.74

TX CH149




Date: 26.JUL.2015 15:47:53

TX CH157



Date: 26.JUL.2015 15:48:52

TX CH165



Date: 26.JUL.2015 15:49:40


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-1.43	28.74
CH157	5785	-1.48	28.74
CH165	5825	-2.19	28.74

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT A


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-8.72	1.13	-7.59	28.74
CH159	5795	-8.22	1.13	-7.09	28.74

TX CH151



Date: 26.JUL.2015 16:48:55

TX CH159




Date: 26.JUL.2015 16:49:50

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT B


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-7.99	1.13	-6.86	28.74
CH159	5795	-7.72	1.13	-6.59	28.74

TX CH151



Date: 26.JUL.2015 16:39:31

TX CH159



Date: 26.JUL.2015 16:40:28


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-4.20	28.74
CH159	5795	-3.82	28.74

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT A

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-12.56	0.48	-12.08	28.74

TX CH155




Date: 26.JUL.2015 16:56:31

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT B

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-11.95	0.48	-11.47	28.74

TX CH155



Date: 26.JUL.2015 17:02:29

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-8.75	28.74

For 3TX with Beamforming

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-6.50	0.10	-6.40	17.00
CH40	5200	-3.27	0.10	-3.17	17.00
CH48	5240	-3.94	0.10	-3.84	17.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	-6.40	5.50	-0.90	10.00
CH40	5200	-3.17	5.50	2.33	10.00
CH48	5240	-3.84	5.50	1.66	10.00




Date: 27.JUL.2015 10:43:44

CH40



Date: 27.JUL.2015 10:45:22

CH48




Date: 27.JUL.2015 10:46:57

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-6.43	0.10	-6.33	17.00
CH40	5200	-2.87	0.10	-2.77	17.00
CH48	5240	-3.52	0.10	-3.42	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	-6.33	5.50	-0.83	10.00
CH40	5200	-2.77	5.50	2.73	10.00
CH48	5240	-3.42	5.50	2.08	10.00

CH36




Date: 27.JUL.2015 10:58:14

CH40



Date: 27.JUL.2015 11:00:05

CH48




Date: 27.JUL.2015 11:01:37

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT C

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-6.35	0.10	-6.25	17.00
CH40	5200	-3.11	0.10	-3.01	17.00
CH48	5240	-3.05	0.10	-2.95	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	-6.25	5.50	-0.75	10.00
CH40	5200	-3.01	5.50	2.49	10.00
CH48	5240	-2.95	5.50	2.55	10.00

CH36




Date: 27.JUL.2015 11:17:46

CH40



Date: 27.JUL.2015 11:18:52

CH48



Date: 27.JUL.2015 11:20:09

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-1.56	17.00
CH40	5200	1.79	17.00
CH48	5240	1.38	17.00

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	3.94	10.00
CH40	5200	7.29	10.00
CH48	5240	6.88	10.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-8.64	0.32	-8.32	17.00
CH46	5230	-6.00	0.32	-5.68	17.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-8.32	5.50	-2.82	10.00
CH46	5230	-5.68	5.50	-0.18	10.00