




Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11a Mode 5500MHz

Horizontal




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	6.99	43.49	50.48	68.30	-17.82	peak	
2		5460.000	-1.46	43.49	42.03	54.00	-11.97	AVG	
3		5470.000	8.03	43.50	51.53	68.30	-16.77	peak	
4		5470.000	-1.53	43.50	41.97	54.00	-12.03	AVG	
5	*	5495.200	43.06	43.57	86.63	54.00	32.63	AVG	
6	X	5496.200	50.24	43.57	93.81	68.30	25.51	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11a Mode 5500MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11002.10	36.56	17.26	53.82	68.30	-14.48	peak	
2	*	11002.10	28.10	17.26	45.36	54.00	-8.64	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11a Mode 5580MHz




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5575.300	54.83	43.84	98.67	54.00	44.67	AVG	
2	X	5586.400	62.20	43.88	106.08	68.30	37.78	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11a Mode 5580MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11162.30	41.25	17.66	58.91	68.30	-9.39	peak	
2	*	11165.90	31.52	17.67	49.19	54.00	-4.81	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11a Mode 5580MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5579.300	45.38	43.85	89.23	54.00	35.23	AVG	
2	X	5579.400	52.56	43.85	96.41	68.30	28.11	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11a Mode 5580MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11163.40	30.52	17.67	48.19	54.00	-5.81	AVG	
2		11165.80	39.06	17.67	56.73	68.30	-11.57	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11a Mode 5700MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5698.400	51.41	44.26	95.67	68.30	27.37	peak	
2	*	5699.200	44.49	44.26	88.75	54.00	34.75	AVG	
3		5725.000	6.48	44.34	50.82	68.30	-17.48	peak	
4		5725.000	-1.01	44.34	43.33	54.00	-10.67	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11a Mode 5700MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11405.30	26.61	18.26	44.87	54.00	-9.13	AVG	
2		11405.80	35.84	18.26	54.10	68.30	-14.20	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11a Mode 5700MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5695.000	35.89	44.25	80.14	54.00	26.14	AVG	
2	X	5704.900	43.59	44.28	87.87	68.30	19.57	peak	
3		5725.000	6.21	44.34	50.55	68.30	-17.75	peak	
4		5725.000	-1.34	44.34	43.00	54.00	-11.00	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11a Mode 5700MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11402.80	32.39	18.25	50.64	68.30	-17.66	peak	
2	*	11405.60	24.15	18.26	42.41	54.00	-11.59	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(20 MHz) Mode 5500MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	7.71	43.49	51.20	68.30	-17.10	peak	
2		5460.000	-0.82	43.49	42.67	54.00	-11.33	AVG	
3		5470.000	7.05	43.50	50.55	68.30	-17.75	peak	
4		5470.000	-0.87	43.50	42.63	54.00	-11.37	AVG	
5	*	5494.300	47.84	43.57	91.41	54.00	37.41	AVG	
6	X	5504.500	57.82	43.59	101.41	68.30	33.11	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(20 MHz) Mode 5500MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11002.50	35.62	17.26	52.88	68.30	-15.42	peak	
2	*	11003.60	27.89	17.26	45.15	54.00	-8.85	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(20 MHz) Mode 5500MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level cBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	6.43	43.49	49.92	68.30	-18.38	peak	
2		5460.000	-1.49	43.49	42.00	54.00	-12.00	AVG	
3		5470.000	5.95	43.50	49.45	68.30	-18.85	peak	
4		5470.000	-1.61	43.50	41.89	54.00	-12.11	AVG	
5	*	5493.900	37.72	43.56	81.28	54.00	27.28	AVG	
6	X	5494.200	47.65	43.57	91.22	68.30	22.92	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(20 MHz) Mode 5500MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	cBuV	dB	dBuV/m	dBuV/m	cB	Detector	Comment
1	*	11006.20	25.76	17.28	43.04	54.00	-10.96	AVG	
2		11000.40	34.45	17.20	51.73	60.30	-10.57	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(20 MHz) Mode 5580MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5575.100	49.29	43.84	93.13	54.00	39.13	AVG	
2	X	5581.400	59.79	43.85	103.64	68.30	35.34	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(20 MHz) Mode 5580MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11165.20	38.13	17.67	55.80	68.30	-12.50	peak	
2	*	11165.60	28.48	17.67	46.15	54.00	-7.85	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(20 MHz) Mode 5580MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5573.000	50.97	43.83	94.80	68.30	26.50	peak	
2	*	5575.100	40.99	43.84	84.83	54.00	30.83	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(20 MHz) Mode 5580MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11162.30	35.96	17.66	53.62	68.30	-14.68	peak	
2	*	11162.50	27.41	17.66	45.07	54.00	-8.93	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(20 MHz) Mode 5700MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5693.700	51.20	44.24	95.44	68.30	27.14	peak	
2	*	5694.700	41.20	44.24	85.44	54.00	31.44	AVG	
3		5725.000	7.98	44.34	52.32	68.30	-15.98	peak	
4		5725.000	-0.99	44.34	43.35	54.00	-10.65	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(20 MHz) Mode 5700MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11402.60	25.56	18.25	43.81	54.00	-10.19	AVG	
2		11406.90	34.72	18.26	52.98	68.30	-15.32	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(20 MHz) Mode 5700MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5694.700	31.40	44.24	75.64	54.00	21.64	AVG	
2	X	5702.500	41.39	44.28	85.67	68.30	17.37	peak	
3		5725.000	8.47	44.34	52.81	68.30	-15.49	peak	
4		5725.000	-1.33	44.34	43.01	54.00	-10.99	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(20 MHz) Mode 5700MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11403.60	23.05	18.25	41.30	54.00	-12.70	AVG	
2		11405.80	31.26	18.26	49.52	68.30	-18.78	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(40 MHz) Mode 5510MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	9.22	43.49	52.71	68.30	-15.59	peak	
2		5460.000	-0.35	43.49	43.14	54.00	-10.86	AVG	
3		5470.000	10.15	43.50	53.65	68.30	-14.65	peak	
4		5470.000	0.85	43.50	44.35	54.00	-9.65	AVG	
5	*	5517.800	47.37	43.64	91.01	54.00	37.01	AVG	
6	X	5523.200	56.92	43.66	100.58	68.30	32.28	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(40 MHz) Mode 5510MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11023.50	24.71	17.32	42.03	54.00	-11.97	AVG	
2		11023.90	32.45	17.32	49.77	68.30	-18.53	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(40 MHz) Mode 5510MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	6.79	43.49	50.28	68.30	-18.02	peak	
2		5460.000	-1.52	43.49	41.97	54.00	-12.03	AVG	
3		5470.000	8.50	43.50	52.00	68.30	-16.30	peak	
4		5470.000	-1.26	43.50	42.24	54.00	-11.76	AVG	
5	X	5492.800	46.86	43.56	90.42	68.30	22.12	peak	
6	*	5496.800	37.16	43.57	80.73	54.00	26.73	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(40 MHz) Mode 5510MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11023.40	31.59	17.32	48.91	68.30	-19.39	peak	
2	*	11025.30	22.63	17.32	39.95	54.00	-14.05	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(40 MHz) Mode 5550MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5557.800	47.65	43.77	91.42	54.00	37.42	AVG	
2	X	5561.800	57.26	43.80	101.06	68.30	32.76	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(40 MHz) Mode 5550MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11103.80	23.58	17.51	41.09	54.00	-12.91	AVG	
2		11105.90	32.12	17.52	49.64	68.30	-18.66	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(40 MHz) Mode 5550MHz

Horizontal




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over		
		MHz	Level	Factor	ment				
			dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5558.800	37.27	43.78	81.05	54.00	27.05	AVG	
2	X	5566.400	46.76	43.81	90.57	68.30	22.27	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(40 MHz) Mode 5550MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11103.60	22.42	17.51	39.93	54.00	-14.07	AVG	
2		11105.20	31.09	17.52	48.61	68.30	-19.69	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(40 MHz) Mode 5670MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5656.400	51.30	44.12	95.42	68.30	27.12	peak	
2	*	5656.600	42.09	44.12	86.21	54.00	32.21	AVG	
3		5725.000	6.03	44.34	50.37	68.30	-17.93	peak	
4		5725.000	-1.22	44.34	43.12	54.00	-10.88	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(40 MHz) Mode 5670MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11342.80	20.53	18.11	38.64	54.00	-15.36	AVG	
2		11345.60	29.62	18.11	47.73	68.30	-20.57	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(40 MHz) Mode 5670MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5656.800	33.77	44.12	77.89	54.00	23.89	AVG	
2	X	5662.600	43.57	44.14	87.71	68.30	19.41	peak	
3		5725.000	7.51	44.34	51.85	68.30	-16.45	peak	
4		5725.000	-1.27	44.34	43.07	54.00	-10.93	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(40 MHz) Mode 5670MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11342.90	29.39	18.11	47.50	68.30	-20.80	peak	
2	*	11345.20	21.05	18.11	39.16	54.00	-14.84	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(20 MHz) Mode 5500MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	7.63	43.49	51.12	68.30	-17.18	peak	
2		5460.000	-0.81	43.49	42.68	54.00	-11.32	AVG	
3		5470.000	6.65	43.50	50.15	68.30	-18.15	peak	
4		5470.000	-0.92	43.50	42.58	54.00	-11.42	AVG	
5	X	5501.200	57.08	43.58	100.66	68.30	32.36	peak	
6	*	5502.200	47.40	43.59	90.99	54.00	36.99	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(20 MHz) Mode 5500MHz




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11003.50	24.74	17.26	42.00	54.00	-12.00	AVG	
2		11005.90	32.51	17.28	49.79	68.30	-18.51	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(20 MHz) Mode 5500MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	6.80	43.49	50.29	68.30	-18.01	peak	
2		5460.000	-1.53	43.49	41.96	54.00	-12.04	AVG	
3		5470.000	7.45	43.50	50.95	68.30	-17.35	peak	
4		5470.000	-1.57	43.50	41.93	54.00	-12.07	AVG	
5	*	5493.500	38.60	43.56	82.16	54.00	28.16	AVG	
6	X	5493.600	46.03	43.56	89.59	68.30	21.29	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(20 MHz) Mode 5500MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11003.50	31.35	17.26	48.61	68.30	-19.69	peak	
2	*	11005.60	22.63	17.28	39.91	54.00	-14.09	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(20 MHz) Mode 5580MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5577.800	51.47	43.84	95.31	54.00	41.31	AVG	
2	X	5578.600	59.86	43.85	103.71	68.30	35.41	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(20 MHz) Mode 5580MHz

Vertical




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11163.90	34.06	17.67	51.73	68.30	-16.57	peak	
2 *	11164.20	25.33	17.67	43.00	54.00	-11.00	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(20 MHz) Mode 5580MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5579.000	40.55	43.85	84.40	54.00	30.40	AVG	
2	X	5579.200	49.51	43.85	93.36	68.30	25.06	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(20 MHz) Mode 5580MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11163.80	24.35	17.67	42.02	54.00	-11.98	AVG	
2		11165.20	32.84	17.67	50.51	68.30	-17.79	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(20 MHz) Mode 5700MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5703.800	52.48	44.28	96.76	68.30	28.46	peak	
2	*	5703.800	43.47	44.28	87.75	54.00	33.75	AVG	
3		5725.000	6.93	44.34	51.27	68.30	-17.03	peak	
4		5725.000	-1.12	44.34	43.22	54.00	-10.78	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(20 MHz) Mode 5700MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11403.60	31.69	18.25	49.94	68.30	-18.36	peak	
2	*	11405.20	22.42	18.26	40.68	54.00	-13.32	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(20 MHz) Mode 5700MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5693.500	33.60	44.24	77.84	54.00	23.84	AVG	
2	X	5693.600	42.32	44.24	86.56	68.30	18.26	peak	
3		5725.000	6.84	44.34	51.18	68.30	-17.12	peak	
4		5725.000	-1.35	44.34	42.99	54.00	-11.01	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(20 MHz) Mode 5700MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11403.50	29.69	13.25	47.94	68.30	-20.36	peak	
2	*	11406.50	20.98	13.26	39.24	54.00	-14.76	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(40 MHz) Mode 5510MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	9.92	43.49	53.41	68.30	-14.89	peak	
2		5460.000	-0.35	43.49	43.14	54.00	-10.86	AVG	
3		5470.000	8.61	43.50	52.11	68.30	-16.19	peak	
4		5470.000	0.52	43.50	44.02	54.00	-9.98	AVG	
5	X	5500.600	57.48	43.58	101.06	68.30	32.76	peak	
6	*	5522.200	48.41	43.66	92.07	54.00	38.07	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(40 MHz) Mode 5510MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11023.40	30.39	17.32	47.71	68.30	-20.59	peak	
2	*	11025.30	22.63	17.32	39.95	54.00	-14.05	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(40 MHz) Mode 5510MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	7.50	43.49	50.99	68.30	-17.31	peak	
2		5460.000	-1.51	43.49	41.98	54.00	-12.02	AVG	
3		5470.000	7.68	43.50	51.18	68.30	-17.12	peak	
4		5470.000	-1.36	43.50	42.14	54.00	-11.86	AVG	
5	*	5517.800	39.05	43.64	82.69	54.00	28.69	AVG	
6	X	5518.000	47.15	43.64	90.79	68.30	22.49	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(40 MHz) Mode 5510MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11023.60	29.46	17.32	46.78	68.30	-21.52	peak	
2	*	11024.80	20.51	17.32	37.83	54.00	-16.17	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(40 MHz) Mode 5550MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5557.800	48.98	43.77	92.75	54.00	38.75	AVG	
2	X	5561.200	56.94	43.79	100.73	68.30	32.43	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(40 MHz) Mode 5550MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11102.90	30.09	17.51	47.60	68.30	-20.70	peak	
2	*	11103.60	21.46	17.51	38.97	54.00	-15.03	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(40 MHz) Mode 5550MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5564.400	48.17	43.80	91.97	68.30	23.67	peak	
2	*	5565.600	39.05	43.81	82.86	54.00	28.86	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(40 MHz) Mode 5550MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11104.80	20.36	17.52	37.88	54.00	-16.12	AVG	
2		11107.60	28.97	17.52	46.49	68.30	-21.81	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(40 MHz) Mode 5670MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5656.600	54.69	44.12	98.81	68.30	30.51	peak	
2	*	5656.600	45.88	44.12	90.00	54.00	36.00	AVG	
3		5725.000	6.94	44.34	51.28	68.30	-17.02	peak	
4		5725.000	-0.81	44.34	43.53	54.00	-10.47	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(40 MHz) Mode 5670MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11342.90	20.46	18.11	38.57	54.00	-15.43	AVG	
2		11345.20	28.57	18.11	46.68	68.30	-21.62	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(40 MHz) Mode 5670MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5666.600	34.27	44.15	78.42	54.00	24.42	AVG	
2	X	5671.400	44.16	44.16	88.32	68.30	20.02	peak	
3		5725.000	6.39	44.34	50.73	68.30	-17.57	peak	
4		5725.000	-1.33	44.34	43.01	54.00	-10.99	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(40 MHz) Mode 5670MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11345.60	19.16	18.11	37.27	54.00	-16.73	AVG	
2		11346.80	27.23	18.11	45.34	68.30	-22.96	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(80 MHz) Mode 5530MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	7.60	43.49	51.09	68.30	-17.21	peak	
2		5460.000	-0.79	43.49	42.70	54.00	-11.30	AVG	
3		5470.000	7.15	43.50	50.65	68.30	-17.65	peak	
4		5470.000	-0.71	43.50	42.79	54.00	-11.21	AVG	
5	*	5542.000	40.21	43.73	83.94	54.00	29.94	AVG	
6	X	5560.400	50.84	43.79	94.63	68.30	26.33	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(80 MHz) Mode 5530MHz

Vertical




No	Mk	Freq	Reading	Correct	Measure-	Limit	Over		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11063.50	19.03	17.42	36.45	54.00	-17.55	AVG	
2		11065.80	27.11	17.42	44.53	68.30	-23.77	peak	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(80 MHz) Mode 5530MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	7.42	43.49	50.91	68.30	-17.39	peak	
2		5460.000	-1.57	43.49	41.92	54.00	-12.08	AVG	
3		5470.000	6.50	43.50	50.00	68.30	-18.30	peak	
4		5470.000	-1.55	43.50	41.95	54.00	-12.05	AVG	
5	X	5544.000	39.24	43.73	82.97	68.30	14.67	peak	
6	*	5559.200	29.95	43.78	73.73	54.00	19.73	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(80 MHz) Mode 5530MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11065.60	25.86	17.42	43.28	68.30	-25.02	peak	
2	*	11067.40	17.74	17.42	35.16	54.00	-18.84	AVG	




ATTACHMENT E – 26DB BANDWIDTH



Test Mode : Band 1/TX 802.11a Mode_CH36/CH40/CH48


TX CH36



Date: 11.APR.2014 01:06:02




TX CH40



Date: 11.APR.2014 01:08:37

TX CH48




Date: 11.APR.2014 01:10:31



Test Mode : Band 1/TX 802.11n(20 MHz) Mode_CH36/CH40/CH48


TX CH36



Date: 11.APR.2014 01:40:54




TX CH40



Date: 11.APR.2014 01:38:44

TX CH48




Date: 11.APR.2014 01:37:16



Test Mode : Band 1/TX 802.11n(40 MHz) Mode_CH38/CH46


TX CH38



Date: 11.APR.2014 03:03:58




TX CH46



Date: 11.APR.2014 03:01:09




TX CH36






TX CH40



Date: 12.APR.2014 04:56:55

TX CH48




Date: 12.APR.2014 04:55:12



Test Mode : Band 1/TX 802.11ac(40 MHz) Mode_CH38/CH46


TX CH38



Date: 12.APR.2014 05:28:56



TX CH46




Date: 12.APR.2014 05:30:25



Test Mode : Band 1/TX 802.11ac(80 MHz) Mode_CH44

TX CH44




Date: 15.APR.2014 02:33:56



Test Mode : Band 2/TX 802.11a Mode_CH52/CH56/CH65


TX CH52



Date: 11.APR.2014 03:32:50




TX CH56



Date: 11.APR.2014 03:34:50

TX CH64




Date: 11.APR.2014 03:37:27



Test Mode : Band 2/TX 802.11n(20 MHz) Mode_CH52/CH56/CH64


TX CH52



Date: 11.APR.2014 04:23:23




TX CH56



Date: 11.APR.2014 04:19:55

TX CH64




Date: 11.APR.2014 04:21:37



Test Mode : Band 2/TX 802.11n(40 MHz) Mode_CH54/CH65

TX CH54



Date: 11.APR.2014 05:27:10