




TX CH62



PK
MAX




Date: 11.APR.2014 05:28:23



Test Mode : Band 2/TX 802.11ac(20 MHz) Mode_CH52/CH56/CH64


TX CH52



Date: 12.APR.2014 05:47:15




TX CH56



Date: 12.APR.2014 05:45:31


TX CH64



Date: 12.APR.2014 05:43:38




TX CH54





TX CH62




Date: 12.APR.2014 07:24:48



Test Mode : Band 2/TX 802.11ac(80 MHz) Mode_CH56

TX CH56




Date: 15.APR.2014 03:04:51



Test Mode : Band 3/TX 802.11a Mode_CH100/CH116/CH140


TX CH100



Date: 11.APR.2014 05:58:55




TX CH116



Date: 11.APR.2014 05:57:34

TX CH140




Date: 11.APR.2014 05:55:01



Test Mode : Band 3/TX 802.11n(20 MHz) Mode_CH100/CH116/CH140


TX CH100



Date: 11.APR.2014 07:45:06




TX CH116



Date: 11.APR.2014 07:46:29

TX CH140




Date: 11.APR.2014 07:48:50



Test Mode : Band 3/TX 802.11n(40 MHz) Mode_CH102/CH110/CH134


TX CH102



Date: 12.APR.2014 01:58:46




TX CH110



Date: 12.APR.2014 01:57:31

TX CH134




Date: 12.APR.2014 01:54:50



Test Mode : Band 3/TX 802.11ac(20 MHz) Mode_CH100/CH116/CH140


TX CH100



Date: 12.APR.2014 07:39:22




TX CH116



Date: 12.APR.2014 07:37:19

TX CH140




Date: 12.APR.2014 07:35:57



Test Mode : Band 3/TX 802.11ac(40 MHz) Mode_CH102/CH110/CH134


TX CH102



Date: 14.APR.2014 22:17:19




TX CH110



Date: 14.APR.2014 22:14:58


TX CH134



Date: 14.APR.2014 22:12:44



TX CH106





ATTACHMENT F - MAXIMUM OUTPUT POWER



For 1TX

Test Mode :Band 1/TX 802.11a Mode				
Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	10.14	17.00	0.0501
CH40	5200	13.87	17.00	0.0501
CH48	5240	13.68	17.00	0.0501

Test Mode :Band 1/TX 802.11a Mode				
Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	15.38	23.00	0.2
CH40	5200	19.69	23.00	0.2
CH48	5240	19.50	23.00	0.2



Test Mode :Band 1/TX 802.11n(20 MHz) Mode				
Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	9.78	17.00	0.0501
CH40	5200	13.82	17.00	0.0501
CH48	5240	13.89	17.00	0.0501

Test Mode :Band 1/TX 802.11n(20 MHz) Mode				
Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	15.66	23.00	0.2
CH40	5200	19.51	23.00	0.2
CH48	5240	19.53	23.00	0.2



Test Mode : Band 1/TX 802.11n(40 MHz) Mode				
Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	9.63	17.00	0.0501
CH46	5230	13.72	17.00	0.0501

Test Mode : Band 1/TX 802.11n(40 MHz) Mode				
Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	15.58	23.00	0.2
CH46	5230	19.64	23.00	0.2



Test Mode :Band 1/TX 802.11ac(20 MHz) Mode				
Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	9.72	17.00	0.0501
CH40	5200	13.74	17.00	0.0501
CH48	5240	13.76	17.00	0.0501

Test Mode :Band 1/TX 802.11ac(20 MHz) Mode				
Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	15.30	23.00	0.2
CH40	5200	19.57	23.00	0.2
CH48	5240	19.66	23.00	0.2



Test Mode : Band 1/TX 802.11ac(40 MHz) Mode				
Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	9.62	17.00	0.0501
CH46	5230	13.71	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(40 MHz) Mode				
Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	15.44	23.00	0.2
CH46	5230	19.57	23.00	0.2



Test Mode : Band 1/TX 802.11ac(80 MHz) Mode				
Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	2.61	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(80 MHz) Mode				
Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	8.38	23.00	0.2



Test Mode :Band 2/TX 802.11a Mode

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	13.89	24	0.251
CH56	5280	14.75	24	0.251
CH64	5320	8.92	24	0.251

Test Mode :Band 2/TX 802.11n(20 MHz) Mode

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	13.76	24	0.251
CH56	5280	14.87	24	0.251
CH64	5320	8.96	24	0.251

Test Mode :Band 2/TX 802.11n(40 MHz) Mode

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	13.64	24	0.251
CH62	5310	9.83	24	0.251



Test Mode :Band 2/TX 802.11ac(20 MHz) Mode

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	13.82	24	0.251
CH56	5280	14.76	24	0.251
CH64	5320	8.92	24	0.251

Test Mode :Band 2/TX 802.11ac(40 MHz) Mode

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	13.72	24	0.251
CH62	5310	8.83	24	0.251

Test Mode :Band 2/TX 802.11ac(80 MHz) Mode

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH56	5290	2.69	24	0.251



Test Mode :Band 3/TX 802.11a Mode

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	11.89	24	0.251
CH116	5580	15.92	24	0.251
CH140	5700	7.67	24	0.251

Test Mode :Band 3/TX 802.11n(20 MHz) Mode

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	10.92	24	0.251
CH116	5580	13.94	24	0.251
CH140	5700	7.92	24	0.251

Test Mode :Band 3/TX 802.11n(40 MHz) Mode

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	13.81	24	0.251
CH110	5550	13.92	24	0.251
CH134	5670	12.81	24	0.251



Test Mode :Band 3/TX 802.11ac(20 MHz) Mode

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	9.93	24	0.251
CH116	5580	13.84	24	0.251
CH140	5700	7.87	24	0.251

Test Mode :Band 3/TX 802. 11ac(40 MHz) Mode

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	13.62	24	0.251
CH110	5550	13.63	24	0.251
CH134	5670	12.69	24	0.251

Test Mode :Band 3/TX 802. 11ac(80 MHz) Mode

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH106	5530	7.64	24	0.251



For 2TX

Test Mode :Band 1/TX 802.11a Mode-ANT A				
Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	7.36	17.00	0.0501
CH40	5200	11.15	17.00	0.0501
CH48	5240	11.18	17.00	0.0501

Test Mode :Band 1/TX 802.11a Mode-ANT B				
Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	7.38	17.00	0.0501
CH40	5200	11.13	17.00	0.0501
CH48	5240	11.19	17.00	0.0501

Test Mode :Band 1/TX 802.11a Mode-Total				
Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	10.38	17.00	0.0501
CH40	5200	14.15	17.00	0.0501
CH48	5240	14.20	17.00	0.0501



Test Mode :Band 1/TX 802.11a Mode-ANT A

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	12.66	23.00	0.2
CH40	5200	16.45	23.00	0.2
CH48	5240	16.40	23.00	0.2

Test Mode :Band 1/TX 802.11a Mode-ANT B

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	12.78	23.00	0.2
CH40	5200	16.34	23.00	0.2
CH48	5240	16.31	23.00	0.2

Test Mode :Band 1/TX 802.11a Mode- Total

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	15.73	23.00	0.2
CH40	5200	19.41	23.00	0.2
CH48	5240	19.37	23.00	0.2



Test Mode :Band 1/TX 802.11n(20 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	7.22	17.00	0.0501
CH40	5200	11.05	17.00	0.0501
CH48	5240	11.01	17.00	0.0501

Test Mode :Band 1/TX 802.11n(20 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	7.19	17.00	0.0501
CH40	5200	11.03	17.00	0.0501
CH48	5240	11.06	17.00	0.0501

Test Mode :Band 1/TX 802.11n(20 MHz) Mode-Total

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	10.22	17.00	0.0501
CH40	5200	14.05	17.00	0.0501
CH48	5240	14.05	17.00	0.0501



Test Mode :Band 1/TX 802.11n(20 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	12.34	23.00	0.2
CH40	5200	16.47	23.00	0.2
CH48	5240	16.13	23.00	0.2

Test Mode :Band 1/TX 802.11n(20 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	12.21	23.00	0.2
CH40	5200	16.35	23.00	0.2
CH48	5240	15.95	23.00	0.2

Test Mode :Band 1/TX 802.11n(20 MHz) Mode-Total

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	15.29	23.00	0.2
CH40	5200	19.42	23.00	0.2
CH48	5240	19.05	23.00	0.2



Test Mode : Band 1/TX 802.11n(40 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	6.85	17.00	0.0501
CH46	5230	10.86	17.00	0.0501

Test Mode : Band 1/TX 802.11n(40 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	6.92	17.00	0.0501
CH46	5230	10.88	17.00	0.0501

Test Mode : Band 1/TX 802.11n(40 MHz) Mode-Total

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	9.90	17.00	0.0501
CH46	5230	13.88	17.00	0.0501



Test Mode : Band 1/TX 802.11n(40 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	11.87	23.00	0.2
CH46	5230	16.38	23.00	0.2

Test Mode : Band 1/TX 802.11n(40 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	12.27	23.00	0.2
CH46	5230	16.30	23.00	0.2

Test Mode : Band 1/TX 802.11n(40 MHz) Mode-Total

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	15.08	23.00	0.2
CH46	5230	19.35	23.00	0.2



Test Mode :Band 1/TX 802.11ac(20 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	7.02	17.00	0.0501
CH40	5200	11.09	17.00	0.0501
CH48	5240	11.03	17.00	0.0501

Test Mode :Band 1/TX 802.11ac(20 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	7.09	17.00	0.0501
CH40	5200	11.06	17.00	0.0501
CH48	5240	11.05	17.00	0.0501

Test Mode :Band 1/TX 802.11ac(20 MHz) Mode-Total

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	10.07	17.00	0.0501
CH40	5200	14.09	17.00	0.0501
CH48	5240	14.05	17.00	0.0501



Test Mode :Band 1/TX 802.11ac(20 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	12.67	23.00	0.2
CH40	5200	16.41	23.00	0.2
CH48	5240	16.40	23.00	0.2

Test Mode :Band 1/TX 802.11ac(20 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	12.51	23.00	0.2
CH40	5200	16.51	23.00	0.2
CH48	5240	16.57	23.00	0.2

Test Mode :Band 1/TX 802.11ac(20 MHz) Mode-Total

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	15.60	23.00	0.2
CH40	5200	19.47	23.00	0.2
CH48	5240	19.50	23.00	0.2



Test Mode : Band 1/TX 802.11ac(40 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	7.09	17.00	0.0501
CH46	5230	11.16	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(40 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	7.08	17.00	0.0501
CH46	5230	11.09	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(40 MHz) Mode-Total

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	10.10	17.00	0.0501
CH46	5230	14.14	17.00	0.0501



Test Mode : Band 1/TX 802.11ac(40 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	12.11	23.00	0.2
CH46	5230	16.38	23.00	0.2

Test Mode : Band 1/TX 802.11ac(40 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	12.30	23.00	0.2
CH46	5230	16.51	23.00	0.2

Test Mode : Band 1/TX 802.11ac(40 MHz) Mode-Total

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	15.22	23.00	0.2
CH46	5230	19.46	23.00	0.2



Test Mode : Band 1/TX 802.11ac(80 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	0.19	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(80 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	0.17	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(80 MHz) Mode-Total

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	3.19	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(80 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	5.61	23.00	0.2

Test Mode : Band 1/TX 802.11ac(80 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	8.47	23.00	0.2

Test Mode : Band 1/TX 802.11ac(80 MHz) Mode-Total

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	10.43	23.00	0.2



Test Mode :Band 2/TX 802.11a Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	11.16	24	0.251
CH56	5280	12.09	24	0.251
CH64	5320	6.13	24	0.251

Test Mode :Band 2/TX 802.11a Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	11.15	24	0.251
CH56	5280	12.06	24	0.251
CH64	5320	6.02	24	0.251

Test Mode :Band 2/TX 802.11a Mode- Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	14.17	24	0.251
CH56	5280	15.09	24	0.251
CH64	5320	9.09	24	0.251



Test Mode :Band 2/TX 802.11n(20 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	11.06	24	0.251
CH56	5280	12.12	24	0.251
CH64	5320	6.17	24	0.251

Test Mode :Band 2/TX 802.11n(20 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	11.09	24	0.251
CH56	5280	12.05	24	0.251
CH64	5320	6.12	24	0.251

Test Mode :Band 2/TX 802.11n(20 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	14.09	24	0.251
CH56	5280	15.10	24	0.251
CH64	5320	9.16	24	0.251



Test Mode :Band 2/TX 802.11n(40 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	10.96	24	0.251
CH62	5310	7.06	24	0.251

Test Mode :Band 2/TX 802.11n(40 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	11.02	24	0.251
CH62	5310	7.05	24	0.251

Test Mode :Band 2/TX 802.11n(40 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	14.00	24	0.251
CH62	5310	10.07	24	0.251



Test Mode :Band 2/TX 802.11ac(20 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	11.09	24	0.251
CH56	5280	11.98	24	0.251
CH64	5320	6.11	24	0.251

Test Mode :Band 2/TX 802.11ac(20 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	10.99	24	0.251
CH56	5280	12.02	24	0.251
CH64	5320	5.97	24	0.251

Test Mode :Band 2/TX 802.11ac(20 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	14.05	24	0.251
CH56	5280	15.01	24	0.251
CH64	5320	9.05	24	0.251



Test Mode :Band 2/TX 802.11ac(40 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	11.08	24	0.251
CH62	5310	6.14	24	0.251

Test Mode :Band 2/TX 802.11ac(40 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	11.05	24	0.251
CH62	5310	6.12	24	0.251

Test Mode :Band 2/TX 802.11ac(40 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	14.08	24	0.251
CH62	5310	9.14	24	0.251



Test Mode :Band 2/TX 802.11ac(80 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH56	5290	0.23	24	0.251

Test Mode :Band 2/TX 802.11ac(80 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH56	5290	0.15	24	0.251

Test Mode :Band 2/TX 802.11ac(80 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH56	5290	3.20	24	0.251



Test Mode :Band 3/TX 802.11a Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	9.15	24	0.251
CH116	5580	13.07	24	0.251
CH140	5700	5.03	24	0.251

Test Mode :Band 3/TX 802.11a Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	9.08	24	0.251
CH116	5580	13.06	24	0.251
CH140	5700	5.07	24	0.251

Test Mode :Band 3/TX 802.11a Mode- Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	12.13	24	0.251
CH116	5580	16.08	24	0.251
CH140	5700	8.06	24	0.251



Test Mode :Band 3/TX 802.11n(20 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	8.05	24	0.251
CH116	5580	11.02	24	0.251
CH140	5700	5.16	24	0.251

Test Mode :Band 3/TX 802.11n(20 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	8.08	24	0.251
CH116	5580	11.06	24	0.251
CH140	5700	5.08	24	0.251

Test Mode :Band 3/TX 802.11n(20 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	11.08	24	0.251
CH116	5580	14.05	24	0.251
CH140	5700	8.13	24	0.251



Test Mode :Band 3/TX 802.11n(40 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	11.08	24	0.251
CH110	5550	11.06	24	0.251
CH134	5670	10.12	24	0.251

Test Mode :Band 3/TX 802.11n(40 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	11.13	24	0.251
CH110	5550	11.17	24	0.251
CH134	5670	10.05	24	0.251

Test Mode :Band 3/TX 802.11n(40 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	14.12	24	0.251
CH110	5550	14.13	24	0.251
CH134	5670	13.10	24	0.251



Test Mode :Band 3/TX 802.11ac(20 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	7.02	24	0.251
CH116	5580	11.06	24	0.251
CH140	5700	5.11	24	0.251

Test Mode :Band 3/TX 802.11ac(20 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	7.16	24	0.251
CH116	5580	11.09	24	0.251
CH140	5700	5.12	24	0.251

Test Mode :Band 3/TX 802.11ac(20 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	10.10	24	0.251
CH116	5580	14.09	24	0.251
CH140	5700	8.13	24	0.251



Test Mode :Band 3/TX 802. 11ac(40 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	11.05	24	0.251
CH110	5550	11.15	24	0.251
CH134	5670	10.03	24	0.251

Test Mode :Band 3/TX 802. 11ac(40 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	11.09	24	0.251
CH110	5550	11.03	24	0.251
CH134	5670	10.07	24	0.251

Test Mode :Band 3/TX 802.11ac(40 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	14.08	24	0.251
CH110	5550	14.10	24	0.251
CH134	5670	13.06	24	0.251

**Test Mode :Band 3/TX 802. 11ac(80 MHz) Mode-ANT A**

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH106	5530	5.16	24	0.251

Test Mode :Band 3/TX 802. 11ac(80 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH106	5530	5.12	24	0.251

Test Mode :Band 3/TX 802.11ac(80 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH106	5530	8.15	24	0.251



For 3TX

Test Mode :Band 1/TX 802.11a Mode-ANT A				
Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	6.11	17.00	0.0501
CH40	5200	9.88	17.00	0.0501
CH48	5240	9.92	17.00	0.0501

Test Mode :Band 1/TX 802.11a Mode-ANT B				
Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	6.05	17.00	0.0501
CH40	5200	9.79	17.00	0.0501
CH48	5240	9.89	17.00	0.0501

Test Mode :Band 1/TX 802.11a Mode-ANT C				
Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	6.03	17.00	0.0501
CH40	5200	9.82	17.00	0.0501
CH48	5240	9.93	17.00	0.0501

Test Mode :Band 1/TX 802.11a Mode-Total				
Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	10.83	17.00	0.0501
CH40	5200	14.60	17.00	0.0501
CH48	5240	14.68	17.00	0.0501



Test Mode :Band 1/TX 802.11a Mode-ANT A

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	9.94	23.00	0.2
CH40	5200	14.19	23.00	0.2
CH48	5240	14.10	23.00	0.2

Test Mode :Band 1/TX 802.11a Mode-ANT B

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	9.80	23.00	0.2
CH40	5200	13.85	23.00	0.2
CH48	5240	14.40	23.00	0.2

Test Mode :Band 1/TX 802.11a Mode-ANT C

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	10.49	23.00	0.2
CH40	5200	14.57	23.00	0.2
CH48	5240	14.30	23.00	0.2

Test Mode :Band 1/TX 802.11a Mode-Total

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	14.86	23.00	0.2
CH40	5200	18.98	23.00	0.2
CH48	5240	19.04	23.00	0.2



Test Mode :Band 1/TX 802.11n(20 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	5.84	17.00	0.0501
CH40	5200	9.88	17.00	0.0501
CH48	5240	10.03	17.00	0.0501

Test Mode :Band 1/TX 802.11n(20 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	5.96	17.00	0.0501
CH40	5200	9.76	17.00	0.0501
CH48	5240	9.93	17.00	0.0501

Test Mode :Band 1/TX 802.11n(20 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	5.83	17.00	0.0501
CH40	5200	9.84	17.00	0.0501
CH48	5240	9.98	17.00	0.0501

Test Mode :Band 1/TX 802.11n(20 MHz) Mode-Total

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	10.65	17.00	0.0501
CH40	5200	14.60	17.00	0.0501
CH48	5240	14.75	17.00	0.0501



Test Mode :Band 1/TX 802.11n(20 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	10.29	23.00	0.2
CH40	5200	14.51	23.00	0.2
CH48	5240	14.17	23.00	0.2

Test Mode :Band 1/TX 802.11n(20 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	10.21	23.00	0.2
CH40	5200	14.06	23.00	0.2
CH48	5240	14.14	23.00	0.2

Test Mode :Band 1/TX 802.11n(20 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	10.05	23.00	0.2
CH40	5200	14.30	23.00	0.2
CH48	5240	14.09	23.00	0.2

Test Mode :Band 1/TX 802.11n(20 MHz) Mode-Total

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	14.96	23.00	0.2
CH40	5200	19.07	23.00	0.2
CH48	5240	18.90	23.00	0.2



Test Mode : Band 1/TX 802.11n(40 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	5.74	17.00	0.0501
CH46	5230	9.38	17.00	0.0501

Test Mode : Band 1/TX 802.11n(40 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	5.66	17.00	0.0501
CH46	5230	9.26	17.00	0.0501

Test Mode : Band 1/TX 802.11n(40 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	5.84	17.00	0.0501
CH46	5230	9.62	17.00	0.0501

Test Mode : Band 1/TX 802.11n(40 MHz) Mode-Total

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	10.52	17.00	0.0501
CH46	5230	14.19	17.00	0.0501



Test Mode : Band 1/TX 802.11n(40 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	10.56	23.00	0.2
CH46	5230	13.86	23.00	0.2

Test Mode : Band 1/TX 802.11n(40 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	10.19	23.00	0.2
CH46	5230	13.58	23.00	0.2

Test Mode : Band 1/TX 802.11n(40 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	11.17	23.00	0.2
CH46	5230	14.44	23.00	0.2

Test Mode : Band 1/TX 802.11n(40 MHz) Mode-Total

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	15.43	23.00	0.2
CH46	5230	18.75	23.00	0.2



Test Mode :Band 1/TX 802.11ac(20 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	5.29	17.00	0.0501
CH40	5200	9.65	17.00	0.0501
CH48	5240	9.68	17.00	0.0501

Test Mode :Band 1/TX 802.11ac(20 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	5.72	17.00	0.0501
CH40	5200	9.84	17.00	0.0501
CH48	5240	9.66	17.00	0.0501

Test Mode :Band 1/TX 802.11ac(20 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	5.64	17.00	0.0501
CH40	5200	9.56	17.00	0.0501
CH48	5240	9.59	17.00	0.0501

Test Mode :Band 1/TX 802.11ac(20 MHz) Mode-Total

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	10.33	17.00	0.0501
CH40	5200	14.46	17.00	0.0501
CH48	5240	14.41	17.00	0.0501



Test Mode :Band 1/TX 802.11ac(20 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	10.11	23.00	0.2
CH40	5200	14.17	23.00	0.2
CH48	5240	14.10	23.00	0.2

Test Mode :Band 1/TX 802.11ac(20 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	10.54	23.00	0.2
CH40	5200	14.56	23.00	0.2
CH48	5240	14.18	23.00	0.2

Test Mode :Band 1/TX 802.11ac(20 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	10.46	23.00	0.2
CH40	5200	13.98	23.00	0.2
CH48	5240	14.11	23.00	0.2

Test Mode :Band 1/TX 802.11ac(20 MHz) Mode-Total

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	15.15	23.00	0.2
CH40	5200	19.01	23.00	0.2
CH48	5240	18.90	23.00	0.2



Test Mode : Band 1/TX 802.11ac(40 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	5.56	17.00	0.0501
CH46	5230	9.56	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(40 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	5.46	17.00	0.0501
CH46	5230	9.52	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(40 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	5.68	17.00	0.0501
CH46	5230	9.62	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(40 MHz) Mode-Total

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	10.34	17.00	0.0501
CH46	5230	14.34	17.00	0.0501

**Test Mode : Band 1/TX 802.11ac(40 MHz) Mode-ANT A**

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	10.38	23.00	0.2
CH46	5230	14.28	23.00	0.2

Test Mode : Band 1/TX 802.11ac(40 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	10.28	23.00	0.2
CH46	5230	14.34	23.00	0.2

Test Mode : Band 1/TX 802.11ac(40 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	10.50	23.00	0.2
CH46	5230	14.34	23.00	0.2

Test Mode : Band 1/TX 802.11ac(40 MHz) Mode-Total

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	15.16	23.00	0.2
CH46	5230	19.09	23.00	0.2



Test Mode : Band 1/TX 802.11ac(80 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	-0.52	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(80 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	-0.64	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(80 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	-0.46	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(80 MHz) Mode-Total

Test Channel	Frequency (MHz)	FCC Part 15E Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	4.23	17.00	0.0501



Test Mode : Band 1/TX 802.11ac(80 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	4.30	23.00	0.2

Test Mode : Band 1/TX 802.11ac(80 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	4.18	23.00	0.2

Test Mode : Band 1/TX 802.11ac(80 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	4.36	23.00	0.2

Test Mode : Band 1/TX 802.11ac(80 MHz) Mode-Total

Test Channel	Frequency (MHz)	RSS-210 E.I.R.P Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	9.05	23.00	0.2



Test Mode :Band 2/TX 802.11a Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	9.95	24	0.251
CH56	5280	10.96	24	0.251
CH64	5320	4.98	24	0.251

Test Mode :Band 2/TX 802.11a Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	9.93	24	0.251
CH56	5280	10.95	24	0.251
CH64	5320	4.86	24	0.251

Test Mode :Band 2/TX 802.11a Mode-ANT C

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	9.99	24	0.251
CH56	5280	10.89	24	0.251
CH64	5320	4.92	24	0.251

Test Mode :Band 2/TX 802.11a Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	14.73	24	0.251
CH56	5280	15.70	24	0.251
CH64	5320	9.69	24	0.251



Test Mode :Band 2/TX 802.11n(20 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	10.01	24	0.251
CH56	5280	10.98	24	0.251
CH64	5320	4.87	24	0.251

Test Mode :Band 2/TX 802.11n(20 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	10.02	24	0.251
CH56	5280	11.03	24	0.251
CH64	5320	4.96	24	0.251

Test Mode :Band 2/TX 802.11n(20 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	9.98	24	0.251
CH56	5280	11.05	24	0.251
CH64	5320	5.03	24	0.251

Test Mode :Band 2/TX 802.11n(20 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	14.77	24	0.251
CH56	5280	15.79	24	0.251
CH64	5320	9.73	24	0.251



Test Mode :Band 2/TX 802.11n(40 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	9.33	24	0.251
CH62	5310	5.69	24	0.251

Test Mode :Band 2/TX 802.11n(40 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	9.57	24	0.251
CH62	5310	5.44	24	0.251

Test Mode :Band 2/TX 802.11n(40 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	9.62	24	0.251
CH62	5310	5.84	24	0.251

Test Mode :Band 2/TX 802.11n(40 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	14.28	24	0.251
CH62	5310	10.43	24	0.251



Test Mode :Band 2/TX 802.11ac(20 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	9.51	24	0.251
CH56	5280	10.66	24	0.251
CH64	5320	4.69	24	0.251

Test Mode :Band 2/TX 802.11ac(20 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	9.52	24	0.251
CH56	5280	10.58	24	0.251
CH64	5320	4.86	24	0.251

Test Mode :Band 2/TX 802.11ac(20 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	9.58	24	0.251
CH56	5280	10.51	24	0.251
CH64	5320	4.56	24	0.251

Test Mode :Band 2/TX 802.11ac(20 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	14.31	24	0.251
CH56	5280	15.35	24	0.251
CH64	5320	9.48	24	0.251



Test Mode :Band 2/TX 802.11ac(40 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	9.58	24	0.251
CH62	5310	4.96	24	0.251

Test Mode :Band 2/TX 802.11ac(40 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	9.39	24	0.251
CH62	5310	4.85	24	0.251

Test Mode :Band 2/TX 802.11ac(40 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	9.63	24	0.251
CH62	5310	4.95	24	0.251

Test Mode :Band 2/TX 802.11ac(40 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	14.31	24	0.251
CH62	5310	9.69	24	0.251



Test Mode :Band 2/TX 802.11ac(80 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH56	5290	-0.78	24	0.251

Test Mode :Band 2/TX 802.11ac(80 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH56	5290	-0.75	24	0.251

Test Mode :Band 2/TX 802.11ac(80 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH56	5290	-0.61	24	0.251

Test Mode :Band 2/TX 802.11ac(80 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH56	5290	4.06	24	0.251



Test Mode :Band 3/TX 802.11a Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	7.98	24	0.251
CH116	5580	12.01	24	0.251
CH140	5700	3.98	24	0.251

Test Mode :Band 3/TX 802.11a Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	7.96	24	0.251
CH116	5580	12.03	24	0.251
CH140	5700	3.96	24	0.251

Test Mode :Band 3/TX 802.11a Mode-ANT C

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	8.03	24	0.251
CH116	5580	11.99	24	0.251
CH140	5700	4.03	24	0.251

Test Mode :Band 3/TX 802.11a Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	12.76	24	0.251
CH116	5580	16.78	24	0.251
CH140	5700	8.76	24	0.251



Test Mode :Band 3/TX 802.11n(20 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	6.75	24	0.251
CH116	5580	9.96	24	0.251
CH140	5700	4.03	24	0.251

Test Mode :Band 3/TX 802.11n(20 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	6.73	24	0.251
CH116	5580	9.66	24	0.251
CH140	5700	4.05	24	0.251

Test Mode :Band 3/TX 802.11n(20 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	6.82	24	0.251
CH116	5580	9.77	24	0.251
CH140	5700	3.96	24	0.251

Test Mode :Band 3/TX 802.11n(20 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	11.54	24	0.251
CH116	5580	14.57	24	0.251
CH140	5700	8.78	24	0.251



Test Mode :Band 3/TX 802.11n(40 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	9.56	24	0.251
CH110	5550	9.73	24	0.251
CH134	5670	8.85	24	0.251

Test Mode :Band 3/TX 802.11n(40 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	9.67	24	0.251
CH110	5550	9.66	24	0.251
CH134	5670	8.93	24	0.251

Test Mode :Band 3/TX 802.11n(40 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	9.53	24	0.251
CH110	5550	9.75	24	0.251
CH134	5670	8.98	24	0.251

Test Mode :Band 3/TX 802.11n(40 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	14.36	24	0.251
CH110	5550	14.48	24	0.251
CH134	5670	13.69	24	0.251



Test Mode :Band 3/TX 802.11ac(20 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	5.66	24	0.251
CH116	5580	9.56	24	0.251
CH140	5700	3.68	24	0.251

Test Mode :Band 3/TX 802.11ac(20 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	5.74	24	0.251
CH116	5580	9.63	24	0.251
CH140	5700	3.53	24	0.251

Test Mode :Band 3/TX 802.11ac(20 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	5.72	24	0.251
CH116	5580	9.58	24	0.251
CH140	5700	3.63	24	0.251

Test Mode :Band 3/TX 802.11ac(20 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	10.48	24	0.251
CH116	5580	14.36	24	0.251
CH140	5700	8.38	24	0.251



Test Mode :Band 3/TX 802. 11ac(40 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	9.81	24	0.251
CH110	5550	9.55	24	0.251
CH134	5670	8.74	24	0.251

Test Mode :Band 3/TX 802. 11ac(40 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	9.69	24	0.251
CH110	5550	9.62	24	0.251
CH134	5670	8.75	24	0.251

Test Mode :Band 3/TX 802. 11ac(40 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	9.75	24	0.251
CH110	5550	9.53	24	0.251
CH134	5670	8.65	24	0.251

Test Mode :Band 3/TX 802.11ac(40 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	14.52	24	0.251
CH110	5550	14.34	24	0.251
CH134	5670	13.48	24	0.251



Test Mode :Band 3/TX 802. 11ac(80 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH106	5530	3.57	24	0.251

Test Mode :Band 3/TX 802. 11ac(80 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH106	5530	3.46	24	0.251

Test Mode :Band 3/TX 802. 11ac(80 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH106	5530	3.52	24	0.251

Test Mode :Band 3/TX 802.11ac(80 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH106	5530	8.29	24	0.251



Neutron Engineering Inc.


ATTACHMENT G - ANTENNA CONDUCTED SPURIOUS EMISSION



For 1TX


Test Mode : Band 1/TX 802.11a Mode

TX mode CH36



Date: 11.APR.2014 01:04:45

TX mode CH48




Date: 11.APR.2014 01:01:33




Test Mode : Band 1/TX 802.11n(20 MHz) Mode

TX mode CH36



Date: 11.APR.2014 01:41:57

TX mode CH48




Date: 11.APR.2014 01:44:38




Test Mode : Band 1/TX 802.11n(40 MHz) Mode

TX mode CH38



Date: 11.APR.2014 02:56:53

TX mode CH46




Date: 11.APR.2014 02:59:20




Test Mode : Band 1/TX 802.11ac(20 MHz) Mode

TX mode CH36



Date: 12.APR.2014 05:09:07

TX mode CH48




Date: 12.APR.2014 05:11:15




Test Mode : Band 1/TX 802.11ac(40 MHz) Mode

TX mode CH38



Date: 12.APR.2014 05:20:28

TX mode CH46




Date: 12.APR.2014 05:19:47




Test Mode : Band 1/TX 802.11ac(80 MHz) Mode

TX mode CH44



Date: 15.APR.2014 02:35:47




Date: 15.APR.2014 02:36:18




Test Mode : Band 2/TX 802.11a Mode

TX mode CH52



Date: 11.APR.2014 03:41:25

TX mode CH64




Date: 11.APR.2014 03:38:45




Test Mode : Band 2/TX 802.11n(20 MHz) Mode

TX mode CH52



Date: 11.APR.2014 04:12:01

TX mode CH64



Date: 11.APR.2014 04:13:48