


Orthogonal Axis :	X
Test Mode :	Band 2/ TX 802.11ac(20 MHz) Mode 5260MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5265.200	57.25	43.00	100.25	68.30	31.95	peak	
2	*	5266.600	49.00	43.01	92.01	54.00	38.01	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX 802.11ac(20 MHz) Mode 5260MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10524.00	25.73	15.90	41.63	54.00	-12.37	AVG	
2		10526.00	34.42	15.89	50.31	68.30	-17.99	peak	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX 802.11ac(20 MHz) Mode 5260MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5263.700	57.70	43.00	100.70	68.30	32.40	peak	
2	*	5263.700	48.44	43.00	91.44	54.00	37.44	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX 802.11ac(20 MHz) Mode 5260MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10523.00	26.77	15.90	42.67	54.00	-11.33	AVG	
2		10524.00	35.12	15.90	51.02	68.30	-17.28	peak	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX 802.11ac(20 MHz) Mode 5280MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5273.500	48.73	43.03	91.76	54.00	37.76	AVG	
2	X	5275.600	57.76	43.03	100.79	68.30	32.49	peak	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX 802.11ac(20 MHz) Mode 5280MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10562.00	26.51	16.00	42.51	54.00	-11.49	AVG	
2		10563.00	35.12	16.00	51.12	68.30	-17.18	peak	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX 802.11ac(20 MHz) Mode 5280MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5273.400	50.28	43.03	93.31	54.00	39.31	AVG	
2	X	5277.200	58.87	43.03	101.90	68.30	33.60	peak	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX 802.11ac(20 MHz) Mode 5280MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector Comment
1	*	10563.00	27.53	16.00	43.53	54.00	-10.47	AVG
2		10564.00	36.15	16.00	52.15	68.30	-16.15	peak

Orthogonal Axis :	X
Test Mode :	Band 2/ TX 802.11ac(20 MHz) Mode 5320MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5326.200	52.64	43.15	95.79	60.30	27.49	peak	
2	*	5326.500	43.47	43.15	86.62	54.00	32.62	AVG	
3		5350.000	5.89	43.21	49.10	68.30	-19.20	peak	
4		5350.000	-1.09	43.21	42.12	54.00	-11.88	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX 802.11ac(20 MHz) Mode 5320MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10642.00	32.89	16.23	49.12	68.30	-19.18	peak	
2	*	10642.00	23.61	16.23	39.84	54.00	-14.16	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX 802.11ac(20 MHz) Mode 5320MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5326.600	41.84	43.15	87.99	54.00	33.99	AVG	
2	X	5326.700	52.81	43.15	95.96	68.30	27.66	peak	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX 802.11ac(20 MHz) Mode 5320MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10642.00	24.00	16.23	40.23	54.00	-13.77	AVG	
2		10645.00	33.47	16.24	49.71	68.30	-18.59	peak	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX 802.11ac(40 MHz) Mode 5270MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5273.400	45.21	43.03	88.24	54.00	34.24	AVG	
2	X	5275.600	53.92	43.03	96.95	68.30	28.65	peak	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX 802.11ac(40 MHz) Mode 5270MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		10543.00	32.41	15.94	48.35	68.30	-19.95	peak	
2	*	10548.00	23.75	15.96	39.71	54.00	-14.29	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX 802.11ac(40 MHz) Mode 5270MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5254.200	55.11	42.98	98.09	68.30	29.79	peak	
2	*	5262.200	45.94	43.00	88.94	54.00	34.94	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX 802.11ac(40 MHz) Mode 5270MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10542.00	33.23	15.94	49.17	68.30	-19.13	peak	
2	*	10542.00	24.84	15.94	40.78	54.00	-13.22	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX 802.11ac(40 MHz) Mode 5310MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5315.800	40.28	43.13	83.41	54.00	29.41	AVG	
2	X	5316.800	49.77	43.13	92.90	68.30	24.60	peak	
3		5350.000	6.19	43.21	49.40	68.30	-18.90	peak	
4		5350.000	-1.04	43.21	42.17	54.00	-11.83	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX 802.11ac(40 MHz) Mode 5310MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10623.00	31.88	16.18	48.06	68.30	-20.24	peak	
2	*	10625.00	23.43	16.18	39.61	54.00	-14.39	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX 802.11ac(40 MHz) Mode 5310MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5313.400	41.55	43.12	84.67	54.00	30.67	AVG	
2	X	5315.400	49.00	43.12	92.92	60.30	24.62	peak	
3		5350.000	6.89	43.21	50.10	68.30	-18.20	peak	
4		5350.000	-1.02	43.21	42.19	54.00	-11.81	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX 802.11ac(40 MHz) Mode 5310MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10623.00	24.46	16.18	40.64	54.00	-13.36	AVG	
2		10625.00	33.13	16.18	49.31	68.30	-18.99	peak	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX 802.11ac(80 MHz) Mode 5290MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dD	dBuV/m	dBuV/m	dD	Detector	Comment
1	*	5266.400	32.53	43.01	75.54	54.00	21.54	AVG	
2	X	5286.800	40.84	43.06	83.90	68.30	15.60	peak	
3		5350.000	6.34	43.21	49.55	68.30	-18.75	peak	
4		5350.000	-1.01	43.21	42.20	54.00	-11.80	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX 802.11ac(80 MHz) Mode 5290MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10582.00	29.89	16.06	45.95	68.30	-22.35	peak	
2	*	10586.00	21.42	16.07	37.49	54.00	-16.51	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX 802.11ac(80 MHz) Mode 5290MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	cBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5309.200	43.10	43.11	06.29	60.30	17.99	peak	
2	*	5323.600	32.69	43.15	75.84	54.00	21.84	AVG	
3		5350.000	7.46	43.21	50.67	68.30	-17.63	peak	
4		5350.000	-0.95	43.21	42.26	54.00	-11.74	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX 802.11ac(80 MHz) Mode 5290MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		10582.00	31.12	16.06	47.18	68.30	-21.12	peak	
2	*	10583.00	22.43	16.06	38.49	54.00	-15.51	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11a Mode 5500MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	6.57	43.49	50.06	68.30	-18.24	peak	
2		5460.000	-1.13	43.49	42.36	54.00	-11.64	AVG	
3		5470.000	8.37	43.50	51.87	68.30	-16.43	peak	
4		5470.000	-1.30	43.50	42.20	54.00	-11.80	AVG	
5	*	5495.000	48.32	43.57	91.89	54.00	37.89	AVG	
6	X	5495.200	55.64	43.57	99.21	68.30	30.91	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11a Mode 5500MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11003.00	35.82	17.26	53.08	68.30	-15.22	peak	
2	*	11006.00	27.19	17.28	44.47	54.00	-9.53	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11a Mode 5500MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	6.38	43.49	49.87	68.30	-18.43	peak	
2		5460.000	-1.16	43.49	42.33	54.00	-11.67	AVG	
3		5470.000	8.05	43.50	51.55	68.30	-16.75	peak	
4		5470.000	-1.21	43.50	42.29	54.00	-11.71	AVG	
5	X	5496.700	58.51	43.57	102.08	68.30	33.78	peak	
6	*	5506.500	49.89	43.60	93.49	54.00	39.49	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11a Mode 5500MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11002.00	36.52	17.26	53.78	68.30	-14.52	peak	
2	*	11005.00	28.15	17.27	45.42	54.00	-8.58	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11a Mode 5580MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5574.200	58.49	43.83	102.32	68.30	34.02	peak	
2	*	5584.800	51.36	43.87	95.23	54.00	41.23	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11a Mode 5580MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11162.00	38.56	17.66	56.22	68.30	-12.08	peak	
2	*	11165.00	29.94	17.67	47.61	54.00	-6.39	AVG	


Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11a Mode 5580MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5586.200	62.69	43.88	106.57	68.30	38.27	peak	
2	*	5586.300	54.40	43.88	98.28	54.00	44.28	AVG	


Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11a Mode 5580MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11163.00	39.26	17.67	56.93	68.30	-11.37	peak	
2	*	11165.00	30.81	17.67	48.48	54.00	-5.52	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11a Mode 5700MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5692.800	44.29	44.24	88.53	54.00	34.53	AVG	
2	X	5702.500	51.62	44.28	95.90	68.30	27.60	peak	
3		5725.000	6.99	44.34	51.33	68.30	-16.97	peak	
4		5725.000	-1.17	44.34	43.17	54.00	-10.83	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11a Mode 5700MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11401.00	33.87	18.24	52.11	68.30	-16.19	peak	
2	*	11406.00	24.76	18.26	43.02	54.00	-10.98	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11a Mode 5700MHz


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over		
		MHz	Level	Factor	ment				
			dBuV	dE	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5698.800	44.41	44.26	88.67	54.00	34.67	AVG	
2	X	5699.000	51.65	44.26	95.91	68.30	27.61	peak	
3		5725.000	6.29	44.34	50.63	68.30	-17.67	peak	
4		5725.000	-1.15	44.34	43.19	54.00	-10.81	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11a Mode 5700MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11403.00	25.83	18.25	44.08	54.00	-9.92	AVG	
2		11405.00	34.36	18.26	52.62	68.30	-15.68	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(20 MHz) Mode 5500MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5460.000	7.88	43.49	51.37	68.30	-16.93	peak	
2		5460.000	-1.37	43.49	42.12	54.00	-11.88	AVG	
3		5470.000	6.84	43.50	50.34	68.30	-17.96	peak	
4		5470.000	-1.42	43.50	42.08	54.00	-11.92	AVG	
5	*	5494.500	43.48	43.57	87.05	54.00	33.05	AVG	
6	X	5495.700	52.95	43.57	96.52	68.30	28.22	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(20 MHz) Mode 5500MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector Comment
1		11002.00	33.74	17.26	51.00	68.30	-17.30	peak
2	*	11006.00	25.06	17.28	42.34	54.00	-11.66	AVG

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(20 MHz) Mode 5500MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment cBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	6.35	43.49	49.84	68.30	-18.46	peak	
2		5460.000	-1.31	43.49	42.18	54.00	-11.82	AVG	
3		5470.000	6.30	43.50	49.80	68.30	-18.50	peak	
4		5470.000	-1.30	43.50	42.20	54.00	-11.80	AVG	
5	X	5504.200	54.83	43.59	98.42	68.30	30.12	peak	
6	*	5506.400	44.91	43.60	88.51	54.00	34.51	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(20 MHz) Mode 5500MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11005.00	26.09	17.27	43.36	54.00	-10.64	AVG	
2		11006.00	34.42	17.23	51.70	68.30	-16.60	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(20 MHz) Mode 5580MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5573.900	47.17	43.83	91.00	54.00	37.00	AVG	
2	X	5574.400	56.31	43.83	100.14	68.30	31.84	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(20 MHz) Mode 5580MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11163.00	35.42	17.67	53.09	68.30	-15.21	peak	
2	*	11164.00	26.81	17.67	44.48	54.00	-9.52	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(20 MHz) Mode 5580MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5573.800	48.28	43.83	92.11	54.00	38.11	AVG	
2	X	5586.700	57.76	43.88	101.64	68.30	33.34	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(20 MHz) Mode 5580MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11162.00	36.15	17.66	53.81	68.30	-14.49	peak	
2	*	11167.00	27.69	17.67	45.36	54.00	-8.64	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(20 MHz) Mode 5700MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5695.200	39.80	44.25	84.05	54.00	30.05	AVG	
2	X	5699.200	49.38	44.26	93.64	68.30	25.34	peak	
3		5725.000	5.98	44.34	50.32	68.30	-17.98	peak	
4		5725.000	-1.14	44.34	43.20	54.00	-10.80	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(20 MHz) Mode 5700MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector Comment
1		11403.00	31.75	18.25	50.00	68.30	-18.30	peak
2	*	11405.00	22.63	18.26	40.89	54.00	-13.11	AVG

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(20 MHz) Mode 5700MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5693.500	40.78	44.24	85.02	54.00	31.02	AVG	
2	X	5694.300	50.38	44.24	94.62	68.30	26.32	peak	
3		5725.000	6.40	44.34	50.74	68.30	-17.56	peak	
4		5725.000	-1.11	44.34	43.23	54.00	-10.77	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(20 MHz) Mode 5700MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11405.00	23.74	18.26	42.00	54.00	-12.00	AVG	
2		11406.00	32.26	18.26	50.52	68.30	-17.78	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(40 MHz) Mode 5510MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment cBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	8.00	43.49	51.49	68.30	-16.81	peak	
2		5460.000	-1.06	43.49	42.43	54.00	-11.57	AVG	
3		5470.000	8.61	43.50	52.11	68.30	-16.19	peak	
4		5470.000	-0.52	43.50	42.98	54.00	-11.02	AVG	
5	*	5497.400	43.11	43.58	86.69	54.00	32.69	AVG	
6	X	5508.200	54.01	43.60	97.61	68.30	29.31	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(40 MHz) Mode 5510MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11024.00	32.51	17.32	49.83	68.30	-18.47	peak	
2	*	11026.00	23.94	17.32	41.26	54.00	-12.74	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(40 MHz) Mode 5510MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	7.35	43.49	50.84	68.30	-17.46	peak	
2		5460.000	-1.02	43.49	42.47	54.00	-11.53	AVG	
3		5470.000	8.21	43.50	51.71	68.30	-16.59	peak	
4		5470.000	-0.26	43.50	43.24	54.00	-10.76	AVG	
5	*	5502.200	44.89	43.59	88.48	54.00	34.48	AVG	
6	X	5519.800	54.46	43.65	98.11	68.30	29.81	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(40 MHz) Mode 5510MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11023.00	24.89	17.32	42.21	54.00	-11.79	AVG	
2		11025.00	33.25	17.32	50.57	68.30	-17.73	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(40 MHz) Mode 5550MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5539.800	43.19	43.72	86.91	54.00	32.91	AVG	
2	X	5546.200	53.59	43.74	97.33	68.30	29.03	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(40 MHz) Mode 5550MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11102.00	24.85	17.51	42.36	54.00	-11.64	AVG	
2		11105.00	33.42	17.52	50.94	68.30	-17.36	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(40 MHz) Mode 5550MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5557.600	54.95	43.77	98.72	68.30	30.42	peak	
2	*	5557.800	45.23	43.77	89.00	54.00	35.00	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(40 MHz) Mode 5550MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11104.00	34.25	17.51	51.76	68.30	-16.54	peak	
2	*	11106.00	25.71	17.52	43.23	54.00	-10.77	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(40 MHz) Mode 5670MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5682.600	41.14	44.21	85.35	54.00	31.35	AVG	
2	X	5685.600	50.83	44.22	95.05	68.30	26.75	peak	
3		5725.000	7.97	44.34	52.31	68.30	-15.99	peak	
4		5725.000	-1.08	44.34	43.26	54.00	-10.74	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(40 MHz) Mode 5670MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11342.00	30.74	18.11	48.85	68.30	-19.45	peak	
2	*	11345.00	21.69	18.11	39.80	54.00	-14.20	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(40 MHz) Mode 5670MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5656.600	42.98	44.12	87.10	54.00	33.10	AVG	
2	X	5667.400	52.29	44.15	96.44	68.30	28.14	peak	
3		5725.000	6.42	44.34	50.76	68.30	-17.54	peak	
4		5725.000	-1.04	44.34	43.30	54.00	-10.70	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11n(40 MHz) Mode 5670MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11342.00	22.75	18.11	40.86	54.00	-13.14	AVG	
2		11346.00	31.36	18.11	49.47	68.30	-18.83	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(20 MHz) Mode 5500MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	6.03	43.49	49.52	68.30	-18.78	peak	
2		5460.000	-1.39	43.49	42.10	54.00	-11.90	AVG	
3		5470.000	7.69	43.50	51.19	68.30	-17.11	peak	
4		5470.000	-1.43	43.50	42.07	54.00	-11.93	AVG	
5	*	5498.900	43.21	43.58	86.79	54.00	32.79	AVG	
6	X	5501.400	52.05	43.58	95.63	68.30	27.33	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(20 MHz) Mode 5500MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11004.00	23.96	17.26	41.22	54.00	-12.78	AVG	
2		11005.00	32.64	17.27	49.91	68.30	-18.39	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(20 MHz) Mode 5500MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	6.22	43.49	49.71	68.30	-18.59	peak	
2		5460.000	-1.39	43.49	42.10	54.00	-11.90	AVG	
3		5470.000	8.58	43.50	52.08	68.30	-16.22	peak	
4		5470.000	-1.31	43.50	42.19	54.00	-11.81	AVG	
5	*	5493.400	45.68	43.56	89.24	54.00	35.24	AVG	
6	X	5496.000	53.85	43.57	97.42	68.30	29.12	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(20 MHz) Mode 5500MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11002.00	33.32	17.26	50.58	68.30	-17.72	peak	
2	*	11004.00	25.03	17.26	42.29	54.00	-11.71	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(20 MHz) Mode 5580MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5573.500	49.71	43.83	93.54	54.00	39.54	AVG	
2	X	5574.200	57.84	43.83	101.67	68.30	33.37	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(20 MHz) Mode 5580MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11163.00	24.72	17.67	42.39	54.00	-11.61	AVG	
2		11164.00	33.38	17.67	51.05	68.30	-17.25	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(20 MHz) Mode 5580MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5584.800	58.68	43.87	102.55	68.30	34.25	peak	
2	*	5586.500	50.74	43.88	94.62	54.00	40.62	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(20 MHz) Mode 5580MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11163.00	34.08	17.67	51.75	68.30	-16.55	peak	
2	*	11164.00	25.56	17.67	43.23	54.00	-10.77	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(20 MHz) Mode 5700MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dE	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5693.200	51.03	44.24	95.27	68.30	26.97	peak	
2	*	5693.400	42.57	44.24	86.81	54.00	32.81	AVG	
3		5725.000	7.84	44.34	52.18	68.30	-16.12	peak	
4		5725.000	-1.25	44.34	43.09	54.00	-10.91	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(20 MHz) Mode 5700MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11402.00	21.53	18.25	39.78	54.00	-14.22	AVG	
2		11405.00	30.62	18.26	48.88	68.30	-19.42	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(20 MHz) Mode 5700MHz


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5701.100	51.57	44.26	95.83	68.30	27.53	peak	
2	*	5706.500	43.03	44.29	87.32	54.00	33.32	AVG	
3		5725.000	6.67	44.34	51.01	68.30	-17.29	peak	
4		5725.000	-1.23	44.34	43.11	54.00	-10.89	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(20 MHz) Mode 5700MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11402.00	31.18	18.25	49.43	68.30	-18.87	peak	
2	*	11402.00	22.63	18.25	40.88	54.00	-13.12	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(40 MHz) Mode 5510MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	7.26	43.49	50.75	68.30	-17.55	peak	
2		5460.000	-1.05	43.49	42.44	54.00	-11.56	AVG	
3		5470.000	6.40	43.50	49.90	68.30	-18.40	peak	
4		5470.000	-0.78	43.50	42.72	54.00	-11.28	AVG	
5	X	5495.600	53.39	43.57	96.96	68.30	28.66	peak	
6	*	5513.400	45.31	43.63	88.94	54.00	34.94	AVC	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(40 MHz) Mode 5510MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11024.00	22.85	17.32	40.17	54.00	-13.83	AVG	
2		11026.00	31.42	17.32	48.74	68.30	-19.56	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(40 MHz) Mode 5510MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dE	dBuV/m	dBuV/m	dB	Detector	Comment
1		5460.000	7.66	43.49	51.15	68.30	-17.15	peak	
2		5460.000	-1.03	43.49	42.46	54.00	-11.54	AVG	
3		5470.000	7.40	43.50	50.90	68.30	-17.40	peak	
4		5470.000	-0.45	43.50	43.05	54.00	-10.95	AVG	
5	*	5513.400	46.50	43.63	90.13	54.00	36.13	AVG	
6	X	5520.000	55.29	43.65	98.94	68.30	30.64	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(40 MHz) Mode 5510MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11023.00	32.12	17.32	49.44	68.30	-18.86	peak	
2	*	11025.00	23.72	17.32	41.04	54.00	-12.96	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(40 MHz) Mode 5550MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5552.800	54.58	43.76	98.34	68.30	30.04	peak	
2	*	5553.400	46.10	43.76	89.86	54.00	35.86	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(40 MHz) Mode 5550MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11103.00	32.35	17.51	49.86	68.30	-18.44	peak	
2	*	11105.00	23.71	17.52	41.23	54.00	-12.77	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(40 MHz) Mode 5550MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5540.000	55.25	43.72	98.97	68.30	30.67	peak	
2	*	5562.600	46.75	43.80	90.55	54.00	36.55	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(40 MHz) Mode 5550MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11103.00	24.63	17.51	42.14	54.00	-11.86	AVG	
2		11108.00	33.12	17.52	50.64	68.30	-17.66	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(40 MHz) Mode 5670MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5673.400	42.84	44.17	87.01	54.00	33.01	AVG	
2	X	5675.600	51.55	44.18	95.73	68.30	27.43	peak	
3		5725.000	6.36	44.34	50.70	68.30	-17.60	peak	
4		5725.000	-1.03	44.34	43.31	54.00	-10.69	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(40 MHz) Mode 5670MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11346.00	20.84	18.11	38.95	54.00	-15.05	AVG	
2		11347.00	29.65	18.11	47.76	68.30	-20.54	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(40 MHz) Mode 5670MHz


Horizontal



No	Mk	Freq MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5653.400	44.89	44.10	88.99	54.00	34.99	AVG	
2	X	5659.000	52.72	44.13	96.85	68.30	28.55	peak	
3		5725.000	7.87	44.34	52.21	68.30	-16.09	peak	
4		5725.000	-0.96	44.34	43.38	54.00	-10.62	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(40 MHz) Mode 5670MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11341.00	30.25	18.11	48.36	68.30	-19.94	peak	
2	*	11345.00	21.69	18.11	39.80	54.00	-14.20	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(80 MHz) Mode 5530MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5460.000	9.90	43.49	53.39	68.30	-14.91	peak	
2		5460.000	-1.11	43.49	42.38	54.00	-11.62	AVG	
3		5470.000	6.73	43.50	50.23	68.30	-18.07	peak	
4		5470.000	-1.06	43.50	42.44	54.00	-11.56	AVG	
5	*	5530.000	37.87	43.68	81.55	54.00	27.55	AVG	
6	X	5560.800	47.10	43.79	90.89	68.30	22.59	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(80 MHz) Mode 5530MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11062.00	28.29	17.41	45.70	68.30	-22.60	peak	
2	*	11065.00	19.45	17.42	36.87	54.00	-17.13	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(80 MHz) Mode 5530MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5460.000	8.39	43.49	51.88	68.30	-16.42	peak	
2		5460.000	-1.01	43.49	42.48	54.00	-11.52	AVG	
3		5470.000	6.30	43.50	49.80	68.30	-18.50	peak	
4		5470.000	-0.83	43.50	42.67	54.00	-11.33	AVG	
5	*	5562.800	39.40	43.80	83.20	54.00	29.20	AVG	
6	X	5564.400	48.48	43.80	92.28	68.30	23.98	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX 802.11ac(80 MHz) Mode 5530MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11062.00	20.26	17.41	37.67	54.00	-16.33	AVG	
2		11063.00	28.81	17.42	46.23	68.30	-22.07	peak	

ATTACHMENT E – 26DB BANDWIDTH


Test Mode : Band 1/TX 802.11a Mode_CH36/CH40/CH48

TX CH36




Date: 11.APR.2014 01:06:02

TX CH40



Date: 11.APR.2014 01:08:37


TX CH48



Date: 11.APR.2014 01:10:31


Test Mode : Band 1/TX 802.11n(20 MHz) Mode_CH36/CH40/CH48

TX CH36




Date: 11.APR.2014 01:40:54

TX CH40



Date: 11.APR.2014 01:38:44


TX CH48



Date: 11.APR.2014 01:37:16


Test Mode : Band 1/TX 802.11n(40 MHz) Mode_CH38/CH46

TX CH38



Date: 11.APR.2014 03:03:58


TX CH46



Date: 11.APR.2014 03:01:09


Test Mode : Band 1/TX 802.11ac(20 MHz) Mode_CH36/CH40/CH48

TX CH36




Date: 12.APR.2014 04:58:38

TX CH40



Date: 12.APR.2014 04:56:55


TX CH48



Date: 12.APR.2014 04:55:12


Test Mode : Band 1/TX 802.11ac(40 MHz) Mode_CH38/CH46

TX CH38



Date: 12.APR.2014 05:28:56


TX CH46



Date: 12.APR.2014 05:30:25

Test Mode : Band 1/TX 802.11ac(80 MHz) Mode_CH44


TX CH44



Date: 15.APR.2014 02:33:56


Test Mode : Band 2/TX 802.11a Mode_CH52/CH56/CH65

TX CH52




Date: 11.APR.2014 03:32:50

TX CH56



Date: 11.APR.2014 03:34:50


TX CH64



Date: 11.APR.2014 03:37:27


Test Mode : Band 2/TX 802.11n(20 MHz) Mode_CH52/CH56/CH64

TX CH52




Date: 11.APR.2014 04:23:23

TX CH56



Date: 11.APR.2014 04:19:55


TX CH64



Date: 11.APR.2014 04:21:37


Test Mode : Band 2/TX 802.11n(40 MHz) Mode_CH54/CH65

TX CH54



Date: 11.APR.2014 05:27:10


TX CH62



Date: 11.APR.2014 05:28:23


Test Mode : Band 2/TX 802.11ac(20 MHz) Mode_CH52/CH56/CH64

TX CH52




Date: 12.APR.2014 05:47:15

TX CH56



Date: 12.APR.2014 05:45:31


TX CH64



Date: 12.APR.2014 05:43:38


Test Mode : Band 2/TX 802.11ac(40 MHz) Mode_CH54/CH65

TX CH54



Date: 12.APR.2014 07:22:47


TX CH62



Date: 12.APR.2014 07:24:48

Test Mode : Band 2/TX 802.11ac(80 MHz) Mode_CH56


TX CH56



Date: 15.APR.2014 03:04:51


Test Mode : Band 3/TX 802.11a Mode_CH100/CH116/CH140

TX CH100




Date: 11.APR.2014 05:58:55

TX CH116



Date: 11.APR.2014 05:57:34


TX CH140



Date: 11.APR.2014 05:55:01


Test Mode : Band 3/TX 802.11n(20 MHz) Mode_CH100/CH116/CH140

TX CH100




Date: 11.APR.2014 07:45:06

TX CH116



Date: 11.APR.2014 07:46:29


TX CH140



Date: 11.APR.2014 07:48:50


Test Mode : Band 3/TX 802.11n(40 MHz) Mode_CH102/CH110/CH134

TX CH102




Date: 12.APR.2014 01:58:46

TX CH110



Date: 12.APR.2014 01:57:31


TX CH134



Date: 12.APR.2014 01:54:50


Test Mode : Band 3/TX 802.11ac(20 MHz) Mode_CH100/CH116/CH140

TX CH100




Date: 12.APR.2014 07:39:22

TX CH116



Date: 12.APR.2014 07:37:19


TX CH140



Date: 12.APR.2014 07:35:57


Test Mode : Band 3/TX 802.11ac(40 MHz) Mode_CH102/CH110/CH134

TX CH102




Date: 14.APR.2014 22:17:19

TX CH110



Date: 14.APR.2014 22:14:58


TX CH134



Date: 14.APR.2014 22:12:44

Test Mode : Band 3/TX 802.11ac(80 MHz) Mode_ CH106

TX CH106



Date: 15.APR.2014 03:12:45

ATTACHMENT F - MAXIMUM OUTPUT POWER

For 1TX

Test Mode :Band 1/TX 802.11a Mode				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	10.14	17.00	0.0501
CH40	5200	13.87	17.00	0.0501
CH48	5240	13.68	17.00	0.0501

Test Mode :Band 1/TX 802.11n(20 MHz) Mode				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	9.78	17.00	0.0501
CH40	5200	13.82	17.00	0.0501
CH48	5240	13.89	17.00	0.0501

Test Mode : Band 1/TX 802.11n(40 MHz) Mode				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	9.63	17.00	0.0501
CH46	5230	13.72	17.00	0.0501

Test Mode :Band 1/TX 802.11ac(20 MHz) Mode				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	9.72	17.00	0.0501
CH40	5200	13.74	17.00	0.0501
CH48	5240	13.76	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(40 MHz) Mode				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	9.62	17.00	0.0501
CH46	5230	13.71	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(80 MHz) Mode				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	2.61	17.00	0.0501

Test Mode :Band 2/TX 802.11a Mode

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	13.89	24	0.251
CH56	5280	14.75	24	0.251
CH64	5320	8.92	24	0.251

Test Mode :Band 2/TX 802.11n(20 MHz) Mode

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	13.76	24	0.251
CH56	5280	14.87	24	0.251
CH64	5320	8.96	24	0.251

Test Mode :Band 2/TX 802.11n(40 MHz) Mode

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	13.64	24	0.251
CH62	5310	9.83	24	0.251

Test Mode :Band 2/TX 802.11ac(20 MHz) Mode				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	13.82	24	0.251
CH56	5280	14.76	24	0.251
CH64	5320	8.92	24	0.251

Test Mode :Band 2/TX 802.11ac(40 MHz) Mode				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	13.72	24	0.251
CH62	5310	8.83	24	0.251

Test Mode :Band 2/TX 802.11ac(80 MHz) Mode				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH56	5290	2.69	24	0.251

Test Mode :Band 3/TX 802.11a Mode

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	11.89	24	0.251
CH116	5580	15.92	24	0.251
CH140	5700	7.67	24	0.251

Test Mode :Band 3/TX 802.11n(20 MHz) Mode

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	10.92	24	0.251
CH116	5580	13.94	24	0.251
CH140	5700	7.92	24	0.251

Test Mode :Band 3/TX 802.11n(40 MHz) Mode

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	13.81	24	0.251
CH110	5550	13.92	24	0.251
CH134	5670	12.81	24	0.251

Test Mode :Band 3/TX 802.11ac(20 MHz) Mode				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	9.93	24	0.251
CH116	5580	13.84	24	0.251
CH140	5700	7.87	24	0.251

Test Mode :Band 3/TX 802. 11ac(40 MHz) Mode				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	13.62	24	0.251
CH110	5550	13.63	24	0.251
CH134	5670	12.69	24	0.251

Test Mode :Band 3/TX 802. 11ac(80 MHz) Mode				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH106	5530	7.64	24	0.251

For 2TX

Test Mode :Band 1/TX 802.11a Mode-ANT A				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	7.36	17.00	0.0501
CH40	5200	11.15	17.00	0.0501
CH48	5240	11.18	17.00	0.0501

Test Mode :Band 1/TX 802.11a Mode-ANT B				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	7.38	17.00	0.0501
CH40	5200	11.13	17.00	0.0501
CH48	5240	11.19	17.00	0.0501

Test Mode :Band 1/TX 802.11a Mode-Total				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	10.38	17.00	0.0501
CH40	5200	14.15	17.00	0.0501
CH48	5240	14.20	17.00	0.0501

Test Mode :Band 1/TX 802.11n(20 MHz) Mode-ANT A				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	7.22	17.00	0.0501
CH40	5200	11.05	17.00	0.0501
CH48	5240	11.01	17.00	0.0501

Test Mode :Band 1/TX 802.11n(20 MHz) Mode-ANT B				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	7.19	17.00	0.0501
CH40	5200	11.03	17.00	0.0501
CH48	5240	11.06	17.00	0.0501

Test Mode :Band 1/TX 802.11n(20 MHz) Mode-Total				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	10.22	17.00	0.0501
CH40	5200	14.05	17.00	0.0501
CH48	5240	14.05	17.00	0.0501

Test Mode : Band 1/TX 802.11n(40 MHz) Mode-ANT A				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	6.85	17.00	0.0501
CH46	5230	10.86	17.00	0.0501

Test Mode : Band 1/TX 802.11n(40 MHz) Mode-ANT B				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	6.92	17.00	0.0501
CH46	5230	10.88	17.00	0.0501

Test Mode : Band 1/TX 802.11n(40 MHz) Mode-Total				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	9.90	17.00	0.0501
CH46	5230	13.88	17.00	0.0501

Test Mode :Band 1/TX 802.11ac(20 MHz) Mode-ANT A				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	7.02	17.00	0.0501
CH40	5200	11.09	17.00	0.0501
CH48	5240	11.03	17.00	0.0501

Test Mode :Band 1/TX 802.11ac(20 MHz) Mode-ANT B				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	7.09	17.00	0.0501
CH40	5200	11.06	17.00	0.0501
CH48	5240	11.05	17.00	0.0501

Test Mode :Band 1/TX 802.11ac(20 MHz) Mode-Total				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	10.07	17.00	0.0501
CH40	5200	14.09	17.00	0.0501
CH48	5240	14.05	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(40 MHz) Mode-ANT A				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	7.09	17.00	0.0501
CH46	5230	11.16	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(40 MHz) Mode-ANT B				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	7.08	17.00	0.0501
CH46	5230	11.09	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(40 MHz) Mode-Total				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	10.10	17.00	0.0501
CH46	5230	14.14	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(80 MHz) Mode-ANT A				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	0.19	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(80 MHz) Mode-ANT B				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	0.17	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(80 MHz) Mode-Total				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	3.19	17.00	0.0501

Test Mode :Band 2/TX 802.11a Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	11.16	24	0.251
CH56	5280	12.09	24	0.251
CH64	5320	6.13	24	0.251

Test Mode :Band 2/TX 802.11a Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	11.15	24	0.251
CH56	5280	12.06	24	0.251
CH64	5320	6.02	24	0.251

Test Mode :Band 2/TX 802.11a Mode- Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	14.17	24	0.251
CH56	5280	15.09	24	0.251
CH64	5320	9.09	24	0.251

Test Mode :Band 2/TX 802.11n(20 MHz) Mode-ANT A				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	11.06	24	0.251
CH56	5280	12.12	24	0.251
CH64	5320	6.17	24	0.251

Test Mode :Band 2/TX 802.11n(20 MHz) Mode-ANT B				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	11.09	24	0.251
CH56	5280	12.05	24	0.251
CH64	5320	6.12	24	0.251

Test Mode :Band 2/TX 802.11n(20 MHz) Mode-Total				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	14.09	24	0.251
CH56	5280	15.10	24	0.251
CH64	5320	9.16	24	0.251

Test Mode :Band 2/TX 802.11n(40 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	10.96	24	0.251
CH62	5310	7.06	24	0.251

Test Mode :Band 2/TX 802.11n(40 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	11.02	24	0.251
CH62	5310	7.05	24	0.251

Test Mode :Band 2/TX 802.11n(40 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	14.00	24	0.251
CH62	5310	10.07	24	0.251

Test Mode :Band 2/TX 802.11ac(20 MHz) Mode-ANT A				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	11.09	24	0.251
CH56	5280	11.98	24	0.251
CH64	5320	6.11	24	0.251

Test Mode :Band 2/TX 802.11ac(20 MHz) Mode-ANT B				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	10.99	24	0.251
CH56	5280	12.02	24	0.251
CH64	5320	5.97	24	0.251

Test Mode :Band 2/TX 802.11ac(20 MHz) Mode-Total				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	14.05	24	0.251
CH56	5280	15.01	24	0.251
CH64	5320	9.05	24	0.251

Test Mode :Band 2/TX 802.11ac(40 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	11.08	24	0.251
CH62	5310	6.14	24	0.251

Test Mode :Band 2/TX 802.11ac(40 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	11.05	24	0.251
CH62	5310	6.12	24	0.251

Test Mode :Band 2/TX 802.11ac(40 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	14.08	24	0.251
CH62	5310	9.14	24	0.251

Test Mode :Band 2/TX 802.11ac(80 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH56	5290	0.23	24	0.251

Test Mode :Band 2/TX 802.11ac(80 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH56	5290	0.15	24	0.251

Test Mode :Band 2/TX 802.11ac(80 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH56	5290	3.20	24	0.251

Test Mode :Band 3/TX 802.11a Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	9.15	24	0.251
CH116	5580	13.07	24	0.251
CH140	5700	5.03	24	0.251

Test Mode :Band 3/TX 802.11a Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	9.08	24	0.251
CH116	5580	13.06	24	0.251
CH140	5700	5.07	24	0.251

Test Mode :Band 3/TX 802.11a Mode- Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	12.13	24	0.251
CH116	5580	16.08	24	0.251
CH140	5700	8.06	24	0.251

Test Mode :Band 3/TX 802.11n(20 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	8.05	24	0.251
CH116	5580	11.02	24	0.251
CH140	5700	5.16	24	0.251

Test Mode :Band 3/TX 802.11n(20 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	8.08	24	0.251
CH116	5580	11.06	24	0.251
CH140	5700	5.08	24	0.251

Test Mode :Band 3/TX 802.11n(20 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	11.08	24	0.251
CH116	5580	14.05	24	0.251
CH140	5700	8.13	24	0.251

Test Mode :Band 3/TX 802.11n(40 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	11.08	24	0.251
CH110	5550	11.06	24	0.251
CH134	5670	10.12	24	0.251

Test Mode :Band 3/TX 802.11n(40 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	11.13	24	0.251
CH110	5550	11.17	24	0.251
CH134	5670	10.05	24	0.251

Test Mode :Band 3/TX 802.11n(40 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	14.12	24	0.251
CH110	5550	14.13	24	0.251
CH134	5670	13.10	24	0.251

Test Mode :Band 3/TX 802.11ac(20 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	7.02	24	0.251
CH116	5580	11.06	24	0.251
CH140	5700	5.11	24	0.251

Test Mode :Band 3/TX 802.11ac(20 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	7.16	24	0.251
CH116	5580	11.09	24	0.251
CH140	5700	5.12	24	0.251

Test Mode :Band 3/TX 802.11ac(20 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	10.10	24	0.251
CH116	5580	14.09	24	0.251
CH140	5700	8.13	24	0.251

Test Mode :Band 3/TX 802. 11ac(40 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	11.05	24	0.251
CH110	5550	11.15	24	0.251
CH134	5670	10.03	24	0.251

Test Mode :Band 3/TX 802. 11ac(40 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	11.09	24	0.251
CH110	5550	11.03	24	0.251
CH134	5670	10.07	24	0.251

Test Mode :Band 3/TX 802.11ac(40 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	14.08	24	0.251
CH110	5550	14.10	24	0.251
CH134	5670	13.06	24	0.251

Test Mode :Band 3/TX 802. 11ac(80 MHz) Mode-ANT A				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH106	5530	5.16	24	0.251

Test Mode :Band 3/TX 802. 11ac(80 MHz) Mode-ANT B				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH106	5530	5.12	24	0.251

Test Mode :Band 3/TX 802.11ac(80 MHz) Mode-Total				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH106	5530	8.15	24	0.251

For 3TX

Test Mode :Band 1/TX 802.11a Mode-ANT A				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	6.11	17.00	0.0501
CH40	5200	9.88	17.00	0.0501
CH48	5240	9.92	17.00	0.0501

Test Mode :Band 1/TX 802.11a Mode-ANT B				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	6.05	17.00	0.0501
CH40	5200	9.79	17.00	0.0501
CH48	5240	9.89	17.00	0.0501

Test Mode :Band 1/TX 802.11a Mode-ANT C				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	6.03	17.00	0.0501
CH40	5200	9.82	17.00	0.0501
CH48	5240	9.93	17.00	0.0501

Test Mode :Band 1/TX 802.11a Mode-Total				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	10.83	17.00	0.0501
CH40	5200	14.60	17.00	0.0501
CH48	5240	14.68	17.00	0.0501

Test Mode :Band 1/TX 802.11n(20 MHz) Mode-ANT A				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	5.84	17.00	0.0501
CH40	5200	9.88	17.00	0.0501
CH48	5240	10.03	17.00	0.0501

Test Mode :Band 1/TX 802.11n(20 MHz) Mode-ANT B				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	5.96	17.00	0.0501
CH40	5200	9.76	17.00	0.0501
CH48	5240	9.93	17.00	0.0501

Test Mode :Band 1/TX 802.11n(20 MHz) Mode-ANT C				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	5.83	17.00	0.0501
CH40	5200	9.84	17.00	0.0501
CH48	5240	9.98	17.00	0.0501

Test Mode :Band 1/TX 802.11n(20 MHz) Mode-Total				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	10.65	17.00	0.0501
CH40	5200	14.60	17.00	0.0501
CH48	5240	14.75	17.00	0.0501

Test Mode : Band 1/TX 802.11n(40 MHz) Mode-ANT A				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	5.74	17.00	0.0501
CH46	5230	9.38	17.00	0.0501

Test Mode : Band 1/TX 802.11n(40 MHz) Mode-ANT B				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	5.66	17.00	0.0501
CH46	5230	9.26	17.00	0.0501

Test Mode : Band 1/TX 802.11n(40 MHz) Mode-ANT C				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	5.84	17.00	0.0501
CH46	5230	9.62	17.00	0.0501

Test Mode : Band 1/TX 802.11n(40 MHz) Mode-Total				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	10.52	17.00	0.0501
CH46	5230	14.19	17.00	0.0501

Test Mode :Band 1/TX 802.11ac(20 MHz) Mode-ANT A				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	5.29	17.00	0.0501
CH40	5200	9.65	17.00	0.0501
CH48	5240	9.68	17.00	0.0501

Test Mode :Band 1/TX 802.11ac(20 MHz) Mode-ANT B				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	5.72	17.00	0.0501
CH40	5200	9.84	17.00	0.0501
CH48	5240	9.66	17.00	0.0501

Test Mode :Band 1/TX 802.11ac(20 MHz) Mode-ANT C				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	5.64	17.00	0.0501
CH40	5200	9.56	17.00	0.0501
CH48	5240	9.59	17.00	0.0501

Test Mode :Band 1/TX 802.11ac(20 MHz) Mode-Total				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	10.33	17.00	0.0501
CH40	5200	14.46	17.00	0.0501
CH48	5240	14.41	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(40 MHz) Mode-ANT A				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	5.56	17.00	0.0501
CH46	5230	9.56	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(40 MHz) Mode-ANT B				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	5.46	17.00	0.0501
CH46	5230	9.52	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(40 MHz) Mode-ANT C				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	5.68	17.00	0.0501
CH46	5230	9.62	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(40 MHz) Mode-Total				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	10.34	17.00	0.0501
CH46	5230	14.34	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(80 MHz) Mode-ANT A				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	-0.52	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(80 MHz) Mode-ANT B				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	-0.64	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(80 MHz) Mode-ANT C				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	-0.46	17.00	0.0501

Test Mode : Band 1/TX 802.11ac(80 MHz) Mode-Total				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	4.23	17.00	0.0501

Test Mode :Band 2/TX 802.11a Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	9.95	24	0.251
CH56	5280	10.96	24	0.251
CH64	5320	4.98	24	0.251

Test Mode :Band 2/TX 802.11a Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	9.93	24	0.251
CH56	5280	10.95	24	0.251
CH64	5320	4.86	24	0.251

Test Mode :Band 2/TX 802.11a Mode-ANT C

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	9.99	24	0.251
CH56	5280	10.89	24	0.251
CH64	5320	4.92	24	0.251

Test Mode :Band 2/TX 802.11a Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	14.73	24	0.251
CH56	5280	15.70	24	0.251
CH64	5320	9.69	24	0.251

Test Mode :Band 2/TX 802.11n(20 MHz) Mode-ANT A				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	10.01	24	0.251
CH56	5280	10.98	24	0.251
CH64	5320	4.87	24	0.251

Test Mode :Band 2/TX 802.11n(20 MHz) Mode-ANT B				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	10.02	24	0.251
CH56	5280	11.03	24	0.251
CH64	5320	4.96	24	0.251

Test Mode :Band 2/TX 802.11n(20 MHz) Mode-ANT C				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	9.98	24	0.251
CH56	5280	11.05	24	0.251
CH64	5320	5.03	24	0.251

Test Mode :Band 2/TX 802.11n(20 MHz) Mode-Total				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	14.77	24	0.251
CH56	5280	15.79	24	0.251
CH64	5320	9.73	24	0.251

Test Mode :Band 2/TX 802.11n(40 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	9.33	24	0.251
CH62	5310	5.69	24	0.251

Test Mode :Band 2/TX 802.11n(40 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	9.57	24	0.251
CH62	5310	5.44	24	0.251

Test Mode :Band 2/TX 802.11n(40 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	9.62	24	0.251
CH62	5310	5.84	24	0.251

Test Mode :Band 2/TX 802.11n(40 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	14.28	24	0.251
CH62	5310	10.43	24	0.251

Test Mode :Band 2/TX 802.11ac(20 MHz) Mode-ANT A				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	9.51	24	0.251
CH56	5280	10.66	24	0.251
CH64	5320	4.69	24	0.251

Test Mode :Band 2/TX 802.11ac(20 MHz) Mode-ANT B				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	9.52	24	0.251
CH56	5280	10.58	24	0.251
CH64	5320	4.86	24	0.251

Test Mode :Band 2/TX 802.11ac(20 MHz) Mode-ANT C				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	9.58	24	0.251
CH56	5280	10.51	24	0.251
CH64	5320	4.56	24	0.251

Test Mode :Band 2/TX 802.11ac(20 MHz) Mode-Total				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH52	5260	14.31	24	0.251
CH56	5280	15.35	24	0.251
CH64	5320	9.48	24	0.251

Test Mode :Band 2/TX 802.11ac(40 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	9.58	24	0.251
CH62	5310	4.96	24	0.251

Test Mode :Band 2/TX 802.11ac(40 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	9.39	24	0.251
CH62	5310	4.85	24	0.251

Test Mode :Band 2/TX 802.11ac(40 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	9.63	24	0.251
CH62	5310	4.95	24	0.251

Test Mode :Band 2/TX 802.11ac(40 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH54	5270	14.31	24	0.251
CH62	5310	9.69	24	0.251

Test Mode :Band 2/TX 802.11ac(80 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH56	5290	-0.78	24	0.251

Test Mode :Band 2/TX 802.11ac(80 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH56	5290	-0.75	24	0.251

Test Mode :Band 2/TX 802.11ac(80 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH56	5290	-0.61	24	0.251

Test Mode :Band 2/TX 802.11ac(80 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH56	5290	4.06	24	0.251

Test Mode :Band 3/TX 802.11a Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	7.98	24	0.251
CH116	5580	12.01	24	0.251
CH140	5700	3.98	24	0.251

Test Mode :Band 3/TX 802.11a Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	7.96	24	0.251
CH116	5580	12.03	24	0.251
CH140	5700	3.96	24	0.251

Test Mode :Band 3/TX 802.11a Mode-ANT C

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	8.03	24	0.251
CH116	5580	11.99	24	0.251
CH140	5700	4.03	24	0.251

Test Mode :Band 3/TX 802.11a Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	12.76	24	0.251
CH116	5580	16.78	24	0.251
CH140	5700	8.76	24	0.251

Test Mode :Band 3/TX 802.11n(20 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	6.75	24	0.251
CH116	5580	9.96	24	0.251
CH140	5700	4.03	24	0.251

Test Mode :Band 3/TX 802.11n(20 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	6.73	24	0.251
CH116	5580	9.66	24	0.251
CH140	5700	4.05	24	0.251

Test Mode :Band 3/TX 802.11n(20 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	6.82	24	0.251
CH116	5580	9.77	24	0.251
CH140	5700	3.96	24	0.251

Test Mode :Band 3/TX 802.11n(20 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	11.54	24	0.251
CH116	5580	14.57	24	0.251
CH140	5700	8.78	24	0.251

Test Mode :Band 3/TX 802.11n(40 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	9.56	24	0.251
CH110	5550	9.73	24	0.251
CH134	5670	8.85	24	0.251

Test Mode :Band 3/TX 802.11n(40 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	9.67	24	0.251
CH110	5550	9.66	24	0.251
CH134	5670	8.93	24	0.251

Test Mode :Band 3/TX 802.11n(40 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	9.53	24	0.251
CH110	5550	9.75	24	0.251
CH134	5670	8.98	24	0.251

Test Mode :Band 3/TX 802.11n(40 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	14.36	24	0.251
CH110	5550	14.48	24	0.251
CH134	5670	13.69	24	0.251

Test Mode :Band 3/TX 802.11ac(20 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	5.66	24	0.251
CH116	5580	9.56	24	0.251
CH140	5700	3.68	24	0.251

Test Mode :Band 3/TX 802.11ac(20 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	5.74	24	0.251
CH116	5580	9.63	24	0.251
CH140	5700	3.53	24	0.251

Test Mode :Band 3/TX 802.11ac(20 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	5.72	24	0.251
CH116	5580	9.58	24	0.251
CH140	5700	3.63	24	0.251

Test Mode :Band 3/TX 802.11ac(20 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH100	5500	10.48	24	0.251
CH116	5580	14.36	24	0.251
CH140	5700	8.38	24	0.251

Test Mode :Band 3/TX 802. 11ac(40 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	9.81	24	0.251
CH110	5550	9.55	24	0.251
CH134	5670	8.74	24	0.251

Test Mode :Band 3/TX 802. 11ac(40 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	9.69	24	0.251
CH110	5550	9.62	24	0.251
CH134	5670	8.75	24	0.251

Test Mode :Band 3/TX 802. 11ac(40 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	9.75	24	0.251
CH110	5550	9.53	24	0.251
CH134	5670	8.65	24	0.251

Test Mode :Band 3/TX 802.11ac(40 MHz) Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH102	5510	14.52	24	0.251
CH110	5550	14.34	24	0.251
CH134	5670	13.48	24	0.251

Test Mode :Band 3/TX 802. 11ac(80 MHz) Mode-ANT A

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH106	5530	3.57	24	0.251

Test Mode :Band 3/TX 802. 11ac(80 MHz) Mode-ANT B

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH106	5530	3.46	24	0.251

Test Mode :Band 3/TX 802. 11ac(80 MHz) Mode-ANT C

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH106	5530	3.52	24	0.251

Test Mode :Band 3/TX 802.11ac(80 MHz) Mode-Total


Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH106	5530	8.29	24	0.251

ATTACHMENT G - ANTENNA CONDUCTED SPURIOUS EMISSION

For 1TX


Test Mode :	Band 1/TX 802.11a Mode
-------------	------------------------

TX mode CH36



Date: 11.APR.2014 01:04:45


TX mode CH48



Date: 11.APR.2014 01:01:33


Test Mode : Band 1/TX 802.11n(20 MHz) Mode

TX mode CH36



Date: 11.APR.2014 01:41:57


TX mode CH48



Date: 11.APR.2014 01:44:38


Test Mode : Band 1/TX 802.11n(40 MHz) Mode

TX mode CH38



Date: 11.APR.2014 02:56:53


TX mode CH46



Date: 11.APR.2014 02:59:20


Test Mode : Band 1/TX 802.11ac(20 MHz) Mode

TX mode CH36



Date: 12.APR.2014 05:09:07


TX mode CH48



Date: 12.APR.2014 05:11:15


Test Mode : Band 1/TX 802.11ac(40 MHz) Mode

TX mode CH38



Date: 12.APR.2014 05:20:28


TX mode CH46




Date: 12.APR.2014 05:19:47

Test Mode : Band 1/TX 802.11ac(80 MHz) Mode

TX mode CH44




Date: 15.APR.2014 02:35:47



Date: 15.APR.2014 02:36:18


Test Mode : Band 2/TX 802.11a Mode

TX mode CH52



Date: 11.APR.2014 03:41:25


TX mode CH64



Date: 11.APR.2014 03:38:45


Test Mode : Band 2/TX 802.11n(20 MHz) Mode

TX mode CH52



Date: 11.APR.2014 04:12:01


TX mode CH64



Date: 11.APR.2014 04:13:48


Test Mode : Band 2/TX 802.11n(40 MHz) Mode

TX mode CH54



Date: 11.APR.2014 05:06:45

TX mode CH62



Date: 11.APR.2014 05:03:40