



CH60



Date: 29.DEC.2016 16:33:32


CH64



Date: 29.DEC.2016 16:39:53


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-2.70	0.06	-2.64	4.42
CH60	5300	-2.90	0.06	-2.84	4.42
CH64	5320	-3.59	0.06	-3.53	4.42




Date: 29.DEC.2016 16:24:27

CH60



Date: 29.DEC.2016 16:31:52


CH64



Date: 29.DEC.2016 16:42:19


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-3.60	0.06	-3.54	4.42
CH60	5300	-4.03	0.06	-3.97	4.42
CH64	5320	-2.86	0.06	-2.80	4.42




Date: 29.DEC.2016 16:25:34

CH60



Date: 29.DEC.2016 16:30:18


CH64



Date: 29.DEC.2016 16:43:33


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-2.30	0.06	-2.24	4.42
CH60	5300	-2.59	0.06	-2.53	4.42
CH64	5320	-2.12	0.06	-2.06	4.42




Date: 29.DEC.2016 16:26:47

CH60



Date: 29.DEC.2016 16:28:32

CH64



Date: 29.DEC.2016 16:44:45


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.02	4.42
CH60	5300	2.73	4.42
CH64	5320	3.04	4.42

Test Mode: UNII-2A/TX AC Wave2(40 MHz)_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-3.29	0.14	-3.15	4.42
CH62	5310	-3.61	0.14	-3.47	4.42

CH54



Date: 29.DEC.2016 18:40:34

CH62




Date: 29.DEC.2016 18:48:22

Test Mode: UNII-2A/TX AC Wave2(40 MHz)_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.21	0.14	-2.07	4.42
CH62	5310	-2.54	0.14	-2.40	4.42

CH54



Date: 29.DEC.2016 18:41:36

CH62




Date: 29.DEC.2016 18:47:21

Test Mode: UNII-2A/TX AC Wave2(40 MHz)_CH54/CH62_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-3.32	0.14	-3.18	4.42
CH62	5310	-3.56	0.14	-3.42	4.42

CH54



Date: 29.DEC.2016 18:42:42

CH62




Date: 29.DEC.2016 18:46:18

Test Mode: UNII-2A/TX AC Wave2(40 MHz)_CH54/CH62_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.12	0.14	-1.98	4.42
CH62	5310	-2.13	0.14	-1.99	4.42

CH54



Date: 29.DEC.2016 18:43:50

CH62




Date: 29.DEC.2016 18:45:14

Test Mode: UNII-2A/TX AC Wave2(40 MHz)_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.00	4.42
CH62	5310	1.70	4.42

Test Mode: UNII-2A/TX AC Wave2(80 MHz)_CH58_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-3.27	0.22	-3.05	4.42



Date: 29.DEC.2016 19:17:25

Test Mode: UNII-2A/TX AC Wave2(80 MHz)_CH58_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-2.76	0.22	-2.54	4.42



Date: 29.DEC.2016 19:14:35

Test Mode: UNII-2A/TX AC Wave2(80 MHz)_CH58_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-3.30	0.22	-3.08	4.42



Date: 29.DEC.2016 19:13:33

Test Mode: UNII-2A/TX AC Wave2(80 MHz)_CH58_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-2.78	0.22	-2.56	4.42



Date: 29.DEC.2016 19:12:26


Test Mode: UNII-2A/TX AC Wave2(80 MHz)_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	3.22	4.42

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.51	0.06	-2.45	4.42
CH116	5580	-2.87	0.06	-2.81	4.42
CH140	5700	-3.34	0.06	-3.28	4.42

CH100




Date: 29.DEC.2016 15:55:14

CH116



Date: 29.DEC.2016 16:04:10


CH140



Date: 29.DEC.2016 16:16:21


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.87	0.06	-2.81	4.42
CH116	5580	-3.01	0.06	-2.95	4.42
CH140	5700	-3.59	0.06	-3.53	4.42

CH100



Date: 29.DEC.2016 15:56:25

CH116



Date: 29.DEC.2016 16:05:14


CH140



Date: 29.DEC.2016 16:14:57


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.71	0.06	-2.65	4.42
CH116	5580	-2.93	0.06	-2.87	4.42
CH140	5700	-3.50	0.06	-3.44	4.42

CH100



Date: 29.DEC.2016 15:57:26

CH116



Date: 29.DEC.2016 16:06:24


CH140



Date: 29.DEC.2016 16:13:18


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.54	0.06	-2.48	4.42
CH116	5580	-2.63	0.06	-2.57	4.42
CH140	5700	-2.75	0.06	-2.69	4.42

CH100



Date: 29.DEC.2016 15:58:28

CH116



Date: 29.DEC.2016 16:07:27

CH140




Date: 29.DEC.2016 16:09:59

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.43	4.42
CH116	5580	3.22	4.42
CH140	5700	2.80	4.42


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.56	0.14	-2.42	4.42
CH110	5550	-2.20	0.14	-2.06	4.42
CH134	5670	-3.64	0.14	-3.50	4.42




Date: 29.DEC.2016 17:35:01

CH110



Date: 29.DEC.2016 18:22:04


CH134



Date: 29.DEC.2016 18:38:41


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.08	0.14	-2.94	4.42
CH110	5550	-2.71	0.14	-2.57	4.42
CH134	5670	-3.53	0.14	-3.39	4.42




Date: 29.DEC.2016 18:08:51

CH110



Date: 29.DEC.2016 18:27:24


CH134



Date: 29.DEC.2016 18:37:37


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.89	0.14	-2.75	4.42
CH110	5550	-2.51	0.14	-2.37	4.42
CH134	5670	-3.79	0.14	-3.65	4.42




Date: 29.DEC.2016 18:10:24

CH110



Date: 29.DEC.2016 18:28:46


CH134



Date: 29.DEC.2016 18:35:15


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.72	0.14	-2.58	4.42
CH110	5550	-2.13	0.14	-1.99	4.42
CH134	5670	-3.53	0.14	-3.39	4.42




Date: 29.DEC.2016 18:13:47

CH110



Date: 29.DEC.2016 18:31:37

CH134




Date: 29.DEC.2016 18:36:20

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.35	4.42
CH110	5550	3.78	4.42
CH134	5670	2.54	4.42


Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.42	0.06	-2.36	4.42
CH116	5580	-2.74	0.06	-2.68	4.42
CH140	5700	-3.24	0.06	-3.18	4.42




Date: 29.DEC.2016 16:53:24

CH116



Date: 29.DEC.2016 16:54:50


CH140



Date: 29.DEC.2016 17:03:07


Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.94	0.06	-2.88	4.42
CH116	5580	-3.00	0.06	-2.94	4.42
CH140	5700	-3.47	0.06	-3.41	4.42




Date: 29.DEC.2016 19:02:55

CH116



Date: 29.DEC.2016 19:08:42


CH140



Date: 29.DEC.2016 19:14:35


Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.69	0.06	-2.63	4.42
CH116	5580	-2.87	0.06	-2.81	4.42
CH140	5700	-3.39	0.06	-3.33	4.42




Date: 29.DEC.2016 16:51:23

CH116



Date: 29.DEC.2016 16:57:07


CH140



Date: 29.DEC.2016 17:00:47


Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.58	0.06	-2.52	4.42
CH116	5580	-2.46	0.06	-2.40	4.42
CH140	5700	-2.57	0.06	-2.51	4.42




Date: 29.DEC.2016 16:50:20

CH116



Date: 29.DEC.2016 16:58:13

CH140




Date: 29.DEC.2016 16:59:44

Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.43	4.42
CH116	5580	3.32	4.42
CH140	5700	2.93	4.42


Test Mode: UNII-2C/TX AC Wave2(40 MHz)_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.38	0.14	-2.24	4.42
CH110	5550	-2.24	0.14	-2.10	4.42
CH134	5670	-3.54	0.14	-3.40	4.42




Date: 29.DEC.2016 18:49:57

CH110



Date: 29.DEC.2016 19:05:40


CH134



Date: 29.DEC.2016 19:07:31


Test Mode: UNII-2C/TX AC Wave2(40 MHz)_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.99	0.14	-2.85	4.42
CH110	5550	-2.61	0.14	-2.47	4.42
CH134	5670	-3.42	0.14	-3.28	4.42




Date: 29.DEC.2016 18:51:00

CH110



Date: 29.DEC.2016 19:02:55

CH134




Date: 29.DEC.2016 19:08:42

Test Mode: UNII-2C/TX AC Wave2(40 MHz)_CH102/CH110/CH134_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.70	0.14	-2.56	4.42
CH110	5550	-2.47	0.14	-2.33	4.42
CH134	5670	-3.61	0.14	-3.47	4.42

CH102




Date: 29.DEC.2016 18:52:24

CH110



Date: 29.DEC.2016 19:01:49


CH134



Date: 29.DEC.2016 19:09:44


Test Mode: UNII-2C/TX AC Wave2(40 MHz)_CH102/CH110/CH134_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.68	0.14	-2.54	4.42
CH110	5550	-2.15	0.14	-2.01	4.42
CH134	5670	-2.98	0.14	-2.84	4.42




Date: 29.DEC.2016 18:58:49

CH110



Date: 29.DEC.2016 19:00:27

CH134



Date: 29.DEC.2016 19:10:47


Test Mode: UNII-2C/TX AC Wave2(40 MHz)_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.23	4.42
CH110	5550	2.48	4.42
CH134	5670	1.39	4.42

Test Mode: UNII-2C/TX AC Wave2(80 MHz)_CH106/CH122_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-2.29	0.22	-2.07	4.42
CH122	5610	-3.68	0.22	-3.46	4.42

CH106



Date: 29.DEC.2016 19:46:58

CH122




Date: 29.DEC.2016 19:55:30

Test Mode: UNII-2C/TX AC Wave2(80 MHz)_CH106/CH122_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-3.19	0.22	-2.97	4.42
CH122	5610	-3.42	0.22	-3.20	4.42

CH106



Date: 29.DEC.2016 19:48:09

CH122




Date: 29.DEC.2016 19:54:08

Test Mode: UNII-2C/TX AC Wave2(80 MHz)_CH106/CH122_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-2.81	0.22	-2.59	4.42
CH122	5610	-3.90	0.22	-3.68	4.42

CH106



Date: 29.DEC.2016 19:49:20

CH122




Date: 29.DEC.2016 19:52:59

Test Mode: UNII-2C/TX AC Wave2(80 MHz)_CH106/CH122_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-2.53	0.22	-2.31	4.42
CH122	5610	-3.02	0.22	-2.80	4.42

CH106



Date: 29.DEC.2016 19:50:31

CH122



Date: 29.DEC.2016 19:51:51

Test Mode: UNII-2C/TX AC Wave2(80 MHz)_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	3.55	4.42
CH122	5610	2.75	4.42

ATTACHMENT H-FREQUENCY STABILITY

Test Mode:	UNII-2A
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5259.9999
120	5259.9999
108	5260.0000
Max. Deviation (MHz)	0.0001
Max. Deviation (ppm)	0.0190

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
-5	5259.9999
5	5260.0150
15	5260.0150
25	5260.0150
35	5260.0150
45	5260.0150
50	5260.0150
Max. Deviation (MHz)	0.0150
Max. Deviation (ppm)	2.8517

Test Mode:	UNII-2C
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5499.9950
120	5499.9999
108	5500.0000
Max. Deviation (MHz)	0.0050
Max. Deviation (ppm)	0.9091

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
-5	5499.9999
5	5500.0150
15	5499.9999
25	5499.9999
35	5500.0000
45	5499.9999
50	5499.9999
Max. Deviation (MHz)	0.0150
Max. Deviation (ppm)	2.7273