



Test Mode: UNII-2C/TX 802.11n(40MHz) Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.41	0.18	-0.23	11.00
CH110	5550	-0.49	0.18	-0.31	11.00
CH134	5670	-0.76	0.18	-0.58	11.00




Date: 5.JUN.2016 14:09:31

CH110



Date: 5.JUN.2016 14:11:01


CH134



Date: 5.JUN.2016 14:11:24


Test Mode: UNII-2C/TX 802.11n(40MHz) Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	0.40	0.18	0.58	11.00
CH110	5550	0.19	0.18	0.37	11.00
CH134	5670	0.05	0.18	0.23	11.00




Date: 5.JUN.2016 14:43:54

CH110



Date: 5.JUN.2016 14:44:16

CH134




Date: 5.JUN.2016 14:44:48

Test Mode: UNII-2C/TX 802.11n(40MHz) Mode_CH102/CH110/CH134_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	0.38	0.18	0.56	11.00
CH110	5550	0.11	0.18	0.29	11.00
CH134	5670	0.20	0.18	0.38	11.00

CH102




Date: 5.JUN.2016 15:20:45

CH110



Date: 5.JUN.2016 15:21:15

CH134



Date: 5.JUN.2016 15:21:41


Test Mode: UNII-2C/TX 802.11n(40MHz) Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	5.09	11.00
CH110	5550	4.90	11.00
CH134	5670	4.80	11.00

Test Mode: UNII-3/ TX 802.11n(20MHz) Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.98	0.07	1.05	30.00
CH157	5785	0.57	0.07	0.64	30.00
CH165	5825	-0.03	0.07	0.04	30.00

TX CH149




Date: 5.JUN.2016 13:51:27

Test Mode: UNII-3/ TX 802.11n(20MHz) Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.86	0.07	0.93	30.00
CH157	5785	0.51	0.07	0.58	30.00
CH165	5825	0.44	0.07	0.51	30.00

TX CH149




Date: 5.JUN.2016 14:31:25

TX CH157



Date: 5.JUN.2016 14:32:10

TX CH165




Date: 5.JUN.2016 14:32:55

Test Mode: UNII-3/ TX 802.11n(20MHz) Mode_CH149/CH157/CH165_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.95	0.07	1.02	30.00
CH157	5785	0.62	0.07	0.69	30.00
CH165	5825	0.51	0.07	0.58	30.00

TX CH149




Date: 5.JUN.2016 15:03:07

Test Mode: UNII-3/ TX 802.11n(20MHz) Mode_CH149/CH157/CH165_Total


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.77	30.00
CH157	5785	5.41	30.00
CH165	5825	5.15	30.00

Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.89	0.18	-1.71	30.00
CH159	5795	-2.37	0.18	-2.19	30.00

TX CH151

Date: 5.JUN.2016 14:11:50


TX CH159

Date: 5.JUN.2016 14:12:10

Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.97	0.18	-1.79	30.00
CH159	5795	-2.52	0.18	-2.34	30.00

TX CH151



Date: 5.JUN.2016 14:45:22

TX CH159




Date: 5.JUN.2016 14:45:50

Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.02	0.18	-1.84	30.00
CH159	5795	-2.47	0.18	-2.29	30.00

TX CH151



Date: 5.JUN.2016 15:22:17

TX CH159




Date: 5.JUN.2016 15:24:31

Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_Total


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.99	30.00
CH159	5795	2.50	30.00

CH40



Date: 5.JUN.2016 13:56:02


CH48



Date: 5.JUN.2016 13:58:05

Test Mode: UNII-1/TX 802.11ac Wave2(20MHz) Mode_CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.73	0.06	2.79	17.00
CH40	5200	3.50	0.06	3.56	17.00
CH48	5240	4.75	0.06	4.81	17.00



Date: 5.JUN.2016 14:34:14


Test Mode: UNII-1/TX 802.11ac Wave2(20MHz) Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.83	0.06	2.89	17.00
CH40	5200	3.57	0.06	3.63	17.00
CH48	5240	4.78	0.06	4.84	17.00




Date: 5.JUN.2016 15:04:40

CH40



Date: 5.JUN.2016 15:05:09

CH48



Date: 5.JUN.2016 15:05:58


Test Mode: UNII-1/TX 802.11ac Wave2(20MHz) Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.85	17.00
CH40	5200	8.52	17.00
CH48	5240	9.70	17.00

Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.69	0.18	0.87	17.00
CH46	5230	1.79	0.18	1.97	17.00

CH38



Date: 5.JUN.2016 14:12:41

CH46




Date: 5.JUN.2016 14:13:21

Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.60	0.18	0.78	17.00
CH46	5230	1.69	0.18	1.87	17.00

CH38



Date: 5.JUN.2016 14:46:39

CH46




Date: 5.JUN.2016 14:47:05

Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.67	0.18	0.85	17.00
CH46	5230	1.03	0.18	1.21	17.00

CH38



Date: 5.JUN.2016 15:26:38

CH46




Date: 5.JUN.2016 15:27:41

Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.60	17.00
CH46	5230	6.47	17.00

Test Mode: UNII-1/TX 802.11ac Wave2(80MHz) Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.75	0.41	-1.34	17.00



Date: 5.JUN.2016 14:20:14

Test Mode: UNII-1/TX 802.11ac Wave2(80MHz) Mode_CH42_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.29	0.41	-0.88	17.00



Date: 5.JUN.2016 14:52:50

Test Mode: UNII-1/TX 802.11ac Wave2(80MHz) Mode_CH42_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.99	0.41	-1.58	17.00




Date: 5.JUN.2016 15:34:05

Test Mode: UNII-1/TX 802.11ac Wave2(80MHz) Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	3.51	17.00


Test Mode: UNII-2A/TX 802.11ac Wave2(20MHz) Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.21	0.06	3.27	11.00
CH60	5300	3.17	0.06	3.23	11.00
CH64	5320	3.15	0.06	3.21	11.00




Date: 5.JUN.2016 13:58:50

CH60



Date: 5.JUN.2016 13:59:37


CH64



Date: 5.JUN.2016 14:00:15


Test Mode: UNII-2A/TX 802.11ac Wave2(20MHz) Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.98	0.06	3.04	11.00
CH60	5300	3.31	0.06	3.37	11.00
CH64	5320	2.97	0.06	3.03	11.00




Date: 5.JUN.2016 14:36:33

CH60



Date: 5.JUN.2016 14:37:20


CH64



Date: 5.JUN.2016 14:37:57


Test Mode: UNII-2A/TX 802.11ac Wave2(20MHz) Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.00	0.06	3.06	11.00
CH60	5300	3.33	0.06	3.39	11.00
CH64	5320	3.00	0.06	3.06	11.00




Date: 5.JUN.2016 15:06:33

CH60



Date: 5.JUN.2016 15:07:29

CH64



Date: 5.JUN.2016 15:08:47


Test Mode: UNII-2A/TX 802.11ac Wave2(20MHz) Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.90	11.00
CH60	5300	8.10	11.00
CH64	5320	7.87	11.00

Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-0.03	0.18	0.15	11.00
CH62	5310	0.00	0.18	0.18	11.00

CH54



Date: 5.JUN.2016 14:14:46

CH62




Date: 5.JUN.2016 14:15:10

Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	0.25	0.18	0.43	11.00
CH62	5310	0.50	0.18	0.68	11.00

CH54



Date: 5.JUN.2016 14:48:14

CH62




Date: 5.JUN.2016 14:48:38

Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-0.07	0.18	0.11	11.00
CH62	5310	-0.05	0.18	0.13	11.00

CH54



Date: 5.JUN.2016 15:28:17

CH62




Date: 5.JUN.2016 15:28:58

Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	5.00	11.00
CH62	5310	5.11	11.00

Test Mode: UNII-2A/TX 802.11ac Wave2(80MHz) Mode_CH58_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-3.20	0.41	-2.79	11.00



Date: 5.JUN.2016 14:20:59

Test Mode: UNII-2A/TX 802.11ac Wave2(80MHz) Mode_CH58_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-2.76	0.41	-2.35	11.00



Date: 5.JUN.2016 14:53:30

Test Mode: UNII-2A/TX 802.11ac Wave2(80MHz) Mode_CH58_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-3.64	0.41	-3.23	11.00



Date: 5.JUN.2016 15:34:36


Test Mode: UNII-2A/TX 802.11ac Wave2(80MHz) Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	2.00	11.00

Test Mode: UNII-2C/TX 802.11ac Wave2(20MHz) Mode_CH100/CH116/CH140_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.76	0.06	2.82	11.00
CH116	5580	2.63	0.06	2.69	11.00
CH140	5700	2.68	0.06	2.74	11.00

CH100




Date: 5.JUN.2016 14:01:55

CH116



Date: 5.JUN.2016 14:02:20


CH140



Date: 5.JUN.2016 14:02:43


Test Mode: UNII-2C/TX 802.11ac Wave2(20MHz) Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.71	0.06	3.77	11.00
CH116	5580	3.10	0.06	3.16	11.00
CH140	5700	2.59	0.06	2.65	11.00




Date: 5.JUN.2016 14:38:27

CH116



Date: 5.JUN.2016 14:39:01


CH140



Date: 5.JUN.2016 14:39:25


Test Mode: UNII-2C/TX 802.11ac Wave2(20MHz) Mode_CH100/CH116/CH140_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.71	0.06	3.77	11.00
CH116	5580	3.13	0.06	3.19	11.00
CH140	5700	2.64	0.06	2.70	11.00




Date: 5.JUN.2016 15:09:27

CH116



Date: 5.JUN.2016 15:15:55

CH140




Date: 5.JUN.2016 15:16:22

Test Mode: UNII-2C/TX 802.11ac Wave2(20MHz) Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	8.25	11.00
CH116	5580	7.79	11.00
CH140	5700	7.47	11.00


Test Mode: UNII-2C/TX 802.11ac Wave2(40MHz) Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.35	0.18	-0.17	11.00
CH110	5550	-0.43	0.18	-0.25	11.00
CH134	5670	-0.74	0.18	-0.56	11.00




Date: 5.JUN.2016 14:16:00

CH110



Date: 5.JUN.2016 14:16:50

CH134




Date: 5.JUN.2016 14:17:18

Test Mode: UNII-2C/TX 802.11ac Wave2(40MHz) Mode_CH102/CH110/CH134_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	0.22	0.18	0.40	11.00
CH110	5550	0.13	0.18	0.31	11.00
CH134	5670	0.14	0.18	0.32	11.00

CH102




Date: 5.JUN.2016 14:49:03

CH110



Date: 5.JUN.2016 14:50:25

CH134




Date: 5.JUN.2016 14:50:58

Test Mode: UNII-2C/TX 802.11ac Wave2(40MHz) Mode_CH102/CH110/CH134_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.14	0.18	0.04	11.00
CH110	5550	-0.39	0.18	-0.21	11.00
CH134	5670	0.43	0.18	0.61	11.00

CH102




Date: 5.JUN.2016 15:29:27

CH110



Date: 5.JUN.2016 15:30:09

CH134



Date: 5.JUN.2016 15:31:13


Test Mode: UNII-2C/TX 802.11ac Wave2(40MHz) Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	4.87	11.00
CH110	5550	4.73	11.00
CH134	5670	4.92	11.00

Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-3.75	0.41	-3.34	11.00
CH122	5610	-4.13	0.41	-3.72	11.00

CH106



Date: 5.JUN.2016 14:21:32

CH122




Date: 5.JUN.2016 14:22:06

Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-3.40	0.41	-2.99	11.00
CH122	5610	-3.22	0.41	-2.81	11.00

CH106



Date: 5.JUN.2016 14:54:02

CH122




Date: 5.JUN.2016 14:54:52

Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-3.49	0.41	-3.08	11.00
CH122	5610	-3.77	0.41	-3.36	11.00

CH106



Date: 5.JUN.2016 15:35:03

CH122




Date: 5.JUN.2016 15:35:35

Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	1.64	11.00
CH122	5610	1.49	11.00

Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz) Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.99	0.06	1.05	30.00
CH157	5785	0.52	0.06	0.58	30.00
CH165	5825	-0.03	0.06	0.03	30.00




Date: 5.JUN.2016 14:04:59

Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz) Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.89	0.06	0.95	30.00
CH157	5785	0.57	0.06	0.63	30.00
CH165	5825	0.43	0.06	0.49	30.00

TX CH149




Date: 5.JUN.2016 14:39:54

Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz) Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.93	0.06	0.99	30.00
CH157	5785	0.63	0.06	0.69	30.00
CH165	5825	0.48	0.06	0.54	30.00

TX CH149




Date: 5.JUN.2016 15:16:48

TX CH157



Date: 5.JUN.2016 15:17:16

TX CH165



Date: 5.JUN.2016 15:17:53


Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz) Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.77	30.00
CH157	5785	5.40	30.00
CH165	5825	5.13	30.00

Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.82	0.18	-1.64	30.00
CH159	5795	-2.45	0.18	-2.27	30.00

TX CH151



Date: 5.JUN.2016 14:17:49

TX CH159




Date: 5.JUN.2016 14:19:27

Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.12	0.18	-1.94	30.00
CH159	5795	-2.60	0.18	-2.42	30.00

TX CH151



Date: 5.JUN.2016 14:51:38

TX CH159




Date: 5.JUN.2016 14:52:10

Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.12	0.18	-0.94	30.00
CH159	5795	-1.87	0.18	-1.69	30.00

TX CH151



Date: 5.JUN.2016 15:32:54

TX CH159



Date: 5.JUN.2016 15:33:16


Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.29	30.00
CH159	5795	2.66	30.00

Test Mode: UNII-3/ TX 802.11ac Wave2(80MHz) Mode_CH155_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-4.51	0.41	-4.10	30.00

TX CH155



Date: 5.JUN.2016 15:36:07


Test Mode: UNII-3/ TX 802.11ac Wave2(80MHz) Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	0.02	30.00

For 4TX with Beamforming


Test Mode: UNII-1/TX 802.11n(20MHz) Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.19	0.07	3.26	17.00
CH40	5200	3.90	0.07	3.97	17.00
CH48	5240	5.10	0.07	5.17	17.00




Date: 2.JUN.2016 17:43:53

CH40



Date: 2.JUN.2016 17:44:21


CH48



Date: 2.JUN.2016 17:46:13


Test Mode: UNII-1/TX 802.11n(20MHz) Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.71	0.07	2.78	17.00
CH40	5200	3.45	0.07	3.52	17.00
CH48	5240	4.76	0.07	4.83	17.00




Date: 5.JUN.2016 11:31:37

CH40



Date: 5.JUN.2016 11:32:15


CH48



Date: 5.JUN.2016 11:32:33


Test Mode: UNII-1/TX 802.11n(20MHz) Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.45	0.07	2.52	17.00
CH40	5200	3.16	0.07	3.23	17.00
CH48	5240	4.38	0.07	4.45	17.00




Date: 5.JUN.2016 12:11:09

CH40



Date: 5.JUN.2016 12:11:37


CH48



Date: 5.JUN.2016 12:12:11


Test Mode: UNII-1/TX 802.11n(20MHz) Mode_CH36/CH40/CH48_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.38	0.07	3.45	17.00
CH40	5200	3.88	0.07	3.95	17.00
CH48	5240	5.00	0.07	5.07	17.00




Date: 5.JUN.2016 12:49:37

CH40



Date: 5.JUN.2016 12:50:08

CH48



Date: 5.JUN.2016 12:50:33


Test Mode: UNII-1/TX 802.11n(20MHz) Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	9.03	17.00
CH40	5200	9.69	17.00
CH48	5240	10.90	17.00

Test Mode: UNII-1/TX 802.11n(40MHz) Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.68	0.18	0.86	17.00
CH46	5230	1.83	0.18	2.01	17.00

CH38



Date: 2.JUN.2016 17:59:45

CH46




Date: 2.JUN.2016 18:00:31

Test Mode: UNII-1/TX 802.11n(40MHz) Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.63	0.18	0.81	17.00
CH46	5230	1.71	0.18	1.89	17.00

CH38



Date: 5.JUN.2016 11:48:07

CH46




Date: 5.JUN.2016 11:49:00

Test Mode: UNII-1/TX 802.11n(40MHz) Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.17	0.18	0.01	17.00
CH46	5230	1.05	0.18	1.23	17.00

CH38



Date: 5.JUN.2016 12:23:12

CH46




Date: 5.JUN.2016 12:23:33

Test Mode: UNII-1/TX 802.11n(40MHz) Mode_CH38/CH46_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.48	0.18	0.66	17.00
CH46	5230	1.50	0.18	1.68	17.00

CH38



Date: 5.JUN.2016 13:08:47

CH46




Date: 5.JUN.2016 13:09:15

Test Mode: UNII-1/TX 802.11n(40MHz) Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	6.62	17.00
CH46	5230	7.73	17.00


Test Mode: UNII-2A/TX 802.11n(20MHz) Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.22	0.07	1.29	11.00
CH60	5300	1.30	0.07	1.37	11.00
CH64	5320	1.29	0.07	1.36	11.00




Date: 2.JUN.2016 17:46:54

CH60



Date: 2.JUN.2016 17:47:19


CH64



Date: 2.JUN.2016 17:47:39


Test Mode: UNII-2A/TX 802.11n(20MHz) Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.79	0.07	0.86	11.00
CH60	5300	0.95	0.07	1.02	11.00
CH64	5320	0.72	0.07	0.79	11.00




Date: 5.JUN.2016 11:32:57

CH60



Date: 5.JUN.2016 11:34:24


CH64



Date: 5.JUN.2016 11:34:45


Test Mode: UNII-2A/TX 802.11n(20MHz) Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.66	0.07	0.73	11.00
CH60	5300	0.74	0.07	0.81	11.00
CH64	5320	0.27	0.07	0.34	11.00




Date: 5.JUN.2016 12:12:39

CH60



Date: 5.JUN.2016 12:13:01


CH64



Date: 5.JUN.2016 12:13:41


Test Mode: UNII-2A/TX 802.11n(20MHz) Mode_CH52/CH60/CH64_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.93	0.07	1.00	11.00
CH60	5300	0.75	0.07	0.82	11.00
CH64	5320	0.62	0.07	0.69	11.00




Date: 5.JUN.2016 12:50:56

CH60



Date: 5.JUN.2016 12:51:15

CH64



Date: 5.JUN.2016 12:51:32


Test Mode: UNII-2A/TX 802.11n(20MHz) Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.99	11.00
CH60	5300	7.03	11.00
CH64	5320	6.83	11.00

Test Mode: UNII-2A/TX 802.11n(40MHz) Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.79	0.18	-1.61	11.00
CH62	5310	-1.65	0.18	-1.47	11.00

CH54



Date: 2.JUN.2016 18:01:11

CH62




Date: 2.JUN.2016 18:02:48

Test Mode: UNII-2A/TX 802.11n(40MHz) Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.93	0.18	-1.75	11.00
CH62	5310	-1.72	0.18	-1.54	11.00

CH54



Date: 5.JUN.2016 11:49:22

CH62




Date: 5.JUN.2016 11:50:00

Test Mode: UNII-2A/TX 802.11n(40MHz) Mode_CH54/CH62_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.45	0.18	-2.27	11.00
CH62	5310	-2.20	0.18	-2.02	11.00

CH54



Date: 5.JUN.2016 12:24:02

CH62




Date: 5.JUN.2016 12:25:22

Test Mode: UNII-2A/TX 802.11n(40MHz) Mode_CH54/CH62_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.25	0.18	-2.07	11.00
CH62	5310	-2.41	0.18	-2.23	11.00

CH54



Date: 5.JUN.2016 13:10:03

CH62



Date: 5.JUN.2016 13:10:32


Test Mode: UNII-2A/TX 802.11n(40MHz) Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.10	11.00
CH62	5310	4.21	11.00

Test Mode: UNII-2C/TX 802.11n(20MHz) Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.52	0.07	0.59	11.00
CH116	5580	0.44	0.07	0.51	11.00
CH140	5700	0.34	0.07	0.41	11.00

CH100




Date: 2.JUN.2016 17:48:03

Test Mode: UNII-2C/TX 802.11n(20MHz) Mode_CH100/CH116/CH140_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.34	0.07	1.41	11.00
CH116	5580	0.98	0.07	1.05	11.00
CH140	5700	0.50	0.07	0.57	11.00

CH100




Date: 5.JUN.2016 11:35:45

CH116



Date: 5.JUN.2016 11:36:43

CH140




Date: 5.JUN.2016 11:37:25

Test Mode: UNII-2C/TX 802.11n(20MHz) Mode_CH100/CH116/CH140_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.23	0.07	0.30	11.00
CH116	5580	0.68	0.07	0.75	11.00
CH140	5700	1.04	0.07	1.11	11.00

CH100




Date: 5.JUN.2016 12:14:07

CH116



Date: 5.JUN.2016 12:14:29

CH140




Date: 5.JUN.2016 12:14:48

Test Mode: UNII-2C/TX 802.11n(20MHz) Mode_CH100/CH116/CH140_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.64	0.07	0.71	11.00
CH116	5580	0.83	0.07	0.90	11.00
CH140	5700	1.39	0.07	1.46	11.00

CH100




Date: 5.JUN.2016 12:51:54

CH116



Date: 5.JUN.2016 12:52:14

CH140




Date: 5.JUN.2016 12:52:35

Test Mode: UNII-2C/TX 802.11n(20MHz) Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.79	11.00
CH116	5580	6.82	11.00
CH140	5700	6.92	11.00


Test Mode: UNII-2C/TX 802.11n(40MHz) Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.29	0.18	-2.11	11.00
CH110	5550	-2.32	0.18	-2.14	11.00
CH134	5670	-2.98	0.18	-2.80	11.00




Date: 2.JUN.2016 18:03:22

CH110



Date: 2.JUN.2016 18:03:53


CH134



Date: 2.JUN.2016 18:04:25


Test Mode: UNII-2C/TX 802.11n(40MHz) Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.70	0.18	-1.52	11.00
CH110	5550	-1.80	0.18	-1.62	11.00
CH134	5670	-1.77	0.18	-1.59	11.00




Date: 2.JUN.2016 18:03:22

CH110



Date: 2.JUN.2016 18:03:53

CH134




Date: 2.JUN.2016 18:04:25

Test Mode: UNII-2C/TX 802.11n(40MHz) Mode_CH102/CH110/CH134_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.22	0.18	-2.04	11.00
CH110	5550	-2.44	0.18	-2.26	11.00
CH134	5670	-1.68	0.18	-1.50	11.00

CH102




Date: 5.JUN.2016 12:26:04

Test Mode: UNII-2C/TX 802.11n(40MHz) Mode_CH102/CH110/CH134_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.20	0.18	-2.02	11.00
CH110	5550	-1.94	0.18	-1.76	11.00
CH134	5670	-1.68	0.18	-1.50	11.00

CH102




Date: 5.JUN.2016 13:10:54

CH110



Date: 5.JUN.2016 13:11:20

CH134



Date: 5.JUN.2016 13:11:42


Test Mode: UNII-2C/TX 802.11n(40MHz) Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	4.10	11.00
CH110	5550	4.08	11.00
CH134	5670	4.20	11.00

Test Mode: UNII-3/ TX 802.11n(20MHz) Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.27	0.07	0.34	30.00
CH157	5785	-0.38	0.07	-0.31	30.00
CH165	5825	-1.06	0.07	-0.99	30.00

TX CH149




Date: 2.JUN.2016 17:50:20

TX CH157



Date: 2.JUN.2016 17:50:52

TX CH165




Date: 2.JUN.2016 17:51:25

Test Mode: UNII-3/ TX 802.11n(20MHz) Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.60	0.07	0.67	30.00
CH157	5785	0.45	0.07	0.52	30.00
CH165	5825	0.16	0.07	0.23	30.00

TX CH149




Date: 5.JUN.2016 11:38:16

TX CH157



Date: 5.JUN.2016 11:38:54

TX CH165




Date: 5.JUN.2016 11:39:14

Test Mode: UNII-3/ TX 802.11n(20MHz) Mode_CH149/CH157/CH165_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.86	0.07	1.93	30.00
CH157	5785	1.12	0.07	1.19	30.00
CH165	5825	0.34	0.07	0.41	30.00

TX CH149




Date: 5.JUN.2016 12:15:14

Test Mode: UNII-3/ TX 802.11n(20MHz) Mode_CH149/CH157/CH165_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.07	0.07	2.14	30.00
CH157	5785	1.47	0.07	1.54	30.00
CH165	5825	0.76	0.07	0.83	30.00

TX CH149




Date: 5.JUN.2016 12:53:07

TX CH157



Date: 5.JUN.2016 12:53:36

TX CH165



Date: 5.JUN.2016 12:53:56

Test Mode: UNII-3/ TX 802.11n(20MHz) Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.36	30.00
CH157	5785	6.81	30.00
CH165	5825	6.19	30.00

Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.38	0.18	-2.20	30.00
CH159	5795	-3.28	0.18	-3.10	30.00


Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.23	0.18	-2.05	30.00
CH159	5795	-2.64	0.18	-2.46	30.00

Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.32	0.18	-1.14	30.00
CH159	5795	-2.21	0.18	-2.03	30.00

TX CH151



Date: 5.JUN.2016 12:27:28

TX CH159




Date: 5.JUN.2016 12:27:54

Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.11	0.18	-0.93	30.00
CH159	5795	-1.79	0.18	-1.61	30.00

TX CH151



Date: 5.JUN.2016 13:12:12

TX CH159




Date: 5.JUN.2016 13:12:43

Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.47	30.00
CH159	5795	3.75	30.00


Test Mode: UNII-1/TX 802.11ac Wave2(20MHz) Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.24	0.06	3.30	17.00
CH40	5200	3.83	0.06	3.89	17.00
CH48	5240	5.14	0.06	5.20	17.00




Date: 2.JUN.2016 17:52:02

CH40



Date: 2.JUN.2016 17:52:32


CH48



Date: 2.JUN.2016 17:52:56


Test Mode: UNII-1/TX 802.11ac Wave2(20MHz) Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.85	0.06	2.91	17.00
CH40	5200	3.50	0.06	3.56	17.00
CH48	5240	4.88	0.06	4.94	17.00




Date: 5.JUN.2016 11:39:40

CH40




Date: 5.JUN.2016 11:40:17

CH48




Date: 5.JUN.2016 11:40:44

CH40




Date: 5.JUN.2016 12:16:54

CH48




Date: 5.JUN.2016 12:17:30

CH40



Date: 5.JUN.2016 12:56:27

CH48



Date: 5.JUN.2016 12:56:48


Test Mode: UNII-1/TX 802.11ac Wave2(20MHz) Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	9.08	17.00
CH40	5200	9.74	17.00
CH48	5240	10.93	17.00

Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.65	0.18	0.83	17.00
CH46	5230	1.83	0.18	2.01	17.00

CH38



Date: 2.JUN.2016 18:08:30

CH46




Date: 2.JUN.2016 18:09:08

Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.54	0.18	0.72	17.00
CH46	5230	1.84	0.18	2.02	17.00

CH38



Date: 5.JUN.2016 11:53:25

CH46



Date: 5.JUN.2016 11:53:44


Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.15	0.18	0.03	17.00
CH46	5230	1.17	0.18	1.35	17.00

Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.54	0.18	0.72	17.00
CH46	5230	1.37	0.18	1.55	17.00

CH38



Date: 5.JUN.2016 13:13:50

CH46




Date: 5.JUN.2016 13:14:26

Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.32	17.00
CH46	5230	6.58	17.00

Test Mode: UNII-1/TX 802.11ac Wave2(80MHz) Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.33	0.41	-0.92	17.00



Date: 2.JUN.2016 18:15:04

Test Mode: UNII-1/TX 802.11ac Wave2(80MHz) Mode_CH42_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.35	0.41	-1.94	17.00



Date: 5.JUN.2016 12:33:22

Test Mode: UNII-1/TX 802.11ac Wave2(80MHz) Mode_CH42_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.49	0.41	-2.08	17.00




Date: 5.JUN.2016 13:19:50

Test Mode: UNII-1/TX 802.11ac Wave2(80MHz) Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	4.59	17.00


Test Mode: UNII-2A/TX 802.11ac Wave2(20MHz) Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.29	0.06	1.29	11.00
CH60	5300	1.35	0.06	1.35	11.00
CH64	5320	1.35	0.06	1.35	11.00




Date: 2.JUN.2016 17:54:29

CH60



Date: 2.JUN.2016 17:54:48


CH64



Date: 2.JUN.2016 17:55:29


Test Mode: UNII-2A/TX 802.11ac Wave2(20MHz) Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.86	0.06	0.86	11.00
CH60	5300	1.03	0.06	1.03	11.00
CH64	5320	0.88	0.06	0.88	11.00




Date: 5.JUN.2016 11:41:09

CH60



Date: 5.JUN.2016 11:41:27


CH64



Date: 5.JUN.2016 11:42:05


Test Mode: UNII-2A/TX 802.11ac Wave2(20MHz) Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.71	0.06	0.71	11.00
CH60	5300	0.73	0.06	0.73	11.00
CH64	5320	0.34	0.06	0.34	11.00




Date: 5.JUN.2016 12:18:03

CH60



Date: 5.JUN.2016 12:18:33


CH64



Date: 5.JUN.2016 12:18:56


Test Mode: UNII-2A/TX 802.11ac Wave2(20MHz) Mode_CH52/CH60/CH64_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.02	0.06	1.08	11.00
CH60	5300	0.74	0.06	0.80	11.00
CH64	5320	0.68	0.06	0.74	11.00




Date: 5.JUN.2016 12:58:10

CH60



Date: 5.JUN.2016 12:58:29

CH64



Date: 5.JUN.2016 12:58:53


Test Mode: UNII-2A/TX 802.11ac Wave2(20MHz) Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.05	11.00
CH60	5300	7.05	11.00
CH64	5320	6.91	11.00

Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.81	0.18	-1.63	11.00
CH62	5310	-1.64	0.18	-1.46	11.00

CH54



Date: 2.JUN.2016 18:10:18

CH62




Date: 2.JUN.2016 18:10:50

Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.85	0.18	-1.67	11.00
CH62	5310	-1.69	0.18	-1.51	11.00

CH54



Date: 5.JUN.2016 12:01:33

CH62




Date: 5.JUN.2016 12:03:25

Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.23	0.18	-2.05	11.00
CH62	5310	-2.27	0.18	-2.09	11.00

CH54



Date: 5.JUN.2016 12:29:20

CH62




Date: 5.JUN.2016 12:29:48

Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.40	0.18	-2.22	11.00
CH62	5310	-2.36	0.18	-2.18	11.00

CH54



Date: 5.JUN.2016 13:14:58

CH62




Date: 5.JUN.2016 13:15:30

Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.00	11.00
CH62	5310	3.10	11.00

Test Mode: UNII-2A/TX 802.11ac Wave2(80MHz) Mode_CH58_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-4.88	0.41	-4.47	11.00



Date: 2.JUN.2016 18:15:38

Test Mode: UNII-2A/TX 802.11ac Wave2(80MHz) Mode_CH58_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-4.94	0.41	-4.53	11.00



Date: 5.JUN.2016 12:08:18

Test Mode: UNII-2A/TX 802.11ac Wave2(80MHz) Mode_CH58_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-5.75	0.41	-5.34	11.00



Date: 5.JUN.2016 13:20:26


Test Mode: UNII-2A/TX 802.11ac Wave2(80MHz) Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	1.23	11.00

Test Mode: UNII-2C/TX 802.11ac Wave2(20MHz) Mode_CH100/CH116/CH140_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.59	0.06	0.65	11.00
CH116	5580	0.49	0.06	0.55	11.00
CH140	5700	0.37	0.06	0.43	11.00

CH100




Date: 2.JUN.2016 17:55:51

CH116



Date: 2.JUN.2016 17:56:17

CH140




Date: 2.JUN.2016 17:56:43

Test Mode: UNII-2C/TX 802.11ac Wave2(20MHz) Mode_CH100/CH116/CH140_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.39	0.06	1.45	11.00
CH116	5580	1.02	0.06	1.08	11.00
CH140	5700	0.57	0.06	0.63	11.00

CH100




Date: 5.JUN.2016 11:42:38

CH116



Date: 5.JUN.2016 11:43:12

CH140




Date: 5.JUN.2016 11:43:56

Test Mode: UNII-2C/TX 802.11ac Wave2(20MHz) Mode_CH100/CH116/CH140_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.24	0.06	0.30	11.00
CH116	5580	0.73	0.06	0.79	11.00
CH140	5700	1.05	0.06	1.11	11.00

CH100




Date: 5.JUN.2016 12:19:18

CH116



Date: 5.JUN.2016 12:19:41


CH140



Date: 5.JUN.2016 12:20:03


Test Mode: UNII-2C/TX 802.11ac Wave2(20MHz) Mode_CH100/CH116/CH140_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.76	0.06	0.82	11.00
CH116	5580	0.88	0.06	0.94	11.00
CH140	5700	1.45	0.06	1.51	11.00




Date: 5.JUN.2016 12:59:16

CH116



Date: 5.JUN.2016 12:59:40

CH140



Date: 5.JUN.2016 13:00:08


Test Mode: UNII-2C/TX 802.11ac Wave2(20MHz) Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.84	11.00
CH116	5580	6.86	11.00
CH140	5700	6.96	11.00

Test Mode: UNII-2C/TX 802.11ac Wave2(40MHz) Mode_CH102/CH110/CH134_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.34	0.18	-2.16	11.00
CH110	5550	-2.26	0.18	-2.08	11.00
CH134	5670	-2.99	0.18	-2.81	11.00

CH102




Date: 2.JUN.2016 18:12:19

CH110



Date: 2.JUN.2016 18:13:06

CH134




Date: 2.JUN.2016 18:13:37

Test Mode: UNII-2C/TX 802.11ac Wave2(40MHz) Mode_CH102/CH110/CH134_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.67	0.18	-1.49	11.00
CH110	5550	-1.86	0.18	-1.68	11.00
CH134	5670	-1.74	0.18	-1.56	11.00

CH102




Date: 5.JUN.2016 12:03:44

CH110



Date: 5.JUN.2016 12:04:07


CH134



Date: 5.JUN.2016 12:04:46


Test Mode: UNII-2C/TX 802.11ac Wave2(40MHz) Mode_CH102/CH110/CH134_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.28	0.18	-2.10	11.00
CH110	5550	-2.43	0.18	-2.25	11.00
CH134	5670	-1.56	0.18	-1.38	11.00




Date: 5.JUN.2016 12:30:19

CH110



Date: 5.JUN.2016 12:30:44

CH134




Date: 5.JUN.2016 12:31:10

Test Mode: UNII-2C/TX 802.11ac Wave2(40MHz) Mode_CH102/CH110/CH134_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.34	0.18	-2.16	11.00
CH110	5550	-2.17	0.18	-1.99	11.00
CH134	5670	-1.56	0.18	-1.38	11.00

CH102




Date: 5.JUN.2016 13:16:42

CH110



Date: 5.JUN.2016 13:17:19

CH134



Date: 5.JUN.2016 13:17:40


Test Mode: UNII-2C/TX 802.11ac Wave2(40MHz) Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.87	11.00
CH110	5550	2.78	11.00
CH134	5670	2.90	11.00

Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-5.51	0.41	-5.10	11.00
CH122	5610	-5.86	0.41	-5.45	11.00

CH106



Date: 2.JUN.2016 18:16:07

CH122




Date: 2.JUN.2016 18:16:37

Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-5.33	0.41	-4.92	11.00
CH122	5610	-5.25	0.41	-4.84	11.00

CH106



Date: 5.JUN.2016 12:08:42

CH122




Date: 5.JUN.2016 12:09:07

Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-5.49	0.41	-5.08	11.00
CH122	5610	-5.50	0.41	-5.09	11.00

CH106



Date: 5.JUN.2016 12:34:44

CH122




Date: 5.JUN.2016 12:35:12

Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-5.09	0.41	-4.68	11.00
CH122	5610	-5.43	0.41	-5.02	11.00

CH106



Date: 5.JUN.2016 13:20:54

CH122



Date: 5.JUN.2016 13:21:27


Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	1.08	11.00
CH122	5610	0.93	11.00

Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz) Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.23	0.06	0.29	30.00
CH157	5785	-0.37	0.06	-0.31	30.00
CH165	5825	-0.99	0.06	-0.93	30.00

TX CH149




Date: 2.JUN.2016 17:57:12

TX CH157



Date: 2.JUN.2016 17:57:34

TX CH165




Date: 2.JUN.2016 17:59:16

Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz) Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.68	0.06	0.74	30.00
CH157	5785	0.60	0.06	0.66	30.00
CH165	5825	0.25	0.06	0.31	30.00

TX CH149




Date: 5.JUN.2016 11:46:09

TX CH157



Date: 5.JUN.2016 11:47:03

TX CH165




Date: 5.JUN.2016 11:47:22

Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz) Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.90	0.06	1.96	30.00
CH157	5785	1.14	0.06	1.20	30.00
CH165	5825	0.32	0.06	0.38	30.00

TX CH149




Date: 5.JUN.2016 12:20:34

TX CH157



Date: 5.JUN.2016 12:21:36

TX CH165




Date: 5.JUN.2016 12:22:41

Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz) Mode_CH149/CH157/CH165_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.15	0.06	2.21	30.00
CH157	5785	1.51	0.06	1.57	30.00
CH165	5825	0.82	0.06	0.88	30.00

TX CH149




Date: 5.JUN.2016 13:07:32

TX CH157



Date: 5.JUN.2016 13:07:58

TX CH165



Date: 5.JUN.2016 13:08:20


Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz) Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.39	30.00
CH157	5785	6.85	30.00
CH165	5825	6.23	30.00

Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.43	0.18	-2.25	30.00
CH159	5795	-3.27	0.18	-3.09	30.00

TX CH151



Date: 2.JUN.2016 18:14:08

TX CH159




Date: 2.JUN.2016 18:14:30

Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.24	0.18	-2.06	30.00
CH159	5795	-2.52	0.18	-2.34	30.00

TX CH151



Date: 5.JUN.2016 12:05:23

TX CH159



Date: 5.JUN.2016 12:05:47


Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.48	0.18	-1.30	30.00
CH159	5795	-2.16	0.18	-1.98	30.00

Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.14	0.18	-0.96	30.00
CH159	5795	-1.71	0.18	-1.53	30.00

TX CH151



Date: 5.JUN.2016 13:18:50

TX CH159



Date: 5.JUN.2016 13:19:16


Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.41	30.00
CH159	5795	3.83	30.00

Test Mode: UNII-3/ TX 802.11ac Wave2(80MHz) Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-5.77	0.41	-5.36	30.00

TX CH155




Date: 5.JUN.2016 12:09:39

Test Mode: UNII-3/ TX 802.11ac Wave2(80MHz) Mode_CH155_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-4.60	0.41	-4.19	30.00

TX CH155




Date: 5.JUN.2016 12:35:43

Test Mode: UNII-3/ TX 802.11ac Wave2(80MHz) Mode_CH155_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-4.37	0.41	-3.96	30.00

TX CH155



Date: 5.JUN.2016 12:35:43

Test Mode: UNII-3/ TX 802.11ac Wave2(80MHz) Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	1.31	30.00

ATTACHMENT I - FREQUENCY STABILITY

Test Mode:	UNII-1
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0174
120	5180.0176
108	5180.0175
Max. Deviation (MHz)	0.0176
Max. Deviation (ppm)	3.3977

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5180.0000
-10	5180.0172
5	5180.0174
15	5180.0176
25	5180.0173
35	5180.0175
45	5180.0172
50	5180.0175
Max. Deviation (MHz)	0.0176
Max. Deviation (ppm)	3.3977

Test Mode:	UNII-2A
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5260.0138
120	5260.0140
108	5260.0139
Max. Deviation (MHz)	0.0140
Max. Deviation (ppm)	2.6616

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5260.0000
-10	5260.0134
5	5260.0136
15	5260.0138
25	5260.0135
35	5260.0137
45	5260.0133
50	5260.0135
Max. Deviation (MHz)	0.0138
Max. Deviation (ppm)	2.6236

Test Mode:	UNII-2C
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5500.0146
120	5500.0148
108	5500.0147
Max. Deviation (MHz)	0.0148
Max. Deviation (ppm)	2.6909

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5500.0000
-10	5500.0147
5	5500.0149
15	5500.0151
25	5500.0148
35	5500.0150
45	5500.0148
50	5500.0150
Max. Deviation (MHz)	0.0151
Max. Deviation (ppm)	2.7455

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
138	5745.0346
120	5745.0348
108	5745.0347
Max. Deviation (MHz)	0.0348
Max. Deviation (ppm)	6.0574

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5745.0000
-10	5745.0341
5	5745.0343
15	5745.0345
25	5745.0342
35	5745.0344
45	5745.0341
50	5745.0343
Max. Deviation (MHz)	0.0345
Max. Deviation (ppm)	6.0052