








802.11 ac20 Mode















































802.11ac40 Mode







































802.11ac80 Mode



























6.4.3. 3TX MODE

Mode	Oh a a a a a l	Antenna	PSD (dBm)		Lippit (alDiss)
	Channel		Single	Total	Limit (dBm)
		Α	-4.943	0.434	0.5
	5260	В	-3.845		0.5
		С	-4.289		0.5
		А	-5.084	0.274	0.5
	5300	В	-4.048		0.5
		С	-4.424		0.5
		А	-5.347	0.205	0.5
	5320	В	-4.66		0.5
		С	-3.824		0.5
		Α	-5.331		0.5
а	5500	В	-4.60	0.194	0.5
		С	-3.916]	0.5
		Α	-4.944		0.5
	5580	В	-4.587	0.224	0.5
		С	-4.149		0.5
		Α	-4.966	0.383	0.5
	5700	В	-3.885		0.5
		С	-4.371		0.5
	5720	А	-4.823	0.416	0.5
		В	-3.851		0.5
		С	-4.451		0.5
	5260	Α	-5.275	0.037	0.5
		В	-4.435		0.5
		С	-4.53		0.5
		А	-5.315	-0.088	0.5
	5300	В	-4.626		0.5
n20		С	-4.661		0.5
	5320	Α	-5.298	0.044	0.5
		В	-4.833		0.5
		С	-4.131		0.5
	5500	А	-5.296	-0.289	0.5
		В	-5.281		0.5



		С	-4.625		0.5
		А	-4.439	0.418	0.5
	5580	В	-4.161		0.5
		С	-4.465		0.5
		Α	-5.257		0.5
	5700	В	-3.57	0.295	0.5
		С	-4.776		0.5
		Α	-4.684	0.329	0.5
	5720	В	-3.884		0.5
		С	-4.828		0.5
		Α	-5.161	0.059	0.5
	5260	В	-4.637		0.5
		С	-4.372		0.5
		Α	-5.457	-0.002	0.5
	5300	В	-4.515		0.5
		С	-4.414		0.5
		Α	-5.468	-0.073	0.5
	5320	В	-4.685		0.5
		С	-4.438		0.5
		Α	-5.302	-0.066	0.5
ac20	5500	В	-4.998		0.5
		С	-4.276		0.5
	5580	Α	-4.396	0.367	0.5
		В	-4.463		0.5
		С	-4.352		0.5
	5700	Α	-5.065	0.368	0.5
		В	-3.645		0.5
		С	-4.613		0.5
	5720	А	-5.225	0.123	0.5
		В	-4.08		0.5
		С	-4.71		0.5
		Α	-5.799	-0.719	0.5
	5270	В	-5.536		0.5
		С	-5.155		0.5
	5310	А	-5.711	-0.606	0.5
· · · · · · · · · · · · · · · · · · ·			-		



Page 110 of 501

		В	-5.741		0.5
n40		С	-4.755		0.5
		Α	-7.069	-1.884	0.5
	5510	В	-7.222		0.5
		С	-5.816		0.5
		Α	-6.465	-1.499	0.5
	5550	В	-6.371		0.5
		С	-5.986		0.5
		А	-5.945	-1.634	0.5
	5670	В	-6.470		0.5
		С	-6.842		0.5
		Α	-5.746	-0.418	0.5
	5710	В	-4.832		0.5
		С	-5.039		0.5
		Α	-5.61		0.5
	5270	В	-4.976	-0.325	0.5
		С	-4.744		0.5
		Α	-6.14		0.5
	5310	В	-5.301	-0.684	0.5
		С	-5.004		0.5
		Α	-6.812	-1.714	0.5
	5510	В	-6.61		0.5
ac40		С	-6.069		0.5
		Α	-6.291	-1.463	0.5
	5550	В	-6.463		0.5
		С	-5.967		0.5
		Α	-5.814	-0.654	0.5
	5670	В	-5.268		0.5
		С	-5.219		0.5
		Α	-5.562	-0.348	0.5
	5710	В	-4.706		0.5
		С	-5.13		0.5
		А	-9.521	-4.244	0.5
	5290	В	-9.196		0.5
		С	-8.402		0.5




Page 111 of 501

ac80		А	-11.741		0.5
	5530	В	-13.178	-7.923	0.5
		С	-13.35		0.5
		А	-9.072		0.5
	5610	В	-9.257	-4.39	0.5
		С	-9.135		0.5
	5690	А	-9.143	-3.797	0.5
		В	-8.465		0.5
		С	-8.159		0.5
Note: PSD=	TEST PLO	T Value + 10 log (1/x). where x is the duty	cvcle	


Note: PSD = 1ESTPLOT value + 10 log (1/x), where x is the duty cycle.

TEST PLOT FOR ANTENNA A, B AND C


802.11a Mode
























































































802.11n20 Mode 5260MHz

