


VERTICAL RESULTS PEAK




3TX Mode

RESTRICTED BANDEDGE LOW CHANNEL



Note: 1. Measurement = Reading Level + Correct Factor.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



Note: 1. Measurement = Reading Level + Correct Factor

2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).


3. For duty cycle, please refer to clause 6.1.



VERTICAL RESULTS PEAK

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.




Note: 1. Measurement = Reading Level + Correct Factor


- 2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).
- 3. For duty cycle, please refer to clause 6.1.



BANDEDGE HIGH CHANNEL



HORIZONTAL RESULTS PEAK



VERTICAL RESULTS PEAK

UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch FORM NO: 10-SL-F0035 This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



5


6

2251.158

5341.084

3TX (WORST-CASE CONFIGURATION)

HARMONICS AND SPURIOUS EMISSIONS LOW CHANNEL



HORIZONTAL RESULTS <u>1-7GHz</u>

Note: 1. Measurement = Reading Level + Correct Factor.

52.27

44.83

If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 Peak: Peak detector.

43.91

44.66

-8.36

-0.17

74.00

74.00

-30.09


-29.34

peak

peak



HORIZONTAL RESULTS 7-18GHz




No.	Frequency	Reading	Correct	Result Limit		Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	11320.793	34.68	13.46	48.14	74.00	-25.86	peak
2	11901.894	33.68	15.22	48.90	74.00	-25.10	peak
3	13068.428	33.09	16.45	49.54	74.00	-24.46	peak
4	13597.238	32.18	18.53	50.71	74.00	-23.29	peak
5	14403.609	32.14	17.88	50.02	74.00	-23.98	peak
6	17813.965	28.47	24.25	52.72	74.00	-21.28	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.





VERTICAL RESULTS <u>1-7GHz</u>


No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	1123.844	55.37	-14.04	41.33	74.00	-32.67	peak
2	1498.927	53.74	-12.71	41.03	74.00	-32.97	peak
3	1751.412	53.89	-11.89	42.00	74.00	-32.00	peak
4	2251.158	50.53	-8.36	42.17	74.00	-31.83	peak
5	2750.749	48.49	-8.04	40.45	74.00	-33.55	peak
6	5424.881	45.62	0.50	46.12	74.00	-27.88	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



<u>7-18GHz</u>




No.	Frequency	Reading	Correct	Result Limit		Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	10496.944	35.78	12.00	47.78	74.00	-26.22	peak
2	11025.339	34.93	12.88	47.81	74.00	-26.19	peak
3	11958.232	34.00	14.74	48.74	74.00	-25.26	peak
4	13597.238	33.36	18.37	51.73	74.00	-22.27	peak
5	13804.271	31.83	19.01	50.84	74.00	-23.16	peak
6	17813.965	28.00	24.42	52.42	74.00	-21.58	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



HARMONICS AND SPURIOUS EMISSIONS MID CHANNEL



HORIZONTAL RESULTS <u>1-7GHz</u>

Note: 1. Measurement = Reading Level + Correct Factor.

45.07

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

44.73

-0.34

74.00

-29.27

peak


3. Peak: Peak detector.

5289.370

6



HORIZONTAL RESULTS 7-18GHz




No.	Frequency	Reading	Correct	Result Limit		Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	11014.931	35.25	12.87	48.12	74.00	-25.88	peak
2	11395.885	34.52	13.68	48.20	74.00	-25.80	peak
3	13093.137	33.58	16.46	50.04	74.00	-23.96	peak
4	13571.578	32.22	18.41	50.63	74.00	-23.37	peak
5	14403.609	32.82	17.88	50.70	74.00	-23.30	peak
6	17847.646	28.20	24.26	52.46	74.00	-21.54	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.





VERTICAL RESULTS <u>1-7GHz</u>


No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	1123.844	57.20	-14.04	43.16	74.00	-30.84	peak
2	1226.691	54.65	-13.26	41.39	74.00	-32.61	peak
3	1751.412	52.62	-11.89	40.73	74.00	-33.27	peak
4	2251.158	50.39	-8.36	42.03	74.00	-31.97	peak
5	2750.749	47.71	-8.04	39.67	74.00	-34.33	peak
6	5289.370	46.29	-0.34	45.95	74.00	-28.05	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



<u>7-18GHz</u>




No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	11014.931	34.93	12.86	47.79	74.00	-26.21	peak
2	11845.822	33.85	14.72	48.57	74.00	-25.43	peak
3	13571.578	32.06	18.66	50.72	74.00	-23.28	peak
4	14001.227	32.45	18.56	51.01	74.00	-22.99	peak
5	14390.012	32.31	18.32	50.63	74.00	-23.37	peak
6	18000.000	28.10	24.41	52.51	74.00	-21.49	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



HARMONICS AND SPURIOUS EMISSIONS HIGH CHANNEL



<u>HORIZONTAL RESULTS</u> <u>1-7GHz</u>


No.	Frequency	Reading	Correct	Result			Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	1123.844	56.49	-13.79	42.70	74.00	-31.30	peak
2	1331.157	52.75	-12.71	40.04	74.00	-33.96	peak
3	1498.927	53.36	-12.61	40.75	74.00	-33.25	peak
4	1751.412	51.65	-11.89	39.76	74.00	-34.24	peak
5	2251.158	51.83	-8.36	43.47	74.00	-30.53	peak
6	5372.355	45.72	0.07	45.79	74.00	-28.21	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



HORIZONTAL RESULTS 7-18GHz




No.	Frequency	Reading	Correct	Result Limit		Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	9928.019	36.12	10.28	46.40	74.00	-27.60	peak
2	10566.572	35.48	11.91	47.39	74.00	-26.61	peak
3	11342.197	38.41	13.16	51.57	74.00	-22.43	peak
4	13117.892	32.71	16.47	49.18	74.00	-24.82	peak
5	13988.010	31.98	18.49	50.47	74.00	-23.53	peak
6	17847.646	28.14	24.26	52.40	74.00	-21.60	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.





VERTICAL RESULTS <u>1-7GHz</u>


No.	Frequency	Reading	Correct	Result			Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	1015.689	60.40	-14.43	45.97	74.00	-28.03	peak
2	1123.844	55.24	-14.04	41.20	74.00	-32.80	peak
3	1325.987	54.29	-12.85	41.44	74.00	-32.56	peak
4	1567.536	60.77	-12.73	48.04	74.00	-25.96	peak
5	2251.158	50.53	-8.36	42.17	74.00	-31.83	peak
6	5248.359	47.56	-0.21	47.35	74.00	-26.65	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



<u>7-18GHz</u>



No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	11363.642	45.69	13.64	59.33	74.00	-14.67	peak
2	11363.642	35.22	13.64	48.86	54.00	-5.14	AVG
3	13155.113	34.41	16.91	51.32	74.00	-22.68	peak
4	13935.265	32.47	18.68	51.15	74.00	-22.85	peak
5	14458.127	33.22	17.52	50.74	74.00	-23.26	peak
6	17056.604	42.07	20.49	62.56	74.00	-11.44	peak
7	17056.604	27.10	20.49	47.59	54.00	-6.41	AVG
8	17813.965	27.84	24.42	52.26	74.00	-21.74	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).

5. For duty cycle, please refer to clause 6.1.




7.3.3. STRADDLE CHANNEL 142

3TX (WORST-CASE CONFIGURATION)

Note: straddle channels are considered to be operating in both U-NII-2C and U-NII-3. The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges. The band edges are considered to be 5.47 GHz and 5.85 GHz, the test results is in compliance with the limit. Since the operating frequency and the band edges spacing are large, the test results are not described separately.

HARMONICS AND SPURIOUS EMISSIONS HIGH CHANNEL




No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		Antenna Height	a Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		1123.843	58.48	-14.04	44.44	74.00	-29.56	peak			
2		1444.520	55.68	-12.73	42.95	74.00	-31.05	peak			
3		1751.411	51.95	-11.89	40.06	74.00	-33.94	peak			
4		2251.157	50.27	-8.36	41.91	74.00	-32.09	peak			
5		2750.749	48.10	-8.04	40.06	74.00	-33.94	peak			
6	*	5258.582	46.81	-0.26	46.55	74.00	-27.45	peak			

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.


UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch FORM NO: 10-SL-F0035 This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



HORIZONTAL RESULTS 7-18GHz

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.




VERTICAL RESULTS <u>1-7GHz</u>

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.





Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.




7.4. 802.11ac HT20 MODE

7.4.1. UNII-2A BAND

1TX Mode


RESTRICTED BANDEDGE HIGH CHANNEL



Note: 1. Measurement = Reading Level + Correct Factor.

If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 Peak: Peak detector.






Note: 1. Measurement = Reading Level + Correct Factor

2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).

3. For duty cycle, please refer to clause 6.1.




VERTICAL RESULTS PEAK

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.





Note: 1. Measurement = Reading Level + Correct Factor


2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).

3. For duty cycle, please refer to clause 6.1.




2TX Mode

RESTRICTED BANDEDGE HIGH CHANNEL



Note: 1. Measurement = Reading Level + Correct Factor.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



Note: 1. Measurement = Reading Level + Correct Factor

2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).

3. For duty cycle, please refer to clause 6.1.




VERTICAL RESULTS PEAK

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.





Note: 1. Measurement = Reading Level + Correct Factor

2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).


3. For duty cycle, please refer to clause 6.1.

<u>AVG</u>




3TX Mode

RESTRICTED BANDEDGE HIGH CHANNEL



Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.






107.0 dBu∀/m 97 87 77 67 57 47 37 27 17 7.0 5300.000 5316.00 5428.00 5332.00 5348.00 5364.00 5380.00 5396.00 5412.00 5460.00 MHz Reading Correct Measure-Antenna Table No. Mk. Limit Margin Freq. Level Factor ment Height Degree dB MHz dBuV dBuV/m degree dBuV/m dB Detector cm Comment * 5350.000 4.44 -9.12 AVG 1 40.44 44.88 54.00

Note: 1. Measurement = Reading Level + Correct Factor

2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).

3. For duty cycle, please refer to clause 6.1.


<u>AVG</u>



Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.






Note: 1. Measurement = Reading Level + Correct Factor 2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).

3. For duty cycle, please refer to clause 6.1.



3TX (WORST-CASE CONFIGURATION)

HARMONICS AND SPURIOUS EMISSIONS LOW CHANNEL



HORIZONTAL RESULTS 1-7GHz

Note: 1. Measurement = Reading Level + Correct Factor.

42.26

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

47.50

74.00

-26.50

peak

5.24


3. Peak: Peak detector.

6959.255

6



HORIZONTAL RESULTS 7-18GHz




No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	8126.539	38.31	6.77	45.08	74.00	-28.92	peak
2	10586.550	35.25	11.81	47.06	74.00	-26.94	peak
3	11901.894	33.51	15.22	48.73	74.00	-25.27	peak
4	13597.238	31.73	18.53	50.26	74.00	-23.74	peak
5	13974.805	32.95	18.51	51.46	74.00	-22.54	peak
6	17966.031	27.64	24.80	52.44	74.00	-21.56	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.





VERTICAL RESULTS <u>1-7GHz</u>


No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	1123.844	57.59	-14.04	43.55	74.00	-30.45	peak
2	1498.927	53.75	-12.71	41.04	74.00	-32.96	peak
3	1751.412	52.71	-11.89	40.82	74.00	-33.18	peak
4	2251.158	50.13	-8.36	41.77	74.00	-32.23	peak
5	5107.309	45.79	-0.26	45.53	74.00	-28.47	peak
6	5607.340	45.62	0.70	46.32	74.00	-27.68	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



<u>7-18GHz</u>




No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	7276.377	38.26	6.40	44.66	74.00	-29.34	peak
2	9825.410	35.46	10.39	45.85	74.00	-28.15	peak
3	11913.141	34.45	14.75	49.20	74.00	-24.80	peak
4	13494.888	32.53	18.51	51.04	74.00	-22.96	peak
5	13935.265	32.40	18.68	51.08	74.00	-22.92	peak
6	17797.148	28.39	24.61	53.00	74.00	-21.00	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



HARMONICS AND SPURIOUS EMISSIONS MID CHANNEL




HORIZONTAL RESULTS <u>1-7GHz</u>

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



HORIZONTAL RESULTS 7-18GHz




No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	9407.682	36.16	9.54	45.70	74.00	-28.30	peak
2	11035.757	35.35	12.78	48.13	74.00	-25.87	peak
3	11924.397	33.58	14.86	48.44	74.00	-25.56	peak
4	13117.892	33.40	16.47	49.87	74.00	-24.13	peak
5	14027.699	32.47	18.48	50.95	74.00	-23.05	peak
6	17797.148	28.84	24.21	53.05	74.00	-20.95	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.





VERTICAL RESULTS <u>1-7GHz</u>


No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	1123.844	56.21	-14.04	42.17	74.00	-31.83	peak
2	1498.927	53.50	-12.71	40.79	74.00	-33.21	peak
3	2251.158	50.64	-8.36	42.28	74.00	-31.72	peak
4	2750.749	48.38	-8.04	40.34	74.00	-33.66	peak
5	4912.360	44.47	-0.78	43.69	74.00	-30.31	peak
6	5618.262	45.55	0.74	46.29	74.00	-27.71	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



<u>7-18GHz</u>




No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	7485.493	38.50	6.69	45.19	74.00	-28.81	peak
2	9605.202	36.06	9.78	45.84	74.00	-28.16	peak
3	10388.455	34.69	11.43	46.12	74.00	-27.88	peak
4	11712.325	34.82	14.60	49.42	74.00	-24.58	peak
5	13571.578	33.52	18.66	52.18	74.00	-21.82	peak
6	17797.148	28.11	24.61	52.72	74.00	-21.28	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



HARMONICS AND SPURIOUS EMISSIONS HIGH CHANNEL



HORIZONTAL RESULTS <u>1-7GHz</u>


No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	1224.307	50.42	-13.27	37.15	74.00	-36.85	peak
2	1333.750	50.26	-12.72	37.54	74.00	-36.46	peak
3	1751.412	51.12	-11.89	39.23	74.00	-34.77	peak
4	1999.194	50.39	-11.21	39.18	74.00	-34.82	peak
5	2251.157	47.38	-8.36	39.02	74.00	-34.98	peak
6	5382.819	44.68	0.17	44.85	74.00	-29.15	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



HORIZONTAL RESULTS 7-18GHz




No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	9641.557	36.65	9.63	46.28	74.00	-27.72	peak
2	11320.793	35.18	13.46	48.64	74.00	-25.36	peak
3	11913.141	35.39	15.04	50.43	74.00	-23.57	peak
4	13584.402	32.92	18.47	51.39	74.00	-22.61	peak
5	17847.646	28.62	24.26	52.88	74.00	-21.12	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.





VERTICAL RESULTS <u>1-7GHz</u>


No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	1123.844	54.82	-14.04	40.78	74.00	-33.22	peak
2	1498.927	51.86	-12.71	39.15	74.00	-34.85	peak
3	1751.412	51.04	-11.89	39.15	74.00	-34.85	peak
4	1999.194	51.06	-11.21	39.85	74.00	-34.15	peak
5	2251.157	49.01	-8.36	40.65	74.00	-33.35	peak
6	5651.155	46.28	0.84	47.12	74.00	-26.88	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



<u>7-18GHz</u>



No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	8360.088	38.79	6.82	45.61	74.00	-28.39	peak
2	9687.195	35.96	9.84	45.80	74.00	-28.20	peak
3	11845.822	34.56	14.72	49.28	74.00	-24.72	peak
4	13584.402	32.60	18.52	51.12	74.00	-22.88	peak
5	13830.371	32.79	18.89	51.68	74.00	-22.32	peak
6	17847.646	28.68	23.89	52.57	74.00	-21.43	peak

Note: 1. Measurement = Reading Level + Correct Factor.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



7.4.2. UNII-2C BAND


1TX Mode


RESTRICTED BANDEDGE LOW CHANNEL



Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.






Note: 1. Measurement = Reading Level + Correct Factor

2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).


3. For duty cycle, please refer to clause 6.1.



VERTICAL RESULTS PEAK

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.




Note: 1. Measurement = Reading Level + Correct Factor

2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).


3. For duty cycle, please refer to clause 6.1.





HORIZONTAL RESULTS PEAK

UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch FORM NO: 10-SL-F0035 This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.




VERTICAL RESULTS

UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch FORM NO: 10-SL-F0035 This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



2TX Mode


RESTRICTED BANDEDGE LOW CHANNEL



Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.






Note: 1. Measurement = Reading Level + Correct Factor

2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).

3. For duty cycle, please refer to clause 6.1.




VERTICAL RESULTS PEAK

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.






```
Note: 1. Measurement = Reading Level + Correct Factor
```

2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).


3. For duty cycle, please refer to clause 6.1.






HORIZONTAL RESULTS PEAK

UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch FORM NO: 10-SL-F0035 This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.






VERTICAL RESULTS PEAK

UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch FORM NO: 10-SL-F0035 This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.




3TX Mode

RESTRICTED BANDEDGE LOW CHANNEL



Note: 1. Measurement = Reading Level + Correct Factor.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



Note: 1. Measurement = Reading Level + Correct Factor

2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).

3. For duty cycle, please refer to clause 6.1.




VERTICAL RESULTS PEAK

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.






Note: 1. Measurement = Reading Level + Correct Factor

2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).

3. For duty cycle, please refer to clause 6.1.




BANDEDGE HIGH CHANNEL



HORIZONTAL RESULTS PEAK

UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch FORM NO: 10-SL-F0035 This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.




VERTICAL RESULTS PEAK



3TX (WORST-CASE CONFIGURATION)

HARMONICS AND SPURIOUS EMISSIONS LOW CHANNEL



HORIZONTAL RESULTS 1-7GHz

Note: 1. Measurement = Reading Level + Correct Factor.

45.51

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

45.34

74.00

-28.66

peak

-0.17


3. Peak: Peak detector.

5341.084

6



HORIZONTAL RESULTS 7-18GHz




No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	11025.339	35.07	12.83	47.90	74.00	-26.10	peak
2	11901.894	33.43	15.22	48.65	74.00	-25.35	peak
3	13610.086	32.28	18.50	50.78	74.00	-23.22	peak
4	14134.090	32.72	18.38	51.10	74.00	-22.90	peak
5	14444.478	32.52	17.21	49.73	74.00	-24.27	peak
6	17813.965	27.98	24.25	52.23	74.00	-21.77	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.





VERTICAL RESULTS <u>1-7GHz</u>


No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	1123.844	56.34	-14.04	42.30	74.00	-31.70	peak
2	1498.927	53.17	-12.71	40.46	74.00	-33.54	peak
3	1751.412	51.97	-11.89	40.08	74.00	-33.92	peak
4	2251.158	50.56	-8.36	42.20	74.00	-31.80	peak
5	2750.749	48.96	-8.04	40.92	74.00	-33.08	peak
6	5341.084	46.05	-0.09	45.96	74.00	-28.04	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



<u>7-18GHz</u>




No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	10398.271	35.62	11.50	47.12	74.00	-26.88	peak
2	11374.380	35.18	13.64	48.82	74.00	-25.18	peak
3	12163.263	34.56	14.42	48.98	74.00	-25.02	peak
4	13804.271	32.57	19.01	51.58	74.00	-22.42	peak
5	14390.012	32.69	18.32	51.01	74.00	-22.99	peak
6	17813.965	28.10	24.42	52.52	74.00	-21.48	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

U

HARMONICS AND SPURIOUS EMISSIONS MID CHANNEL



HORIZONTAL RESULTS <u>1-7GHz</u>

Note: 1. Measurement = Reading Level + Correct Factor.

44.19

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

44.76

0.57

74.00

-29.24

peak


3. Peak: Peak detector.

5435.447

6



HORIZONTAL RESULTS 7-18GHz




No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	11310.106	34.53	13.61	48.14	74.00	-25.86	peak
2	12186.260	34.43	14.20	48.63	74.00	-25.37	peak
3	13093.137	33.73	16.46	50.19	74.00	-23.81	peak
4	13456.706	32.63	18.11	50.74	74.00	-23.26	peak
5	14027.699	32.61	18.48	51.09	74.00	-22.91	peak
6	17949.071	27.72	24.78	52.50	74.00	-21.50	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.





VERTICAL RESULTS <u>1-7GHz</u>


No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	1123.844	55.42	-14.04	41.38	74.00	-32.62	peak
2	1498.927	53.76	-12.71	41.05	74.00	-32.95	peak
3	1751.412	52.91	-11.89	41.02	74.00	-32.98	peak
4	2251.158	50.86	-8.36	42.50	74.00	-31.50	peak
5	2750.749	49.04	-8.04	41.00	74.00	-33.00	peak
6	5289.370	46.49	-0.34	46.15	74.00	-27.85	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



<u>7-18GHz</u>




No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	11151.006	38.31	13.05	51.36	74.00	-22.64	peak
2	12715.350	33.55	15.46	49.01	74.00	-24.99	peak
3	13571.578	32.80	18.66	51.46	74.00	-22.54	peak
4	14403.609	32.70	18.29	50.99	74.00	-23.01	peak
5	14817.556	33.25	16.19	49.44	74.00	-24.56	peak
6	17847.646	28.76	23.89	52.65	74.00	-21.35	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



HARMONICS AND SPURIOUS EMISSIONS HIGH CHANNEL



<u>HORIZONTAL RESULTS</u> <u>1-7GHz</u>


No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	1123.844	56.25	-13.79	42.46	74.00	-31.54	peak
2	1498.927	53.21	-12.61	40.60	74.00	-33.40	peak
3	1751.412	51.73	-11.89	39.84	74.00	-34.16	peak
4	2050.412	57.11	-10.81	46.30	74.00	-27.70	peak
5	2251.158	52.13	-8.36	43.77	74.00	-30.23	peak
6	5424.881	45.59	0.50	46.09	74.00	-27.91	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



HORIZONTAL RESULTS 7-18GHz




No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	7160.482	39.18	6.37	45.55	74.00	-28.45	peak
2	9723.861	36.46	9.87	46.33	74.00	-27.67	peak
3	11460.646	34.96	13.77	48.73	74.00	-25.27	peak
4	11756.656	34.99	14.51	49.50	74.00	-24.50	peak
5	14027.699	33.17	18.48	51.65	74.00	-22.35	peak
6	17713.303	29.12	23.46	52.58	74.00	-21.42	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.





VERTICAL RESULTS <u>1-7GHz</u>


No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	1123.844	57.73	-14.04	43.69	74.00	-30.31	peak
2	1498.927	54.47	-12.71	41.76	74.00	-32.24	peak
3	1751.412	53.06	-11.89	41.17	74.00	-32.83	peak
4	2251.158	50.89	-8.36	42.53	74.00	-31.47	peak
5	2938.897	51.70	-7.28	44.42	74.00	-29.58	peak
6	5372.355	46.78	0.13	46.91	74.00	-27.09	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



<u>7-18GHz</u>



No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	7248.940	39.01	6.35	45.36	74.00	-28.64	peak
2	9275.344	36.68	9.07	45.75	74.00	-28.25	peak
3	11235.579	34.93	13.52	48.45	74.00	-25.55	peak
4	11879.434	34.64	14.74	49.38	74.00	-24.62	peak
5	13456.706	33.18	18.09	51.27	74.00	-22.73	peak
6	17797.148	27.92	24.61	52.53	74.00	-21.47	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.




7.4.3. STRADDLE CHANNEL 144

3TX (WORST-CASE CONFIGURATION)

Note: straddle channels are considered to be operating in both U-NII-2C and U-NII-3. The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges. The band edges are considered to be 5.47 GHz and 5.85 GHz, the test results is in compliance with the limit. Since the operating frequency and the band edges spacing are large, the test results are not described separately.


HARMONICS AND SPURIOUS EMISSIONS HIGH CHANNEL



Note: 1. Measurement = Reading Level + Correct Factor.

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Peak: Peak detector


UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch FORM NO: 10-SL-F0035 This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



HORIZONTAL RESULTS 7-18GHz

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.




VERTICAL RESULTS <u>1-7GHz</u>

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.





Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.




7.5. 802.11ac HT40 MODE

7.5.1. UNII-2A BAND

1TX Mode


RESTRICTED BANDEDGE HIGH CHANNEL



Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.






Note: 1. Measurement = Reading Level + Correct Factor

2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).

3. For duty cycle, please refer to clause 6.1.



VERTICAL RESULTS PEAK

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



117.0 dBuV/m 107 97 87 77 67 57 47 37 27 17.0 5280.000 5298.00 5316.00 5334.00 5370.00 5388.00 5406.00 5424.00 5460.00 MHz 5352.00 Reading Correct Measure-Antenna Table Limit Margin No. Mk. Freq. Level Factor ment Height Degree dBuV MHz dB dBuV/m dBuV/m dB Detector cm degree Comment 5350.000 11.09 40.54 51.63 1 * 54.00 -2.37 AVG


AVG

Note: 1. Measurement = Reading Level + Correct Factor
2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).
3. For duty cycle, please refer to clause 6.1.



2TX Mode

RESTRICTED BANDEDGE HIGH CHANNEL



Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.




117.0 dBu∀/m 107 97 87 77 67 57 47 37 27 17.0 5280.000 5298.00 5316.00 5334.00 5352.00 5370.00 5388.00 5406.00 5424.00 5460.00 MHz Correct Antenna Table Reading Measure-No. Mk. Limit Margin Freq. Level Factor Height Degree ment MHz dBuV dB dBuV/m dBuV/m degree dB Detector cm Comment * 5350.000 10.12 40.44 50.56 54.00 -3.44AVG 1

Note: 1. Measurement = Reading Level + Correct Factor

2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).

3. For duty cycle, please refer to clause 6.1.


<u>AVG</u>



VERTICAL RESULTS

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



Note: 1. Measurement = Reading Level + Correct Factor


2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).

3. For duty cycle, please refer to clause 6.1.




3TX Mode

RESTRICTED BANDEDGE HIGH CHANNEL




Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.




Note: 1. Measurement = Reading Level + Correct Factor

- 2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).
- 3. For duty cycle, please refer to clause 6.1.



Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



Note: 1. Measurement = Reading Level + Correct Factor

2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).

3. For duty cycle, please refer to clause 6.1.



3TX (WORST-CASE CONFIGURATION)

HARMONICS AND SPURIOUS EMISSIONS LOW CHANNEL

80.0 dBuV	//m		-				
				FCC Cla	ass B 3M Radiation	Peak (Above 1	G)
				FCC C	lass B 3M Radiatio	on AVG (Above 1	6)
						5	Ś.,
	2 X	3	*	. Marana Maran	ndo and service and services and the	Minute and the for	and a start and a start
manuf	alon Anorth Share	montheline	have been all	harman a second a second			
0.0							
1000.000			2000 (M	Hz) 3000	4000	5000	7000.00
No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	1123.844	56.24	-13.79	42.45	74.00	-31.55	peak
2	1498.927	54.55	-12.61	41.94	74.00	-32.06	peak
3	1751.412	50.98	-11.89	39.09	74.00	-34.91	peak
4	2251.158	51.57	-8.36	43.21	74.00	-30.79	peak
		44.50	0.00	1			

HORIZONTAL RESULTS <u>1-7GHz</u>

Note: 1. Measurement = Reading Level + Correct Factor.

44.50

42.75

5467.271

6693.616

5

6

If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 Peak: Peak detector.

45.30

46.91

0.80

4.16

74.00

74.00

-28.70


-27.09

peak

peak



HORIZONTAL RESULTS 7-18GHz



No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	9425.470	36.48	9.51	45.99	74.00	-28.01	peak
2	10596.553	35.41	11.76	47.17	74.00	-26.83	peak
3	11395.885	34.40	13.68	48.08	74.00	-25.92	peak
4	12560.185	34.02	14.91	48.93	74.00	-25.07	peak
5	13961.612	32.83	18.54	51.37	74.00	-22.63	peak
6	17847.646	28.48	24.26	52.74	74.00	-21.26	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



80.0 dBu¥/m FCC Class B 3M Radiation Peak (Above 1G) 70 60 FCC Class B 3M Radiation AVG (Above 1G) 50 40 30 20 10 0.0 1000.000 2000 (MHz) 3000 4000 5000 7000.000

VERTICAL RESULTS <u>1-7GHz</u>


No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	1123.844	55.90	-14.04	41.86	74.00	-32.14	peak
2	1498.927	53.41	-12.71	40.70	74.00	-33.30	peak
3	1751.412	52.76	-11.89	40.87	74.00	-33.13	peak
4	2251.158	50.38	-8.36	42.02	74.00	-31.98	peak
5	2750.749	47.91	-8.04	39.87	74.00	-34.13	peak
6	5477.920	45.48	0.87	46.35	74.00	-27.65	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



<u>7-18GHz</u>




No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	9632.456	36.55	9.76	46.31	74.00	-27.69	peak
2	11067.070	35.33	12.89	48.22	74.00	-25.78	peak
3	11879.434	34.06	14.74	48.80	74.00	-25.20	peak
4	13571.578	32.79	18.66	51.45	74.00	-22.55	peak
5	13974.805	32.19	18.61	50.80	74.00	-23.20	peak
6	17898.287	27.83	24.26	52.09	74.00	-21.91	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



HARMONICS AND SPURIOUS EMISSIONS HIGH CHANNEL



HORIZONTAL RESULTS <u>1-7GHz</u>


No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	1123.844	56.42	-13.79	42.63	74.00	-31.37	peak
2	1498.927	55.38	-12.61	42.77	74.00	-31.23	peak
3	1751.412	52.86	-11.89	40.97	74.00	-33.03	peak
4	1999.194	50.87	-11.21	39.66	74.00	-34.34	peak
5	2251.158	52.02	-8.36	43.66	74.00	-30.34	peak
6	5651.155	44.88	0.74	45.62	74.00	-28.38	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



HORIZONTAL RESULTS 7-18GHz




No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	10320.001	36.39	10.95	47.34	74.00	-26.66	peak
2	11712.325	34.03	14.17	48.20	74.00	-25.80	peak
3	12255.513	34.69	14.34	49.03	74.00	-24.97	peak
4	13456.706	32.09	18.11	50.20	74.00	-23.80	peak
5	13948.432	32.19	18.55	50.74	74.00	-23.26	peak
6	17813.965	27.79	24.25	52.04	74.00	-21.96	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.





VERTICAL RESULTS <u>1-7GHz</u>


No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	1123.844	55.76	-14.04	41.72	74.00	-32.28	peak
2	1498.927	53.83	-12.71	41.12	74.00	-32.88	peak
3	1751.412	53.53	-11.89	41.64	74.00	-32.36	peak
4	2251.158	50.60	-8.36	42.24	74.00	-31.76	peak
5	2750.749	47.69	-8.04	39.65	74.00	-34.35	peak
6	5488.590	45.31	0.95	46.26	74.00	-27.74	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



<u>7-18GHz</u>



No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	10368.851	34.94	11.29	46.23	74.00	-27.77	peak
2	11342.197	34.57	13.59	48.16	74.00	-25.84	peak
3	11901.894	34.09	14.75	48.84	74.00	-25.16	peak
4	13571.578	32.15	18.66	50.81	74.00	-23.19	peak
5	13908.967	31.95	18.72	50.67	74.00	-23.33	peak
6	17797.148	27.27	24.61	51.88	74.00	-22.12	peak


Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

7.5.2. UNII-2C BAND


1TX Mode

RESTRICTED BANDEDGE LOW CHANNEL



Note: 1. Measurement = Reading Level + Correct Factor.


If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 Peak: Peak detector.



Note: 1. Measurement = Reading Level + Correct Factor

2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).


3. For duty cycle, please refer to clause 6.1.



VERTICAL RESULTS

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.





117.0 dBuV/m 107 97 87 77 67 57 47 37 27 17.0 5340.000 5360.00 5540.00 MHz 5380.00 5400.00 5420.00 5440.00 5460.00 5480.00 5500.00 Reading Correct Measure-Antenna Table Limit Margin No. Mk. Freq. Level Factor Height Degree ment MHz dBuV dB dBuV/m dBuV/m dB Detector cm degree Comment 1 * 5460.000 6.15 41.26 47.41 54.00 -6.59 AVG

Note: 1. Measurement = Reading Level + Correct Factor


2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).

3. For duty cycle, please refer to clause 6.1.


AVG



BANDEDGE HIGH CHANNEL



HORIZONTAL RESULTS PEAK




VERTICAL RESULTS PEAK



2TX Mode


RESTRICTED BANDEDGE LOW CHANNEL



Note: 1. Measurement = Reading Level + Correct Factor.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.





Note: 1. Measurement = Reading Level + Correct Factor


2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).



VERTICAL RESULTS PEAK

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.





Note: 1. Measurement = Reading Level + Correct Factor

2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).



BANDEDGE HIGH CHANNEL






VERTICAL RESULTS PEAK




3TX Mode


RESTRICTED BANDEDGE LOW CHANNEL



Note: 1. Measurement = Reading Level + Correct Factor.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.






Note: 1. Measurement = Reading Level + Correct Factor

2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).



Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.





Note: 1. Measurement = Reading Level + Correct Factor

2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).



BANDEDGE HIGH CHANNEL





UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch FORM NO: 10-SL-F0035 This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



3TX (WORST-CASE CONFIGURATION)

HARMONICS AND SPURIOUS EMISSIONS LOW CHANNEL

0.0 dBuV							
				FCC Cla	ass B 3M Radiation	Peak (Above 10	G)
				FCC C	lass B 3M Radiatio	on AVG (Above 1	G)
1			5 X		walnadrawithild	6	it warmen hand
×	2 3 X X	4	1		d set	and the state of the second of the	Werennen
	i di Ti d		Martin Married	and and the state of the state	when he want had the state of t		
Monut	dwww.w.www.www.www.www.	multiplication	Provent in the	·			
	1 1						
0							
0			2000 (M	Hz) 3000	4000	5000	7000.0
0	Frequency						-
0	Frequency (MHz)	Reading (dBuV/m)	2000 (M Correct dB/m	Hz) 3000 Result (dBuV/m)	4000 Limit (dBuV/m)	5000 Margin (dB)	7000.0 Remark
1000.000		Reading	Correct	Result	Limit	Margin	-
	(MHz)	Reading (dBuV/m)	Correct dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark

HORIZONTAL RESULTS <u>1-7GHz</u>

Note: 1. Measurement = Reading Level + Correct Factor.

51.45

51.76

45.05

1751.412

2251.158

5361.911

4

5

6

If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 Peak: Peak detector.

39.56

43.40

45.02

74.00

74.00

74.00

-34.44

-30.60

-28.98

peak

peak

peak


-11.89

-8.36

-0.03



HORIZONTAL RESULTS 7-18GHz




No.	Frequency	Reading	Correct	Correct Result		Margin	Remark
	(MHz)	(dBuV/m)	dB/m	dB/m (dBuV/m)		(dB)	
1	10388.455	36.18	11.33	47.51	74.00	-26.49	peak
2	11913.141	33.19	15.04	48.23	74.00	-25.77	peak
3	13622.946	32.26	18.47	50.73	74.00	-23.27	peak
4	14027.699	32.35	18.48	50.83	74.00	-23.17	peak
5	17218.460	30.22	20.55	50.77	74.00	-23.23	peak
6	17780.347	27.66	23.98	51.64	74.00	-22.36	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.





VERTICAL RESULTS <u>1-7GHz</u>


No.	Frequency			Result Limit		Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	1123.844	56.62	-14.04	42.58	74.00	-31.42	peak
2	1498.927	53.05	-12.71	40.34	74.00	-33.66	peak
3	1751.412	52.56	-11.89	40.67	74.00	-33.33	peak
4	2251.158	51.08	-8.36	42.72	74.00	-31.28	peak
5	2750.749	48.25	-8.04	40.21	74.00	-33.79	peak
6	5382.819	46.07	0.20	46.27	74.00	-27.73	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



<u>7-18GHz</u>




No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	11035.757	34.91	12.89	47.80	74.00	-26.20	peak
2	11834.640	33.97	14.69	48.66	74.00	-25.34	peak
3	13571.578	32.25	18.66	50.91	74.00	-23.09	peak
4	14147.445	32.07	18.34	50.41	74.00	-23.59	peak
5	14390.012	31.91	18.32	50.23	74.00	-23.77	peak
6	17949.071	28.52	23.61	52.13	74.00	-21.87	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

U

HARMONICS AND SPURIOUS EMISSIONS MID CHANNEL



HORIZONTAL RESULTS <u>1-7GHz</u>

Note: 1. Measurement = Reading Level + Correct Factor.

43.85

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

48.02

74.00

-25.98

peak

4.17


3. Peak: Peak detector.

6590.221

6



HORIZONTAL RESULTS 7-18GHz




No.	Frequency	Reading	ing Correct Result Limit		Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	10596.553	36.03	11.76	47.79	74.00	-26.21	peak
2	11161.543	35.02	13.15	48.17	74.00	-25.83	peak
3	11857.016	34.21	14.37	48.58	74.00	-25.42	peak
4	13117.892	34.14	16.47	50.61	74.00	-23.39	peak
5	13804.271	32.18	18.54	50.72	74.00	-23.28	peak
6	18000.000	27.69	24.81	52.50	74.00	-21.50	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.





VERTICAL RESULTS <u>1-7GHz</u>


No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	1123.844	56.12	-14.04	42.08	74.00	-31.92	peak
2	1498.927	54.24	-12.71	41.53	74.00	-32.47	peak
3	1751.412	53.69	-11.89	41.80	74.00	-32.20	peak
4	2251.158	50.61	-8.36	42.25	74.00	-31.75	peak
5	2750.749	48.58	-8.04	40.54	74.00	-33.46	peak
6	5248.359	46.44	-0.21	46.23	74.00	-27.77	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



<u>7-18GHz</u>




No.	Frequency	Reading	Correct	Correct Result		Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	10687.010	34.58	12.15	46.73	74.00	-27.27	peak
2	11701.269	33.43	14.79	48.22	74.00	-25.78	peak
3	12174.756	34.20	14.36	48.56	74.00	-25.44	peak
4	13469.422	32.81	18.23	51.04	74.00	-22.96	peak
5	14001.227	32.28	18.56	50.84	74.00	-23.16	peak
6	17813.965	27.79	24.42	52.21	74.00	-21.79	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



HARMONICS AND SPURIOUS EMISSIONS HIGH CHANNEL



HORIZONTAL RESULTS <u>1-7GHz</u>


No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	dB/m (dBuV/m)		(dB)	
1	1123.844	56.58	-13.79	42.79	74.00	-31.21	peak
2	1386.681	64.03	-12.58	51.45	74.00	-22.55	peak
3	1537.328	56.88	-12.80	44.08	74.00	-29.92	peak
4	2251.158	51.67	-8.36	43.31	74.00	-30.69	peak
5	5435.447	45.07	0.57	45.64	74.00	-28.36	peak
6	6986.392	43.24	5.35	48.59	74.00	-25.41	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



HORIZONTAL RESULTS 7-18GHz




No.	Frequency			Limit	Margin	Remark	
	(MHz)	(dBuV/m)	dB/m	B/m (dBuV/m)		(dB)	
1	10626.620	34.72	11.84	46.56	74.00	-27.44	peak
2	11342.197	39.44	13.16	52.60	74.00	-21.40	peak
3	12209.301	35.09	14.26	49.35	74.00	-24.65	peak
4	13031.453	32.81	16.53	49.34	74.00	-24.66	peak
5	13882.719	32.22	18.55	50.77	74.00	-23.23	peak
6	17847.646	27.66	24.26	51.92	74.00	-22.08	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.





VERTICAL RESULTS <u>1-7GHz</u>


No.	Frequency	Reading	Correct	Result Limit		Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	1123.844	56.09	-14.04	42.05	74.00	-31.95	peak
2	1498.927	52.37	-12.71	39.66	74.00	-34.34	peak
3	1751.412	52.72	-11.89	40.83	74.00	-33.17	peak
4	2251.158	50.85	-8.36	42.49	74.00	-31.51	peak
5	5361.911	46.97	0.05	47.02	74.00	-26.98	peak
6	5852.602	45.55	1.51	47.06	74.00	-26.94	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



<u>7-18GHz</u>



No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	
1	11342.197	44.69	13.59	58.28	74.00	-15.72	peak
2	11342.197	32.23	13.59	45.82	54.00	-8.18	AVG
3	13545.966	31.83	18.87	50.70	74.00	-23.30	peak
4	14054.222	32.56	18.38	50.94	74.00	-23.06	peak
5	14390.012	31.68	18.32	50.00	74.00	-24.00	peak
6	17056.604	40.68	20.49	61.17	74.00	-12.83	peak
7	17056.604	27.15	20.49	47.64	54.00	-6.36	AVG
8	17797.148	27.51	24.61	52.12	74.00	-21.88	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).




7.5.3. STRADDLE CHANNEL 142

3TX (WORST-CASE CONFIGURATION)

Note: straddle channels are considered to be operating in both U-NII-2C and U-NII-3. The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges. The band edges are considered to be 5.47 GHz and 5.85 GHz, the test results is in compliance with the limit. Since the operating frequency and the band edges spacing are large, the test results are not described separately.

HARMONICS AND SPURIOUS EMISSIONS HIGH CHANNEL




No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		1123.843	59.87	-14.04	45.83	74.00	-28.17	peak			
2		1331.157	51.78	-12.83	38.95	74.00	-35.05	peak			
3		1444.520	58.07	-12.73	45.34	74.00	-28.66	peak			
4		1751.411	52.34	-11.89	40.45	74.00	-33.55	peak			
5		2251.157	51.16	-8.36	42.80	74.00	-31.20	peak			
6	*	5258.582	47.20	-0.26	46.94	74.00	-27.06	peak			

Note: 1. Measurement = Reading Level + Correct Factor.

If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 Peak: Peak detector.


UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch FORM NO: 10-SL-F0035 This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



HORIZONTAL RESULTS 7-18GHz

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.




VERTICAL RESULTS <u>1-7GHz</u>

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.





Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.




7.6. 802.11ac HT80 MODE

7.6.1. UNII-2A BAND

1TX Mode


RESTRICTED BANDEDGE LOW CHANNEL




HORIZONTAL RESULTS PEAK

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



Note: 1. Measurement = Reading Level + Correct Factor
2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).
3. For duty cycle, please refer to clause 6.1.



Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



AVG 107.0 dBuV/m 97 87 77 67 57 47 37 27 17 7.0 5240.000 5266.00 5318.00 5370.00 5448.00 5500.00 MHz 5292.00 5344.00 5396.00 5422.00 Reading Correct Measure-Antenna Table Limit Margin No. Mk. Freq. Height Degree Level Factor ment MHz dBuV dB dBuV/m dBuV/m dB Detector cm degree Comment 1 * 5350.000 12.38 40.54 52.92 54.00 -1.08 AVG


Note: 1. Measurement = Reading Level + Correct Factor

2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).




2TX Mode

RESTRICTED BANDEDGE LOW CHANNEL




Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.




Note: 1. Measurement = Reading Level + Correct Factor

2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).



Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.



Note: 1. Measurement = Reading Level + Correct Factor 2. AVG: VBW=1/T, (For the value of 1/T, please refer to the table on page 18).