



**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.36	0.03	1.39	9.00
CH116	5580	0.06	0.03	0.09	9.00
CH140	5700	0.26	0.03	0.29	9.00




Date: 1.APR.2015 21:33:34

### CH116



Date: 1.APR.2015 21:34:19

### CH140



Date: 1.APR.2015 21:34:55


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.85	0.03	3.85	9.00
CH116	5580	2.76	0.03	2.76	9.00
CH140	5700	3.14	0.03	3.14	9.00

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.02	0.10	0.12	9.00
CH116	5580	-0.51	0.10	-0.41	9.00
CH140	5700	-0.30	0.10	-0.20	9.00

**CH100**




Date: 1.APR.2015 20:44:36

### CH116



Date: 1.APR.2015 20:45:16

### CH140




Date: 1.APR.2015 20:45:47

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.28	0.10	1.38	9.00
CH116	5580	-0.01	0.10	0.09	9.00
CH140	5700	0.33	0.10	0.43	9.00

**CH100**




Date: 1.APR.2015 21:40:22

### CH116



Date: 1.APR.2015 21:40:50

### CH140




Date: 1.APR.2015 21:41:06

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.81	0.10	3.81	9.00
CH116	5580	2.86	0.10	2.86	9.00
CH140	5700	3.14	0.10	3.14	9.00


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.07	0.13	-2.94	9.00
CH110	5550	-3.45	0.13	-3.32	9.00
CH134	5670	-4.05	0.13	-3.92	9.00




Date: 1.APR.2015 20:55:01

### CH110



Date: 1.APR.2015 20:55:27


### CH134



Date: 1.APR.2015 20:55:45


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.34	0.13	-3.21	9.00
CH110	5550	-3.70	0.13	-3.57	9.00
CH134	5670	-4.24	0.13	-4.11	9.00




Date: 1.APR.2015 21:50:05

**CH110**



Date: 1.APR.2015 21:50:37

**CH134**



Date: 1.APR.2015 21:50:55


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.06	0.13	-0.06	9.00
CH110	5550	-0.44	0.13	-0.44	9.00
CH134	5670	-1.00	0.13	-1.00	9.00

**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-2.92	0.03	-2.89	28.00
CH157	5785	-2.49	0.03	-2.46	28.00
CH165	5825	-2.29	0.03	-2.26	28.00

**TX CH149**




Date: 1.APR.2015 20:39:21

### TX CH157



Date: 1.APR.2015 20:40:28

### TX CH165




Date: 1.APR.2015 20:41:04

**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-2.04	0.03	-2.01	28.00
CH157	5785	-2.20	0.03	-2.17	28.00
CH165	5825	-1.52	0.03	-1.49	28.00

**TX CH149**




Date: 1.APR.2015 21:35:38

### TX CH157



Date: 1.APR.2015 21:36:22

### TX CH165




Date: 1.APR.2015 21:36:59


**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	0.58	0.03	0.58	28.00
CH157	5785	0.70	0.03	0.70	28.00
CH165	5825	1.16	0.03	1.16	28.00



**TX CH157**

Date: 1.APR.2015 20:46:43


**TX CH165**

Date: 1.APR.2015 20:47:01

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-2.38	0.10	-2.28	28.00
CH157	5785	-2.31	0.10	-2.21	28.00
CH165	5825	-1.76	0.10	-1.66	28.00

**TX CH149**




Date: 1.APR.2015 21:41:31

### TX CH157



Date: 1.APR.2015 21:41:55

### TX CH165




Date: 1.APR.2015 21:42:15

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	0.35	0.10	0.35	28.00
CH157	5785	0.55	0.10	0.55	28.00
CH165	5825	1.03	0.10	1.03	28.00

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-6.10	0.13	-5.97	28.00
CH159	5795	-5.70	0.13	-5.57	28.00

**TX CH151**

Date: 1.APR.2015 20:56:12


**TX CH159**

Date: 1.APR.2015 20:56:41

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-6.13	0.13	-6.00	28.00
CH159	5795	-6.32	0.13	-6.19	28.00

### TX CH151



Date: 1.APR.2015 21:51:28

### TX CH159




Date: 1.APR.2015 21:51:56

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-2.97	0.13	-2.97	28.00
CH159	5795	-2.86	0.13	-2.86	28.00




### CH40



Date: 1.APR.2015 20:48:32


### CH48



Date: 1.APR.2015 20:48:51


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.10	0.16	2.26	15.00
CH40	5200	2.41	0.16	2.57	15.00
CH48	5240	1.66	0.16	1.82	15.00




Date: 1.APR.2015 21:42:50

### CH40



Date: 1.APR.2015 21:43:18

### CH48



Date: 1.APR.2015 21:43:37


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.91	0.16	4.91	15.00
CH40	5200	5.31	0.16	5.31	15.00
CH48	5240	4.61	0.16	4.61	15.00

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.90	0.19	-1.71	15.00
CH46	5230	-1.78	0.19	-1.59	15.00

### CH38



Date: 1.APR.2015 20:57:13

### CH46




Date: 1.APR.2015 20:57:46

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.86	0.19	-3.67	15.00
CH46	5230	-1.98	0.19	-1.79	15.00

### CH38



Date: 1.APR.2015 21:52:32

### CH46



Date: 1.APR.2015 21:53:06


**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.43	0.19	0.43	15.00
CH46	5230	1.32	0.19	1.32	15.00

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-11.31	0.48	-10.83	15.00


**CH42**



Date: 1.APR.2015 21:15:16

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-8.90	0.48	-8.42	15.00




Date: 1.APR.2015 21:58:09

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-6.45	0.48	-6.45	15.00


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.16	0.16	1.32	9.00
CH60	5300	0.92	0.16	1.08	9.00
CH64	5320	0.70	0.16	0.86	9.00




Date: 1.APR.2015 20:49:17

### CH60



Date: 1.APR.2015 20:49:44


### CH64



Date: 1.APR.2015 20:50:07


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.58	0.16	1.74	9.00
CH60	5300	1.24	0.16	1.40	9.00
CH64	5320	1.11	0.16	1.27	9.00




Date: 1.APR.2015 21:44:02

### CH60



Date: 1.APR.2015 21:44:37

### CH64



Date: 1.APR.2015 21:44:54


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.55	0.16	4.55	9.00
CH60	5300	4.25	0.16	4.25	9.00
CH64	5320	4.08	0.16	4.08	9.00

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.09	0.19	-1.90	9.00
CH62	5310	-2.25	0.19	-2.06	9.00

### CH54



Date: 1.APR.2015 20:58:14

### CH62




Date: 1.APR.2015 20:59:01

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.21	0.19	-2.02	9.00
CH62	5310	-1.77	0.19	-1.58	9.00

**CH54**



Date: 1.APR.2015 21:53:38

**CH62**



Date: 1.APR.2015 21:54:06

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.05	0.19	1.05	9.00
CH62	5310	1.20	0.19	1.20	9.00






**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-6.76	0.48	-6.76	9.00




### CH116




Date: 1.APR.2015 20:50:59

### CH140




Date: 1.APR.2015 20:51:17



**CH116**

Date: 1.APR.2015 21:45:44

**CH140**

Date: 1.APR.2015 21:46:00


**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.51	0.16	4.51	9.00
CH116	5580	2.91	0.16	2.91	9.00
CH140	5700	3.80	0.16	3.80	9.00

**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.52	0.19	-2.33	9.00
CH110	5550	-3.70	0.19	-3.51	9.00
CH134	5670	-5.44	0.19	-5.25	9.00

**CH102**




Date: 1.APR.2015 20:59:29

### CH110



Date: 1.APR.2015 21:02:54

### CH134




Date: 1.APR.2015 21:03:14

**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.86	0.19	-1.67	9.00
CH110	5550	-3.04	0.19	-2.85	9.00
CH134	5670	-3.86	0.19	-3.67	9.00

**CH102**




Date: 1.APR.2015 21:54:31

### CH110



Date: 1.APR.2015 21:55:43

### CH134



Date: 1.APR.2015 21:56:07


**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	1.02	0.19	1.02	9.00
CH110	5550	-0.16	0.19	-0.16	9.00
CH134	5670	-1.38	0.19	-1.38	9.00

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-9.96	0.48	-9.48	9.00
CH122	5610	-5.43	0.48	-4.95	9.00

### CH106



Date: 1.APR.2015 21:16:53

### CH122



Date: 1.APR.2015 21:18:34

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-9.97	0.48	-9.49	9.00
CH122	5610	-6.88	0.48	-6.40	9.00




**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-6.48	0.48	-6.48	9.00
CH122	5610	-2.60	0.48	-2.60	9.00

**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-2.24	0.16	-2.08	28.00
CH157	5785	-1.61	0.16	-1.45	28.00
CH165	5825	-1.61	0.16	-1.45	28.00

**TX CH149**




Date: 1.APR.2015 20:51:44

### TX CH157



Date: 1.APR.2015 20:52:11

### TX CH165




Date: 1.APR.2015 20:52:31

**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-2.27	0.16	-2.11	28.00
CH157	5785	-2.25	0.16	-2.09	28.00
CH165	5825	-1.58	0.16	-1.42	28.00

**TX CH149**




Date: 1.APR.2015 21:46:25

### TX CH157



Date: 1.APR.2015 21:46:50

### TX CH165



Date: 1.APR.2015 21:47:08


**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	0.91	0.16	0.91	28.00
CH157	5785	1.25	0.16	1.25	28.00
CH165	5825	1.58	0.16	1.58	28.00

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-5.61	0.19	-5.42	28.00
CH159	5795	-5.03	0.19	-4.84	28.00

### TX CH151



Date: 1.APR.2015 21:03:48

### TX CH159




Date: 1.APR.2015 21:05:55

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-6.38	0.19	-6.19	28.00
CH159	5795	-5.18	0.19	-4.99	28.00

### TX CH151



Date: 1.APR.2015 21:56:40

### TX CH159



Date: 1.APR.2015 21:57:22

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-2.77	0.19	-2.77	28.00
CH159	5795	-1.91	0.19	-1.91	28.00





**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-9.33	0.48	-9.33	28.00

## ATTACHMENT I - FREQUENCY STABILITY

<b>Test Mode:</b>	<b>UNII-1</b>
-------------------	---------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0150
120	5180.0140
108	5180.0150
Max. Deviation (MHz)	0.0150
Max. Deviation (ppm)	2.8958

### Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5180.0130
5	5180.0180
15	5180.0120
25	5180.0150
35	5180.0130
45	5180.0150
50	5180.0160
Max. Deviation (MHz)	0.0180
Max. Deviation (ppm)	3.4749

<b>Test Mode:</b>	<b>UNII-2A</b>
-------------------	----------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5259.9950
120	5259.9953
108	5259.9951
Max. Deviation (MHz)	0.0050
Max. Deviation (ppm)	0.9471

### Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5260.0000
-5	5259.9953
5	5259.9951
15	5259.9949
25	5259.9950
35	5259.9950
45	5259.9939
50	5259.9952
Max. Deviation (MHz)	0.0061
Max. Deviation (ppm)	1.1597

<b>Test Mode:</b>	<b>UNII-2C</b>
-------------------	----------------

**Voltage vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5500.0000
120	5500.0000
108	5500.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0023

**Temperature vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(°C)	5500.0000
-5	5500.0000
5	5500.0000
15	5500.0013
25	5500.0000
35	5500.0012
45	5500.0000
50	5500.0000
Max. Deviation (MHz)	0.0013
Max. Deviation (ppm)	0.2364

<b>Test Mode:</b>	<b>UNII-3</b>
-------------------	---------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9799
120	5744.9795
108	5744.9796
Max. Deviation (MHz)	0.0205
Max. Deviation (ppm)	3.5683

### Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5744.9793
5	5744.9796
15	5744.9798
25	5744.9799
35	5744.9798
45	5744.9798
50	5744.9793
Max. Deviation (MHz)	0.0207
Max. Deviation (ppm)	3.6031