Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-1.36	0.09	-1.27	9.00
CH116	5580	-1.70	0.09	-1.61	9.00
CH140	5700	-1.21	0.09	-1.12	9.00

CH100



Date: 3.APR.2015 17:43:45

CH116



Date: 3.APR.2015 17:44:31

CH140



Date: 3.APR.2015 17:45:26

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.65	0.09	-0.56	9.00
CH116	5580	-0.86	0.09	-0.77	9.00
CH140	5700	-1.22	0.09	-1.13	9.00

CH100



Date: 3.APR.2015 17:02:17

CH116



Date: 3.APR.2015 17:03:02

CH140



Date: 3.APR.2015 17:03:39

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.11	0.09	2.11	9.00
CH116	5580	1.84	0.09	1.84	9.00
CH140	5700	1.88	0.09	1.88	9.00

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-1.55	0.07	-1.48	9.00
CH116	5580	-1.92	0.07	-1.85	9.00
CH140	5700	-1.49	0.07	-1.42	9.00

CH100



CH116



Date: 3.APR.2015 17:51:29

CH140



Date: 3.APR.2015 17:51:46

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.89	0.07	-0.82	9.00
CH116	5580	-0.85	0.07	-0.78	9.00
CH140	5700	-1.25	0.07	-1.18	9.00

CH100



Date: 3.APR.2015 17:09:52

CH116



Date: 3.APR.2015 17:10:25

CH140



Date: 3.APR.2015 17:10:41

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.87	0.07	1.87	9.00
CH116	5580	1.73	0.07	1.73	9.00
CH140	5700	1.71	0.07	1.71	9.00

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.64	0.32	-4.32	9.00
CH110	5550	-4.53	0.32	-4.21	9.00
CH134	5670	-4.83	0.32	-4.51	9.00

CH102



Date: 3.APR.2015 18:00:46

CH110



Date: 3.APR.2015 18:01:15

CH134



Date: 3.APR.2015 18:01:32

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.19	0.32	-3.87	9.00
CH110	5550	-5.64	0.32	-5.32	9.00
CH134	5670	-5.09	0.32	-4.77	9.00

CH102



CH110



Date: 3.APR.2015 17:20:37

CH134



Date: 3.APR.2015 17:20:55

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.08	0.32	-1.08	9.00
CH110	5550	-1.72	0.32	-1.72	9.00
CH134	5670	-1.63	0.32	-1.63	9.00

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-4.26	0.09	-4.17	28.00
CH157	5785	-4.17	0.09	-4.08	28.00
CH165	5825	-3.85	0.09	-3.76	28.00

TX CH149



Date: 3.APR.2015 17:46:10

TX CH157



Date: 3.APR.2015 17:47:00

TX CH165



Date: 3.APR.2015 17:47:38

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-3.63	0.09	-3.54	28.00
CH157	5785	-3.38	0.09	-3.29	28.00
CH165	5825	-2.74	0.09	-2.65	28.00

TX CH149



Date: 3.APR.2015 17:04:24

TX CH157



Date: 3.APR.2015 17:05:11

TX CH165



Date: 3.APR.2015 17:05:48

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-0.83	0.09	-0.83	28.00
CH157	5785	-0.65	0.09	-0.65	28.00
CH165	5825	-0.16	0.09	-0.16	28.00

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-4.54	0.07	-4.47	28.00
CH157	5785	-4.31	0.07	-4.24	28.00
CH165	5825	-4.27	0.07	-4.20	28.00

TX CH149



TX CH157



Date: 3.APR.2015 17:52:36

TX CH165



Date: 3.APR.2015 17:52:54

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-3.98	0.07	-3.91	28.00
CH157	5785	-3.42	0.07	-3.35	28.00
CH165	5825	-2.51	0.07	-2.44	28.00

TX CH149



Date: 3.APR.2015 17:11:08

TX CH157



Date: 3.APR.2015 17:11:54

TX CH165



Date: 3.APR.2015 17:12:14

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-1.17	0.07	-1.17	28.00
CH157	5785	-0.77	0.07	-0.77	28.00
CH165	5825	-0.22	0.07	-0.22	28.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-7.49	0.32	-7.17	28.00
CH159	5795	-7.73	0.32	-7.41	28.00

TX CH151



Date: 3.APR.2015 18:01:57

TX CH159



Date: 3.APR.2015 18:02:21

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-7.22	0.32	-6.90	28.00
CH159	5795	-6.20	0.32	-5.88	28.00

TX CH151



Date: 3.APR.2015 17:21:26

TX CH159



Date: 3.APR.2015 17:21:54

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-4.02	0.32	-4.02	28.00
CH159	5795	-3.57	0.32	-3.57	28.00

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.68	0.07	0.75	15.00
CH40	5200	0.70	0.07	0.77	15.00
CH48	5240	0.62	0.07	0.69	15.00

CH36



Date: 3.APR.2015 17:54:09

CH40



Date: 3.APR.2015 17:54:35

CH48



Date: 3.APR.2015 17:54:52

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.00	0.07	1.07	15.00
CH40	5200	0.82	0.07	0.89	15.00
CH48	5240	0.87	0.07	0.94	15.00

CH36



Date: 3.APR.2015 17:12:48

CH40



Date: 3.APR.2015 17:13:18

CH48



Date: 3.APR.2015 17:13:35

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.92	0.07	3.92	15.00
CH40	5200	3.84	0.07	3.84	15.00
CH48	5240	3.83	0.07	3.83	15.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-4.86	0.26	-4.60	15.00
CH46	5230	-2.64	0.26	-2.38	15.00

CH38



Date: 3.APR.2015 18:03:16

CH46



Date: 3.APR.2015 18:03:46

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-4.44	0.26	-4.18	15.00
CH46	5230	-2.32	0.26	-2.06	15.00

CH38



Date: 3.APR.2015 17:22:25

CH46



Date: 3.APR.2015 17:22:56

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.37	0.26	-1.37	15.00
CH46	5230	0.79	0.26	0.79	15.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-9.98	0.61	-9.37	15.00

CH42



Date: 3.APR.2015 18:07:23

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-9.96	0.61	-9.35	15.00

CH42



Date: 3.APR.2015 17:27:35

Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-6.35	0.61	-6.35	15.00

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.59	0.07	0.66	9.00
CH60	5300	0.14	0.07	0.21	9.00
CH64	5320	0.07	0.07	0.14	9.00

CH52



Date: 3.APR.2015 17:55:16

CH60



Date: 3.APR.2015 17:55:42

CH64



Date: 3.APR.2015 17:55:59

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.25	0.07	1.32	9.00
CH60	5300	0.68	0.07	0.75	9.00
CH64	5320	0.12	0.07	0.19	9.00

CH52



Date: 3.APR.2015 17:13:59

CH60



Date: 3.APR.2015 17:14:24

CH64



Date: 3.APR.2015 17:14:46

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.02	0.07	4.02	9.00
CH60	5300	3.50	0.07	3.50	9.00
CH64	5320	3.18	0.07	3.18	9.00

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-4.76	0.26	-4.50	9.00
CH62	5310	-5.39	0.26	-5.13	9.00

CH54



Date: 3.APR.2015 18:04:11

CH62



Date: 3.APR.2015 18:04:38

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.44	0.26	-2.18	9.00
CH62	5310	-5.31	0.26	-5.05	9.00

CH54



Date: 3.APR.2015 17:23:32

CH62



Date: 3.APR.2015 17:24:11

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-0.17	0.26	-0.17	9.00
CH62	5310	-2.08	0.26	-2.08	9.00

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-11.22	0.61	-10.61	9.00

CH58



Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-10.22	0.61	-9.61	9.00

CH58



Date: 3.APR.2015 17:28:18

Test Mode: UNII-2A/TX AC80 Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-7.07	0.61	-7.07	9.00

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.84	0.07	-0.77	9.00
CH116	5580	-1.44	0.07	-1.37	9.00
CH140	5700	-0.69	0.07	-0.62	9.00

CH100



Date: 3.APR.2015 17:56:22

CH116



Date: 3.APR.2015 17:56:45

CH140



Date: 3.APR.2015 17:57:01

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.74	0.07	-0.67	9.00
CH116	5580	-0.42	0.07	-0.35	9.00
CH140	5700	-0.87	0.07	-0.80	9.00

CH100



Date: 3.APR.2015 17:15:09

CH116



Date: 3.APR.2015 17:15:36

CH140



Date: 3.APR.2015 17:15:53

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.29	0.07	2.29	9.00
CH116	5580	2.18	0.07	2.18	9.00
CH140	5700	2.30	0.07	2.30	9.00

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.27	0.26	-4.01	9.00
CH110	5550	-4.13	0.26	-3.87	9.00
CH134	5670	-4.68	0.26	-4.42	9.00

CH102



CH110



Date: 3.APR.2015 18:05:41

CH134



Date: 3.APR.2015 18:05:58

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.86	0.26	-3.60	9.00
CH110	5550	-4.04	0.26	-3.78	9.00
CH134	5670	-4.97	0.26	-4.71	9.00

CH102



Date: 3.APR.2015 17:24:37

CH110



Date: 3.APR.2015 17:25:04

CH134



Date: 3.APR.2015 17:25:26

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.79	0.26	-0.79	9.00
CH110	5550	-0.82	0.26	-0.82	9.00
CH134	5670	-1.55	0.26	-1.55	9.00

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-11.62	0.61	-11.01	9.00
CH122	5610	-6.88	0.61	-6.27	9.00

CH106



Date: 3.APR.2015 18:09:57

CH122



Date: 3.APR.2015 18:10:28

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-11.20	0.61	-10.59	9.00
CH122	5610	-7.38	0.61	-6.77	9.00

CH106



Date: 3.APR.2015 17:28:56

CH122



Date: 3.APR.2015 17:29:56

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-7.79	0.61	-7.79	9.00
CH122	5610	-3.50	0.61	-3.50	9.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-3.76	0.07	-3.69	28.00
CH157	5785	-3.42	0.07	-3.35	28.00
CH165	5825	-3.53	0.07	-3.46	28.00

TX CH149



Date: 3.APR.2015 17:57:25

TX CH157



Date: 3.APR.2015 17:57:48

TX CH165



Date: 3.APR.2015 17:58:06

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-3.46	0.07	-3.39	28.00
CH157	5785	-2.86	0.07	-2.79	28.00
CH165	5825	-2.44	0.07	-2.37	28.00

TX CH149



TX CH157



Date: 3.APR.2015 17:16:42

TX CH165



Date: 3.APR.2015 17:17:01

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-0.53	0.07	-0.53	28.00
CH157	5785	-0.05	0.07	-0.05	28.00
CH165	5825	0.13	0.07	0.13	28.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-7.13	0.26	-6.87	28.00
CH159	5795	-7.05	0.26	-6.79	28.00

TX CH151



Date: 3.APR.2015 18:06:24

TX CH159



Date: 3.APR.2015 18:06:49

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-6.93	0.26	-6.67	28.00
CH159	5795	-6.38	0.26	-6.12	28.00

TX CH151



Date: 3.APR.2015 17:25:56

TX CH159



Date: 3.APR.2015 17:26:32

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-3.76	0.26	-3.76	28.00
CH159	5795	-3.43	0.26	-3.43	28.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-12.16	0.61	-11.55	28.00

TX CH155



Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-10.83	0.61	-10.22	28.00

TX CH155



Date: 3.APR.2015 17:32:08

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-7.82	0.61	-7.82	28.00

ATTACHMENT I - FREQUENCY STABILITY

Test Mode:	UNII-1

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9800
120	5179.9800
108	5179.9600
Max. Deviation (MHz)	0.0400
Max. Deviation (ppm)	7.7220

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(℃)	5180.0000
-5	5179.9823
5	5179.9800
15	5179.9810
25	5179.9800
35	5179.9820
45	5179.9830
50	5179.9810
Max. Deviation (MHz)	0.0200
Max. Deviation (ppm)	3.8610

Test Mode:	UNII-2A

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5260.0000
120	5260.0000
108	5260.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0024

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(℃)	5260.0000
-5	5260.0000
5	5260.0000
15	5260.0000
25	5260.0000
35	5260.0000
45	5260.0000
50	5260.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0000

Test Mode:	UNII-2C

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5500.0000
120	5500.0000
108	5500.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0023

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(℃)	5500.0000
-5	5500.0000
5	5500.0000
15	5500.0000
25	5500.0000
35	5500.0000
45	5500.0000
50	5500.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0000

Test Mode:	UNII-3

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0000
120	5745.0000
108	5745.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0000

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(℃)	5745.0000
-5	5745.0000
5	5745.0000
15	5745.0000
25	5745.0000
35	5745.0000
45	5745.0000
50	5745.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0000