




6.1.1.2.4.2 Test Channel = MCH

6.1.1.2.4.2.1 Test RB = RB1#0












6.1.1.2.4.3 Test Channel = HCH

6.1.1.2.4.3.1 Test RB = RB1#0












6.1.1.2.5 Test Bandwidth = 15

6.1.1.2.5.1 Test Channel = LCH

6.1.1.2.5.1.1 Test RB = RB1#0












6.1.1.2.5.2 Test Channel = MCH

6.1.1.2.5.2.1 Test RB = RB1#0












6.1.1.2.5.3 Test Channel = HCH

6.1.1.2.5.3.1 Test RB = RB1#0












6.1.1.2.6 Test Bandwidth = 20

6.1.1.2.6.1 Test Channel = LCH

6.1.1.2.6.1.1 Test RB = RB1#0












6.1.1.2.6.2 Test Channel = MCH

6.1.1.2.6.2.1 Test RB = RB1#0












6.1.1.2.6.3 Test Channel = HCH

6.1.1.2.6.3.1 Test RB = RB1#0









7Appendix_G: Field Strength of Spurious Radiation

Note: We tested all modes, but the data presented below is the worst case.

9kHz~150kHz, RBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, RBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK


Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK

Part I - Test Plots


7.1 For LTE

7.1.1 Test Band = BAND2


7.1.1.1 Test Bandwidth = 1.4




LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_L




LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_H




18G~26.5G RSE-TX-DIRECTOR ABOVE 1.5G PK




7.1.1.2 Test Bandwidth = 5




LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_L




LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_H




18G~26.5G RSE-TX-DIRECTOR ABOVE 1.5G PK




7.1.1.3 Test Bandwidth = 20




LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_L



LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_H



18G~26.5G RSE-TX-DIRECTOR ABOVE 1.5G PK



8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1 Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND2	LTE/TM1	1.4	LCH	TN	VL	1.32	0.00071	PASS
					VN	-0.84	-0.00045	PASS
					VH	-1.1	-0.00059	PASS
			MCH	TN	VL	-6.28	-0.00334	PASS
					VN	-4.28	-0.00228	PASS
					VH	-6.84	-0.00364	PASS
			HCH	TN	VL	9.77	0.00512	PASS
					VN	0.16	0.00008	PASS
					VH	-3.12	-0.00163	PASS
		3	LCH	TN	VL	-2.13	-0.00115	PASS
					VN	-4.08	-0.0022	PASS
					VH	-5.76	-0.00311	PASS
			MCH	TN	VL	-3.66	-0.00195	PASS
					VN	-2.85	-0.00152	PASS
					VH	-0.6	-0.00032	PASS
			HCH	TN	VL	-0.13	-0.00007	PASS
					VN	0.53	0.00028	PASS
					VH	2.96	0.00155	PASS
		5	LCH	TN	VL	-8.15	-0.0044	PASS
					VN	-3.93	-0.00212	PASS
					VH	-3.13	-0.00169	PASS
			MCH	TN	VL	-2.35	-0.00125	PASS
					VN	-2.26	-0.0012	PASS
					VH	-1.82	-0.00097	PASS
			HCH	TN	VL	0.07	0.00004	PASS
					VN	0.74	0.00039	PASS
					VH	-1.42	-0.00074	PASS
10	LCH	TN	VL	-5.58	-0.00301	PASS		
			VN	-5.48	-0.00295	PASS		
			VH	-1.04	-0.00056	PASS		

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict	
	LTE/TM2	15	MCH	TN	VL	-4.05	-0.00215	PASS	
					VN	-2.09	-0.00111	PASS	
					VH	-5.04	-0.00268	PASS	
			HCH	TN	VL	2.37	0.00124	PASS	
					VN	-0.03	-0.00002	PASS	
					VH	-2.98	-0.00156	PASS	
			LCH	TN	VL	-1.65	-0.00089	PASS	
					VN	-1.63	-0.00088	PASS	
					VH	0.87	0.00047	PASS	
			MCH	TN	VL	-4.13	-0.0022	PASS	
					VN	-2.72	-0.00145	PASS	
					VH	-2.63	-0.0014	PASS	
		HCH	TN	VL	-3.42	-0.0018	PASS		
				VN	-7.41	-0.00389	PASS		
				VH	-3.5	-0.00184	PASS		
		20	LCH	TN	VL	0.49	0.00026	PASS	
					VN	-4.39	-0.00236	PASS	
					VH	-0.84	-0.00045	PASS	
			MCH	TN	VL	-3.16	-0.00168	PASS	
					VN	-4.62	-0.00246	PASS	
					VH	-0.9	-0.00048	PASS	
			HCH	TN	VL	-6.94	-0.00365	PASS	
					VN	-3.63	-0.00191	PASS	
					VH	-5.12	-0.00269	PASS	
			1.4	LCH	TN	VL	-2.29	-0.00124	PASS
						VN	-4.23	-0.00229	PASS
						VH	-3.1	-0.00168	PASS
		MCH		TN	VL	-4.71	-0.00251	PASS	
					VN	-4.73	-0.00252	PASS	
					VH	-3.48	-0.00185	PASS	
		HCH		TN	VL	-3.92	-0.00205	PASS	
					VN	-0.97	-0.00051	PASS	
					VH	-3.52	-0.00184	PASS	
		3		LCH	TN	VL	2.06	0.00111	PASS
						VN	-2	-0.00108	PASS
						VH	-0.9	-0.00049	PASS
			MCH	TN	VL	-7.01	-0.00373	PASS	
					VN	-7.93	-0.00422	PASS	
					VH	-2.66	-0.00141	PASS	

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
		5	HCH	TN	VL	-1.03	-0.00054	PASS
					VN	-2.09	-0.0011	PASS
					VH	-2.06	-0.00108	PASS
			LCH	TN	VL	-0.56	-0.0003	PASS
					VN	-1.75	-0.00094	PASS
					VH	-2.65	-0.00143	PASS
			MCH	TN	VL	-4.69	-0.00249	PASS
					VN	-2.46	-0.00131	PASS
					VH	-4.23	-0.00225	PASS
		HCH	TN	VL	2.03	0.00106	PASS	
				VN	1.1	0.00058	PASS	
				VH	-0.97	-0.00051	PASS	
		10	LCH	TN	VL	0.36	0.00019	PASS
					VN	-2.45	-0.00132	PASS
					VH	0.04	0.00002	PASS
			MCH	TN	VL	-4.81	-0.00256	PASS
					VN	-2.69	-0.00143	PASS
					VH	-1.93	-0.00103	PASS
			HCH	TN	VL	-0.19	-0.0001	PASS
					VN	0.8	0.00042	PASS
					VH	1.67	0.00088	PASS
		15	LCH	TN	VL	-1.32	-0.00071	PASS
					VN	-4.55	-0.00245	PASS
					VH	-2.65	-0.00143	PASS
			MCH	TN	VL	-4.03	-0.00214	PASS
					VN	-9.23	-0.00491	PASS
					VH	0.5	0.00027	PASS
			HCH	TN	VL	-4.62	-0.00243	PASS
					VN	-3.03	-0.00159	PASS
					VH	-5.02	-0.00264	PASS
		20	LCH	TN	VL	1.33	0.00072	PASS
					VN	-1.07	-0.00058	PASS
					VH	8.51	0.00458	PASS
			MCH	TN	VL	-0.56	-0.0003	PASS
					VN	4.39	0.00234	PASS
					VH	1.67	0.00089	PASS
			HCH	TN	VL	-3.62	-0.00191	PASS
					VN	-4.29	-0.00226	PASS
					VH	-4.85	-0.00255	PASS



8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict	
BAND2	LTE/TM1	1.4	LCH	VN	-30	-5.72	-0.00309	PASS	
					-20	-3.93	-0.00212	PASS	
					-10	-4.18	-0.00226	PASS	
					0	-3.36	-0.00182	PASS	
					10	-2.05	-0.00111	PASS	
					20	-5.71	-0.00309	PASS	
					30	-3.82	-0.00206	PASS	
					40	-5.99	-0.00324	PASS	
					50	-7.9	-0.00427	PASS	
			MCH	VN	-30	-5.46	-0.0029	PASS	
					-20	-5.41	-0.00288	PASS	
					-10	-5.29	-0.00281	PASS	
					0	-3.33	-0.00177	PASS	
					10	-8.1	-0.00431	PASS	
					20	-5.59	-0.00297	PASS	
		30			-2.49	-0.00132	PASS		
		40			-9.04	-0.00481	PASS		
		50			-2.76	-0.00147	PASS		
		HCH	VN	-30	4.61	0.00241	PASS		
				-20	-3.46	-0.00181	PASS		
				-10	-2.09	-0.00109	PASS		
				0	-1.42	-0.00074	PASS		
				10	-0.7	-0.00037	PASS		
				20	2.09	0.00109	PASS		
				30	1.42	0.00074	PASS		
				40	0.74	0.00039	PASS		
				50	2.73	0.00143	PASS		
		3		LCH	VN	-30	-5.49	-0.00297	PASS
						-20	3.06	0.00165	PASS
						-10	-4.66	-0.00252	PASS
0	-3.63					-0.00196	PASS		
10	-5.88					-0.00318	PASS		
20	2.9					0.00157	PASS		
30	-9.71					-0.00524	PASS		
40	-3.83					-0.00207	PASS		
50	-4.98					-0.00269	PASS		
MCH	VN			-30	-3.65	-0.00194	PASS		

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-1.17	-0.00062	PASS
					-10	-3.52	-0.00187	PASS
					0	-1.06	-0.00056	PASS
					10	-7.04	-0.00374	PASS
					20	-4.26	-0.00227	PASS
					30	-1.37	-0.00073	PASS
					40	-3.42	-0.00182	PASS
					50	-2.26	-0.0012	PASS
			HCH	VN	-30	0.43	0.00023	PASS
					-20	-2.73	-0.00143	PASS
					-10	3.03	0.00159	PASS
					0	5.21	0.00273	PASS
					10	-2.17	-0.00114	PASS
					20	-1.67	-0.00088	PASS
					30	0.34	0.00018	PASS
					40	-1.87	-0.00098	PASS
			LCH	VN	-30	-3.79	-0.00205	PASS
					-20	0.36	0.00019	PASS
					-10	-1.6	-0.00086	PASS
					0	-0.59	-0.00032	PASS
		10			-2.37	-0.00128	PASS	
		20			-0.47	-0.00025	PASS	
		30			-1.7	-0.00092	PASS	
		40			-0.53	-0.00029	PASS	
		MCH	VN	-30	-4.52	-0.0024	PASS	
				-20	-2.46	-0.00131	PASS	
				-10	-0.7	-0.00037	PASS	
				0	-3.73	-0.00198	PASS	
				10	-7.72	-0.00411	PASS	
				20	-6.81	-0.00362	PASS	
				30	-3.92	-0.00209	PASS	
				40	-5.46	-0.0029	PASS	
		HCH	VN	50	1.67	0.00089	PASS	
				-30	2.13	0.00112	PASS	
				-20	3.89	0.00204	PASS	
				-10	-1.66	-0.00087	PASS	
					0	0.31	0.00016	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-3.76	-0.00197	PASS
					20	3.29	0.00172	PASS
					30	-1.13	-0.00059	PASS
					40	0.46	0.00024	PASS
					50	2.56	0.00134	PASS
		10	LCH	VN	-30	-0.24	-0.00013	PASS
					-20	-3.43	-0.00185	PASS
					-10	-6.55	-0.00353	PASS
					0	-4.15	-0.00224	PASS
					10	-12.86	-0.00693	PASS
					20	-5.11	-0.00275	PASS
					30	-2.03	-0.00109	PASS
					40	-3.72	-0.00201	PASS
					50	9.46	0.0051	PASS
					MCH	VN	-30	-4.29
			-20	-10.67			-0.00568	PASS
			-10	-6.81			-0.00362	PASS
			0	-1.52			-0.00081	PASS
			10	-1.47			-0.00078	PASS
			20	-3.06			-0.00163	PASS
			30	-1.66			-0.00088	PASS
			40	-6.44			-0.00343	PASS
			HCH	VN	-30	-0.93	-0.00049	PASS
					-20	-2.52	-0.00132	PASS
					-10	0.79	0.00041	PASS
					0	7.75	0.00407	PASS
					10	0.04	0.00002	PASS
					20	-0.27	-0.00014	PASS
					30	-0.69	-0.00036	PASS
			15	LCH	VN	-30	0.8	0.00043
		-20				-7.68	-0.00413	PASS
		-10				-4.69	-0.00252	PASS
		0				-4.45	-0.0024	PASS
10	-3.65	-0.00197				PASS		
20	-2.8	-0.00151				PASS		
30	-2.27	-0.00122				PASS		

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict	
					40	-4.55	-0.00245	PASS	
					50	-4.03	-0.00217	PASS	
			MCH	VN	-30	-6.48	-0.00345	PASS	
					-20	-7.04	-0.00374	PASS	
					-10	-2.57	-0.00137	PASS	
					0	-3.32	-0.00177	PASS	
					10	-5.76	-0.00306	PASS	
					20	-5.66	-0.00301	PASS	
					30	-3.72	-0.00198	PASS	
					40	-3.63	-0.00193	PASS	
					50	-1.9	-0.00101	PASS	
			HCH	VN	-30	-3.75	-0.00197	PASS	
					-20	-1.44	-0.00076	PASS	
					-10	-3.72	-0.00196	PASS	
					0	-3.5	-0.00184	PASS	
					10	-4.16	-0.00219	PASS	
					20	-2.12	-0.00111	PASS	
					30	-5.45	-0.00286	PASS	
		40			-7.52	-0.00395	PASS		
		20		LCH	VN	-30	3.96	0.00213	PASS
						-20	3.46	0.00186	PASS
						-10	4.76	0.00256	PASS
						0	0.72	0.00039	PASS
						10	8.44	0.00454	PASS
						20	2.32	0.00125	PASS
						30	-0.84	-0.00045	PASS
						40	0.99	0.00053	PASS
				50	5.26	0.00283	PASS		
				MCH	VN	-30	7.42	0.00395	PASS
						-20	-1.09	-0.00058	PASS
						-10	1.76	0.00094	PASS
						0	4.48	0.00238	PASS
						10	0.84	0.00045	PASS
20	3.19					0.0017	PASS		
30	-1.23	-0.00065	PASS						
40	8.87	0.00472	PASS						
50	-3.49	-0.00186	PASS						
HCH	VN	-30	2.62	0.00138	PASS				

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
					-20	1.8	0.00095	PASS		
					-10	0.11	0.00006	PASS		
					0	-3.08	-0.00162	PASS		
					10	-3.58	-0.00188	PASS		
					20	-0.36	-0.00019	PASS		
					30	-0.96	-0.00051	PASS		
					40	-3.71	-0.00195	PASS		
					50	1.14	0.0006	PASS		
	LTE/TM2	1.4	LCH	VN	-30	4.84	0.00262	PASS		
					-20	-3.38	-0.00183	PASS		
					-10	-2.83	-0.00153	PASS		
					0	-1.95	-0.00105	PASS		
					10	-1.69	-0.00091	PASS		
					20	-5.92	-0.0032	PASS		
					30	-4.03	-0.00218	PASS		
					40	-0.74	-0.0004	PASS		
					50	-2.55	-0.00138	PASS		
					MCH	VN	-30	-3.03	-0.00161	PASS
							-20	-3.02	-0.00161	PASS
							-10	-4.02	-0.00214	PASS
							0	-1.8	-0.00096	PASS
							10	-3.4	-0.00181	PASS
							20	-3.06	-0.00163	PASS
							30	-2.62	-0.00139	PASS
		40	-1.04	-0.00055			PASS			
		HCH	VN	-30	1.65	0.00086	PASS			
				-20	-1.66	-0.00087	PASS			
				-10	2.1	0.0011	PASS			
				0	-1.95	-0.00102	PASS			
				10	-2.36	-0.00124	PASS			
				20	-3.73	-0.00195	PASS			
				30	0.87	0.00046	PASS			
				40	-0.24	-0.00013	PASS			
		50	-2.72	-0.00142	PASS					
		3	LCH	VN	-30	-5.26	-0.00284	PASS		
					-20	-2.02	-0.00109	PASS		
-10	-7.17				-0.00387	PASS				
0	-1.43				-0.00077	PASS				



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-5.88	-0.00318	PASS
					20	-2.42	-0.00131	PASS
					30	-3.45	-0.00186	PASS
					40	1.47	0.00079	PASS
					50	0.21	0.00011	PASS
			MCH	VN	-30	-5.18	-0.00276	PASS
					-20	-3.69	-0.00196	PASS
					-10	-3.52	-0.00187	PASS
					0	-3.15	-0.00168	PASS
					10	-3.46	-0.00184	PASS
					20	-2.45	-0.0013	PASS
					30	-4.19	-0.00223	PASS
					40	-2.12	-0.00113	PASS
			HCH	VN	50	-4.66	-0.00248	PASS
					-30	1.86	0.00097	PASS
					-20	1.27	0.00067	PASS
					-10	-0.16	-0.00008	PASS
					0	0.96	0.0005	PASS
					10	-1.27	-0.00067	PASS
					20	-0.69	-0.00036	PASS
					30	1.39	0.00073	PASS
			LCH	VN	40	-0.62	-0.00032	PASS
					50	0.13	0.00007	PASS
					-30	1.63	0.00088	PASS
					-20	-0.2	-0.00011	PASS
					-10	-1.22	-0.00066	PASS
					0	-4.35	-0.00235	PASS
					10	-0.23	-0.00012	PASS
					20	-2.95	-0.00159	PASS
					30	-3.91	-0.00211	PASS
					40	-8.18	-0.00442	PASS
			MCH	VN	50	-5.75	-0.0031	PASS
					-30	-4.21	-0.00224	PASS
					-20	-3.89	-0.00207	PASS
					-10	-3.59	-0.00191	PASS
					0	-5.64	-0.003	PASS
					10	-3.53	-0.00188	PASS
					20	-1.9	-0.00101	PASS
			30	-1.97	-0.00105	PASS		



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	-1.23	-0.00065	PASS
					50	-1.89	-0.00101	PASS
			HCH	VN	-30	-1.27	-0.00067	PASS
					-20	0.01	0.00001	PASS
					-10	1.27	0.00067	PASS
					0	2.23	0.00117	PASS
					10	-0.23	-0.00012	PASS
					20	-0.41	-0.00021	PASS
					30	1.46	0.00077	PASS
					40	0.31	0.00016	PASS
		50	-2.46	-0.00129	PASS			
		10	LCH	VN	-30	-2.06	-0.00111	PASS
					-20	0.86	0.00046	PASS
					-10	5.76	0.00311	PASS
					0	-6.51	-0.00351	PASS
					10	-4.18	-0.00225	PASS
					20	-5.59	-0.00301	PASS
					30	-7.93	-0.00427	PASS
					40	-0.31	-0.00017	PASS
					50	5.75	0.0031	PASS
					MCH	VN	-30	-2.42
		-20	-4.08	-0.00217			PASS	
		-10	-1.77	-0.00094			PASS	
		0	-4.35	-0.00231			PASS	
		10	-3	-0.0016			PASS	
		20	-3.16	-0.00168			PASS	
		30	-3.71	-0.00197			PASS	
		40	-3.55	-0.00189			PASS	
		50	-3.32	-0.00177	PASS			
		HCH	VN	-30	-0.13	-0.00007	PASS	
				-20	1.1	0.00058	PASS	
				-10	0.89	0.00047	PASS	
				0	0.7	0.00037	PASS	
				10	-0.7	-0.00037	PASS	
				20	1.6	0.00084	PASS	
				30	-0.41	-0.00022	PASS	
				40	-0.01	-0.00001	PASS	
		50	0.16	0.00008	PASS			
		15	LCH	VN	-30	-1.09	-0.00059	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict	
					-20	-4.06	-0.00219	PASS	
					-10	-6.32	-0.0034	PASS	
					0	-2.83	-0.00152	PASS	
					10	-3.73	-0.00201	PASS	
					20	0.76	0.00041	PASS	
					30	-7.1	-0.00382	PASS	
					40	-4.63	-0.00249	PASS	
					50	-12.15	-0.00654	PASS	
			MCH	VN	-30	-3.98	-0.00212	PASS	
					-20	-4.41	-0.00235	PASS	
					-10	-2.85	-0.00152	PASS	
					0	-3.06	-0.00163	PASS	
					10	-2.86	-0.00152	PASS	
					20	-4.19	-0.00223	PASS	
					30	-3.1	-0.00165	PASS	
					40	-3.42	-0.00182	PASS	
			HCH	VN	-30	-3.63	-0.00191	PASS	
					-20	-3.66	-0.00192	PASS	
					-10	-4.75	-0.0025	PASS	
					0	-3.25	-0.00171	PASS	
					10	-3.08	-0.00162	PASS	
					20	-4.09	-0.00215	PASS	
					30	-2.79	-0.00147	PASS	
					40	-2.73	-0.00143	PASS	
			20	LCH	VN	-30	-1.69	-0.00091	PASS
						-20	-0.21	-0.00011	PASS
						-10	0.86	0.00046	PASS
						0	-0.07	-0.00004	PASS
		10				2.8	0.00151	PASS	
		20				2.63	0.00141	PASS	
		30				-0.73	-0.00039	PASS	
		40				-0.99	-0.00053	PASS	
		50				0.07	0.00004	PASS	
		MCH				VN	-30	0.47	0.00025
				-20	-3.26		-0.00173	PASS	
				-10	-4.02		-0.00214	PASS	
			0	1.42	0.00076		PASS		



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-2.99	-0.00159	PASS
					20	0.27	0.00014	PASS
					30	-0.99	-0.00053	PASS
					40	0.6	0.00032	PASS
					50	-5.09	-0.00271	PASS
			HCH	VN	-30	-4.11	-0.00216	PASS
					-20	-3.91	-0.00206	PASS
					-10	-4.45	-0.00234	PASS
					0	-2.72	-0.00143	PASS
					10	-3.42	-0.0018	PASS
					20	-4.02	-0.00212	PASS
					30	-2.6	-0.00137	PASS
					40	-4.15	-0.00218	PASS
					50	-3.46	-0.00182	PASS

END