



					10	-0.39	-0.00023	PASS
					20	0.63	0.00036	PASS
					30	-0.99	-0.00057	PASS
					40	-1.4	-0.00081	PASS
					50	-0.36	-0.00021	PASS
			HCH	VN	-30	-5.08	-0.00291	PASS
					-20	-0.89	-0.00051	PASS
					-10	-1.33	-0.00076	PASS
					0	-1.65	-0.00095	PASS
					10	-3.35	-0.00192	PASS
					20	-0.89	-0.00051	PASS
					30	-1.72	-0.00099	PASS
					40	-4.45	-0.00255	PASS
					50	-3.05	-0.00175	PASS
					BAND5	LTE/TM1	1.4	LCH
-20	21.14	0.02563	PASS					
-10	0.19	0.00023	PASS					
0	7.6	0.00922	PASS					
10	-0.77	-0.00093	PASS					
20	11.23	0.01362	PASS					
30	7.67	0.0093	PASS					
40	25.81	0.0313	PASS					
MCH	VN	50	-5.74	-0.00696				PASS
		-30	-3.35	-0.004				PASS
		-20	-0.92	-0.0011				PASS
		-10	-84.83	-0.10141				PASS
		0	25.86	0.03091				PASS
		10	1.66	0.00198				PASS
		20	-42.24	-0.0505				PASS
HCH	VN	30	69.59	0.08319	PASS			
		40	1.44	0.00172	PASS			
		50	-4.52	-0.0054	PASS			
		-30	-6.91	-0.00815	PASS			
		-20	-12.69	-0.01496	PASS			
		-10	1.5	0.00177	PASS			
		0	-6.54	-0.00771	PASS			
		10	13.16	0.01551	PASS			
20	-6.09	-0.00718	PASS					
30	19.93	0.02349	PASS					
40	-2.85	-0.00336	PASS					
50	-9.88	-0.01165	PASS					

		3	LCH	VN	-30	10.34	0.01253	PASS
					-20	-18.73	-0.02269	PASS
					-10	10.94	0.01325	PASS
					0	283.41	0.34332	PASS
					10	-3.76	-0.00455	PASS
					20	-2.68	-0.00325	PASS
					30	-8.33	-0.01009	PASS
					40	-3.19	-0.00386	PASS
					50	-13.2	-0.01599	PASS
			MCH	VN	-30	-0.17	-0.0002	PASS
					-20	-2.7	-0.00323	PASS
					-10	-8.11	-0.0097	PASS
					0	-3.76	-0.00449	PASS
					10	-21.73	-0.02598	PASS
					20	-3.81	-0.00455	PASS
					30	-1.53	-0.00183	PASS
					40	-7.07	-0.00845	PASS
					50	-3.3	-0.00395	PASS
			HCH	VN	-30	-0.7	-0.00083	PASS
					-20	-1.1	-0.0013	PASS
					-10	-2.9	-0.00342	PASS
					0	-0.37	-0.00044	PASS
					10	0.26	0.00031	PASS
					20	-3.19	-0.00376	PASS
		30			-0.14	-0.00017	PASS	
		40			-0.69	-0.00081	PASS	
		50			-0.63	-0.00074	PASS	
		5	LCH	VN	-30	7.7	0.00932	PASS
					-20	-3	-0.00363	PASS
					-10	-1.2	-0.00145	PASS
0	0.79				0.00096	PASS		
10	1.36				0.00165	PASS		
20	-1.59				-0.00192	PASS		
30	3.06				0.0037	PASS		
40	-0.64				-0.00077	PASS		
50	-5.56				-0.00673	PASS		
MCH	VN		-30	-0.63	-0.00075	PASS		
			-20	3.15	0.00377	PASS		
			-10	0.17	0.0002	PASS		
			0	-1.43	-0.00171	PASS		
			10	-2.33	-0.00279	PASS		



			HCH	VN	20	-1.26	-0.00151	PASS		
					30	1.39	0.00166	PASS		
					40	0.63	0.00075	PASS		
					50	0.43	0.00051	PASS		
					-30	2.3	0.00272	PASS		
					-20	-0.34	-0.0004	PASS		
					-10	-2	-0.00236	PASS		
					0	0.84	0.00099	PASS		
					10	-0.3	-0.00035	PASS		
					20	-2.3	-0.00272	PASS		
					30	-0.29	-0.00034	PASS		
					40	-1.22	-0.00144	PASS		
					50	-1.36	-0.00161	PASS		
					10	LCH	VN	-30	-4.69	-0.00566
		-20	3.92	0.00473				PASS		
		-10	-0.46	-0.00055				PASS		
		0	-11.04	-0.01332				PASS		
		10	1.04	0.00125				PASS		
		20	-0.24	-0.00029				PASS		
		30	0.07	0.00008				PASS		
		40	16.79	0.02025				PASS		
		50	-5.34	-0.00644				PASS		
		MCH	VN	-30				-2.92	-0.00349	PASS
				-20				205.55	0.24573	PASS
				-10				-23.88	-0.02855	PASS
				0				14.89	0.0178	PASS
				10				-12.56	-0.01501	PASS
				20		-14.91	-0.01782	PASS		
				30		-13.98	-0.01671	PASS		
				40		-53.97	-0.06452	PASS		
		HCH	VN	-30		0.3	0.00036	PASS		
				-20		-2.63	-0.00312	PASS		
				-10		-2.52	-0.00299	PASS		
				0		-2.33	-0.00276	PASS		
				10		-0.5	-0.00059	PASS		
				20		-1.99	-0.00236	PASS		
				30		0.44	0.00052	PASS		
				40		-1.52	-0.0018	PASS		
				50		-2.55	-0.00302	PASS		
				LTE/TM2		1.4	LCH	VN	-30	-13.75



					-20	-16.48	-0.01998	PASS
					-10	12.66	0.01535	PASS
					0	-47.89	-0.05807	PASS
					10	10.31	0.0125	PASS
					20	0.86	0.00104	PASS
					30	35.09	0.04255	PASS
					40	48.59	0.05892	PASS
					50	80.7	0.09785	PASS
			MCH	VN	-30	-8.5	-0.01016	PASS
			MCH	VN	-20	0.82	0.00098	PASS
			MCH	VN	-10	-30.13	-0.03602	PASS
			MCH	VN	0	24.83	0.02968	PASS
			MCH	VN	10	23.4	0.02797	PASS
			MCH	VN	20	10.83	0.01295	PASS
			MCH	VN	30	-1.19	-0.00142	PASS
			MCH	VN	40	-23.52	-0.02812	PASS
			MCH	VN	50	7.71	0.00922	PASS
			HCH	VN	-30	-8.18	-0.00964	PASS
			HCH	VN	-20	-2.95	-0.00348	PASS
			HCH	VN	-10	9.13	0.01076	PASS
			HCH	VN	0	-1.65	-0.00195	PASS
			HCH	VN	10	-7.45	-0.00878	PASS
			HCH	VN	20	6.84	0.00806	PASS
			HCH	VN	30	0.07	0.00008	PASS
			HCH	VN	40	-3.23	-0.00381	PASS
			HCH	VN	50	2.25	0.00265	PASS
		3	LCH	VN	-30	3.52	0.00426	PASS
		3	LCH	VN	-20	14.09	0.01707	PASS
		3	LCH	VN	-10	-14.39	-0.01743	PASS
		3	LCH	VN	0	0.37	0.00045	PASS
		3	LCH	VN	10	2.75	0.00333	PASS
		3	LCH	VN	20	-0.94	-0.00114	PASS
		3	LCH	VN	30	8.91	0.01079	PASS
		3	LCH	VN	40	77.91	0.09438	PASS
		3	LCH	VN	50	-102.98	-0.12475	PASS
		3	MCH	VN	-30	-3.32	-0.00397	PASS
		3	MCH	VN	-20	0.01	0.00001	PASS
		3	MCH	VN	-10	-2.29	-0.00274	PASS
		3	MCH	VN	0	-1.07	-0.00128	PASS
		3	MCH	VN	10	-2.65	-0.00317	PASS
		3	MCH	VN	20	-2.83	-0.00338	PASS

				VN	30	10.89	0.01302	PASS		
					40	-2.6	-0.00311	PASS		
					50	2.68	0.0032	PASS		
					HCH	-30	1.22	0.00144	PASS	
						-20	-3.5	-0.00413	PASS	
						-10	-4.18	-0.00493	PASS	
			0	-1.07	-0.00126	PASS				
			10	-7.48	-0.00883	PASS				
			20	-2.22	-0.00262	PASS				
			30	-1.36	-0.0016	PASS				
			40	-2.5	-0.00295	PASS				
			50	-1.42	-0.00168	PASS				
		5	LCH	VN	-30	-5.35	-0.00647	PASS		
					-20	0.53	0.00064	PASS		
					-10	-0.59	-0.00071	PASS		
					0	-0.39	-0.00047	PASS		
					10	2.22	0.00269	PASS		
					20	-4.36	-0.00528	PASS		
					30	-0.07	-0.00008	PASS		
					40	0.1	0.00012	PASS		
					50	0.09	0.00011	PASS		
					MCH	VN	-30	-14.19	-0.01696	PASS
							-20	0.47	0.00056	PASS
							-10	-3.38	-0.00404	PASS
			0	0.8			0.00096	PASS		
			10	0.5			0.0006	PASS		
			20	-0.99			-0.00118	PASS		
			30	1.06	0.00127	PASS				
			40	-0.49	-0.00059	PASS				
			50	0.96	0.00115	PASS				
			HCH	VN	-30	2.79	0.0033	PASS		
					-20	-4.53	-0.00535	PASS		
					-10	-1.49	-0.00176	PASS		
					0	-0.16	-0.00019	PASS		
					10	-0.62	-0.00073	PASS		
					20	0.33	0.00039	PASS		
		30			1.03	0.00122	PASS			
		40			0.53	0.00063	PASS			
		50	-1.33	-0.00157	PASS					
		10	LCH	VN	-30	-45.79	-0.05524	PASS		
-20	0.96				0.00116	PASS				

					-10	-0.74	-0.00089	PASS			
					0	-1.75	-0.00211	PASS			
					10	-9.03	-0.01089	PASS			
					20	-0.8	-0.00097	PASS			
					30	-76.06	-0.09175	PASS			
					40	-10.24	-0.01235	PASS			
					50	-1.59	-0.00192	PASS			
			MCH	VN	-30	204.32	0.24426	PASS			
					-20	75.43	0.09017	PASS			
					-10	57.76	0.06905	PASS			
					0	-19.05	-0.02277	PASS			
					10	-85.79	-0.10256	PASS			
					20	114.6	0.137	PASS			
					30	54.27	0.06488	PASS			
			HCH	VN	40	-101.74	-0.12163	PASS			
					50	83.74	0.10011	PASS			
					-30	-1.92	-0.00227	PASS			
					-20	0.13	0.00015	PASS			
					-10	-1.92	-0.00227	PASS			
					0	-0.01	-0.00001	PASS			
					10	-1.99	-0.00236	PASS			
			BAND7	LTE/TM1	5	LCH	VN	20	0.83	0.00098	PASS
								30	0.9	0.00107	PASS
								40	0.21	0.00025	PASS
								50	-0.17	-0.0002	PASS
								-30	1.53	0.00061	PASS
								-20	1.53	0.00061	PASS
								-10	0.16	0.00006	PASS
0	-0.39	-0.00016				PASS					
10	0.07	0.00003				PASS					
20	2.79	0.00111				PASS					
30	-1.56	-0.00062				PASS					
40	-1.86	-0.00074				PASS					
50	-1.5	-0.0006				PASS					
MCH	VN	-30				1.75	0.00069	PASS			
		-20	2.86	0.00113	PASS						
		-10	1.19	0.00047	PASS						
		0	0.46	0.00018	PASS						
		10	3.56	0.0014	PASS						
		20	-0.9	-0.00036	PASS						
		30	0.89	0.00035	PASS						



			HCH	VN	40	1.83	0.00072	PASS		
					50	0.34	0.00013	PASS		
					-30	-1.53	-0.0006	PASS		
					-20	-0.43	-0.00017	PASS		
					-10	4.28	0.00167	PASS		
					0	0.43	0.00017	PASS		
					10	-1.04	-0.00041	PASS		
					20	-1.4	-0.00055	PASS		
					30	1.32	0.00051	PASS		
					40	-1.3	-0.00051	PASS		
					50	-0.3	-0.00012	PASS		
					10	LCH	VN	-30	0.3	0.00012
		-20	-2.5	-0.001				PASS		
		-10	-0.67	-0.00027				PASS		
		0	-2.65	-0.00106				PASS		
		10	2	0.0008				PASS		
		20	-3.2	-0.00128				PASS		
		30	2.78	0.00111				PASS		
		40	0.9	0.00036				PASS		
		50	-1.87	-0.00075				PASS		
		MCH	VN	-30				-2.2	-0.00087	PASS
				-20				-3.16	-0.00125	PASS
				-10				1.79	0.00071	PASS
				0		-3.73	-0.00147	PASS		
				10		-2.1	-0.00083	PASS		
				20		-1.65	-0.00065	PASS		
				30		4.05	0.0016	PASS		
				40		-0.47	-0.00019	PASS		
				50		0.37	0.00015	PASS		
				HCH		VN	-30	1.97	0.00077	PASS
							-20	3.96	0.00154	PASS
							-10	4.28	0.00167	PASS
		0	6.01				0.00234	PASS		
		10	9.26				0.00361	PASS		
		20	8.48				0.00331	PASS		
		30	2.78		0.00108		PASS			
		40	1.49		0.00058		PASS			
		15	LCH	VN	-30	8.12	0.00324	PASS		
					-20	6.08	0.00242	PASS		
					-10	5.75	0.00229	PASS		



				0	5.06	0.00202	PASS	
				10	-1.25	-0.00050	PASS	
				20	4.56	0.00182	PASS	
				30	3.05	0.00122	PASS	
				40	5.78	0.00231	PASS	
				50	2.68	0.00107	PASS	
			MCH	VN	-30	3.13	0.00123	PASS
					-20	3.38	0.00133	PASS
					-10	-3.74	-0.00148	PASS
					0	5.98	0.00236	PASS
					10	6.52	0.00257	PASS
					20	4.65	0.00183	PASS
					30	-2.8	-0.00110	PASS
					40	2.43	0.00096	PASS
					50	4.35	0.00172	PASS
		HCH	VN	-30	-0.72	-0.00028	PASS	
				-20	9.66	0.00377	PASS	
				-10	3.78	0.00148	PASS	
				0	3.62	0.00141	PASS	
				10	3.85	0.00150	PASS	
				20	3.23	0.00126	PASS	
				30	2.53	0.00099	PASS	
				40	3.13	0.00122	PASS	
		20	LCH	VN	-30	-3.85	-0.00153	PASS
					-20	2.96	0.00118	PASS
					-10	5.68	0.00226	PASS
					0	1.89	0.00075	PASS
					10	-2.16	-0.00086	PASS
					20	5.84	0.00233	PASS
					30	-1.12	-0.00045	PASS
					40	-1.02	-0.00041	PASS
					50	3.15	0.00125	PASS
			MCH	VN	-30	3.5	0.00138	PASS
					-20	1.53	0.00060	PASS
					-10	2.99	0.00118	PASS
					0	5.59	0.00221	PASS
					10	-3.55	-0.00140	PASS
					20	2.42	0.00095	PASS
		30	5.41	0.00213	PASS			
		40	1.95	0.00077	PASS			



			HCH	VN	50	-1.99	-0.00079	PASS		
					-30	2.52	0.00098	PASS		
					-20	-0.43	-0.00017	PASS		
					-10	4.94	0.00193	PASS		
					0	-0.53	-0.00021	PASS		
					10	-0.4	-0.00016	PASS		
					20	3.42	0.00134	PASS		
					30	0.84	0.00033	PASS		
					40	0.43	0.00017	PASS		
					50	1.29	0.00050	PASS		
	LTE/TM2	5		LCH	VN	-30	-0.53	-0.00021	PASS	
						-20	3.28	0.00131	PASS	
						-10	0.89	0.00036	PASS	
						0	2.15	0.00086	PASS	
						10	1.76	0.00070	PASS	
						20	4.03	0.00161	PASS	
						30	4.36	0.00174	PASS	
						40	0.07	0.00003	PASS	
				50		1.06	0.00042	PASS		
				MCH		VN	-30	-3.63	-0.00143	PASS
							-20	4.06	0.00160	PASS
							-10	1.19	0.00047	PASS
							0	0.24	0.00009	PASS
							10	2.23	0.00088	PASS
		20	4.42		0.00174		PASS			
		30	-1.02		-0.00040		PASS			
		40	-1.4		-0.00055		PASS			
		HCH	VN	-30	-0.2	-0.00008	PASS			
				-20	2.25	0.00088	PASS			
				-10	5.84	0.00227	PASS			
				0	-0.5	-0.00019	PASS			
				10	0.29	0.00011	PASS			
				20	1.34	0.00052	PASS			
				30	-0.14	-0.00005	PASS			
				40	0.17	0.00007	PASS			
				50	2.3	0.00090	PASS			
				10	LCH	VN	-30	4.35	0.00174	PASS
		-20	1.06				0.00042	PASS		
	-10	1.33	0.00053				PASS			
	0	3.39	0.00135				PASS			



				10	-1.27	-0.00051	PASS	
				20	3.43	0.00137	PASS	
				30	0	0.00000	PASS	
				40	-1.53	-0.00061	PASS	
				50	3.69	0.00147	PASS	
			MCH	VN	-30	1.03	0.00041	PASS
					-20	-3.28	-0.00129	PASS
					-10	3.53	0.00139	PASS
					0	2.98	0.00118	PASS
					10	-4.05	-0.00160	PASS
					20	0.92	0.00036	PASS
					30	3.86	0.00152	PASS
					40	0.1	0.00004	PASS
					50	7.04	0.00278	PASS
					HCH	VN	-30	8
		-20	6.38	0.00249			PASS	
		-10	8.24	0.00321			PASS	
		0	5.92	0.00231			PASS	
		10	6.27	0.00244			PASS	
		20	1.72	0.00067			PASS	
		30	1.22	0.00048			PASS	
		40	3.85	0.00150			PASS	
		50	3.22	0.00126			PASS	
		15	LCH	VN			-30	2.3
					-20	4.58	0.00183	PASS
					-10	-0.56	-0.00022	PASS
					0	5.68	0.00227	PASS
					10	3.48	0.00139	PASS
					20	5.56	0.00222	PASS
					30	1.8	0.00072	PASS
					40	3.56	0.00142	PASS
					50	3.81	0.00152	PASS
					MCH	VN	-30	0.11
			-20	-0.5			-0.00020	PASS
			-10	-0.63			-0.00025	PASS
			0	1.85			0.00073	PASS
			10	4.19			0.00165	PASS
			20	1.5	0.00059	PASS		
		30	6.79	0.00268	PASS			
		40	8.97	0.00354	PASS			
		50	2.86	0.00113	PASS			



		HCH	VN	-30	3.92	0.00153	PASS	
				-20	4.94	0.00193	PASS	
				-10	-0.07	-0.00003	PASS	
				0	1.13	0.00044	PASS	
				10	2.45	0.00096	PASS	
				20	2.55	0.00100	PASS	
				30	1.13	0.00044	PASS	
				40	-1.16	-0.00045	PASS	
				50	2.85	0.00111	PASS	
				20	LCH	VN	-30	4.21
		-20	-5.38				-0.00214	PASS
		-10	-2.53				-0.00101	PASS
		0	1.09				0.00043	PASS
		10	4.69				0.00187	PASS
		20	2.55				0.00102	PASS
		30	3.23				0.00129	PASS
		40	1.89				0.00075	PASS
		50	1.47				0.00059	PASS
		MCH	VN				-30	-1.71
				-20	2.43	0.00096	PASS	
				-10	3.55	0.00140	PASS	
				0	-2.17	-0.00086	PASS	
				10	-1.06	-0.00042	PASS	
				20	4.41	0.00174	PASS	
				30	-1.02	-0.00040	PASS	
				40	-0.47	-0.00019	PASS	
				50	7.52	0.00297	PASS	
				HCH	VN	-30	1.16	0.00045
		-20	2.51			0.00098	PASS	
		-10	1.92			0.00075	PASS	
		0	-0.26			-0.00010	PASS	
		10	1.47			0.00057	PASS	
		20	0.99			0.00039	PASS	
		30	2.02			0.00079	PASS	
		40	-0.79			-0.00031	PASS	
		50	5.69			0.00222	PASS	

END