



Appendix for test report

**1Appendix_A: Effective (Isotropic) Radiated Power Output Data****Part I - Test Results(Worst case: External antenna 3dBi)**

Test Band	Test Mode	Test Channel	Measured[dBm]	ERP [dBm]	Limit [dBm]	Verdict
GSM850	GSM/TM1	LCH	32.28	33.13	38.5	PASS
		MCH	32.44	33.29	38.5	PASS
		HCH	32.44	33.29	38.5	PASS
	GSM/TM2	LCH	25.79	26.64	38.5	PASS
		MCH	25.78	26.63	38.5	PASS
		HCH	25.76	26.61	38.5	PASS
Test Band	Test Mode	Test Channel	Measured[dBm]	EIRP [dBm]	Limit [dBm]	Verdict
GSM1900	GSM/TM1	LCH	29.51	32.51	33	PASS
		MCH	29.05	32.05	33	PASS
		HCH	29.39	32.39	33	PASS
	GSM/TM2	LCH	24.58	27.58	33	PASS
		MCH	24.55	27.55	33	PASS
		HCH	24.55	27.55	33	PASS



Note1:

a, For getting the ERP (Efficient Radiated Power) or EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

$$\text{ERP [dBm]} = \text{SGP [dBm]} - \text{Cable Loss [dB]} + \text{Gain [dBd]}$$

$$\text{EIRP [dBm]} = \text{SGP [dBm]} - \text{Cable Loss [dB]} + \text{Gain [dBi]}$$

b, SGP = Signal Generator Level

Note2:

$$\text{SET Span} = 1.5 * \text{OBW}$$

SET RBW = 1% of the OBW, not to exceed 1MHz

$$\text{SET VBW} \geq 3 * \text{RBW}$$

SET Sweep time = auto - couple.

Detector: RMS



2Appendix_B: Peak-to-Average Ratio

void

3Appendix_C: Modulation Characteristics

void

4Appendix_D: Bandwidth

void

5Appendix_E: Band Edges Compliance

void

6Appendix_F: Spurious Emission at Antenna Terminal

void



7Appendix_G: Field Strength of Spurious Radiation

Note: We tested all modes, but the data presented below is the worst case.

9kHz~150kHz, RBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, RBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK


Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK

Part I - Test Plots

7.1 For GSM


7.1.1 Test Band = GSM850-External antenna 1dBi

7.1.1.1 Test Mode = GSM/TM1






04 FCC PART 22 GSM850_L




03 FCC PART 22 GSM850_H




7.1.2 Test Band = GSM850- External antenna 3dBi


7.1.2.1 Test Mode = GSM/TM1



04 FCC PART 22 GSM850_L




03 FCC PART 22 GSM850_H




7.1.3 Test Band = GSM1900-External antenna 1dBi


7.1.3.1 Test Mode = GSM/TM1




10 FCC PART 24 GSM1900_L



09 FCC PART 24 GSM1900_H




18G~26.5G RSE-TX-DIRECT OR ABOVE 1.5G PK




7.1.4 Test Band = GSM1900- External antenna 3dBi


7.1.4.1 Test Mode = GSM/TM1




10 FCC PART 24 GSM1900_L



09 FCC PART 24 GSM1900_H



18G~26.5G RSE-TX-DIRECT OR ABOVE 1.5G PK





8Appendix_H: Frequency Stability

void

END