



FCC Test Report of B890-66
FCC ID: QISB890
IC: 6369A-B890



Appendix H


Receiver Spurious Emissions

According to RSS-133



This test was carried out in all the test modes, Here only the worst test result was shown.

30MHz-1GHz




MEASUREMENT RESULT: QP Detector

| Frequency MHz | Level dBµV/m | Transd dB | Limit dBµV/m | Margin dB | Height cm | Azimuth deg | Polarisation |
|---------------|--------------|-----------|--------------|-----------|-----------|-------------|--------------|
| 32.640000 | 35.80 | 14.7 | 40.0 | 4.2 | 100.0 | 359.00 | VERTICAL |
| 37.500000 | 32.50 | 15.2 | 40.0 | 7.5 | 114.0 | 341.00 | VERTICAL |
| 69.120000 | 26.60 | 11.1 | 40.0 | 13.4 | 136.0 | 85.00 | VERTICAL |
| 101.880000 | 28.00 | 13.4 | 43.5 | 15.5 | 109.0 | 263.00 | VERTICAL |
| 155.640000 | 31.90 | 10.0 | 43.5 | 11.6 | 100.0 | 84.00 | VERTICAL |
| 206.220000 | 26.30 | 12.4 | 43.5 | 17.2 | 163.0 | 326.00 | HORIZONTAL |



1GHz-18GHz



MEASUREMENT RESULT: PK Detector

| Frequency MHz | Level dBµV/m | Transd dB | Limit dBµV/m | Margin dB | Height cm | Azimuth deg | Polarisation |
|---------------|--------------|-----------|--------------|-----------|-----------|-------------|--------------|
| 4923.800000 | 42.80 | -2.5 | 74.0 | 31.2 | 100.0 | 46.00 | VERTICAL |
| 7500.300000 | 48.00 | 3.7 | 74.0 | 26.0 | 100.0 | 318.00 | HORIZONTAL |
| 17992.400000 | 52.00 | 19.4 | 74.0 | 22.0 | 100.0 | 280.00 | HORIZONTAL |

MEASUREMENT RESULT: AV Detector

| Frequency MHz | Level dBµV/m | Transd dB | Limit dBµV/m | Margin dB | Height cm | Azimuth deg | Polarisation |
|---------------|--------------|-----------|--------------|-----------|-----------|-------------|--------------|
| 4923.800000 | 31.20 | -2.5 | 54.0 | 22.8 | 100.0 | 24.00 | VERTICAL |
| 7500.300000 | 43.60 | 3.7 | 54.0 | 10.4 | 100.0 | 316.00 | HORIZONTAL |
| 17993.500000 | 38.20 | 19.4 | 54.0 | 15.8 | 100.0 | 216.00 | VERTICAL |

-----The END-----