


Appendix G

Radiated Emission of Enclosure in Idle Mode

According to FCC Part 15.109


ADAPTER TPCA-053065E



MEASUREMENT RESULT: QP DECTER

Frequency (MHz)	Level (dBμV/m)	Transd (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Azimuth (deg)	Polarisation
30.240000	15.90	-5.5	40.0	24.1	245.0	227.00	HORIZONTAL
60.060000	11.70	-18.1	40.0	28.3	300.0	0.00	HORIZONTAL
88.320000	15.60	-17.0	43.5	27.9	171.0	126.00	HORIZONTAL
229.740000	20.50	-12.2	46.0	25.5	199.0	244.00	HORIZONTAL
292.020000	18.70	-9.9	46.0	27.3	100.0	75.00	HORIZONTAL
918.720000	23.50	1.1	46.0	22.5	100.0	226.00	HORIZONTAL


ADAPTER XQLCHW07



MEASUREMENT RESULT: QP DECTER

Frequency (MHz)	Level (dBμV/m)	Transd (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Azimuth (deg)	Polarisation
31.800000	22.30	-7.6	40.0	17.7	152.0	218.00	HORIZONTAL
45.040000	16.80	-8.6	40.0	23.2	189.0	168.00	HORIZONTAL
155.160000	23.40	-5.3	43.5	20.1	218.0	152.00	HORIZONTAL
192.920000	17.50	-4.5	43.5	26.0	172.0	212.00	HORIZONTAL
618.120000	25.60	1.6	46.0	20.4	281.0	146.00	HORIZONTAL
958.920000	29.40	1.6	46.0	16.6	189.0	234.00	HORIZONTAL

ADAPTER CHG5365-3C



MEASUREMENT RESULT: QP DECTER

Frequency (MHz)	Level (dBμV/m)	Transd (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Azimuth (deg)	Polarisation
35.880000	20.80	-8.6	40.0	19.2	163.0	328.00	HORIZONTAL
54.480000	9.10	-17.2	40.0	30.9	300.0	7.00	HORIZONTAL
129.960000	6.30	-14.9	43.5	37.2	209.0	318.00	HORIZONTAL
384.000000	15.20	-7.3	46.0	30.8	100.0	287.00	HORIZONTAL
632.340000	19.80	-2.9	46.0	26.2	192.0	269.00	HORIZONTAL
914.400000	24.40	1.1	46.0	21.6	152.0	154.00	HORIZONTAL