




Appendix A

Modulation Characteristics According to FCC Part 2.1047 & Part22 Subpart H



Channel 283 (TM1)





Channel 283 (TM3)

CDMA2000 US Cellular Modulation

RC 3/3 H-PSK SO 55

Connect Control

22.75 dBm
MS Power

0.998
Waveform Quality

-44.00 dB
Carrier Feedthrough

-70.89 dB
I/Q Imbalance

4.4 %
Err. Vect. Magn. (RMS)

2.2 %
Magn. Error (RMS)

2.2 °
Phase Error (RMS)

RF Channel 283

SCH 0 Enable SCH 1 Enable F-FCH Frame Rate

Menus (1/2)



Appendix B

Occupied Bandwidth

According to FCC Part 2.1049 & Part 22 Subpart H



Channel 1013 (TM1)

Agilent		R L	Measure
Ch Freq 824.7 MHz		Trig Free	Meas Off
Occupied Bandwidth		Averages: 200	Channel Power
			Occupied BW
Ref 20 dBm #Atten 30 dB #Avg Log 10 dB/ Offst 11 dB Center 824.700 MHz Span 3 MHz #Res BW 30 kHz #VBW 300 kHz Sweep 9.76 ms (601 pts)			ACP
Occupied Bandwidth 1.2678 MHz		Occ BW % Pwr x dB	99.00 % -26.00 dB
Transmit Freq Error 1.581 kHz x dB Bandwidth 1.396 MHz*			Multi Carrier Power Power Stat CCDF More 1 of 2
Copyright 2000-2007 Agilent Technologies			



Channel 1013 (TM3)

Agilent		R L	Measure
Ch Freq 824.7 MHz		Trig Free	Meas Off
Occupied Bandwidth		Averages: 200	Channel Power
			Occupied BW
Ref 20 dBm #Atten 30 dB #Avg Log 10 dB/Offst 11 dB Center 824.700 MHz Span 3 MHz #Res BW 30 kHz #VBW 300 kHz Sweep 9.76 ms (601 pts)			ACP
Occupied Bandwidth 1.2689 MHz		Occ BW % Pwr 99.00 % x dB -26.00 dB	Multi Carrier Power
Transmit Freq Error 847.469 Hz x dB Bandwidth 1.395 MHz*			Power Stat CCDF
Copyright 2000-2007 Agilent Technologies			More 1 of 2




Channel 283 (TM1)

Agilent		R L	Measure												
Ch Freq 833.49 MHz		Trig Free	Meas Off												
Occupied Bandwidth		Averages: 200	Channel Power												
<p>Ref 20 dBm #Atten 30 dB #Avg Log 10 dB/Offst 11 dB Center 833.490 MHz Span 3 MHz #Res BW 30 kHz #VBW 300 kHz Sweep 9.76 ms (601 pts)</p>			Occupied BW												
<table border="1"> <tr> <td>Occupied Bandwidth</td> <td>Occ BW % Pwr</td> <td>99.00 %</td> </tr> <tr> <td>1.2706 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> <tr> <td>Transmit Freq Error</td> <td>340.640 Hz</td> <td></td> </tr> <tr> <td>x dB Bandwidth</td> <td>1.396 MHz*</td> <td></td> </tr> </table>			Occupied Bandwidth	Occ BW % Pwr	99.00 %	1.2706 MHz	x dB	-26.00 dB	Transmit Freq Error	340.640 Hz		x dB Bandwidth	1.396 MHz*		ACP
Occupied Bandwidth	Occ BW % Pwr	99.00 %													
1.2706 MHz	x dB	-26.00 dB													
Transmit Freq Error	340.640 Hz														
x dB Bandwidth	1.396 MHz*														
			Multi Carrier Power												
			Power Stat CCDF												
			More 1 of 2												
Copyright 2000-2007 Agilent Technologies															



Channel 283 (TM3)






Channel 777 (TM1)

* Agilent		R L	Measure
Ch Freq 848.31 MHz		Trig Free	Meas Off
Occupied Bandwidth		Averages: 200	Channel Power
			Occupied BW
<p>Center 848.310 MHz Span 3 MHz #Res BW 30 kHz #VBW 300 kHz Sweep 9.76 ms (601 pts)</p>			ACP
Occupied Bandwidth 1.2688 MHz		Occ BW % Pwr 99.00 % x dB -26.00 dB	Multi Carrier Power
Transmit Freq Error -1.227 kHz			Power Stat CCDF
x dB Bandwidth 1.394 MHz*			More 1 of 2
Copyright 2000-2007 Agilent Technologies			



Channel 777 (TM3)





Appendix C

Band Edges Compliance According to FCC Part 2.1051 & 22.917



TM1


Left Edge

Channel 1013





Right Edge Channel 777





TM3


Left Edge

Channel 1013





Right Edge Channel 777






Appendix D


Spurious Emission at Antenna Terminal


According to FCC Part 2.1051 & 22.917




TM1 Channel 1013















Channel 283















Channel 777















TM3 Channel 1013















Channel 283















Channel 777












Appendix E

Radiated Spurious Emission

According to FCC Part 2.1053 & 22.917




Traffic Mode (9kHz-30MHz)






Traffic Mode (30MHz-2GHz)






Traffic Mode (2GHz-18GHz)





Appendix F

Conducted Emission at Power Port According to FCC Part 15.107



MEASUREMENT RESULT: QP Detector

Frequency MHz	Level dB μ V	Transd dB	Limit dB μ V	Margin dB	Line	PE
0.361500	38.40	10.0	59	20.6	N	FLO
0.456000	36.30	10.1	57	20.7	N	FLO
2.472000	41.50	10.1	56	14.5	N	FLO
4.209000	31.70	10.2	56	24.3	N	FLO
8.524500	20.10	10.2	60	39.9	N	FLO
10.923000	21.30	10.3	60	38.7	N	FLO

MEASUREMENT RESULT: AV Detector


Frequency MHz	Level dB μ V	Transd dB	Limit dB μ V	Margin dB	Line	PE
0.361500	32.40	10.0	49	16.6	N	FLO
0.451500	28.80	10.1	47	18.2	N	FLO
2.481000	31.40	10.1	46	14.6	N	FLO
4.218000	21.60	10.2	46	24.4	N	FLO
8.524500	8.90	10.2	50	41.1	N	FLO
10.923000	12.30	10.3	50	37.7	N	FLO



Appendix G

Radiated Emission of Enclosure in Idle Mode

According to FCC Part 15.109



MEASUREMENT RESULT: QP DECTER

Frequency (MHz)	Level (dBµV/m)	Transd (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Azimuth (deg)	Polarisation
34.560000	29.80	11.7	40.0	10.2	100.0	46.00	VERTICAL
57.120000	21.00	12.5	40.0	19.0	225.0	210.00	VERTICAL
146.340000	20.30	8.9	43.5	23.2	156.0	20.00	HORIZONTAL
228.420000	21.60	13.4	46.0	24.4	231.0	53.00	VERTICAL
554.760000	29.70	21.0	46.0	16.3	225.0	150.00	VERTICAL
941.220000	41.20	26.5	46.0	4.8	165.0	153.00	HORIZONTAL




Appendix H

Photos of Test Setup



1. Radiated Emissions



Radiated Disturbance

2. Radiated Spurious Emissions





Radiated Spurious Emission (below 2GHz)



Radiated Spurious Emission (2GHz to18GHz)

3. Conducted Emissions





Conducted Emissions for AC Ports