



RF EXPOSURE EVALUATION REPORT

APPLICANT	:	Huawei Technologies Co., Ltd.
PRODUCT NAME	:	Virtual Reality Handle
MODEL NAME	:	CF20
TRADE NAME	:	N/A
BRAND NAME	:	HUAWEI
FCC ID	:	QISCF20
STANDARD(S)	:	47CFR 2.1093 KDB 447498 D01 General RF Exposure Guidance v06
ISSUE DATE	:	2017-11-07

SHENZHEN MORLAB COMMUNICATIONS TECHNOLOGY Co., Ltd.

NOTE: This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

 MORLAB GROUP
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave
 FL1-3, Building A, Feitraing Solence Faity, nois 200, grave



DIRECTORY

TEST REPORT DECLARATION
1. TECHNICAL INFORMATION4
1.1. IDENTIFICATION OF APPLICANT4
1.2. IDENTIFICATION OF MANUFACTURER ······4
1.3. EQUIPMENT UNDER TEST (EUT)4
1.3.1. PHOTOGRAPHS OF THE EUT
1.3.2. IDENTIFICATION OF ALL USED EUT ···································
1.4. APPLIED REFERENCE DOCUMENTS6
2.DEVICE CATEGORY AND RF EXPOSURE LIMIT7
3.MEASUREMENT OF CONDUCTED PEAK OUTPUT POWER8
4. RF EXPOSURE EVALUATION
ANNEX A GENERAL INFORMATION9

Change History		
Issue	Date	Reason for change
1.0	2017-11-07	First edition

 MORLAB GROUP
 FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
 Tel: 86-755-36698555
 Fax: 86-755-36698525

 Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China
 Http://www.morlab.com
 E-mail: service@morlab.cn



TEST REPORT DECLARATION

Applicant	Huawei Technologies Co., Ltd.
Applicant Address	Administration Building, Headquarters of Huawei Technologies Co., Ltd., Bantian, Longgang District, Shenzhen, 518129, P.R.C
Manufacturer	Huawei Technologies Co., Ltd.
Manufacturer Address	Administration Building, Headquarters of Huawei Technologies Co., Ltd., Bantian, Longgang District, Shenzhen, 518129, P.R.C
Product Name	Virtual Reality Handle
Model Name	CF20
Brand Name	HUAWEI
HW Version	Ver-N
SW Version	huaweivr-v1.3n
Test Standards	47CFR 2.1093; KDB 447498 D01 General RF Exposure Guidance v06
Issue Date	2017-11-07
SAR Evaluation	Not Required

Peng Funei Peng Fuwei (Test engineer) Tested by Peng IA **د** • Approved by Peng Huarui (Supervisor)

 FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,

 Block67
 BaoAn District
 Shor7har
 Out
 District
 Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555 Http://www.morlab.com



1. TECHNICAL INFORMATION

Note: the following data is based on the information by the applicant.

1.1. Identification of Applicant

Company Name:	Huawei Technologies Co., Ltd.	
Address:	Administration Building, Headquarters of Huawei Technologies	
	Co., Ltd., Bantian, Longgang District, Shenzhen, 518129, P.R.C	

1.2. Identification of Manufacturer

Company Name:	Huawei Technologies Co., Ltd.
Address:	Administration Building, Headquarters of Huawei Technologies
	Co., Ltd., Bantian, Longgang District, Shenzhen, 518129, P.R.C

1.3. Equipment Under Test (EUT)

Model Name:	CF20
Trade Name:	N/A
Brand Name:	HUAWEI
Hardware Version:	Ver-N
Software Version:	huaweivr-v1.3n
Frequency Bands:	Bluetooth 4.2:2402-2480MHz;
Modulation Mode:	Bluetooth 4.2: GFSK;
Antenna Type:	PCB Antenna
Antenna Gain:	0.5 dBi


 FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
 Tel: 86-755-36698555

 Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China
 Http://www.morlab.com



1.3.1. Photographs of the EUT

1. EUT front view



2. EUT rear view



 FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,

 Block67
 BaoAn District
 CharThree
 Control
 Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China Http://www.morlab.com

Tel: 86-755-36698555





1.3.2. Identification of all used EUT

The EUT identity consists of numerical and letter characters, the letter character indicates the test sample, and the following two numerical characters indicate the software version of the test sample.

EUT Identi	Hardware Version	Software Version
1#	Ver-N	huaweivr-v1.3n

1.4. Applied Reference Documents

Leading reference documents for testing:

No.	Identity	Document Title
1	47 CFR§2.1093	Radiofrequency Radiation Exposure Evaluation: portable
		devices
2	KDB 447498 D01v06	General RF Exposure Guidance

 FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
 Tel: 86-755-36698555

 Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China
 Http://www.morlab.com



2. DEVICE CATEGORY AND RF EXPOSURE LIMIT

Per user manual, this device is a Virtual Reality Handle. Based on 47CFR 2.1093, this device belongs to portable device category with General Population/Uncontrolled exposure.

Portable Devices:

47CFR 2.1093(b)

For purposes of this section, a portable device is defined as a transmitting device designed to be used so that the radiating structure(s) of the device is/are within 20 centimeters of the body of the user.

GENERAL POPULATION / UNCONTROLLED EXPOSURE

47CFR 2.1093(d) (2)

Limits for General Population/Uncontrolled exposure: 0.08 W/kg as averaged over the whole-body and spatial peak SAR not exceeding 1.6 W/kg as averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube). Exceptions are the hands, wrists, feet and ankles where the spatial peak SAR shall not exceed 4 W/kg, as averaged over any 10 grams of tissue (defined as a tissue volume in the shape of a cube). General Population/Uncontrolled limits apply when the general public may be exposed, or when persons that are exposed as a consequence of their employment may not be fully aware of the potential for exposure or do not exercise control over their exposure. Warning labels placed on consumer devices such as cellular telephones will not be sufficient reason to allow these devices to be evaluated subject to limits for occupational/controlled exposure in paragraph (d)(1) of this section.

 FL1-3, Building A, FelYang Science Park, No.8 LongChang Road,

 Block67
 BaoAn

 District
 Chan Zhang
 Block67, BaoAn District, ShenZhen, GuangDong Province, P. R. China

Tel: 86-755-36698555 Http://www.morlab.com



3. MEASUREMENT OF CONDUCTED PEAK OUTPUT POWER

1. Bluetooth Peak output power

Band	Channel	Frequency (MHz)	Output Power(dBm)
			GFSK
	0	2402	-11.45
BT	19	2440	-8.89
	39	2480	-6.81

4. RF EXPOSURE EVALUATION

The device only incorporates a Bluetooth transmitter, so standalone SAR evaluation is required for Bluetooth and simultaneous SAR is not required.

Standalone transmission SAR evaluation

According to KDB 447498 section 4.3.1, the 1-g SAR test exclusion thresholds at test separation Distances \leq 50 mm are determined by:

[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)]·[$\sqrt{f(GHz)}$] ≤ 3.0

The maximum tune-up limit power is -6.5mW @ 2.480GHz

When Virtual Reality Handle is worn on the hand, so use 5mm as the most conservative minimum test separation distance,

[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)]·[√f(GHz)] **=0.07**≤ 3.0

So SAR evaluation is not required for this device.

 FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,

 Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555 Http://www.morlab.com



ANNEX A GENERAL INFORMATION

1. Identification of the Responsible Testing Laboratory

_	
Company Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Department:	Morlab Laboratory
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang
	Road, Block 67, BaoAn District, ShenZhen, GuangDong
	Province, P. R. China
Responsible Test Lab Manager:	Mr. Su Feng
Telephone:	+86 755 36698555
Facsimile:	+86 755 36698525

2. Identification of the Responsible Testing Location

Name:	Shenzhen Morlab Communications Technology Co., Ltd.
	Morlab Laboratory
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang
	Road, Block 67, BaoAn District, ShenZhen, GuangDong
	Province, P. R. China

***** END OF REPORT *****

 MORLAB GROUP
 FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
 Tel: 86-755-36698555
 Fax: 86-755-36698525

 Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China
 Http://www.morlab.com
 E-mail: service@morlab.cn